



MyProject

- [Dashboard](#)
- [My Projects](#)
- [Holiday List](#)
- [More Help](#)
- [R](#)
- [Ramakrishnan V](#)  
[Manage Profile](#) [Preference](#) [Change Password](#)  
[Logout](#)

---

## Bugs (PAMAC (Cloud Version))

---

[Home](#) [Requirements](#) [Discussions](#) [Documents](#) [Daily Updates](#) [Changes](#) [Bugs](#)

● = Emergency, ● = High, ● = Medium, ● = Low

**Posted By :** Dipika Yedge

**Assigned To :** (All Members)

B478 High

**Date & Time :** 13-02-2023 06:17:PM

Dipika Yedge | Daily TAT MIS | High

---

In daily TAT MIS below case Show as Within TAT but in TAT slab it shows in 48-72 which is Greater than TAT slab

Case ID 109064618

**Posted By :** Manas Dasgupta

**Assigned To :** Prasad Gawade

B478 High

**Date & Time :** 13-02-2023 08:05:PM

Hello Prasad,

Please check this issue and let me know in case of any query.

**Posted By :** Prasad Gawade

**Assigned To :** Manas Dasgupta

B478 High

**Date & Time :** 14-02-2023 10:46:AM

As discussed with dipika maam,

Mentioned case is of BOCL type


TAT for BOCL in TAT master is mentioned as 72 hours.

In case detail MIS TAT for below case is 53h 18m.

Hence mentioned as within TAT.

Please find below attached word file for your reference.

---

 B478.docx

↓ Download

**Posted By :** Bhavana Pachpande

**Assigned To :** Dipika Yedge

B478 High

**Date & Time :** 14-02-2023 11:17:AM

Hello mam,

Please close if not bug.

**Posted By :** Dipika Yedge

B478

**Date & Time :** 15-02-2023 01:22:PM

Bug is closed.

Reply

Move to Change

Cancel