# my-ebook

Parmeshvar

2025-07-06

# Table of contents

# 1 Introduction

# 2 Introduction

**DR.Harsh Pradhan**, Phone: +91-9930034241 , Email: harsh.231284@gmail.com, Institute of Management Studies, Banaras Hindu University, Address: 18-GF, Jaipuria Enclave, Kaushambhi, Ghaziabad, India, 201010
**Interest**: Goal Orientation Job Performance Consumer Behavior Behavioral Finance Bibiliometric Analysis Options as Derivatives Statistics Indian Knowledge System,

Orcid ID
Google Scholar
GitHub
Researcher ID
Personal Website
Youtube ID

**Doing a PhD with me:** README.1st

Academic Profile

# 3 Bayesian data analysis for cognitive science

## 3.1 Introduction: What this course is about

This course provides an introduction to Bayesian data analysis using the probabilistic programming language **Stan**.
We will use a front end software package called **brms**.

This course is for:

- Linguistics (MM5, MM6)
- Cognitive Systems
- Cognitive Science

Please see the PULS FAQs to find out how the sign-up system works (in German).

We will be using the software R and RStudio, so make sure you install these on your computer.

Topics to be covered:

1. Basic probability theory, random variable theory (including jointly distributed RVs), probability distributions (including bivariate distributions)
2. Using Bayes' rule for statistical inference
3. An introduction to (generalized) linear models
4. An introduction to hierarchical models
5. Measurement error models
6. Mixture models
7. Model selection and hypothesis testing (Bayes factor and k-fold cross-validation)

## 3.2 Teaching

Science and statistics is/are one unitary thing; you cannot do one without the other. Towards this end, I teach some (in my opinion) critically important classes that provide a solid statistical foundation for doing research in cognitive science. Free online course, four weeks

(MOOC), enrollments open: Introduction to Bayesian Data Analysis. Short (four-hour) tutorial on Bayesian statistics, taught at EMLAR 2022: here Introduction to (frequentist) statistics Introduction to Bayesian data analysis for cognitive science BDA cover

## 3.3 Lecture notes

Download from here.

## 3.4 Moodle website

All communications with students in Potsdam will be done through this website.

# 4 Schedule

| Week | Lecture | Main Topic | Sub Topic | Video | PDF Resource |
|---|---|---|---|---|---|
| Jan 30 + Feb 4 | - | Model Selection & Hypothesis Testing | - | - | HW 13 |
| Week 2 | 1 | Descriptive Statistics | Central Tendency | Link | Week 2.pdf |
|  | 2 | Descriptive Statistics | Measure of Variability | Link | Week 2.pdf |
|  | 3 | Descriptive Statistics | Describing Data | Link | Week 2.pdf |
|  | 4 | Probability | - | Link | Week 2.pdf |
|  | 5 | Distribution | - | Link | Week 2.pdf |
| Week 3 | 1 | Probability | Z Table (Normal Distribution) | Link | Week 3.pdf |
|  | 2 | Divergence | Measuring Divergence | Link | Week 3.pdf |
|  | 3 | Inferential Statistics | Sample and Population | Link | Week 3.pdf |
|  | 4 | Model Fit | - | Link | Week 3.pdf |
|  | 5 | Hypothesis Testing | Hypothesis and Error | Link | Week 3.pdf |
| Week 4 | 1 | Statistical Terms | Terms of Statistics | Link | Week 4.pdf |
|  | 2 | Hypothesis Testing | T-Test | Link | Week 4.pdf |
|  | 3 | Hypothesis Testing | T-Test in Detail | Link | Week 4.pdf |
|  | 4 | ANOVA | ANOVA | Link | Week 4.pdf |
| Week 5 | 1 | ANOVA | Example of ANOVA | Link | Week 5.pdf |
|  | 2 | ANOVA | Types of ANOVA | Link | Week 5.pdf |

| Week | Lecture | Main Topic | Sub Topic | Video | PDF Resource |
|------|---------|-----------|-----------|-------|--------------|
| | 3 | Correlation | Introduction to Correlation | Link | Week 5.pdf |
| | 4 | Regression | Regression | Link | Week 5.pdf |
| | 5 | Regression | Regression | Link | Week 5.pdf |
| Week 6 | 1 | Regression | R Script for Regression | Link | Week 6.pdf |
| | 2 | Chi-Square | Chi Square | Link | Week 6.pdf |
| | 3 | Chi-Square | Chi Square Test | Link | Week 6.pdf |
| | 4 | Logistic Regression | Logistic Function | Link | Week 6.pdf |
| | 5 | Distribution | - | Link | Week 6.pdf |
| Week 7 | 1 | Time Series | Intro to Time Series | Link | Week 7.pdf |
| | 2 | Probability | Conditional Probability | Link | Week 7.pdf |
| | 3 | Additional Concepts | - | Link | Week 7.pdf |
| | 4 | Distribution | - | Link | Week 7.pdf |
| | 5 | Poisson Distribution | - | Link | Week 7.pdf |
| Week 8 | 1 | Libraries & Documentation | Effect Size and Packages | Link | Week 8.pdf |
| | 2 | Software Comparison | RStudio vs RKward | Link | Week 8.pdf |
| | 3 | Visualization | Flexplot | Link | Week 8.pdf |
| | 4 | Programming in R | Functions | Link | Week 8.pdf |
| | 5 | R Tools | R Shiny and R Markdown | Link | Week 8.pdf |

# 5 Introduction to Statistics

# 6 Chapter 1: Welcome and Course Overview

This course offers an introduction to statistics through the RKWard graphical interface of R. Aimed at learners from diverse backgrounds, the course emphasizes practical application over theory. You don't need a strong background in math or computing—just an eagerness to learn.

**Pre-Requisites:**

- Curiosity

- Basic awareness of numbers

- No fear of statistics or software

  "Aapko darne ki zarurat nahi hai… simple understanding aapko statistics ki data ki aage milegi."

# 7 Chapter 2: Agenda and Orientation

**Key Themes:**

- Difference between Mathematics and Statistics

- Nature, Meaning, and Role of Statistics

- Uses, Limitations, and Common Fallacies

| Aspect | Mathematics | Statistics |
|---|---|---|
| Nature | Abstract, theoretical | Applied, data-centric |
| Focus | Concepts, theorems, proofs | Tools, interpretation, decision-making |
| Tools | Logical reasoning, algebra | Hypothesis testing, regression, probability |
| Application | General structures | Real-world problems |

# 8 Chapter 3: Meaning and Nature of Statistics

**Definition:**
Statistics is the science of collecting, analyzing, interpreting, and presenting data for decision-making.

**Core Concepts:**

- Population & Sample

- Parameter & Statistic

- Data classification and tabulation

**Purpose:**

- Describe and explain phenomena

- Interpret and predict outcomes

- Facilitate scientific and social inquiry

# 9 Chapter 4: Applications and Uses

**Main Uses:**

- Summarizing observed data

- Drawing representative samples

- Analyzing relationships and trends

- Supporting decision-making in fields like marketing, psychology, education, and public health

**Important Concepts:**

- Data summarization

- Prediction based on patterns

- Comparison across groups

- Scientific objectivity

# 10 Chapter 5: Limitations and Misuse

**Limitations:**

- Cannot analyze qualitative phenomena

- Not designed for individuals

- Results aren't exact

- Misinterpretation leads to incorrect conclusions

**Misuse Includes:**

- Small or biased samples

- Misleading graphs

- Invalid comparisons

  "Statistics is not a substitute for common sense or understanding the context."

**Fallacies Stem From:**

- Poor data collection

- Mislabeling variables

- Improper classification or selection

# 11 Chapter 6: Paper-Based vs. Software-Based Statistics

Traditional exams test pen-paper knowledge, but software-based tools like RKWard make analysis:

- Faster

- Collaborative

- Easier to store and access

- Essential for modern data-centric fields like AI and machine learning

Understanding both paper and digital approaches ensures comprehensive learning.

# 12 Chapter 7: Introduction to Variables and Spreadsheets

**Variables:**

- Store information (e.g., `x = 5`)

- Have unique names

- Can be manipulated with commands (e.g., `x = x + 2`)

**Spreadsheets:**

- Represent tabular data (rows = observations, columns = variables)

- Familiar formats: Excel, Google Sheets

- Essential in statistical packages

# 13 Chapter 8: R and GUI Interfaces

**Why R?:**

- Free and open-source

- Strong community support

- High flexibility

- Powerful graphics and data manipulation capabilities

**GUI Tools in R:**

- RKWard *(used in this course)*

- R Commander

- Rattle

- R AnalyticFlow

**Basic Terms:**

- **Console**: Type commands & view outputs

- **Working Directory**: File storage location

- **Package**: Predefined or custom functions

- **Script**: Collection of reusable commands

- **Workspace**: All current variables/functions

# 14 Chapter 9: Importing Data and Understanding Data Types

**Using RKWard:**

- Import CSV files using GUI

- Data appears in alphabetical order in workspace

- Each header = variable name

**Data Structures:**

- Data Frames (most commonly used)

- Matrices

- Vectors

- Lists

**Command Line vs GUI:**

- Both achieve the same results

- GUI is user-friendly, command line is customizable

```
mean(my_csv.data$JP_01)   # Calculates the mean of variable JP_01
```

# 15 Chapter 10: Statistical Data Types

| Statistical Type | Description | R Equivalent |
|---|---|---|
| Nominal | Names, labels (e.g., Male/Female) | String |
| Ordinal | Order/rank (e.g., 1st, 2nd) | Factor |
| Interval | Ordered + meaningful intervals (e.g., tax slabs) | Numeric |
| Ratio | Includes absolute zero (e.g., weight) | Numeric |

**Others in R:**

- Logical (TRUE/FALSE)

- Integer, Complex

  Remember: Not all numbers mean quantity. Shirt numbers (like #18) are nominal, not mathematical.

# 16 Chapter 11: Data Preparation in RKWard

- Data must be properly **typed** (e.g., "1" as number vs "1" as label)

- Check alignment: Left = character, Right = number

- **Labels** help collaborators understand variables

- Example: `Gender = 1` (Male), `0` (Female)

- Must distinguish between numeric calculations and categorical identifiers

**Best Practices:**

- Define each variable with meaning

- Validate data types

- Store and share workspace for reproducibility

# 17 Chapter 12: Visualizing Data with Plots in RKWard

Data visualization is essential to reveal patterns, trends, and distributions. RKWard offers multiple graphical tools:

## 17.1 1. Histogram

- Depicts the distribution of a single variable

- Can include frequency, relative frequency, and cumulative frequency

- Best for understanding where most data points lie

## 17.2 2. Pie Chart

- Represents categorical data as slices of a circle

- Best when visualizing proportions

## 17.3 3. Scatter Plot

- Plots two variables to examine relationships

- X-axis: Independent variable

- Y-axis: Dependent variable

- Useful in exploring associations or potential causality

## 17.4 4. Box Plot

- Shows data distribution via quartiles

- Median, interquartile range (IQR), and outliers are clearly indicated

- Useful for comparing multiple variables

## 17.5 5. Density Plot

- Smoothed version of a histogram

- Better suited for continuous data with decimal variation

**Key Tips:**

- `JP_01` was frequently used as an example variable

- RKWard allows saving and exporting plots easily

- GUI menus guide the user through plot creation

  Always choose the plot type that best matches your data and goal: frequency, relationship, or comparison.

# 18 Chapter 13: Summary

This eBook provided a foundation for understanding and applying statistics using the RKWard GUI tool in R. It covered essential concepts from what statistics is, to importing and handling data, understanding types of variables and their measurement levels, and visualizing data using a variety of plots.

Learners were introduced to:

- Basic statistical principles

- Software versus paper-based understanding

- Variable types and spreadsheet usage

- Command line and GUI-based tools

- Data visualization through histogram, pie, scatter, box, and density plots

The course emphasized **conceptual clarity**, **practical tools**, and the **power of visualization**. It prepares learners to interpret, analyze, and present data meaningfully in academic or real-world contexts.

# 19 References

1. Mohanty, B., & Misra, S. (2020). *Statistics for Behavioral and Social Sciences*. PHI Learning.

2. Pandya, D., et al. (2019). *Statistical Analysis in Simple Steps Using R*. Wiley.

3. Field, A., Miles, J., & Field, Z. (2012). *Discovering Statistics Using R*. SAGE Publications.

4. Harris, J. (2021). *Statistics with R: Solving Problems Using Real-World Data*. Pearson.

5. RKWard Project: https://rkward.kde.org

# 20  Next Steps

Upcoming lectures will cover:

- Graph creation

- Data visualization tools

- Advanced statistical operations in GUI

# 21 basic-statistics_1

# 22 Introduction

Welcome to the "Basic Statistics Using GUI-R (RK Ward)" course, led by Dr. Harsh Pradhan at the Institute of Management Studies, Banaras Hindu University. This course takes an integrated approach to statistical analysis, bridging theory with practical skills through the R programming language and its GUI, RKWard.

## 22.1 Objectives of the Course

- Understand fundamental concepts related to statistics.
- Gain proficiency in using R and RKWard for statistical analysis.
- Learn to visualize data effectively.
- Apply statistical methodologies to real-world datasets.

# 23 Overview of R and RKWard

## 23.1 R Programming Language

R is a versatile, open-source language specifically designed for statistical analysis and data visualization. It provides an extensive suite of statistical procedures, making it a cornerstone for statisticians and data scientists.

**Key Features of R:**

- **Extensive Libraries:** R hosts thousands of packages that support numerous statistical models such as linear regression, time series, and more.
- **Customizable Graphics:** The base graphics capabilities, along with packages like `ggplot2`, allow users to create a variety of complex visualizations with relative ease.
- **Data Manipulation Tools:** Packages like `dplyr` and `tidyr` provide robust tools for data cleaning and transformation.

## 23.2 Understanding RKWard

RKWard serves as a user-friendly interface that simplifies interactions with R, allowing users—especially those less familiar with programming—to utilize its powerful capabilities without a steep learning curve.

**Features of RKWard Include:**

- **Graphical User Interface:** Navigation through menus rather than command lines enhances accessibility.
- **Built-in Documentation:** Context-sensitive help facilitates learning and troubleshooting.
- **Integration with R:** Commands executed via the GUI can be viewed and modified, providing a dual-learning experience.

# 24 Understanding Variables

## 24.1 Types of Variables

Variables are the building blocks of statistical analysis, representing the characteristics or properties of the data.

### 24.1.1 Qualitative Variables (Categorical Variables)

- **Nominal Variables:** These variables categorize data without an inherent order. For example, types of fruits (apple, orange) are nominal.
- **Ordinal Variables:** These represent ordered categories. For instance, a customer satisfaction survey may be rated as poor, fair, good, or excellent.

### 24.1.2 Quantitative Variables

- **Discrete Variables:** These variables take on countable values, such as the number of students in a class.
- **Continuous Variables:** These can take any value within a given range, such as height and weight.

## 24.2 Importance of Defining Variables

Properly understanding and defining variables is crucial for:

- Selecting appropriate statistical tests.
- Ensuring accurate data interpretation.
- Structuring datasets to facilitate analysis.

# 25 Data Types and Spreadsheet Concepts

## 25.1 Statistical Data Types

Data types are foundational for statistical analysis as they define what kind of arithmetic operations can be performed on the data.

| Data Type | Description | Example |
|-----------|-------------|---------|
| Nominal | Categorical data without order | Blood types (A, B, AB, O) |
| Ordinal | Categorical data with a defined order | Customer satisfaction (poor, fair, good) |
| Interval | Numerical data with meaningful differences | Temperature in Celsius |
| Ratio | Numerical data with an absolute zero | Weight, height |

## 25.2 Spreadsheet Basics

Spreadsheets provide a structured format for data entry, where rows represent instances (e.g., individuals, items) and columns represent variables (e.g., age, gender).

**Key Functions of Spreadsheets:**

- **Data Organization:** Data is easily sorted and filtered.
- **Formulas and Functions:** Built-in functions allow for quick calculation and data manipulation.
- **Visualization Integration:** Charts and tables can visually represent data.

# 26 Importing Data in RKWard

## 26.1 Data Preparation

Before importing data into RKWard, ensure that your dataset meets standards such as:

- Properly labeled columns.
- Consistent data types.
- Absence of unnecessary formatting or symbols.

## 26.2 Step-by-Step Import Process

To import data into RKWard, follow these steps:

1. **Open RKWard** and access the main interface.
2. **Navigate to the "Data" Tab:**

   - Select "Import Data" option.

3. **Choose the File Type:**

   - Select the file format (e.g., CSV, Excel) of your prepared dataset.

4. **Browse for Your File:**

   - Utilize the "Browse" button to locate the file on your system.

5. **Mapping Variables:**

   - During the import process, specify the data types for each column.
   - Ensure the first row is used as header labels.

6. **Review and Confirm Import:**

   - Once the data is imported, review it in the RKWard workspace, ensuring everything is correctly represented.

# 27 Basic Statistical Practices

## 27.1 Descriptive Statistics

Descriptive statistics help summarize and organize data in a meaningful way.

### 27.1.1 Central Tendency Measures

- **Mean:** Average of the dataset.
- **Median:** Middle value when data is ordered.
- **Mode:** Most frequent value in the dataset.

| Measure | Formula | Description |
|---|---|---|
| Mean | $\bar{x} = \frac{\sum_{i=1}^{n} x_i}{n}$ | Average value |
| Median | (Sorted data, middle item) | Middle value in ordered dataset |
| Mode | Value that appears most frequently | Most common value |

### 27.1.2 Dispersion Measures

- **Range:** Difference between the maximum and minimum values.
- **Variance:** Measurement of the spread of data points.
- **Standard Deviation:** Square root of variance, providing a measure of the average distance from the mean.

| Measure | Formula | Description |
|---|---|---|
| Range | $Range = Max - Min$ | Spread of dataset |
| Variance | $Var(X) = \frac{\sum_{i=1}^{n}(x_i - \bar{x})^2}{n-1}$ | Spread of data relative to mean |
| Standard Deviation | $SD(X) = \sqrt{Var(X)}$ | Average distance from mean |

## 27.2 Inferential Statistics

Inferential statistics allow us to make predictions or inferences about a population based on a sample.

1. **Hypothesis Testing:** A method to test assumptions regarding population parameters using sample data.
2. **Confidence Intervals:** Define a range of values derived from sample statistics that likely encompass the true population parameter.

## 27.3 Practical R Commands and Functions

Understanding and utilizing R functions is crucial for effective data analysis. Some key functions include:

- `mean()`: Calculates the average.
- `sd()`: Computes standard deviation.
- `t.test()`: Performs a t-test for hypothesis testing.

# 28 Visualizing Data with Graphs

## 28.1 Significance of Data Visualization

Visualization enhances comprehension by allowing researchers to observe patterns, trends, and anomalies effectively.

## 28.2 Types of Graphs

Variety in graph types caters to different data presentation needs:

| Graph Type | Use Case |
| --- | --- |
| Bar Graph | Comparing categorical data |
| Histogram | Displaying distribution of continuous data |
| Box Plot | Summarizing data distributions and spotting outliers |
| Scatter Plot | Investigating relationships between two quantitative variables |

## 28.3 Implementing Visualization in RKWard

Students will learn how to create visualizations within RKWard by:

1. Navigating to the graph creation menu.
2. Selecting the appropriate kind of graph.
3. Customizing aesthetics (titles, colors, axes).
4. Producing and exporting diagrams for reports.

# 29 Practical Applications of Statistics

## 29.1 Case Studies in Various Fields

Statistics plays a pivotal role in diverse disciplines:

| Field | Application |
|---|---|
| Healthcare | Analyzing medical test results, outcomes of treatments, and patient demographics |
| Business | Applied for market analyses, customer satisfaction studies, and financial forecasting |
| Social Sciences | Employed in surveys to understand populations, opinions, and behavioral patterns |

## 29.2 Utilizing Statistical Methods for Decision Making

- Using statistical evidence to guide business strategies.
- Making informed policy decisions based on empirical data.
- Reporting results in a way that is understandable to stakeholders, ensuring transparency.

# 30 Summary

The "Basic Statistics Using GUI-R (RK Ward)" course equips learners with the foundational and practical skills needed for statistical analysis using R. Students will understand theoretical concepts, grasp practical applications, and use RKWard effectively to analyze real-world data.

## 30.1 Key Takeaways

- Proficiency in defining and using variables and data types.
- Capability to import and manipulate data in RKWard.
- Understanding of basic statistical practices and their applications.
- Skill in visualizing data for effective communication of results.

# 31 References

1. Mohanty, B., & Misra, S. (2016). *Statistics for Behavioral and Social Sciences.*
2. Pandya, K., Joshi, P., Bulsari, S., & Nachane, D. M. (2018). *Statistical Analysis in Simple Steps Using R.*
3. Field, A. P., Miles, J., & Field, Z. (2012). *Discovering Statistics Using R.*
4. Harris, J. K. (2019). *Statistics with R: Solving Problems Using Real-World Data.* SAGE Publications.
5. Kuhnert, P., & Venables, B. (2013). *An Introduction to R: Software for Statistical Modeling & Computing.*
6. Maindonald, J. H. (2010). *Using R for Data Analysis and Graphics.*

---

*This detailed eBook aggregates insights from lectures and presentation materials, offering an in-depth guide to mastering statistics using R, specifically through RKWard. It blends theory with practice to ensure a thorough understanding of both rudimentary and advanced statistical techniques and includes essential tables for better comprehension.*

# 32 - basic-statistics_2

# 33 Introduction

## 33.1 Purpose of the eBook

This eBook aims to provide a comprehensive understanding of basic statistics, focusing on the essential principles necessary for data analysis...

## 33.2 Importance of Statistics

Statistics is critical in interpreting data efficiently and effectively...

# 34 Basic Concepts of Statistics

## 34.1 Overview of Statistics

Statistics is the discipline that deals with the collection, analysis...

## 34.2 Types of Data

- **Qualitative Data**: Represents categories...
- **Quantitative Data**:

    - **Discrete Data**: Countable values...
    - **Continuous Data**: Measurable values...

## 34.3 Descriptive vs. Inferential Statistics

- **Descriptive Statistics**...
- **Inferential Statistics**...

# 35 Measures of Central Tendency

## 35.1 Definition and Importance

Measures of central tendency...

## 35.2 The Mean

The mean is the arithmetic average...

### 35.2.1 Example with Explanation

Consider the data: 2, 3, 5, 7, 11...

## 35.3 The Median

The median is the middle value...

### 35.3.1 Example with Explanation

Consider the data: 3, 5, 1, 7, 9...

## 35.4 The Mode

The mode is the value that appears most...

### 35.4.1 Example with Explanation

Given the dataset: 2, 4, 4, 5, 5, 5, 7, 8...

## 35.5 Comparison of Measures

| Measure | Description | Strengths | Limitations |
|---------|-------------|-----------|-------------|
| Mean | Average... | Utilizes all data points | Sensitive to outliers |
| Median | Middle... | Robust against outliers | Doesn't use all values |
| Mode | Most frequent | Useful for categorical | May not exist or be unique |

# 36 Measures of Variability

## 36.1 Definition and Importance

Measures of variability (or dispersion)...

## 36.2 Range

The range is the difference...

### 36.2.1 Example

Data: 4, 8, 2, 10, 6...

## 36.3 Variance

Variance is the average...

### 36.3.1 Example

Data: 2, 4, 4, 4, 5, 5, 7...

## 36.4 Standard Deviation

Standard Deviation is the square root...

## 36.5 Interquartile Range (IQR)

### 36.5.1 Example

Data: 1, 2, 3, 4, 5, 6, 7, 8, 9...

# 37 Probability Fundamentals

## 37.1 Introduction to Probability

Probability measures the likelihood...

## 37.2 Types of Events

- **Independent Events**
- **Dependent Events**
- **Mutually Exclusive Events**

## 37.3 Basic Probability Rules

1. **Addition Rule**:
$$P(A \cup B) = P(A) + P(B)$$

2. **Multiplication Rule**:
$$P(A \cap B) = P(A) \times P(B)$$

## 37.4 Introduction to Probability Distributions

### 37.4.1 Normal Distribution

- Symmetric about the mean...
- Properties: Mean = Median = Mode...

# 38 Detailed Transcripts

## 38.1 Transcript from Lec06

**Key Discussion Points**: - Effects of outliers on mean... - Mean properties...

## 38.2 Transcript from Lec07

**Key Discussion Points**: - Range, variance, SD...

## 38.3 Transcript from Lec08

**Key Discussion Points**: - Z score explanation... - Galton board illustration...

## 38.4 Transcript from Lec09

**Key Discussion Points**: - Intro to distributions... - Probability terms...

# 39 Summary of Week 2 Content

- Measures of central tendency
- Measures of variability
- Basics of probability...

# 40 Tables and Visualizations

## 40.1 Frequency Distribution Example

| Value | Frequency |
|-------|-----------|
| 1 | 4 |
| 2 | 6 |
| 3 | 3 |
| 4 | 2 |
| 5 | 1 |

## 40.2 Interquartile Range Example

| Position | Value |
|----------|-------|
| 1 | 12 |
| 2 | 30 |
| 3 | 45 |
| 4 | 57 |
| 5 | 70 |

$$\text{IQR} = 57 - 30 = 27$$

## 40.3 Box Plot Visualization

A box plot visualizes:

- Minimum
- $Q1$
- Median

- $Q3$
- Maximum