

OpenAPI definition

v0

OAS 3.1

/v3/api-docs

Servers

http://localhost:8080 - Generated server url

referral-controller		^
PUT	/referrals/{id}	v
DELETE	/referrals/{id}	v
GET	/referrals	v
POST	/referrals	v
GET	/referrals/job/{jobId}	v
job-controller		^
PUT	/jobs/{id}	v
DELETE	/jobs/{id}	v
GET	/jobs	v
POST	/jobs	v
GET	/jobs/company/{companyId}	v
company-controller		^
GET	/companies/{id}	v
PUT	/companies/{id}	v
DELETE	/companies/{id}	v
GET	/companies	v
POST	/companies	v
GET	/companies/test	v
GET	/companies/all	v

Schemas

Referral > Expand all object

JobRequestDto > Expand all object

Job ^ Collapse all object

id string

title string

description string

location string

companyId string

Company > Expand all object

✓ MONGODB PROJECT



✓ job-referral-system

✓ .mvn/wrapper

≡ maven-wrapper.properties

✓ src

✓ main

✓ java/com/referral/job_referral_system

> controller

> dto

> exception

> model

> repository

> service

J JobReferralSystemApplication.java

> resources

> test

> target

.gitattributes

.gitignore

HELP.md

mvnw

mvnw.cmd

pom.xml

DELETE

/referrals/{id}

^

Parameters

Cancel

Name	Description
id* required string (path)	6a302e73078405d511ed58c6

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/referrals/6a302e73078405d511ed58c6' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/referrals/6a302e73078405d511ed58c6
```

Server response

Code	Details
200	Response body Referral deleted successfully Download Response headers connection: keep-alive content-length: 29 content-type: text/plain; charset=UTF-8 date: Mon, 15 Jun 2026 17:06:00 GMT keep-alive: timeout=60

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema string	No links

Parameters

Cancel

Reset

Name	Description
id required	
string (path)	6a302e73078405d511ed58c6

Request body required

application/json

```
{  "candidateName": "Abhijeet Patil",  "candidateEmail": "abhi@gmail.com",  "jobId": "6a302c69078405d511ed58c5",  "referrerName": "Rahul",  "status": "APPROVED"}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \  
  'http://localhost:8080/referrals/6a302e73078405d511ed58c6' \  
  -H 'accept: */*' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "candidateName": "Abhijeet Patil",  
    "candidateEmail": "abhi@gmail.com",  
    "jobId": "6a302c69078405d511ed58c5",  
    "referrerName": "Rahul",  
    "status": "APPROVED"  
  }'
```

Request URL

http://localhost:8080/referrals/6a302e73078405d511ed58c6

Server response

Code	Details
200	Response body<pre>{ "id": "6a302e73078405d511ed58c6", "candidateName": "Abhijeet Patil", "candidateEmail": "abhi@gmail.com", "jobId": "6a302c69078405d511ed58c5", "referrerName": "Rahul", "status": "APPROVED"}</pre> Download Response headers<pre>connection: keep-alive content-type: application/json date: Mon, 15 Jun 2026 17:04:51 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "id": "string", "candidateName": "string", "candidateEmail": "string", "jobId": "string", "referrerName": "string", "status": "string"}</pre>	No links

PUT

/referrals/{id}

DELETE

/referrals/{id}

GET

/referrals

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://localhost:8080/referrals' \
 -H 'accept: */*' 

Request URL

http://localhost:8080/referrals

Server response

Code	Details
------	---------

200

Response body

```
[  
  {  
    "id": "6a3022d9caafde01c48ce82f",  
    "candidateName": "Abhijeet Patil",  
    "candidateEmail": "abhi@gmail.com",  
    "jobId": "6a300420ccd0e18be620ede9",  
    "referrerName": "Rahul",  
    "status": "PENDING"  
  },  
  {  
    "id": "6a302e73078405d511ed58c6",  
    "candidateName": "Abhijeet Patil",  
    "candidateEmail": "abhi@gmail.com",  
    "jobId": "PASTE_JOB_ID",  
    "referrerName": "Rahul",  
    "status": "PENDING"  
  }  
]
```

 Download

Response headers

connection: keep-alive
content-type: application/json
date: Mon, 15 Jun 2026 16:59:53 GMT
keep-alive: timeout=60
transfer-encoding: chunked

Responses

Code	Description	Links
------	-------------	-------

200

OK

No links

Media type

/ 

Controls Accept header.

Example Value | Schema

```
[  
  {  
    "id": "string",  
    "candidateName": "string",  
    "candidateEmail": "string",  
    "jobId": "string",  
    "referrerName": "string",  
    "status": "string"  
  }  
]
```


PUT

/referrals/{id}

DELETE

/referrals/{id}

GET

/referrals

POST

/referrals

Parameters

Cancel

Reset

No parameters

Request body

required

application/json

{
 "candidateName": "Abhijeet Patil",
 "candidateEmail": "abhi@gmail.com",
 "jobId": "PASTE_JOB_ID",
 "referrerName": "Rahul",
 "status": "PENDING"
}

Execute

Clear

Responses

Curl

curl -X 'POST' \
'http://localhost:8080/referrals' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
 "candidateName": "Abhijeet Patil",
 "candidateEmail": "abhi@gmail.com",
 "jobId": "PASTE_JOB_ID",
 "referrerName": "Rahul",
 "status": "PENDING"
}'

Request URL

http://localhost:8080/referrals

Server response

Code	Details
200	Response body { "id": "6a302e73078405d511ed58c6", "candidateName": "Abhijeet Patil", "candidateEmail": "abhi@gmail.com", "jobId": "PASTE_JOB_ID", "referrerName": "Rahul", "status": "PENDING" } Response headers connection: keep-alive content-type: application/json date: Mon, 15 Jun 2026 16:55:15 GMT keep-alive: timeout=60 transfer-encoding: chunked

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema { "id": "string", "candidateName": "string", "candidateEmail": "string", "jobId": "string", "referrerName": "string", "status": "string" }	No links

PUT

/jobs/{id}

v

DELETE

/jobs/{id}

^

Parameters

Cancel

Name	Description
id ★ required string (path)	6a302c69078405d511ed58c5

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \  
'http://localhost:8080/jobs/6a302c69078405d511ed58c5' \  
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/jobs/6a302c69078405d511ed58c5
```

Code	Details
200	Response body Job deleted successfully Response headers connection: keep-alive content-length: 24 content-type: text/plain; charset=UTF-8 date: Mon, 15 Jun 2026 17:27:18 GMT keep-alive: timeout=60

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema string	No links

PUT

/jobs/{id}

Parameters

Cancel

Reset

Name	Description
id required	
string (path)	6a302c28078405d511ed58c4

Request body required

application/json

```
{
  "title": "Senior Software Engineer",
  "description": "Spring Boot Developer",
  "companyId": "6a302c28078405d511ed58c4"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/jobs/6a302c28078405d511ed58c4' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "title": "Senior Software Engineer",
    "description": "Spring Boot Developer",
    "companyId": "6a302c28078405d511ed58c4"
  }'
```

Request URL

```
http://localhost:8080/jobs/6a302c28078405d511ed58c4
```

Server response

Code	Details
200	Response body <pre>{ "id": "6a302c28078405d511ed58c4", "title": "Senior Software Engineer", "description": "Spring Boot Developer", "location": null, "companyId": "6a302c28078405d511ed58c4" }</pre> Download Response headers <pre>connection: keep-alive content-type: application/json date: Mon, 15 Jun 2026 16:53:01 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "id": "string", "title": "string", "description": "string", "location": "string", "companyId": "string" }</pre>	No links

PUT

/jobs/{id}

^

DELETE

/jobs/{id}

^

GET

/jobs

^

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://localhost:8080/jobs' \
 -H 'accept: */*' 

Request URL

http://localhost:8080/jobs

Server response

Code	Details
200	Response body [{ "id": "6a302c28078405d511ed58c4", "title": "Software Engineer", "description": "Java Spring Boot Developer", "location": null, "companyId": "PASTE_COMPANY_ID" }, { "id": "6a302c69078405d511ed58c5", "title": "Software Engineer", "description": "Java Spring Boot Developer", "location": null, "companyId": "6a30270b074050d511ed58c3" }]  Download Response headers connection: keep-alive content-type: application/json date: Mon, 15 Jun 2026 16:49:20 GMT keep-alive: timeout=60 transfer-encoding: chunked

Responses

Code	Description	Links
200	OK Media type */*  Controls Accept header. Example Value Schema [{ "id": "string", "title": "string", "description": "string", "location": "string", "companyId": "string" }]	No links

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{  "title": "Software Engineer",  "description": "Java Spring Boot Developer",  "companyId": "6a30270b074050d511ed58c3"}  
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/jobs' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "title": "Software Engineer",
    "description": "Java Spring Boot Developer",
    "companyId": "6a30270b074050d511ed58c3"
  }'
```

Request URL

http://localhost:8080/jobs

Server response

Code	Details
200	Response body <pre>{ "id": "6a302c69078405d511ed58c5", "title": "Software Engineer", "description": "Java Spring Boot Developer", "location": null, "companyId": "6a30270b074050d511ed58c3" }</pre> Response headers <pre>connection: keep-alive content-type: application/json date: Mon,15 Jun 2026 16:46:33 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "id": "string",
  "title": "string",
  "description": "string",
  "location": "string",
  "companyId": "string"
}
```


GET

/companies/{id}

^

PUT

/companies/{id}

^

DELETE

/companies/{id}

^

Parameters

Cancel

Name	Description
id ★ required string (path)	6a30270b078405d511ed58c3

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \  
  'http://localhost:8080/companies/6a30270b078405d511ed58c3' \  
  -H 'accept: */*'
```

Request URL

http://localhost:8080/companies/6a30270b078405d511ed58c3

Server response

Code	Details
200	Response body Company deleted successfully Download Response headers connection: keep-alive content-length: 28 content-type: text/plain; charset=UTF-8 date: Mon, 15 Jun 2026 17:26:09 GMT keep-alive: timeout=60

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema string	No links

PUT

/companies/{id}

Parameters

Cancel

Reset

Name	Description
id string (path) required	6a30270b078405d511ed58c3

Request body

required

application/json

```
{  "companyName": "Google India",  "location": "Mumbai",  "industry": "Software"}  
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \  'http://localhost:8080/companies/6a30270b078405d511ed58c3' \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  "companyName": "Google India",  "location": "Mumbai",  "industry": "Software"}'
```

Request URL

http://localhost:8080/companies/6a30270b078405d511ed58c3

Server response

Code	Details
200	Response body <pre>{ "id": "6a30270b078405d511ed58c3", "companyName": "Google India", "location": "Mumbai", "industry": "Software", "jobIds": null}</pre> Download Response headers <pre>connection: keep-alivecontent-type: application/jsondate: Mon, 15 Jun 2026 16:41:54 GMTkeep-alive: timeout=60transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "id": "string", "companyName": "string", "location": "string", "industry": "string", "jobIds": ["string"]}</pre>	

 No links |

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/companies/all' \
-H 'accept: */*'
```

Request URL

```
http://localhost:8080/companies/all
```

Server response

Code	Details
200	Response body <pre>[{ "id": "6a30270b078405d511ed58c3", "companyName": "Google India", "location": "Pune", "industry": "Software", "jobIds": null }]</pre> Download Response headers <pre>connection: keep-alive content-type: application/json date: Mon, 15 Jun 2026 16:24:42 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Code	Description	Links
200	OK Media type */* ▼ Controls Accept header. Example Value Schema <pre>[{ "id": "string", "companyName": "string", "location": "string", "industry": "string", "jobIds": ["string"] }]</pre> No links	

POST

/companies

Parameters

No parameters

Request body

required

application/json

```
{  "companyName": "Google India",  "location": "Pune",  "industry": "Software"}  
```

ExecuteClear

Responses		
Curl		
<pre>curl -X 'POST' \ 'http://localhost:8080/companies' \ -H 'accept: */*' \ -H 'Content-Type: application/json' \ -d '{ "companyName": "Google India", "location": "Pune", "industry": "Software"}'</pre>		
Request URL		
http://localhost:8080/companies		
Server response		
Code	Details	
200	Response body <pre>{ "id": "6a30270b078405d511ed58c3", "companyName": "Google India", "location": "Pune", "industry": "Software", "jobIds": null}</pre> Response headers connection: keep-alivecontent-type: application/jsondate: Mon, 15 Jun 2026 16:23:39 GMTkeep-alive: timeout=60transfer-encoding: chunked	
Responses		
Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema <pre>{ "id": "string", "companyName": "string", "location": "string", "industry": "string", "jobIds": ["string"]}</pre>	No links

PROBLEMS

122

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

POSTMAN CONSOLE

abhijeet@Abhijeets-MacBook-Air MongoDB project % mongosh

test 192.00 KiB

<database_name> use test

switched to db test

test> show collections

companies

jobs

referrals

test> █