Live SQL

Schema Initialized. Script run, 61 statements attempted.

My Session ⓘ

Actions ∨   ↺ Reset Session   🖫 Save

Sort [most recent first]   View [Statements and Results]

Statement 61

✎ ▷ 🗑

```
select * from sem1
```

COURSECODE	COURSENAME	MARKS	GRADE
CLAD1001	Emotional Intelligence and Reasoning Skills	89	A+
CSEN1011	Problem Solving and Programming in C	96	O
MATH1001	Single Variable Calculus	70	A
MATH1011	Several Variable Calculus	68	A
MECH1011	Engineering Visualization and Product Realization	93	O
PHYS1001	Physics	66	A
VEDC1001	Venture Development	75	A
CSEN1001	IT Productivity Tools	87	A+

Download CSV
8 rows selected.

Statement 60

✎ ▷ 🗑

```
insert into sem1 values('CSEN1001','IT Productivity Tools',87,'A+')
```

1 row(s) inserted.

```
select * from sem1
```

Live SQL

My Session (i)   Actions ⌄   ↺ Reset Session   💾 Save

COURSECODE	COURSENAME	MARKS	GRADE
	ing Skills	89	A+
	n C	96	O
MATH1001	Single Variable Calculus	70	A
MATH1011	Several Variable Calculus	68	A
MECH1011	Engineering Visualization and Product Realization	93	O
PHYS1001	Physics	66	A
VEDC1001	Venture Development	75	A

Download CSV

7 rows selected.

Statement **58**

✏ ▷ 🗑

```
selec t* from sem1;
```

Invalid statement

Statement **57**

✏ ▷ 🗑

```
delete from sem1
where CourseCode='CSEN1001'
```

2 row(s) deleted.

Statement **56**

✏ ▷ 🗑

```
select * from sem1
```

COURSECODE	COURSENAME	MARKS	GRADE
CLAD1001	Emotional Intelligence and Reasoning Skills	89	A+

Live SQL

		93	O
		66	A
VEDC1001	Venture Development	75	A
CSEN1001	IT Productivity Tools	87	A+
CSEN1001	IT Productivity Tools	87	A+

Download CSV

9 rows selected.

Statement 55

```
update sem1
set Grade='A+'
where CourseCode='CSEN1001'
```

2 row(s) updated.

Statement 54

```
update sem1
set Grade='A+'
where CourseCode='CSEN1001'
```

2 row(s) updated.

Statement 53

```
select * from sem1
```

COURSECODE	COURSENAME	MARKS	GRADE
CLAD1001	Emotional Intelligence and Reasoning Skills	89	A+
CSEN1011	Problem Solving and Programming in C	96	O

Live SQL

Schema Initialized. Script run, 61 statements attempted.

duct R

| | | 66 | A |
| | | 75 | A |

My Session

Actions ⌄   Reset Session   Save

| CSEN1001 | IT Productivity Tools | 87 | S |
| CSEN1001 | IT Productivity Tools | 87 | A+ |

Download CSV
9 rows selected.

Statement 52

```
select * from sem1
set Grade='A+'
where CourseCode='CSEN1001'
```

ORA-00933: SQL command not properly ended

Statement 51

```
insert into sem1 values('CSEN1001','IT Productivity Tools',87,'A+')
```

1 row(s) inserted.

Statement 50

```
select * from sem1
set Grade='A+'
where CourseCode='CSEN1001'
```

ORA-00933: SQL command not properly ended

Statement 49

```
select * from sem1
```

Live SQL

Actions ⌄   ↺ Reset Session   🖫 Save

✓ Schema Initialized. Script run, 61 statements attempted. ✕

		ing Sk		
		n C	96	O
			70	A
MATH1011	Several Variable Calculus		68	A
MECH1011	Engineering Visualization and Product Realization		93	O
PHYS1001	Physics		66	A
VEDC1001	Venture Development		75	A
CSEN1001	IT Productivity Tools		87	S

Download CSV
8 rows selected.

Statement **48**

✎ ▷ 🗑

insert into sem1 values('CSEN1001','IT Productivity Tools',87,'S')

1 row(s) inserted.

Statement **47**

✎ ▷ 🗑

insert into sem1 values('VEDC1001','Venture Development',75,'A')

1 row(s) inserted.

Statement **46**

✎ ▷ 🗑

insert into sem1 values('PHYS1001','Physics',65.5,'A')

1 row(s) inserted.

Live SQL

✔ **Schema Initialized. Script run, 61 statements attempted.**

×

My Session ⓘ | Actions ⌄ | ↻ Reset Session | 💾 Save |

Statement **44**

🖉 ▷ 🗑

```
insert into sem1 values('MATH1011','Several Variable Calculus',68,'A')
```

1 row(s) inserted.

Statement **43**

🖉 ▷ 🗑

```
insert into sem1 values('MATH1001','Single Variable Calculus',70,'A')
```

1 row(s) inserted.

Statement **42**

🖉 ▷ 🗑

```
insert into sem1 values('CSEN1011','Problem Solving and Programming in C',95.5,'O')
```

1 row(s) inserted.

Statement **41**

🖉 ▷ 🗑

```
insert into sem1 values('CSEN1001','IT Productivity Tools'87,'S')
```

ORA-00917: missing comma

```
insert into sem1 values('CLAD1001','Emotional Intelligence and Reasoning Skills',88.5,'A+')
```

Live SQL

Schema Initialized. Script run, 61 statements attempted.

My Session (i)   Actions ⌄   Reset Session   Save

eName char(50),Marks Number(5),Grade varchar(5))

Table created.

Statement 38

insert into marks1 values('VEDC1001','Venture Development',75,'A')

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 19, maximum: 10) ORA-06512: at "SY

Statement 37

insert into marks1 values('PHYS1001','Physics',65.5,'A')

1 row(s) inserted.

Statement 36

insert into marks1 values('MECH1011','Engineering Visualization and Product Realization',93,'O')

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 49, maximum: 10) ORA-06512: at "SY

Statement 35

insert into marks1 values('MATH1011','Several Variable Calculus',68,'A')

Live SQL

My Session ⓘ

Actions ∨ | ⟳ Reset Session | 💾 Save

insert into marks1 values('MTMA1001','Single Variable Calculus',70,'A')

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 24, maximum: 10) ORA-06512: at "SY

Statement 33

insert into marks1 values('CSEN1011','Problem Solving and Programming in C',95.5,'O')

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 36, maximum: 10) ORA-06512: at "SY

Statement 32

insert into marks1 values('CSEN1001','IT Productivity Tools'87,'S')

ORA-00917: missing comma

Statement 31

insert into marks1 values('CLAD1001','Emotional Intelligence and Reasoning Skills',88.5,'A+')

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 43, maximum: 10) ORA-06512: at "SY

Live SQL

Schema Initialized. Script run, 61 statements attempted.   ×

My Session   ⓘ   Actions ⌄   ⟲ Reset Session   💾 Save

VMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 19, maximum: 10) ORA-06512: at "SY

▶

Statement **29**

✏ ▷ 🗑

```
insert into marks1 values('PHYS1001','Physics',65.5,'A')
```

1 row(s) inserted.

Statement **28**

✏ ▷ 🗑

```
insert into marks1 values('MECH1011','Engineering Visualization and Product Realization',93,'O')
```

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 49, maximum: 10) ORA-06512: at "SY

◀ ▶

Statement **27**

✏ ▷ 🗑

```
insert into marks1 values('MATH1011','Several Variable Calculus',68,'A')
```

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 25, maximum: 10) ORA-06512: at "SY

◀ ▶

Statement **26**

✏ ▷ 🗑

```
insert into marks1 values('MATH1001','Single Variable Calculus',70,'A')
```

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 24, maximum: 10) ORA-06512: at "SY

◀ ▶

Live SQL

✓ Schema Initialized. Script run, 61 statements attempted.

My Session ⓘ

Actions ⌄ | ↺ Reset Session | 💾 Save

VMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 36, maximum: 10) ORA-06512: at "SY

▸

Statement **24**

✎ ▷ 🗑

insert into marks1 values('CSEN1001','IT Productivity Tools'87,'S')

ORA-00917: missing comma

Statement **23**

✎ ▷ 🗑

insert into marks1 values('CLAD1001','Emotional Intelligence and Reasoning Skills',88.5,'A+')

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 43, maximum: 10) ORA-06512: at "SY

◄ ▸

Statement **22**

✎ ▷ 🗑

create table marks1(CourseCode varchar2(10),CourseName char(50),Marks Number(5),Grade varchar(5))

ORA-00955: name is already used by an existing object

Statement **21**

✎ ▷ 🗑

create table marks1(CourseCode varchar2(10),CourseName char(50),Marks Number(5),Grade varchar(5))

ORA-00955: name is already used by an existing object

Live SQL

✓ Schema Initialized. Script run, 61 statements attempted.   ✕

evelop

My Session ⓘ   Actions ⌄   ↺ Reset Session   🖫 Save

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 19, maximum: 10) ORA-06512: at "SY

◀ ▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭ ▶

Statement 19

✎ ▷ 🗑

```
insert into marks1 values('PHYS1001','Physics',65.5,'A')
```

1 row(s) inserted.

Statement 18

✎ ▷ 🗑

```
insert into marks1 values('MECH1011','Engineering Visualization and Product Realization',93,'O')
```

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 49, maximum: 10) ORA-06512: at "SY

◀ ▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭ ▶

Statement 17

✎ ▷ 🗑

```
insert into marks1 values('MATH1011','Several Variable Calculus',68,'A')
```

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 25, maximum: 10) ORA-06512: at "SY

◀ ▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭▭ ▶

Statement 16

✎ ▷ 🗑

```
insert into marks1 values('MATH1001','Single Variable Calculus',70,'A')
```

Live SQL

✕

✓ **Schema Initialized. Script run, 61 statements attempted.**

My Session ⓘ

[Actions ▾]   [↺ Reset Session]   [💾 Save]

insert into marks1 values('CSEN1001','Problem Solving and Programming in C',95.5,'O')

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 36, maximum: 10) ORA-06512: at "SY

◄   ►

Statement 14

insert into marks1 values('CSEN1001','IT Productivity Tools'87,'S')

ORA-00917: missing comma

Statement 13

insert into marks1 values('CLAD1001','Emotional Intelligence and Reasoning Skills',88.5,'A+')

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 43, maximum: 10) ORA-06512: at "SY

◄   ►

Statement 12

insert into marks1 values('VEDC1001','Venture Development',75,'A')

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 19, maximum: 10) ORA-06512: at "SY

◄   ►

Live SQL

Schema Initialized. Script run, 61 statements attempted.

×

My Session ⓘ

Actions ⌄   ↺ Reset Session   🖫 Save

Statement **10**

✎ ▷ 🗑

```
insert into marks1 values('MECH1011','Engineering Visualization and Product Realization',93,'O')
```

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 49, maximum: 10) ORA-06512: at "SY

Statement **9**

✎ ▷ 🗑

```
insert into marks1 values('MATH1011','Several Variable Calculus',68,'A')
```

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 25, maximum: 10) ORA-06512: at "SY

Statement **8**

✎ ▷ 🗑

```
insert into marks1 values('MATH1001','Single Variable Calculus',70,'A')
```

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 24, maximum: 10) ORA-06512: at "SY

Statement **7**

✎ ▷ 🗑

```
insert into marks1 values('CSEN1011','Problem Solving and Programming in C',95.5,'O')
```

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 36, maximum: 10) ORA-06512: at "SY

Live SQL

✓ Schema Initialized. Script run, 61 statements attempted.   ×

My Session ⓘ   [Actions ⌄]   [↺ Reset Session]   [💾 Save]

Statement 5

[✏️] [▷] [🗑️]

```
insert into marks1 values('CLAD1001','Emotional Intelligence and Reasoning Skills',88.5,'A+')
```

ORA-12899: value too large for column "SQL_XKLMVMORCQJPPRGNLKPGHUJPD"."MARKS1"."COURSENAME" (actual: 43, maximum: 10) ORA-06512: at "SY

◀ ▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬▬ ▶

Statement 4

[✏️] [▷] [🗑️]

```
create table marks1(CourseCode varchar2(10),CourseName char(50),Marks Number(5),Grade varchar(5))
```

ORA-00955: name is already used by an existing object

Statement 3

[✏️] [▷] [🗑️]

```
insert into marks1 values('CLAD1001','Emotional Intelligence and Reasoning Skills',88.5,'A+')
insert into marks1 values('CSEN1001','IT Productivity Tools'87,'S')
insert into marks1 values('CSEN1011','Problem Solving and Programming in C',95.5,'O')
insert into marks1 values('MATH1001','Single Variable Calculus',70,'A')
insert into marks1 values('MATH1011','Several Variable Calculus',68,'A')
insert into marks1 values('MECH1011','Engineering Visualization and Product Realization',93,'O')
insert into marks1 values('PHYS1001','Physics',65.5,'A')
insert into marks1 values('VEDC1001','Venture Development',75,'A')
```

ORA-00905: missing keyword

Live SQL

Schema Initialized. Script run, 61 statements attempted.

✕

My Session ⓘ

[Actions ⌄] [↺ Reset Session] [🖫 Save] object

Statement **1**

✎ ▷ 🗑

```
create table marks1(CourseCode varchar2(10),CourseName char(10),Marks Number(5),Grade varchar(5))


Table created.
```

© 2022 Oracle · Live SQL 22.2.2, running Oracle Database 19c Enterprise Edition - 19.14.0.0.0 · Database Documentation · Ask Tom · Dev Gym

Built with ❤ using Oracle APEX · Privacy · Terms of Use