

PAYONE

Webhook Processing

Summary	Manual Test Steps
Validate Wero availability and item-level partial/full refunds	1 Action Open the payment-method configuration or checkout flow for a Belgium customer using EUR currency. Data Country: Belgium; Currency: EUR Expected Result PAYONE_COMMERCE_WERO is available as a selectable payment method.
	2 Action Open the payment-method configuration or checkout flow for a Germany customer using EUR currency. Data Country: Germany; Currency: EUR Expected Result PAYONE_COMMERCE_WERO is available as a selectable payment method.
	3 Action Open the payment-method configuration or checkout flow using a currency other than EUR. Data Currency: USD; Country: Belgium Expected Result PAYONE_COMMERCE_WERO is unavailable and cannot be selected.
	4 Action Open the payment-method configuration or checkout flow using a country other than Belgium or Germany. Data Country: France; Currency: EUR Expected Result

Summary	Manual Test Steps
	PAYONE_COMMERCE_WERO is unavailable and cannot be selected.
	5 Action Open a successfully authorized and captured Wero Direct Sale order containing a product with a quantity greater than one.
	Data Payment method: PAYONE_COMMERCE_WERO; Country: Belgium or Germany; Currency: EUR; Product quantity: greater than 1
	Expected Result The Wero order details and item-level refund controls are displayed.
	6 Action Inspect the item-level Capture checkboxes.
	Data —
	Expected Result All item-level Capture checkboxes are disabled.
	7 Action Inspect the order-level capture controls.
	Data —
	Expected Result The Capture Selected Items control is not displayed.
	8 Action Inspect the item-level refund checkboxes for captured actionable rows.
	Data

Summary	Manual Test Steps
	– Expected Result Refund checkboxes are enabled for captured actionable rows.
	9 Action Inspect the order-level refund controls. Data – Expected Result The Refund Selected Items control is displayed.
	10 Action Inspect the authorization controls. Data – Expected Result Cancel Authorization is not available.
	11 Action Record the order-level refundable amount and the PAYONE collected amount. Data – Expected Result The order-level refundable amount equals the amount collected by PAYONE.
	12 Action Select the refund checkbox for a captured item row. Data Item: captured product with quantity greater than 1

Summary	Manual Test Steps
	Expected Result The selected item row is marked for refund and its refundable quantity is available for entry.
	13 Action Enter a refund quantity lower than the item's refundable quantity.
	Data Refund quantity: a positive value less than the row's refundable quantity
	Expected Result The entered partial quantity is accepted for the selected item.
	14 Action Submit the item-level refund.
	Data Refund Selected Items
	Expected Result The refund is submitted successfully and the order reflects the partial refund.
	15 Action Compare the refunded quantity with the quantity submitted in the partial refund.
	Data Submitted quantity: partial refund quantity
	Expected Result The refunded quantity increases by exactly the submitted quantity.
	16 Action Compare the remaining refundable quantity with the original refundable quantity and the refunded quantity.

Summary	Manual Test Steps
	Data Expected remaining quantity = original refundable quantity - submitted refund quantity
	Expected Result The remaining refundable quantity is correct and equals the original refundable quantity minus the newly refunded quantity.
	17 Action Compare the PAYONE refunded and collected amounts with the partial refund amount.
	Data Expected PAYONE refunded amount: amount for submitted quantity; Expected collected amount: original collected amount minus refunded amount
	Expected Result The PAYONE refunded amount increases by the partial refund amount and the PAYONE collected amount decreases by the same amount.
	18 Action Select the refund checkbox for each remaining captured quantity of the item.
	Data Refund quantity: all remaining refundable quantities
	Expected Result All remaining refundable quantities are selected for refund.
	19 Action Submit the refund for all remaining captured quantities.
	Data Refund Selected Items
	Expected Result

Summary	Manual Test Steps
	The full refund of all remaining captured quantities is submitted successfully.
	20 Action Inspect the item-level refund controls after the full refund completes.
	Data –
	Expected Result No item remains refundable, and the refund controls are disabled or absent.
	21 Action Inspect the order-level refundable amount after all captured quantities are refunded.
	Data –
	Expected Result The order-level refundable amount reflects no remaining refundable captured amount.
	22 Action Compare the final PAYONE collected amount with the expected remaining value after the full refund.
	Data Expected remaining collected value: original PAYONE collected amount minus all refunded amounts
	Expected Result The PAYONE collected amount reaches the expected remaining value after all captured quantities have been refunded.
Validate Wero availability and	1 Action

Summary	Manual Test Steps
post-redirect payment flows	Prepare a test shopper account and storefront environment with the PAYONE_COMMERCE_WERO payment method enabled in test mode.
	Data Test shopper account; Wero test environment
	Expected Result The test environment is available and the shopper can access checkout.
	2 Action Set the shopper billing and shipping country to Belgium and set the checkout currency to EUR.
	Data Country: Belgium; Currency: EUR
	Expected Result Checkout displays PAYONE_COMMERCE_WERO as an available payment method.
	3 Action Select PAYONE_COMMERCE_WERO and continue through the available Wero payment authorization flow.
	Data Payment method: PAYONE_COMMERCE_WERO
	Expected Result The shopper is transferred to or presented with the Wero authorization flow without an error caused by currency or country restrictions.
	4 Action Complete the Wero authorization using valid test payment credentials.
	Data Valid Wero test authorization

Summary	Manual Test Steps
	Expected Result The payment is authorized and the order reaches the storefront confirmation page.
	5 Action Set the shopper billing and shipping country to Germany and set the checkout currency to EUR.
	Data Country: Germany; Currency: EUR
	Expected Result Checkout displays PAYONE_COMMERCE_WERO as an available payment method.
	6 Action Select PAYONE_COMMERCE_WERO and complete a valid payment in the German EUR checkout.
	Data Payment method: PAYONE_COMMERCE_WERO; Valid Wero test authorization
	Expected Result The Wero payment completes successfully and the order reaches the storefront confirmation page.
	7 Action Set the checkout currency to a non-EUR currency while keeping the shopper country set to Belgium.
	Data Country: Belgium; Currency: USD
	Expected Result PAYONE_COMMERCE_WERO is not available for selection.
	8 Action Set the checkout currency to a non-EUR currency while keeping the shopper country set to Germany.

Summary	Manual Test Steps
	Data Country: Germany; Currency: USD
	Expected Result PAYONE_COMMERCE_WERO is not available for selection.
	9 Action Set the shopper country to a country other than Belgium or Germany and set the checkout currency to EUR.
	Data Country: France; Currency: EUR
	Expected Result PAYONE_COMMERCE_WERO is not available for selection.
	10 Action Set the shopper country to a country other than Belgium or Germany and set the checkout currency to a non-EUR currency.
	Data Country: France; Currency: USD
	Expected Result PAYONE_COMMERCE_WERO is not available for selection.
	11 Action Create a checkout using a supported country and EUR currency, then select Credit Card with 3DS enabled.
	Data Country: Belgium; Currency: EUR; Payment method: Credit Card
	Expected Result The checkout starts the Credit Card 3DS authentication flow.
	12 Action

Summary	Manual Test Steps
	Complete the Credit Card 3DS authentication successfully and return to the storefront.
	Data 3DS result: Successful authentication
	Expected Result The order is placed successfully and the shopper reaches the order confirmation page.
	13 Action Create another checkout using Credit Card with 3DS enabled and start the 3DS authentication flow.
	Data Country: Belgium; Currency: EUR; Payment method: Credit Card
	Expected Result The checkout starts the Credit Card 3DS authentication flow.
	14 Action Reject the Credit Card 3DS authentication and return to the storefront.
	Data 3DS result: Rejected authentication
	Expected Result The order is not placed, checkout is restored, and the basket contents remain available to the shopper.
	15 Action Create a checkout and select Google Pay for a transaction requiring 3DS.
	Data Country: Belgium; Currency: EUR; Payment method: Google Pay

Summary	Manual Test Steps
	Expected Result The Google Pay payment and 3DS flow starts using the existing storefront behavior.
	16 Action Complete the Google Pay 3DS return successfully.
	Data 3DS return: Successful
	Expected Result The payment completes and the shopper reaches the expected storefront destination, with existing Google Pay behavior unchanged.
	17 Action Create another checkout and select Google Pay for a transaction requiring 3DS.
	Data Country: Belgium; Currency: EUR; Payment method: Google Pay
	Expected Result The Google Pay payment and 3DS flow starts using the existing storefront behavior.
	18 Action Reject or cancel the Google Pay 3DS authentication and return to the storefront.
	Data 3DS return: Rejected or cancelled
	Expected Result The shopper reaches the expected storefront destination for an unsuccessful Google Pay return, and existing Google Pay behavior remains unchanged.
	19 Action

Summary	Manual Test Steps
	Create an Apple Pay checkout in an environment where Apple Pay callback/return is supported.
	Data Country: Belgium; Currency: EUR; Payment method: Apple Pay
	Expected Result Apple Pay is available and the authorization flow starts.
	20 Action Authorize the Apple Pay payment and complete the Apple Pay callback or return to the storefront. Data Apple Pay result: Authorized Expected Result The order is placed successfully and the shopper reaches the order confirmation page.
	21 Action Verify the completed Apple Pay order and payment status in the storefront order details or order-management view. Data Apple Pay order created in the previous step Expected Result The order and payment status are consistent with the existing Apple Pay behavior, with no regression introduced by the shared post-redirect handling.
Validate Wero availability by billing country and currency with payment redirect	1 Action Configure the checkout integration with the Wero payment method enabled and no option configuration or approval requirement. Data

Summary	Manual Test Steps
	Payment method: PAYONE_COMMERCE_WERO; requires approval: false; option configuration: none Expected Result The Wero payment method is available for checkout configuration without requiring approval or additional option settings.
	2 Action Set the checkout currency to EUR. Data Currency: EUR Expected Result The checkout displays prices and processes the order in EUR.
	3 Action Set the billing country to Germany. Data Billing country: Germany Expected Result The German billing address is accepted and Wero is available among the payment methods.
	4 Action Open the payment method selection on checkout. Data – Expected Result Wero is displayed as a selectable payment method and has no visible payment-specific input fields.
	5 Action Select Wero as the payment method. Data

Summary	Manual Test Steps
	Payment method: Wero / PAYONE_COMMERCE_WERO Expected Result Wero is selected without displaying any additional payment form fields, and the checkout can proceed to payment submission.
	6 Action Submit the order using Wero. Data Payment method: PAYONE_COMMERCE_WERO Expected Result The payment request contains the Wero payment method and a return URL for the checkout flow.
	7 Action Inspect the payment response received from PAYONE. Data — Expected Result The response contains a redirect URL for the Wero payment flow.
	8 Action Continue the checkout using the redirect URL provided in the PAYONE response. Data Redirect URL: URL returned by PAYONE Expected Result The customer is redirected to the URL provided by PAYONE for Wero payment processing.
	9 Action Set the billing country to Belgium.

Summary	Manual Test Steps
	Data Billing country: Belgium
	Expected Result The Belgian billing address is accepted and Wero remains available as a payment method for EUR checkout.
	10 Action Set the checkout currency to a non-EUR currency.
	Data Currency: USD
	Expected Result Wero is not available for the non-EUR checkout.
	11 Action Restore the checkout currency to EUR.
	Data Currency: EUR
	Expected Result The checkout is again eligible for Wero based on currency.
	12 Action Set the billing country to France.
	Data Billing country: France
	Expected Result The French billing address is entered and the checkout reflects the updated billing information.
	13 Action Click Update Billing.
	Data —

Summary	Manual Test Steps	
		Expected Result Wero is removed from the available payment methods after the billing country is updated to France.
	14	Action Set the billing country back to Germany.
		Data Billing country: Germany
		Expected Result The German billing address is entered and the checkout reflects the updated billing information.
	15	Action Click Update Billing.
		Data –
Validate Wero availability restrictions and non-Wero PAYONE CSC operations		Expected Result Wero becomes available again after the billing country is updated back to Germany while the currency remains EUR.
	1	Action Open the payment-method configuration or checkout environment for the PAYONE cartridge.
		Data –
		Expected Result The available payment methods and their configuration settings are displayed.
	2	Action Locate the payment method with identifier PAYONE_COMMERCE_WERO.
		Data

Summary	Manual Test Steps
	Payment method: PAYONE_COMMERCE_WERO
	Expected Result PAYONE_COMMERCE_WERO is available as a configured payment method.
	3 Action Create or configure a checkout using Wero with EUR currency and Belgium as the billing or shipping country.
	Data Payment method: PAYONE_COMMERCE_WERO; currency: EUR; country: Belgium
	Expected Result Wero is available for selection and the checkout can proceed with the configured combination.
	4 Action Create or configure a checkout using Wero with EUR currency and Germany as the billing or shipping country.
	Data Payment method: PAYONE_COMMERCE_WERO; currency: EUR; country: Germany
	Expected Result Wero is available for selection and the checkout can proceed with the configured combination.
	5 Action Create or configure a checkout using Wero with a non-EUR currency and Belgium as the country.
	Data Payment method: PAYONE_COMMERCE_WERO; currency: USD; country: Belgium
	Expected Result

Summary	Manual Test Steps
	Wero is not available for selection or the checkout rejects Wero because the currency is not EUR.
	6 Action Create or configure a checkout using Wero with a non-EUR currency and Germany as the country.
	Data Payment method: PAYONE_COMMERCE_WERO; currency: GBP; country: Germany
	Expected Result Wero is not available for selection or the checkout rejects Wero because the currency is not EUR.
	7 Action Create or configure a checkout using Wero with EUR currency and a country other than Belgium or Germany.
	Data Payment method: PAYONE_COMMERCE_WERO; currency: EUR; country: France
	Expected Result Wero is not available for selection or the checkout rejects Wero because the country is not Belgium or Germany.
	8 Action Create or configure a checkout using Wero with a non-EUR currency and a country other than Belgium or Germany.
	Data Payment method: PAYONE_COMMERCE_WERO; currency: USD; country: France
	Expected Result Wero is not available for selection or the checkout rejects Wero because both the currency and country are unsupported.

Summary	Manual Test Steps
	9 Action Create and authorize an order using a supported non-Wero PAYONE payment method. Data Payment method: pre-authorized Credit Card, or Google Pay/Apple Pay where supported; currency: EUR; country: Belgium or Germany; order: multiple items Expected Result The order is created with an authorization in a cancellable, uncaptured state.
	10 Action Open the order in the Customer Service Center (CSC). Data Order: the pre-authorized non-Wero PAYONE order Expected Result The order details and item-level action controls are displayed.
	11 Action Inspect the item-level controls before capture. Data – Expected Result Capture controls are available for the authorized order, refund controls are disabled, and cancellation is available while the authorization is cancellable.
	12 Action Select the item-level row checkbox for one item before capture. Data Item: one item from the multi-item order

Summary	Manual Test Steps
	Expected Result The row checkbox can be selected for the item and the available action buttons correspond to the selected item and its current authorization state.
	13 Action Capture the selected item.
	Data Capture amount: full amount of the selected item
	Expected Result The selected item is captured successfully and its status reflects capture.
	14 Action Inspect the item-level controls after capture.
	Data Item: the captured item
	Expected Result Refund controls become available for the captured item, while capture is no longer offered for the already captured amount.
	15 Action Select the captured item and initiate an item-level refund.
	Data Item: the captured item; refund amount: full captured amount
	Expected Result The refund action is available for the selected captured item and the refund request can be submitted.
	16 Action Verify the item status after the refund is processed.
	Data

Summary	Manual Test Steps
	Item: the refunded item
	Expected Result The item reflects the refunded status and the refund action is no longer available for the fully refunded amount.
	17 Action Create and authorize another order using a supported non-Wero PAYONE payment method without capturing it. Data Payment method: pre-authorized Credit Card, or Google Pay/Apple Pay where supported; order: uncaptured authorized order Expected Result A second order is created with an authorization that is still cancellable and has not been captured.
	18 Action Open the uncaptured order in the CSC and inspect its controls. Data Order: the second pre-authorized non-Wero PAYONE order Expected Result Capture is available, refund is disabled before capture, and cancellation is available while the authorization remains cancellable.
	19 Action Cancel the authorization before capture. Data Order: the second pre-authorized non-Wero PAYONE order Expected Result The authorization is cancelled successfully and the order status reflects cancellation.

Summary	Manual Test Steps				
	<table> <tr> <td data-bbox="508 275 553 317">20</td><td data-bbox="553 275 1419 695"> Action Inspect the controls after authorization cancellation. Data Order: the cancelled order Expected Result Capture and refund actions are unavailable, cancellation is no longer available, and row checkboxes match the remaining available action buttons. </td></tr> <tr> <td data-bbox="508 716 553 758">21</td><td data-bbox="553 716 1419 1209"> Action Compare the CSC behavior for the tested non-Wero PAYONE method with its behavior before the Wero addition. Data Payment method: same Credit Card, Google Pay, or Apple Pay method; operations: capture, refund, cancel Expected Result Existing non-Wero PAYONE CSC behavior is unchanged, including action availability, item-level processing, and row checkbox behavior. </td></tr> </table>	20	Action Inspect the controls after authorization cancellation. Data Order: the cancelled order Expected Result Capture and refund actions are unavailable, cancellation is no longer available, and row checkboxes match the remaining available action buttons.	21	Action Compare the CSC behavior for the tested non-Wero PAYONE method with its behavior before the Wero addition. Data Payment method: same Credit Card, Google Pay, or Apple Pay method; operations: capture, refund, cancel Expected Result Existing non-Wero PAYONE CSC behavior is unchanged, including action availability, item-level processing, and row checkbox behavior.
20	Action Inspect the controls after authorization cancellation. Data Order: the cancelled order Expected Result Capture and refund actions are unavailable, cancellation is no longer available, and row checkboxes match the remaining available action buttons.				
21	Action Compare the CSC behavior for the tested non-Wero PAYONE method with its behavior before the Wero addition. Data Payment method: same Credit Card, Google Pay, or Apple Pay method; operations: capture, refund, cancel Expected Result Existing non-Wero PAYONE CSC behavior is unchanged, including action availability, item-level processing, and row checkbox behavior.				
Validate Wero availability, submission, redirect, and country-currency restrictions	<table> <tr> <td data-bbox="508 1241 553 1283">1</td><td data-bbox="553 1241 1419 1566"> Action Open the storefront and select the German locale. Data Locale: German Expected Result The storefront is displayed in German. </td></tr> <tr> <td data-bbox="508 1587 553 1629">2</td><td data-bbox="553 1587 1419 1860"> Action Set the storefront currency to EUR. Data Currency: EUR Expected Result </td></tr> </table>	1	Action Open the storefront and select the German locale. Data Locale: German Expected Result The storefront is displayed in German.	2	Action Set the storefront currency to EUR. Data Currency: EUR Expected Result
1	Action Open the storefront and select the German locale. Data Locale: German Expected Result The storefront is displayed in German.				
2	Action Set the storefront currency to EUR. Data Currency: EUR Expected Result				

Summary	Manual Test Steps
	EUR is selected as the storefront currency.
	3 Action Add an available product to the basket.
	Data Any purchasable product
	Expected Result The product is added to the basket successfully.
	4 Action Proceed from the basket to checkout.
	Data –
	Expected Result The checkout page is displayed.
	5 Action Enter a valid German billing address.
	Data Country: Germany; valid German billing address details
	Expected Result The German billing address is accepted.
	6 Action Continue to the payment stage.
	Data –
	Expected Result The payment stage is displayed.
	7 Action Locate the Wero payment method.
	Data

Summary	Manual Test Steps
	Payment method: PAYONE_COMMERCE_WERO Expected Result Wero is displayed as an available payment method.
	8 Action Select the Wero payment method. Data PAYONE_COMMERCE_WERO Expected Result Wero is selected and no shopper input fields are displayed.
	9 Action Verify the configured Wero content-slot text. Data Configured Wero content-slot text Expected Result The configured Wero content-slot text is displayed in the Wero payment option.
	10 Action Select Wero and submit the order using valid checkout details. Data Valid checkout and payment-stage details; no Wero-specific field values Expected Result The checkout submits without requiring any Wero-specific shopper input.
	11 Action Inspect the payment request sent for the Wero transaction. Data Payment method: PAYONE_COMMERCE_WERO

Summary	Manual Test Steps
	Expected Result The request identifies Wero as the payment method and provides a return URL.
	12 Action Provide a payment response containing a redirect URL.
	Data Payment response redirect URL: a valid Wero redirect URL
	Expected Result The storefront redirects the shopper to the URL provided in the PAYONE response.
	13 Action Repeat the checkout availability flow with a Belgian billing address while keeping the currency set to EUR.
	Data Country: Belgium; Currency: EUR; valid Belgian billing address
	Expected Result Wero is displayed at the payment stage and contains no shopper input fields.
	14 Action Change the storefront currency to a currency other than EUR.
	Data Currency: USD
	Expected Result The storefront uses the selected non-EUR currency.
	15 Action Continue to the payment stage with a valid supported-country billing address.
	Data

Summary	Manual Test Steps								
	<table> <tr> <td data-bbox="557 268 613 331"></td><td data-bbox="613 268 1425 331">Country: Germany; Currency: USD</td></tr> <tr> <td data-bbox="557 331 613 447"></td><td data-bbox="613 331 1425 447"> Expected Result The payment stage is displayed without Wero. </td></tr> <tr> <td data-bbox="557 447 613 888">16</td><td data-bbox="613 447 1425 888"> Action Use a country other than Belgium or Germany with EUR currency and continue to the payment stage. Data Country: France; Currency: EUR; valid French billing address Expected Result Wero is not displayed because the billing country is unsupported. </td></tr> <tr> <td data-bbox="557 888 613 1266">17</td><td data-bbox="613 888 1425 1266"> Action Review the Wero payment-method configuration. Data Payment method: PAYONE_COMMERCE_WERO Expected Result The Wero option has requires approval set to false and has no approval configuration. </td></tr> </table>		Country: Germany; Currency: USD		Expected Result The payment stage is displayed without Wero.	16	Action Use a country other than Belgium or Germany with EUR currency and continue to the payment stage. Data Country: France; Currency: EUR; valid French billing address Expected Result Wero is not displayed because the billing country is unsupported.	17	Action Review the Wero payment-method configuration. Data Payment method: PAYONE_COMMERCE_WERO Expected Result The Wero option has requires approval set to false and has no approval configuration.
	Country: Germany; Currency: USD								
	Expected Result The payment stage is displayed without Wero.								
16	Action Use a country other than Belgium or Germany with EUR currency and continue to the payment stage. Data Country: France; Currency: EUR; valid French billing address Expected Result Wero is not displayed because the billing country is unsupported.								
17	Action Review the Wero payment-method configuration. Data Payment method: PAYONE_COMMERCE_WERO Expected Result The Wero option has requires approval set to false and has no approval configuration.								
Validate Wero payment availability, successful checkout, and unsuccessful flow handling	<table> <tr> <td data-bbox="557 1287 613 1707">1</td><td data-bbox="613 1287 1425 1707"> Action Configure the storefront test context for Germany and EUR currency. Data Country: Germany; Currency: EUR Expected Result The storefront is available in the Germany locale with EUR as the active currency. </td></tr> <tr> <td data-bbox="557 1707 613 1896">2</td><td data-bbox="613 1707 1425 1896"> Action Add an available product to the basket. Data </td></tr> </table>	1	Action Configure the storefront test context for Germany and EUR currency. Data Country: Germany; Currency: EUR Expected Result The storefront is available in the Germany locale with EUR as the active currency.	2	Action Add an available product to the basket. Data				
1	Action Configure the storefront test context for Germany and EUR currency. Data Country: Germany; Currency: EUR Expected Result The storefront is available in the Germany locale with EUR as the active currency.								
2	Action Add an available product to the basket. Data								

Summary	Manual Test Steps
	Product: any purchasable product
	Expected Result The product is added to the basket and the basket total is displayed in EUR.
	3 Action Proceed to the checkout payment stage.
	Data –
	Expected Result The checkout payment stage is displayed.
	4 Action Inspect the available payment methods.
	Data –
	Expected Result PAYONE_COMMERCE_WERO is displayed as an available payment method.
	5 Action Select PAYONE_COMMERCE_WERO.
	Data Payment method: PAYONE_COMMERCE_WERO
	Expected Result Wero is selected and no visible payment input fields are displayed.
	6 Action Start the Wero payment.
	Data Billing and shipping details: valid Germany address; Currency: EUR

Summary	Manual Test Steps
	Expected Result The request is submitted with a return URL, and the shopper is redirected to the URL provided in the PAYONE response for the Wero payment flow.
	7 Action Complete the Wero payment using valid payment-provider test data.
	Data Valid Wero test payment data
	Expected Result The Wero payment flow completes and the shopper is returned to the storefront confirmation flow with the payment and order processed successfully.
	8 Action Configure the storefront test context for a country other than Germany or Belgium while retaining EUR currency.
	Data Country: France; Currency: EUR
	Expected Result The storefront is available with the selected non-supported country and EUR currency.
	9 Action Open the checkout payment stage for the non-supported country.
	Data –
	Expected Result PAYONE_COMMERCE_WERO is not available for selection.
	10 Action

Summary	Manual Test Steps	
		Configure the storefront test context for a supported country with a currency other than EUR.
		Data Country: Germany; Currency: USD
		Expected Result The storefront is available with Germany selected and USD as the active currency.
	11	Action Open the checkout payment stage for the unsupported currency.
		Data —
		Expected Result PAYONE_COMMERCE_WERO is not available for selection.
	12	Action Configure the storefront test context for Belgium and EUR currency.
		Data Country: Belgium; Currency: EUR
		Expected Result The storefront is available with Belgium selected and EUR as the active currency.
	13	Action Open the checkout payment stage for Belgium.
		Data —
		Expected Result PAYONE_COMMERCE_WERO is available for selection and displays no visible payment fields.

Summary	Manual Test Steps
	14 Action Add a product to the basket and proceed to the payment stage for a Germany EUR checkout. Data Country: Germany; Currency: EUR; Product: any purchasable product Expected Result The checkout payment stage is displayed with PAYONE_COMMERCE_WERO available.
	15 Action Select PAYONE_COMMERCE_WERO and start the payment. Data Payment method: PAYONE_COMMERCE_WERO Expected Result The shopper is redirected to the Wero URL returned by PAYONE, and the request contains the storefront return URL.
	16 Action Return to the checkout from the Wero flow without completing payment. Data Wero action: Return to checkout Expected Result The shopper returns to the checkout payment stage.
	17 Action Inspect the checkout payment stage after returning without completing payment. Data – Expected Result

Summary	Manual Test Steps
	A payment-error message is displayed, and the shopper remains able to select another payment method.
	18 Action Open Business Manager order management and locate the order associated with the unsuccessful Wero checkout.
	Data Business Manager > Merchant Tools > Orders
	Expected Result The original SFCC order is marked failed and is not placed.
	19 Action Open the PAYONE dashboard and locate the payment associated with the unsuccessful Wero checkout.
	Data PAYONE dashboard; Relevant checkout/payment reference
	Expected Result The payment shows the REJECTED state.
	20 Action Select another available payment method in the checkout.
	Data Payment method: any available non-Wero payment method
	Expected Result The alternative payment method is selected and its applicable checkout inputs are displayed.
	21 Action Complete checkout with the alternative payment method.
	Data Valid data for the selected alternative payment method
	Expected Result

Summary	Manual Test Steps
	A new order is placed successfully using the alternative payment method.
	22 Action Start a new Germany EUR checkout and select PAYONE_COMMERCE_WERO.
	Data Country: Germany; Currency: EUR; Payment method: PAYONE_COMMERCE_WERO
	Expected Result The shopper is redirected to the Wero URL provided by PAYONE, with no visible Wero payment fields on the storefront.
	23 Action Deny consent in the Wero payment flow.
	Data Wero action: Deny consent
	Expected Result The Wero flow ends and the shopper returns to the checkout payment stage.
	24 Action Inspect the checkout payment stage after denying consent.
	Data –
	Expected Result A payment-error message is displayed, and the shopper can select another payment method.
	25 Action Open Business Manager order management and locate the order associated with the denied-consent checkout.

Summary	Manual Test Steps
	Data Business Manager > Merchant Tools > Orders
	Expected Result The original SFCC order is marked failed and is not placed.
	26 Action Open the PAYONE dashboard and locate the payment associated with the denied-consent checkout.
	Data PAYONE dashboard; Relevant checkout/payment reference
	Expected Result The payment shows the REJECTED state.
	27 Action Select another available payment method and place a new order.
	Data Payment method: any available non-Wero payment method; Valid payment data
	Expected Result The alternative payment method can be used and a new order is placed successfully.