

PAYONE

Create Models for API Objects

Summary	Manual Test Steps		
PAYONE - Create Models for API Objects - Product Type And Option - Variant Product	1	Action	Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data	
		Expected Result	PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action	Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data	
		Expected Result	Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action	Ensure test products are available for the product scenarios, including simple products, variant products, product bundles, product sets, and products with paid options.
		Data	
		Expected Result	Test products are available for all specified scenarios.
	4	Action	Ensure a product eligible for product-level discount is available.
		Data	
		Expected Result	Product eligible for product-level discount is available.
	5	Action	Ensure a basket eligible for order-level discount or coupon is available.
		Data	
		Expected Result	

Summary	Manual Test Steps
	Basket eligible for order-level discount or coupon is available.
	6 Action Ensure a basket eligible for multiple order-level discounts or coupons is available.
	Data
	Expected Result Basket eligible for multiple order-level discounts or coupons is available.
	7 Action Ensure a basket eligible for shipping-level discount or free shipping is available.
	Data
	Expected Result Basket eligible for shipping-level discount or free shipping is available.
	8 Action Ensure a basket eligible for a bonus product is available in the test catalog.
	Data
	Expected Result Basket eligible for a bonus product is available.
	9 Action Add an orderable variant product, such as a size/color variant, to the cart.
	Data
	Expected Result Variant product is added to the cart.
	10 Action Proceed to checkout and place the order using Store Pay / Pay in Store.

Summary	Manual Test Steps	
		Data
		Expected Result Order is placed successfully.
	11	Action Open the created order in SFCC Business Manager.
		Data
		Expected Result Order is accessible in SFCC Business Manager.
	12	Action Verify the SFCC order for product line items, shipping, discounts, tax, customer data, currency, and total.
		Data
		Expected Result SFCC order details are verified as accurate.
	13	Action Open the corresponding checkout in the PAYONE Commerce Portal.
		Data
		Expected Result PAYONE checkout is accessible.
	14	Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.
		Data
		Expected Result PAYONE data matches SFCC order data.
	15	Action

Summary	Manual Test Steps
	If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager for detailed line-item information.
	Data
	Expected Result PAYONE service logs provide detailed line-item information.
	16 Action Verify that PAYONE `productCode` matches the orderable variant SKU/product ID.
	Data
	Expected Result PAYONE `productCode` matches the variant SKU/product ID.
	17 Action Verify that PAYONE price, quantity, tax, and total match the SFCC line item.
	Data
	Expected Result PAYONE price, quantity, tax, and total match the SFCC line item.
	18 Action Ensure the master product ID does not replace the selected variant SKU in PAYONE data.
	Data
	Expected Result Master product ID does not replace the variant SKU.
	19 Action Verify that PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).
	Data

Summary	Manual Test Steps	
		Expected Result PAYONE amounts are correctly sent in minor units.
PAYONE - Create Models for API Objects - Shopping Cart And Amount - Multiple Order- Level Discounts	1	Action Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data
		Expected Result PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data
		Expected Result Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action Ensure test products are available for the scenarios: simple products, variant products, product bundles, product sets, products with paid options, and products eligible for discounts.
		Data
		Expected Result Test products are available for all specified scenarios.
	4	Action Build a basket with more than one order-level discount, such as an automatic order promotion and an order-level coupon.
		Data
		Expected Result Basket is built with multiple order-level discounts.
	5	Action

Summary	Manual Test Steps	
		Place the order using the configured PAYONE payment method.
		Data
		Expected Result Order is placed successfully.
	6	Action Open the created order in SFCC Business Manager.
		Data
		Expected Result Order is accessible in SFCC Business Manager.
	7	Action Verify the SFCC order for product line items, shipping, discounts, tax, customer data, currency, and total.
		Data
		Expected Result SFCC order details are verified as accurate.
	8	Action Open the corresponding checkout in the PAYONE Commerce Portal.
		Data
		Expected Result PAYONE checkout is accessible.
	9	Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.
		Data
		Expected Result PAYONE data matches SFCC order data.
	10	Action

Summary	Manual Test Steps
	If PAYONE Commerce Portal lacks detail, review the sanitized PAYONE request/response payload in SFCC service logs.
	Data
	Expected Result PAYONE request/response payload provides necessary detail.
	11 Action Verify that PAYONE contains one `DISCOUNT` row for each negative SFCC order-level price adjustment.
	Data
	Expected Result PAYONE has a `DISCOUNT` row for each SFCC order-level price adjustment.
	12 Action Ensure each PAYONE discount row amount matches the absolute value of the corresponding SFCC price adjustment.
	Data
	Expected Result PAYONE discount row amounts match SFCC price adjustments.
	13 Action Confirm that PAYONE final amount matches the SFCC final order total, except for known minor-unit rounding differences.
	Data
	Expected Result PAYONE final amount matches SFCC final order total, accounting for rounding differences.
	14 Action Verify that PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).

Summary	Manual Test Steps								
	<table><tr><td>Data</td></tr><tr><td>Expected Result</td></tr><tr><td>PAYONE amounts are correctly sent in minor units.</td></tr></table>	Data	Expected Result	PAYONE amounts are correctly sent in minor units.					
	Data								
	Expected Result								
	PAYONE amounts are correctly sent in minor units.								
	<table><tr><td>15</td><td>Action</td></tr><tr><td colspan="2">Complete the shopper flow on the storefront to simulate a real customer experience.</td></tr><tr><td>Data</td></tr><tr><td>Expected Result</td></tr><tr><td colspan="2">Shopper flow is completed successfully.</td></tr></table>	15	Action	Complete the shopper flow on the storefront to simulate a real customer experience.		Data	Expected Result	Shopper flow is completed successfully.	
	15	Action							
	Complete the shopper flow on the storefront to simulate a real customer experience.								
	Data								
	Expected Result								
	Shopper flow is completed successfully.								
	<table><tr><td>16</td><td>Action</td></tr><tr><td colspan="2">Check that customer, billing, shipping, contact, and locale data are correctly mapped from SFCC to PAYONE.</td></tr><tr><td>Data</td></tr><tr><td>Expected Result</td></tr><tr><td colspan="2">Customer and related data are accurately mapped.</td></tr></table>	16	Action	Check that customer, billing, shipping, contact, and locale data are correctly mapped from SFCC to PAYONE.		Data	Expected Result	Customer and related data are accurately mapped.	
	16	Action							
	Check that customer, billing, shipping, contact, and locale data are correctly mapped from SFCC to PAYONE.								
	Data								
	Expected Result								
	Customer and related data are accurately mapped.								
	<table><tr><td>17</td><td>Action</td></tr><tr><td colspan="2">Ensure shopping cart line items, quantities, product prices, taxes, and discounts are correctly reflected in PAYONE.</td></tr><tr><td>Data</td></tr><tr><td>Expected Result</td></tr><tr><td colspan="2">Shopping cart details are accurately reflected in PAYONE.</td></tr></table>	17	Action	Ensure shopping cart line items, quantities, product prices, taxes, and discounts are correctly reflected in PAYONE.		Data	Expected Result	Shopping cart details are accurately reflected in PAYONE.	
	17	Action							
	Ensure shopping cart line items, quantities, product prices, taxes, and discounts are correctly reflected in PAYONE.								
Data									
Expected Result									
Shopping cart details are accurately reflected in PAYONE.									
<table><tr><td>18</td><td>Action</td></tr><tr><td colspan="2">Verify basket/order totals and PAYONE minor-unit amounts for consistency.</td></tr><tr><td>Data</td></tr><tr><td>Expected Result</td></tr><tr><td colspan="2">Basket/order totals and PAYONE amounts are consistent.</td></tr></table>	18	Action	Verify basket/order totals and PAYONE minor-unit amounts for consistency.		Data	Expected Result	Basket/order totals and PAYONE amounts are consistent.		
18	Action								
Verify basket/order totals and PAYONE minor-unit amounts for consistency.									
Data									
Expected Result									
Basket/order totals and PAYONE amounts are consistent.									
<table><tr><td>19</td><td>Action</td></tr></table>	19	Action							
19	Action								

Summary	Manual Test Steps		
		Review PAYONE service logs for `payone.commerce.api` in SFCC Business Manager if necessary.	
		Data	
		Expected Result	
		PAYONE service logs provide additional detail if needed.	
PAYONE - Create Models for API Objects - Shopping Cart And Amount - Combined Discounts	1	Action	Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data	
		Expected Result	PAYONE configurations are correctly set up.
	2	Action	Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data	
		Expected Result	Store Pay / Pay in Store is available for selection during checkout.
	3	Action	Ensure test products are available, including simple products, variant products, product bundles, product sets, and products with paid options.
		Data	
		Expected Result	All required test products are available in the test environment.
	4	Action	Verify that products eligible for product-level discounts are available.
		Data	
		Expected Result	Products eligible for product-level discounts are present.

Summary	Manual Test Steps
	5 Action Verify that baskets eligible for order-level discounts or coupons are available. Data Expected Result Baskets eligible for order-level discounts or coupons are present.
	6 Action Verify that baskets eligible for multiple order-level discounts or coupons are available. Data Expected Result Baskets eligible for multiple order-level discounts or coupons are present.
	7 Action Verify that baskets eligible for shipping-level discounts or free shipping are available. Data Expected Result Baskets eligible for shipping-level discounts or free shipping are present.
	8 Action Verify that baskets eligible for bonus products are available in the test catalog. Data Expected Result Baskets eligible for bonus products are present.
	9 Action

Summary	Manual Test Steps
	Complete the shopper flow on the storefront by adding products to the basket that include product-level, order-level, and shipping-level discounts.
	Data
	Expected Result Basket is built with combined discounts.
	10 Action Proceed to checkout and select Store Pay / Pay in Store as the payment method.
	Data
	Expected Result Store Pay / Pay in Store is selected as the payment method.
	11 Action Place the order.
	Data
	Expected Result Order is successfully placed.
	12 Action Open the created order in SFCC Business Manager.
	Data
	Expected Result Order details are accessible in SFCC Business Manager.
	13 Action Use the SFCC order as the source of truth for product line items, shipping, discounts, tax, customer data, currency, and total.
	Data
	Expected Result SFCC order data is verified as the source of truth.

Summary	Manual Test Steps
	14 Action Open the corresponding checkout in the PAYONE Commerce Portal. Data Expected Result PAYONE checkout details are accessible.
	15 Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order. Data Expected Result PAYONE data matches SFCC order data.
	16 Action If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager for additional line-item detail. Data Expected Result PAYONE service logs provide additional detail if needed.
	17 Action Verify that the product-level discount is reflected in the product row price in PAYONE. Data Expected Result Product-level discount is correctly reflected in PAYONE.
	18 Action Verify that the order-level discount is represented as a PAYONE `DISCOUNT` row. Data

Summary	Manual Test Steps	
		Expected Result Order-level discount is correctly represented in PAYONE.
	19	Action Verify that the shipping-level discount is reflected in the adjusted `SHIPMENT` row in PAYONE.
		Data
		Expected Result Shipping-level discount is correctly reflected in PAYONE.
	20	Action Ensure that the PAYONE final amount matches the SFCC final order total, except for known minor-unit rounding differences.
		Data
		Expected Result PAYONE final amount matches SFCC final order total, accounting for minor-unit rounding differences.
PAYONE - Create Models for API Objects - Shopping Cart And Amount - Shipping- Level Discount	1	Action Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data
		Expected Result PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action Enable and make visible the Store Pay / Pay in Store payment method in checkout.
		Data
		Expected Result Store Pay / Pay in Store is enabled and visible in checkout.

Summary	Manual Test Steps
	3 Action Ensure test products are available for the scenarios: simple products, variant products, product bundles, product sets, products with paid options, and products eligible for discounts. Data Expected Result Test products are available for all specified scenarios.
	4 Action Add products to the shopping cart that qualify for a shipping promotion or apply a shipping discount coupon. Data Expected Result Products are added to the cart with a shipping promotion or discount applied.
	5 Action Complete the shopper flow on the storefront and place the order. Data Expected Result Order is successfully placed.
	6 Action Open the created order in SFCC Business Manager. Data Expected Result Order is accessible in SFCC Business Manager.
	7 Action Verify the SFCC order for product line items, shipping, discounts, tax, customer data, currency, and total. Data

Summary	Manual Test Steps
	Expected Result SFCC order details are verified as accurate.
	8 Action Open the corresponding checkout in the PAYONE Commerce Portal.
	Data
	Expected Result PAYONE checkout is accessible.
	9 Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.
	Data
	Expected Result PAYONE data matches SFCC order data.
	10 Action If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager for detailed line-item information.
	Data
	Expected Result PAYONE service logs provide detailed line-item information.
	11 Action Verify that PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).
	Data
	Expected Result PAYONE amounts are correctly sent in minor units.
	12 Action Compare SFCC shipping totals with the PAYONE `SHIPMENT` row.

Summary	Manual Test Steps
	Data Expected Result PAYONE `SHIPMENT` row amount equals the adjusted shipping gross amount.
	13 Action Check if shipping tax is sent when available. Data Expected Result Shipping tax is sent if available.
	14 Action Ensure no separate shipping-discount row is present in PAYONE. Data Expected Result No separate shipping-discount row is expected in PAYONE.
	15 Action Verify that if the adjusted shipping gross amount is zero, PAYONE still shows a visible `SHIPMENT` row with `productPrice = 0`. Data Expected Result PAYONE shows a `SHIPMENT` row with `productPrice = 0` if the adjusted shipping gross amount is zero.
	16 Action Ensure that customer, billing, shipping, contact, and locale data are correctly mapped from SFCC to PAYONE. Data Expected Result Customer, billing, shipping, contact, and locale data are correctly mapped.

Summary	Manual Test Steps		
	17	Action	Verify shopping cart line items, quantities, product prices, taxes, and discounts are accurately reflected in PAYONE.
		Data	
		Expected Result	Shopping cart details are accurately reflected in PAYONE.
	18	Action	Check that basket/order totals match between SFCC and PAYONE minor-unit amounts.
		Data	
		Expected Result	Basket/order totals match between SFCC and PAYONE.
PAYONE - Create Models for API Objects - Shopping Cart And Amount - Order- Level Discount	1	Action	Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data	
		Expected Result	PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action	Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data	
		Expected Result	Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action	Ensure test products are available for the scenarios: simple products, variant products, product bundles, product sets, products with paid options, and products eligible for discounts.

Summary	Manual Test Steps
	Data
	Expected Result Test products are available for all specified scenarios.
	4 Action Add products to the shopping cart that qualify for an order-level promotion or apply an order-level coupon.
	Data
	Expected Result Products qualifying for an order-level promotion or coupon are added to the cart.
	5 Action Complete the shopper flow on the storefront and place the order.
	Data
	Expected Result Order is successfully placed.
	6 Action Open the created order in SFCC Business Manager.
	Data
	Expected Result Order is accessible in SFCC Business Manager.
	7 Action Verify the SFCC order for product line items, shipping, discounts, tax, customer data, currency, and total.
	Data
	Expected Result SFCC order details are verified as accurate.
	8 Action Open the corresponding checkout in the PAYONE Commerce Portal.

Summary	Manual Test Steps
	Data
	Expected Result PAYONE checkout is accessible.
	9 Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.
	Data
	Expected Result PAYONE data matches SFCC order data.
	10 Action If PAYONE Commerce Portal lacks detail, review the sanitized PAYONE request/response payload in SFCC service logs.
	Data
	Expected Result PAYONE request/response payload provides necessary detail.
	11 Action Verify that PAYONE includes a separate row with `productType = DISCOUNT`.
	Data
	Expected Result PAYONE includes a separate discount row.
	12 Action Check that the discount row amount is positive in `productPrice`.
	Data
	Expected Result Discount row amount is positive.
	13 Action Ensure the discount row is subtracted from the PAYONE total.

Summary	Manual Test Steps	
		Data
		Expected Result Discount row is correctly subtracted from PAYONE total.
	14	Action Confirm that PAYONE final amount matches the SFCC order total, except for known minor-unit rounding differences.
		Data
		Expected Result PAYONE final amount matches SFCC order total, accounting for rounding differences.
	15	Action Verify that PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).
		Data
		Expected Result PAYONE amounts are correctly sent in minor units.
	16	Action Review PAYONE service logs for `payone.commerce.api` in SFCC Business Manager if necessary.
		Data
		Expected Result PAYONE service logs provide additional detail if needed.
	17	Action Ensure that Store Pay / Pay in Store does not add payment-execution-specific behavior.
		Data
		Expected Result

Summary	Manual Test Steps	
		Store Pay / Pay in Store behaves as expected without additional payment execution behavior.
	18	Action Verify that the PAYONE Commerce Portal exposes enough line-item detail for verification.
		Data
		Expected Result PAYONE Commerce Portal provides sufficient line-item detail.
	19	Action Check that the PAYONE shopping cart rows reflect the SFCC order-level discount accurately.
		Data
		Expected Result PAYONE shopping cart rows accurately reflect SFCC order-level discount.
	20	Action Ensure that all test preparations and configurations are maintained throughout the testing process.
		Data
		Expected Result Test preparations and configurations are consistently maintained.
PAYONE - Create Models for API Objects - Shopping Cart And Amount - Product-	1	Action Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data
		Expected Result PAYONE site preferences, service credentials, and payment methods are correctly configured.

Summary	Manual Test Steps	
Level Discount	2	Action Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data
		Expected Result Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action Ensure test products are available for the scenarios: simple products, variant products, product bundles, product sets, products with paid options, and products eligible for discounts.
		Data
		Expected Result Test products are available for all specified scenarios.
	4	Action Add a product that receives a product-level promotion or product-level coupon to the shopping cart.
		Data
		Expected Result Product with a product-level promotion or coupon is added to the shopping cart.
	5	Action Proceed to checkout and select Store Pay / Pay in Store as the payment method.
		Data
		Expected Result Store Pay / Pay in Store is selected as the payment method.
	6	Action Complete the shopper flow on the storefront and place the order.
		Data

Summary	Manual Test Steps	
		Expected Result Order is successfully placed.
	7	Action Open the created order in SFCC Business Manager.
		Data
		Expected Result Order is accessible in SFCC Business Manager.
	8	Action Verify the SFCC order for product line items, shipping, discounts, tax, customer data, currency, and total.
		Data
		Expected Result SFCC order details are verified as accurate.
	9	Action Open the corresponding checkout in the PAYONE Commerce Portal.
		Data
		Expected Result PAYONE checkout is accessible in the Commerce Portal.
	10	Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.
		Data
		Expected Result PAYONE data matches SFCC order data.
	11	Action If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager for additional line-item detail.

Summary	Manual Test Steps	
		Data
		Expected Result PAYONE service logs provide additional detail if needed.
	12	Action Verify that PAYONE product row uses the discounted gross per-unit price.
		Data
		Expected Result PAYONE product row reflects the discounted gross per-unit price.
	13	Action Ensure the product-level discount is not sent as a separate `DISCOUNT` row in PAYONE.
		Data
		Expected Result Product-level discount is not a separate `DISCOUNT` row in PAYONE.
	14	Action Confirm that PAYONE total matches the SFCC discounted order total, except for known minor-unit rounding differences.
		Data
		Expected Result PAYONE total aligns with SFCC discounted order total, accounting for minor-unit rounding differences.
	15	Action Verify that PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).
		Data
		Expected Result PAYONE amounts are correctly sent in minor units.

Summary	Manual Test Steps	
	16	Action Check that customer, billing, shipping, contact, and locale data are accurately mapped from SFCC to PAYONE.
		Data
		Expected Result Customer, billing, shipping, contact, and locale data are accurately mapped.
	17	Action Ensure shopping cart line items, quantities, product prices, taxes, and discounts are correctly mapped from SFCC to PAYONE.
		Data
		Expected Result Shopping cart details are correctly mapped from SFCC to PAYONE.
	18	Action Verify basket/order totals and PAYONE minor-unit amounts are consistent.
		Data
		Expected Result Basket/order totals and PAYONE minor-unit amounts are consistent.
PAYONE - Create Models for API Objects - Shopping Cart And Amount - Multiple Products And	1	Action Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data
		Expected Result PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action Enable and make visible the Store Pay / Pay in Store option in checkout.

Summary	Manual Test Steps	
Multiple Quantities		Data
		Expected Result Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action Ensure test products are available for the scenarios: simple products, variant products, product bundles, product sets, products with paid options, and products eligible for discounts.
		Data
		Expected Result Test products are available for all specified scenarios.
	4	Action Add at least two different products to the shopping cart on the storefront.
		Data
		Expected Result Two different products are added to the shopping cart.
	5	Action Set the quantity of one product to 2 or more.
		Data
		Expected Result The quantity of one product is set to 2 or more.
	6	Action Proceed to place the order using the Store Pay / Pay in Store payment method.
		Data
		Expected Result The order is placed successfully.
	7	Action

Summary	Manual Test Steps	
		Open the created order in SFCC Business Manager.
		Data
		Expected Result The order is opened in SFCC Business Manager.
	8	Action Verify that each SFCC product line item is represented by a PAYONE `GOODS` row in the PAYONE Commerce Portal.
		Data
		Expected Result Each SFCC product line item is represented by a PAYONE `GOODS` row.
	9	Action Check that the quantities of products in SFCC match exactly with those in PAYONE shopping cart rows.
		Data
		Expected Result Quantities match exactly between SFCC and PAYONE.
	10	Action Verify that the per-unit `productPrice` multiplied by `quantity` matches the expected PAYONE line amount.
		Data
		Expected Result The per-unit `productPrice` multiplied by `quantity` matches the expected PAYONE line amount.
	11	Action Ensure the PAYONE checkout total matches the SFCC order total, except for known minor-unit rounding differences.
		Data

Summary	Manual Test Steps
	Expected Result PAYONE checkout total matches the SFCC order total, except for known minor-unit rounding differences.
	12 Action Review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager if the PAYONE Commerce Portal does not expose enough line-item detail.
	Data
	Expected Result PAYONE service logs provide the necessary line-item detail.
	13 Action Treat service logs as sensitive and ensure known sensitive fields are masked.
	Data
	Expected Result Service logs are treated as sensitive and known sensitive fields are masked.
	14 Action Verify customer, billing, shipping, contact, and locale data in the SFCC order against the PAYONE checkout.
	Data
	Expected Result Customer, billing, shipping, contact, and locale data match between SFCC and PAYONE.
	15 Action Check that shopping cart line items, quantities, product prices, taxes, and discounts in SFCC match those in PAYONE.
	Data
	Expected Result

Summary	Manual Test Steps
	Shopping cart line items, quantities, product prices, taxes, and discounts match between SFCC and PAYONE.
	16 Action Ensure basket/order totals and PAYONE minor-unit amounts are consistent.
	Data
	Expected Result Basket/order totals and PAYONE minor-unit amounts are consistent.
	17 Action Verify that PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).
	Data
	Expected Result PAYONE amounts are correctly sent in minor units.
	18 Action Complete the shopper flow on the storefront to ensure all steps are followed correctly.
	Data
	Expected Result Shopper flow is completed successfully on the storefront.
	19 Action Use the SFCC order as the source of truth for product line items, shipping, discounts, tax, customer data, currency, and total.
	Data
	Expected Result SFCC order is used as the source of truth for all specified data.
	20 Action

Summary	Manual Test Steps		
		Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.	
		Data	
		Expected Result	
		PAYONE data matches the SFCC order data.	
PAYONE - Create Models for API Objects - Shopping Cart And Amount - Basic Single Product	1	Action	Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data	
		Expected Result	PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action	Ensure Store Pay / Pay in Store is enabled and visible in checkout.
		Data	
		Expected Result	Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action	Verify that test products are available for the product scenarios.
		Data	
		Expected Result	Test products are available for the scenarios.
	4	Action	Add a simple product with quantity `1` to the shopping cart.
		Data	
		Expected Result	The simple product is added to the cart with the correct quantity.

Summary	Manual Test Steps	
	5	Action Proceed to checkout with the product in the cart.
		Data
		Expected Result Checkout process is initiated with the product in the cart.
	6	Action Complete the checkout process and place the order.
		Data
		Expected Result Order is successfully placed.
	7	Action Open the created order in SFCC Business Manager.
		Data
		Expected Result The order is accessible in SFCC Business Manager.
	8	Action Verify the SFCC order values for product line items, shipping, discounts, tax, customer data, currency, and total.
		Data
		Expected Result SFCC order values are correct and complete.
	9	Action Open the corresponding checkout in the PAYONE Commerce Portal.
		Data
		Expected Result PAYONE checkout is accessible in the Commerce Portal.
	10	Action

Summary	Manual Test Steps
	Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.
	Data
	Expected Result PAYONE values match the SFCC order values.
	11 Action If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager.
	Data
	Expected Result PAYONE service logs provide additional detail if needed.
	12 Action Ensure PAYONE has one `GOODS` row for the product.
	Data
	Expected Result PAYONE checkout displays one `GOODS` row for the product.
	13 Action Verify that `productCode`, description, quantity, product price, tax amount, and currency are correct in PAYONE.
	Data
	Expected Result PAYONE details match the SFCC order details.
	14 Action Check that PAYONE `amountOfMoney.amount` matches the SFCC order total in minor units.
	Data
	Expected Result PAYONE amount matches the SFCC order total in minor units.

Summary	Manual Test Steps
	15 Action Ensure PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).
	Data
	Expected Result PAYONE amounts are correctly formatted in minor units.
	16 Action Verify customer, billing, shipping, contact, and locale data in PAYONE against SFCC order.
	Data
	Expected Result Customer and related data match between PAYONE and SFCC.
	17 Action Check shopping cart line items, quantities, product prices, taxes, and discounts in PAYONE.
	Data
	Expected Result Shopping cart details are consistent between PAYONE and SFCC.
	18 Action Review basket/order totals and PAYONE minor-unit amounts for accuracy.
	Data
	Expected Result Basket/order totals and PAYONE amounts are accurate.
	19 Action Ensure that the PAYONE Commerce Portal exposes enough line-item detail.
	Data

Summary	Manual Test Steps	
		Expected Result PAYONE Commerce Portal provides sufficient line-item detail.
	20	Action If necessary, compare the SFCC order against the sanitized PAYONE request/response payload in SFCC service logs.
		Data
		Expected Result SFCC order and PAYONE payloads are consistent and accurate.
PAYONE - Create Models for API Objects - Customer And Address Mapping - Date Of Birth Mapping	1	Action Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data
		Expected Result PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data
		Expected Result Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action Ensure test products are available for the scenarios: simple products, variant products, product bundles, product sets, products with paid options, and products eligible for discounts.
		Data
		Expected Result Test products are available for all specified scenarios.
	4	Action

Summary	Manual Test Steps
	Complete the shopper flow on the storefront using a PAYONE payment method that sends date of birth.
	Data
	Expected Result Shopper flow is completed using the specified PAYONE payment method.
	5 Action Enter a clearly identifiable date of birth during checkout.
	Data
	Date of Birth: 19900101
	Expected Result Date of birth is entered correctly during checkout.
	6 Action Place the order or trigger the PAYONE checkout creation for the selected payment method.
	Data
	Expected Result Order is placed or PAYONE checkout is triggered successfully.
	7 Action Open the created order in SFCC Business Manager.
	Data
	Expected Result Order is opened in SFCC Business Manager.
	8 Action Use the SFCC order as the source of truth for product line items, shipping, discounts, tax, customer data, currency, and total.
	Data
	Expected Result

Summary	Manual Test Steps
	SFCC order data is verified as the source of truth.
	9 Action Open the corresponding checkout in the PAYONE Commerce Portal.
	Data
	Expected Result PAYONE checkout is opened in the Commerce Portal.
	10 Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.
	Data
	Expected Result PAYONE data matches the SFCC order data.
	11 Action If the PAYONE Commerce Portal does not show enough detail, compare the SFCC order against the sanitized PAYONE request/response payload in SFCC service logs.
	Data
	Expected Result SFCC order data matches the sanitized PAYONE request/response payload.
	12 Action Verify that PAYONE amounts are sent in minor units (e.g., 12.34 EUR as 1234).
	Data
	Expected Result PAYONE amounts are correctly sent in minor units.
	13 Action

Summary	Manual Test Steps
	Verify that the date of birth is sent once in `YYYYMMDD` format in the PAYONE customer payload.
	Data
	Expected Result Date of birth is correctly sent in `YYYYMMDD` format.
	14 Action Ensure that the date conversion is handled by the shared customer model.
	Data
	Expected Result Date conversion is correctly handled by the shared customer model.
	15 Action Review PAYONE service logs for `payone.commerce.api` in SFCC Business Manager if necessary.
	Data
	Expected Result PAYONE service logs are reviewed for additional details.
	16 Action Ensure that the PAYONE payment method used is configured to send date of birth.
	Data
	Expected Result PAYONE payment method is correctly configured to send date of birth.
	17 Action Verify that customer, billing, shipping, contact, and locale data are correctly mapped from SFCC to PAYONE.
	Data
	Expected Result

Summary	Manual Test Steps	
		Customer, billing, shipping, contact, and locale data are correctly mapped.
	18	Action Verify that shopping cart line items, quantities, product prices, taxes, and discounts are correctly mapped from SFCC to PAYONE.
		Data
		Expected Result Shopping cart data is correctly mapped.
	19	Action Verify that basket/order totals and PAYONE minor-unit amounts are correctly mapped from SFCC to PAYONE.
		Data
		Expected Result Basket/order totals and PAYONE minor-unit amounts are correctly mapped.
	20	Action Ensure that the test environment is treated as sensitive and service logs are handled accordingly.
		Data
		Expected Result Test environment and service logs are handled with appropriate sensitivity.
PAYONE - Create Models for API Objects - Customer And Address	1	Action Log in to the SFCC storefront with a registered customer account.
		Data Registered customer credentials
		Expected Result Successfully logged in to the storefront.

Summary	Manual Test Steps	
Mapping - Registered Shopper Customer Data	2	Action Select a profile/address-book address with identifiable name, email, phone, and address values.
		Data
		Expected Result Address details are selected and visible.
	3	Action Add a simple product to the shopping cart.
		Data
		Expected Result Simple product is added to the cart.
	4	Action Add a variant product (e.g., size/color variant) to the shopping cart.
		Data
		Expected Result Variant product is added to the cart.
	5	Action Add a product bundle to the shopping cart.
		Data
		Expected Result Product bundle is added to the cart.
	6	Action Add a product set to the shopping cart.
		Data
		Expected Result Product set is added to the cart.
	7	Action

Summary	Manual Test Steps
	Add a product with paid options (e.g., warranty options) to the shopping cart.
	Data
	Expected Result Product with paid options is added to the cart.
	8 Action Apply a product-level discount to an eligible product in the cart.
	Data
	Expected Result Product-level discount is applied successfully.
	9 Action Apply an order-level discount or coupon to the shopping cart.
	Data
	Expected Result Order-level discount or coupon is applied successfully.
	10 Action Apply multiple order-level discounts or coupons to the shopping cart, if available.
	Data
	Expected Result Multiple order-level discounts or coupons are applied successfully.
	11 Action Apply a shipping-level discount or free shipping to the shopping cart.
	Data
	Expected Result Shipping-level discount or free shipping is applied successfully.
	12 Action

Summary	Manual Test Steps
	Add a bonus product to the shopping cart, if available in the test catalog.
	Data
	Expected Result Bonus product is added to the cart.
	13 Action Proceed to checkout and select Store Pay / Pay in Store as the payment method.
	Data
	Expected Result Store Pay / Pay in Store is selected as the payment method.
	14 Action Place the order using the selected payment method.
	Data
	Expected Result Order is placed successfully.
	15 Action Open the created order in SFCC Business Manager.
	Data
	Expected Result Order details are displayed in Business Manager.
	16 Action Verify the SFCC order data for product line items, shipping, discounts, tax, customer data, currency, and total.
	Data
	Expected Result SFCC order data is accurate and complete.

Summary	Manual Test Steps
	17 Action Open the corresponding checkout in the PAYONE Commerce Portal. Data Expected Result PAYONE checkout details are displayed.
	18 Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order. Data Expected Result PAYONE data matches SFCC order data.
	19 Action If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager for additional details. Data Expected Result PAYONE service logs provide additional details as needed.
	20 Action Verify that PAYONE `merchantCustomerId` is populated from the SFCC registered customer identifier. Data Expected Result PAYONE `merchantCustomerId` matches SFCC customer identifier.
	21 Action Ensure customer name, email, phone, billing address, and shipping address are mapped correctly in PAYONE. Data

Summary	Manual Test Steps	
		Expected Result Customer and address data are correctly mapped in PAYONE.
	22	Action Confirm that PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).
		Data
		Expected Result PAYONE amounts are correctly formatted in minor units.
PAYONE - Create Models for API Objects - Customer And Address Mapping - Guest Shopper Customer Data	1	Action Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data
		Expected Result PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data
		Expected Result Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action Ensure test products are available for the scenarios: simple products, variant products, product bundles, product sets, products with paid options, and products eligible for discounts.
		Data
		Expected Result Test products are available for all specified scenarios.
	4	Action

Summary	Manual Test Steps
	Start checkout as a guest shopper on the storefront. Data Expected Result Guest checkout process is initiated.
	5 Action Enter a unique email address and phone number during checkout. Data Unique email and phone number Expected Result Email and phone number are accepted and recorded.
	6 Action Enter shipping and billing addresses for France or Germany with identifiable fields. Data Address details Expected Result Shipping and billing addresses are entered correctly.
	7 Action Place an order using Store Pay / Pay in Store or another enabled PAYONE payment method. Data Expected Result Order is placed successfully using the selected payment method.
	8 Action Open the created order in SFCC Business Manager. Data Expected Result Order details are accessible in SFCC Business Manager.

Summary	Manual Test Steps
	9 Action Verify that the SFCC order data includes correct product line items, shipping, discounts, tax, customer data, currency, and total. Data Expected Result SFCC order data is accurate and complete.
	10 Action Open the corresponding checkout in the PAYONE Commerce Portal. Data Expected Result PAYONE checkout data is accessible.
	11 Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order. Data Expected Result PAYONE data matches SFCC order data.
	12 Action If necessary, review the PAYONE service logs for <code>`payone.commerce.api`</code> in SFCC Business Manager for detailed line-item information. Data Expected Result PAYONE service logs provide additional detail if needed.
	13 Action Ensure PAYONE amounts are sent in minor units (e.g., <code>`12.34 EUR`</code> as <code>`1234`</code>). Data

Summary	Manual Test Steps
	Expected Result PAYONE amounts are correctly formatted in minor units.
	14 Action Verify that customer email and phone are sent correctly in the PAYONE checkout data.
	Data
	Expected Result Customer email and phone are correctly mapped.
	15 Action Verify that billing address fields are mapped correctly in the PAYONE checkout data.
	Data
	Expected Result Billing address fields are correctly mapped.
	16 Action Verify that shipping address fields are mapped correctly in the PAYONE checkout data.
	Data
	Expected Result Shipping address fields are correctly mapped.
	17 Action Confirm that the guest order completes successfully without a registered customer profile.
	Data
	Expected Result Guest order completes successfully.
	18 Action

Summary	Manual Test Steps
	Ensure PAYONE customer data is populated from the checkout billing and shipping information.
	Data
	Expected Result PAYONE customer data is correctly populated.
	19 Action Test a basket eligible for order-level discount or coupon.
	Data
	Expected Result Order-level discount or coupon is applied correctly.
	20 Action Test a basket eligible for multiple order-level discounts or coupons, if available.
	Data
	Expected Result Multiple discounts or coupons are applied correctly.
	21 Action Test a basket eligible for shipping-level discount or free shipping.
	Data
	Expected Result Shipping-level discount or free shipping is applied correctly.
	22 Action Test a basket eligible for a bonus product, if available in the test catalog.
	Data
	Expected Result Bonus product is added to the basket correctly.

Summary	Manual Test Steps		
PAYONE - Create Models for API Objects - Product Type And Option - Product Bundle	1	Action	Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data	
		Expected Result	PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action	Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data	
		Expected Result	Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action	Ensure test products are available for the scenarios: simple products, variant products, product bundle, product set, products with paid options, and products eligible for discounts.
		Data	
		Expected Result	Test products are available for all specified scenarios.
	4	Action	Add a product bundle to the shopping cart on the storefront.
		Data	
		Expected Result	Product bundle is successfully added to the cart.
	5	Action	Proceed to checkout and place the order using Store Pay / Pay in Store.
		Data	
		Expected Result	

Summary	Manual Test Steps	
		Order is successfully placed using Store Pay / Pay in Store.
	6	Action Open the created order in SFCC Business Manager.
		Data
		Expected Result Order is accessible in SFCC Business Manager.
	7	Action Verify the SFCC order for product line items, shipping, discounts, tax, customer data, currency, and total.
		Data
		Expected Result SFCC order details are accurate and complete.
	8	Action Open the corresponding checkout in the PAYONE Commerce Portal.
		Data
		Expected Result PAYONE checkout is accessible in the Commerce Portal.
	9	Action Compare PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.
		Data
		Expected Result PAYONE data matches SFCC order data.
	10	Action If PAYONE Commerce Portal lacks detail, review the sanitized PAYONE request/response payload in SFCC service logs.
		Data

Summary	Manual Test Steps
	Expected Result PAYONE request/response payload provides necessary detail.
	11 Action Ensure PAYONE amounts are sent in minor units (e.g., 12.34 EUR as 1234).
	Data
	Expected Result PAYONE amounts are correctly sent in minor units.
	12 Action Verify that PAYONE does not duplicate bundle child amounts.
	Data
	Expected Result PAYONE does not duplicate bundle child amounts.
	13 Action Ensure PAYONE rows and totals match the payable SFCC bundle line item behavior.
	Data
	Expected Result PAYONE rows and totals align with SFCC bundle line item behavior.
	14 Action Confirm the final PAYONE amount matches the SFCC order total, accounting for minor-unit rounding differences.
	Data
	Expected Result Final PAYONE amount matches SFCC order total, except for rounding differences.
	15 Action

Summary	Manual Test Steps
	Check that customer, billing, shipping, contact, and locale data are correctly mapped from SFCC to PAYONE.
	Data
	Expected Result Customer, billing, shipping, contact, and locale data are accurately mapped.
	16 Action Verify shopping cart line items, quantities, product prices, taxes, and discounts are correctly mapped from SFCC to PAYONE.
	Data
	Expected Result Shopping cart details are accurately mapped.
	17 Action Ensure basket/order totals and PAYONE minor-unit amounts are consistent.
	Data
	Expected Result Basket/order totals and PAYONE amounts are consistent.
	18 Action Review PAYONE service logs for `payone.commerce.api` in SFCC Business Manager if necessary.
	Data
	Expected Result PAYONE service logs provide additional detail if needed.
	19 Action Ensure the test environment is treated as sensitive, and service logs are handled accordingly.
	Data

Summary	Manual Test Steps	
		Expected Result Test environment and service logs are handled with appropriate sensitivity.
PAYONE - Create Models for API Objects - Product Type And Option - Product Set	1	Action Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data
		Expected Result PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data
		Expected Result Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action Ensure test products are available for the product scenarios.
		Data
		Expected Result Test products are available for the scenarios.
	4	Action Add a product set to the shopping cart on the storefront.
		Data
		Expected Result Product set is added to the cart.
	5	Action Confirm which set member products are added as cart line items.

Summary	Manual Test Steps	
		Data
		Expected Result Set member products are correctly added as cart line items.
	6	Action Proceed to checkout and place the order using Store Pay / Pay in Store.
		Data
		Expected Result Order is placed successfully.
	7	Action Open the created order in SFCC Business Manager.
		Data
		Expected Result Order is accessible in SFCC Business Manager.
	8	Action Verify product line items, shipping, discounts, tax, customer data, currency, and total in the SFCC order.
		Data
		Expected Result SFCC order details are accurate and complete.
	9	Action Open the corresponding checkout in the PAYONE Commerce Portal.
		Data
		Expected Result PAYONE checkout is accessible.
	10	Action Compare PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.

Summary	Manual Test Steps						
	<table><tr><td></td><td>Data</td></tr><tr><td></td><td>Expected Result PAYONE data matches SFCC order data.</td></tr></table>		Data		Expected Result PAYONE data matches SFCC order data.		
		Data					
		Expected Result PAYONE data matches SFCC order data.					
	<table><tr><td>11</td><td>Action If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager.</td></tr><tr><td></td><td>Data</td></tr><tr><td></td><td>Expected Result PAYONE service logs provide additional detail if needed.</td></tr></table>	11	Action If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager.		Data		Expected Result PAYONE service logs provide additional detail if needed.
	11	Action If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager.					
		Data					
		Expected Result PAYONE service logs provide additional detail if needed.					
	<table><tr><td>12</td><td>Action Ensure PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).</td></tr><tr><td></td><td>Data</td></tr><tr><td></td><td>Expected Result PAYONE amounts are correctly formatted in minor units.</td></tr></table>	12	Action Ensure PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).		Data		Expected Result PAYONE amounts are correctly formatted in minor units.
	12	Action Ensure PAYONE amounts are sent in minor units (e.g., `12.34 EUR` as `1234`).					
		Data					
		Expected Result PAYONE amounts are correctly formatted in minor units.					
	<table><tr><td>13</td><td>Action Verify that PAYONE rows represent the actual orderable SFCC line items created from the product set.</td></tr><tr><td></td><td>Data</td></tr><tr><td></td><td>Expected Result PAYONE rows accurately represent SFCC line items.</td></tr></table>	13	Action Verify that PAYONE rows represent the actual orderable SFCC line items created from the product set.		Data		Expected Result PAYONE rows accurately represent SFCC line items.
	13	Action Verify that PAYONE rows represent the actual orderable SFCC line items created from the product set.					
		Data					
		Expected Result PAYONE rows accurately represent SFCC line items.					
	<table><tr><td>14</td><td>Action Check that product quantities, product prices, taxes, and totals match between PAYONE and SFCC.</td></tr><tr><td></td><td>Data</td></tr><tr><td></td><td>Expected Result Product details and totals match between PAYONE and SFCC.</td></tr></table>	14	Action Check that product quantities, product prices, taxes, and totals match between PAYONE and SFCC.		Data		Expected Result Product details and totals match between PAYONE and SFCC.
	14	Action Check that product quantities, product prices, taxes, and totals match between PAYONE and SFCC.					
		Data					
		Expected Result Product details and totals match between PAYONE and SFCC.					
<table><tr><td>15</td><td>Action</td></tr></table>	15	Action					
15	Action						

Summary	Manual Test Steps
	Ensure the non-orderable set container does not create an extra PAYONE charge row.
	Data
	Expected Result No extra PAYONE charge row is created for the non-orderable set container.
	16 Action Verify customer, billing, shipping, contact, and locale data accuracy in PAYONE.
	Data
	Expected Result Customer and related data are accurate in PAYONE.
	17 Action Check shopping cart line items, quantities, product prices, taxes, and discounts in PAYONE.
	Data
	Expected Result Shopping cart details are accurate in PAYONE.
	18 Action Verify basket/order totals and PAYONE minor-unit amounts.
	Data
	Expected Result Basket/order totals and PAYONE amounts are correct.
	19 Action Ensure that any product-level discounts are correctly applied in PAYONE.
	Data
	Expected Result

Summary	Manual Test Steps	
		Product-level discounts are correctly applied.
	20	Action Verify that any order-level discounts or coupons are correctly applied in PAYONE.
		Data
		Expected Result Order-level discounts or coupons are correctly applied.
	21	Action Check for any shipping-level discounts or free shipping applied in PAYONE.
		Data
		Expected Result Shipping-level discounts or free shipping are correctly applied.
	22	Action Ensure any bonus products are correctly represented in PAYONE if applicable.
		Data
		Expected Result Bonus products are correctly represented in PAYONE if applicable.
PAYONE - Create Models for API Objects - Product Type And Option - Same Product With	1	Action Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data
		Expected Result PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action Ensure Store Pay / Pay in Store is enabled and visible in checkout.

Summary	Manual Test Steps	
Different Options		Data
		Expected Result Store Pay / Pay in Store is available for selection during checkout.
	3	Action Prepare test products including simple products, variant products, product bundles, product sets, and products with paid options.
		Data
		Expected Result Test products are available for the scenarios.
	4	Action Add a product eligible for product-level discount to the test catalog.
		Data
		Expected Result Product eligible for product-level discount is available.
	5	Action Add a basket eligible for order-level discount or coupon to the test catalog.
		Data
		Expected Result Basket eligible for order-level discount or coupon is available.
	6	Action Add a basket eligible for multiple order-level discounts or coupons to the test catalog.
		Data
		Expected Result Basket eligible for multiple order-level discounts or coupons is available.
	7	Action

Summary	Manual Test Steps
	Add a basket eligible for shipping-level discount or free shipping to the test catalog.
	Data
	Expected Result Basket eligible for shipping-level discount or free shipping is available.
	8 Action Add a basket eligible for a bonus product to the test catalog.
	Data
	Expected Result Basket eligible for a bonus product is available.
	9 Action Add the same base product twice with different option selections to the shopping cart.
	Data
	Expected Result The shopping cart contains two distinct line items for the same base product with different options.
	10 Action Verify that SFCC keeps the entries as distinct cart/order line items.
	Data
	Expected Result SFCC displays the entries as distinct cart/order line items.
	11 Action Proceed to checkout and place the order using Store Pay / Pay in Store.
	Data
	Expected Result Order is placed successfully using Store Pay / Pay in Store.

Summary	Manual Test Steps
	12 Action Open the created order in SFCC Business Manager.
	Data
	Expected Result The order is accessible in SFCC Business Manager.
	13 Action Use the SFCC order as the source of truth for product line items, shipping, discounts, tax, customer data, currency, and total.
	Data
	Expected Result SFCC order data is verified as the source of truth.
	14 Action Open the corresponding checkout in the PAYONE Commerce Portal.
	Data
	Expected Result The checkout is accessible in the PAYONE Commerce Portal.
	15 Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.
	Data
	Expected Result PAYONE data matches the SFCC order data.
	16 Action If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager.
	Data
	Expected Result PAYONE service logs provide additional detail if needed.

Summary	Manual Test Steps	
	17	Action Verify that PAYONE contains separate `GOODS` rows for the separate SFCC line items.
		Data
		Expected Result PAYONE displays separate `GOODS` rows for each SFCC line item.
	18	Action Ensure the rows may have the same `productCode`, but the quantities and product prices match each option selection.
		Data
		Expected Result Quantities and product prices in PAYONE match each option selection in SFCC.
	19	Action Check that each row includes its own option-adjusted amount.
		Data
		Expected Result Each PAYONE row reflects its own option-adjusted amount.
	20	Action Confirm that the PAYONE total matches the SFCC order total, except for known minor-unit rounding differences.
		Data
		Expected Result PAYONE total aligns with the SFCC order total, accounting for minor-unit rounding differences.
PAYONE - Create Models for API	1	Action Configure PAYONE site preferences, service credentials, and payment methods in the test environment.

Summary	Manual Test Steps	
Objects - Product Type And Option - Product With Paid Option		Data
		Expected Result PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data
		Expected Result Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action Ensure test products are available for the scenarios: simple products, variant products, product bundle, product set, product with paid options, and products eligible for discounts.
		Data
		Expected Result Test products are available for all specified scenarios.
	4	Action Add a product with a paid option, such as a warranty option, to the shopping cart.
		Data
		Expected Result Product with a paid option is added to the shopping cart.
	5	Action Proceed to checkout and select Store Pay / Pay in Store as the payment method.
		Data
		Expected Result Store Pay / Pay in Store is selected as the payment method.

Summary	Manual Test Steps		
	6	Action	Complete the order placement process.
		Data	
		Expected Result	Order is successfully placed.
	7	Action	Open the created order in SFCC Business Manager.
		Data	
		Expected Result	Order is accessible in SFCC Business Manager.
	8	Action	Verify the SFCC order for product line items, shipping, discounts, tax, customer data, currency, and total.
		Data	
		Expected Result	SFCC order details are verified as accurate.
	9	Action	Open the corresponding checkout in the PAYONE Commerce Portal.
		Data	
		Expected Result	PAYONE checkout is accessible in the Commerce Portal.
	10	Action	Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order.
		Data	
		Expected Result	PAYONE data matches SFCC order data.

Summary	Manual Test Steps
	11 Action If necessary, review the PAYONE service logs for `payone.commerce.api` in SFCC Business Manager for additional line-item detail.
	Data
	Expected Result PAYONE service logs provide additional detail if needed.
	12 Action Verify that PAYONE has a product row for the parent product.
	Data
	Expected Result PAYONE includes a product row for the parent product.
	13 Action Ensure the paid option amount is included in the parent product row price/tax in PAYONE.
	Data
	Expected Result Paid option amount is included in the parent product row price/tax.
	14 Action Confirm that there is no separate PAYONE row for the option.
	Data
	Expected Result No separate PAYONE row for the option is present.
	15 Action Verify that the PAYONE total matches the SFCC order total, accounting for known minor-unit rounding differences.
	Data
	Expected Result

Summary	Manual Test Steps	
		PAYONE total matches SFCC order total, except for minor-unit rounding differences.
	16	Action Check customer, billing, shipping, contact, and locale data in PAYONE against SFCC order.
		Data
		Expected Result Customer, billing, shipping, contact, and locale data match between PAYONE and SFCC order.
	17	Action Review shopping cart line items, quantities, product prices, taxes, and discounts in PAYONE against SFCC order.
		Data
		Expected Result Shopping cart details match between PAYONE and SFCC order.
	18	Action Verify basket/order totals and PAYONE minor-unit amounts.
		Data
		Expected Result Basket/order totals and PAYONE minor-unit amounts are accurate.
	19	Action Ensure that the PAYONE Commerce Portal exposes enough line-item detail for verification.
		Data
		Expected Result PAYONE Commerce Portal provides sufficient line-item detail.
PAYONE - Create	1	Action

Summary	Manual Test Steps	
Models for API Objects - Product Type And Option - Bonus Product		Configure PAYONE site preferences, service credentials, and payment methods in the test environment.
		Data
		Expected Result PAYONE site preferences, service credentials, and payment methods are correctly configured.
	2	Action Enable and make visible the Store Pay / Pay in Store option in checkout.
		Data
		Expected Result Store Pay / Pay in Store is enabled and visible in checkout.
	3	Action Ensure test products are available for the scenarios: simple products, variant products, product bundle, product set, products with paid options, and products eligible for discounts.
		Data
		Expected Result Test products are available for all specified scenarios.
	4	Action Build a basket that qualifies for a bonus product promotion.
		Data
		Expected Result Basket qualifies for a bonus product promotion.
	5	Action Select the bonus product if the storefront requires shopper selection.
		Data
		Expected Result Bonus product is selected if required.

Summary	Manual Test Steps
	6 Action Complete the shopper flow on the storefront and place the order. Data Expected Result Order is placed successfully.
	7 Action Open the created order in SFCC Business Manager. Data Expected Result Order is accessible in SFCC Business Manager.
	8 Action Verify the SFCC order for product line items, shipping, discounts, tax, customer data, currency, and total. Data Expected Result SFCC order details are verified as accurate.
	9 Action Open the corresponding checkout in the PAYONE Commerce Portal. Data Expected Result PAYONE checkout is accessible.
	10 Action Compare the PAYONE amount, currency, customer data, shipping data, and shopping cart rows with the SFCC order. Data Expected Result PAYONE data matches SFCC order data.

Summary	Manual Test Steps
	11 Action If PAYONE Commerce Portal lacks detail, review the sanitized PAYONE request/response payload in SFCC service logs. Data Expected Result PAYONE request/response payload is reviewed for accuracy.
	12 Action Verify that PAYONE amounts are sent in minor units (e.g., 12.34 EUR as 1234). Data Expected Result PAYONE amounts are correctly sent in minor units.
	13 Action Check that the bonus product is represented consistently with its SFCC payable line amount. Data Expected Result Bonus product representation is consistent with SFCC.
	14 Action Ensure that if the bonus product is free, PAYONE shows a visible `GOODS` row with `productPrice = 0`. Data Expected Result Free bonus product is shown with `productPrice = 0` in PAYONE.
	15 Action Verify that the final PAYONE amount matches the SFCC order total, except for known minor-unit rounding differences. Data

Summary	Manual Test Steps
	Expected Result PAYONE amount matches SFCC order total, accounting for rounding differences.
	16 Action Review PAYONE service logs for `payone.commerce.api` in SFCC Business Manager if necessary.
	Data
	Expected Result PAYONE service logs are reviewed for additional detail.
	17 Action Ensure that customer, billing, shipping, contact, and locale data are correctly mapped from SFCC to PAYONE.
	Data
	Expected Result Data is correctly mapped from SFCC to PAYONE.
	18 Action Verify shopping cart line items, quantities, product prices, taxes, and discounts are accurately reflected in PAYONE.
	Data
	Expected Result Shopping cart details are accurately reflected in PAYONE.
	19 Action Check that basket/order totals and PAYONE minor-unit amounts are consistent.
	Data
	Expected Result Basket/order totals and PAYONE amounts are consistent.
	20 Action

Summary	Manual Test Steps						
	<table><tr><td data-bbox="365 258 427 380"></td><td data-bbox="427 258 1430 380">Document any discrepancies or issues found during the verification process.</td></tr><tr><td data-bbox="365 380 427 447"></td><td data-bbox="427 380 1430 447">Data</td></tr><tr><td data-bbox="365 447 427 571"></td><td data-bbox="427 447 1430 571">Expected Result Discrepancies or issues are documented for further analysis.</td></tr></table>		Document any discrepancies or issues found during the verification process.		Data		Expected Result Discrepancies or issues are documented for further analysis.
	Document any discrepancies or issues found during the verification process.						
	Data						
	Expected Result Discrepancies or issues are documented for further analysis.						