

PAYONE

Webhook Processing

Summary	Manual Test Steps		
PAYONE - Webhook Processing - Order Note Validation	1	Action	Ensure the Custom Object Type PayoneWebhookEvent is present in the instance.
		Data	
		Expected Result	Custom Object Type PayoneWebhookEvent is confirmed to be present.
	2	Action	Verify that the job PAYONE Process Webhook Events is configured.
		Data	
		Expected Result	Job PAYONE Process Webhook Events is confirmed to be configured.
	3	Action	Check that the order custom attribute payoneMerchantReference exists.
		Data	
		Expected Result	Order custom attribute payoneMerchantReference is confirmed to exist.
	4	Action	Ensure the webhook is configured in the PAYONE portal with the instance URL and "Payment" and "Payment Execution" events selected.
		Data	
		Expected Result	Webhook is confirmed to be configured with the correct settings in the PAYONE portal.
	5	Action	Go to Merchant Tools > Ordering > Customer Service Center.

Summary	Manual Test Steps		
		Data	
		Expected Result	Successfully navigated to Customer Service Center.
	6	Action	Click on "Find Orders" and find a placed order.
		Data	
		Expected Result	A placed order is found.
	7	Action	Click on "More" and select "Payone".
		Data	
		Expected Result	"Payone" option is selected.
	8	Action	Select the items from the order and click on "Capture Selected Items".
		Data	
		Expected Result	Items are captured and a new event is created on the custom object.
	9	Action	Run the job “PAYONE Process Webhook Events” .
		Data	
		Expected Result	Job runs successfully.
	10	Action	Open the order in BM (Business Manager).
		Data	
		Expected Result	

Summary	Manual Test Steps	
		Order is opened in Business Manager.
	11	Action Navigate to Notes.
		Data
		Expected Result Successfully navigated to Notes section.
	12	Action Verify that the note contains JSON with eventId, eventType, merchantReference, paymentStatus, flowAction, and processedAt.
		Data
PAYONE - Webhook Processing - Webhook Job - Successful Payment Event After Order Already Placed		Expected Result Note contains the expected JSON structure with all specified fields: • eventId • eventType • merchantReference • paymentStatus • flowAction • processedAt
	1	Action Ensure the Custom Object Type PayoneWebhookEvent is present in the instance.
		Data
		Expected Result Custom Object Type PayoneWebhookEvent is confirmed to be present.
	2	Action Verify that the job PAYONE Process Webhook Events is configured.
		Data
		Expected Result

Summary	Manual Test Steps
	Job PAYONE Process Webhook Events is confirmed to be configured.
	3 Action Check that the order custom attribute payoneMerchantReference exists.
	Data
	Expected Result Order custom attribute payoneMerchantReference is confirmed to exist.
	4 Action Ensure the webhook is configured in the PAYONE portal with the instance URL and "Payment" and "Payment Execution" events selected.
	Data
	Expected Result Webhook is confirmed to be configured correctly in the PAYONE portal.
	5 Action Place an order normally and ensure it reaches status NEW in Business Manager.
	Data
	Expected Result Order is placed and reaches status NEW in Business Manager.
	6 Action Verify that the event is queued by checking if a Custom Object is created.
	Data
	Expected Result Custom Object for the event is confirmed to be created.
	7 Action Run the job “PAYONE Process Webhook Events” .

Summary	Manual Test Steps	
		Data Expected Result Job runs successfully.
	8	Action Check the order status in Business Manager. Data Expected Result Order remains in status NEW/OPEN.
	9	Action Verify that a new order note is added with the title PAYONE webhook event and contains eventId, eventType, merchantReference, paymentStatus, flowAction = NOACTION, and processedAt timestamp. Data Expected Result Order note is confirmed to be added with the specified details: • eventId • eventType • merchantReference • paymentStatus • flowAction = NOACTION • processedAt timestamp •
	10	Action Check that the corresponding PayoneWebhookEvent custom object is removed. Data Expected Result The PayoneWebhookEvent custom object is confirmed to be removed.

Summary	Manual Test Steps
PAYONE - Webhook Processing - Webhook Job - Max Items Parameter	1 Action Ensure the Custom Object Type PayoneWebhookEvent is present in the instance.
	Data
	Expected Result Custom Object Type PayoneWebhookEvent is confirmed to be present.
	2 Action Verify that the job PAYONE Process Webhook Events is configured.
	Data
	Expected Result Job PAYONE Process Webhook Events is confirmed to be configured.
	3 Action Check that the order custom attribute payoneMerchantReference exists.
	Data
	Expected Result Order custom attribute payoneMerchantReference is confirmed to exist.
	4 Action Ensure the webhook is configured in the PAYONE portal with the instance URL and "Payment" and "Payment Execution" events selected.
	Data
	Expected Result Webhook is confirmed to be configured correctly in the PAYONE portal.
	5 Action Place a few orders or generate a few events.
	Data
	Expected Result

Summary	Manual Test Steps	
	A few orders or events are successfully generated.	
	6	Action Set the job parameter MaxItems to a value lesser than the number of events present in the instance.
		Data
		Expected Result Job parameter MaxItems is set to a value less than the number of events.
	7	Action Run the job PAYONE Process Webhook Events .
		Data
PAYONE - Webhook Processing - Webhook Job - Missing Merchant Reference in Payload		Expected Result Only the number of events set by MaxItems are processed, and the remaining events are still queued.
	1	Action Ensure the Custom Object Type PayoneWebhookEvent is present in the instance.
		Data
		Expected Result Custom Object Type PayoneWebhookEvent is confirmed to be present.
	2	Action Verify that the job PAYONE Process Webhook Events is configured.
		Data
		Expected Result Job PAYONE Process Webhook Events is confirmed to be configured.
	3	Action

Summary	Manual Test Steps		
		Check that the order custom attribute payoneMerchantReference exists.	
		Data	
		Expected Result	Order custom attribute payoneMerchantReference is confirmed to exist.
	4	Action	Ensure the webhook is configured in the PAYONE portal with the instance URL and with "Payment" and "Payment Execution" events selected.
		Data	
		Expected Result	Webhook is confirmed to be configured correctly in the PAYONE portal.
	5	Action	Place a new order in the storefront.
		Data	
		Expected Result	New order is successfully placed in the storefront.
	6	Action	Find the custom object from the order just placed.
		Data	
		Expected Result	Custom object related to the newly placed order is located.
	7	Action	Remove the merchant reference value from the attribute and from the Payload. Apply the change.
		Data	
		Expected Result	

Summary	Manual Test Steps
	Merchant reference value is removed from the attribute and payload, and changes are applied.
	8 Action For testing Purpose -> Go to Orders > search your Order > On the order page, go to Attributes tab and delete the PAYONE Merchant Reference value and save the changes
	Data
	Expected Result The changes are save (if this step is skipped, the custom object will dissappear after the job ran)
	9 Action Run the job “PAYONE Process Webhook Events”
	Data
	Expected Result Job is executed.
	10 Action Verify the status of the custom object.
	Data
	Expected Result Custom Object is marked as ERROR.
	11 Action Check if the event is removed.
	Data
	Expected Result Event is not removed.
	12 Action Review the logs for errors.
	Data

Summary	Manual Test Steps	
		Expected Result Error is logged.
PAYONE - Webhook Processing - Webhook Job - Failed Payment Flow [ON HOLD]	1	Action Ensure the Custom Object Type PayoneWebhookEvent is present in the instance.
		Data
		Expected Result Custom Object Type PayoneWebhookEvent is confirmed to be present.
	2	Action Verify that the job PAYONE Process Webhook Events is configured.
		Data
		Expected Result Job PAYONE Process Webhook Events is confirmed to be configured.
	3	Action Check that the order custom attribute payoneMerchantReference exists.
		Data
		Expected Result Order custom attribute payoneMerchantReference is confirmed to exist.
	4	Action Ensure the webhook is configured in the PAYONE portal with the instance URL and "Payment" and "Payment Execution" events selected.
		Data
		Expected Result Webhook is confirmed to be configured correctly in the PAYONE portal.
	5	Action

Summary	Manual Test Steps
	Verify that the order status is CREATED.
	Data
	Expected Result Order status is confirmed to be CREATED.
	6 Action Ensure a webhook event with an unsuccessful payment status is received.
	Data
	Expected Result Webhook event with unsuccessful payment status is confirmed to be received.
	7 Action Verify that a custom object for the order is created.
	Data
	Expected Result Custom object for the order is confirmed to be created.
	8 Action Run the job “PAYONE Process Webhook Events”.
	Data
	Expected Result Job “PAYONE Process Webhook Events” is executed.
	9 Action Check the order status in Business Manager.
	Data
	Expected Result Order status changes to FAILED.
	10 Action

Summary	Manual Test Steps	
		Verify that an order note is added.
		Data
		Expected Result Order note is confirmed to be added.
	11	Action Ensure the custom object is removed.
		Data
		Expected Result Custom object is confirmed to be removed.
	12	Action Check that the email “Order Failed” is sent.
		Data
		Expected Result Email “Order Failed” is confirmed to be sent.
PAYONE - Webhook Processing - Webhook Job - Successful Payment Flow [ON HOLD]	1	Action Ensure the Custom Object Type PayoneWebhookEvent is present in the instance.
		Data
		Expected Result Custom Object Type PayoneWebhookEvent is confirmed to be present.
	2	Action Verify that the job PAYONE Process Webhook Events is configured.
		Data
		Expected Result Job PAYONE Process Webhook Events is confirmed to be configured.
	3	Action

Summary	Manual Test Steps
	Check that the order custom attribute payoneMerchantReference exists.
	Data
	Expected Result Order custom attribute payoneMerchantReference is confirmed to exist.
	4 Action Ensure the webhook is configured in the PAYONE portal with the instance URL and "Payment" and "Payment Execution" events selected.
	Data
	Expected Result Webhook is confirmed to be configured correctly in the PAYONE portal.
	5 Action Verify that the order status is set to CREATED.
	Data
	Expected Result Order status is confirmed to be CREATED.
	6 Action Ensure a valid webhook event with a successful payment status is available.
	Data
	Expected Result Valid webhook event with successful payment status is confirmed.
	7 Action Verify that a custom object for the order is created.
	Data
	Expected Result Custom object for the order is confirmed to be created.

Summary	Manual Test Steps	
	8	Action Run the job “PAYONE Process Webhook Events” manually.
		Data
		Expected Result Job is executed manually.
	9	Action Check the order status in Business Manager.
		Data
		Expected Result Order status changes to PLACED.
	10	Action Verify that an order note is added.
		Data
		Expected Result Order note is added containing eventId, payment status, and FlowAction = PLACED.
	11	Action Confirm that the custom object is removed.
		Data
		Expected Result Custom object is removed.
	12	Action Check if the “Order Placed” email is sent.
		Data
		Expected Result “Order Placed” email is sent.
	13	Action

Summary	Manual Test Steps		
		Review logs for information about the processed webhook event.	
		Data	
		Expected Result	
		Info log shows: PAYONE webhook event processed and removed with details including EventId, MerchantReference, OrderNo, EventType, PaymentStatus, and FlowAction.	
	14	Action	
		Check logs for any errors if applicable.	
PAYONE - Webhook Processing - Functional Webhook		Data	
		Expected Result	
		Logs show errors if the webhook event is from an order from another instance or if no order is found for the merchantReference id.	
	1	Action	
		Go to checkout.	
		Data	
		Expected Result	
		User is navigated to the checkout page.	
	2	Action	
		Navigate to the payment step.	
		Data	
		Expected Result	
		User is on the payment step of the checkout process.	
	3	Action	
		Select a payment method.	
		Data	
		Expected Result	
		Payment method is selected.	

Summary	Manual Test Steps
	4 Action Place the order.
	Data
	Expected Result Order is placed successfully.
	5 Action Verify the order is created in BM with custom attribute payoneMerchantReference.
	Data
	Expected Result Order is present in BM with the custom attribute payoneMerchantReference.
	6 Action Go to Merchant Tools > Custom Objects > Custom Objects Editor and select PayoneWebhookEvent. Click on "Advanced" tab and, on "Conditions" section, select "Merchant Reference", "equals" and paste the order payoneMerchantReference. Click on "Find".
	Data
	Expected Result Custom Object PayoneWebhookEvent is found with the specified Merchant Reference.
	7 Action Verify the Custom Object PayoneWebhookEvent is created with the following attributes: ID, Processing Attempts, Processing Status = PENDING, Last Error Message, Payload, Event Created, Type, Merchant Reference.
	Data
	Expected Result Custom Object PayoneWebhookEvent has all the specified attributes:

Summary	Manual Test Steps
	• ID • Processing Attempts • Processing Status = PENDING • Last Error Message • Payload • Event Created • Type • Merchant Reference
	•
	8 Action Open the instance's logs and open the custom-payone file.
	Data
	Expected Result Logs are opened and custom-payone file is accessible.
	9 Action Verify you see entries similar to this one: PAYONE webhook accepted. EventId=26d0bf3e-39f5-4c6a-b0ae-13030f38ace3, Type=payment.refunded/ pendingcapture/ rejected, Duplicate=false
	Data
	Expected Result Log entries confirm PAYONE webhook acceptance with specified details.