

Testim - Overview

Contents

1. Testim – overview & features
2. Visual record and playback
3. Installation of Testim Editor on Chrom , Edge
4. Working with Testim cli
5. Testing of form example with Testim – all html controls
6. Locators
7. Xpath
8. Dealing with UI changes – Testim way

Testim Overview & Features

- ✓ **Testim** is **AI-powered test automation platform**, acquired by **Tricentis**, used to create and maintain **automated** tests for **web**, **mobile**, and **Salesforce** applications.
- ✓ **Testim** speeds up software release process by using AI to **record user actions** providing for **building tests without writing code**.
- ✓ **Codeless and Coded Authoring**: Tests can be built using an easy record-and-playback feature, or add custom JavaScript and logic for more complex flows.
- ✓ **AI Smart Locators**: Testim uses machine learning to evaluate hundreds of element attributes. If the UI changes, the AI adapts, keeping your tests stable.
- ✓ **Reusable Groups**: Test steps can be grouped like logging in and reuse them across various test cases to save time.
- ✓ **Testim Copilot**: Testim uses generative AI to help write test steps from natural text prompts and identify/fix issues automatically
- ✓ **Testim** automates - for **E2E, functional, user interface test**.

contd..

- ✓ Testim operates at a higher level of the testing pyramid.
- ❑ **End-to-End (E2E) Testing:** Tricentis Testim simulates real user journeys by testing how the entire application behaves from the frontend UI down to the backend databases and APIs.
- ❑ **Functional Testing:** It validates whether the web, mobile, or Salesforce applications function exactly according to business requirements.
- ❑ **Regression Testing:** Teams run Testim suites continuously during CI/CD pipelines to ensure new code changes do not break existing core features.
- ❑ **AI-Powered Self-Healing:** Instead of using fragile code-based selectors, Testim uses Smart Locators to adapt dynamically when UI attributes or layouts change, preventing tests from breaking unnecessarily.

Visual Record and Playback

- ✓ With Testim, user generally do not need to write traditional, line-by-line scripted code or manual test cases before you begin testing. Instead user uses **Visual Record** and **Playback**.
- ✓ Here is how the process works without writing code:
 1. **Record user actions:** User starts a recording in the Testim Visual Editor, and simply perform the test flow manually in the app (e.g., clicking, typing, selecting menus).
 2. **Test creation:** Testim translates user actions into a visual, step-by-step automated test.
 3. **AI Smart Locators:** Testim's machine learning observes hundreds of element attributes instead of relying on a single hardcoded ID, ensuring that tests don't break when the UI changes.
 4. **Code customization:** In case of advanced logic requirements (like conditional statements, complex data loops, or API integrations), Testim offers low-code visual blocks or user can inject custom JavaScript.

contd..

- ✓ However user will still need to define **expected results** and **validations** within the Testim editor to ensure the app is behaving correctly.
- ✓ If user works in a highly regulated industry that requires formal, written documentation, user may still need to log the testing scenarios in an external test management tool.
- ✓ All these even while user bypasses writing scripts.

contd..

- ✓ **Developers and Testers** both use Testim, as its hybrid platform bridges the gap between codeless test automation and complex code-based customization.
- ✓ **For Testers and QA:** Testim provides visual, drag-and-drop, and AI-powered record-and-playback features. This allows manual testers and QA engineers to rapidly build and maintain End-to-End (E2E) UI tests without needing deep programming skills.
- ✓ **For Developers:** It offers advanced flexibility, allowing them to inject JavaScript, perform API testing, and automate complex database interactions. Developers also rely on its CLI to integrate testing directly into their CI/CD pipelines.

Installing Testim Editor on Chrome

The screenshot shows a Chrome browser window with the Chrome Web Store open. The address bar shows chromewebstore.google.com. The search bar contains the text "Testim", and a dropdown menu shows "Testim Editor" as a suggestion. Below the search bar, there are tabs for "Discover", "Extensions", and "Themes". The main content area features a large yellow banner with the text "The future of writing" and "Elevate your writing and create engaging and high-quality content effortlessly". Below this text are six circular icons representing different writing tools or features. A "See collection" button is centered below the icons. The banner also includes navigation arrows and a "5 / 5" rating indicator. The Windows taskbar is visible at the bottom, showing the search bar and several application icons.

Chrome Web Store

chromewebstore.google.com

chrome web store

Discover Extensions Themes

Testim

Testim Editor

The future of writing

Elevate your writing and create engaging and high-quality content effortlessly

See collection

5 / 5

Type here to search

7:52 PM 6/16/2026

contd..

Testim Editor - Chrome Web Store

chromewebstore.google.com/detail/testim-editor/pebeiooilphfmbhdbhbomomkkoghoia

chrome web store

Search extensions and themes

Discover Extensions Themes

Testim Editor

 Tricentis USA Corp. 3.7 ★ (29 ratings) ⓘ [Share](#)

Extension Developer Tools 50,000 users



EXPLORE
Tricentis
Testim

Type here to search

7:53 PM
6/16/2026

contd..

The screenshot shows the Chrome Web Store page for the 'Testim Editor' extension by Tricentis USA Corp. The extension has a 3.7 star rating from 29 reviews and is categorized as a Developer Tool with over 50,000 users. A permissions dialog box is displayed in the foreground, asking to add the extension and listing its capabilities: access to the page debugger backend, reading and changing all website data, displaying notifications, capturing screen content, and managing downloads. The Windows taskbar at the bottom shows the time as 7:54 PM on 6/16/2026.

Testim Editor - Chrome Web Store

chromewebstore.google.com/detail/testim-editor/pebeiooilphfmbobdbhbomomkkoghoia

chrome web store

Discover Extensions Themes

Testim Editor

Tricentis USA Corp. 3.7 ★ (29 ratings)

Extension Developer Tools 50,000 users

It can:

- Access the page debugger backend
- Read and change all your data on all websites
- Display notifications
- Capture content of your screen
- Manage your downloads

Add extension Cancel

EXPLORE
Tricentis
Testim

Type here to search

7:54 PM
6/16/2026

contd..

Testim Editor - Chrome Web Store

chromewebstore.google.com/detail/testim-editor/pebeiooilphfmbohdbhbomomkkoghoia

chrome web store

Search extensions and themes

Discover **Extensions** Themes

Testim Editor

Tricentis USA Corp. 3.7 ★ (29 ratings) ⓘ Share

Extension Developer Tools 50,000 users

Extensions

No access needed
These extensions don't need to see and change information on this site.

Secure Exam Proctor	Pin	More
Testim Editor	Pin	More
Manage extensions		

EXPLORE

Tricentis

Testim

Type here to search

7:54 PM 6/16/2026

Installing Testim Editor on Microsoft Edge

Chrome Web Store

https://chromewebstore.google.com

Chrome extensions and themes work in Microsoft Edge
Click on any extension or theme to learn more

chrome web store

Discover Extensions Themes

testim

Testim Editor

Every day is Earth Day
Plant trees, shop sustainably, and more

Type here to search

7:58 PM
6/16/2026

contd..

Testim Editor - Chrome Web Store

https://chromewebstore.google.com/detail/testim-editor/pebeiooilphfmbobdbbhbmomkkoghoia

Testim Editor works on Microsoft Edge
Click "Get extension" to install

Get extension

chrome web store

Search extensions and themes

Discover Extensions Themes

 **Testim Editor**

Get

Tricentis USA Corp. 3.7 ★ (29 ratings) ⓘ Share

Extension Developer Tools 50,000 users

Type here to search

8:00 PM 6/16/2026

contd..

Testim Editor - Chrome Web Store

https://chromewebstore.google.com/detail/testim-editor/pebeiooilphfmbohdbbhbmomkkgohia

Import favorites | Download PuTTY: l... | njac act - Google S... | create maven we

chrome web store

Discover Extensions Themes

 **Testim Editor**

Tricentis USA Corp. 3.7 ★ (29 ratings) ⓘ Share

Extension Developer Tools 50,000 users

Add "Testim Editor" to Microsoft Edge?

The extension can:

- Access the page debugger back end
- Read and change all your data on all websites
- Display notifications
- Capture the content on your screen
- Manage your downloads

Add extension Cancel

Type here to search

8:01 PM 6/16/2026

contd..

Testim Editor - Chrome Web Store X

https://chromewebstore.google.com/detail/testim-editor/pebeiooilphfmbohdbbhbmomkkoghoia

Import favorites | Download PuTTY: L... | njac act - Google S... | create maven web... | unit te

Microsoft Edge

Testim Editor is now installed.

View Extension

chrome web store

Search extensions and themes

Discover Extensions Themes

 **Testim Editor**

Remove

Tricentis USA Corp. 3.7 ★ (29 ratings) ⓘ Share

Extension Developer Tools 50,000 users

Type here to search

8:02 PM 6/16/2026

contd..

Testim Editor - Chrome Web Store

https://chromewebstore.google.com/detail/testim-editor/pebeiooilphfmbhdbhbomomkkoghoia

Extensions

Extensions are not allowed on chromewebstore.google.com

- Sider: AI sidebar with all...
- Testim Editor New
- Manage extensions
- Get extensions for Microsoft Edge

Remove

chrome web store

Discover Extensions Themes

 **Testim Editor**


Tricentis USA Corp. 3.7 ★ (29 ratings) ⓘ [Share](#)

Extension Developer Tools 50,000 users

Type here to search

9:22 PM 6/16/2026

Getting Started



Fast, AI-powered testing for custom applications.

“The wow moment was when Testim took our most complex flow and automated it in a few days”

RAN HARPAZ

Don't have an account? [Get started](#)

SIGN IN TO TESTIM

WORK EMAIL

you@yourcompany.com

PASSWORD

[Forgot your password?](#)

Enter your password



8 characters with a mix of letters, numbers & symbols

SIGN IN

By clicking “Sign In” you agree to our [Terms of Service](#) and [Privacy Policy](#).

OR SIGN-IN WITH



Google



Github



SSO

Roundcube Webmail :: Welcom...Tests - vinsys - vinsys - Testim.ioTestim Editor - Chrome Web Stc

app.testim.io/#/project/usw2btNV9nKVCYIX0tkMBOoy/branch/master/automate/tests

☆🔖V⋮

All Bookmarks

M

🌐vinsys

Web project

🔗

📦FREE TRIAL - 7 DAYS LEFT

+ NEW TEST

🔍

☰

🔔

M

VK

TESTS

SUITES

PLANS

LABELS

SHARED STEPS

M

✕

Record amazingly stable tests

Start by installing the Tricentis Testim extension* on your Chrome browser. You will need to reload this page after installing the extension.

INSTALL EXTENSION

[I HAVE INSTALLED THE EXTENSION, RELOAD THE PAGE](#)

*Don't worry, it complies with Google's Content Security policy

Create a new test and save it to see it here.

CREATE TEST

See docs

3

TESTIM

Type here to search

4:10 PM

6/9/2026

ENG

Roundcube Webmail :: Welcom...Tricentis concierge says...Testim Editor - Chrome Web Sto...+

chromewebstore.google.com/detail/testim-editor/pebeiooilphfmbohdbhbomomkkoghoia

chrome web store

DiscoverExtensionsThemes

Testim Editor

Tricentis USA Corp. 3.7 ★ (29 r...)

ExtensionDeveloper Tools50,000 users

EXPLORE

Tricentis

Add "Testim Editor"?

It can:

Access the page debugger backend

Read and change all your data on all websites

Display notifications

Capture content of your screen

Manage your downloads

Add extension

Cancel

Type here to search



4:09 PM

6/9/2026

Working with Testim @cli

Step 1: `node -v`

`npm -v`

Step 2: `npm install -g @testim/testim-cli`

Step 3: `testim --version`

Step 4: `npm list -g @testim/testim-cli`

C:\Users\user\AppData\Roaming\npm

└─── @testim/testim-cli@4.190.0

- ❑ `npm list` → Show installed packages.
- ❑ `-g` → Look in the **global installation location** (available to all projects on your machine).
- ❑ `@testim/testim-cli` → Show information only for the Testim CLI package.

Note - If the installation completed successfully, the key line will be :

- ❑ added 910 packages in 2m
- ❑ If installation had failed, then line be like – `npm ERR! code ...`

Step 5: npx http-server

Install http server. This is because on UI accessing html from local disk encounters problems.

Step 6: testim --help - displays testim commands

✓ To integrate Testim inside VS Code –

- ☐ Open VS Code.
- ☐ Click **Extensions** (Ctrl+Shift+X).
- ☐ Search for **Testim**.
- ☐ Install the Testim extension if available.

✓ Use Testim through browser –

- ☐ Create a Testim account.
- ☐ Install the Testim browser extension.
- ☐ Record tests directly from Chrome.
- ☐ Save tests in the Testim cloud.

contd..

- ✓ **To check whether your saved test exists**
- Log in to your Testim account and check:
- **Tests**
- **Drafts**
- **Recently Modified**
- The project user has created – Sometimes a test is saved as a **Draft** and won't appear in a Test Suite until it is added.

contd..

Feature	Testim	Playwright	Vitest
Purpose	UI/E2E Testing	UI/E2E Testing	Unit Testing
Coding Required	Low	High	High
Record & Playback	Yes	Limited (Codegen)	No
Browser Automation	Yes	Yes	No
Angular Support	Yes	Excellent	Excellent
React Support	Yes	Excellent	Excellent
CI/CD Integration	Yes	Excellent	Excellent
Learning Curve	Easy	Medium	Medium
Maintenance	Medium	Low-Medium	Low
Cost	Commercial	Free/Open Source	Free/Open Source

Testing the Form example

For the above Logistics form, you can test it in **Testim** in two ways:

1. Testing the Validations

Since the validations are implemented using JavaScript `alert()`, Testim must verify that the alert appears with the expected message.

Test Case 1: Invalid Date

Steps

Enter Logistics Id = 101

Select a date older than today (or more than 3 months in future)

Fill remaining mandatory fields

Click **Submit**

Expected Alert

Logistics date must be today or within next 3 months

Testim Steps

Set Text -> Logistics Id
Set Date -> Invalid Date
Set Text -> Customer Name
Set Text -> Receiver Name
Select -> From City
Select -> To City
Set Text -> Weight
Set Text -> Value
Click -> Submit
Validate Alert Text

2. Testing From City and To City Validation

Input

From City = Mumbai
To City = Mumbai

Expected Alert

From City and To City cannot be same

Testim

Select Mumbai in From City
Select Mumbai in To City
Click Submit
Validate Alert Text

contd..

3. Testing Value Validation

Input

Value = 4000

Expected Alert

Shipment value must be greater than INR 5000

Testim

Set Value = 4000

Click Submit

Validate Alert Text

4. Testing Successful Submission

Input

Id = 101

Date = Today

Type = Express

Customer = Vijay

Receiver = Amit

From City = Mumbai

To City = Pune

Weight = 10

Value = 10000

contd..

- ✓ For Testim, replacing `alert()` with a validation message displayed in a `<div>` is a better approach because Testim can easily validate the text on the page.

contd..

✓ **Common Ways to Make a Test Fail in Testim**

- ❑ Validate incorrect text.
- ❑ Validate an element that does not exist.
- ❑ Validate wrong radio button selection.
- ❑ Throw an exception in a Custom Action:

Locators

✓ A **locator** is any method used to find an HTML element on a page.

❑ Consider this HTML:

```
<input type="text" id="txtUserName" name="username">  
<button id="btnLogin">Login</button>
```

✓ The textbox can be located using:

❑ ID → txtUserName

❑ Name → username

❑ Tag → input

✓ The button can be located using:

❑ ID → btnLogin

❑ Text → Login

Locator - types

Locator Type	Example
ID	id="txtUserName"
Name	name="username"
Class	class="btn"
Tag Name	button
CSS Selector	#txtUserName
XPath	//input[@id='txtUserName']

XPath

- ✓ **XPath (XML Path Language)** is a syntax used to navigate through HTML elements.
- ✓ Think of XPath as the **address of an element**. Example –
 - ❑ `<body>`
 - `<form>`
 - `<input id="txtUserName">`
 - `<button>Login</button>`
 - `</form>`
 - `</body>`
- ❑ XPath for textbox:
 - ✓ `//input[@id='txtUserName']`
- ❑ XPath for button:
 - ✓ `//button[text()='Login']`

contd..

✓ **Absolute Xpath** – Starts from the root of the page.

❑ Example – /html/body/form/input

✓ **Relative XPath**

❑ Starts with //

❑ Example:

//input[@id='txtUserName']

This works even if new elements are added above it.

Preferred in Testim.

XPath Functions

✓ contains()

- ❑ HTML: `<input id="txtUserName123">`
- ❑ XPath: `//input[contains(@id,'txtUserName')]`
- ❑ Useful when IDs change dynamically.

✓ starts-with()

- ❑ HTML: `<input id="user_1001">`
- ❑ XPath: `//input[starts-with(@id,'user_')]`

contd..

Note – Testim usually does **not rely only on XPath**. It creates a **Smart Locator** using multiple attributes:

```
<button id="btnLogin" class="primary" name="loginBtn">  
    Login  
</button>
```

- ✓ Testim stores information such as:
 - ❑ ID = btnLogin
 - ❑ Text = Login
 - ❑ Class = primary
 - ❑ Position on page
- ✓ If one attribute changes, Testim can still find the element.
- ✓ **This is why Testim tests are usually more stable than plain Selenium XPath tests.**

- ✓ **Rule of Thumb for Testim**
 - ❑ Use locators in this order of preference:
 - ❑ **ID** (best)
 - ❑ **Name**
 - ❑ **Text**
 - ❑ **CSS Selector**
 - ❑ **Relative XPath**
 - ❑ **Absolute XPath** (avoid)
- ✓ Because IDs and smart locators make tests much more reliable when the page changes.

contd..

✓ To conclude -

1. Locator is a general term for any way of identifying an element.
2. XPath is one specific locator strategy.
3. Other locator strategies include:
 - ❑ ID
 - ❑ Name
 - ❑ Class
 - ❑ CSS Selector
 - ❑ XPath
 - ❑ Text-based locators

Dealing with UI changes – Testim way

✓ Case 1: HTML – 1 on Day 1

```
<input id="txtUsername">
```

Testim records the locator:

```
//*[@id='txtUsername']
```

or

```
#txtUsername
```

The test runs successfully.

✓ Later a developer changes the UI – Day 2

```
<input id="userName">
```

Notice:

Old ID : txtUsername

New ID : userName

Now when Testim runs:

```
//*[@id='txtUsername']
```

❑ It cannot find the element because that ID no longer exists.

❑ Result:

❑ Test Failed
Element Not Found

✓ How Testim helps

- ❑ Unlike older automation tools, Testim uses **Smart Locators**.
- ❑ Instead of relying on only one locator:
 - ❑ id = txtUsername
 - ❑ it remembers many attributes:
 - ID
 - Name
 - Class
 - Text
 - Position
 - Neighboring Elements
- ❑ If one locator changes, Testim may still find the element.

contd..

- ✓ Example:
 - ❑ `<input id="userName" name="username">`
 - ❑ Even if id changed, Testim may identify:
`name = username`
 - ❑ and continue successfully.
- ✓ Note - In Testim, developers mostly work with **Smart Locators**, and Testim automatically generates XPath/CSS selectors behind the scenes to make tests more stable.

contd..

- ✓ Q – should the **Target Elements** e.g. Id txtuname should be updated manually to uname or it will auto update when developer changes ?
-> "it depends on whether Testim's Smart Locator can still identify the element."
- ✓ Scenario 1: Testim Auto-Recovers (No Manual Update)
 - ❑ Original HTML:
 - ❑ `<input id="txtuname">`
 - ❑ Test recorded.
 - ❑ Later developer changes it to:
 - ❑ `<input id="uname">`
 - ❑ If everything else remains similar (same textbox, same position, same label), Testim may automatically recognize it and the test will still pass.
- ✓ In this case: You do **NOT** need to manually update the locator.

contd..

✓ Scenario 2: Testim Cannot Recover Original:

- ❑ `<input id="txtuname">`
- ❑ Developer changes to:
- ❑ `<input id="user_login">`
- ❑ and also moves the field elsewhere on the page.

✓ Now Testim may fail with:

- ❑ Element Not Found or
- ❑ Failed to Locate Element
- ❑ In this case :
- ❑ Open the failed step.
- ❑ Re-select the textbox.
- ❑ Save the test.
- ❑ Effectively tester is updating the locator.

contd..

- ✓ What Happens Internally?
- ❑ Suppose Testim recorded: ID = txtuname
- ✓ After UI change: ID = uname
- ✓ Testim first tries: txtuname
- ✓ If not found, it tries other signals:
 - ❑ Tag = input
 - ❑ Nearby label = Username
 - ❑ Position on page
 - ❑ Other attributes

contd..

- ✓ In Testim Editor
 - ❑ If you open the step and still see:
 - ❑ Target Element ID = txtuname after the developer changed it to:
ID = uname
- ✓ don't immediately edit it.
 - ❑ First: Run the test.
 - ❑ If the test passes, Testim successfully recovered.
 - ❑ If the test fails with "Element Not Found", then update the target element manually by re-selecting the textbox.

✓ Rule of Thumb

- ❑ Minor UI changes → Testim often auto-recovers.
- ❑ Major UI changes → You must manually update the locator/target element.
- ❑ Never change locators proactively. Run the test first and see whether Testim can recover on its own.

Thank You