

Testim
Advanced
Features

Contents

1. Testim execution Action sequence
2. JS in Testim test cases
3. Issues with drop-down, radio-button and check boxes.
4. Custom validation rules

Sequence of editing and running tests

1. Record the test once.
 2. Run it and verify it passes.
 3. Edit the values in the Set Text steps.
 4. Update the validation.
 5. Run again.
- ✓ This helps to understand the relationship between:
1. Input values
 2. Expected result
 3. Actual result
 4. Pass/Fail outcome without creating a new recording every time.

JS in Tetim test cases

- ✓ Note – It is perfectly fine to have JavaScript in both places viz.. HTML and Testim Custom validation.
- ❑ These are **different things**:
- ❑ HTML script = application logic.
- ❑ Testim Custom Validation = test logic.

contd..

1. A browser alert(), confirm(), prompt() dialog is outside the normal HTML page and can be harder to automate.
2. The **textbox-and-button** approach is the most common replacement for prompt().
3. Testim can easily record **click**, **set text**, and **validate text** actions without handling browser popups.
4. Testim can easily:
 - ❑ Click a button.
 - ❑ Read the output text.
 - ❑ Compare Expected vs Actual.
 - ❑ This makes the test more stable and easier to understand.

contd..

- ❑ In **Testim**, “JavaScript” is mainly used in **two ways**:
- ❑ To control or read the application (like getting values from the page)
- ❑ To create **custom validations** (your main question)

Issues with drop-down list

- ✓ There is no any editable value field in the recorded step.
- ✓ Which means one of two things is true:
 - ❑ **Possibility 1: Testim records clicks, not values**, during recording:
 - ❑ Click Source City dropdown
 - Click Mumbai option
 - Click Destination City dropdown
 - Click Pune option
 - ❑ In this case, Mumbai and Pune are recorded as elements that were clicked. There is no textbox where you can change "Mumbai" to "Delhi".
- ✓ To use different cities, you would need to:
 - ❑ Re-record those selection steps, OR
 - ❑ Reassign the step to a different option element.

contd..

- ✓ **Possibility 2: The value is hidden in the step details**
- ✓ Some Testim versions show:
- ✓ Action = Select
Value = Mumbai

Radio button

- ✓ Rbuttons have the same limitation as Select options when trying to demonstrate validation failures by changing page defaults.
- ✓ The automation replayed by Testim wins over the page's initial state.
- ✓ With dropdowns and radio buttons, the recorded action itself determines the selected value, so changing HTML defaults often doesn't demonstrate much because Testim replays the **action and overrides the default**.
- ✓ There are similar issues as with that of select drop down.
- ✓ However with hard coding change of values in custom function, the process is easy

Custom validation rules

- A quick rule for Testim custom validations:
- **Passes** when the JavaScript returns the value Testim expects.
- **Fails** when the JavaScript returns a different value.

"Testim Editor" started debugging this browser

Cancel

X

M

~

☰

▶

⚙

📁

TESTIM

vinsys
Web project

FREE TRIAL - 6 DAYS LEFT

+ NEW TEST

VK

Draft test-userid-validation-2

GO TO APP

SAVE

STEP FAILED: Expected: 'Valid Username abcd123'. Actual: 'Valid Username testuser1' | [Tag test failure](#) | [See error](#)

FAILED - 37 SEC

Default config: Chrome | Windows 10 | 1024 X 680

Base URL: http://127.0.0.1:8080/sample-userid-validation...

Show improved steps

Step count: 4

http://127.0.0.1:8080/sample-userid-validation-1.html

1. Setup

⚠ Could not resize to requi...

Valid Username
abcd123

5. Text Validation

Expected: 'Valid Userna...

2. Click "Username :"

3. Set "Username :"

4. Click "Submit"

DEBUGGING HELPER

Breakpoints (0)

Scope

Logs (0)

Windows taskbar

7:05 PM 6/18/2026

FileEdit

EXPLORER

OPEN EDITOR

TESTIM-C

sample

sample

sample

OUTLINE

TIMELINE

LINECOUN

000

Add Two Numbers

127.0.0.1:8080/sample-sumoftwonum.html

"Testim Editor" started debugging this browser

Cancel

Add Two Numbers

Number 1 : 20

Number 2 : 25

Add

Sum = 45

Expected: 'Sum = 40'. Actual: 'Sum = 45'

[Go back to the editor](#)

Type here to search

7:23 PM

6/18/2026

Thank You