

# Test of iText PDF generating

PDF generation

Version: 1.0

Author: Tommy Svensson

Copyright © 2012 Natusoft AB

## Table of Contents

<b>1 Headers</b>	1
1.1 Two	1
1.1.1 Three	1
1.1.1.1 Four	1
1.1.1.1.1 Five	1
1.1.1.1.1.1 Six	1
<b>2 Test of underline header H1</b>	2
2.1 Test of underline header H2	2
<b>3 Code Blocks</b>	3
<b>4 BlockQuote</b>	4
<b>5 List</b>	5
<b>6 Horizontal ruler</b>	6
<b>7 Paragraphs</b>	7

# 1 Headers

This is the \*\* headers section of the functional test document.

## 1.1 Two

---

This is a paragraph in a level 2 section.

### 1.1.1 Three

#### 1.1.1.1 Four

##### 1.1.1.1.1 Five

##### 1.1.1.1.1.1 Six

## **2 Test of underline header H1**

### **2.1 Test of underline header H2**

---

### 3 Code Blocks

Here is a code Block:

```
class Paragraph extends DocItem {  
    /**  
     * Adds an item to the Paragraph.  
     *  
     * @param docItem The item to add.  
     */  
    public void add(DocItem docItem) {  
        super.items.add(docItem)  
    }  
  
    @Override  
    public boolean validate() {  
        return super.items.size() > 0  
    }  
}
```

End of code block.

## 4 BlockQuote

*This is a block quoted paragraph.*

*This is also a block quoted paragraph!*

*This is a block quoted one line paragraph.*

## 5 List

- Unordered list
- Second entry
  - List within list.
  - Second entry sub list
- Third entry orig list. This entry has 2 lines.
- Fourth entry orig list.

This entry has two paragraphs.

- New sub list uo
- New sub list l2 uo

1. Ordered list
2. Second entry ol
  1. 1. sub entry ol
  2. 2. sub entry 2 ol
3. Third entry orig ol.

## 6 Horizontal ruler

---

This is a paragraph between 2 horizontal rulers.

---



## 7 Paragraphs

This is a simple one line paragraph.

A paragraph is simply one or more consecutive lines of text, separated by one or more blank lines. (A blank line is any line that looks like a blank line — a line containing nothing but spaces or tabs is considered blank.) Normal paragraphs should not be indented with spaces or tabs.

This is a *formatting* **Paragraph**. Here is a [link](#). Another [link](#) to somewhere. This paragraph also contains a `simple code block`. And here is an



.

Some more text in this paragraph. [www.somewhere.net](#) ends this paragraph.

\* This is not a list since the '\*' is escaped!

