IT314 – Software Engineering

202201265 – Prachi Chaudhari

Lab - 08

Equivalence Class Testing for Previous Date Program

1. Equivalence Partitioning

Identified Equivalence Classes:

- Valid Dates:
    a. January 1, 1900 (1, 1, 1900)
    b. February 28, 1900 (28, 2, 1900) - Non-leap year
    c. March 1, 1900 (1, 3, 1900)
    d. April 30, 2015 (30, 4, 2015)

- Invalid Dates:
    a. Month out of range (e.g., Month = 0 or Month = 13)
    b. Day out of range (e.g., Day = 32 or Day = -1)
    c. Invalid combinations (e.g., February 29 on a non-leap year)

Test Cases for Equivalence Partitioning:

Tester Action and Input Data	Expected Outcome
(1, 1, 1900)	Valid date: December 31, 1899

(28, 2, 1900)	Valid date: February 27, 1900
(1, 3, 1900)	Valid date: February 28, 1900
(30, 4, 2015)	Valid date: April 29, 2015
(0, 1, 2000)	Error message
(32, 1, 2000)	Error message
(29, 2, 1900)	Error message

Boundary Value Analysis

Identified Boundary Values:

- Valid Dates at Boundaries:
  a. January (1st day)
  b. February (28th day in non-leap year)
  c. March (1st day)
- Invalid Dates at Boundaries:
  a. Month = -1
  b. Month = +13

c. Day = +32

d. Day = +0

Test Cases for Boundary Value Analysis:

Tester Action and Input Data	Expected Outcome
(1, 1, 2000)	Valid date: December 31, 1999
(28, 2, 2000)	Valid date: February 27, 2000
(29, 2, 2000)	Valid date: February 28, 2000
(31,12,2015)	Valid date: December 30,2015
(-1,-1,-1)	Error message
(13,-1,-1)	Error message

Programs for Searching and Triangle Classification

P1: Linear Search

```
int linearSearch(int v, int a[], int length) {
    for(int i = 0; i < length; i++) { if(a[i]
    == v) return i;
    } return -
    1;
}
```

P2: Count Item

```
int countItem(int v, int a[], int length) {
    int count = 0; for(int i = 0; i
    < length; i++) { if(a[i] == v)
    count++;
    } return
    count;
}
```

P3: Binary Search

```
int binarySearch(int v, int a[], int length) {
    int lo = 0; int hi
    = length - 1;
    while(lo <= hi) {
        int mid = lo + (hi - lo)/2;
        if(a[mid] == v) return mid; else
        if(v < a[mid]) hi = mid - 1;
        else lo = mid + 1;
    } return -
    1;
}
```

P4: Triangle Classification

```
int triangle(int a,int b,int c){
    if(a >= b+c || b >= a+c || c >= a+b)
        return INVALID;
    if(a == b && b == c)
        return EQUILATERAL;
    if(a == b || a == c || b == c)
        return ISOSCELES;
    return SCALENE;
}
```

P6: Triangle with Floating Values

a) Equivalence Classes for Triangle
   Classification with Floating Values

- Valid Classes:
    a. Equilateral triangles with sides equal.
    b. Isosceles triangles with two sides equal.
    c. Scalene triangles with all sides different.
- Invalid Classes:
    a. Non-triangles where the sum of any two sides is less than or equal to the third side.
    b. Non-positive lengths.

b) Test Cases Covering Identified Equivalence
   Classes

Tester Action and Input Data	Expected Outcome
(3.0,3.0,3.0)	Equilateral

(4.0,4.0,6.0)	Isosceles
(3.0,4.0,5.0)	Scalene
(-3.0,-4.0,-5.0)	Invalid
(10.0,-5.0,-7.5)	Invalid

c) Boundary Condition A + B > C Case Test cases:

- A=3,B=4,C=6 -> Scalene
- A=3,B=4,C=7 -> Invalid

d) Boundary Condition A = C Case Test cases:

- A=5,B=5,C=6 -> Isosceles
- A=5,B=6,C=6 -> Isosceles

e) Boundary Condition A = B = C Case Test cases:

- A=3,B=3,C=3 -> Equilateral
- A=4,B=4,C=4 -> Equilateral

f) Boundary Condition A² + B² = C² Case Test cases:

- A=3,B=4,C=5 -> Right angled triangle
- A=5,B=12,C=13 -> Right angled triangle

g) Non-Triangle Case Test cases:

- A=2, B=2, C=5 -> Invalid
- A=3,B=2,C=6 -> Invalid

h) Non-positive Input Test cases:

- A=-1,B=-2,C=-3 -> Invalid
- A=0,B=2,C=-2 -> Invalid