Style Guide

By:Peter Choi

Site’s Purpose

To inform anyone curious and those that reach our website to know more about fire safety.

Audience

- YOU
- People who want to know more about fire safety
- Your family
- Your friends
- Your pets
- Whatever is under your bed or in your closet

Site’s Grid

FIRE WATCH

Search

Welcome to the Fire Watch Site. Whether you came accidentally or purposefully doesn’t matter. After you leave our site, you’ll be more prepared for unexpected fires and will have more information on fire safety than someone who doesn’t know about fire safety.

A visible effect of the process of combustion which occurs between oxygen in the air and some sort of fuel. The reaction will keep going as long as there is enough heat, fuel and oxygen. It is that very reaction that continues which is dangersous. The dangers of fires are as told its fast spreading, heat, darkness, and deadliness.

777-777-7777
www.firewatch.org

Donate
www.redcross.org
www.fdnyfoundation.org

Dangers of Fires

Rapid Life Threatening Danger

A small flame can turn into a major fatal fire in less than 30 seconds to 3 minutes

Toxic Smoke and Gases

Inhaling the thick black smoke and posionous gases like cyanide causes most fire deaths.

Intense Heat

Temperatures can reach 100 degrees F at flow level while 600 degrees F at eye level scorching lungs and melting clothes

Lack of Detection

Nearly two thrids of house fire deaths occur in homes with no smoke alarms or malfunctioning units

Darkness and Reduced Visibility

Due to the thick black smoke that causes total darkness, you would be unable to see or locate the exit.

Rapid Structural Damage

Homes can be engulfed in flames in under five minutes

ABOUT US

We at FIRE WATCH seek to help and inform those who need assistance in fire safety whether it be small or a big problems.

Contact Information

777-777-7777
www.firewatch.org

Donate

www.redcross.org
www.fdnyfoundation.org

How to Prevent House Fires

Stay in the kitchen while cooking

Never leaving food cooking unattended.

Check your smoke alarms

Ensure working smoke alarms on every floor.

Maintain 3 foot clearance

Keep any flammale items away from heat sources.

Maintain Electrical Safety

Avoid overloading outlets and inspect cords for damage.

Preventative Maintenance

Clean lint traps in dryers regularyly to prevent overheating.

Color Palate

#ed1c24

C:0%
M:99%
Y:97%
K:0%

#fff200

C: 4%
M:0%
Y:93%
K:0%

#282828

C:71%
M:65%
Y:64%
K:68%

#f8991d

C:0%
M:47%
Y:98%
K:0%

Typography

This is My Title.

Block WIG Bold | 42 -30pt

This is a subtitle.

Block WIG Condensed | 36 -20 pt

This is an author name.

Block WIG Italics | 21 pt

This is a section header.

Block WIG Extra Condensed | 20 -18pt

This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text.

Block WIG Regular | 13 pt

This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text. This is body text.

Block WIG Regular | 11 pt

This is a caption.

Univers Next Pro Light Italic| 9 pt

This is a footnote.

Univers Next Pro Light | 9 pt

Logo Treatment

FIRE WATCH

Spacing

25 Pixels between image and text

15 pixels space between the image and text

Secondary

50 pixels between text boxes

25 pixels and 50 pixels

Tertiary

175 pixels space between title and subtitle

25 pixels space between subtitle and text boxes

Global

175 pixels space between title and body text

125 pixels space between body text and subtitle

25 pixels space between subtitle and body text

Site Elements and Asset Rules

THE END