



There were issues affecting this run of Lighthouse:

- **Chrome extensions negatively affected this page's load performance. Try auditing the page in incognito mode or from a Chrome profile without extensions.**



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

▲ 0–49 50–89 90–100



METRICS

[Expand view](#)


▲ First Contentful Paint
4.0 s

▲ Largest Contentful Paint
5.7 s

▲ Total Blocking Time
6,270 ms

Cumulative Layout Shift
0

Speed Index
4.6 s



Show audits relevant to: All [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Font display — Est savings of 290 ms

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). FCP Unscored

URL

Est Savings

Cloudflare CDN Cdn

...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com) 290 ms

...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com) 280 ms

URL	Est Savings
Google Fonts Cdn	
...v31/JTUSjlg1_...woff2 (fonts.gstatic.com)	100 ms

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Top function call	Total reflow time
flickity.pkgd.min.js:18	20 ms

Source	Total reflow time
[unattributed]	14 ms
flickity.pkgd.min.js:17	1 ms
flickity.pkgd.min.js:17	8 ms
flickity.pkgd.min.js:17	2 ms
jquery-3.6.0.min.js:2	9 ms
content-all.js:222	0 ms
content-all.js:222	0 ms
content-all.js:212	5 ms
content-all.js:2401	2 ms
content-all.js:382	1 ms

▲ LCP request discovery

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

`fetchpriority=high` should be applied

Request is discoverable in initial document

lazy load not applied



▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **1,862 ms**

Initial Navigation

/enoturismo.html (127.0.0.1) - **817 ms**, 61.53 KiB

...css/all.min.css (cdnjs.cloudflare.com) - **815 ms**, 19.06 KiB

...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com) - **1,862 ms**, 115.28 KiB

...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com) - **1,861 ms**, 153.54 KiB

/css?family=Montserrat:200,400,700,900 (fonts.googleapis.com) - **816 ms**, 1.09 KiB

...v31/JTUSjlg1_...woff2 (fonts.gstatic.com) - **1,185 ms**, 34.71 KiB

/styles.css (127.0.0.1) - **805 ms**, 58.70 KiB

/fonts/Coolvetica.ttf (127.0.0.1) - **1,090 ms**, 0.00 KiB

...dist/flickity.css (unpkg.com) - **970 ms**, 1.19 KiB

...dist/flickity.css (unpkg.com) - **970 ms**, 1.19 KiB

/flickity-fade@1.0.0/flickity-fade.css (unpkg.com) - **969 ms**, 0.53 KiB

/flickity-fade@1.0.0/flickity-fade.css (unpkg.com) - **969 ms**, 0.53 KiB

...css/bootstrap.min.css (cdn.jsdelivr.net) - **810 ms**, 27.25 KiB

/media_queries.css (127.0.0.1) - **803 ms**, 13.10 KiB

/fonts/fonts.css (127.0.0.1) - **801 ms**, 0.00 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Document request latency — Est savings of 41 KiB




Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. FCP LCP Unscored

- Avoids redirects
- Server responds quickly (observed 3 ms)
- No compression applied

Improve image delivery — Est savings of 1,441 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) FCP LCP Unscored

URL		Resource Size	Est Savings
127.0.0.1	1st Party	1,948.4 KiB	1,441.0 KiB
img.img-fluid.vin-img.principal	/img/vino2.png (127.0.0.1)	414.2 KiB	405.1 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		388.0 KiB
	This image file is larger than it needs to be (470x343) for its displayed dimensions (277x202). Use responsive images to reduce the image download size.		270.2 KiB
img.img-fluid.vin-img.se	/img/vino4.png (127.0.0.1)	405.1 KiB	397.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		372.6 KiB
	This image file is larger than it needs to be (578x346) for its displayed dimensions (277x166). Use responsive images to reduce the image download size.		312.0 KiB
img.img-fluid.vin-img	/img/vino3.png (127.0.0.1)	238.3 KiB	229.2 KiB

	URL	Resource Size	Est Savings
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		212.0 KiB
	This image file is larger than it needs to be (470x343) for its displayed dimensions (277x202). Use responsive images to reduce the image download size.		155.4 KiB
	<code>/img/vino1.png</code> (127.0.0.1)	171.6 KiB	158.8 KiB
img.img-fluid.vin-img			
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		127.4 KiB
	This image file is larger than it needs to be (478x569) for its displayed dimensions (257x306). Use responsive images to reduce the image download size.		122.0 KiB
div.carousel-cell.cruz1.is-selected	<code>...lascruces/lascruces2.webp</code> (127.0.0.1)	442.4 KiB	129.9 KiB
	Increasing the image compression factor could improve this image's download size.		129.9 KiB
img.img-fluid	<code>/img/logo-menu-icons.png</code> (127.0.0.1)	81.9 KiB	73.0 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		7.8 KiB
	This image file is larger than it needs to be (800x569) for its displayed dimensions (277x197). Use responsive images to reduce the image download size.		72.1 KiB
	<code>/img/logo-mnu.png</code> (127.0.0.1)	18.7 KiB	18.5 KiB
img.img-logo			
	This image file is larger than it needs to be (800x234) for its displayed dimensions (86x29). Use responsive images to reduce the image download size.		18.5 KiB
div.carousel-cell.vin4b	<code>...santaelena/elena2.webp</code> (127.0.0.1)	164.1 KiB	17.1 KiB
	Increasing the image compression factor could improve this image's download size.		17.1 KiB
	<code>/img/logo-pabellon.png</code> (127.0.0.1)	12.0 KiB	11.8 KiB
img.logo-mp			
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		8.2 KiB
	This image file is larger than it needs to be (212x110) for its displayed dimensions (55x29). Use responsive images to reduce the image download size.		11.2 KiB
Render-blocking requests			^

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. FCP LCP Unscored

☒ Show 3rd-party resources (5)

URL	Transfer Size	Duration
Unpkg Cdn	1.7 KiB	1,750 ms
...dist/flickity.css (unpkg.com)	1.2 KiB	880 ms
/flickity-fade@1.0.0/flickity-fade.css (unpkg.com)	0.5 KiB	880 ms
Google Fonts Cdn	1.1 KiB	910 ms
/css?family=Montserrat:200,400,700,900 (fonts.googleapis.com)	1.1 KiB	910 ms
Cloudflare CDN Cdn	19.1 KiB	1,610 ms
...css/all.min.css (cdnjs.cloudflare.com)	19.1 KiB	1,610 ms
JSDelivr CDN Cdn	27.2 KiB	1,570 ms
...css/bootstrap.min.css (cdn.jsdelivr.net)	27.2 KiB	1,570 ms
127.0.0.1 1st Party	71.8 KiB	2,880 ms
/styles.css (127.0.0.1)	58.7 KiB	1,810 ms
/media_queries.css (127.0.0.1)	13.1 KiB	760 ms
/fonts/fonts.css (127.0.0.1)	0.0 KiB	310 ms

LCP breakdown

Each [subpart has specific improvement strategies](#). Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	10 ms
Resource load delay	970 ms
Resource load duration	80 ms
Element render delay	30 ms

div.slide-vin

☐ 3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
dhoenijjgpeimemopealfcbiecgceod	0 KiB	1,135 ms
chrome-extension://dhoenijjgpeimemopealfcbiecgceod/content-all.js	0 KiB	777 ms
chrome-extension://dhoenijjgpeimemopealfcbiecgceod/all-frames.js	0 KiB	359 ms
difoiojjjoaoomphldepagpgbghkb	0 KiB	1,085 ms
chrome-extension://difoiojjjoaoomphldepagpgbghkb/content-all.js	0 KiB	759 ms
chrome-extension://difoiojjjoaoomphldepagpgbghkb/all-frames.js	0 KiB	326 ms
hokifickgkhlphjiodbggjmoafhgnh	0 KiB	146 ms
chrome-extension://hokifickgkhlphjiodbggjmoafhgnh/editor/content.js	0 KiB	139 ms
chrome-extension://hokifickgkhlphjiodbggjmoafhgnh/editor/config.js	0 KiB	8 ms

3rd party	Transfer size	Main thread time
ndcileolkflehcpmjnfbnabdcgglog	0 KiB	65 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/vendor/@eyeo/webext-ad-filtering-solution/content.js	0 KiB	44 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	0 KiB	5 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/globals-front.js	0 KiB	5 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/polyfill.js	0 KiB	3 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/adblock-picreplacement.js	0 KiB	2 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/adblock-functions.js	0 KiB	2 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/cookie-banner-detection.preload.js	0 KiB	1 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/contentscript-loader.js	0 KiB	1 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/premium.preload.js	0 KiB	1 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/ext/content.js	0 KiB	0 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/adblock-uiscrpts-rightclick_hook.js	0 KiB	0 ms
chrome-extension://ndcileolkflehcpmjnfbnabdcgglog/ext/common.js	0 KiB	0 ms
mbcgpelmjnpfbdnkbebdlfjmeckpnhha	0 KiB	54 ms
chrome-extension://mbcgpelmjnpfbdnkbebdlfjmeckpnhha/content.js	0 KiB	53 ms
chrome-extension://mbcgpelmjnpfbdnkbebdlfjmeckpnhha/external-api.js	0 KiB	0 ms
elhekieabhbkmcefcoobjddigjcaadp	0 KiB	34 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/libs/jquery-3.1.1.min.js	0 KiB	13 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/prompts/ShowOneChild.js	0 KiB	5 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/ch-content-script.js	0 KiB	2 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/content-script-utils.js	0 KiB	2 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/injectAIMarker.js	0 KiB	1 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/content-script-idle.js	0 KiB	1 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/browser-image-viewer/browser-image-viewer-content-script.js	0 KiB	1 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/upload-button-analytics.js	0 KiB	1 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/embeddedpdfs/embedded-pdf-touch-point.js	0 KiB	1 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/SidePanel/FABManager.js	0 KiB	1 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/ch-content-script-dend.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/gmail/gmail-express-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/express_chatgpt/chatgpt-express-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/google-image-preview/google-image-preview-express-fte.js	0 KiB	0 ms

3rd party	Transfer size	Main thread time
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/SidePanel/GenAIWebpageEligibilityService.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/embeddedpdfs/embedded-pdf-touch-point-event-listener.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/pinterest/pinterest-express-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/gdrive/gdrive-express-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/express_whatsapp/whatsapp-express-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/gemini/gemini-express-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/extract-webpage-html.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/linkedin/linkedin-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/gdocs/google-docs-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/outlook/outlook-express-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/SidePanel/AttributionManager.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/embeddedpdfs/EmbeddedPDFTouchPointCoachMark.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/gdrive/gdrive-image-tools-dropdown-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/SidePanel/ActionableCoachmark.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/injectBannerIframe.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/browser/js/ch-settings.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/express-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/browser-image-viewer/browser-image-viewer-express-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/gmail/gmail-image-tools-dropdown-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/express/google-chat/google-chat-express-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/SidePanel/Viewport.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/outlook/outlook-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/SidePanel/AnimateCannedQue	0 KiB	0 ms

3rd party	Transfer size	Main thread time
stions.js		
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/gmail/fte/gmail-convert-to-pdf-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/gmail/fte/gmail-email-pdf-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/gmail/gmail-compress-pdf-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/addWebpage/KWEligibilityService.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/content-util.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/gemini/gemini-convert-to-pdf-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/gmail/gmail-compress-pdf-message-view-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/SidePanel/GenAIWebpageBlocklist.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/gmail/GmailAcrobatFteCoachmark.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/gdrive/GDriveAcrobatFteCoachmark.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/gmail/fte/gmail-convert-attachment-card-fte.js	0 KiB	0 ms
chrome-extension://elhekieabhbkmcefcoobjddigjcaadp/content_scripts/gmail/GmailPdfToolsFteCoachmark.js	0 KiB	0 ms
Unpkg 	18 KiB	23 ms
...dist/flickity.pkgd.min.js (unpkg.com)	0 KiB	23 ms
/flickity-fade@1/flickity-fade.js (unpkg.com)	0 KiB	0 ms
...dist/flickity.pkgd.min.js (unpkg.com)	14 KiB	0 ms
/flickity-fade@1.0.0/flickity-fade.js (unpkg.com)	2 KiB	0 ms
...dist/flickity.css (unpkg.com)	1 KiB	0 ms
/flickity-fade@1.0.0/flickity-fade.css (unpkg.com)	1 KiB	0 ms
jQuery CDN 	31 KiB	9 ms
/jquery-3.6.0.min.js (code.jquery.com)	31 KiB	9 ms
JSDelivr CDN 	51 KiB	5 ms
...js/bootstrap.bundle.min.js (cdn.jsdelivr.net)	24 KiB	5 ms
...css/bootstrap.min.css (cdn.jsdelivr.net)	27 KiB	0 ms
Cloudflare CDN 	288 KiB	0 ms
...webfonts/fa-solid-900.woff2 (cdnjs.cloudflare.com)	154 KiB	0 ms
...webfonts/fa-brands-400.woff2 (cdnjs.cloudflare.com)	115 KiB	0 ms
...css/all.min.css (cdnjs.cloudflare.com)	19 KiB	0 ms
Google Fonts 	36 KiB	0 ms
...v31/JTUSjlg1....woff2 (fonts.gstatic.com)	35 KiB	0 ms
/css?family=Montserrat:200,400,700,900 (fonts.googleapis.com)	1 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Minimize main-thread work — 13.7 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) (TBT) (Unscored)

Category	Time Spent
Script Parsing & Compilation	5,730 ms
Script Evaluation	5,175 ms
Other	1,792 ms
Style & Layout	439 ms
Garbage Collection	317 ms
Parse HTML & CSS	194 ms
Rendering	89 ms

▲ Reduce JavaScript execution time — 10.8 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time](#) (TBT) (Unscored)

☒ Show 3rd-party resources (4)

URL	Total CPU Time	Script Evaluation	Script Parse
127.0.0.1 (1st Party)	3,886 ms	1,177 ms	1,999 ms
/enoturismo.html (127.0.0.1)	3,886 ms	1,177 ms	1,999 ms
Sider: Barra lateral de IA con todos los modelos (Chrome Extension)	3,342 ms	1,572 ms	1,577 ms
chrome-extension://dhoenijjgpeimemopealfcbiecgceod/content-all.js	3,342 ms	1,572 ms	1,577 ms
Sider: Chatea con todas las IA: GPT-5, Claude, DeepSeek, Gemini, Grok (Chrome Extension)	3,217 ms	1,441 ms	1,633 ms
chrome-extension://difoiojjjoaoomphldepagpgbgkhhb/content-all.js	3,217 ms	1,441 ms	1,633 ms
Unattributable	2,832 ms	765 ms	456 ms
Unattributable	1,853 ms	306 ms	0 ms
chrome-extension://hokifickgkhp1phjiiodbggjmoafhighn/editor/content.js	765 ms	326 ms	374 ms
chrome-extension://mbcgpeImjnpfbdnkbbedlFjmeckpnha/content.js	215 ms	132 ms	82 ms
Unpkg (Cdn)	140 ms	86 ms	9 ms
...dist/flickity.pkgd.min.js (unpkg.com)	140 ms	86 ms	9 ms
jQuery CDN (Cdn)	82 ms	33 ms	7 ms
/jquery-3.6.0.min.js (code.jquery.com)	82 ms	33 ms	7 ms



▲ Page prevented back/forward cache restoration — 2 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. [Learn more about the bfcache](#) (Unscored)

Failure reason	Failure type
The page has an unload handler in the main frame. /enoturismo.html (127.0.0.1)	Actionable
Pages with WebSocket cannot enter back/forward cache. /enoturismo.html (127.0.0.1)	Pending browser support

Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) (CLS) (Unscored)

URL	
127.0.0.1 (1st Party)	
img.img-fluid	/img/logo-menu-icons.png (127.0.0.1)
 img.img-fluid.vin-img	/img/vino1.png (127.0.0.1)
img.img-fluid.vin-img.se	/img/vino4.png (127.0.0.1)
 img.img-logo	/img/logo-mnu.png (127.0.0.1)
img.img-fluid.vin-img	/img/vino3.png (127.0.0.1)
img.img-fluid.vin-img.principal	/img/vino2.png (127.0.0.1)
 img.logo-mp	/img/logo-pabellon.png (127.0.0.1)

Minify CSS — Est savings of 20 KiB

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS](#) (FCP) (LCP) (Unscored)

URL	Transfer Size	Est Savings
127.0.0.1 (1st Party)	71.8 KiB	20.4 KiB
/styles.css (127.0.0.1)	58.7 KiB	16.1 KiB
/media_queries.css (127.0.0.1)	13.1 KiB	4.3 KiB

Minify JavaScript — Est savings of 82 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) FCP LCP
Unscored

URL	Transfer Size	Est Savings
chrome-extension://hokifickgkhp1phjiodbggjmofhgnh/editor/config.js	63.8 KiB	33.5 KiB
chrome-extension://ndcileolkflehcjpmjnfbaibdcgglog/globals-front.js	43.4 KiB	19.7 KiB
chrome-extension://ndcileolkflehcjpmjnfbaibdcgglog/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://ndcileolkflehcjpmjnfbaibdcgglog/polyfill.js	10.6 KiB	5.7 KiB
chrome-extension://ndcileolkflehcjpmjnfbaibdcgglog/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	30.8 KiB	5.6 KiB
chrome-extension://ndcileolkflehcjpmjnfbaibdcgglog/cookie-banner-detection.preload.js	9.9 KiB	5.3 KiB
chrome-extension://ndcileolkflehcjpmjnfbaibdcgglog/adblock-picreplacement.js	9.1 KiB	3.8 KiB
chrome-extension://ndcileolkflehcjpmjnfbaibdcgglog/adblock-functions.js	6.9 KiB	3.2 KiB

Reduce unused CSS — Est savings of 179 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS.](#) FCP LCP Unscored

☒ Show 3rd-party resources (2)

URL	Transfer Size	Est Savings
Unattributable	103.6 KiB	98.2 KiB
@charset "UTF-8";*,:before,:after{--tw-border-spacing-x: 0;--tw-border-spacing-y: 0;--tw-translate-...	103.6 KiB	98.2 KiB
127.0.0.1 1st Party	58.4 KiB	45.2 KiB
/styles.css (127.0.0.1)	58.4 KiB	45.2 KiB
Cloudflare CDN Cdn	18.4 KiB	18.2 KiB
...css/all.min.css (cdnjs.cloudflare.com)	18.4 KiB	18.2 KiB
JSDelivr CDN Cdn	18.4 KiB	17.6 KiB
...css/bootstrap.min.css (cdn.jsdelivr.net)	18.4 KiB	17.6 KiB

Reduce unused JavaScript — Est savings of 6,114 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) FCP LCP Unscored

☒ Show 3rd-party resources (7)

URL	Transfer Size	Est Savings
Sider: Chatea con todas las IA: GPT-5, Claude, DeepSeek, Gemini, Grok Chrome Extension	3,543.2 KiB	2,579.7 KiB
chrome-extension://difoiojjjojoaomphldepagpgbkhkb/content-all.js	2,203.5 KiB	1,614.4 KiB
chrome-extension://difoiojjjojoaomphldepagpgbkhkb/all-frames.js	1,339.6 KiB	965.3 KiB

URL	Transfer Size	Est Savings
Sider: Barra lateral de IA con todos los modelos Chrome Extension	3,512.7 KiB	2,450.4 KiB
chrome-extension://dhoenijjggpeimemoealfcbiecgceod/content-all.js	2,139.9 KiB	1,502.8 KiB
chrome-extension://dhoenijjggpeimemoealfcbiecgceod/all-frames.js	1,372.8 KiB	947.6 KiB
Unattributable	1,107.8 KiB	901.0 KiB
chrome-extension://hokifickghplphjiodbggmoafhighn/editor/content.js	882.8 KiB	741.0 KiB
chrome-extension://mbcgpeimjnpfbdnkbedl1fjmeckpnha/content.js	130.4 KiB	84.9 KiB
chrome-extension://hokifickghplphjiodbggmoafhighn/editor/config.js	63.8 KiB	49.4 KiB
chrome-extension://ndcileolkflehcjpmjnfbaibdcgglog/vendor/@eyeo/webext-ad-filtering-solution/content-main.js	30.8 KiB	25.7 KiB
Adobe Acrobat: herramientas para convertir, editar y firmar PDFs Chrome Extension	239.6 KiB	182.6 KiB
chrome-extension://elhekieabhbkmcefcobjddigjcaadp/dist/vendor.js	132.2 KiB	113.9 KiB
chrome-extension://elhekieabhbkmcefcobjddigjcaadp/dist/FloatingActionButton.js	79.4 KiB	48.0 KiB
chrome-extension://elhekieabhbkmcefcobjddigjcaadp/libs/jquery-3.1.1.min.js	27.9 KiB	20.6 KiB

Avoid enormous network payloads — Total size was 16,134 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes](#). Unscored

URL	Transfer Size
127.0.0.1 1st Party	7,804.7 KiB
...sarmiento/vsar15.webp (127.0.0.1)	2,241.6 KiB
...sarmiento/vsar11.webp (127.0.0.1)	828.2 KiB
...sarmiento/vsar13.webp (127.0.0.1)	721.3 KiB
...sarmiento/vsar5.webp (127.0.0.1)	705.1 KiB
...sarmiento/vsar4.webp (127.0.0.1)	694.7 KiB
...origen/origen7.webp (127.0.0.1)	687.6 KiB
...sarmiento/vsar10.webp (127.0.0.1)	551.5 KiB
...sarmiento/vsar7.webp (127.0.0.1)	517.7 KiB
...lascruces/lascruces2.webp (127.0.0.1)	442.7 KiB
/img/vino2.png (127.0.0.1)	414.5 KiB

○ Avoid long main-thread tasks — 20 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. [Learn how to avoid long main-thread tasks](#) TBT Unscored

☒ Show 3rd-party resources (12)

URL	Start Time	Duration
127.0.0.1 1st Party		3,330 ms
/enoturismo.html (127.0.0.1)	1,020 ms	3,020 ms
/enoturismo.html (127.0.0.1)	4,040 ms	129 ms
/enoturismo.html (127.0.0.1)	909 ms	111 ms
/enoturismo.html (127.0.0.1)	4,169 ms	70 ms
Sider: Chatea con todas las IA: GPT-5, Claude, DeepSeek, Gemini, Grok Chrome Extension		2,918 ms
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	6,716 ms	2,139 ms
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	10,154 ms	231 ms
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	10,686 ms	231 ms
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	11,136 ms	107 ms
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	11,371 ms	105 ms
chrome-extension://difoiojjjojoaomphldepagpgbgkhkb/content-all.js	11,550 ms	105 ms
Sider: Barra lateral de IA con todos los modelos Chrome Extension		2,891 ms
chrome-extension://dhoenijjggpeimemopealfcbiecgceod/content-all.js	4,296 ms	2,264 ms
chrome-extension://dhoenijjggpeimemopealfcbiecgceod/content-all.js	10,385 ms	301 ms
chrome-extension://dhoenijjggpeimemopealfcbiecgceod/content-all.js	10,917 ms	173 ms
chrome-extension://dhoenijjggpeimemopealfcbiecgceod/content-all.js	11,243 ms	79 ms
chrome-extension://dhoenijjggpeimemopealfcbiecgceod/content-all.js	11,476 ms	74 ms
Unattributable		1,163 ms
chrome-extension://hokifickgkhp1phjiodbggjmoafhighn/editor/config.js	8,855 ms	787 ms
chrome-extension://mbcgpelmjnpfbdnkbbedlffjmeckpnhha/content.js	9,672 ms	215 ms
Unattributable	11,705 ms	85 ms
Unattributable	11,790 ms	76 ms
jQuery CDN Cdn		78 ms
/jquery-3.6.0.min.js (code.jquery.com)	6,604 ms	78 ms

More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (10) Hide

Use efficient cache lifetimes ^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching.](#) FCP LCP Unscored

Layout shift culprits ^

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.](#) (Unscored)

Statistic	Element	Value
Total elements		866
DOM depth	i.fa-solid.fa-wine-glass-empty	15
Most children	ul.productos_v	16

Duplicated JavaScript

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. (FCP) (LCP) (Unscored)

INP breakdown

Start investigating [how to improve INP](#) by looking at the longest subpart. (Unscored)

Legacy JavaScript

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) (FCP) (LCP) (Unscored)

Modern HTTP

HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. [Learn more about using modern HTTP.](#) (FCP) (LCP) (Unscored)

Optimize viewport for mobile

Tap interactions may be [delayed by up to 300 ms](#) if the viewport is not optimized for mobile. (Unscored)

meta

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) (Unscored)

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations.](#) (CLS) (Unscored)

77

Accessibility


These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

▲ Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

Failing Elements




button.navbar-toggler.btn-floating-menu

button.size-10.absolute.z-[-1].bottom-[10px].flex-center.p-0.outline-none.border-none.text-title.bg-bg...

▲ Image elements do not have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Failing Elements



img.img-fluid.vin-img

img.img-fluid.vin-img

img.img-fluid.vin-img.principal

img.img-fluid.vin-img.se

img.img-fluid


These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)

Failing Elements



p

body

These are opportunities to improve the legibility of your content.

TABLES AND LISTS

▲ Lists do not contain only `<li>` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

Failing Elements
ul.productos_v br br ul.productos_v br br br ul.productos_v br br br ul.productos_v br br br ul.productos_v br br br ul.productos_v br br br ul.productos_v br br br

These are opportunities to improve the experience of reading tabular or list data using assistive technology, like a screen reader.

NAVIGATION

▲ Some elements have a <code>tabindex</code> value greater than 0 ^		
A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the tabindex attribute.		
<table><tr><th>Failing Elements</th></tr><tr><td> div.chat-gpt-query-model-wrapper.outline-none.active:outline-none.focus:outline-none </td></tr></table>	Failing Elements	div.chat-gpt-query-model-wrapper.outline-none.active:outline-none.focus:outline-none
Failing Elements		
div.chat-gpt-query-model-wrapper.outline-none.active:outline-none.focus:outline-none		

These are opportunities to improve keyboard navigation in your application.

BEST PRACTICES

▲ Document does not have a main landmark. ^

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

Failing Elements	
	html

- ☐ Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) (Unscored)

Failing Elements	
a	
a	

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

- ☐ Interactive controls are keyboard focusable ^

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) (Unscored)

- ☐ Interactive elements indicate their purpose and state ^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#) (Unscored)

- ☐ The page has a logical tab order ^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) (Unscored)

- ☐ Visual order on the page follows DOM order ^

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#) (Unscored)

- ☐ User focus is not accidentally trapped in a region ^

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#) (Unscored)

- ☐ The user's focus is directed to new content added to the page ^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#) (Unscored)

- ☐ HTML5 landmark elements are used to improve navigation ^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more about landmark elements.](#) (Unscored)

- ☐ Offscreen content is hidden from assistive technology ^

Offscreen content is hidden with display: none or aria-hidden=true. [Learn how to properly hide offscreen content.](#) (Unscored)

☐ Custom controls have associated labels ^

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#) (Unscored)

☐ Custom controls have ARIA roles ^

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#) (Unscored)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review.](#)

PASSED AUDITS (19) Hide

[aria-*] attributes match their roles ^

Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. [Learn how to match ARIA attributes to their roles.](#)

[aria-hidden="true"] is not present on the document <body> ^

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. [Learn how aria-hidden affects the document body.](#)

[role]s have all required [aria-*] attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

[role] values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more about valid ARIA roles.](#)

[aria-*] attributes have valid values ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

[aria-*] attributes are valid and not misspelled ^

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

button, link, and menuItem elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to make command elements more accessible.](#)

ARIA attributes are used as specified for the element's role ^

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

[aria-hidden="true"] elements do not contain focusable descendents ^

Focusable descendents within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#)

Elements use only permitted ARIA attributes

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

<html> element has a [lang] attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

<html> element has a valid value for its [lang] attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the lang attribute.](#)

Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

List items () are contained within , or <menu> parent elements

Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. [Learn more about proper list structure.](#)

Touch targets have sufficient size and spacing.

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Deprecated ARIA roles were not used

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

NOT APPLICABLE (34)

Hide

☐ [accesskey] values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#) (Unscored)

☐ Elements with role="dialog" or role="alertdialog" have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#) (Unscored)

☐ ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#) (Unscored)

- ☐ ARIA `meter` elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#) (Unscored)

- ☐ ARIA `progressbar` elements have accessible names

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#) (Unscored)

- ☐ Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#) (Unscored)

- ☐ `[role]`s are contained by their required parent element

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more about ARIA roles and required parent element.](#) (Unscored)

- ☐ Elements with the `role=text` attribute do not have focusable descendents.

Adding `role=text` around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#) (Unscored)

- ☐ ARIA toggle fields have accessible names

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#) (Unscored)

- ☐ ARIA `tooltip` elements have accessible names

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#) (Unscored)

- ☐ ARIA `treeitem` elements have accessible names

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling `treeitem` elements.](#) (Unscored)

- ☐ The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) (Unscored)

- ☐ `<d1>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#) (Unscored)

- ☐ Definition list items are wrapped in `<d1>` elements

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<d1>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#) (Unscored)

- ☐ ARIA IDs are unique

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn how to fix duplicate ARIA IDs.](#) (Unscored)

☐ No form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#) (Unscored)

☐ `<frame>` or `<iframe>` elements have a title

Screen reader users rely on frame titles to describe the contents of frames. [Learn more about frame titles.](#) (Unscored)

☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#) (Unscored)

☐ Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#) (Unscored)

☐ `<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#) (Unscored)

☐ Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#) (Unscored)

☐ Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#) (Unscored)

☐ The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#) (Unscored)

☐ `<object>` elements have alternate text

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#) (Unscored)

☐ Select elements have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. [Learn more about the select element.](#) (Unscored)

☐ Skip links are focusable.

Including a skip link can help users skip to the main content to save time. [Learn more about skip links.](#) (Unscored)

☐ Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) (Unscored)

☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) (Unscored)

- ☐

[lang] attributes have a valid value

^
- Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute](#). Unscored
- ☐

<video> elements contain a <track> element with [kind="captions"]

^
- When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions](#). Unscored
- ☐

Tables have different content in the summary attribute and <caption>.

^
- The summary attribute should describe the table structure, while <caption> should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption](#). Unscored
- ☐

All heading elements contain content.

^
- A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings](#). Unscored
- ☐

Uses ARIA roles only on compatible elements

^
- Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. [Learn more about ARIA roles](#). Unscored
- ☐

Image elements do not have [alt] attributes that are redundant text.

^
- Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute](#). Unscored



Best Practices

GENERAL

- Uses deprecated APIs — 1 warning found

^
- Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs](#).
- | Deprecation / Warning | Source |
|--|--------------|
| Unload event listeners are deprecated and will be removed. | content.js:2 |
- Browser errors were logged to the console

^
- Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)
- | Source | Description |
|-----------------------------------|--|
| 127.0.0.1 1st Party | |
| <div>fonts/Coolvetica.ttf:1</div> | Failed to load resource: the server responded with a status of 404 (Not Found) |

Source	Description
enoturismo.html:31	Refused to apply style from 'http://127.0.0.1:5500/fonts/fonts.css' because its MIME type ('text/html') is not a supported stylesheet MIME type, and strict MIME checking is enabled.
enoturismo.js:104	TypeError: Cannot read properties of null (reading 'querySelector') at http://127.0.0.1:5500/js/enoturismo.js:104:25

○ Detected JavaScript libraries


All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#) (Unscored)

Name	Version
Bootstrap	5.3.2
jQuery	3.6.0

USER EXPERIENCE

▲ Displays images with incorrect aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

	URL	Aspect Ratio (Displayed)	Aspect Ratio (Actual)
127.0.0.1 1st Party			
 img	/img/textura2.png (127.0.0.1)	412 x 12 (34.33)	4400 x 72 (61.11)
 img.img-logo	/img/logo-mnu.png (127.0.0.1)	120 x 40 (3.00)	800 x 234 (3.42)

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. [Learn how to use a CSP to prevent XSS](#) (Unscored)

Description	Directive	Severity
No CSP found in enforcement mode		High

○ Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) (Unscored)

Description	Directive	Severity
No HSTS header found		High

○ Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) (Unscored)

Description	Directive	Severity
No COOP header found		High

○ Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#) (Unscored)

Description	Severity
No frame control policy found	High

○ Mitigate DOM-based XSS with Trusted Types

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header instructs user agents to control the data passed to DOM XSS sink functions. [Learn more about mitigating DOM-based XSS with Trusted Types.](#) (Unscored)

Description	Severity
No 'Content-Security-Policy' header with Trusted Types directive found	High

PASSED AUDITS (10)

Hide

Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

Avoids third-party cookies

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more about the geolocation permission.](#)

Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more about responsibly getting permission for notifications.](#)

Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Properly defines charset

A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

No issues in the **Issues** panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) (Unscored)

☒ Show 3rd-party resources (1)

URL	Map URL
Unattributable	
chrome-extension://hokifickgkhlphjiodbggjmoafhgnh/editor/content.js	chrome-extension://hokifickgkhlphjiodbggjmoafhgnh/editor/content.js.map
Error: Failed fetching source map (null)	
chrome-extension://hokifickgkhlphjiodbggjmoafhgnh/editor/config.js	chrome-extension://hokifickgkhlphjiodbggjmoafhgnh/editor/config.js.map
Error: Failed fetching source map (null)	
JSDelivr CDN Cdn	
...js/bootstrap.bundle.min.js (cdn.jsdelivr.net)	...js/bootstrap.bundle.min.js.map (cdn.jsdelivr.net)

NOT APPLICABLE (1)

Hide

☐ Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#) (Unscored)


These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CONTENT BEST PRACTICES

▲ Image elements do not have `[alt]` attributes ^

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute](#).

Failing Elements



img.img-fluid.vin-img

img.img-fluid.vin-img

img.img-fluid.vin-img.principal

img.img-fluid.vin-img.se

img.img-fluid

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

○ Structured data is valid ^

Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data](#). (Unscored)

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (7)

Hide

Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives](#).

Document has a `<title>` element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles](#).

Document has a meta description ^

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description](#).

Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes](#).

Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn how to make links more accessible](#).

Links are crawlable



Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. [Learn how to make links crawlable](#)

Document has a valid hreflang



hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang](#).

NOT APPLICABLE (2)

Hide

☐ robots.txt is valid



If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#). Unscored

☐ Document has a valid rel=canonical



Canonical links suggest which URL to show in search results. [Learn more about canonical links](#). Unscored

 Captured at May 13, 2026,
10:14 AM CST
 Initial page load

 Emulated Moto G Power with
Lighthouse 13.0.2
 Slow 4G throttling

 Single page session
 Using Chromium 148.0.0.0 with
devtools