fong-spivak-invitation: table evidence

Tables

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_001</td><td>28</td><td>0.972</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline Arrow \(a\) & source \(s(a) \in V\) & target \(t(a) \in V\) \\ \hline \(a\) & 1 & ? \\ \hline \(b\) & 1 & 3 \\ \hline \(c\) & ? & ? \\ \hline d & ? & ? \\ \hline \(e\) & ? & ? \\ \hline \end{tabular}</code></td><td><table><tr><td>Arrow a</td><td>source $s(a) \in V$</td><td>target $t(a) \in V$</td></tr><tr><td>a</td><td>1</td><td>?</td></tr><tr><td>b</td><td>1</td><td>3</td></tr><tr><td>c</td><td>?</td><td>?</td></tr><tr><td>d</td><td>?</td><td>?</td></tr><tr><td>e</td><td>?</td><td>?</td></tr></table></td><td><table><tr><td>Arrow a</td><td>source $s(a) \in V$</td><td>target $t(a) \in V$</td></tr><tr><td>a</td><td>1</td><td>?</td></tr><tr><td>b</td><td>1</td><td>3</td></tr><tr><td>c</td><td>?</td><td>?</td></tr><tr><td>d</td><td>?</td><td>?</td></tr><tr><td>e</td><td>?</td><td>?</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_002</td><td>65</td><td>1.000</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|l|} \hline \(\wedge\) & false & true & * & 0 & 1 \\ \hline false & false & false & 0 & 0 & 0 \\ \hline true & false & true & 1 & 0 & 1 \\ \hline \end{tabular}</code></td><td><table><tr><td>$\wedge$</td><td>false</td><td>true</td><td>*</td><td>0</td><td>1</td></tr><tr><td>false</td><td>false</td><td>false</td><td>0</td><td>0</td><td>0</td></tr><tr><td>true</td><td>false</td><td>true</td><td>1</td><td>0</td><td>1</td></tr></table></td><td><table><tr><td>$\wedge$</td><td>false</td><td>true</td></tr><tr><td>false</td><td>false</td><td>false</td></tr><tr><td>true</td><td>false</td><td>true</td></tr></table><table><tr><td>$*$</td><td>0</td><td>1</td></tr><tr><td>0</td><td>0</td><td>0</td></tr><tr><td>1</td><td>0</td><td>1</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_003</td><td>66</td><td>1.000</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline v & false & true \\ \hline false & false & true \\ \hline true & true & true \\ \hline \end{tabular}</code></td><td><table><tr><td>v</td><td>false</td><td>true</td></tr><tr><td>false</td><td>false</td><td>true</td></tr><tr><td>true</td><td>true</td><td>true</td></tr></table></td><td><table><tr><td>$\vee$</td><td>false</td><td>true</td></tr><tr><td>false</td><td>false</td><td>true</td></tr><tr><td>true</td><td>true</td><td>true</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_004</td><td>66</td><td>1.000</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline max & 0 & 1 \\ \hline 0 & 0 & 1 \\ \hline 1 & 1 & 1 \\ \hline \end{tabular}</code></td><td><table><tr><td>max</td><td>0</td><td>1</td></tr><tr><td>0</td><td>0</td><td>1</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table></td><td><table><tr><td>max</td><td>0</td><td>1</td></tr><tr><td>0</td><td>0</td><td>1</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_005</td><td>66</td><td>1.000</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline min & no & maybe & yes \\ \hline no & ? & ? & ? \\ \hline maybe & ? & ? & ? \\ \hline yes & ? & ? & ? \\ \hline \end{tabular}</code></td><td><table><tr><td>min</td><td>no</td><td>maybe</td><td>yes</td></tr><tr><td>no</td><td>?</td><td>?</td><td>?</td></tr><tr><td>maybe</td><td>?</td><td>?</td><td>?</td></tr><tr><td>yes</td><td>?</td><td>?</td><td>?</td></tr></table></td><td><table><tr><td>min</td><td>no</td><td>maybe</td><td>yes</td></tr><tr><td>no</td><td>?</td><td>?</td><td>?</td></tr><tr><td>maybe</td><td>?</td><td>?</td><td>?</td></tr><tr><td>yes</td><td>?</td><td>?</td><td>?</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_006</td><td>71</td><td>0.289</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|l|} \hline \(\leq\). & \(p\) & \(q\) & \(r\) & \(s\) & \(t\) \\ \hline \(p\) & true & true & true & true & true \\ \hline \(q\) & false & true & false & true & true \\ \hline \(r\) & false & false & true & true & true \\ \hline \(s\) & false & false & false & true & true \\ \hline \(t\) & false & false & false & false & true \\ \hline \end{tabular}</code></td><td><table><tr><td>$\leq$.</td><td>p</td><td>q</td><td>r</td><td>s</td><td>t</td></tr><tr><td>p</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr><tr><td>q</td><td>false</td><td>true</td><td>false</td><td>true</td><td>true</td></tr><tr><td>r</td><td>false</td><td>false</td><td>true</td><td>true</td><td>true</td></tr><tr><td>s</td><td>false</td><td>false</td><td>false</td><td>true</td><td>true</td></tr><tr><td>t</td><td>false</td><td>false</td><td>false</td><td>false</td><td>true</td></tr></table></td><td><table><tr><td>$\cdot \leq \cdot$</td><td>p</td><td>q</td><td>r</td><td>s</td><td>t</td></tr><tr><td>p</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr><tr><td>q</td><td>false</td><td>true</td><td>false</td><td>true</td><td>true</td></tr><tr><td>r</td><td>false</td><td>false</td><td>true</td><td>true</td><td>true</td></tr><tr><td>s</td><td>false</td><td>false</td><td>false</td><td>true</td><td>true</td></tr><tr><td>t</td><td>false</td><td>false</td><td>false</td><td>false</td><td>true</td></tr></table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_007</td><td>75</td><td>0.623</td><td>\begin{tabular}[t]{|l|l|l|l|} \hline \(d(\nearrow)\) & \(X\) & \(y\) & z \\ \hline \(x\) & 0 & 4 & 3 \\ \hline y & 3 & 0 & 6 \\ \hline z & 7 & 4 & 0 \\ \hline \end{tabular}</td><td><table><tr><td>$d(\nearrow)$</td><td>X</td><td>y</td><td>z</td></tr><tr><td>x</td><td>0</td><td>4</td><td>3</td></tr><tr><td>y</td><td>3</td><td>0</td><td>6</td></tr><tr><td>z</td><td>7</td><td>4</td><td>0</td></tr></table></td><td><table><tr><td>$d(\nearrow)$</td><td>x</td><td>y</td><td>z</td></tr><tr><td>x</td><td>0</td><td>4</td><td>3</td></tr><tr><td>y</td><td>3</td><td>0</td><td>6</td></tr><tr><td>z</td><td>7</td><td>4</td><td>0</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_008</td><td>75</td><td>0.578</td><td>\begin{tabular}[t]{|l|l|l|l|l|} \hline \(d(\nearrow)\) & \(A\) & \(B\) & \(C\) & \(D\) \\ \hline \(A\) & 0 & ? & ? & ? \\ \hline B & 2 & ? & 5 & ? \\ \hline C & ? & ? & ? & ? \\ \hline D & ? & ? & ? & ? \\ \hline \end{tabular}</td><td><table><tr><td>$d(\nearrow)$</td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>A</td><td>0</td><td>?</td><td>?</td><td>?</td></tr><tr><td>B</td><td>2</td><td>?</td><td>5</td><td>?</td></tr><tr><td>C</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>D</td><td>?</td><td>?</td><td>?</td><td>?</td></tr></table></td><td><table><tr><td>$d(\nearrow)$</td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>A</td><td>0</td><td>?</td><td>?</td><td>?</td></tr><tr><td>B</td><td>2</td><td>?</td><td>5</td><td>?</td></tr><tr><td>C</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>D</td><td>?</td><td>?</td><td>?</td><td>?</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_009</td><td>76</td><td>0.600</td><td>\begin{tabular}[t]{|l|l|l|l|l|l|} \hline \multirow{2}{*}{} & ↗ & \(A\) & \(B\) & C & D \\ \hline & \(A\) & 0 & ? & ? & ? \\ \hline \(M_{X}=\) & B & 2 & 0 & \(\infty\) & ? \\ \hline & C & ? & ? & ? & ? \\ \hline & D & ? & ? & ? & ? \\ \hline \end{tabular}</td><td>(not rendered)</td><td>$M_X =$ <table><tr><td>$\nearrow$</td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>A</td><td>0</td><td>?</td><td>?</td><td>?</td></tr><tr><td>B</td><td>2</td><td>0</td><td>∞</td><td>?</td></tr><tr><td>C</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>D</td><td>?</td><td>?</td><td>?</td><td>?</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_010</td><td>81</td><td>0.535</td><td>\begin{tabular}[t]{|l|l|l|l|} \hline X & \(A\) & \(B\) & \(C\) \\ \hline \(A\) & 0 & 2 & 5 \\ \hline B & \(\infty\) & 0 & 3 \\ \hline C & \(\infty\) & \(\infty\) & 0 \\ \hline \end{tabular}</td><td><table><tr><td>X</td><td>A</td><td>B</td><td>C</td></tr><tr><td>A</td><td>0</td><td>2</td><td>5</td></tr><tr><td>B</td><td>∞</td><td>0</td><td>3</td></tr><tr><td>C</td><td>∞</td><td>∞</td><td>0</td></tr></table></td><td><table><tr><td>$\mathcal{X}$</td><td>A</td><td>B</td><td>C</td></tr><tr><td>A</td><td>0</td><td>2</td><td>5</td></tr><tr><td>B</td><td>∞</td><td>0</td><td>3</td></tr><tr><td>C</td><td>∞</td><td>∞</td><td>0</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_011</td><td>81</td><td>0.910</td><td>\begin{tabular}[t]{|l|l|l|} \hline y & \(p\) & \(q\) \\ \hline \(p\) & 0 & 5 \\ \hline \(q\) & 8 & 0 \\ \hline \end{tabular}</td><td><table><tr><td>y</td><td>p</td><td>q</td></tr><tr><td>p</td><td>0</td><td>5</td></tr><tr><td>q</td><td>8</td><td>0</td></tr></table></td><td><table><tr><td>$\mathcal{Y}$</td><td>p</td><td>q</td></tr><tr><td>p</td><td>0</td><td>5</td></tr><tr><td>q</td><td>8</td><td>0</td></tr></table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_ TAB_012</td><td>81</td><td>0.647</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|l|l|} \hline \(x \times y\) & \((A, p)\) & (\(B, p\)) & (\(C, p\)) & \((A, q)\) & \((B, q)\) & \((C, q)\) \\ \hline (\(A, p\)) & 0 & 2 & 5 & 5 & 7 & 10 \\ \hline \((B, p)\) & \(\infty\) & 0 & 3 & \(\infty\) & 5 & 8 \\ \hline \((C, p)\) & \(\infty\) & \(\infty\) & 0 & \(\infty\) & \(\infty\) & 5 \\ \hline \((A, q)\) & 8 & 10 & 13 & 0 & 2 & 5 \\ \hline \((B, q)\) & \(\infty\) & 8 & 11 & \(\infty\) & 0 & 3 \\ \hline \((C, q)\) & \(\infty\) & \(\infty\) & 8 & \(\infty\) & \(\infty\) & 0 \\ \hline \end{tabular}</code></td><td>$\begin{array}{|l|l|l|l|l|l|l|} \hline x \times y & (A,p) & (\,B,p\,) & (\,C,p\,) & (A,q) & (B,q) & (C,q) \\ \hline (\,A,p\,) & 0 & 2 & 5 & 5 & 7 & 10 \\ \hline (B,p) & \infty & 0 & 3 & \infty & 5 & 8 \\ \hline (C,p) & \infty & \infty & 0 & \infty & \infty & 5 \\ \hline (A,q) & 8 & 10 & 13 & 0 & 2 & 5 \\ \hline (B,q) & \infty & 8 & 11 & \infty & 0 & 3 \\ \hline (C,q) & \infty & \infty & 8 & \infty & \infty & 0 \\ \hline \end{array}$</td><td>$\begin{array}{c||ccc|ccc} \mathcal{X} \times \mathcal{Y} & (A,p) & (B,p) & (C,p) & (A,q) & (B,q) & (C,q) \\ \hline (A,p) & 0 & 2 & 5 & 5 & 7 & 10 \\ (B,p) & \infty & 0 & 3 & \infty & 5 & 8 \\ (C,p) & \infty & \infty & 0 & \infty & \infty & 5 \\ \hline (A,q) & 8 & 10 & 13 & 0 & 2 & 5 \\ (B,q) & \infty & 8 & 11 & \infty & 0 & 3 \\ (C,q) & \infty & \infty & 8 & \infty & \infty & 0 \end{array}$</td></tr>
<tr><td>fong-spivak-invitation_ TAB_013</td><td>88</td><td>0.935</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline \(M_{Y}\) & \(x\) & \(y\) & \(z\) \\ \hline \(x\) & 0 & 4 & 3 \\ \hline \(y\) & 3 & 0 & \(\infty\) \\ \hline \(z\) & \(\infty\) & 4 & 0 \\ \hline \end{tabular}</code></td><td>$\begin{array}{|l|l|l|l|} \hline M_Y & x & y & z \\ \hline x & 0 & 4 & 3 \\ \hline y & 3 & 0 & \infty \\ \hline z & \infty & 4 & 0 \\ \hline \end{array}$</td><td>$\begin{array}{c|ccc} M_Y & x & y & z \\ \hline x & 0 & 4 & 3 \\ y & 3 & 0 & \infty \\ z & \infty & 4 & 0 \end{array}$</td></tr>
<tr><td>fong-spivak-invitation_ TAB_014</td><td>88</td><td>0.860</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline \(d_{Y}\) & \(x\) & \(y\) & \(z\) \\ \hline \(x\) & 0 & 4 & 3 \\ \hline \(y\) & 3 & 0 & 6 \\ \hline \(z\) & 7 & 4 & 0 \\ \hline \end{tabular}</code></td><td>$\begin{array}{|l|l|l|l|} \hline d_Y & x & y & z \\ \hline x & 0 & 4 & 3 \\ \hline y & 3 & 0 & 6 \\ \hline z & 7 & 4 & 0 \\ \hline \end{array}$</td><td>$\begin{array}{c|ccc} d_Y & x & y & z \\ \hline x & 0 & 4 & 3 \\ y & 3 & 0 & 6 \\ z & 7 & 4 & 0 \end{array}$</td></tr>
<tr><td>fong-spivak-invitation_ TAB_015</td><td>88</td><td>0.833</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|} \hline \multirow{4}{*}{ \(M_{Y}^{2}=\)} & ↗ & \(X\) & \(y\) & \(z\) \\ \hline & \(x\) & 0 & 4 & 3 \\ \hline & y & 3 & 0 & 6 \\ \hline & z & 7 & 4 & 0 \\ \hline \end{tabular}</code></td><td>(not rendered)</td><td>$M_Y^2 = \begin{array}{c|ccc} \nearrow & x & y & z \\ \hline x & 0 & 4 & 3 \\ y & 3 & 0 & 6 \\ z & 7 & 4 & 0 \end{array}$</td></tr>
<tr><td>fong-spivak-invitation_ TAB_016</td><td>88</td><td>0.509</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|} \hline \multirow{4}{*}{ \(M_{Y}^{3}=\)} & ↗ & \(X\) & \(y\) & z \\ \hline & \(x\) & 0 & 4 & 3 \\ \hline & y & 3 & 0 & 6 \\ \hline & z & 7 & 4 & 0 \\ \hline \end{tabular}</code></td><td>(not rendered)</td><td>$M_Y^3 = \begin{array}{c|ccc} \nearrow & x & y & z \\ \hline x & 0 & 4 & 3 \\ y & 3 & 0 & 6 \\ z & 7 & 4 & 0 \end{array}$</td></tr>
<tr><td>fong-spivak-invitation_ TAB_017</td><td>91</td><td>1.000</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline Employee & FName & WorksIn & Mngr \\ \hline 1 & Alan & 101 & 2 \\ \hline 2 & Ruth & 101 & 2 \\ \hline 3 & Kris & 102 & 3 \\ \hline \end{tabular}</code></td><td>$\begin{array}{|l|l|l|l|} \hline \text{Employee} & \text{FName} & \text{WorksIn} & \text{Mngr} \\ \hline 1 & \text{Alan} & 101 & 2 \\ \hline 2 & \text{Ruth} & 101 & 2 \\ \hline 3 & \text{Kris} & 102 & 3 \\ \hline \end{array}$</td><td>$\begin{array}{c|ccc} \textbf{Employee} & \textbf{FName} & \textbf{WorksIn} & \textbf{Mngr} \\ \hline 1 & \text{Alan} & 101 & 2 \\ 2 & \text{Ruth} & 101 & 2 \\ 3 & \text{Kris} & 102 & 3 \end{array}$</td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_018</td><td>91</td><td>1.000</td><td>\begin{tabular}[t]{|l|l|l|} \hline Department & DName & Secr \\ \hline 101 & Sales & 1 \\ \hline 102 & IT & 3 \\ \hline \end{tabular}</td><td>Department DName Secr
101 Sales 1
102 IT 3</td><td>Department DName Secr
101 Sales 1
102 IT 3</td></tr>
<tr><td>fong-spivak-invitation_TAB_019</td><td>104</td><td>1.000</td><td>\begin{tabular}[t]{|l|l|l|} \hline Planet of Sol & Prime number & Flying pig \\ \hline Mercury & 2 & \\ \hline Venus & 3 & \\ \hline Earth & 5 & \\ \hline Mars & 7 & \\ \hline Jupiter & 11 & \\ \hline Saturn & 13 & \\ \hline Uranus & 17 & \\ \hline Neptune & [U+22EE] & \\ \hline \end{tabular}</td><td>Planet of Sol Prime number Flying pig
Mercury 2
Venus 3
Earth 5
Mars 7
Jupiter 11
Saturn 13
Uranus 17
Neptune [U+22EE]</td><td>Planet of Sol Prime number Flying pig
Mercury 2
Venus 3
Earth 5
Mars 7
Jupiter 11
Saturn 13
Uranus 17
Neptune ⋮</td></tr>
<tr><td>fong-spivak-invitation_TAB_020</td><td>104</td><td>1.000</td><td>\begin{tabular}[t]{|l|l|} \hline Beatle & Played \\ \hline George & lead guitar \\ \hline John & rhythm guitar \\ \hline Paul & bass guitar \\ \hline Ringo & drums \\ \hline \end{tabular}</td><td>Beatle Played
George lead guitar
John rhythm guitar
Paul bass guitar
Ringo drums</td><td>Beatle Played
George lead guitar
John rhythm guitar
Paul bass guitar
Ringo drums</td></tr>
<tr><td>fong-spivak-invitation_TAB_021</td><td>105</td><td>1.000</td><td>\begin{tabular}[t]{|l|l|} \hline Beatle & Played \\ \hline George & lead guitar \\ \hline John & rhythm guitar \\ \hline Paul & bass guitar \\ \hline Ringo & drums \\ \hline \end{tabular}</td><td>Beatle Played
George lead guitar
John rhythm guitar
Paul bass guitar
Ringo drums</td><td>Beatle Played
George lead guitar
John rhythm guitar
Paul bass guitar
Ringo drums</td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_022</td><td>105</td><td>1.000</td><td>\begin{tabular}[t]{|l|} \hline Rock-and-roll instrument \\ \hline bass guitar \\ \hline drums \\ \hline keyboard \\ \hline lead guitar \\ \hline rhythm guitar \\ \hline \end{tabular}</td><td><table><tr><td>Rock-and-roll instrument</td></tr><tr><td>bass guitar</td></tr><tr><td>drums</td></tr><tr><td>keyboard</td></tr><tr><td>lead guitar</td></tr><tr><td>rhythm guitar</td></tr></table></td><td><table><tr><th>Rock-and-roll instrument</th></tr><tr><td>bass guitar</td></tr><tr><td>drums</td></tr><tr><td>keyboard</td></tr><tr><td>lead guitar</td></tr><tr><td>rhythm guitar</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_023</td><td>109</td><td>1.000</td><td>\begin{tabular}[t]{|l|l|} \hline \(\mathbb{N}_{\geq 2}\) & Smallest prime factor \\ \hline 2 & 2 \\ \hline 3 & 3 \\ \hline 4 & 2 \\ \hline [U+22EE] & [U+22EE] \\ \hline 49 & 7 \\ \hline 50 & 2 \\ \hline 51 & 3 \\ \hline [U+22EE] & [U+22EE] \\ \hline \end{tabular}</td><td><table><tr><td>$\mathbb{N}_{\geq 2}$</td><td>Smallest prime factor</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr><tr><td>4</td><td>2</td></tr><tr><td>[U+22EE]</td><td>[U+22EE]</td></tr><tr><td>49</td><td>7</td></tr><tr><td>50</td><td>2</td></tr><tr><td>51</td><td>3</td></tr><tr><td>[U+22EE]</td><td>[U+22EE]</td></tr></table></td><td><table><tr><th>$\mathbb{N}_{\geq 2}$</th><th>Smallest prime factor</th></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr><tr><td>4</td><td>2</td></tr><tr><td>⋮</td><td>⋮</td></tr><tr><td>49</td><td>7</td></tr><tr><td>50</td><td>2</td></tr><tr><td>51</td><td>3</td></tr><tr><td>⋮</td><td>⋮</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_024</td><td>113</td><td>0.803</td><td>\begin{tabular}[t]{|l|l|l|l|} \hline Arrow & source & target & Vertex \\ \hline \(a\) & 1 & 2 & 1 \\ \hline \(b\) & 1 & 3 & 2 \\ \hline c & 1 & 3 & 3 \\ \hline \(d\) & 2 & 2 & 4 \\ \hline \(e\) & 2 & 3 & \\ \hline \end{tabular}</td><td><table><tr><td>Arrow</td><td>source</td><td>target</td><td>Vertex</td></tr><tr><td>a</td><td>1</td><td>2</td><td>1</td></tr><tr><td>b</td><td>1</td><td>3</td><td>2</td></tr><tr><td>c</td><td>1</td><td>3</td><td>3</td></tr><tr><td>d</td><td>2</td><td>2</td><td>4</td></tr><tr><td>e</td><td>2</td><td>3</td><td></td></tr></table></td><td><table><tr><th>Arrow</th><th>source</th><th>target</th></tr><tr><td>a</td><td>1</td><td>2</td></tr><tr><td>b</td><td>1</td><td>3</td></tr><tr><td>c</td><td>1</td><td>3</td></tr><tr><td>d</td><td>2</td><td>2</td></tr><tr><td>e</td><td>2</td><td>3</td></tr></table><table><tr><th>Vertex</th></tr><tr><td>1</td></tr><tr><td>2</td></tr><tr><td>3</td></tr><tr><td>4</td></tr></table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_025</td><td>115</td><td>■1.000</td><td><code>\begin{tabular}[t]{|l|l|} \hline State & next \\ \hline 1 & 4 \\ \hline 2 & 4 \\ \hline 3 & 5 \\ \hline 4 & 5 \\ \hline 5 & 5 \\ \hline 6 & 7 \\ \hline 7 & 6 \\ \hline \end{tabular}</code></td><td><table><tr><th>State</th><th>next</th></tr><tr><td>1</td><td>4</td></tr><tr><td>2</td><td>4</td></tr><tr><td>3</td><td>5</td></tr><tr><td>4</td><td>5</td></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>7</td></tr><tr><td>7</td><td>6</td></tr></table></td><td><table><tr><th>State</th><th>next</th></tr><tr><td>1</td><td>4</td></tr><tr><td>2</td><td>4</td></tr><tr><td>3</td><td>5</td></tr><tr><td>4</td><td>5</td></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>7</td></tr><tr><td>7</td><td>6</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_026</td><td>116</td><td>■1.000</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline Arrow & source & target & Vertex \\ \hline 1 & 1 & 4 & 1 \\ \hline 2 & 2 & 4 & 2 \\ \hline 3 & 3 & 5 & 3 \\ \hline 4 & 4 & 5 & 4 \\ \hline 5 & 5 & 5 & 5 \\ \hline 6 & 6 & 7 & 6 \\ \hline 7 & 7 & 6 & 7 \\ \hline \end{tabular}</code></td><td><table><tr><th>Arrow</th><th>source</th><th>target</th><th>Vertex</th></tr><tr><td>1</td><td>1</td><td>4</td><td>1</td></tr><tr><td>2</td><td>2</td><td>4</td><td>2</td></tr><tr><td>3</td><td>3</td><td>5</td><td>3</td></tr><tr><td>4</td><td>4</td><td>5</td><td>4</td></tr><tr><td>5</td><td>5</td><td>5</td><td>5</td></tr><tr><td>6</td><td>6</td><td>7</td><td>6</td></tr><tr><td>7</td><td>7</td><td>6</td><td>7</td></tr></table></td><td><table><tr><th>Arrow</th><th>source</th><th>target</th></tr><tr><td>1</td><td>1</td><td>4</td></tr><tr><td>2</td><td>2</td><td>4</td></tr><tr><td>3</td><td>3</td><td>5</td></tr><tr><td>4</td><td>4</td><td>5</td></tr><tr><td>5</td><td>5</td><td>5</td></tr><tr><td>6</td><td>6</td><td>7</td></tr><tr><td>7</td><td>7</td><td>6</td></tr></table><table><tr><th>Vertex</th></tr><tr><td>1</td></tr><tr><td>2</td></tr><tr><td>3</td></tr><tr><td>4</td></tr><tr><td>5</td></tr><tr><td>6</td></tr><tr><td>7</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_027</td><td>120</td><td>■0.956</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline Migration functor & pronounced & reminiscent of & database idea \\ \hline \(\Delta\) & delta & duplicate or destroy & duplicate or destroy tables or columns \\ \hline \(\Sigma\) & sigma & sum & union (sum up) data \\ \hline \(\Pi\) & pi & product & pair \({ }^{9}\) and query data \\ \hline \end{tabular}</code></td><td><table><tr><th>Migration functor</th><th>pronounced</th><th>reminiscent of</th><th>database idea</th></tr><tr><td>Δ</td><td>delta</td><td>duplicate or destroy</td><td>duplicate or destroy tables or columns</td></tr><tr><td>Σ</td><td>sigma</td><td>sum</td><td>union (sum up) data</td></tr><tr><td>Π</td><td>pi</td><td>product</td><td>pair [9] and query data</td></tr></table></td><td><table><tr><th>Migration functor</th><th>pronounced</th><th>reminiscent of</th><th>database idea</th></tr><tr><td>Δ</td><td>delta</td><td>duplicate or destroy</td><td>duplicate or destroy tables or columns</td></tr><tr><td>Σ</td><td>sigma</td><td>sum</td><td>union (sum up) data</td></tr><tr><td>Π</td><td>pi</td><td>product</td><td>pair[9] and query data</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_028</td><td>121</td><td>■1.000</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline Email & sent_by & received_by & Address \\ \hline Em_1 & Bob & Grace & Bob \\ \hline Em_2 & Grace & Pat & Doug \\ \hline Em_3 & Bob & Emmy & Emmy \\ \hline Em_4 & Sue & Doug & Grace \\ \hline Em_5 & Doug & Sue & Pat \\ \hline Em_6 & Bob & Bob & Sue \\ \hline \end{tabular}</code></td><td>(not rendered)</td><td><table><tr><th>Email</th><th>sent_by</th><th>received_by</th></tr><tr><td>Em_1</td><td>Bob</td><td>Grace</td></tr><tr><td>Em_2</td><td>Grace</td><td>Pat</td></tr><tr><td>Em_3</td><td>Bob</td><td>Emmy</td></tr><tr><td>Em_4</td><td>Sue</td><td>Doug</td></tr><tr><td>Em_5</td><td>Doug</td><td>Sue</td></tr><tr><td>Em_6</td><td>Bob</td><td>Bob</td></tr></table><table><tr><th>Address</th></tr><tr><td>Bob</td></tr><tr><td>Doug</td></tr><tr><td>Emmy</td></tr><tr><td>Grace</td></tr><tr><td>Pat</td></tr><tr><td>Sue</td></tr></table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_029</td><td>133</td><td>1.000</td><td>\begin{tabular}[t]{|l|l|} \hline Bool-category & preorder \\ \hline Bool-functor & monotone map \\ \hline Bool-profunctor & feasibility relation \\ \hline \end{tabular}</td><td><table><tr><td>Bool-category</td><td>preorder</td></tr><tr><td>Bool-functor</td><td>monotone map</td></tr><tr><td>Bool-profunctor</td><td>feasibility relation</td></tr></table></td><td><table><tr><td>Bool-category</td><td>preorder</td></tr><tr><td>Bool-functor</td><td>monotone map</td></tr><tr><td>Bool-profunctor</td><td>feasibility relation</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_030</td><td>134</td><td>1.000</td><td>\begin{tabular}[t]{|l|l|l|} \hline \(c\) & \(d\) & \(c \Rightarrow d\) \\ \hline true & true & true \\ \hline true & false & false \\ \hline false & true & true \\ \hline false & false & true \\ \hline \end{tabular}</td><td><table><tr><th>c</th><th>d</th><th>$c \Rightarrow d$</th></tr><tr><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>false</td></tr><tr><td>false</td><td>true</td><td>true</td></tr><tr><td>false</td><td>false</td><td>true</td></tr></table></td><td><table><tr><th>c</th><th>d</th><th>$c \Rightarrow d$</th></tr><tr><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>false</td></tr><tr><td>false</td><td>true</td><td>true</td></tr><tr><td>false</td><td>false</td><td>true</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_031</td><td>136</td><td>0.829</td><td>\begin{tabular}[t]{|l|l|l|l|l|l|} \hline \(\Phi\) & \(a\) & \(b\) & \(c\) & \(d\) & \(e\) \\ \hline \(N\) & ? & ? & ? & ? & true \\ \hline E & true & ? & ? & ? & ? \\ \hline W & ? & ? & ? & false & ? \\ \hline \(S\) & ? & ? & ? & ? & ? \\ \hline \end{tabular}</td><td><table><tr><th>Φ</th><th>a</th><th>b</th><th>c</th><th>d</th><th>e</th></tr><tr><td>N</td><td>?</td><td>?</td><td>?</td><td>?</td><td>true</td></tr><tr><td>E</td><td>true</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>W</td><td>?</td><td>?</td><td>?</td><td>false</td><td>?</td></tr><tr><td>S</td><td>?</td><td>?</td><td>?</td><td>?</td><td>?</td></tr></table></td><td><table><tr><th>Φ</th><th>a</th><th>b</th><th>c</th><th>d</th><th>e</th></tr><tr><td>N</td><td>?</td><td>?</td><td>?</td><td>?</td><td>true</td></tr><tr><td>E</td><td>true</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>W</td><td>?</td><td>?</td><td>?</td><td>false</td><td>?</td></tr><tr><td>S</td><td>?</td><td>?</td><td>?</td><td>?</td><td>?</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_032</td><td>137</td><td>0.747</td><td>\begin{tabular}[t]{|l|l|l|l|} \hline \(\Phi\) & \(x\) & \(y\) & \(z\) \\ \hline \(A\) & ? & ? & 20 \\ \hline B & 11 & ? & ? \\ \hline C & ? & 17 & ? \\ \hline D & ? & ? & ? \\ \hline \end{tabular}</td><td><table><tr><th>Φ</th><th>x</th><th>y</th><th>z</th></tr><tr><td>A</td><td>?</td><td>?</td><td>20</td></tr><tr><td>B</td><td>11</td><td>?</td><td>?</td></tr><tr><td>C</td><td>?</td><td>17</td><td>?</td></tr><tr><td>D</td><td>?</td><td>?</td><td>?</td></tr></table></td><td><table><tr><th>Φ</th><th>x</th><th>y</th><th>z</th></tr><tr><td>A</td><td>?</td><td>?</td><td>20</td></tr><tr><td>B</td><td>11</td><td>?</td><td>?</td></tr><tr><td>C</td><td>?</td><td>17</td><td>?</td></tr><tr><td>D</td><td>?</td><td>?</td><td>?</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_033</td><td>137</td><td>0.508</td><td>\begin{tabular}[t]{|l|l|l|l|l|} \hline \(M_{X}\) & \(A\) & \(B\) & C & D \\ \hline \(A\) & 0 & \(\infty\) & 3 & \(\infty\) \\ \hline B & 2 & 0 & \(\infty\) & 5 \\ \hline C & \(\infty\) & 3 & 0 & \(\infty\) \\ \hline D & \(\infty\) & \(\infty\) & 4 & 0 \\ \hline \end{tabular}</td><td><table><tr><th>M_X</th><th>A</th><th>B</th><th>C</th><th>D</th></tr><tr><td>A</td><td>0</td><td>∞</td><td>3</td><td>∞</td></tr><tr><td>B</td><td>2</td><td>0</td><td>∞</td><td>5</td></tr><tr><td>C</td><td>∞</td><td>3</td><td>0</td><td>∞</td></tr><tr><td>D</td><td>∞</td><td>∞</td><td>4</td><td>0</td></tr></table></td><td><table><tr><th>M_X</th><th>A</th><th>B</th><th>C</th><th>D</th></tr><tr><td>A</td><td>0</td><td>∞</td><td>3</td><td>∞</td></tr><tr><td>B</td><td>2</td><td>0</td><td>∞</td><td>5</td></tr><tr><td>C</td><td>∞</td><td>3</td><td>0</td><td>∞</td></tr><tr><td>D</td><td>∞</td><td>∞</td><td>4</td><td>0</td></tr></table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_034</td><td>137</td><td>0.558</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline \(M_{\Phi}\) & \(x \) & \(y\) & z \\ \hline \(A\) & \(\infty\) & \(\infty \) & \(\infty\) \\ \hline \(B\) & 11 & \(\infty\) & \(\infty\) \\ \hline C & \(\infty\) & \(\infty\) & \(\infty \) \\ \hline D & \(\infty\) & 9 & \(\infty\) \\ \hline \end{tabular}</code></td><td><table><tr><td>M_{Φ}</td><td>x</td><td>y</td><td>z</td></tr><tr><td>A</td><td>∞</td><td>∞</td><td>∞</td></tr><tr><td>B</td><td>11</td><td>∞</td><td>∞</td></tr><tr><td>C</td><td>∞</td><td>∞</td><td>∞</td></tr><tr><td>D</td><td>∞</td><td>9</td><td>∞</td></tr></table></td><td><table><tr><td>M_{Φ}</td><td>x</td><td>y</td><td>z</td></tr><tr><td>A</td><td>∞</td><td>∞</td><td>∞</td></tr><tr><td>B</td><td>11</td><td>∞</td><td>∞</td></tr><tr><td>C</td><td>∞</td><td>∞</td><td>∞</td></tr><tr><td>D</td><td>∞</td><td>9</td><td>∞</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_035</td><td>137</td><td>0.626</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline \(M_{Y}\) & \(x\) & \(y\) & \(z\) \\ \hline \(x\) & 0 & 4 & 3 \\ \hline y & 3 & 0 & \(\infty\) \\ \hline z & \(\infty\) & 4 & 0 \\ \hline \end{tabular}</code></td><td><table><tr><td>M_Y</td><td>x</td><td>y</td><td>z</td></tr><tr><td>x</td><td>0</td><td>4</td><td>3</td></tr><tr><td>y</td><td>3</td><td>0</td><td>∞</td></tr><tr><td>z</td><td>∞</td><td>4</td><td>0</td></tr></table></td><td><table><tr><td>M_Y</td><td>x</td><td>y</td><td>z</td></tr><tr><td>x</td><td>0</td><td>4</td><td>3</td></tr><tr><td>y</td><td>3</td><td>0</td><td>∞</td></tr><tr><td>z</td><td>∞</td><td>4</td><td>0</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_036</td><td>140</td><td>0.738</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|l|} \hline \(\Phi\) & \(a \) & \(b\) & \(c\) & \(d\) & \(e\) \\ \hline \(N\) & true & false & true & false & false \\ \hline \(E\) & true & false & true & false & true \\ \hline W & true & true & true & true & false \\ \hline \(S\) & true & true & true & true & true \\ \hline \end{tabular}</code></td><td><table><tr><td>Φ</td><td>a</td><td>b</td><td>c</td><td>d</td><td>e</td></tr><tr><td>N</td><td>true</td><td>false</td><td>true</td><td>false</td><td>false</td></tr><tr><td>E</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>W</td><td>true</td><td>true</td><td>true</td><td>true</td><td>false</td></tr><tr><td>S</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr></table></td><td><table><tr><td>Φ</td><td>a</td><td>b</td><td>c</td><td>d</td><td>e</td></tr><tr><td>N</td><td>true</td><td>false</td><td>true</td><td>false</td><td>false</td></tr><tr><td>E</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>W</td><td>true</td><td>true</td><td>true</td><td>true</td><td>false</td></tr><tr><td>S</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_037</td><td>140</td><td>0.600</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline \(\Psi\) & \(x\) & \(y\) \\ \hline \(a\) & false & true \\ \hline \(b\) & true & true \\ \hline \(c\) & false & true \\ \hline d & true & true \\ \hline \(e\) & false & false \\ \hline \end{tabular}</code></td><td><table><tr><td>Ψ</td><td>x</td><td>y</td></tr><tr><td>a</td><td>false</td><td>true</td></tr><tr><td>b</td><td>true</td><td>true</td></tr><tr><td>c</td><td>false</td><td>true</td></tr><tr><td>d</td><td>true</td><td>true</td></tr><tr><td>e</td><td>false</td><td>false</td></tr></table></td><td><table><tr><td>Ψ</td><td>x</td><td>y</td></tr><tr><td>a</td><td>false</td><td>true</td></tr><tr><td>b</td><td>true</td><td>true</td></tr><tr><td>c</td><td>false</td><td>true</td></tr><tr><td>d</td><td>true</td><td>true</td></tr><tr><td>e</td><td>false</td><td>false</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_038</td><td>140</td><td>0.568</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline \(\Phi{ }_{9}^{\circ} \Psi\) & \(x\) & \(y\) \\ \hline \(N\) & false & true \\ \hline E & false & true \\ \hline W & true & true \\ \hline S & true & true \\ \hline \end{tabular}</code></td><td><table><tr><td>$\Phi{ }_{9}^{\circ}\Psi$</td><td>x</td><td>y</td></tr><tr><td>N</td><td>false</td><td>true</td></tr><tr><td>E</td><td>false</td><td>true</td></tr><tr><td>W</td><td>true</td><td>true</td></tr><tr><td>S</td><td>true</td><td>true</td></tr></table></td><td><table><tr><td>$\Phi \fatsemi \Psi$</td><td>x</td><td>y</td></tr><tr><td>N</td><td>false</td><td>true</td></tr><tr><td>E</td><td>false</td><td>true</td></tr><tr><td>W</td><td>true</td><td>true</td></tr><tr><td>S</td><td>true</td><td>true</td></tr></table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_
TAB_039</td><td>141</td><td>■0.618</td><td>\begin{tabular}[t]{|l|l|l|l|l|} \hline \(\Phi{ }_{9}^{ \circ} \Psi\) & \(p\) & \(q\) & \(r\) & \(s\) \\ \hline \(A\) & ? & 24 & ? & ? \\ \hline B & ? & ? & ? & ? \\ \hline C & ? & ? & ? & ? \\ \hline D & ? & ? & 9 & ? \\ \hline \end{tabular}</td><td></td><td></td></tr>
<tr><td>fong-spivak-invitation_
TAB_040</td><td>146</td><td>■0.706</td><td>\begin{tabular}[t]{|l|l|l|l|l|l|l|l|l|l|} \hline X & \(A\) & \(B\) & \(\Phi\) & \(\chi\) & \(y\) & \(y\) & \(\chi\) & \(y\) \\ \hline \(A\) & 0 & 2 & \(A\) & 5 & 8 & \(x\) & 0 & 3 \\ \hline B & \(\infty\) & 0 & B & \(\infty\) & \(\infty\) & \(y\) & 4 & 0 \\ \hline \end{tabular}</td><td></td><td></td></tr>
<tr><td>fong-spivak-invitation_
TAB_041</td><td>146</td><td>■0.848</td><td>\begin{tabular}[t]{|l|l|l|l|l|} \hline \(\operatorname{Col}(\Phi)\) & \(A\) & \(B\) & \(x\) & \(y\) \\ \hline \(A\) & 0 & 2 & 5 & 8 \\ \hline \(B\) & \(\infty\) & 0 & \(\infty\) & \(\infty\) \\ \hline \(x\) & 0 & 0 & 0 & 3 \\ \hline \(y\) & 0 & 0 & 4 & 0 \\ \hline \end{tabular}</td><td></td><td></td></tr>
<tr><td>fong-spivak-invitation_
TAB_042</td><td>179</td><td>■0.620</td><td>\begin{tabular}[t]{|l|l|l|l|l|} \hline & \(a\) & \(b\) & & \\ \hline \(x\) & 15 & 3 & \(\left(\begin{array}{c}15 \\ 0\end{array}\right.\) & 21) \\ \hline \(y\) & 0 & 21 & & \\ \hline \end{tabular}</td><td></td><td></td></tr>
<tr><td>fong-spivak-invitation_
TAB_043</td><td>179</td><td>■0.615</td><td>\begin{tabular}[t]{|l|l|l|l|} \hline Generator & Icon & Matrix & Arity \\ \hline amplify by \(a \in R\) & - \(a \) - & (a) & \(1 \rightarrow 1\) \\ \hline add & D- & \(\binom{1}{1}\) & \(2 \rightarrow 1\) \\ \hline zero & ○- & () & \(0 \rightarrow 1\) \\ \hline copy & - C & \(\left(\begin{array}{ll}1 & 1\end{array}\right)\) & \(1 \rightarrow 2\) \\ \hline discard & → & () & \(1 \rightarrow 0\) \\ \hline \end{tabular}</td><td></td><td></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_ TAB_044</td><td>242</td><td>0.665</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline \(P\) & \(Q\) & \(\ulcorner(\) true, true \()\urcorner(P, Q)\) \\ \hline true & true & true \\ \hline true & false & false \\ \hline false & true & false \\ \hline false & false & false \\ \hline \end{tabular}</code></td><td><table><tr><td>P</td><td>Q</td><td>$\ulcorner($ true, true $)\urcorner(P, Q)$</td></tr><tr><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>false</td></tr><tr><td>false</td><td>true</td><td>false</td></tr><tr><td>false</td><td>false</td><td>false</td></tr></table></td><td><table><tr><td>P</td><td>Q</td><td>$\ulcorner(\texttt{true}, \texttt{true})\urcorner(P, Q)$</td></tr><tr><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>false</td></tr><tr><td>false</td><td>true</td><td>false</td></tr><tr><td>false</td><td>false</td><td>false</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_ TAB_045</td><td>242</td><td>1.000</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline \(P\) & \(Q\) & \(P \vee Q\) \\ \hline true & true & true \\ \hline true & false & true \\ \hline false & true & true \\ \hline false & false & false \\ \hline \end{tabular}</code></td><td><table><tr><td>P</td><td>Q</td><td>$P \vee Q$</td></tr><tr><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>true</td></tr><tr><td>false</td><td>true</td><td>true</td></tr><tr><td>false</td><td>false</td><td>false</td></tr></table></td><td><table><tr><td>P</td><td>Q</td><td>$P \vee Q$</td></tr><tr><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>true</td></tr><tr><td>false</td><td>true</td><td>true</td></tr><tr><td>false</td><td>false</td><td>false</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_ TAB_046</td><td>243</td><td>1.000</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline \(P\) & \(Q\) & \(P \wedge Q\) & \(P=(P \wedge Q)\) \\ \hline true & true & ? & ? \\ \hline true & false & ? & ? \\ \hline false & true & ? & ? \\ \hline false & false & ? & ? \\ \hline \end{tabular}</code></td><td><table><tr><td>P</td><td>Q</td><td>$P \wedge Q$</td><td>$P = (P \wedge Q)$</td></tr><tr><td>true</td><td>true</td><td>?</td><td>?</td></tr><tr><td>true</td><td>false</td><td>?</td><td>?</td></tr><tr><td>false</td><td>true</td><td>?</td><td>?</td></tr><tr><td>false</td><td>false</td><td>?</td><td>?</td></tr></table></td><td><table><tr><td>P</td><td>Q</td><td>$P \wedge Q$</td><td>$P = (P \wedge Q)$</td></tr><tr><td>true</td><td>true</td><td>?</td><td>?</td></tr><tr><td>true</td><td>false</td><td>?</td><td>?</td></tr><tr><td>false</td><td>true</td><td>?</td><td>?</td></tr><tr><td>false</td><td>false</td><td>?</td><td>?</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_ TAB_047</td><td>273</td><td>0.919</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline Arrow \(a\) & Source \(s(a) \in V\) & Target \(t(a) \in V\) \\ \hline \(a\) & 1 & 2 \\ \hline \(b\) & 1 & 3 \\ \hline \(c\) & 1 & 3 \\ \hline d & 2 & 2 \\ \hline \(e\) & 2 & 3 \\ \hline \end{tabular}</code></td><td><table><tr><td>Arrow a</td><td>Source $s(a) \in V$</td><td>Target $t(a) \in V$</td></tr><tr><td>a</td><td>1</td><td>2</td></tr><tr><td>b</td><td>1</td><td>3</td></tr><tr><td>c</td><td>1</td><td>3</td></tr><tr><td>d</td><td>2</td><td>2</td></tr><tr><td>e</td><td>2</td><td>3</td></tr></table></td><td><table><tr><td>Arrow a</td><td>Source $s(a) \in V$</td><td>Target $t(a) \in V$</td></tr><tr><td>a</td><td>1</td><td>2</td></tr><tr><td>b</td><td>1</td><td>3</td></tr><tr><td>c</td><td>1</td><td>3</td></tr><tr><td>d</td><td>2</td><td>2</td></tr><tr><td>e</td><td>2</td><td>3</td></tr></table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_048</td><td>280</td><td>■ 0.937</td><td>\begin{tabular}[t]{|l|l|l|l|l|l|l|} \hline \(p\) & \(q\) & \(f(p)\) & \(g(q)\) & \(f(p) \leq ? \quad q\) & \(p \leq ? g(q)\) & Same? \\ \hline 1 & 1 & 1 & 1 & yes & yes & yes! \\ \hline 1 & 2 & 1 & 2 & no & no & yes! \\ \hline 1 & 4 & 1 & 4 & yes & yes & yes! \\ \hline 2 & 1 & 2 & 1 & no & no & yes! \\ \hline 2 & 2 & 2 & 2 & yes & yes & yes! \\ \hline 2 & 4 & 2 & 4 & yes & yes & yes! \\ \hline 3.9 & 1 & 4 & 1 & no & no & yes! \\ \hline 3.9 & 2 & 4 & 2 & no & no & yes! \\ \hline 3.9 & 4 & 4 & 4 & yes & yes & yes! \\ \hline 4 & 1 & 4 & 1 & no & no & yes! \\ \hline 4 & 2 & 4 & 2 & no & no & yes! \\ \hline 4 & 4 & 4 & 4 & yes & yes & yes! \\ \hline \end{tabular}</td><td><table>
<tr><td>p</td><td>q</td><td>$f(p)$</td><td>$g(q)$</td><td>$f(p) \leq ? \quad q$</td><td>$p \leq ? g(q)$</td><td>Same?</td></tr>
<tr><td>1</td><td>1</td><td>1</td><td>1</td><td>yes</td><td>yes</td><td>yes!</td></tr>
<tr><td>1</td><td>2</td><td>1</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>1</td><td>4</td><td>1</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr>
<tr><td>2</td><td>1</td><td>2</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>2</td><td>2</td><td>2</td><td>2</td><td>yes</td><td>yes</td><td>yes!</td></tr>
<tr><td>2</td><td>4</td><td>2</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr>
<tr><td>3.9</td><td>1</td><td>4</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>3.9</td><td>2</td><td>4</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>3.9</td><td>4</td><td>4</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr>
<tr><td>4</td><td>1</td><td>4</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>4</td><td>2</td><td>4</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>4</td><td>4</td><td>4</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr>
</table></td><td><table>
<tr><th>p</th><th>q</th><th>$f(p)$</th><th>$g(q)$</th><th>$f(p) \leq^? q$</th><th>$p \leq^? g(q)$</th><th>Same?</th></tr>
<tr><td>1</td><td>1</td><td>1</td><td>1</td><td>yes</td><td>yes</td><td>yes!</td></tr>
<tr><td>1</td><td>2</td><td>1</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>1</td><td>4</td><td>1</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr>
<tr><td>2</td><td>1</td><td>2</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>2</td><td>2</td><td>2</td><td>2</td><td>yes</td><td>yes</td><td>yes!</td></tr>
<tr><td>2</td><td>4</td><td>2</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr>
<tr><td>3.9</td><td>1</td><td>4</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>3.9</td><td>2</td><td>4</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>3.9</td><td>4</td><td>4</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr>
<tr><td>4</td><td>1</td><td>4</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>4</td><td>2</td><td>4</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr>
<tr><td>4</td><td>4</td><td>4</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr>
</table></td></tr>
<tr><td>fong-spivak-invitation_TAB_049</td><td>283</td><td>■ 1.000</td><td>\begin{tabular}[t]{|l|l|l|l|} \hline min & no & maybe & yes \\ \hline no & no & no & no \\ \hline maybe & no & maybe & maybe \\ \hline yes & no & maybe & yes \\ \hline \end{tabular}</td><td><table>
<tr><td>min</td><td>no</td><td>maybe</td><td>yes</td></tr>
<tr><td>no</td><td>no</td><td>no</td><td>no</td></tr>
<tr><td>maybe</td><td>no</td><td>maybe</td><td>maybe</td></tr>
<tr><td>yes</td><td>no</td><td>maybe</td><td>yes</td></tr>
</table></td><td><table>
<tr><th>min</th><th>no</th><th>maybe</th><th>yes</th></tr>
<tr><td>no</td><td>no</td><td>no</td><td>no</td></tr>
<tr><td>maybe</td><td>no</td><td>maybe</td><td>maybe</td></tr>
<tr><td>yes</td><td>no</td><td>maybe</td><td>yes</td></tr>
</table></td></tr>
<tr><td>fong-spivak-invitation_TAB_050</td><td>285</td><td>■ 0.780</td><td>\begin{tabular}[t]{|l|l|l|l|l|} \hline \(d(\nearrow)\) & \(A\) & \(B\) & \(C\) & \(D\) \\ \hline A & 0 & 6 & 3 & 11 \\ \hline B & 2 & 0 & 5 & 5 \\ \hline C & 5 & 3 & 0 & 8 \\ \hline D & 11 & 9 & 6 & 0 \\ \hline \end{tabular}</td><td><table>
<tr><td>$d(\nearrow)$</td><td>A</td><td>B</td><td>C</td><td>D</td></tr>
<tr><td>A</td><td>0</td><td>6</td><td>3</td><td>11</td></tr>
<tr><td>B</td><td>2</td><td>0</td><td>5</td><td>5</td></tr>
<tr><td>C</td><td>5</td><td>3</td><td>0</td><td>8</td></tr>
<tr><td>D</td><td>11</td><td>9</td><td>6</td><td>0</td></tr>
</table></td><td><table>
<tr><th>$d(\nearrow)$</th><th>A</th><th>B</th><th>C</th><th>D</th></tr>
<tr><td>A</td><td>0</td><td>6</td><td>3</td><td>11</td></tr>
<tr><td>B</td><td>2</td><td>0</td><td>5</td><td>5</td></tr>
<tr><td>C</td><td>5</td><td>3</td><td>0</td><td>8</td></tr>
<tr><td>D</td><td>11</td><td>9</td><td>6</td><td>0</td></tr>
</table></td></tr>
<tr><td>fong-spivak-invitation_TAB_051</td><td>285</td><td>■ 0.593</td><td>\begin{tabular}[t]{|l|l|l|l|l|l|} \hline \multirow{2}{*}{} & ↗ & \(A\) & \(B\) & C & \(D\) \\ \hline & \(A\) & 0 & \(\infty\) & 3 & \(\infty\) \\ \hline \(M_{X}=\) & B & 2 & 0 & \(\infty\) & 5 \\ \hline & C & \(\infty\) & 3 & 0 & \(\infty\) \\ \hline & D & \(\infty\) & \(\infty\) & 6 & 0 \\ \hline \end{tabular}</td><td>(not rendered)</td><td><table>
<tr><th></th><th>$\nearrow$</th><th>A</th><th>B</th><th>C</th><th>D</th></tr>
<tr><td></td><td>A</td><td>0</td><td>∞</td><td>3</td><td>∞</td></tr>
<tr><td>$M_X =$</td><td>B</td><td>2</td><td>0</td><td>∞</td><td>5</td></tr>
<tr><td></td><td>C</td><td>∞</td><td>3</td><td>0</td><td>∞</td></tr>
<tr><td></td><td>D</td><td>∞</td><td>∞</td><td>6</td><td>0</td></tr>
</table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_052</td><td>285</td><td>■0.528</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|} \hline X(↗) & \(A\) & \(B\) & \(C\) & \(D\) \\ \hline A & \(M\) & \{boat\} & \(\varnothing\) & \{boat\} \\ \hline B & \(\varnothing\) & \(M\) & \(\varnothing\) & \{boat\} \\ \hline C & \{foot, boat\} & \{boat\} & \(M\) & \(M\) \\ \hline D & \{foot\} & \(\varnothing\) & \{foot, car\} & \(M\) \\ \hline \end{tabular}</code></td><td><table><tr><td>X(↗)</td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>A</td><td>M</td><td>{boat}</td><td>$\varnothing$</td><td>{boat}</td></tr><tr><td>B</td><td>$\varnothing$</td><td>M</td><td>$\varnothing$</td><td>{boat}</td></tr><tr><td>C</td><td>{foot, boat}</td><td>{boat}</td><td>M</td><td>M</td></tr><tr><td>D</td><td>{foot}</td><td>$\varnothing$</td><td>{foot, car}</td><td>M</td></tr></table></td><td><table><tr><td>$\mathcal{X}(\nearrow)$</td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>A</td><td>M</td><td>{boat}</td><td>$\varnothing$</td><td>{boat}</td></tr><tr><td>B</td><td>$\varnothing$</td><td>M</td><td>$\varnothing$</td><td>{boat}</td></tr><tr><td>C</td><td>{foot, boat}</td><td>{boat}</td><td>M</td><td>M</td></tr><tr><td>D</td><td>{foot}</td><td>$\varnothing$</td><td>{foot, car}</td><td>M</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_053</td><td>286</td><td>■0.689</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline \(M(\nearrow)\) & \(A\) & \(B\) & \(C\) \\ \hline \(A\) & \(\infty\) & 10 & 10 \\ \hline B & 6 & \(\infty\) & 6 \\ \hline C & 10 & 10 & \(\infty\) \\ \hline \end{tabular}</code></td><td><table><tr><td>$M(\nearrow)$</td><td>A</td><td>B</td><td>C</td></tr><tr><td>A</td><td>∞</td><td>10</td><td>10</td></tr><tr><td>B</td><td>6</td><td>∞</td><td>6</td></tr><tr><td>C</td><td>10</td><td>10</td><td>∞</td></tr></table></td><td><table><tr><td>$M(\nearrow)$</td><td>A</td><td>B</td><td>C</td></tr><tr><td>A</td><td>∞</td><td>10</td><td>10</td></tr><tr><td>B</td><td>6</td><td>∞</td><td>6</td></tr><tr><td>C</td><td>10</td><td>10</td><td>∞</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_054</td><td>288</td><td>■1.000</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline ⇒ & false & true \\ \hline false & true & true \\ \hline true & false & true \\ \hline \end{tabular}</code></td><td><table><tr><td>⇒</td><td>false</td><td>true</td></tr><tr><td>false</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>true</td></tr></table></td><td><table><tr><td>⇒</td><td>false</td><td>true</td></tr><tr><td>false</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>true</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_055</td><td>290</td><td>■0.508</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|l|l|} \hline ↗ & \(v_{1}\) & \(f_{1}\) & \(f_{1}{ }^{\circ} f_{2}\) & \(v_{2}\) & \(f_{2}\) & \(v_{3}\) \\ \hline \(v_{1}\) & \(v_{1}\) & \(f_{1}\) & \(f_{1} ; f_{2}\) & ⊠ & ⊠ & ⊠ \\ \hline \(f_{1}\) & ⊠ & ⊠ & ⊠ & \(f_{1}\) & \(f_{1} \stackrel{\circ}{9} f_{2}\) & ⊠ \\ \hline \(f_{1}{ }^{\circ} f_{2}\) & ⊠ & ⊠ & ⊠ & ⊠ & ⊠ & \(f_{1}{ }^{\circ} f_{2}\) \\ \hline \(v_{2}\) & ⊠ & ⊠ & ⊠ & \(v_{2}\) & \(f_{2}\) & ⊠ \\ \hline \(f_{2}\) & ⊠ & ⊠ & ⊠ & ⊠ & ⊠ & \(f_{2}\) \ \ \hline \(v_{3}\) & ⊠ & ⊠ & ⊠ & ⊠ & ⊠ & \(v_{3}\) \\ \hline \end{tabular}</code></td><td><table><tr><td>↗</td><td>v_1</td><td>f_1</td><td>$f_1{}^{\circ} f_2$</td><td>v_2</td><td>f_2</td><td>v_3</td></tr><tr><td>v_1</td><td>v_1</td><td>f_1</td><td>$f_1 ; f_2$</td><td>⊠</td><td>⊠</td><td>⊠</td></tr><tr><td>f_1</td><td>⊠</td><td>⊠</td><td>⊠</td><td>f_1</td><td>$f_1 \stackrel{\circ}{9} f_2$</td><td>⊠</td></tr><tr><td>$f_1{}^{\circ} f_2$</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>$f_1{}^{\circ} f_2$</td></tr><tr><td>v_2</td><td>⊠</td><td>⊠</td><td>⊠</td><td>v_2</td><td>f_2</td><td>⊠</td></tr><tr><td>f_2</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>f_2</td></tr><tr><td>v_3</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>v_3</td></tr></table></td><td><table><tr><td>↗</td><td>v_1</td><td>f_1</td><td>$f_1 ⨾ f_2$</td><td>v_2</td><td>f_2</td><td>v_3</td></tr><tr><td>v_1</td><td>v_1</td><td>f_1</td><td>$f_1 ⨾ f_2$</td><td>⊠</td><td>⊠</td><td>⊠</td></tr><tr><td>f_1</td><td>⊠</td><td>⊠</td><td>⊠</td><td>f_1</td><td>$f_1 ⨾ f_2$</td><td>⊠</td></tr><tr><td>$f_1 ⨾ f_2$</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>$f_1 ⨾ f_2$</td></tr><tr><td>v_2</td><td>⊠</td><td>⊠</td><td>⊠</td><td>v_2</td><td>f_2</td><td>⊠</td></tr><tr><td>f_2</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>f_2</td></tr><tr><td>v_3</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>⊠</td><td>v_3</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_056</td><td>295</td><td>■1.000</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline Arrow & source & target \\ \hline Mngr & Employee & Employee \\ \hline WorksIn & Employee & Department \\ \hline Secr & Department & Employee \\ \hline FName & Employee & string \\ \hline DName & Department & string \\ \hline \end{tabular}</code></td><td><table><tr><td>Arrow</td><td>source</td><td>target</td></tr><tr><td>Mngr</td><td>Employee</td><td>Employee</td></tr><tr><td>WorksIn</td><td>Employee</td><td>Department</td></tr><tr><td>Secr</td><td>Department</td><td>Employee</td></tr><tr><td>FName</td><td>Employee</td><td>string</td></tr><tr><td>DName</td><td>Department</td><td>string</td></tr></table></td><td><table><tr><td>Arrow</td><td>source</td><td>target</td></tr><tr><td>Mngr</td><td>Employee</td><td>Employee</td></tr><tr><td>WorksIn</td><td>Employee</td><td>Department</td></tr><tr><td>Secr</td><td>Department</td><td>Employee</td></tr><tr><td>FName</td><td>Employee</td><td>string</td></tr><tr><td>DName</td><td>Department</td><td>string</td></tr></table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_057</td><td>295</td><td>■1.000</td><td>\begin{tabular}[t]{|l|} \hline Vertex \\ \hline Department Employee string \\ \hline \end{tabular}</td><td><table><tr><td>Vertex</td></tr><tr><td>Department Employee string</td></tr></table></td><td><table><tr><th>Vertex</th></tr><tr><td>Department</td></tr><tr><td>Employee</td></tr><tr><td>string</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_058</td><td>296</td><td>■1.000</td><td>\begin{tabular}[t]{|l|l|l|l|} \hline \multirow{2}{*}{} & & State & next \\ \hline & & 1 & 4 \\ \hline \multirow[t]{6}{*}{`![](https://cdn.mathpix.com/cropped/05b3e583-fc72-4ff5-9914-6f882b9df5b5-296.jpg?height=214 \&width=198\&top_left_y=1515\&top_left_x=552)`} & & 2 & 4 \\ \hline & & 3 & 5 \\ \hline & & 4 & 5 \\ \hline & & 5 & 5 \\ \hline & & 6 & 7 \\ \hline & & 7 & 6 \\ \hline Gr & & & \\ \hline \end{tabular}</td><td>(not rendered)</td><td>
</td></tr>
<tr><td>fong-spivak-invitation_TAB_059</td><td>296</td><td>■1.000</td><td>\begin{tabular}[t]{|l|l|l|} \hline Arrow & source & target \\ \hline 1 & 4 & 1 \\ \hline 2 & 4 & 2 \\ \hline 3 & 5 & 3 \\ \hline 4 & 5 & 4 \\ \hline 5 & 5 & 5 \\ \hline 6 & 7 & 6 \\ \hline 7 & 6 & 7 \\ \hline \end{tabular}</td><td><table><tr><td>Arrow</td><td>source</td><td>target</td></tr><tr><td>1</td><td>4</td><td>1</td></tr><tr><td>2</td><td>4</td><td>2</td></tr><tr><td>3</td><td>5</td><td>3</td></tr><tr><td>4</td><td>5</td><td>4</td></tr><tr><td>5</td><td>5</td><td>5</td></tr><tr><td>6</td><td>7</td><td>6</td></tr><tr><td>7</td><td>6</td><td>7</td></tr></table></td><td><table><tr><th>Arrow</th><th>source</th><th>target</th></tr><tr><td>1</td><td>4</td><td>1</td></tr><tr><td>2</td><td>4</td><td>2</td></tr><tr><td>3</td><td>5</td><td>3</td></tr><tr><td>4</td><td>5</td><td>4</td></tr><tr><td>5</td><td>5</td><td>5</td></tr><tr><td>6</td><td>7</td><td>6</td></tr><tr><td>7</td><td>6</td><td>7</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_060</td><td>296</td><td>■1.000</td><td>\begin{tabular}[t]{|l|} \hline Vertex \\ \hline 1 \\ \hline 2 \\ \hline 3 \\ \hline 4 \\ \hline 5 \\ \hline 6 \\ \hline 7 \\ \hline \end{tabular}</td><td><table><tr><td>Vertex</td></tr><tr><td>1</td></tr><tr><td>2</td></tr><tr><td>3</td></tr><tr><td>4</td></tr><tr><td>5</td></tr><tr><td>6</td></tr><tr><td>7</td></tr></table></td><td><table><tr><th>Vertex</th></tr><tr><td>1</td></tr><tr><td>2</td></tr><tr><td>3</td></tr><tr><td>4</td></tr><tr><td>5</td></tr><tr><td>6</td></tr><tr><td>7</td></tr></table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_TAB_061</td><td>297</td><td>■1.000</td><td><code>\begin{tabular}[t]{|l|l|l|l|} \hline Email & sent_by & received_by & Address \\ \hline Em_1 & Bob & Grace & Bob \\ \hline Em_2 & Grace & Pat & Doug \\ \hline Em_3 & Bob & Emmy & Emmy \\ \hline Em_4 & Sue & Doug & Grace \\ \hline Em_5 & Doug & Sue & Pat \\ \hline Em_6 & Bob & Bob & Sue \\ \hline \end{tabular}</code></td><td>(not rendered)</td><td><table><tr><th>Email</th><th>sent_by</th><th>received_by</th><th>Address</th></tr><tr><td>Em_1</td><td>Bob</td><td>Grace</td><td>Bob</td></tr><tr><td>Em_2</td><td>Grace</td><td>Pat</td><td>Doug</td></tr><tr><td>Em_3</td><td>Bob</td><td>Emmy</td><td>Emmy</td></tr><tr><td>Em_4</td><td>Sue</td><td>Doug</td><td>Grace</td></tr><tr><td>Em_5</td><td>Doug</td><td>Sue</td><td>Pat</td></tr><tr><td>Em_6</td><td>Bob</td><td>Bob</td><td>Sue</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_062</td><td>300</td><td>■0.863</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|l|} \hline \(\Phi\) & \(a\) & \(b\) & \(c\) & \(d\) & \(e\) \\ \hline \(N\) & true & false & true & false & true \\ \hline E & true & true & true & true & true \\ \hline W & true & false & true & false & true \\ \hline \(S\) & true & true & true & true & true \\ \hline \end{tabular}</code></td><td><table><tr><th>Φ</th><th>a</th><th>b</th><th>c</th><th>d</th><th>e</th></tr><tr><td>N</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>E</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr><tr><td>W</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>S</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr></table></td><td><table><tr><th>Φ</th><th>a</th><th>b</th><th>c</th><th>d</th><th>e</th></tr><tr><td>N</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>E</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr><tr><td>W</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>S</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_063</td><td>301</td><td>■0.893</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|} \hline \(\Phi: \Psi\) & \(p\) & \(q\) & \(r\) & \(s\) \\ \hline \(A\) & 22 & 24 & 20 & 21 \\ \hline B & 16 & 18 & 14 & 15 \\ \hline C & 19 & 21 & 17 & 18 \\ \hline D & 11 & 13 & 9 & 10 \\ \hline \end{tabular}</code></td><td><table><tr><th>$\Phi : \Psi$</th><th>p</th><th>q</th><th>r</th><th>s</th></tr><tr><td>A</td><td>22</td><td>24</td><td>20</td><td>21</td></tr><tr><td>B</td><td>16</td><td>18</td><td>14</td><td>15</td></tr><tr><td>C</td><td>19</td><td>21</td><td>17</td><td>18</td></tr><tr><td>D</td><td>11</td><td>13</td><td>9</td><td>10</td></tr></table></td><td><table><tr><th>$\Phi \fatsemi \Psi$</th><th>p</th><th>q</th><th>r</th><th>s</th></tr><tr><td>A</td><td>22</td><td>24</td><td>20</td><td>21</td></tr><tr><td>B</td><td>16</td><td>18</td><td>14</td><td>15</td></tr><tr><td>C</td><td>19</td><td>21</td><td>17</td><td>18</td></tr><tr><td>D</td><td>11</td><td>13</td><td>9</td><td>10</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_064</td><td>325</td><td>■0.987</td><td><code>\begin{tabular}[t]{|l|l|l|l|l|l|} \hline & r1 & r2 & r3 & c1 & i1 \\ \hline \(s(-)\) & dl & ul & ur & ul & dl \\ \hline \(t(-)\) & ul & ur & dr & ur & dr \\ \hline \(\ell(-)\) & \(1 \Omega\) & \(2 \Omega\) & \(1 \Omega\) & \(3 F\) & \(1 H\) \\ \hline \end{tabular}</code></td><td><table><tr><th></th><th>r1</th><th>r2</th><th>r3</th><th>c1</th><th>i1</th></tr><tr><td>$s(-)$</td><td>dl</td><td>ul</td><td>ur</td><td>ul</td><td>dl</td></tr><tr><td>$t(-)$</td><td>ul</td><td>ur</td><td>dr</td><td>ur</td><td>dr</td></tr><tr><td>$\ell(-)$</td><td>1Ω</td><td>2Ω</td><td>1Ω</td><td>$3F$</td><td>$1H$</td></tr></table></td><td><table><tr><th></th><th>r1</th><th>r2</th><th>r3</th><th>c1</th><th>i1</th></tr><tr><td>$s(-)$</td><td>dl</td><td>ul</td><td>ur</td><td>ul</td><td>dl</td></tr><tr><td>$t(-)$</td><td>ul</td><td>ur</td><td>dr</td><td>ur</td><td>dr</td></tr><tr><td>$\ell(-)$</td><td>1Ω</td><td>2Ω</td><td>1Ω</td><td>$3F$</td><td>$1H$</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_065</td><td>325</td><td>■0.879</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline & 1 & 2 \\ \hline \(f^{\prime}(-)\) & l & d \\ \hline \(g^{\prime}(-)\) & r & r \\ \hline \end{tabular}</code></td><td><table><tr><th></th><th>1</th><th>2</th></tr><tr><td>$f'(-)$</td><td>l</td><td>d</td></tr><tr><td>$g'(-)$</td><td>r</td><td>r</td></tr></table></td><td><table><tr><th></th><th>1</th><th>2</th></tr><tr><td>$f'(-)$</td><td>l</td><td>d</td></tr><tr><td>$g'(-)$</td><td>r</td><td>r</td></tr></table></td></tr>
<tr><td>fong-spivak-invitation_TAB_066</td><td>325</td><td>■0.948</td><td><code>\begin{tabular}[t]{|l|l|l|} \hline & r1' & r2' \\ \hline \(s(-)\) & l & r \\ \hline \(t(-)\) & r & d \\ \hline \(\ell(-)\) & \(5 \Omega\) & \(8 \Omega\) \\ \hline \end{tabular}</code></td><td><table><tr><th></th><th>r1′</th><th>r2′</th></tr><tr><td>$s(-)$</td><td>l</td><td>r</td></tr><tr><td>$t(-)$</td><td>r</td><td>d</td></tr><tr><td>$\ell(-)$</td><td>5Ω</td><td>8Ω</td></tr></table></td><td><table><tr><th></th><th>r1′</th><th>r2′</th></tr><tr><td>$s(-)$</td><td>l</td><td>r</td></tr><tr><td>$t(-)$</td><td>r</td><td>d</td></tr><tr><td>$\ell(-)$</td><td>5Ω</td><td>8Ω</td></tr></table></td></tr>
</table>

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>fong-spivak-invitation_ TAB_067</td><td>325</td><td>■ 1.000</td><td>\begin{tabular}[t]{|l|l|l|l|l|l|l|l|} \hline & r1 & r2 & r3 & c1 & i1 & r1' & r2' \\ \hline \(s^{\prime \prime}(-)\) & dl & ul & m & ul & dl & m & r \\ \hline \(t^{\prime \prime}(-)\) & ul & m & dr & m & dr & r & m \\ \hline \(\ell^{\prime \prime}(-)\) & \(1 \Omega\) & \(2 \Omega\) & \(1 \Omega\) & \(3 F\) & \(1 H\) & \(5 \Omega\) & \(8 \Omega\) \\ \hline \end{tabular}</td><td>
<table>
<tr><td></td><td>r1</td><td>r2</td><td>r3</td><td>c1</td><td>i1</td><td>r1′</td><td>r2′</td></tr>
<tr><td>$s''(-)$</td><td>dl</td><td>ul</td><td>m</td><td>ul</td><td>dl</td><td>m</td><td>r</td></tr>
<tr><td>$t''(-)$</td><td>ul</td><td>m</td><td>dr</td><td>m</td><td>dr</td><td>r</td><td>m</td></tr>
<tr><td>$\ell''(-)$</td><td>1Ω</td><td>2Ω</td><td>1Ω</td><td>$3F$</td><td>$1H$</td><td>5Ω</td><td>8Ω</td></tr>
</table>
</td><td>
<table>
<tr><td></td><td>r1</td><td>r2</td><td>r3</td><td>c1</td><td>i1</td><td>r1′</td><td>r2′</td></tr>
<tr><td>$s''(-)$</td><td>dl</td><td>ul</td><td>m</td><td>ul</td><td>dl</td><td>m</td><td>r</td></tr>
<tr><td>$t''(-)$</td><td>ul</td><td>m</td><td>dr</td><td>m</td><td>dr</td><td>r</td><td>m</td></tr>
<tr><td>$\ell''(-)$</td><td>1Ω</td><td>2Ω</td><td>1Ω</td><td>$3F$</td><td>$1H$</td><td>5Ω</td><td>8Ω</td></tr>
</table>
</td></tr>
<tr><td>fong-spivak-invitation_ TAB_068</td><td>331</td><td>■ 1.000</td><td>\begin{tabular}[t]{|l|l|l|l|} \hline \(P\) & \(Q\) & \(P \wedge Q\) & \(P=(P \wedge Q)\) \\ \hline true & true & true & true \\ \hline true & false & false & false \\ \hline false & true & false & true \\ \hline false & false & false & true \\ \hline \end{tabular}</td><td>
<table>
<tr><td>P</td><td>Q</td><td>$P \wedge Q$</td><td>$P = (P \wedge Q)$</td></tr>
<tr><td>true</td><td>true</td><td>true</td><td>true</td></tr>
<tr><td>true</td><td>false</td><td>false</td><td>false</td></tr>
<tr><td>false</td><td>true</td><td>false</td><td>true</td></tr>
<tr><td>false</td><td>false</td><td>false</td><td>true</td></tr>
</table>
</td><td>
<table>
<tr><td>P</td><td>Q</td><td>$P \wedge Q$</td><td>$P = (P \wedge Q)$</td></tr>
<tr><td>true</td><td>true</td><td>true</td><td>true</td></tr>
<tr><td>true</td><td>false</td><td>false</td><td>false</td></tr>
<tr><td>false</td><td>true</td><td>false</td><td>true</td></tr>
<tr><td>false</td><td>false</td><td>false</td><td>true</td></tr>
</table>
</td></tr>
</table>