1510.06699: equation evidence

Display equations

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0241 (A5) **[conf 0.019]**	47	■ 0.019	`\bar{\psi}=\frac{\bar{\psi}\left(\rho+\beta i \gamma^{5} \right)}{}=\frac{}{\rho^{2}+\beta^{2}}`	$\bar{\psi}=\frac{\bar{\psi}\left(\rho+\beta i \gamma^{5}\right)}{}=\frac{}{\rho^{2}+\beta^{2}}.$	$\bar{\psi}=\frac{\bar{\psi}(\rho+\beta i \gamma^{5})\not{\partial}}{\rho^{2}+\beta^{2}}.$
1510.06699_ EQ0248 (B3)	49	■ 0.183	`L_{\mathrm{G}}=-\kappa^{-1}\left(\Lambda+a^{0} \mathcal{R}\right)+L_{0^{\prime}} \mathcal{R}^{2}`	$L_{\mathrm{G}}=-\kappa^{-1}\left(\Lambda+a^{0} \mathcal{R}\right)+L_{0^{\prime}} \mathcal{R}^{2},$	$L_{\mathrm{G}}=-\kappa^{-1}(\Lambda+a^{0} \mathcal{R})+L_{0\mathcal{R}^{2}},$
1510.06699_ EQ0210 (235)	39	■ 0.264	`\begin{aligned} h\left(s_{\mathcal{R}^{2}}\right)_{a b}{ }^{c}= & 4 \alpha_{1}\left(\delta_{[a}^{c} \mathcal{D}_{b]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{a b}\right) \mathcal{R}^{\dagger} \\ & +4 \alpha_{2}\left(\delta_{[d}^{c} \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{d e}\right) \mathcal{R}_{[a}^{\dagger}{ }_{\delta_{b]}^{e}} \\ & +4 \alpha_{3}\left(\delta_{[d}^{c} \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{d e}\right) \mathcal{R}^{\dagger d}{ }_{[a} \delta_{b]}^{e} \\ & +4 \alpha_{4}\left(\delta_{[d}^{c} \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{d e}\right) \mathcal{R}_{a b}^{\dagger}{ }_{d e} \\ & +4 \alpha_{5}\left(\delta_{[d}^{c} \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{d e}\right) \mathcal{R}^{\dagger[d}{ }_{[a b]} \\ & +4 \alpha_{6}\left(\delta_{[d}^{c} \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{d e}\right) \mathcal{R}^{\dagger d e}{ }_{a b} \\ h\left(s_{\mathcal{H}^{2}}\right)_{a b}{ }^{c}= & \frac{2}{3} \xi \eta_{f[b} \delta_{a]}^{c}\left(\mathcal{D}_{e}^{\dagger} \mathcal{H}^{\dagger e f}-\frac{1}{2} \mathcal{T}^{\dagger f}{ }_{d e} \mathcal{H}^{\dagger d e}\right), \end{aligned}`	$\begin{aligned} h\left(s_{\mathcal{R}^{2}}\right)_{a b}{ }^{c}= & 4 \alpha_{1}\left(\delta_{[a}^{c} \mathcal{D}_{b]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{a b}\right) \mathcal{R}^{\dagger} \\ & +4 \alpha_{2}\left(\delta_{[d}^{c} \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{d e}\right) \mathcal{R}_{[a}^{\dagger}{ }_{\delta_{b]}^{e}} \\ & +4 \alpha_{3}\left(\delta_{[d}^{c} \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{d e}\right) \mathcal{R}^{\dagger d}{ }_{[a} \delta_{b]}^{e} \\ & +4 \alpha_{4}\left(\delta_{[d}^{c} \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{d e}\right) \mathcal{R}_{a b d e}^{\dagger} \\ & +4 \alpha_{5}\left(\delta_{[d}^{c} \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{d e}\right) \mathcal{R}^{\dagger[d}{ }_{[a b]} \\ & +4 \alpha_{6}\left(\delta_{[d}^{c} \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{d e}\right) \mathcal{R}^{\dagger d e}{ }_{a b} \\ h\left(s_{\mathcal{H}^{2}}\right)_{a b}{ }^{c}= & \frac{2}{3} \xi \eta_{f[b} \delta_{a]}^{c}\left(\mathcal{D}_{e}^{\dagger} \mathcal{H}^{\dagger e f}-\frac{1}{2} \mathcal{T}^{\dagger f}{ }_{d e} \mathcal{H}^{\dagger d e}\right), \end{aligned}$	$\begin{aligned} h(s_{\mathcal{R}^{2}})_{ab}{}^{c} = & 4\alpha_{1}(\delta_{[a}^{c}\mathcal{D}_{b]}^{\dagger}+\tfrac{1}{2}\mathcal{T}^{\dagger c}{}_{ab})\mathcal{R}^{\dagger} \\ & +4\alpha_{2}(\delta_{[d}^{c}\mathcal{D}_{e]}^{\dagger}+\tfrac{1}{2}\mathcal{T}^{\dagger c}{}_{de})\mathcal{R}^{\dagger}_{[a}{}^{d}\delta_{b]}^{e} \\ & +4\alpha_{3}(\delta_{[d}^{c}\mathcal{D}_{e]}^{\dagger}+\tfrac{1}{2}\mathcal{T}^{\dagger c}{}_{de})\mathcal{R}^{\dagger d}{}_{[a}\delta_{b]}^{e} \\ & +4\alpha_{4}(\delta_{[d}^{c}\mathcal{D}_{e]}^{\dagger}+\tfrac{1}{2}\mathcal{T}^{\dagger c}{}_{de})\mathcal{R}^{\dagger}_{ab}{}^{de} \\ & +4\alpha_{5}(\delta_{[d}^{c}\mathcal{D}_{e]}^{\dagger}+\tfrac{1}{2}\mathcal{T}^{\dagger c}{}_{de})\mathcal{R}^{\dagger[d}{}_{[ab]}{}^{e]} \\ & +4\alpha_{6}(\delta_{[d}^{c}\mathcal{D}_{e]}^{\dagger}+\tfrac{1}{2}\mathcal{T}^{\dagger c}{}_{de})\mathcal{R}^{\dagger de}{}_{ab}, \\ h(s_{\mathcal{H}^{2}})_{ab}{}^{c} = & \tfrac{2}{3}\xi\eta_{f[b}\delta_{a]}^{c}(\mathcal{D}_{e}^{\dagger}\mathcal{H}^{\dagger ef}-\tfrac{1}{2}\mathcal{T}^{\dagger f}{}_{de}\mathcal{H}^{\dagger de}). \end{aligned}$
1510.06699_ EQ0192 (208)	36	■ 0.344	`\begin{aligned} D_{\mu}^{\dagger} J^{a} & =\partial_{\mu} J^{a}-w\left(V_{\mu}+\frac{1}{3} T_{\mu}\right) J^{a}+A_{b \mu}^{\dagger a} J^{b} \\ & =\partial_{\mu}^{\dagger} J^{a}+A_{b \mu}^{\dagger a} J^{b} \end{aligned}`	$\begin{aligned} D_{\mu}^{\dagger} J^{a} & =\partial_{\mu} J^{a}-w\left(V_{\mu}+\frac{1}{3} T_{\mu}\right) J^{a}+A_{b \mu}^{\dagger a} J^{b} \\ & =\partial_{\mu}^{\dagger} J^{a}+A_{b \mu}^{\dagger a} J^{b} \end{aligned}$	$\begin{aligned} D_{\mu}^{\dagger} J^{a} & =\partial_{\mu} J^{a}-w(V_{\mu}+\tfrac{1}{3} T_{\mu}) J^{a}+A^{\dagger a}{}_{b\mu} J^{b} \\ & =\partial_{\mu}^{\dagger} J^{a}+A^{\dagger a}{}_{b\mu} J^{b}, \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0205 (226)	38	0.356	`\begin{aligned} L_{\varphi} & =L_{\varphi}(\varphi, \partial \varphi, h, \partial h, A, V, \phi) \\ L_{ \phi} & =\frac{1}{2} \nu \mathcal{D}_{a}^{\dagger} \phi \mathcal{D}^{\dagger a} \phi-\lambda \phi^{4} \\ L_{ \mathcal{R}^{\dagger}} & =-\frac{1}{2} a \mathcal{R}^{ \dagger} \\ L_{\mathcal{T}^{\ddagger 2}} & =\beta_{1} \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger a b c}+\beta_{2} \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{ \dagger b a c}, \end{aligned}`	$\begin{aligned} L_{\varphi} & =L_{\varphi}(\varphi, \partial \varphi, h, \partial h, A, V, \phi) \\ L_{ \phi} & =\frac{1}{2} \nu \mathcal{D}_{a}^{\dagger} \phi \mathcal{D}^{\dagger a} \phi-\lambda \phi^{4} \\ L_{ \mathcal{R}^{\dagger}} & =-\frac{1}{2} a \mathcal{R}^{ \dagger} \\ L_{\mathcal{T}^{\ddagger 2}} & =\beta_{1} \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger a b c}+\beta_{2} \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{ \dagger b a c}, \end{aligned}$	$\begin{aligned} L_{\varphi} &= L_{\varphi}(\varphi, \partial\varphi, h, \partial h, A, V, \phi), \\ L_{\phi} &= \tfrac{1}{2}\nu \mathcal{D}^{\dagger}_{a}\phi \mathcal{D}^{\dagger a}\phi - \lambda\phi^{4}, \\ L_{\mathcal{R}^{\dagger}} &= -\tfrac{1}{2} a \mathcal{R}^{\dagger}, \\ L_{\mathcal{T}^{\dagger 2}} &= \beta_{1}\mathcal{T}^{\dagger}_{abc}\mathcal{T}^{\dagger abc} + \beta_{2}\mathcal{T}^{\dagger}_{abc}\mathcal{T}^{\dagger bac}, \end{aligned}$
1510.06699_ EQ0032 (33)	10	0.377	`D_{\mu}^{*} h_{a}^{\nu}=\partial_{\mu}^{*} h_{a}^{ \nu}+\frac{1}{2} A_{\mu}^{c d}\left(\Sigma_{c d}^{1} \right)_{a}{ }^{b} h_{b}{ }^{\nu}=\partial_{\mu}^{*} h_{a}{ }^{\nu}-A_{a \mu}^{b} h_{b}{ }^{\nu}`	$D_{\mu}^{*} h_{a}^{\nu}=\partial_{\mu}^{*} h_{a}^{ \nu}+\frac{1}{2} A_{\mu}^{c d}\left(\Sigma_{c d}^{1} \right)_{a}{ }^{b} h_{b}{ }^{\nu}=\partial_{\mu}^{*} h_{a}{ }^{\nu}-A_{a \mu}^{b} h_{b}{ }^{\nu},$	$D^{*}_{\mu} h_{a}{}^{\nu} = \partial^{*}_{\mu} h_{a}{}^{\nu} + \tfrac{1}{2} A^{cd}{}_{\mu} (\Sigma^{1}_{cd})_{a}{}^{b} h_{b}{}^{\nu} = \partial^{*}_{\mu} h_{a}{}^{\nu} - A^{b}{}_{a\mu} h_{b}{}^{\nu},$
1510.06699_ EQ0010 (11)	8	0.398	`\begin{aligned} L_{\mathrm{KG}}^{\prime} & =\frac{1}{2} \gamma^{\prime \mu \nu} \partial_{\mu}^{\prime} \phi^{ \prime} \partial_{\nu}^{\prime} \phi^{\prime}-\frac{1}{2} m^{2} \phi^{\prime 2} \\ & =\frac{1}{2} e^{2(w-1) \rho} \eta^{\mu \nu} \partial_{\mu} \phi \partial_{\nu} \phi-\frac{1}{2} m^{2} e^{2 w \rho} \phi^{2} . \end{aligned}`	$\begin{aligned} L_{\mathrm{KG}}^{\prime} & =\frac{1}{2} \gamma^{\prime \mu \nu} \partial_{\mu}^{\prime} \phi^{ \prime} \partial_{\nu}^{\prime} \phi^{\prime}-\frac{1}{2} m^{2} \phi^{\prime 2} \\ & =\frac{1}{2} e^{2(w-1) \rho} \eta^{\mu \nu} \partial_{\mu} \phi \partial_{\nu} \phi-\frac{1}{2} m^{2} e^{2 w \rho} \phi^{2} . \end{aligned}$	$\begin{aligned} L'_{\mathrm{KG}} &= \tfrac{1}{2}\gamma'^{\mu\nu}\partial'_{\mu}\phi'\,\partial'_{\nu}\phi' - \tfrac{1}{2}m^{2}\phi'^{2} \\ &= \tfrac{1}{2}e^{2(w-1)\rho}\eta^{\mu\nu}\partial_{\mu}\phi\,\partial_{\nu}\phi - \tfrac{1}{2}m^{2}e^{2w\rho}\phi^{2}. \end{aligned}$
1510.06699_ EQ0176 (192)	32	0.428	`\begin{aligned} \mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a} \overleftrightarrow{ \mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi\right. & +\frac{1}{2} \nu\left(\mathcal{D}_{a}^{\dagger} \phi \right)\left(\mathcal{D}^{\dagger a} \phi\right)-\lambda \phi^{4} \\ & \left.-a \phi^{2} \mathcal{R}^{\dagger}+ \phi^{2} L_{\mathcal{T}^{\dagger 2}}\right],(192) \end{aligned}`	$\begin{aligned} \mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a} \overleftrightarrow{ \mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi\right. & +\frac{1}{2} \nu\left(\mathcal{D}_{a}^{\dagger} \phi \right)\left(\mathcal{D}^{\dagger a} \phi\right)-\lambda \phi^{4} \\ & \left.-a \phi^{2} \mathcal{R}^{\dagger}+ \phi^{2} L_{\mathcal{T}^{\dagger 2}}\right],(192) \end{aligned}$	$\begin{aligned} \mathcal{L}_{\mathrm{M}} = h^{-1}[\tfrac{1}{2}i\bar{\psi}\gamma^{a}\overleftrightarrow{\mathcal{D}}_{a}\psi - \mu\phi\bar{\psi}\psi & + \tfrac{1}{2}\nu(\mathcal{D}^{\dagger}_{a}\phi)(\mathcal{D}^{\dagger a}\phi) - \lambda\phi^{4} \\ & - a\phi^{2}\mathcal{R}^{\dagger} + \phi^{2}L_{\mathcal{T}^{\dagger 2}}], (192) \end{aligned}$
1510.06699_ EQ0229 (263b)	43	0.447	`\begin{aligned} { }^{0} \mathcal{R}^{\prime a b}{ }_{c d} & =e^{-2 \rho}\left\{{ }^{0} \mathcal{R}^{a b}{ }_{c d}+2 \delta_{d}^{[a}\left({ }^{0} \mathcal{D}_{c}-\mathcal{P}_{c}\right) \mathcal{P}^{b]}-2 \delta_{c}^{[a} \left({ }^{0} \mathcal{D}_{d}-\mathcal{P}_{d}\right) \mathcal{P}^{b]}-2 \delta_{c}^{[a} \delta_{d}^{b]} \mathcal{P}^{e} \mathcal{P}_{e}\right\}, \\ { }^{0} \mathcal{R}^{\prime a}{ }_{c} & =e^{-2 \rho}\left\{^{0} \mathcal{R}^{a}{ }_{c}-2^{0} \mathcal{D}_{c} \mathcal{P}^{a}-\delta_{c}^{a}{ }^{0} \mathcal{D}_{b} \mathcal{P}^{b}+2 \mathcal{P}^{a} \mathcal{P}_{c}-2 \delta_{c}^{a} \mathcal{P}^{2}\right\}, \\ { }^{0} \mathcal{R}^{\prime} & =e^{-2 \rho}\left\{{ }^{0} \mathcal{R}-6^{0} \mathcal{D}_{a} \mathcal{P}^{a}-6 \mathcal{P}^{2}\right\}, \end{aligned}`	$\begin{aligned} { }^{0} \mathcal{R}^{\prime a b}{ }_{c d} & =e^{-2 \rho}\left\{{ }^{0} \mathcal{R}^{a b}{ }_{c d}+2 \delta_{d}^{[a}\left({ }^{0} \mathcal{D}_{c}-\mathcal{P}_{c}\right) \mathcal{P}^{b]}-2 \delta_{c}^{[a} \left({ }^{0} \mathcal{D}_{d}-\mathcal{P}_{d}\right) \mathcal{P}^{b]}-2 \delta_{c}^{[a} \delta_{d}^{b]} \mathcal{P}^{e} \mathcal{P}_{e}\right\}, \\ { }^{0} \mathcal{R}^{\prime a}{ }_{c} & =e^{-2 \rho}\left\{^{0} \mathcal{R}^{a}{ }_{c}-2^{0} \mathcal{D}_{c} \mathcal{P}^{a}-\delta_{c}^{a}{ }^{0} \mathcal{D}_{b} \mathcal{P}^{b}+2 \mathcal{P}^{a} \mathcal{P}_{c}-2 \delta_{c}^{a} \mathcal{P}^{2}\right\}, \\ { }^{0} \mathcal{R}^{\prime} & =e^{-2 \rho}\left\{{ }^{0} \mathcal{R}-6^{0} \mathcal{D}_{a} \mathcal{P}^{a}-6 \mathcal{P}^{2}\right\}, \end{aligned}$	$\begin{aligned} {}^{0}\mathcal{R}'^{ab}{}_{cd} &= e^{-2\rho}\{{}^{0}\mathcal{R}^{ab}{}_{cd} + 2\delta^{[a}_{d}({}^{0}\mathcal{D}_{c} - \mathcal{P}_{c})\mathcal{P}^{b]} - 2\delta^{[a}_{c}({}^{0}\mathcal{D}_{d} - \mathcal{P}_{d})\mathcal{P}^{b]} - 2\delta^{[a}_{c}\delta^{b]}_{d}\mathcal{P}^{e}\mathcal{P}_{e}\}, \\ {}^{0}\mathcal{R}'^{a}{}_{c} &= e^{-2\rho}\{{}^{0}\mathcal{R}^{a}{}_{c} - 2\,{}^{0}\mathcal{D}_{c}\mathcal{P}^{a} - \delta^{a}_{c}\,{}^{0}\mathcal{D}_{b}\mathcal{P}^{b} + 2\mathcal{P}^{a}\mathcal{P}_{c} - 2\delta^{a}_{c}\mathcal{P}^{2}\}, \\ {}^{0}\mathcal{R}' &= e^{-2\rho}\{{}^{0}\mathcal{R} - 6\,{}^{0}\mathcal{D}_{a}\mathcal{P}^{a} - 6\mathcal{P}^{2}\}, \end{aligned}$
1510.06699_ EQ0067 (71)	15	0.449	`\mathcal{L}_{\mathrm{D}}=h^{-1} L_{\mathrm{D}}=h^{-1} \left(\frac{1}{2} i \bar{\psi} \gamma^{a} \dot{ \mathcal{D}}_{a}^{*} \psi-\mu \phi \bar{\psi} \psi\right)`	$\mathcal{L}_{\mathrm{D}}=h^{-1} L_{\mathrm{D}}=h^{-1} \left(\frac{1}{2} i \bar{\psi} \gamma^{a} \dot{ \mathcal{D}}_{a}^{*} \psi-\mu \phi \bar{\psi} \psi\right),$	$\mathcal{L}_{\mathrm{D}} = h^{-1}L_{\mathrm{D}} = h^{-1}(\tfrac{1}{2}i\bar{\psi}\gamma^{a}\overleftrightarrow{\mathcal{D}}^{*}_{a}\psi - \mu\phi\bar{\psi}\psi),$

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>1510.06699_ EQ0105 (113)</td><td>21</td><td>■0.463</td><td><code>\begin{aligned} \mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}} & \left(h, \partial h, \partial^{2} h, B, \partial B\right) \\ & +\mathcal{L}_{\mathrm{M}}\left(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^{2} h, B, \partial B\right) . \end{aligned}</code></td><td>$$\begin{aligned} \mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}} & \left(h, \partial h, \partial^{2} h, B, \partial B\right) \\ & +\mathcal{L}_{\mathrm{M}}\left(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^{2} h, B, \partial B\right) . \end{aligned}$$</td><td>$$\begin{aligned} \mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}&(h,\partial h,\partial^2 h,B,\partial B)\\ &+\mathcal{L}_{\mathrm{M}}(\varphi,\partial\varphi,\phi,\partial\phi,h,\partial h,\partial^2 h,B,\partial B). \end{aligned}$$</td></tr>
<tr><td>1510.06699_ EQ0116 (126)</td><td>22</td><td>■0.469</td><td><code>\begin{aligned} R_{\sigma \mu \nu}^{\rho} & =2\left(\partial_{[\mu} \Gamma_{|\sigma| \nu]}^{\rho}+\Gamma_{ \lambda[\mu}^{\rho} \Gamma_{|\sigma| \nu]}^{\lambda} \right)-H_{\mu \nu} \delta_{\sigma}^{\rho}, \\ T^{* \lambda}{ }_{\mu \nu} & =2 \Gamma_{[\nu \mu]}^{ \lambda}, \\ H_{\mu \nu} & =2 \partial_{[\mu} B_{\nu]}, \end{aligned}</code></td><td>$$\begin{aligned} R_{\sigma \mu \nu}^{\rho} & =2\left(\partial_{[\mu} \Gamma_{|\sigma| \nu]}^{\rho}+\Gamma_{ \lambda[\mu}^{\rho} \Gamma_{|\sigma| \nu]}^{\lambda} \right)-H_{\mu \nu} \delta_{\sigma}^{\rho}, \\ T^{* \lambda}{ }_{\mu \nu} & =2 \Gamma_{[\nu \mu]}^{ \lambda}, \\ H_{\mu \nu} & =2 \partial_{[\mu} B_{\nu]}, \end{aligned}$$</td><td>$$\begin{aligned} R^{\rho}{}_{\sigma\mu\nu}&=2(\partial_{[\mu}\Gamma^{\rho}{}_{|\sigma|\nu]}+\Gamma^{\rho}{}_{\lambda[\mu}\Gamma^{\lambda}{}_{|\sigma|\nu]})-H_{\mu\nu}\delta^{\rho}_{\sigma},\\ T^{*\lambda}{}_{\mu\nu}&=2\Gamma^{\lambda}{}_{[\nu\mu]},\\ H_{\mu\nu}&=2\partial_{[\mu}B_{\nu]}, \end{aligned}$$</td></tr>
<tr><td>1510.06699_ EQ0046 (48)</td><td>12</td><td>■0.479</td><td><code>{ }^{0} D_{\mu}^{*} \varphi \equiv\left(\partial_{ \mu}^{*}+\frac{1}{2}{ }^{0} A^{* a b}{ }_{\mu} \Sigma_{a b}\right) \varphi</code></td><td>$${ }^{0} D_{\mu}^{*} \varphi \equiv\left(\partial_{\mu}^{*}+\frac{1}{2}{ }^{0} A^{* a b}{ }_{\mu} \Sigma_{a b}\right) \varphi,$$</td><td>$${}^{0}D^{*}_{\mu}\varphi\equiv(\partial^{*}_{\mu}+\tfrac{1}{2}{}^{0}A^{*ab}{}_{\mu}\Sigma_{ab})\varphi,$$</td></tr>
</table>

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0207 (229)	38	0.487	`\begin{aligned} h\left(t_{\mathcal{R}^{2}}^{\dagger} \right)^{a}{ }_{b}= & \alpha_{1} \mathcal{R}^{ \dagger}\left(4 \mathcal{R}^{\dagger a}{ }_{b}- \delta_{b}^{a} \mathcal{R}^{\dagger}\right) \\ & + \alpha_{2}\left[2\left(\mathcal{R}^{\dagger c a} \mathcal{R}_{c b}^{\dagger}-\mathcal{R}^{\dagger c d} \mathcal{R}^{\dagger a}{ }_{c d b}\right)-\delta_{b}^{a} \mathcal{R}_{c d}^{\dagger} \mathcal{R}^{\dagger c d} \right] \\ & +\alpha_{3}\left[2\left(\mathcal{R}^{ \dagger a c} \mathcal{R}_{c b}^{\dagger}-\mathcal{R}^{ \dagger d c} \mathcal{R}^{\dagger a}{ }_{c d b} \right)-\delta_{b}^{a} \mathcal{R}_{c d}^{\dagger} \mathcal{R}^{\dagger d c}\right] \\ & +\alpha_{4} \left[4 \mathcal{R}^{\dagger c d e a} \mathcal{R}_{c d e b}^{\dagger}-\delta_{b}^{a} \mathcal{R}^{\dagger c d e f} \mathcal{R}_{c d e f}^{\dagger}\right] \\ & + \alpha_{5}\left[2\left(\mathcal{R}^{\dagger a c d e}- \mathcal{R}^{\dagger e c d a}\right) \mathcal{R}_{c d e b}^{\dagger}-\delta_{b}^{a} \mathcal{R}^{\dagger c e d f} \mathcal{R}_{c d e f}^{\dagger}\right] \\ & +\alpha_{6} \left[4 \mathcal{R}^{\dagger e a c d} \mathcal{R}_{c d e b}^{\dagger}-\delta_{b}^{a} \mathcal{R}^{\dagger e f c d} \mathcal{R}_{c d e f}^{\dagger}\right] \\ h \left(t_{\mathcal{H}^{2}}^{\dagger}\right)^{a}{ }_{b}= & \frac{1}{2} \xi\left[4 \mathcal{H}_{b c}^{\dagger} \mathcal{H}^{\dagger a c}-\delta_{b}^{a} \mathcal{H}_{c d}^{\dagger} \mathcal{H}^{\dagger c d}+\frac{4}{3} \mathcal{D}_{b}^{\dagger}\left(\mathcal{D}_{c}^{\dagger} \mathcal{H}^{\dagger c a}-\frac{1}{2} \mathcal{T}^{ \dagger a}{ }_{c d} \mathcal{H}^{\dagger c d}\right) \right], \end{aligned}`	$\begin{aligned} h\left(t_{\mathcal{R}^{2}}^{\dagger} \right)^{a}{ }_{b}= & \alpha_{1} \mathcal{R}^{ \dagger}\left(4 \mathcal{R}^{\dagger a}{ }_{b}- \delta_{b}^{a} \mathcal{R}^{\dagger}\right) \\ & + \alpha_{2}\left[2\left(\mathcal{R}^{\dagger c a} \mathcal{R}_{c b}^{\dagger}-\mathcal{R}^{\dagger c d} \mathcal{R}^{\dagger a}{ }_{c d b}\right)-\delta_{b}^{a} \mathcal{R}_{c d}^{\dagger} \mathcal{R}^{\dagger c d} \right] \\ & +\alpha_{3}\left[2\left(\mathcal{R}^{ \dagger a c} \mathcal{R}_{c b}^{\dagger}-\mathcal{R}^{ \dagger d c} \mathcal{R}^{\dagger a}{ }_{c d b} \right)-\delta_{b}^{a} \mathcal{R}_{c d}^{\dagger} \mathcal{R}^{\dagger d c}\right] \\ & +\alpha_{4} \left[4 \mathcal{R}^{\dagger c d e a} \mathcal{R}_{c d e b}^{\dagger}-\delta_{b}^{a} \mathcal{R}^{\dagger c d e f} \mathcal{R}_{c d e f}^{\dagger}\right] \\ & + \alpha_{5}\left[2\left(\mathcal{R}^{\dagger a c d e}- \mathcal{R}^{\dagger e c d a}\right) \mathcal{R}_{c d e b}^{\dagger}-\delta_{b}^{a} \mathcal{R}^{\dagger c e d f} \mathcal{R}_{c d e f}^{\dagger}\right] \\ & +\alpha_{6} \left[4 \mathcal{R}^{\dagger e a c d} \mathcal{R}_{c d e b}^{\dagger}-\delta_{b}^{a} \mathcal{R}^{\dagger e f c d} \mathcal{R}_{c d e f}^{\dagger}\right] \\ h \left(t_{\mathcal{H}^{2}}^{\dagger}\right)^{a}{ }_{b}= & \frac{1}{2} \xi\left[4 \mathcal{H}_{b c}^{\dagger} \mathcal{H}^{\dagger a c}-\delta_{b}^{a} \mathcal{H}_{c d}^{\dagger} \mathcal{H}^{\dagger c d}+\frac{4}{3} \mathcal{D}_{b}^{\dagger}\left(\mathcal{D}_{c}^{\dagger} \mathcal{H}^{\dagger c a}-\frac{1}{2} \mathcal{T}^{ \dagger a}{ }_{c d} \mathcal{H}^{\dagger c d}\right) \right], \end{aligned}$	$\begin{aligned} h(t^\dagger_{\mathcal{R}^2})^a{}_b = {} & \alpha_1 \mathcal{R}^\dagger(4\mathcal{R}^{\dagger a}{}_b - \delta^a_b \mathcal{R}^\dagger) \\ & +\alpha_2[2(\mathcal{R}^{\dagger ca}\mathcal{R}^\dagger_{cb} - \mathcal{R}^{\dagger cd}\mathcal{R}^{\dagger a}{}_{cdb}) - \delta^a_b\mathcal{R}^\dagger_{cd}\mathcal{R}^{\dagger cd}] \\ & +\alpha_3[2(\mathcal{R}^{\dagger ac}\mathcal{R}^\dagger_{cb} - \mathcal{R}^{\dagger dc}\mathcal{R}^{\dagger a}{}_{cdb}) - \delta^a_b \mathcal{R}^\dagger_{cd}\mathcal{R}^{\dagger dc}] \\ & +\alpha_4[4\mathcal{R}^{\dagger cdea}\mathcal{R}^\dagger_{cdeb} - \delta^a_b\mathcal{R}^{\dagger cdef}\mathcal{R}^\dagger_{cdef}] \\ & +\alpha_5[2(\mathcal{R}^{\dagger acde}-\mathcal{R}^{\dagger ecda})\mathcal{R}^\dagger_{cdeb} - \delta^a_b\mathcal{R}^{\dagger cedf}\mathcal{R}^\dagger_{cdef}] \\ & +\alpha_6[4\mathcal{R}^{\dagger eacd}\mathcal{R}^\dagger_{cdeb} - \delta^a_b\mathcal{R}^{\dagger efcd}\mathcal{R}^\dagger_{cdef}], \\ h(t^\dagger_{\mathcal{H}^2})^a{}_b = {} & \tfrac12\xi[4\mathcal{H}^\dagger_{bc}\mathcal{H}^{\dagger ac} - \delta^a_b\mathcal{H}^\dagger_{cd}\mathcal{H}^{\dagger cd} + \tfrac43\mathcal{D}^\dagger_b(\mathcal{D}^\dagger_c\mathcal{H}^{\dagger ca} - \tfrac12\mathcal{T}^{\dagger a}{}_{cd}\mathcal{H}^{\dagger cd})], \end{aligned}$
1510.06699_ EQ0117 (128)	22	0.497	`\widetilde{R}_{\sigma \mu \nu}^{\rho} \equiv R_{\sigma \mu \nu}^{\rho}+H_{\mu \nu} \delta_{\sigma}^{\rho}`	$\widetilde{R}_{\sigma \mu \nu}^{\rho} \equiv R_{\sigma \mu \nu}^{\rho}+H_{\mu \nu} \delta_{\sigma}^{\rho}.$	$\widetilde{R}^\rho{}_{\sigma\mu\nu} \equiv R^\rho{}_{\sigma\mu\nu} + H_{\mu\nu}\delta^\rho_\sigma.$
1510.06699_ EQ0249 (B4)	49	0.500	`L_{0} \mathcal{R}^{2}=\alpha_{1}{ }^{0} \mathcal{R}^{2}+ \alpha_{2}{ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}+\alpha_{3}{ }^{0} \mathcal{R}_{a b c d}{ }^{0} \mathcal{R}^{a b c d} \text {, }`	$L_{0} \mathcal{R}^{2}=\alpha_{1}{ }^{0} \mathcal{R}^{2}+ \alpha_{2}{ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}+\alpha_{3}{ }^{0} \mathcal{R}_{a b c d}{ }^{0} \mathcal{R}^{a b c d} \text {, }$	$L_{0\mathcal{R}^2} = \alpha_1{}^0\mathcal{R}^2 + \alpha_2{}^0\mathcal{R}_{ab}{}^0\mathcal{R}^{ab} + \alpha_3{}^0\mathcal{R}_{abcd}{}^0\mathcal{R}^{abcd},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0141 (155b)	27	0.505	`\begin{aligned} \mathcal{R}^{\dagger a b}{ }_{c d} & =\mathcal{R}^{a b}{ }_{c d}+2 \delta_{d}^{[b} \left(\mathcal{D}_{c}+\mathcal{V}_{c}\right) \mathcal{V}^{a]}-2 \delta_{c}^{[b}\left(\mathcal{D}_{d}+ \mathcal{V}_{d}\right) \mathcal{V}^{a]}-2 \mathcal{V}^{e} \mathcal{V}_{e} \delta_{c}^{[a} \delta_{d}^{b]}+2 \mathcal{V}^{[a} \mathcal{T}^{b]}{ }_{c d} \\ \mathcal{R}^{\dagger a}{ }_{c} & =\mathcal{R}^{a}{ }_{c}+2\left(\mathcal{D}_{c}+\frac{1}{2} \mathcal{T}_{c}+ \mathcal{V}_{c}\right) \mathcal{V}^{a}+\delta_{c}^{a} \left(\mathcal{D}_{b}-2 \mathcal{V}_{b}\right) \mathcal{V}^{b}-\mathcal{T}^{a}{ }_{c b} \mathcal{V}^{b} \\ \mathcal{R}^{\dagger} & =\mathcal{R}+6\left(\mathcal{D}_{a}+\frac{1}{3} \mathcal{T}_{a}- \mathcal{V}_{a}\right) \mathcal{V}^{a}, \end{aligned}`	$\begin{aligned} \mathcal{R}^{\dagger a b}{ }_{c d} & =\mathcal{R}^{a b}{ }_{c d}+2 \delta_{d}^{[b} \left(\mathcal{D}_{c}+\mathcal{V}_{c}\right) \mathcal{V}^{a]}-2 \delta_{c}^{[b}\left(\mathcal{D}_{d}+ \mathcal{V}_{d}\right) \mathcal{V}^{a]}-2 \mathcal{V}^{e} \mathcal{V}_{e} \delta_{c}^{[a} \delta_{d}^{b]}+2 \mathcal{V}^{[a} \mathcal{T}^{b]}{ }_{c d} \\ \mathcal{R}^{\dagger a}{ }_{c} & =\mathcal{R}^{a}{ }_{c}+2\left(\mathcal{D}_{c}+\frac{1}{2} \mathcal{T}_{c}+ \mathcal{V}_{c}\right) \mathcal{V}^{a}+\delta_{c}^{a} \left(\mathcal{D}_{b}-2 \mathcal{V}_{b}\right) \mathcal{V}^{b}-\mathcal{T}^{a}{ }_{c b} \mathcal{V}^{b} \\ \mathcal{R}^{\dagger} & =\mathcal{R}+6\left(\mathcal{D}_{a}+\frac{1}{3} \mathcal{T}_{a}- \mathcal{V}_{a}\right) \mathcal{V}^{a}, \end{aligned}$	$\begin{aligned} \mathcal{R}^{\dagger ab}{}_{cd} &= \mathcal{R}^{ab}{}_{cd} + 2\delta_d^{[b}(\mathcal{D}_c+\mathcal{V}_c)\mathcal{V}^{a]} - 2\delta_c^{[b}(\mathcal{D}_d+\mathcal{V}_d)\mathcal{V}^{a]} - 2\mathcal{V}^e\mathcal{V}_e\delta_c^{[a}\delta_d^{b]} + 2\mathcal{V}^{[a}\mathcal{T}^{b]}{}_{cd}, \\ \mathcal{R}^{\dagger a}{}_c &= \mathcal{R}^a{}_c + 2(\mathcal{D}_c + \tfrac{1}{2}\mathcal{T}_c + \mathcal{V}_c)\mathcal{V}^a + \delta_c^a(\mathcal{D}_b - 2\mathcal{V}_b)\mathcal{V}^b - \mathcal{T}^a{}_{cb}\mathcal{V}^b, \\ \mathcal{R}^\dagger &= \mathcal{R} + 6(\mathcal{D}_a + \tfrac{1}{3}\mathcal{T}_a - \mathcal{V}_a)\mathcal{V}^a, \end{aligned}$
1510.06699_ EQ0235 (269)	44	0.527	`\begin{aligned} \mathcal{L}_{\mathrm{M}}^{\prime}= \mathcal{L}_{\mathrm{M}}-h^{-1}\left[\frac{1}{2} \nu \mathcal{P}^{a}{ }^{0} \mathcal{D}_{a} \phi^{2}\right. & -6 a \phi^{2}{ }^{0} \mathcal{D}_{a} \mathcal{P}^{a} \\ & \left.+\left(\frac{1}{2} \nu+6 a\right) \phi^{2} \mathcal{P}_{a} \mathcal{P}^{a}\right] \end{aligned}`	$\begin{aligned} \mathcal{L}_{\mathrm{M}}^{\prime}= \mathcal{L}_{\mathrm{M}}-h^{-1}\left[\frac{1}{2} \nu \mathcal{P}^{a}{ }^{0} \mathcal{D}_{a} \phi^{2}\right. & -6 a \phi^{2}{ }^{0} \mathcal{D}_{a} \mathcal{P}^{a} \\ & \left.+\left(\frac{1}{2} \nu+6 a\right) \phi^{2} \mathcal{P}_{a} \mathcal{P}^{a}\right] \end{aligned}$	$\begin{aligned} \mathcal{L}'_{\mathrm{M}} = \mathcal{L}_{\mathrm{M}} - h^{-1}[\tfrac{1}{2}\nu\mathcal{P}^{a\,0}\mathcal{D}_a\phi^2 - 6a\phi^{2\,0}\mathcal{D}_a\mathcal{P}^a \\ + (\tfrac{1}{2}\nu + 6a)\phi^2\mathcal{P}_a\mathcal{P}^a]. \end{aligned}$
1510.06699_ EQ0187 (203)	35	0.544	`L_{\mathrm{G}}=L_{0_{\mathcal{R}^{\dagger 2}}}+L_{ \mathcal{H}^{\dagger 2}}`	$L_{\mathrm{G}}=L_{0_{\mathcal{R}^{\dagger 2}}}+L_{ \mathcal{H}^{\dagger 2}}$,	$L_{\mathrm{G}} = L_{0\mathcal{R}^{\dagger 2}} + L_{\mathcal{H}^{\dagger 2}},$
1510.06699_ EQ0244 (A8)	47	0.551	`S=\int d \lambda\left[\Re(i \bar{R} \dot{R})-p_{ \mu}\left(\dot{x}^{\mu}-m e \bar{R} \gamma^{\mu} R \right)-m^{2} e\right]`	$S=\int d \lambda\left[\Re(i \bar{R} \dot{R})-p_{ \mu}\left(\dot{x}^{\mu}-m e \bar{R} \gamma^{\mu} R \right)-m^{2} e\right].$	$S = \int d\lambda\,[\Re(i\bar{R}\dot{R}) - p_\mu(\dot{x}^\mu - me\bar{R}\gamma^\mu R) - m^2 e].$
1510.06699_ EQ0203 (222)	37	0.560	`\begin{aligned} & L_{\mathcal{R}^{\dagger 2}}=\alpha_{1} \mathcal{R}^{\dagger 2}+\alpha_{2} \mathcal{R}_{a b}^{\dagger} \mathcal{R}^{\dagger a b}+\alpha_{3} \mathcal{R}_{a b}^{\dagger} \mathcal{R}^{\dagger b a}+ \alpha_{4} \mathcal{R}_{a b c d}^{\dagger} \mathcal{R}^{ \dagger a b c d}+\alpha_{5} \mathcal{R}_{a b c d}^{ \dagger} \mathcal{R}^{\dagger a c b d}+\alpha_{6} \mathcal{R}_{a b c d}^{\dagger} \mathcal{R}^{\dagger c d a b}, \\ & L_{\mathcal{H}^{\dagger 2}}=\frac{1}{2} \xi \mathcal{H}_{a b}^{\dagger} \mathcal{H}^{\dagger a b}, \end{aligned}`	$\begin{aligned} & L_{\mathcal{R}^{\dagger 2}}=\alpha_{1} \mathcal{R}^{\dagger 2}+\alpha_{2} \mathcal{R}_{a b}^{\dagger} \mathcal{R}^{\dagger a b}+\alpha_{3} \mathcal{R}_{a b}^{\dagger} \mathcal{R}^{\dagger b a}+ \alpha_{4} \mathcal{R}_{a b c d}^{\dagger} \mathcal{R}^{ \dagger a b c d}+\alpha_{5} \mathcal{R}_{a b c d}^{ \dagger} \mathcal{R}^{\dagger a c b d}+\alpha_{6} \mathcal{R}_{a b c d}^{\dagger} \mathcal{R}^{\dagger c d a b}, \\ & L_{\mathcal{H}^{\dagger 2}}=\frac{1}{2} \xi \mathcal{H}_{a b}^{\dagger} \mathcal{H}^{\dagger a b}, \end{aligned}$	$\begin{aligned} & L_{\mathcal{R}^{\dagger 2}} = \alpha_1\mathcal{R}^{\dagger 2} + \alpha_2\mathcal{R}^\dagger_{ab}\mathcal{R}^{\dagger ab} + \alpha_3\mathcal{R}^\dagger_{ab}\mathcal{R}^{\dagger ba} + \alpha_4\mathcal{R}^\dagger_{abcd}\mathcal{R}^{\dagger abcd} + \alpha_5\mathcal{R}^\dagger_{abcd}\mathcal{R}^{\dagger acbd} + \alpha_6\mathcal{R}^\dagger_{abcd}\mathcal{R}^{\dagger cdab}, \\ & L_{\mathcal{H}^{\dagger 2}} = \tfrac{1}{2}\xi\mathcal{H}^\dagger_{ab}\mathcal{H}^{\dagger ab}, \end{aligned}$
1510.06699_ EQ0091 (98)	19	0.575	`\begin{aligned} v^{a} & =e p^{a} \\ \dot{p}_{a} & =c^{c}{ }_{a b} v^{b} p_{c}+e \mu^{2} \phi \partial_{a} \phi, \\ p^{2} & =\mu^{2} \phi^{2} . \end{aligned}`	$\begin{aligned} v^{a} & =e p^{a} \\ \dot{p}_{a} & =c^{c}{ }_{a b} v^{b} p_{c}+e \mu^{2} \phi \partial_{a} \phi, \\ p^{2} & =\mu^{2} \phi^{2} . \end{aligned}$	$\begin{aligned} v^a &= ep^a, \\ \dot{p}_a &= c^c{}_{ab}v^b p_c + e\mu^2\phi\,\partial_a\phi, \\ p^2 &= \mu^2\phi^2. \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0261 (C12)	50	0.600	`\begin{aligned} R_{\mu \nu}-\frac{1}{2} g_{\mu \nu} R & = \kappa \frac{\tau_{\mu \nu}}{\sqrt{-g}} \\ T^{\lambda}{ }_{\mu \nu} & =\frac{\kappa}{2 \sqrt{-g}}\left(2 \sigma_{\mu \nu}{ }^{\lambda}+\delta_{\mu}^{\lambda} \sigma_{\nu \rho}{ }^{\rho}-\delta_{\nu}^{\lambda} \sigma_{\mu \rho}{ }^{\rho}\right), \end{aligned}`	$\begin{aligned} R_{\mu \nu}-\frac{1}{2} g_{\mu \nu} R & = \kappa \frac{\tau_{\mu \nu}}{\sqrt{-g}} \\ T^{\lambda}{ }_{\mu \nu} & =\frac{\kappa}{2 \sqrt{-g}}\left(2 \sigma_{\mu \nu}{ }^{\lambda}+\delta_{\mu}^{\lambda} \sigma_{\nu \rho}{ }^{\rho}-\delta_{\nu}^{\lambda} \sigma_{\mu \rho}{ }^{\rho}\right), \end{aligned}$	$R_{\mu\nu} - \frac{1}{2} g_{\mu\nu} R = \kappa \frac{\tau_{\mu\nu}}{\sqrt{-g}},$ ($T^{\lambda}{}_{\mu\nu} = \frac{\kappa}{2\sqrt{-g}}(2\sigma_{\mu\nu}{}^{\lambda} + \delta^{\lambda}_{\mu}\sigma_{\nu\rho}{}^{\rho} - \delta^{\lambda}_{\nu}\sigma_{\mu\rho}{}^{\rho}),$(
1510.06699_ EQ0011 (12)	8	0.614	`L_{\mathrm{D}}=\frac{1}{2} i\left[\bar{\psi} \gamma^{\mu} \partial_{\mu} \psi-\left(\partial_{\mu} \bar{\psi}\right) \gamma^{\mu} \psi\right]-m \bar{\psi} \psi \equiv \frac{1}{2} i \bar{\psi} \gamma^{\mu} \overleftrightarrow{\partial_{\mu}} \psi-m \bar{\psi} \psi`	$L_{\mathrm{D}}=\frac{1}{2} i\left[\bar{\psi} \gamma^{\mu} \partial_{\mu} \psi-\left(\partial_{\mu} \bar{\psi}\right) \gamma^{\mu} \psi\right]-m \bar{\psi} \psi \equiv \frac{1}{2} i \bar{\psi} \gamma^{\mu} \overleftrightarrow{\partial_{\mu}} \psi-m \bar{\psi} \psi.$	$L_{\mathrm{D}} = \frac{1}{2} i[\bar{\psi}\gamma^{\mu}\partial_{\mu}\psi - (\partial_{\mu}\bar{\psi})\gamma^{\mu}\psi] - m\bar{\psi}\psi \equiv \frac{1}{2} i\bar{\psi}\gamma^{\mu}\overleftrightarrow{\partial}_{\mu}\psi - m\bar{\psi}\psi.$
1510.06699_ EQ0183 (199b)	34	0.615	`\begin{aligned} \widehat{\varphi} & \equiv\left(\frac{\phi}{\phi_{0}}\right)^{-w} \varphi \\ \widehat{h}_{a}{ }^{\mu} & \equiv\left(\frac{\phi}{\phi_{0}}\right)^{-1} h_{a}{ }^{\mu} \\ \widehat{A}_{\mu}^{\dagger a b} & \equiv A_{\mu}^{a b}+\left(\mathcal{V}^{a} b_{\mu}^{b}-\mathcal{V}^{b} b_{\mu}^{a}\right) \\ \widehat{V}_{\mu} & \equiv V_{\mu}+\frac{1}{3} T_{\mu}+\partial_{\mu} \ln \left(\frac{\phi}{\phi_{0}}\right) \end{aligned}`	$\begin{aligned} \widehat{\varphi} & \equiv\left(\frac{\phi}{\phi_{0}}\right)^{-w} \varphi \\ \widehat{h}_{a}{ }^{\mu} & \equiv\left(\frac{\phi}{\phi_{0}}\right)^{-1} h_{a}{ }^{\mu} \\ \widehat{A}_{\mu}^{\dagger a b} & \equiv A_{\mu}^{a b}+\left(\mathcal{V}^{a} b_{\mu}^{b}-\mathcal{V}^{b} b_{\mu}^{a}\right) \\ \widehat{V}_{\mu} & \equiv V_{\mu}+\frac{1}{3} T_{\mu}+\partial_{\mu} \ln \left(\frac{\phi}{\phi_{0}}\right) \end{aligned}$	$\widehat{\varphi} \equiv \left(\frac{\phi}{\phi_0}\right)^{-w} \varphi,$ $\widehat{h}_a{}^{\mu} \equiv \left(\frac{\phi}{\phi_0}\right)^{-1} h_a{}^{\mu},$ $\widehat{A}^{\dagger ab}{}_{\mu} \equiv A^{ab}{}_{\mu} + (\mathcal{V}^a b^b{}_{\mu} - \mathcal{V}^b b^a{}_{\mu}),$ $\widehat{V}_{\mu} \equiv V_{\mu} + \frac{1}{3} T_{\mu} + \partial_{\mu} \ln\left(\frac{\phi}{\phi_0}\right),$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0208 (232)	38	0.629	`\begin{aligned} h\left(\tau_{\phi}^{\dagger}\right)^{a}{ }_{b}= & \frac{1}{2} \nu\left[\frac{4}{3} \mathcal{D}^{\dagger a} \phi \mathcal{D}_{b}^{\dagger} \phi-\frac{1}{3} \delta_{b}^{a} \mathcal{D}^{\dagger c} \phi \mathcal{D}_{c}^{\dagger} \phi+\frac{2}{3} \phi\left(\delta_{b}^{a} \mathcal{D}_{c}^{\dagger} \mathcal{D}^{\dagger c} \phi-\mathcal{D}_{b}^{\dagger} \mathcal{D}^{\dagger a} \phi\right)\right]+\lambda \delta_{b}^{a} \phi^{4} \\ h\left(\mathcal{T}_{\mathcal{R}}^{\dagger}\right)^{a}{ }_{b}= & -a \phi^{2} \left(\mathcal{R}^{\dagger a}{ }_{b}-\frac{1}{2} \delta_{b}^{a} \mathcal{R}^{\dagger}\right) \\ h\left(\tau_{\mathcal{T}^{2}}^{\dagger}\right)^{a}{ }_{b}= & \beta_{1}\left[\phi^{2}\left(4 \mathcal{T}^{\dagger c d a} \mathcal{T}_{c d b}^{\dagger}-2 \mathcal{T}^{\dagger a d e} \mathcal{T}_{b d e}^{\dagger}-\delta_{b}^{a} \mathcal{T}^{\dagger c d e} \mathcal{T}_{c d e}^{\dagger}\right)+4 \mathcal{D}_{c}^{\dagger}\left(\phi^{2} \mathcal{T}_{b}^{\dagger c a}\right)\right] \\ & +\beta_{2}\left[\phi^{2}\left(2 \mathcal{T}^{\dagger d c a} \mathcal{T}_{c d b}^{\dagger}+2 \mathcal{T}^{\dagger a d c} \mathcal{T}_{c d b}^{\dagger}-2 \mathcal{T}^{\dagger a c d} \mathcal{T}_{c b d}^{\dagger}-\delta_{b}^{a} \mathcal{T}^{\dagger d c e} \mathcal{T}_{c d e}^{\dagger}\right)+4 \mathcal{D}_{c}^{\dagger}\left(\phi^{2} \mathcal{T}^{\dagger[c}{ }_{b}{ }^{a]}\right)\right] \end{aligned}`	$\begin{aligned} h\left(\tau_{\phi}^{\dagger}\right)^{a}{ }_{b}= & \frac{1}{2} \nu\left[\frac{4}{3} \mathcal{D}^{\dagger a} \phi \mathcal{D}_{b}^{\dagger} \phi-\frac{1}{3} \delta_{b}^{a} \mathcal{D}^{\dagger c} \phi \mathcal{D}_{c}^{\dagger} \phi+\frac{2}{3} \phi\left(\delta_{b}^{a} \mathcal{D}_{c}^{\dagger} \mathcal{D}^{\dagger c} \phi-\mathcal{D}_{b}^{\dagger} \mathcal{D}^{\dagger a} \phi\right)\right]+\lambda \delta_{b}^{a} \phi^{4} \\ h\left(\mathcal{T}_{\mathcal{R}}^{\dagger}\right)^{a}{ }_{b}= & -a \phi^{2} \left(\mathcal{R}^{\dagger a}{ }_{b}-\frac{1}{2} \delta_{b}^{a} \mathcal{R}^{\dagger}\right) \\ h\left(\tau_{\mathcal{T}^{2}}^{\dagger}\right)^{a}{ }_{b}= & \beta_{1}\left[\phi^{2}\left(4 \mathcal{T}^{\dagger c d a} \mathcal{T}_{c d b}^{\dagger}-2 \mathcal{T}^{\dagger a d e} \mathcal{T}_{b d e}^{\dagger}-\delta_{b}^{a} \mathcal{T}^{\dagger c d e} \mathcal{T}_{c d e}^{\dagger}\right)+4 \mathcal{D}_{c}^{\dagger}\left(\phi^{2} \mathcal{T}_{b}^{\dagger c a}\right)\right] \\ & +\beta_{2}\left[\phi^{2}\left(2 \mathcal{T}^{\dagger d c a} \mathcal{T}_{c d b}^{\dagger}+2 \mathcal{T}^{\dagger a d c} \mathcal{T}_{c d b}^{\dagger}-2 \mathcal{T}^{\dagger a c d} \mathcal{T}_{c b d}^{\dagger}-\delta_{b}^{a} \mathcal{T}^{\dagger d c e} \mathcal{T}_{c d e}^{\dagger}\right)+4 \mathcal{D}_{c}^{\dagger}\left(\phi^{2} \mathcal{T}^{\dagger[c}{ }_{b}{ }^{a]}\right)\right] \end{aligned}$	$\begin{aligned} h(\tau_{\phi}^{\dagger})^{a}{}_{b} &= \tfrac{1}{2}\nu[\tfrac{4}{3}\mathcal{D}^{\dagger a}\phi\mathcal{D}_{b}^{\dagger}\phi - \tfrac{1}{3}\delta_{b}^{a}\mathcal{D}^{\dagger c}\phi\mathcal{D}_{c}^{\dagger}\phi + \tfrac{2}{3}\phi(\delta_{b}^{a}\mathcal{D}_{c}^{\dagger}\mathcal{D}^{\dagger c}\phi - \mathcal{D}_{b}^{\dagger}\mathcal{D}^{\dagger a}\phi)] + \lambda\delta_{b}^{a}\phi^{4} \\ h(\tau_{\mathcal{R}}^{\dagger})^{a}{}_{b} &= -a\phi^{2}(\mathcal{R}^{\dagger a}{}_{b} - \tfrac{1}{2}\delta_{b}^{a}\mathcal{R}^{\dagger}), \\ h(\tau_{\mathcal{T}^2}^{\dagger})^{a}{}_{b} &= \beta_1[\phi^2(4\mathcal{T}^{\dagger cda}\mathcal{T}_{cdb}^{\dagger} - 2\mathcal{T}^{\dagger ade}\mathcal{T}_{bde}^{\dagger} - \delta_{b}^{a}\mathcal{T}^{\dagger cde}\mathcal{T}_{cde}^{\dagger}) + 4\mathcal{D}_{c}^{\dagger}(\phi^2\mathcal{T}_{b}^{\dagger ca})] \\ &\quad +\beta_2[\phi^2(2\mathcal{T}^{\dagger dca}\mathcal{T}_{cdb}^{\dagger} + 2\mathcal{T}^{\dagger adc}\mathcal{T}_{cdb}^{\dagger} - 2\mathcal{T}^{\dagger acd}\mathcal{T}_{cbd}^{\dagger} - \delta_{b}^{a}\mathcal{T}^{\dagger dce}\mathcal{T}_{cde}^{\dagger}) + 4\mathcal{D}_{c}^{\dagger}(\phi^2\mathcal{T}^{\dagger[c}{}_{b}{}^{a]})]. \end{aligned}$
1510.06699_ EQ0153 (167)	29	0.631	`\begin{aligned} \mathcal{L}_{\mathrm{T}}= & \mathcal{L}_{\mathrm{G}}\left(h, \partial h, \partial^{2} h, A, \partial A, V, \partial V\right) \\ & +\mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, V, \partial V), \end{aligned}`	$\begin{aligned} \mathcal{L}_{\mathrm{T}}= & \mathcal{L}_{\mathrm{G}}\left(h, \partial h, \partial^{2} h, A, \partial A, V, \partial V\right) \\ & +\mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, V, \partial V), \end{aligned}$	$\begin{aligned} \mathcal{L}_{\mathrm{T}} &= \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, A, \partial A, V, \partial V) \\ &\quad +\mathcal{L}_{\mathrm{M}}(\varphi, \partial\varphi, \phi, \partial\phi, h, \partial h, A, \partial A, V, \partial V), \end{aligned}$
1510.06699_ EQ0066 (70)	15	0.647	`L_{\mathrm{D}}=\frac{1}{2} i \bar{\psi} \gamma^{\mu} \stackrel{\leftrightarrow}{\partial_{\mu}} \psi-\mu \phi \bar{\psi} \psi`	$L_{\mathrm{D}}=\frac{1}{2} i \bar{\psi} \gamma^{\mu} \stackrel{\leftrightarrow}{\partial_{\mu}} \psi-\mu \phi \bar{\psi} \psi,$	$L_{\mathrm{D}} = \tfrac{1}{2} i\bar{\psi}\gamma^{\mu}\overset{\leftrightarrow}{\partial}_{\mu}\psi - \mu\phi\bar{\psi}\psi,$
1510.06699_ EQ0097 (105b)	20	0.649	`\begin{aligned} \widehat{\lambda} & \equiv\left(\frac{\phi}{\phi_{0}}\right) \lambda \\ \widehat{p}_{a} & \equiv \widehat{h}_{a}{ }^{\mu} p_{\mu}=\left(\frac{\phi}{\phi_{0}}\right)^{-1} p_{a} \\ \widehat{v}^{a} & \equiv \widehat{b}^{a}{ }_{\mu} \frac{d x^{\mu}}{d \widehat{\lambda}}=v^{a}, \\ \widehat{e} & \equiv\left(\frac{\phi}{\phi_{0}}\right) e, \end{aligned}`	$\begin{aligned} \widehat{\lambda} & \equiv\left(\frac{\phi}{\phi_{0}}\right) \lambda \\ \widehat{p}_{a} & \equiv \widehat{h}_{a}{ }^{\mu} p_{\mu}=\left(\frac{\phi}{\phi_{0}}\right)^{-1} p_{a} \\ \widehat{v}^{a} & \equiv \widehat{b}^{a}{ }_{\mu} \frac{d x^{\mu}}{d \widehat{\lambda}}=v^{a}, \\ \widehat{e} & \equiv\left(\frac{\phi}{\phi_{0}}\right) e, \end{aligned}$	$\begin{aligned} \widehat{\lambda} &\equiv \left(\frac{\phi}{\phi_0}\right)\lambda, \\ \widehat{p}_a &\equiv \widehat{h}_a{}^{\mu}p_{\mu} = \left(\frac{\phi}{\phi_0}\right)^{-1} p_a, \\ \widehat{v}^a &\equiv \widehat{b}^a{}_{\mu}\frac{dx^{\mu}}{d\widehat{\lambda}} = v^a, \\ \widehat{e} &\equiv \left(\frac{\phi}{\phi_0}\right)e, \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0085 (91b)	18	0.651	\begin{aligned} \widehat{\varphi} & \equiv\left(\frac{ \phi}{\phi_{0}}\right)^{-w} \varphi \\ \widehat{h}_{a}{ }^{\mu} & \equiv\left(\frac{\phi}{\phi_{0}}\right)^{-1} h_{a}{ }^{\mu} \\ \widehat{A}_{\mu}^{a b} & \equiv A_{\mu}^{a b} \\ \widehat{B}_{\mu} & \equiv B_{\mu}-\partial_{\mu} \ln \left(\frac{\phi}{\phi_{0}}\right) \end{aligned}	$\begin{aligned} \widehat{\varphi} & \equiv\left(\frac{ \phi}{\phi_{0}}\right)^{-w} \varphi \\ \widehat{h}_{a}{ }^{\mu} & \equiv\left(\frac{\phi}{\phi_{0}}\right)^{-1} h_{a}{ }^{\mu} \\ \widehat{A}_{\mu}^{a b} & \equiv A_{\mu}^{a b} \\ \widehat{B}_{\mu} & \equiv B_{\mu}-\partial_{\mu} \ln \left(\frac{\phi}{\phi_{0}}\right) \end{aligned}$	$\begin{aligned} \widehat{\varphi} & \equiv\left(\frac{\phi}{\phi_{0}}\right)^{-w} \varphi, \\ \widehat{h}_{a}{}^{\mu} & \equiv\left(\frac{\phi}{\phi_{0}}\right)^{-1} h_{a}{}^{\mu}, \\ \widehat{A}^{ab}{}_{\mu} & \equiv A^{ab}{}_{\mu}, \\ \widehat{B}_{\mu} & \equiv B_{\mu}-\partial_{\mu} \ln \left(\frac{\phi}{\phi_{0}}\right), \end{aligned}$
1510.06699_ EQ0063 (67a)	14	0.657	\begin{aligned} & \frac{\delta L_{\mathrm{M}}}{\delta \varphi}=\frac{\bar{\partial} L_{\mathrm{M}}}{\partial \varphi}-\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*} \right)\left(\frac{\partial L_{\mathrm{M}}}{\partial \left(\mathcal{D}_{a}^{*} \varphi\right)}\right)=0, \\ & \frac{\delta L_{\mathrm{M}}}{\delta \phi}= \frac{\bar{\partial} L_{\mathrm{M}}}{\partial \phi}-\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}\right) \left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_{a}^{*} \phi\right)}\right)=0 . \end{aligned}	$\begin{aligned} & \frac{\delta L_{\mathrm{M}}}{\delta \varphi}=\frac{\bar{\partial} L_{\mathrm{M}}}{\partial \varphi}-\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*} \right)\left(\frac{\partial L_{\mathrm{M}}}{\partial \left(\mathcal{D}_{a}^{*} \varphi\right)}\right)=0, \\ & \frac{\delta L_{\mathrm{M}}}{\delta \phi}= \frac{\bar{\partial} L_{\mathrm{M}}}{\partial \phi}-\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}\right) \left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_{a}^{*} \phi\right)}\right)=0 . \end{aligned}$	$\begin{aligned} \frac{\delta L_{\mathrm{M}}}{\delta \varphi} &= \frac{\bar{\partial} L_{\mathrm{M}}}{\partial \varphi}-(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*})\left(\frac{\partial L_{\mathrm{M}}}{\partial(\mathcal{D}_{a}^{*} \varphi)}\right)=0, \\ \frac{\delta L_{\mathrm{M}}}{\delta \phi} &= \frac{\bar{\partial} L_{\mathrm{M}}}{\partial \phi}-(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*})\left(\frac{\partial L_{\mathrm{M}}}{\partial(\mathcal{D}_{a}^{*} \phi)}\right)=0. \end{aligned}$
1510.06699_ EQ0227 (261)	42	0.664	\mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a} \stackrel{\leftrightarrow}{\mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi+ \frac{1}{2} \nu\left(\mathcal{D}_{a}^{\dagger} \phi \right)\left(\mathcal{D}^{\dagger a} \phi\right)- \lambda \phi^{4}+\frac{1}{12} \nu \phi^{2} \mathcal{R}^{ \dagger}+\phi^{2} L_{\mathcal{T}{ }^{\dagger} 2} \right]-\frac{1}{2} \nu h^{-1}\left(\mathcal{D}_{a}+ \mathcal{T}_{a}\right)\left(\phi^{2} \mathcal{V}^{a} \right)	$\mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a} \stackrel{\leftrightarrow}{\mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi+ \frac{1}{2} \nu\left(\mathcal{D}_{a}^{\dagger} \phi \right)\left(\mathcal{D}^{\dagger a} \phi\right)- \lambda \phi^{4}+\frac{1}{12} \nu \phi^{2} \mathcal{R}^{ \dagger}+\phi^{2} L_{\mathcal{T}{ }^{\dagger} 2} \right]-\frac{1}{2} \nu h^{-1}\left(\mathcal{D}_{a}+ \mathcal{T}_{a}\right)\left(\phi^{2} \mathcal{V}^{a} \right),$	$\mathcal{L}_{\mathrm{M}}=h^{-1}[\tfrac{1}{2} i \bar{\psi} \gamma^{a} \overleftrightarrow{\mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi+\tfrac{1}{2} \nu(\mathcal{D}_{a}^{\dagger} \phi)(\mathcal{D}^{\dagger a} \phi)-\lambda \phi^{4}+\tfrac{1}{12} \nu \phi^{2} \mathcal{R}^{\dagger}+\phi^{2} L_{\mathcal{T}^{\dagger 2}}]-\tfrac{1}{2} \nu h^{-1}(\mathcal{D}_{a}+\mathcal{T}_{a})(\phi^{2} \mathcal{V}^{a}),$
1510.06699_ EQ0074 (79)	16	0.671	\begin{aligned} \mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a} \overleftrightarrow{ \mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi\right. & +\frac{1}{2} \nu\left(\mathcal{D}_{a}^{*} \phi\right) \left(\mathcal{D}^{* a} \phi\right)-\lambda \phi^{4} \\ & \left.-a \phi^{2} \mathcal{R}+\phi^{2} L_{\mathcal{T}^{* 2}}\right] \end{aligned}	$\begin{aligned} \mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a} \overleftrightarrow{ \mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi\right. & +\frac{1}{2} \nu\left(\mathcal{D}_{a}^{*} \phi\right) \left(\mathcal{D}^{* a} \phi\right)-\lambda \phi^{4} \\ & \left.-a \phi^{2} \mathcal{R}+\phi^{2} L_{\mathcal{T}^{* 2}}\right] \end{aligned}$	$\begin{aligned} \mathcal{L}_{\mathrm{M}}=h^{-1}[\tfrac{1}{2} i \bar{\psi} \gamma^{a} \overleftrightarrow{\mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi+\tfrac{1}{2} \nu(\mathcal{D}_{a}^{*} \phi)(\mathcal{D}^{* a} \phi)-\lambda \phi^{4} \\ -a \phi^{2} \mathcal{R}+\phi^{2} L_{\mathcal{T}^{* 2}}], \quad (79) \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0211 (238)	39	■0.675	\begin{aligned} h\left(\sigma_{\phi}\right)_{a b}{ }^{c} & =-\frac{1}{3} \nu \phi \delta_{[a}^{c} \mathcal{D}_{b]}^{\dagger} \phi \\ h\left(\sigma_{ \mathcal{R}}\right)_{a b}{ }^{c} & =-a\left(\delta_{[a}^{c} \mathcal{D}_{b]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{a b}\right) \phi^{2} \\ h \left(\sigma_{\mathcal{T}^{2}}\right)_{a b}{ }^{c} & =-4 \beta_{1} \phi^{2} \mathcal{T}^{\dagger}{ }_{[a b]}{ }^{c}+2 \beta_{2} \phi^{2}\left(\mathcal{T}^{\dagger c}{ }_{a b}+\mathcal{T}^{\dagger}{ }_{[a b]}{ }^{c}\right) \end{aligned}	$\begin{aligned} h\left(\sigma_{\phi}\right)_{a b}{ }^{c} & =-\frac{1}{3} \nu \phi \delta_{[a}^{c} \mathcal{D}_{b]}^{\dagger} \phi \\ h\left(\sigma_{ \mathcal{R}}\right)_{a b}{ }^{c} & =-a\left(\delta_{[a}^{c} \mathcal{D}_{b]}^{\dagger}+\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{a b}\right) \phi^{2} \\ h \left(\sigma_{\mathcal{T}^{2}}\right)_{a b}{ }^{c} & =-4 \beta_{1} \phi^{2} \mathcal{T}^{\dagger}{ }_{[a b]}{ }^{c}+2 \beta_{2} \phi^{2}\left(\mathcal{T}^{\dagger c}{ }_{a b}+\mathcal{T}^{\dagger}{ }_{[a b]}{ }^{c}\right) \end{aligned}$	$\begin{aligned} h(\sigma_\phi)_{ab}{}^c &= -\tfrac{1}{3}\nu\phi\,\delta^c_{[a}\mathcal{D}^\dagger_{b]}\phi, \quad (\\ h(\sigma_\mathcal{R})_{ab}{}^c &= -a(\delta^c_{[a}\mathcal{D}^\dagger_{b]} + \tfrac{1}{2}\mathcal{T}^{\dagger c}{}_{ab})\phi^2, \quad (\\ h(\sigma_{\mathcal{T}^2})_{ab}{}^c &= -4\beta_1\phi^2\mathcal{T}^\dagger{}_{[ab]}{}^c + 2\beta_2\phi^2(\mathcal{T}^{\dagger c}{}_{ab} + \mathcal{T}^\dagger{}_{[ab]}{}^c)(\end{aligned}$
1510.06699_ EQ0216 (248)	39	■0.686	\begin{aligned} \partial_{\phi} L_{\mathcal{R}^{2}} & =0, \\ \partial_{\phi} L_{\mathcal{H}^{2}} & =0, \end{aligned}	$\begin{aligned} \partial_{\phi} L_{\mathcal{R}^{2}} & =0, \\ \partial_{\phi} L_{\mathcal{H}^{2}} & =0, \end{aligned}$	$\begin{aligned} \partial_\phi L_{\mathcal{R}^2} &= 0, \\ \partial_\phi L_{\mathcal{H}^2} &= 0, \end{aligned}$
1510.06699_ EQ0213 (239)	39	■0.687	\begin{aligned} h\left(j_{\mathcal{R}^{2}}\right)_{a}= & -12 \alpha_{1} \mathcal{D}_{a}^{\dagger} \mathcal{R}^{\dagger} \\ & -4 \alpha_{2}\left[\mathcal{D}_{b}^{\dagger}\left(\mathcal{R}_{a}^{\dagger b}+\frac{1}{2} \delta_{a}^{b} \mathcal{R}^{\dagger}\right)-\frac{1}{2} \mathcal{T}^{\dagger b}{ }_{a c} \mathcal{R}_{b}^{\dagger c}\right] \\ & -4 \alpha_{3}\left[\mathcal{D}_{b}^{\dagger}\left(\mathcal{R}^{\dagger b}{ }_{a}+\frac{1}{2} \delta_{a}^{b} \mathcal{R}^{\dagger}\right)-\frac{1}{2} \mathcal{T}^{\dagger b}{ }_{a c} \mathcal{R}^{\dagger c}{ }_{b}\right] \\ & -8 \alpha_{4}\left[\mathcal{D}_{b}^{\dagger} \mathcal{R}_{a}^{\dagger b}-\frac{1}{2} \mathcal{T}^{\dagger b c d} \mathcal{R}_{a b c d}^{\dagger}\right] \\ & -2 \alpha_{5}\left[\mathcal{D}_{b}^{\dagger}\left(\mathcal{R}_{a}^{\dagger b}+\mathcal{R}^{\dagger b}{ }_{a}\right)-\mathcal{T}^{\dagger b c d} \left(\mathcal{R}_{c b a d}^{\dagger}+\mathcal{R}_{c a b d}^{\dagger}\right)\right] \\ & -8 \alpha_{6}\left[\mathcal{D}_{b}^{\dagger} \mathcal{R}^{\dagger b}{ }_{a}-\frac{1}{2} \mathcal{T}^{\dagger b c d} \mathcal{R}_{c d a b}^{\dagger}\right] \\ h\left(j_{\mathcal{H}^{2}}\right)_{a}= & -2 \xi\left[\mathcal{D}_{b}^{\dagger} \mathcal{H}^{\dagger b}{ }_{a}-\frac{1}{2} \mathcal{T}^{\dagger}{ }_{a c d} \mathcal{H}^{\dagger c d}\right] \end{aligned}	$\begin{aligned} h\left(j_{\mathcal{R}^{2}}\right)_{a}= & -12 \alpha_{1} \mathcal{D}_{a}^{\dagger} \mathcal{R}^{\dagger} \\ & -4 \alpha_{2}\left[\mathcal{D}_{b}^{\dagger}\left(\mathcal{R}_{a}^{\dagger b}+\frac{1}{2} \delta_{a}^{b} \mathcal{R}^{\dagger}\right)-\frac{1}{2} \mathcal{T}^{\dagger b}{ }_{a c} \mathcal{R}_{b}^{\dagger c}\right] \\ & -4 \alpha_{3}\left[\mathcal{D}_{b}^{\dagger}\left(\mathcal{R}^{\dagger b}{ }_{a}+\frac{1}{2} \delta_{a}^{b} \mathcal{R}^{\dagger}\right)-\frac{1}{2} \mathcal{T}^{\dagger b}{ }_{a c} \mathcal{R}^{\dagger c}{ }_{b}\right] \\ & -8 \alpha_{4}\left[\mathcal{D}_{b}^{\dagger} \mathcal{R}_{a}^{\dagger b}-\frac{1}{2} \mathcal{T}^{\dagger b c d} \mathcal{R}_{a b c d}^{\dagger}\right] \\ & -2 \alpha_{5}\left[\mathcal{D}_{b}^{\dagger}\left(\mathcal{R}_{a}^{\dagger b}+\mathcal{R}^{\dagger b}{ }_{a}\right)-\mathcal{T}^{\dagger b c d} \left(\mathcal{R}_{c b a d}^{\dagger}+\mathcal{R}_{c a b d}^{\dagger}\right)\right] \\ & -8 \alpha_{6}\left[\mathcal{D}_{b}^{\dagger} \mathcal{R}^{\dagger b}{ }_{a}-\frac{1}{2} \mathcal{T}^{\dagger b c d} \mathcal{R}_{c d a b}^{\dagger}\right] \\ h\left(j_{\mathcal{H}^{2}}\right)_{a}= & -2 \xi\left[\mathcal{D}_{b}^{\dagger} \mathcal{H}^{\dagger b}{ }_{a}-\frac{1}{2} \mathcal{T}^{\dagger}{ }_{a c d} \mathcal{H}^{\dagger c d}\right] \end{aligned}$	$\begin{aligned} h(j_{\mathcal{R}^2})_a = & -12\alpha_1\mathcal{D}^\dagger_a\mathcal{R}^\dagger \\ & -4\alpha_2[\mathcal{D}^\dagger_b(\mathcal{R}^\dagger_a{}^b + \tfrac{1}{2}\delta^b_a\mathcal{R}^\dagger) - \tfrac{1}{2}\mathcal{T}^{\dagger b}{}_{ac}\mathcal{R}^\dagger_b{}^c] \\ & -4\alpha_3[\mathcal{D}^\dagger_b(\mathcal{R}^{\dagger b}{}_a + \tfrac{1}{2}\delta^b_a\mathcal{R}^\dagger) - \tfrac{1}{2}\mathcal{T}^{\dagger b}{}_{ac}\mathcal{R}^{\dagger c}{}_b] \\ & -8\alpha_4[\mathcal{D}^\dagger_b\mathcal{R}^\dagger_a{}^b - \tfrac{1}{2}\mathcal{T}^{\dagger bcd}\mathcal{R}^\dagger_{abcd}] \\ & -2\alpha_5[\mathcal{D}^\dagger_b(\mathcal{R}^\dagger_a{}^b + \mathcal{R}^{\dagger b}{}_a) - \mathcal{T}^{\dagger bcd}(\mathcal{R}^\dagger_{cbad} + \mathcal{R}^\dagger_{cabd})] \\ & -8\alpha_6[\mathcal{D}^\dagger_b\mathcal{R}^{\dagger b}{}_a - \tfrac{1}{2}\mathcal{T}^{\dagger bcd}\mathcal{R}^\dagger_{cdab}], \quad (241) \\ h(j_{\mathcal{H}^2})_a = & -2\xi[\mathcal{D}^\dagger_b\mathcal{H}^{\dagger b}{}_a - \tfrac{1}{2}\mathcal{T}^\dagger{}_{acd}\mathcal{H}^{\dagger cd}], \quad (242) \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0201 (219)	37	0.691	\begin{aligned} { }^{0} \Gamma^{\dagger \lambda}{ }_{ \mu \nu}= & \frac{1}{2} g^{\lambda \rho}\left(\partial_{ \mu}^{\dagger} g_{\nu \rho}+\partial_{\nu}^{\dagger} g_{ \mu \rho}-\partial_{\rho}^{\dagger} g_{\mu \nu}\right) \\ = & { }^{0} \Gamma^{\lambda}{ }_{\mu \nu}-\delta_{\nu}^{ \lambda}\left(V_{\mu}+\frac{1}{3} T_{\mu}\right)-\delta_{ \mu}^{\lambda}\left(V_{\nu}+\frac{1}{3} T_{\nu}\right) \ \ & +g_{\mu \nu}\left(V^{\lambda}+\frac{1}{3} T^{\lambda} \right) \end{aligned}	$\begin{aligned} { }^{0} \Gamma^{\dagger \lambda}{ }_{\mu \nu}= & \frac{1}{2} g^{\lambda \rho}\left(\partial_{\mu}^{\dagger} g_{\nu \rho}+\partial_{\nu}^{\dagger} g_{\mu \rho}-\partial_{\rho}^{\dagger} g_{\mu \nu}\right) \\ = & { }^{0} \Gamma^{\lambda}{ }_{\mu \nu}-\delta_{\nu}^{\lambda}\left(V_{\mu}+\frac{1}{3} T_{\mu}\right)-\delta_{\mu}^{\lambda}\left(V_{\nu}+\frac{1}{3} T_{\nu}\right) \\ & +g_{\mu \nu}\left(V^{\lambda}+\frac{1}{3} T^{\lambda}\right) \end{aligned}$	$\begin{aligned} { }^{0} \Gamma^{\dagger \lambda}{ }_{\mu \nu} &= \tfrac{1}{2} g^{\lambda \rho}(\partial_{\mu}^{\dagger} g_{\nu \rho}+\partial_{\nu}^{\dagger} g_{\mu \rho}-\partial_{\rho}^{\dagger} g_{\mu \nu}) \\ &= { }^{0} \Gamma^{\lambda}{ }_{\mu \nu}-\delta_{\nu}^{\lambda}(V_{\mu}+\tfrac{1}{3} T_{\mu})-\delta_{\mu}^{\lambda}(V_{\nu}+\tfrac{1}{3} T_{\nu}) \\ & \quad +g_{\mu \nu}(V^{\lambda}+\tfrac{1}{3} T^{\lambda}), \end{aligned}$
1510.06699_ EQ0147 (161b)	28	0.692	\begin{aligned} \mathcal{D}_{[a}^{\dagger} \mathcal{R}^{ \dagger d e}{ }_{b c]}-\mathcal{T}^{\dagger f}{ }_{[a b} \mathcal{R}^{\dagger d e}{ }_{c] f} & =0, \\ \mathcal{D}_{[a}^{\dagger} \mathcal{T}^{\dagger d}{ }_{b c]}-\mathcal{T}^{\dagger e}{ }_{[a b} \mathcal{T}^{ \dagger d}{ }_{c] e}-\mathcal{R}^{\dagger d}{ }_{[a b c]}+\mathcal{H}_{[a b}^{\dagger} \delta_{c]}^{d} & =0, \\ \mathcal{D}_{[a}^{\dagger} \mathcal{H}^{\dagger}{ }_{b c]}-\mathcal{T}^{\dagger e}{ }_{[a b} \mathcal{H}^{ \dagger}{ }_{c] e} & =0 . \end{aligned}	$\begin{aligned} \mathcal{D}_{[a}^{\dagger} \mathcal{R}^{\dagger d e}{ }_{b c]}-\mathcal{T}^{\dagger f}{ }_{[a b} \mathcal{R}^{\dagger d e}{ }_{c] f} & =0, \\ \mathcal{D}_{[a}^{\dagger} \mathcal{T}^{\dagger d}{ }_{b c]}-\mathcal{T}^{\dagger e}{ }_{[a b} \mathcal{T}^{\dagger d}{ }_{c] e}-\mathcal{R}^{\dagger d}{ }_{[a b c]}+\mathcal{H}_{[a b}^{\dagger} \delta_{c]}^{d} & =0, \\ \mathcal{D}_{[a}^{\dagger} \mathcal{H}^{\dagger}{ }_{b c]}-\mathcal{T}^{\dagger e}{ }_{[a b} \mathcal{H}^{\dagger}{ }_{c] e} & =0 . \end{aligned}$	$\begin{aligned} \mathcal{D}_{[a}^{\dagger} \mathcal{R}^{\dagger d e}{ }_{b c]}-\mathcal{T}^{\dagger f}{ }_{[a b} \mathcal{R}^{\dagger d e}{ }_{c] f} & =0, \\ \mathcal{D}_{[a}^{\dagger} \mathcal{T}^{\dagger d}{ }_{b c]}-\mathcal{T}^{\dagger e}{ }_{[a b} \mathcal{T}^{\dagger d}{ }_{c] e}-\mathcal{R}^{\dagger d}{ }_{[a b c]}+\mathcal{H}_{[a b}^{\dagger} \delta_{c]}^{d} & =0, \\ \mathcal{D}_{[a}^{\dagger} \mathcal{H}^{\dagger}{ }_{b c]}-\mathcal{T}^{\dagger e}{ }_{[a b} \mathcal{H}^{\dagger}{ }_{c] e} & =0 . \end{aligned}$
1510.06699_ EQ0115 (124)	22	0.692	\nabla_{\sigma} g_{\mu \nu}=-2 B_{\sigma} g_{\mu \nu}	$\nabla_{\sigma} g_{\mu \nu}=-2 B_{\sigma} g_{\mu \nu},$	$\nabla_{\sigma} g_{\mu \nu}=-2 B_{\sigma} g_{\mu \nu},$
1510.06699_ EQ0226 (260)	42	0.694	\mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a} \stackrel{\leftrightarrow}{ \mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi-\lambda \phi^{4}-a \phi^{2} \mathcal{R}+\phi^{2} L_{\mathcal{T} * 2}\right]	$\mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a} \stackrel{\leftrightarrow}{\mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi-\lambda \phi^{4}-a \phi^{2} \mathcal{R}+\phi^{2} L_{\mathcal{T} * 2}\right]$	$\mathcal{L}_{\mathrm{M}}=h^{-1}[\tfrac{1}{2} i \bar{\psi} \gamma^{a} \overleftrightarrow{\mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi-\lambda \phi^{4}-a \phi^{2} \mathcal{R}+\phi^{2} L_{\mathcal{T}^{*2}}],$
1510.06699_ EQ0218 (252)	40	0.699	\begin{aligned} & \nu \mathcal{D}_{a}^{\dagger}\left(\mathcal{D}^{\dagger a} \phi\right)+4 \lambda \phi^{3}- \partial_{\phi} L_{\varphi} \\ & \quad+\phi\left(a \mathcal{R}^{\dagger}-2 \beta_{1} \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger a b c}-2 \beta_{2} \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger b a c} \right)=0 \end{aligned}	$\begin{aligned} & \nu \mathcal{D}_{a}^{\dagger}\left(\mathcal{D}^{\dagger a} \phi\right)+4 \lambda \phi^{3}-\partial_{\phi} L_{\varphi} \\ & \quad+\phi\left(a \mathcal{R}^{\dagger}-2 \beta_{1} \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger a b c}-2 \beta_{2} \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger b a c}\right)=0 \end{aligned}$	$\begin{aligned} & \nu \mathcal{D}_{a}^{\dagger}(\mathcal{D}^{\dagger a} \phi)+4 \lambda \phi^{3}-\partial_{\phi} L_{\varphi} \\ & \quad+\phi(a \mathcal{R}^{\dagger}-2 \beta_{1} \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger a b c}-2 \beta_{2} \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger b a c})=0. \end{aligned}$
1510.06699_ EQ0137 (151a)	26	0.704	\begin{aligned} R^{\dagger a b}{ }_{\mu \nu} & \equiv \partial_{\mu} A^{\dagger a b}{ }_{\nu}-\partial_{\nu} A^{\dagger a b}{ }_{\mu}+A^{\dagger a}{ }_{c \mu} A^{ \dagger c b}{ }_{\nu}-A^{\dagger a}{ }_{c \nu} A^{\dagger c b}{ }_{\mu} \\ & =R^{a b}{ }_{\mu \nu}+4 b^{[b}{ }_{[\nu} D_{\mu]} \mathcal{V}^{a]}+4 \mathcal{V}^{[a} V_{[\mu} b^{b]}{ }_{\nu]}-2 \mathcal{V}^{e} \mathcal{V}_{e} b^{[a}{ }_{\mu} b^{b]}{ }_{\nu}+2 \mathcal{V}^{[a} T^{b]}{ }_{\mu \nu} \end{aligned}	$\begin{aligned} R^{\dagger a b}{ }_{\mu \nu} & \equiv \partial_{\mu} A^{\dagger a b}{ }_{\nu}-\partial_{\nu} A^{\dagger a b}{ }_{\mu}+A^{\dagger a}{ }_{c \mu} A^{\dagger c b}{ }_{\nu}-A^{\dagger a}{ }_{c \nu} A^{\dagger c b}{ }_{\mu} \\ & =R^{a b}{ }_{\mu \nu}+4 b^{[b}{ }_{[\nu} D_{\mu]} \mathcal{V}^{a]}+4 \mathcal{V}^{[a} V_{[\mu} b^{b]}{ }_{\nu]}-2 \mathcal{V}^{e} \mathcal{V}_{e} b^{[a}{ }_{\mu} b^{b]}{ }_{\nu}+2 \mathcal{V}^{[a} T^{b]}{ }_{\mu \nu} \end{aligned}$	$\begin{aligned} R^{\dagger a b}{ }_{\mu \nu} & \equiv \partial_{\mu} A^{\dagger a b}{ }_{\nu}-\partial_{\nu} A^{\dagger a b}{ }_{\mu}+A^{\dagger a}{ }_{c \mu} A^{\dagger c b}{ }_{\nu}-A^{\dagger a}{ }_{c \nu} A^{\dagger c b}{ }_{\mu}, \\ & =R^{a b}{ }_{\mu \nu}+4 b^{[b}{ }_{[\nu} D_{\mu]} \mathcal{V}^{a]}+4 \mathcal{V}^{[a} V_{[\mu} b^{b]}{ }_{\nu]}-2 \mathcal{V}^{e} \mathcal{V}_{e} b^{[a}{ }_{\mu} b^{b]}{ }_{\nu}+2 \mathcal{V}^{[a} T^{b]}{ }_{\mu \nu}, \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0022 (23)	9	0.723	`A^{\prime a b}{ }_{\mu}\left(x^{\prime}\right)=\frac{ \partial x^{\nu}}{\partial x^{\prime \mu}}\left[ \Lambda^{a}{ }_{c}(x) \Lambda^{b}{ }_{d}(x) A^{c d}{ }_{\nu}(x)-\Lambda^{b c}(x) \partial_{\nu} \Lambda^{a}{ }_{c}(x)\right]`	$A'^{ab}{}_{\mu}(x') = \frac{\partial x^{\nu}}{\partial x'^{\mu}}\left[\Lambda^{a}{}_{c}(x)\Lambda^{b}{}_{d}(x)A^{cd}{}_{\nu}(x) - \Lambda^{bc}(x)\partial_{\nu}\Lambda^{a}{}_{c}(x)\right],$	$A'^{ab}{}_{\mu}(x') = \frac{\partial x^{\nu}}{\partial x'^{\mu}}[\Lambda^{a}{}_{c}(x)\Lambda^{b}{}_{d}(x)A^{cd}{}_{\nu}(x) - \Lambda^{bc}(x)\partial_{\nu}\Lambda^{a}{}_{c}(x)],$
1510.06699_ EQ0013 (14)	8	0.734	`L_{\mathrm{M}}=\frac{1}{2} i \bar{\psi} \gamma^{\mu} \stackrel{\leftrightarrow}{\partial_{\mu}} \psi+ \frac{1}{2} \partial_{\mu} \phi \partial^{\mu} \phi- \mu \phi \bar{\psi} \psi`	$L_{\mathrm{M}} = \frac{1}{2} i\bar{\psi}\gamma^{\mu} \stackrel{\leftrightarrow}{\partial_{\mu}} \psi + \frac{1}{2}\partial_{\mu}\phi\partial^{\mu}\phi - \mu\phi\bar{\psi}\psi,$	$L_{\mathrm{M}} = \frac{1}{2} i\bar{\psi}\gamma^{\mu}\overleftrightarrow{\partial}_{\mu}\psi + \frac{1}{2}\partial_{\mu}\phi\,\partial^{\mu}\phi - \mu\phi\bar{\psi}\psi,$
1510.06699_ EQ0182 (198)	33	0.744	`\begin{aligned} \mathcal{L}_{\mathrm{T}}= & \mathcal{L}_{\mathrm{G}}\left(\widehat{h}, \partial \widehat{h}, \partial^{2} \widehat{h}, \widehat{A}^{ \dagger}, \partial \widehat{A}^{\dagger}\right) \\ & +\mathcal{L}_{\mathrm{M}}\left(\widehat{\varphi}, \partial \widehat{\varphi}, \phi_{0}, 0,, \widehat{h}, \partial \widehat{h}, \widehat{A}^{\dagger}, \partial \widehat{A}^{\dagger}\right) . \end{aligned}`	$\begin{aligned} \mathcal{L}_{\mathrm{T}} = & \mathcal{L}_{\mathrm{G}}\left(\widehat{h}, \partial\widehat{h}, \partial^{2}\widehat{h}, \widehat{A}^{\dagger}, \partial\widehat{A}^{\dagger}\right) \\ & + \mathcal{L}_{\mathrm{M}}\left(\widehat{\varphi}, \partial\widehat{\varphi}, \phi_{0}, 0,, \widehat{h}, \partial\widehat{h}, \widehat{A}^{\dagger}, \partial\widehat{A}^{\dagger}\right). \end{aligned}$	$\begin{aligned} \mathcal{L}_{\mathrm{T}} = & \mathcal{L}_{\mathrm{G}}(\widehat{h}, \partial\widehat{h}, \partial^{2}\widehat{h}, \widehat{A}^{\dagger}, \partial\widehat{A}^{\dagger}) \\ & + \mathcal{L}_{\mathrm{M}}(\widehat{\varphi}, \partial\widehat{\varphi}, \phi_{0}, 0,, \widehat{h}, \partial\widehat{h}, \widehat{A}^{\dagger}, \partial\widehat{A}^{\dagger}). \end{aligned}$
1510.06699_ EQ0012 (13)	8	0.749	`\begin{aligned} L_{\mathrm{D}}^{\prime} & =\frac{1}{2} i \bar{\psi}^{\prime} \gamma^{\mu} \stackrel{ \leftrightarrow}{\partial_{\mu}^{\prime}} \psi^{ \prime}-m \bar{\psi}^{\prime} \psi^{\prime} \\ & = \frac{1}{2} i e^{(2 w-1) \rho} \bar{\psi} \gamma^{\mu} \overleftrightarrow{\partial_{\mu}} \psi-m e^{2 w \rho} \bar{\psi} \psi \end{aligned}`	$\begin{aligned} L_{\mathrm{D}}' & = \frac{1}{2} i\bar{\psi}'\gamma^{\mu} \stackrel{\leftrightarrow}{\partial_{\mu}'} \psi' - m\bar{\psi}'\psi' \\ & = \frac{1}{2} ie^{(2w-1)\rho}\bar{\psi}\gamma^{\mu}\overleftrightarrow{\partial_{\mu}}\psi - me^{2w\rho}\bar{\psi}\psi \end{aligned}$	$\begin{aligned} L_{\mathrm{D}}' & = \frac{1}{2} i\bar{\psi}'\gamma^{\mu}\overleftrightarrow{\partial}_{\mu}'\psi' - m\bar{\psi}'\psi' \\ & = \frac{1}{2} ie^{(2w-1)\rho}\bar{\psi}\gamma^{\mu}\overleftrightarrow{\partial}_{\mu}\psi - me^{2w\rho}\bar{\psi}\psi. \end{aligned}$
1510.06699_ EQ0155 (169a)	29	0.758	`\begin{aligned} & t_{a b}^{\prime}=t_{a b}+2 \theta \left(s_{a c}{ }^{c} \mathcal{P}_{b}-s_{c b a} \mathcal{P}^{c}\right) \\ & \tau_{a b}^{\prime}=\tau_{a b}+2 \theta\left(\sigma_{a c}{ }^{c} \mathcal{P}_{b}- \sigma_{c b a} \mathcal{P}^{c}\right) \end{aligned}`	$\begin{aligned} & t_{ab}' = t_{ab} + 2\theta\left(s_{ac}{}^{c}\mathcal{P}_{b} - s_{cba}\mathcal{P}^{c}\right) \\ & \tau_{ab}' = \tau_{ab} + 2\theta\left(\sigma_{ac}{}^{c}\mathcal{P}_{b} - \sigma_{cba}\mathcal{P}^{c}\right) \end{aligned}$	$\begin{aligned} & t_{ab}' = t_{ab} + 2\theta(s_{ac}{}^{c}\mathcal{P}_{b} - s_{cba}\mathcal{P}^{c}), \\ & \tau_{ab}' = \tau_{ab} + 2\theta(\sigma_{ac}{}^{c}\mathcal{P}_{b} - \sigma_{cba}\mathcal{P}^{c}), \end{aligned}$
1510.06699_ EQ0108 (116)	21	0.766	`\hat{\boldsymbol{e}}_{a} \cdot \hat{\boldsymbol{e}}_{b}= \eta_{a b}=g_{\mu \nu} h_{a}{ }^{\mu} h_{b}{ }^{\nu}`	$\hat{\boldsymbol{e}}_{a} \cdot \hat{\boldsymbol{e}}_{b} = \eta_{ab} = g_{\mu\nu}h_{a}{}^{\mu}h_{b}{}^{\nu}.$	$\hat{\boldsymbol{e}}_{a} \cdot \hat{\boldsymbol{e}}_{b} = \eta_{ab} = g_{\mu\nu}h_{a}{}^{\mu}h_{b}{}^{\nu}.$
1510.06699_ EQ0123 (134)	23	0.768	`\begin{aligned} h_{a}^{\prime \mu}(x) & =e^{-\rho(x)} h_{a}{ }^{\mu}(x), \\ A^{\prime a b}{ }_{\mu}(x) & =A^{a b}{ }_{\mu}(x), \end{aligned}`	$\begin{aligned} h_{a}'^{\mu}(x) & = e^{-\rho(x)}h_{a}{}^{\mu}(x), \\ A'^{ab}{}_{\mu}(x) & = A^{ab}{}_{\mu}(x), \end{aligned}$	$\begin{aligned} h_{a}'^{\mu}(x) & = e^{-\rho(x)}h_{a}{}^{\mu}(x), \\ A'^{ab}{}_{\mu}(x) & = A^{ab}{}_{\mu}(x), \end{aligned}$
1510.06699_ EQ0222 (256)	41	0.771	`\begin{aligned} \mathcal{L}_{\mathrm{M}}=h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^{a} \stackrel{ \leftrightarrow}{\mathcal{D}}_{a} \psi-\mu \phi \bar{ \psi} \psi\right. & +\frac{1}{2} \nu\left(\mathcal{D}_{a} \phi\right)\left(\mathcal{D}^{a} \phi\right)-\lambda \phi^{4} \\ & \left.-a \phi^{2} \mathcal{R}+\phi^{2} L_{ \mathcal{T}^{2}}\right], \end{aligned}`	$\begin{aligned} \mathcal{L}_{\mathrm{M}} = h^{-1}\left[\frac{1}{2} i\bar{\psi}\gamma^{a} \stackrel{\leftrightarrow}{\mathcal{D}}_{a} \psi - \mu\phi\bar{\psi}\psi\right. & + \frac{1}{2}\nu\left(\mathcal{D}_{a}\phi\right)\left(\mathcal{D}^{a}\phi\right) - \lambda\phi^{4} \\ & \left. - a\phi^{2}\mathcal{R} + \phi^{2}L_{\mathcal{T}^{2}}\right], \end{aligned}$	$\begin{aligned} \mathcal{L}_{\mathrm{M}} = h^{-1}[\tfrac{1}{2} i\bar{\psi}\gamma^{a}\overleftrightarrow{\mathcal{D}}_{a}\psi - \mu\phi\bar{\psi}\psi + \tfrac{1}{2}\nu(\mathcal{D}_{a}\phi)(\mathcal{D}^{a}\phi) - \lambda\phi^{4} \\ - a\phi^{2}\mathcal{R} + \phi^{2}L_{\mathcal{T}^{2}}], \quad (256 \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0114 (123)	22	■0.786	`\begin{aligned} \Gamma^{\lambda}{ }_{\nu \mu} & =e_{a}{ }^{\lambda}\left(\partial_{\mu}^{*} e^{a}{ }_{\nu}+A^{a}{ }_{b \mu} e^{b}{ }_{\nu}\right), \\ A^{a}{ }_{b \mu} & =e^{a}{ }_{\lambda}\left(\partial_{\mu}^{*} e_{b}{ }^{\lambda}+\Gamma^{\lambda}{ }_{\nu \mu} e_{b}{ }^{\nu}\right) . \end{aligned}`	$\begin{aligned} \Gamma^{\lambda}{ }_{\nu \mu} & =e_{a}{ }^{\lambda}\left(\partial_{\mu}^{*} e^{a}{ }_{\nu}+A^{a}{ }_{b \mu} e^{b}{ }_{\nu}\right), \\ A^{a}{ }_{b \mu} & =e^{a}{ }_{\lambda}\left(\partial_{\mu}^{*} e_{b}{ }^{\lambda}+\Gamma^{\lambda}{ }_{\nu \mu} e_{b}{ }^{\nu}\right) . \end{aligned}$	$\begin{aligned} \Gamma^{\lambda}{}_{\nu\mu} &= e_a{}^{\lambda}(\partial^*_\mu e^a{}_\nu + A^a{}_{b\mu} e^b{}_\nu), \\ A^a{}_{b\mu} &= e^a{}_\lambda(\partial^*_\mu e_b{}^\lambda + \Gamma^\lambda{}_{\nu\mu} e_b{}^\nu). \end{aligned}$
1510.06699_ EQ0168 (184c)	31	■0.814	`\begin{aligned} \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta h_{c}{ }^{\mu}}\right)_{\dagger} & = \tau^{c}{ }_{\mu}+2 \sigma_{a b}{ }^{c} \mathcal{V}^{a} b_{\mu}^{b}-2 \sigma^{c b}{ }_{b} V_{\mu}=\tau^{\dagger c}{ }_{\mu},(184 \mathrm{a}) \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta A^{\dagger a b}{ }_{\mu}}\right)_{\dagger} & =\sigma_{a b}{ }^{\mu}, \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta V_{\mu}}\right)_{\dagger} & =\zeta^{\mu}-2 h_{a}{ }^{\mu} \sigma^{a b}{ }_{b}=\zeta^{\dagger \mu}=0 \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}\right)_{\dagger} & =\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}, \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}\right)_{\dagger} & =\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}, \end{aligned}`	$\begin{aligned} \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta h_{c}{ }^{\mu}}\right)_{\dagger} & = \tau^{c}{ }_{\mu}+2 \sigma_{a b}{ }^{c} \mathcal{V}^{a} b_{\mu}^{b}-2 \sigma^{c b}{ }_{b} V_{\mu}=\tau^{\dagger c}{ }_{\mu},(184 \mathrm{a}) \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta A^{\dagger a b}{ }_{\mu}}\right)_{\dagger} & =\sigma_{a b}{ }^{\mu}, \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta V_{\mu}}\right)_{\dagger} & =\zeta^{\mu}-2 h_{a}{ }^{\mu} \sigma^{a b}{ }_{b}=\zeta^{\dagger \mu}=0 \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}\right)_{\dagger} & =\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}, \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}\right)_{\dagger} & =\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}, \end{aligned}$	$\begin{aligned} \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta h_{c}{}^{\mu}}\right)_{\dagger} &= \tau^{c}{}_{\mu}+2 \sigma_{ab}{}^{c} \mathcal{V}^{a} b_{\mu}^{b}-2 \sigma^{cb}{}_{b} V_{\mu}=\tau^{\dagger c}{}_{\mu}, && (184a) \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta A^{\dagger ab}{}_{\mu}}\right)_{\dagger} &= \sigma_{ab}{}^{\mu}, && (184b) \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta V_{\mu}}\right)_{\dagger} &= \zeta^{\mu}-2 h_{a}{}^{\mu} \sigma^{ab}{}_{b}=\zeta^{\dagger \mu}=0, && (184c) \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}\right)_{\dagger} &= \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}, && (184d) \\ \left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}\right)_{\dagger} &= \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}, && (184e) \end{aligned}$
1510.06699_ EQ0103 (111)	20	■0.819	`L_{\mathrm{G}}=L_{0_{\mathcal{R}} * 2}+L_{\mathcal{H}^{2}}`	$L_{\mathrm{G}}=L_{0_{\mathcal{R}} * 2}+L_{\mathcal{H}^{2}},$	$L_{\mathrm{G}} = L_{0_{\mathcal{R}^{*2}}} + L_{\mathcal{H}^2},$
1510.06699_ EQ0257 (C7)	50	■0.842	`\begin{aligned} \mathcal{A}_{a b c}= & \frac{1}{2} \left(c_{a b c}+c_{b c a}-c_{c a b}\right) \\ & +\kappa h\left(\sigma_{a b c}-\sigma_{b c a}-\sigma_{c a b}+ \eta_{a c} \sigma_{b d}{ }^{d}-\eta_{b c} \sigma_{a d}{ }^{d}\right), \end{aligned}`	$\begin{aligned} \mathcal{A}_{a b c}= & \frac{1}{2} \left(c_{a b c}+c_{b c a}-c_{c a b}\right) \\ & +\kappa h\left(\sigma_{a b c}-\sigma_{b c a}-\sigma_{c a b}+ \eta_{a c} \sigma_{b d}{ }^{d}-\eta_{b c} \sigma_{a d}{ }^{d}\right), \end{aligned}$	$\begin{aligned} \mathcal{A}_{abc} =& \tfrac{1}{2}(c_{abc}+c_{bca}-c_{cab}) \\ &+\kappa h(\sigma_{abc}-\sigma_{bca}-\sigma_{cab}+\eta_{ac}\sigma_{bd}{}^{d}-\eta_{bc}\sigma_{ad}{}^{d}), \end{aligned}$
1510.06699_ EQ0209 (.234)	39	■0.860	`\begin{aligned} \left(s_{\mathcal{R}^{2}}\right)_{a b}{ }^{c} & +\left(s_{\mathcal{H}^{2}}\right)_{a b}{ }^{c} \\ & +\left(\sigma_{\varphi}\right)_{a b}{ }^{c}+\left(\sigma_{\phi}\right)_{a b}{ }^{c}+\left(\sigma_{\mathcal{R}}\right)_{a b}{ }^{c}+\left(\sigma_{ \mathcal{T}^{2}}\right)_{a b}{ }^{c}=0, \end{aligned}`	$\begin{aligned} \left(s_{\mathcal{R}^{2}}\right)_{a b}{ }^{c} & +\left(s_{\mathcal{H}^{2}}\right)_{a b}{ }^{c} \\ & +\left(\sigma_{\varphi}\right)_{a b}{ }^{c}+\left(\sigma_{\phi}\right)_{a b}{ }^{c}+\left(\sigma_{\mathcal{R}}\right)_{a b}{ }^{c}+\left(\sigma_{ \mathcal{T}^{2}}\right)_{a b}{ }^{c}=0, \end{aligned}$	$\begin{aligned} (s_{\mathcal{R}^2})_{ab}{}^{c} &+ (s_{\mathcal{H}^2})_{ab}{}^{c} \\ &+(\sigma_\varphi)_{ab}{}^{c}+(\sigma_\phi)_{ab}{}^{c}+(\sigma_{\mathcal{R}})_{ab}{}^{c}+(\sigma_{\mathcal{T}^2})_{ab}{}^{c} = 0,(\end{aligned}$

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>1510.06699_ EQ0196 (213)</td><td>36</td><td>0.861</td><td><code>\begin{aligned} R^{\dagger \rho}{ }_{\sigma \mu \nu} & =2\left(\partial_{[\mu} \Gamma^{\rho}{ }_{|\sigma| \nu]}+\Gamma^{\rho}{ }_{\lambda[\mu} \Gamma^{\lambda}{ }_{|\sigma| \nu]}\right)+H_{\mu \nu}^{\dagger} \delta_{\sigma}^{\rho}, \\ T^{\dagger \lambda}{ }_{\mu \nu} & =2 \Gamma^{\lambda}{ }_{[\nu \mu]}, \\ H_{\mu \nu}^{\dagger} & =\partial_{\mu}\left(V_{\nu}+\frac{1}{3} T_{\nu}\right)-\partial_{\nu}\left(V_{\mu}+\frac{1}{3} T_{\mu}\right) . \end{aligned}</code></td><td>$$\begin{aligned} R^{\dagger \rho}{ }_{\sigma \mu \nu} & =2\left(\partial_{[\mu} \Gamma^{\rho}{ }_{|\sigma| \nu]}+\Gamma^{\rho}{ }_{\lambda[\mu} \Gamma^{\lambda}{ }_{|\sigma| \nu]}\right)+H_{\mu \nu}^{\dagger} \delta_{\sigma}^{\rho}, \\ T^{\dagger \lambda}{ }_{\mu \nu} & =2 \Gamma^{\lambda}{ }_{[\nu \mu]}, \\ H_{\mu \nu}^{\dagger} & =\partial_{\mu}\left(V_{\nu}+\frac{1}{3} T_{\nu}\right)-\partial_{\nu}\left(V_{\mu}+\frac{1}{3} T_{\mu}\right) . \end{aligned}$$</td><td>$$\begin{aligned} R^{\dagger\rho}{}_{\sigma\mu\nu} &= 2(\partial_{[\mu}\Gamma^{\rho}{}_{|\sigma|\nu]} + \Gamma^{\rho}{}_{\lambda[\mu}\Gamma^{\lambda}{}_{|\sigma|\nu]}) + H^{\dagger}_{\mu\nu}\delta^{\rho}_{\sigma}, \\ T^{\dagger\lambda}{}_{\mu\nu} &= 2\Gamma^{\lambda}{}_{[\nu\mu]}, \\ H^{\dagger}_{\mu\nu} &= \partial_{\mu}(V_{\nu} + \tfrac{1}{3}T_{\nu}) - \partial_{\nu}(V_{\mu} + \tfrac{1}{3}T_{\mu}). \end{aligned}$$</td></tr>
<tr><td>1510.06699_ EQ0102 (110b)</td><td>20</td><td>0.862</td><td><code>\begin{aligned} \mathcal{R}^{a b}{ }_{c d} & ={ }^{0} \mathcal{R}^{* a b}{ }_{c d}+{ }^{0} \mathcal{D}_{c}^{*} \mathcal{K}^{* a b}{ }_{d}-{ }^{0} \mathcal{D}_{d}^{*} \mathcal{K}^{* a b}{ }_{c}+\mathcal{K}^{* a}{ }_{e c} \mathcal{K}^{* e b}{ }_{d}-\mathcal{K}^{* a}{ }_{e d} \mathcal{K}^{* e b}{ }_{c} \\ \mathcal{R}^{a}{ }_{c} & ={ }^{0} \mathcal{R}^{* a}{ }_{c}+{ }^{0} \mathcal{D}_{c}^{*} \mathcal{K}^{* a b}{ }_{b}-{ }^{0} \mathcal{D}_{b}^{*} \mathcal{K}^{* a b}{ }_{c}+\mathcal{K}^{* a}{ }_{e c} \mathcal{K}^{* e b}{ }_{b}-\mathcal{K}^{* a}{ }_{e b} \mathcal{K}^{* e b}{ }_{c} \\ \mathcal{R} & ={ }^{0} \mathcal{R}^{*}+\frac{1}{4} \mathcal{T}^{* a b c} \mathcal{T}_{a b c}^{*}+\frac{1}{2} \mathcal{T}^{* a b c} \mathcal{T}_{b a c}^{*}-\mathcal{T}^{* a} \mathcal{T}_{a}^{*}-2{ }^{0} \mathcal{D}_{a}^{*} \mathcal{T}^{* a} . \end{aligned}</code></td><td>$$\begin{aligned} \mathcal{R}^{a b}{ }_{c d} & ={ }^{0} \mathcal{R}^{* a b}{ }_{c d}+{ }^{0} \mathcal{D}_{c}^{*} \mathcal{K}^{* a b}{ }_{d}-{ }^{0} \mathcal{D}_{d}^{*} \mathcal{K}^{* a b}{ }_{c}+\mathcal{K}^{* a}{ }_{e c} \mathcal{K}^{* e b}{ }_{d}-\mathcal{K}^{* a}{ }_{e d} \mathcal{K}^{* e b}{ }_{c} \\ \mathcal{R}^{a}{ }_{c} & ={ }^{0} \mathcal{R}^{* a}{ }_{c}+{ }^{0} \mathcal{D}_{c}^{*} \mathcal{K}^{* a b}{ }_{b}-{ }^{0} \mathcal{D}_{b}^{*} \mathcal{K}^{* a b}{ }_{c}+\mathcal{K}^{* a}{ }_{e c} \mathcal{K}^{* e b}{ }_{b}-\mathcal{K}^{* a}{ }_{e b} \mathcal{K}^{* e b}{ }_{c} \\ \mathcal{R} & ={ }^{0} \mathcal{R}^{*}+\frac{1}{4} \mathcal{T}^{* a b c} \mathcal{T}_{a b c}^{*}+\frac{1}{2} \mathcal{T}^{* a b c} \mathcal{T}_{b a c}^{*}-\mathcal{T}^{* a} \mathcal{T}_{a}^{*}-2{ }^{0} \mathcal{D}_{a}^{*} \mathcal{T}^{* a} . \end{aligned}$$</td><td>$$\begin{aligned} \mathcal{R}^{ab}{}_{cd} &= {}^{0}\mathcal{R}^{*ab}{}_{cd} + {}^{0}\mathcal{D}^{*}_{c}\mathcal{K}^{*ab}{}_{d} - {}^{0}\mathcal{D}^{*}_{d}\mathcal{K}^{*ab}{}_{c} + \mathcal{K}^{*a}{}_{ec}\mathcal{K}^{*eb}{}_{d} - \mathcal{K}^{*a}{}_{ed}\mathcal{K}^{*eb}{}_{c} \\ \mathcal{R}^{a}{}_{c} &= {}^{0}\mathcal{R}^{*a}{}_{c} + {}^{0}\mathcal{D}^{*}_{c}\mathcal{K}^{*ab}{}_{b} - {}^{0}\mathcal{D}^{*}_{b}\mathcal{K}^{*ab}{}_{c} + \mathcal{K}^{*a}{}_{ec}\mathcal{K}^{*eb}{}_{b} - \mathcal{K}^{*a}{}_{eb}\mathcal{K}^{*eb}{}_{c}; \\ \mathcal{R} &= {}^{0}\mathcal{R}^{*} + \tfrac{1}{4}\mathcal{T}^{*abc}\mathcal{T}^{*}_{abc} + \tfrac{1}{2}\mathcal{T}^{*abc}\mathcal{T}^{*}_{bac} - \mathcal{T}^{*a}\mathcal{T}^{*}_{a} - 2\,{}^{0}\mathcal{D}^{*}_{a}\mathcal{T}^{*a}. \end{aligned}$$</td></tr>
<tr><td>1510.06699_ EQ0238 (A2)</td><td>47</td><td>0.875</td><td><code>\bar{\psi} \mathscr{J}=J^{\mu} \bar{\psi} \gamma_{\mu}=\bar{\psi} \gamma^{\mu} \psi \bar{\psi} \gamma_{\mu}</code></td><td>$\bar{\psi} \mathscr{J}=J^{\mu} \bar{\psi} \gamma_{\mu}=\bar{\psi} \gamma^{\mu} \psi \bar{\psi} \gamma_{\mu}.$</td><td>$\bar{\psi}\not{J} = J^{\mu}\bar{\psi}\gamma_{\mu} = \bar{\psi}\gamma^{\mu}\psi\bar{\psi}\gamma_{\mu}.$</td></tr>
<tr><td>1510.06699_ EQ0234 (268)</td><td>44</td><td>0.882</td><td><code>\begin{array}{r} \mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a}{ }^{0} \stackrel{ \leftrightarrow}{\mathcal{D}}_{a} \psi-\mu \phi \bar{ \psi} \psi+\frac{1}{2} \nu\left({ }^{0} \mathcal{D}_{a} \phi\right)\left({ }^{0} \mathcal{D}^{a} \phi\right)- \lambda \phi^{4}\right. \\ \left.-a \phi^{2}{ }^{0} \mathcal{R}\right] . \end{array}</code></td><td>$$\begin{array}{r} \mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a}{ }^{0} \stackrel{ \leftrightarrow}{\mathcal{D}}_{a} \psi-\mu \phi \bar{ \psi} \psi+\frac{1}{2} \nu\left({ }^{0} \mathcal{D}_{a} \phi\right)\left({ }^{0} \mathcal{D}^{a} \phi\right)- \lambda \phi^{4}\right. \\ \left.-a \phi^{2}{ }^{0} \mathcal{R}\right] . \end{array}$$</td><td>$$\begin{array}{r} \mathcal{L}_{\mathrm{M}} = h^{-1}[\tfrac{1}{2}i\bar{\psi}\gamma^{a}\,{}^{0}\overleftrightarrow{\mathcal{D}}_{a}\psi - \mu\phi\bar{\psi}\psi + \tfrac{1}{2}\nu\,({}^{0}\mathcal{D}_{a}\phi)\,({}^{0}\mathcal{D}^{a}\phi) - \lambda\phi^{4} \\ -a\phi^{2}\,{}^{0}\mathcal{R}]. \quad (268) \end{array}$$</td></tr>
<tr><td>1510.06699_ EQ0180 (196)</td><td>33</td><td>0.900</td><td><code>\widehat{\varphi} \equiv\left(\frac{\phi}{\phi_{0}} \right)^{-w} \varphi, \quad \widehat{h}_{a}{ }^{\mu} \equiv\left(\frac{\phi}{\phi_{0}}\right)^{-1} h_{a}{ }^{ \mu}, \quad \widehat{A}_{\mu}^{\dagger a b} \equiv A^{ \dagger a b}{ }_{\mu}</code></td><td>$\widehat{\varphi} \equiv\left(\frac{\phi}{\phi_{0}} \right)^{-w} \varphi, \quad \widehat{h}_{a}{ }^{\mu} \equiv\left(\frac{\phi}{\phi_{0}}\right)^{-1} h_{a}{ }^{ \mu}, \quad \widehat{A}_{\mu}^{\dagger a b} \equiv A^{ \dagger a b}{ }_{\mu},$</td><td>$\widehat{\varphi} \equiv \left(\frac{\phi}{\phi_{0}}\right)^{-w}\varphi, \quad \widehat{h}_{a}{}^{\mu} \equiv \left(\frac{\phi}{\phi_{0}}\right)^{-1} h_{a}{}^{\mu}, \quad \widehat{A}^{\dagger ab}{}_{\mu} \equiv A^{\dagger ab}{}_{\mu},$</td></tr>
<tr><td>1510.06699_ EQ0190 (206)</td><td>35</td><td>0.901</td><td><code>\begin{aligned} \mathcal{L}_{\mathrm{T}}= & \mathcal{L}_{ \mathrm{G}}\left(h, \partial h, \partial^{2} h, A^{ \dagger}, \partial A^{\dagger}\right) \\ & +\mathcal{L}_{ \mathrm{M}}\left(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^{2} h, A^{ \dagger}, \partial A^{\dagger}\right) \end{aligned}</code></td><td>$$\begin{aligned} \mathcal{L}_{\mathrm{T}}= & \mathcal{L}_{ \mathrm{G}}\left(h, \partial h, \partial^{2} h, A^{ \dagger}, \partial A^{\dagger}\right) \\ & +\mathcal{L}_{ \mathrm{M}}\left(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^{2} h, A^{ \dagger}, \partial A^{\dagger}\right) \end{aligned}$$</td><td>$$\begin{aligned} \mathcal{L}_{\mathrm{T}} = {} & \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^{2}h, A^{\dagger}, \partial A^{\dagger}) \\ & + \mathcal{L}_{\mathrm{M}}(\varphi, \partial\varphi, \phi, \partial\phi, h, \partial h, \partial^{2}h, A^{\dagger}, \partial A^{\dagger}), \end{aligned}$$</td></tr>
</table>

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0145 (159)	27	■0.908	`{ }^{0} D_{\mu}^{\dagger} \varphi \equiv\left(\partial_{ \mu}^{\dagger}+\frac{1}{2}{ }^{0} A^{\dagger a b}{ }_{ \mu} \Sigma_{a b}\right) \varphi`	${}^{0}D_{\mu}^{\dagger}\varphi \equiv\left(\partial_{\mu}^{\dagger}+\frac{1}{2}{}^{0}A^{\dagger ab}{}_{\mu}\Sigma_{ab}\right)\varphi,$	${}^{0}D^{\dagger}_{\mu}\varphi \equiv (\partial^{\dagger}_{\mu}+\tfrac{1}{2}{}^{0}A^{\dagger ab}{}_{\mu}\Sigma_{ab})\varphi,$
1510.06699_ EQ0275 (D14)	53	■0.909	`\begin{aligned} \mathcal{D}_{a} \mathcal{D}^{a} \mathcal{B}^{c} & -\mathcal{R}^{a c} \mathcal{B}_{a}+m^{2} \mathcal{B}^{c} \\ & +2 \kappa \left[\left(\delta_{b}^{c} \mathcal{D}_{a}-\kappa h \sigma_{a b}{ }^{c}\right)\left(h \sigma^{a b d} \mathcal{B}_{d}\right)\right]=0 \end{aligned}`	$\begin{aligned} \mathcal{D}_{a}\mathcal{D}^{a}\mathcal{B}^{c} & -\mathcal{R}^{ac}\mathcal{B}_{a}+m^{2}\mathcal{B}^{c} \\ & +2\kappa\left[\left(\delta_{b}^{c}\mathcal{D}_{a}-\kappa h\sigma_{ab}{}^{c}\right)\left(h\sigma^{abd}\mathcal{B}_{d}\right)\right]=0 \end{aligned}$	$\begin{aligned} \mathcal{D}_{a}\mathcal{D}^{a}\mathcal{B}^{c} & -\mathcal{R}^{ac}\mathcal{B}_{a}+m^{2}\mathcal{B}^{c} \\ & +2\kappa[(\delta_{b}^{c}\mathcal{D}_{a}-\kappa h\sigma_{ab}{}^{c})(h\sigma^{abd}\mathcal{B}_{d})]=0, \end{aligned}$
1510.06699_ EQ0273 (D12)	53	■0.910	`L_{\psi}=\frac{1}{2} i \bar{\psi} \gamma^{a} \stackrel{ \leftrightarrow}{\mathcal{D}}_{a} \psi-\mu \phi \bar{ \psi} \psi`	$L_{\psi}=\frac{1}{2}i\bar{\psi}\gamma^{a}\stackrel{\leftrightarrow}{\mathcal{D}}_{a}\psi-\mu\phi\bar{\psi}\psi,$	$L_{\psi}=\tfrac{1}{2}i\bar{\psi}\gamma^{a}\overleftrightarrow{\mathcal{D}}_{a}\psi-\mu\phi\bar{\psi}\psi,$
1510.06699_ EQ0058 (62b)	14	■0.910	`\begin{aligned} t^{a}{ }_{b}+\tau^{a}{ }_{b} & =0 \\ s_{a b}{ }^{c}+\sigma_{a b}{ }^{c} & =0 \\ j^{a}+\zeta^{a} & =0 \end{aligned}`	$\begin{aligned} t^{a}{}_{b}+\tau^{a}{}_{b} & =0 \\ s_{ab}{}^{c}+\sigma_{ab}{}^{c} & =0 \\ j^{a}+\zeta^{a} & =0 \end{aligned}$	$\begin{aligned} t^{a}{}_{b}+\tau^{a}{}_{b} & =0, \\ s_{ab}{}^{c}+\sigma_{ab}{}^{c} & =0, \\ j^{a}+\zeta^{a} & =0, \end{aligned}$
1510.06699_ EQ0125 (138)	23	■0.912	`\mathcal{T}^{\prime a}{ }_{b c}=e^{-\rho}\left( \mathcal{T}^{a}{ }_{b c}+\mathcal{P}_{b} \delta_{c}^{a}- \mathcal{P}_{c} \delta_{b}^{a}\right)`	$\mathcal{T}^{\prime a}{}_{bc}=e^{-\rho}\left(\mathcal{T}^{a}{}_{bc}+\mathcal{P}_{b}\delta_{c}^{a}-\mathcal{P}_{c}\delta_{b}^{a}\right),$	$\mathcal{T}^{\prime a}{}_{bc}=e^{-\rho}(\mathcal{T}^{a}{}_{bc}+\mathcal{P}_{b}\delta_{c}^{a}-\mathcal{P}_{c}\delta_{b}^{a}),$
1510.06699_ EQ0161 (176)	30	■0.929	`\begin{aligned} D_{c}^{\dagger}\left(h j^{\dagger c}\right) & =0, \\ h t^{\dagger c}{ }_{c} & =0 . \end{aligned}`	$\begin{aligned} D_{c}^{\dagger}\left(hj^{\dagger c}\right) & =0, \\ ht^{\dagger c}{}_{c} & =0. \end{aligned}$	$\begin{aligned} D_{c}^{\dagger}(hj^{\dagger c}) & =0, \\ ht^{\dagger c}{}_{c} & =0. \end{aligned}$
1510.06699_ EQ0112 (120)	22	■0.934	`J^{a}+\delta J^{a}=\left(J^{\mu}+\delta J^{\mu}\right) e^{a}{ }_{\mu}(x+\delta x)`	$J^{a}+\delta J^{a}=\left(J^{\mu}+\delta J^{\mu}\right)e^{a}{}_{\mu}(x+\delta x).$	$J^{a}+\delta J^{a}=(J^{\mu}+\delta J^{\mu})\,e^{a}{}_{\mu}(x+\delta x).$
1510.06699_ EQ0240 (A4)	47	■0.943	`\bar{\psi} \mathscr{J}=\bar{\psi}\left(\bar{\psi} \psi+ \bar{\psi} i \gamma^{5} \psi i \gamma^{5}\right)`	$\bar{\psi}\mathscr{J}=\bar{\psi}\left(\bar{\psi}\psi+\bar{\psi}i\gamma^{5}\psi i\gamma^{5}\right).$	$\bar{\psi}\not{J}=\bar{\psi}(\bar{\psi}\psi+\bar{\psi}i\gamma^{5}\psi i\gamma^{5}).$
1510.06699_ EQ0264 (D3)	51	■0.943	`\begin{aligned} L_{T} & =L_{\mathrm{M}}+L_{\mathrm{G}} \\ & =L_{\varphi}+\frac{1}{2} \nu \mathcal{D}_{a}^{*} \phi \mathcal{D}^{* a} \phi-\lambda \phi^{4}-\frac{1}{2} a \phi^{2} \mathcal{R}-\frac{1}{4} \xi \mathcal{H}_{a b} \mathcal{H}^{a b} . \end{aligned}`	$\begin{aligned} L_{T} & =L_{\mathrm{M}}+L_{\mathrm{G}} \\ & =L_{\varphi}+\frac{1}{2}\nu\mathcal{D}_{a}^{*}\phi\mathcal{D}^{*a}\phi-\lambda\phi^{4}-\frac{1}{2}a\phi^{2}\mathcal{R}-\frac{1}{4}\xi\mathcal{H}_{ab}\mathcal{H}^{ab}. \end{aligned}$	$\begin{aligned} L_{T} & =L_{\mathrm{M}}+L_{\mathrm{G}} \\ & =L_{\varphi}+\tfrac{1}{2}\nu\mathcal{D}_{a}^{*}\phi\mathcal{D}^{*a}\phi-\lambda\phi^{4}-\tfrac{1}{2}a\phi^{2}\mathcal{R}-\tfrac{1}{4}\xi\mathcal{H}_{ab}\mathcal{H}^{ab}. \end{aligned}$
1510.06699_ EQ0019 (20)	9	■0.944	`\begin{aligned} D_{\mu}^{*} \varphi(x) & \equiv\left[ \partial_{\mu}+\frac{1}{2} A^{a b}{ }_{\mu}(x) \Sigma_{a b}+w B_{\mu}(x)\right] \varphi(x) \\ & =\left[D_{\mu}+w B_{\mu}(x)\right] \varphi(x) \end{aligned}`	$\begin{aligned} D_{\mu}^{*}\varphi(x) & \equiv\left[\partial_{\mu}+\frac{1}{2}A^{ab}{}_{\mu}(x)\Sigma_{ab}+wB_{\mu}(x)\right]\varphi(x) \\ & =\left[D_{\mu}+wB_{\mu}(x)\right]\varphi(x) \end{aligned}$	$\begin{aligned} D_{\mu}^{*}\varphi(x) & \equiv[\partial_{\mu}+\tfrac{1}{2}A^{ab}{}_{\mu}(x)\Sigma_{ab}+wB_{\mu}(x)]\varphi(x) \\ & =[D_{\mu}+wB_{\mu}(x)]\varphi(x), \end{aligned}$
1510.06699_ EQ0167 (183)	31	■0.946	`\begin{aligned} \mathcal{L}_{\mathrm{T}}= & \mathcal{L}_{ \mathrm{G}}\left(h, \partial h, \partial^{2} h, A^{ \dagger}, \partial A^{\dagger}\right) \\ & +\mathcal{L}_{ \mathrm{M}}\left(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A^{\dagger}, \partial A^{\dagger}\right), \end{aligned}`	$\begin{aligned} \mathcal{L}_{\mathrm{T}}= & \mathcal{L}_{\mathrm{G}}\left(h,\partial h,\partial^{2}h,A^{\dagger},\partial A^{\dagger}\right) \\ & +\mathcal{L}_{\mathrm{M}}\left(\varphi,\partial\varphi,\phi,\partial\phi,h,\partial h,A^{\dagger},\partial A^{\dagger}\right), \end{aligned}$	$\begin{aligned} \mathcal{L}_{\mathrm{T}} & =\mathcal{L}_{\mathrm{G}}(h,\partial h,\partial^{2}h,A^{\dagger},\partial A^{\dagger}) \\ & +\mathcal{L}_{\mathrm{M}}(\varphi,\partial\varphi,\phi,\partial\phi,h,\partial h,A^{\dagger},\partial A^{\dagger}), \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0038 (39)	11	■0.946	`\begin{aligned} R^{a b}{ }_{\mu \nu} & \equiv \partial_{\mu} A^{a b}{ }_{\nu}-\partial_{\nu} A^{a b}{ }_{\mu}+A^{a}{ }_{c \mu} A^{c b}{ }_{\nu}-A^{a}{ }_{c \nu} A^{c b}{ }_{\mu}, \\ H_{\mu \nu} & \equiv \partial_{\mu} B_{\nu}-\partial_{\nu} B_{\mu} . \end{aligned}`	$\begin{aligned} R^{a b}{ }_{\mu \nu} & \equiv \partial_{\mu} A^{a b}{ }_{\nu}-\partial_{\nu} A^{a b}{ }_{\mu}+A^{a}{ }_{c \mu} A^{c b}{ }_{\nu}-A^{a}{ }_{c \nu} A^{c b}{ }_{\mu}, \\ H_{\mu \nu} & \equiv \partial_{\mu} B_{\nu}-\partial_{\nu} B_{\mu} . \end{aligned}$	$\begin{aligned} R^{ab}{}_{\mu\nu} & \equiv \partial_\mu A^{ab}{}_\nu - \partial_\nu A^{ab}{}_\mu + A^a{}_{c\mu} A^{cb}{}_\nu - A^a{}_{c\nu} A^{cb}{}_\mu, \\ H_{\mu\nu} & \equiv \partial_\mu B_\nu - \partial_\nu B_\mu. \end{aligned}$
1510.06699_ EQ0124 (136)	23	■0.952	`\begin{aligned} h_{a}^{\prime \mu} & =e^{-\rho} h_{a}{ }^{\mu} \\ A^{\prime a b}{ }_{\mu} & =A^{a b}{ }_{\mu}+ \theta\left(b^{a}{ }_{\mu} \mathcal{P}^{b}-b^{b}{ }_{\mu} \mathcal{P}^{a}\right), \end{aligned}`	$\begin{aligned} h_{a}^{\prime \mu} & =e^{-\rho} h_{a}{ }^{\mu} \\ A^{\prime a b}{ }_{\mu} & =A^{a b}{ }_{\mu}+ \theta\left(b^{a}{ }_{\mu} \mathcal{P}^{b}-b^{b}{ }_{\mu} \mathcal{P}^{a}\right), \end{aligned}$	$\begin{aligned} h'_a{}^\mu & = e^{-\rho} h_a{}^\mu \\ A'^{ab}{}_\mu & = A^{ab}{}_\mu + \theta(b^a{}_\mu \mathcal{P}^b - b^b{}_\mu \mathcal{P}^a), \end{aligned}$
1510.06699_ EQ0221 (255a)	41	■0.954	`\begin{aligned} \mathcal{T}^{\prime a}{ }_{b c} & =e^{-\rho}\left\{\mathcal{T}^{a}{ }_{b c}+2(1-\theta) \mathcal{P}_{[b} \delta_{c]}^{a}\right\}, \\ \mathcal{T}^{\prime}{ }_{b} & =e^{-\rho}\left\{\mathcal{T}_{b}+3(1-\theta) \mathcal{P}_{b}\right\} . \end{aligned}`	$\begin{aligned} \mathcal{T}^{\prime a}{ }_{b c} & =e^{-\rho}\left\{\mathcal{T}^{a}{ }_{b c}+2(1-\theta) \mathcal{P}_{[b} \delta_{c]}^{a}\right\}, \\ \mathcal{T}^{\prime}{ }_{b} & =e^{-\rho}\left\{\mathcal{T}_{b}+3(1-\theta) \mathcal{P}_{b}\right\} . \end{aligned}$	$\begin{aligned} \mathcal{T}'^a{}_{bc} & = e^{-\rho}\{\mathcal{T}^a{}_{bc} + 2(1-\theta)\mathcal{P}_{[b}\delta^a_{c]}\}, \\ \mathcal{T}'{}_b & = e^{-\rho}\{\mathcal{T}_b + 3(1-\theta)\mathcal{P}_b\}. \end{aligned}$
1510.06699_ EQ0086 (92)	18	■0.955	`\begin{aligned} \mathcal{D}_{a}^{*} \chi & \equiv \left(\mathcal{D}_{a}+w \mathcal{B}_{a}\right) \chi \\ & =\left(\frac{\phi}{\phi_{0}}\right)^{1-w}\left(\widehat{\mathcal{D}}_{a}+w \widehat{\mathcal{B}}_{a} \right) \widehat{\chi} \equiv\left(\frac{\phi}{\phi_{0}} \right)^{1-w} \widehat{\mathcal{D}}_{a}^{*} \widehat{ \chi} \end{aligned}`	$\begin{aligned} \mathcal{D}_{a}^{*} \chi & \equiv \left(\mathcal{D}_{a}+w \mathcal{B}_{a}\right) \chi \\ & =\left(\frac{\phi}{\phi_{0}}\right)^{1-w}\left(\widehat{\mathcal{D}}_{a}+w \widehat{\mathcal{B}}_{a} \right) \widehat{\chi} \equiv\left(\frac{\phi}{\phi_{0}} \right)^{1-w} \widehat{\mathcal{D}}_{a}^{*} \widehat{ \chi} \end{aligned}$	$\begin{aligned} \mathcal{D}^*_a\chi & \equiv (\mathcal{D}_a + w\mathcal{B}_a)\chi \\ & = \left(\frac{\phi}{\phi_0}\right)^{1-w} (\widehat{\mathcal{D}}_a + w\widehat{\mathcal{B}}_a)\widehat{\chi} \equiv \left(\frac{\phi}{\phi_0}\right)^{1-w} \widehat{\mathcal{D}}^*_a\widehat{\chi}, \end{aligned}$
1510.06699_ EQ0068 (72)	15	■0.956	`\mathcal{L}_{\mathrm{D}}=h^{-1}\left(\frac{1}{2} i \bar{ \psi} \gamma^{a} \overleftrightarrow{\mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi\right)`	$\mathcal{L}_{\mathrm{D}}=h^{-1}\left(\frac{1}{2} i \bar{ \psi} \gamma^{a} \overleftrightarrow{\mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi\right).$	$\mathcal{L}_{\mathrm{D}} = h^{-1}(\frac{1}{2}i\bar{\psi}\gamma^a\overleftrightarrow{\mathcal{D}}_a\psi - \mu\phi\bar{\psi}\psi).$
1510.06699_ EQ0093 (101)	19	■0.959	`v^{c}{ }^{0} \mathcal{D}_{c}^{*} p_{a}=e \mu^{2} \phi^{0} \mathcal{D}_{a}^{*} \phi`	$v^{c}{ }^{0} \mathcal{D}_{c}^{*} p_{a}=e \mu^{2} \phi^{0} \mathcal{D}_{a}^{*} \phi,$	$v^{c\,0}\mathcal{D}^*_c p_a = e\mu^2\phi^{\,0}\mathcal{D}^*_a\phi,$
1510.06699_ EQ0026 (27)	10	■0.964	`h_{a}^{\prime \mu}\left(x^{\prime}\right)=\frac{ \partial x^{\prime \mu}}{\partial x^{\nu}} e^{-\rho(x)} \Lambda_{a}{ }^{b}(x) h_{b}{ }^{\nu}(x)`	$h_{a}^{\prime \mu}\left(x^{\prime}\right)=\frac{ \partial x^{\prime \mu}}{\partial x^{\nu}} e^{-\rho(x)} \Lambda_{a}{ }^{b}(x) h_{b}{ }^{\nu}(x).$	$h'_a{}^\mu(x') = \frac{\partial x'^\mu}{\partial x^\nu} e^{-\rho(x)}\Lambda_a{}^b(x)h_b{}^\nu(x).$
1510.06699_ EQ0008 (9)	8	■0.965	`L_{\mathrm{M}}\left(\varphi^{\prime}\left(x^{\prime} \right), \partial_{\mu}^{\prime} \varphi^{\prime} \left(x^{\prime}\right)\right)=e^{-4 \rho} L_{\mathrm{M}} \left(\varphi(x), \partial_{\mu} \varphi(x)\right)`	$L_{\mathrm{M}}\left(\varphi^{\prime}\left(x^{\prime} \right), \partial_{\mu}^{\prime} \varphi^{\prime} \left(x^{\prime}\right)\right)=e^{-4 \rho} L_{\mathrm{M}} \left(\varphi(x), \partial_{\mu} \varphi(x)\right),$	$L_{\mathrm{M}}(\varphi'(x'), \partial'_\mu\varphi'(x')) = e^{-4\rho}L_{\mathrm{M}}(\varphi(x), \partial_\mu\varphi(x)),$
1510.06699_ EQ0057 (61b)	14	■0.971	`\begin{aligned} t^{a}{ }_{\mu}+\tau^{a}{ }_{\mu} & =0 \\ s_{a b}{ }^{\mu}+\sigma_{a b}{ }^{\mu} & =0 \\ j^{\mu}+ \zeta^{\mu} & =0 \end{aligned}`	$\begin{aligned} t^{a}{ }_{\mu}+\tau^{a}{ }_{\mu} & =0 \\ s_{a b}{ }^{\mu}+\sigma_{a b}{ }^{\mu} & =0 \\ j^{\mu}+ \zeta^{\mu} & =0 \end{aligned}$	$\begin{aligned} t^a{}_\mu + \tau^a{}_\mu & = 0, \\ s_{ab}{}^\mu + \sigma_{ab}{}^\mu & = 0, \\ j^\mu + \zeta^\mu & = 0. \end{aligned}$
1510.06699_ EQ0250 (B5)	49	■0.973	`L_{\mathrm{G}}=-\kappa^{-1}\left(\Lambda+a^{0} \mathcal{R}\right)+\alpha_{1}{ }^{0} \mathcal{R}^{2}+ \alpha_{2}{ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}`	$L_{\mathrm{G}}=-\kappa^{-1}\left(\Lambda+a^{0} \mathcal{R}\right)+\alpha_{1}{ }^{0} \mathcal{R}^{2}+ \alpha_{2}{ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}.$	$L_{\mathrm{G}} = -\kappa^{-1}(\Lambda + a\,{}^0\mathcal{R}) + \alpha_1{}^0\mathcal{R}^2 + \alpha_2{}^0\mathcal{R}_{ab}{}^0\mathcal{R}^{ab}.$
1510.06699_ EQ0152 (166)	28	■0.974	`L_{\mathrm{G}}=L_{\mathcal{R}^{\dagger 2}}+L_{ \mathcal{H}^{\dagger 2}}`	$L_{\mathrm{G}}=L_{\mathcal{R}^{\dagger 2}}+L_{ \mathcal{H}^{\dagger 2}},$	$L_{\mathrm{G}} = L_{\mathcal{R}^{\dagger 2}} + L_{\mathcal{H}^{\dagger 2}},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0228 (262)	43	0.976	`{ }^{0} \mathcal{D}_{c}^{\prime} \varphi^{ \prime}=e^{(w-1) \rho}\left[{ }^{0} \mathcal{D}_{c} \varphi+w \mathcal{P}_{c} \varphi+\mathcal{P}^{[b} \delta_{c}^{a]} \Sigma_{a b} \varphi\right]`	${ }^{0} \mathcal{D}_{c}^{\prime} \varphi^{\prime}=e^{(w-1) \rho}\left[{ }^{0} \mathcal{D}_{c} \varphi+w \mathcal{P}_{c} \varphi+\mathcal{P}^{[b} \delta_{c}^{a]} \Sigma_{a b} \varphi\right],$	${ }^{0} \mathcal{D}_{c}^{\prime} \varphi^{\prime}=e^{(w-1) \rho}[{ }^{0} \mathcal{D}_{c} \varphi+w \mathcal{P}_{c} \varphi+\mathcal{P}^{[b} \delta_{c}^{a]} \Sigma_{a b} \varphi],$
1510.06699_ EQ0220 (254b)	41	0.979	`\begin{aligned} \mathcal{R}^{\prime a b}{ }_{c d} & =e^{-2 \rho}\left\{\mathcal{R}^{a b}{ }_{c d}+2 \theta \delta_{d}^{[a}\left(\mathcal{D}_{c}-\theta \mathcal{P}_{c}\right) \mathcal{P}^{b]}-2 \theta \delta_{c}^{[a}\left(\mathcal{D}_{d}-\theta \mathcal{P}_{d}\right) \mathcal{P}^{b]}-2 \theta \mathcal{P}^{[a} \mathcal{T}^{b]}{ }_{c d}-2 \theta^{2} \delta_{c}^{[a} \delta_{d}^{b]} \mathcal{P}^{e} \mathcal{P}_{e}\right\}, \\ \mathcal{R}^{\prime a}{ }_{c} & =e^{-2 \rho}\left\{\mathcal{R}^{a}{ }_{c}-2 \theta \mathcal{D}_{c} \mathcal{P}^{a}-\theta \delta_{c}^{a} \mathcal{D}_{b} \mathcal{P}^{b}+2 \theta^{2} \mathcal{P}^{a} \mathcal{P}_{c}-2 \theta^{2} \delta_{c}^{a} \mathcal{P}^{2}+\theta \mathcal{P}^{b} \mathcal{T}^{a}{ }_{c b}-\theta \mathcal{P}^{a} \mathcal{T}_{c}\right\}, \\ \mathcal{R}^{\prime} & =e^{-2 \rho}\left\{\mathcal{R}-6 \theta\left(\mathcal{D}_{a}+ \frac{1}{3} \mathcal{T}_{a}\right) \mathcal{P}^{a}-6 \theta^{2} \mathcal{P}^{2}\right\}, \end{aligned}`	$\begin{aligned} \mathcal{R}^{\prime a b}{ }_{c d} & =e^{-2 \rho}\left\{\mathcal{R}^{a b}{ }_{c d}+2 \theta \delta_{d}^{[a}\left(\mathcal{D}_{c}-\theta \mathcal{P}_{c}\right) \mathcal{P}^{b]}-2 \theta \delta_{c}^{[a}\left(\mathcal{D}_{d}-\theta \mathcal{P}_{d}\right) \mathcal{P}^{b]}-2 \theta \mathcal{P}^{[a} \mathcal{T}^{b]}{ }_{c d}-2 \theta^{2} \delta_{c}^{[a} \delta_{d}^{b]} \mathcal{P}^{e} \mathcal{P}_{e}\right\}, \\ \mathcal{R}^{\prime a}{ }_{c} & =e^{-2 \rho}\left\{\mathcal{R}^{a}{ }_{c}-2 \theta \mathcal{D}_{c} \mathcal{P}^{a}-\theta \delta_{c}^{a} \mathcal{D}_{b} \mathcal{P}^{b}+2 \theta^{2} \mathcal{P}^{a} \mathcal{P}_{c}-2 \theta^{2} \delta_{c}^{a} \mathcal{P}^{2}+\theta \mathcal{P}^{b} \mathcal{T}^{a}{ }_{c b}-\theta \mathcal{P}^{a} \mathcal{T}_{c}\right\}, \\ \mathcal{R}^{\prime} & =e^{-2 \rho}\left\{\mathcal{R}-6 \theta\left(\mathcal{D}_{a}+ \frac{1}{3} \mathcal{T}_{a}\right) \mathcal{P}^{a}-6 \theta^{2} \mathcal{P}^{2}\right\}, \end{aligned}$	$\begin{aligned} \mathcal{R}^{\prime a b}{ }_{c d} & =e^{-2 \rho}\{\mathcal{R}^{a b}{ }_{c d}+2 \theta \delta_{d}^{[a}(\mathcal{D}_{c}-\theta \mathcal{P}_{c}) \mathcal{P}^{b]}-2 \theta \delta_{c}^{[a}(\mathcal{D}_{d}-\theta \mathcal{P}_{d}) \mathcal{P}^{b]}-2 \theta \mathcal{P}^{[a} \mathcal{T}^{b]}{ }_{c d}-2 \theta^{2} \delta_{c}^{[a} \delta_{d}^{b]} \mathcal{P}^{e} \mathcal{P}_{e}\}, \\ \mathcal{R}^{\prime a}{ }_{c} & =e^{-2 \rho}\{\mathcal{R}^{a}{ }_{c}-2 \theta \mathcal{D}_{c} \mathcal{P}^{a}-\theta \delta_{c}^{a} \mathcal{D}_{b} \mathcal{P}^{b}+2 \theta^{2} \mathcal{P}^{a} \mathcal{P}_{c}-2 \theta^{2} \delta_{c}^{a} \mathcal{P}^{2}+\theta \mathcal{P}^{b} \mathcal{T}^{a}{ }_{c b}-\theta \mathcal{P}^{a} \mathcal{T}_{c}\}, \\ \mathcal{R}^{\prime} & =e^{-2 \rho}\{\mathcal{R}-6 \theta(\mathcal{D}_{a}+ \tfrac{1}{3} \mathcal{T}_{a}) \mathcal{P}^{a}-6 \theta^{2} \mathcal{P}^{2}\}, \end{aligned}$
1510.06699_ EQ0120 (131)	23	0.979	`\begin{aligned} { }^{0} \Gamma^{* \lambda}{ }_{\mu \nu} & =\frac{1}{2} g^{\lambda \rho}\left(\partial_{\mu}^{*} g_{\nu \rho}+\partial_{\nu}^{*} g_{\mu \rho}-\partial_{\rho}^{*} g_{\mu \nu}\right) \\ & ={ }^{0} \Gamma^{\lambda}{ }_{\mu \nu}+\delta_{\nu}^{\lambda} B_{\mu}+\delta_{\mu}^{\lambda} B_{\nu}-g_{\mu \nu} B^{\lambda} \end{aligned}`	$\begin{aligned} { }^{0} \Gamma^{* \lambda}{ }_{\mu \nu} & =\frac{1}{2} g^{\lambda \rho}\left(\partial_{\mu}^{*} g_{\nu \rho}+\partial_{\nu}^{*} g_{\mu \rho}-\partial_{\rho}^{*} g_{\mu \nu}\right) \\ & ={ }^{0} \Gamma^{\lambda}{ }_{\mu \nu}+\delta_{\nu}^{\lambda} B_{\mu}+\delta_{\mu}^{\lambda} B_{\nu}-g_{\mu \nu} B^{\lambda} \end{aligned}$	$\begin{aligned} { }^{0} \Gamma^{* \lambda}{ }_{\mu \nu} & =\tfrac{1}{2} g^{\lambda \rho}(\partial_{\mu}^{*} g_{\nu \rho}+\partial_{\nu}^{*} g_{\mu \rho}-\partial_{\rho}^{*} g_{\mu \nu}) \\ & ={ }^{0} \Gamma^{\lambda}{ }_{\mu \nu}+\delta_{\nu}^{\lambda} B_{\mu}+\delta_{\mu}^{\lambda} B_{\nu}-g_{\mu \nu} B^{\lambda}, \end{aligned}$
1510.06699_ EQ0110 (118)	22	0.979	`D_{\mu}^{*} J^{a}=\partial_{\mu} J^{a}+w B_{\mu} J^{a}+A^{a}{ }_{b \mu} J^{b}=\partial_{\mu}^{*} J^{a}+A^{a}{ }_{b \mu} J^{b}`	$D_{\mu}^{*} J^{a}=\partial_{\mu} J^{a}+w B_{\mu} J^{a}+A^{a}{ }_{b \mu} J^{b}=\partial_{\mu}^{*} J^{a}+A^{a}{ }_{b \mu} J^{b},$	$D_{\mu}^{*} J^{a}=\partial_{\mu} J^{a}+w B_{\mu} J^{a}+A^{a}{ }_{b \mu} J^{b}=\partial_{\mu}^{*} J^{a}+A^{a}{ }_{b \mu} J^{b},$
1510.06699_ EQ0233 (267)	44	0.982	`\begin{aligned} { }^{0} \mathcal{C}_{a b c d}={ }^{0} \mathcal{R}_{a b c d} & -\frac{1}{2}\left(\eta_{a c}{ }^{0} \mathcal{R}_{b d}-\eta_{a d}{ }^{0} \mathcal{R}_{b c}-\eta_{b c}{ }^{0} \mathcal{R}_{a d}+\eta_{b d}{ }^{0} \mathcal{R}_{a c}\right) \\ & +\frac{1}{6}\left(\eta_{a c} \eta_{b d}-\eta_{a d} \eta_{b c}\right)^{0} \mathcal{R} . \end{aligned}`	$\begin{aligned} { }^{0} \mathcal{C}_{a b c d}={ }^{0} \mathcal{R}_{a b c d} & -\frac{1}{2}\left(\eta_{a c}{ }^{0} \mathcal{R}_{b d}-\eta_{a d}{ }^{0} \mathcal{R}_{b c}-\eta_{b c}{ }^{0} \mathcal{R}_{a d}+\eta_{b d}{ }^{0} \mathcal{R}_{a c}\right) \\ & +\frac{1}{6}\left(\eta_{a c} \eta_{b d}-\eta_{a d} \eta_{b c}\right)^{0} \mathcal{R} . \end{aligned}$	$\begin{aligned} { }^{0} \mathcal{C}_{a b c d}={ }^{0} \mathcal{R}_{a b c d} & -\tfrac{1}{2}(\eta_{a c}{ }^{0} \mathcal{R}_{b d}-\eta_{a d}{ }^{0} \mathcal{R}_{b c}-\eta_{b c}{ }^{0} \mathcal{R}_{a d}+\eta_{b d}{ }^{0} \mathcal{R}_{a c}) \\ & +\tfrac{1}{6}(\eta_{a c} \eta_{b d}-\eta_{a d} \eta_{b c})^{0} \mathcal{R} . \qquad (267) \end{aligned}$
1510.06699_ EQ0184 (200)	34	0.982	`\phi v^{b}{ }^{0} \mathcal{D}_{b}^{\dagger} v_{a}=\left(\delta_{a}^{b}-v_{a} v^{b}\right)^{0} \mathcal{D}_{b}^{\dagger} \phi`	$\phi v^{b}{ }^{0} \mathcal{D}_{b}^{\dagger} v_{a}=\left(\delta_{a}^{b}-v_{a} v^{b}\right)^{0} \mathcal{D}_{b}^{\dagger} \phi.$	$\phi v^{b}{ }^{0} \mathcal{D}_{b}^{\dagger} v_{a}=(\delta_{a}^{b}-v_{a} v^{b})^{0} \mathcal{D}_{b}^{\dagger} \phi.$
1510.06699_ EQ0243 (A7)	47	0.983	`\nexists \not \partial \psi=J^{\mu} \partial_{\mu} \psi-i \sigma^{\mu \nu} J_{\mu} \partial_{\nu} \psi`	$\nexists \not \partial \psi=J^{\mu} \partial_{\mu} \psi-i \sigma^{\mu \nu} J_{\mu} \partial_{\nu} \psi.$	$\not J \not \partial \psi=J^{\mu} \partial_{\mu} \psi-i \sigma^{\mu \nu} J_{\mu} \partial_{\nu} \psi.$
1510.06699_ EQ0118 (129)	23	0.984	`\left[\nabla_{\mu}^{*}, \nabla_{\nu}^{*}\right] J^{\rho}=\widetilde{R}^{\rho}{ }_{\sigma \mu \nu} J^{\sigma}+w H_{\mu \nu} J^{\rho}-T^{* \sigma}{ }_{\mu \nu} \nabla_{\sigma}^{*} V^{\rho}`	$\left[\nabla_{\mu}^{*}, \nabla_{\nu}^{*}\right] J^{\rho}=\widetilde{R}^{\rho}{ }_{\sigma \mu \nu} J^{\sigma}+w H_{\mu \nu} J^{\rho}-T^{* \sigma}{ }_{\mu \nu} \nabla_{\sigma}^{*} V^{\rho}.$	$[\nabla_{\mu}^{*}, \nabla_{\nu}^{*}] J^{\rho}=\widetilde{R}^{\rho}{ }_{\sigma \mu \nu} J^{\sigma}+w H_{\mu \nu} J^{\rho}-T^{* \sigma}{ }_{\mu \nu} \nabla_{\sigma}^{*} V^{\rho}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0111 (119)	22	■ 0.984	`\Delta_{\mu}^{*} \equiv \partial_{\mu}^{*}+\Gamma^{ \sigma}{ }_{\rho \mu} \mathrm{X}^{\rho}{ }_{\sigma}+ \frac{1}{2} A^{a b}{ }_{\mu} \Sigma_{a b}=\nabla_{ \mu}^{*}+D_{\mu}^{*}-\partial_{\mu}^{*}`	$\Delta_{\mu}^{*} \equiv \partial_{\mu}^{*}+\Gamma^{\sigma}{}_{\rho \mu} \mathrm{X}^{\rho}{}_{\sigma}+\frac{1}{2} A^{a b}{}_{\mu} \Sigma_{a b}=\nabla_{\mu}^{*}+D_{\mu}^{*}-\partial_{\mu}^{*},$	$\Delta^*_\mu \equiv \partial^*_\mu+\Gamma^\sigma{}_{\rho\mu}\mathrm{X}^\rho{}_\sigma+\frac12 A^{ab}{}_\mu\Sigma_{ab}=\nabla^*_\mu+D^*_\mu-\partial^*_\mu,$
1510.06699_ EQ0018 (19)	9	■ 0.985	`\partial_{\mu}^{\prime} \varphi^{\prime}\left(x^{\prime} \right)=\frac{\partial x^{\nu}}{\partial x^{\prime \mu}} e^{w \rho(x)}\left[\mathrm{S}(\Lambda(x)) \partial_{ \nu} \varphi(x)+\partial_{\nu} \mathrm{S}(\Lambda(x)) \varphi(x)+w \partial_{\nu} \rho \mathrm{S}(\Lambda(x)) \varphi(x)\right]`	$\partial_{\mu}^{\prime} \varphi^{\prime}\left(x^{\prime}\right)=\frac{\partial x^{\nu}}{\partial x^{\prime \mu}} e^{w \rho(x)}\left[\mathrm{S}(\Lambda(x)) \partial_{\nu} \varphi(x)+\partial_{\nu} \mathrm{S}(\Lambda(x)) \varphi(x)+w \partial_{\nu} \rho \mathrm{S}(\Lambda(x)) \varphi(x)\right].$	$\partial'_\mu\varphi'(x')=\frac{\partial x^\nu}{\partial x'^\mu}e^{w\rho(x)}[\mathsf{S}(\Lambda(x))\partial_\nu\varphi(x)+\partial_\nu\mathsf{S}(\Lambda(x))\varphi(x)+w\,\partial_\nu\rho\,\mathsf{S}(\Lambda(x))\varphi(x)].$
1510.06699_ EQ0033 (34)	10	■ 0.985	`D_{\mu}^{*} b^{a}{ }_{\nu}=\partial_{\mu}^{*} b^{a}{ }_{ \nu}+A^{a}{ }_{b \mu} b^{b}{ }_{\nu}`	$D_{\mu}^{*} b^{a}{}_{\nu}=\partial_{\mu}^{*} b^{a}{}_{\nu}+A^{a}{}_{b \mu} b^{b}{}_{\nu}.$	$D^*_\mu b^a{}_\nu=\partial^*_\mu b^a{}_\nu+A^a{}_{b\mu}b^b{}_\nu.$
1510.06699_ EQ0175 (188)	32	■ 0.985	`\tau^{\dagger a}{ }_{b}=\tau^{a}{ }_{b}+2 \sigma_{c b}{ }^{a} \mathcal{V}^{c}`	$\tau^{\dagger a}{}_{b}=\tau^{a}{}_{b}+2 \sigma_{c b}{}^{a} \mathcal{V}^{c}.$	$\tau^{\dagger a}{}_b=\tau^a{}_b+2\sigma_{cb}{}^a\mathcal{V}^c.$
1510.06699_ EQ0080 (85)	17	■ 0.986	`\mathcal{D}_{[a}^{*} \mathcal{F}_{b c]}-\mathcal{T}^{* d}{ }_{[a b} \mathcal{F}_{c] d}=0`	$\mathcal{D}_{[a}^{*} \mathcal{F}_{b c]}-\mathcal{T}^{* d}{}_{[a b} \mathcal{F}_{c] d}=0.$	$\mathcal{D}^*_{[a}\mathcal{F}_{bc]}-\mathcal{T}^{*d}{}_{[ab}\mathcal{F}_{c]d}=0.$
1510.06699_ EQ0188 (204)	35	■ 0.987	`\begin{array}{r} \mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a}{ }^{0} \stackrel{ \leftrightarrow}{\mathcal{D}}_{a} \psi-\mu \phi \bar{ \psi} \psi+\frac{1}{2} \nu\left({ }^{0} \mathcal{D}_{a}^{ \dagger} \phi\right)\left({ }^{0} \mathcal{D}^{\dagger a} \phi\right)-\lambda \phi^{4}\right. \\ \left.-a \phi^{2}{ }^{0} \mathcal{R}^{\dagger}\right] .(204) \end{array}`	$\begin{array}{r} \mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2} i \bar{\psi} \gamma^{a}{}^{0} \stackrel{\leftrightarrow}{\mathcal{D}}_{a} \psi-\mu \phi \bar{\psi} \psi+\frac{1}{2} \nu\left({}^{0} \mathcal{D}_{a}^{\dagger} \phi\right)\left({}^{0} \mathcal{D}^{\dagger a} \phi\right)-\lambda \phi^{4}\right. \\ \left.-a \phi^{2}{}^{0} \mathcal{R}^{\dagger}\right] .(204) \end{array}$	$\begin{array}{r} \mathcal{L}_{\mathrm{M}}=h^{-1}[\frac12 i\bar\psi\gamma^a\,{}^0\overleftrightarrow{\mathcal{D}}_a\psi-\mu\phi\bar\psi\psi+\frac12\nu({}^0\mathcal{D}^\dagger_a\phi)({}^0\mathcal{D}^{\dagger a}\phi)-\lambda\phi^4 \\ -a\phi^2\,{}^0\mathcal{R}^\dagger].(204) \end{array}$
1510.06699_ EQ0106 (114)	21	■ 0.987	`\hat{\boldsymbol{e}}_{a}=h_{a}{ }^{\mu} \boldsymbol{e}_{ \mu}, \quad \boldsymbol{e}_{\mu}=b^{a}{ }_{\mu} \hat{ \boldsymbol{e}}_{a}`	$\hat{\boldsymbol{e}}_{a}=h_{a}{}^{\mu} \boldsymbol{e}_{\mu}, \quad \boldsymbol{e}_{\mu}=b^{a}{}_{\mu} \hat{\boldsymbol{e}}_{a},$	$\hat{\boldsymbol{e}}_a=h_a{}^\mu\boldsymbol{e}_\mu, \qquad \boldsymbol{e}_\mu=b^a{}_\mu\hat{\boldsymbol{e}}_a,$
1510.06699_ EQ0154 (168b)	29	■ 0.988	`\begin{aligned} t^{a}{ }_{b}+\tau^{a}{ }_{b} & =0 \\ s_{a b}{ }^{c}+\sigma_{a b}{ }^{c} & =0 \\ j^{a}+\zeta^{a} & =0 \end{aligned}`	$\begin{aligned} t^{a}{}_{b}+\tau^{a}{}_{b} & =0 \\ s_{a b}{}^{c}+\sigma_{a b}{}^{c} & =0 \\ j^{a}+\zeta^{a} & =0 \end{aligned}$	$\begin{aligned} t^a{}_b+\tau^a{}_b &=0, \\ s_{ab}{}^c+\sigma_{ab}{}^c &=0, \\ j^a+\zeta^a &=0, \end{aligned}$
1510.06699_ EQ0204 (224)	38	■ 0.988	`L_{\varphi}+L_{\phi}+\phi^{2} L_{\mathcal{R}^{\dagger}}+ \phi^{2} L_{\mathcal{T}^{\dagger 2}}`	$L_{\varphi}+L_{\phi}+\phi^{2} L_{\mathcal{R}^{\dagger}}+\phi^{2} L_{\mathcal{T}^{\dagger 2}}$	$L_\varphi+L_\phi+\phi^2L_{\mathcal{R}^\dagger}+\phi^2L_{\mathcal{T}^{\dagger 2}}$, where
1510.06699_ EQ0073 (77)	16	■ 0.990	`\begin{aligned} h \tau^{a}{ }_{b} & =\frac{1}{2} i \bar{ \psi} \gamma^{a} \overleftrightarrow{\mathcal{D}}_{b} \psi-\delta_{b}^{a} L_{\mathrm{D}} \\ h \sigma_{a b c} & =\frac{1}{4} i \bar{\psi} \gamma_{[a} \gamma_{b} \gamma_{c]} \psi \end{aligned}`	$\begin{aligned} h \tau^{a}{}_{b} & =\frac{1}{2} i \bar{\psi} \gamma^{a} \overleftrightarrow{\mathcal{D}}_{b} \psi-\delta_{b}^{a} L_{\mathrm{D}} \\ h \sigma_{a b c} & =\frac{1}{4} i \bar{\psi} \gamma_{[a} \gamma_{b} \gamma_{c]} \psi \end{aligned}$	$\begin{aligned} h\tau^a{}_b &=\tfrac12 i\bar\psi\gamma^a\overleftrightarrow{\mathcal{D}}_b\psi-\delta^a_b L_{\mathrm{D}}, \\ h\sigma_{abc} &=\tfrac14 i\bar\psi\gamma_{[a}\gamma_b\gamma_{c]}\psi, \end{aligned}$
1510.06699_ EQ0163 (179)	30	■ 0.990	`\zeta^{\dagger a} \equiv \zeta^{a}-2 \sigma^{a b}{ }_{b}`	$\zeta^{\dagger a} \equiv \zeta^{a}-2 \sigma^{a b}{}_{b},$	$\zeta^{\dagger a}\equiv\zeta^a-2\sigma^{ab}{}_b,$
1510.06699_ EQ0247 (B2)	48	■ 0.991	`\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}(h, \partial h, A, \partial A)+\mathcal{L}_{\mathrm{M}}( \varphi, \partial \varphi, h, A)`	$\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}(h, \partial h, A, \partial A)+\mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, h, A),$	$\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}(h,\partial h,A,\partial A)+\mathcal{L}_{\mathrm{M}}(\varphi,\partial\varphi,h,A),$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0189 (205)	35	0.991	`\begin{aligned} \mathcal{L}_{\mathrm{T}}= & \mathcal{L}_{ \mathrm{G}}\left(h, \partial h, \partial^{2} h, A, \partial A, V, \partial V\right) \\ & +\mathcal{L}_{ \mathrm{M}}\left(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^{2} h, A, \partial A, V, \partial V\right) . \end{aligned}`	$\begin{aligned} \mathcal{L}_{\mathrm{T}}= & \mathcal{L}_{\mathrm{G}}\left(h, \partial h, \partial^{2} h, A, \partial A, V, \partial V\right) \\ & +\mathcal{L}_{\mathrm{M}}\left(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^{2} h, A, \partial A, V, \partial V\right) . \end{aligned}$	$\begin{aligned} \mathcal{L}_{\mathrm{T}} &= \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^{2} h, A, \partial A, V, \partial V) \\ &+\mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^{2} h, A, \partial A, V, \partial V). \end{aligned}$
1510.06699_ EQ0191 (207)	36	0.992	`\delta J^{a}=-\left[A^{\dagger a}{ }_{b \mu}-w\left(V_{ \mu}+\frac{1}{3} T_{\mu}\right) \delta_{b}^{a}\right] J^{b} \delta x^{\mu}`	$\delta J^{a}=-\left[A^{\dagger a}{ }_{b \mu}-w\left(V_{\mu}+\frac{1}{3} T_{\mu}\right) \delta_{b}^{a}\right] J^{b} \delta x^{\mu}.$	$\delta J^{a}=-[A^{\dagger a}{}_{b \mu}-w(V_{\mu}+\tfrac{1}{3} T_{\mu}) \delta_{b}^{a}] J^{b}\, \delta x^{\mu}.$
1510.06699_ EQ0015 (16)	8	0.993	`\begin{aligned} L_{\mathrm{EM}}^{\prime} & =-\frac{1}{4} F_{\mu \nu}^{\prime} F^{\prime \mu \nu}-J^{\prime \mu} A_{\mu}^{\prime} \\ & =-\frac{1}{4} e^{2(w-1) \rho} F_{ \mu \nu} F^{\mu \nu}-e^{\left(w+w_{J}\right) \rho} J^{ \mu} A_{\mu}, \end{aligned}`	$\begin{aligned} L_{\mathrm{EM}}^{\prime} & =-\frac{1}{4} F_{\mu \nu}^{\prime} F^{\prime \mu \nu}-J^{\prime \mu} A_{\mu}^{\prime} \\ & =-\frac{1}{4} e^{2(w-1) \rho} F_{\mu \nu} F^{\mu \nu}-e^{\left(w+w_{J}\right) \rho} J^{\mu} A_{\mu}, \end{aligned}$	$\begin{aligned} L_{\mathrm{EM}}^{\prime} & =-\tfrac{1}{4} F_{\mu \nu}^{\prime} F^{\prime \mu \nu}-J^{\prime \mu} A_{\mu}^{\prime} \\ & =-\tfrac{1}{4} e^{2(w-1) \rho} F_{\mu \nu} F^{\mu \nu}-e^{(w+w_{J}) \rho} J^{\mu} A_{\mu}, \end{aligned}$
1510.06699_ EQ0065 (69b)	15	0.993	`\begin{aligned} \left(\mathcal{D}_{c}^{*}+ \mathcal{T}_{c}^{*}\right)\left(h \sigma_{a b}{ }^{c} \right)+h \tau_{[a b]}+\frac{1}{2} \frac{\delta L_{ \mathrm{M}}}{\delta \varphi} \Sigma_{a b} \varphi & =0, \\ \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*} \right)\left(h \tau^{c}{ }_{d}\right)-h\left(\sigma_{a b}{ }^{c} \mathcal{R}^{a b}{ }_{c d}-\tau^{c}{ }_{b} \mathcal{T}^{* b}{ }_{c d}+\zeta^{c} \mathcal{H}_{c d}\right)+\frac{\delta L_{\mathrm{M}}}{\delta \phi} \mathcal{D}_{d}^{*} \phi+\frac{\delta L_{\mathrm{M}}}{ \delta \varphi} \mathcal{D}_{d}^{*} \varphi & =0, \\ \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*}\right) \left(h \zeta^{c}\right)-h \tau^{c}{ }_{c}-\frac{ \delta L_{\mathrm{M}}}{\delta \phi} \phi+\frac{\delta L_{\mathrm{M}}}{\delta \varphi} w \varphi & =0 . \end{aligned}`	$\begin{aligned} \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*}\right)\left(h \sigma_{a b}{}^{c}\right)+h \tau_{[a b]}+\frac{1}{2} \frac{\delta L_{\mathrm{M}}}{\delta \varphi} \Sigma_{a b} \varphi & =0, \\ \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*}\right)\left(h \tau^{c}{}_{d}\right)-h\left(\sigma_{a b}{}^{c} \mathcal{R}^{a b}{}_{c d}-\tau^{c}{}_{b} \mathcal{T}^{* b}{}_{c d}+\zeta^{c} \mathcal{H}_{c d}\right)+\frac{\delta L_{\mathrm{M}}}{\delta \phi} \mathcal{D}_{d}^{*} \phi+\frac{\delta L_{\mathrm{M}}}{\delta \varphi} \mathcal{D}_{d}^{*} \varphi & =0, \\ \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*}\right)\left(h \zeta^{c}\right)-h \tau^{c}{}_{c}-\frac{\delta L_{\mathrm{M}}}{\delta \phi} \phi+\frac{\delta L_{\mathrm{M}}}{\delta \varphi} w \varphi & =0 . \end{aligned}$	$\begin{aligned} (\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*})(h \sigma_{a b}{}^{c})+h \tau_{[a b]}+\tfrac{1}{2} \frac{\delta L_{\mathrm{M}}}{\delta \varphi} \Sigma_{a b} \varphi & =0, \\ (\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*})(h \tau^{c}{}_{d})-h(\sigma_{a b}{}^{c} \mathcal{R}^{a b}{}_{c d}-\tau^{c}{}_{b} \mathcal{T}^{* b}{}_{c d}+\zeta^{c} \mathcal{H}_{c d})+\frac{\delta L_{\mathrm{M}}}{\delta \phi} \mathcal{D}_{d}^{*} \phi+\frac{\delta L_{\mathrm{M}}}{\delta \varphi} \mathcal{D}_{d}^{*} \varphi & =0, \\ (\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*})(h \zeta^{c})-h \tau^{c}{}_{c}-\frac{\delta L_{\mathrm{M}}}{\delta \phi} \phi+\frac{\delta L_{\mathrm{M}}}{\delta \varphi} w \varphi & =0. \end{aligned}$
1510.06699_ EQ0049 (52)	13	0.993	`\begin{aligned} \mathcal{D}_{[a]}^{*} \mathcal{R}^{d e}{ }_{b c]}-\mathcal{T}^{* f}{ }_{[a b} \mathcal{R}^{d e}{ }_{c] f} & =0, \\ \mathcal{D}_{[a]}^{*} \mathcal{T}^{* d}{ }_{b c]}-\mathcal{T}^{* e}{ }_{[a b} \mathcal{T}^{* d}{ }_{c] e}-\mathcal{R}^{d}{ }_{[a b c]}+\mathcal{H}_{[a b} \delta_{c]}^{d} & =0, \\ \mathcal{D}_{[a]}^{*} \mathcal{H}_{b c]}-\mathcal{T}^{* e}{ }_{[a b} \mathcal{H}_{c] e} & =0 . \end{aligned}`	$\begin{aligned} \mathcal{D}_{[a}^{*} \mathcal{R}^{d e}{}_{b c]}-\mathcal{T}^{* f}{}_{[a b} \mathcal{R}^{d e}{}_{c] f} & =0, \\ \mathcal{D}_{[a}^{*} \mathcal{T}^{* d}{}_{b c]}-\mathcal{T}^{* e}{}_{[a b} \mathcal{T}^{* d}{}_{c] e}-\mathcal{R}^{d}{}_{[a b c]}+\mathcal{H}_{[a b} \delta_{c]}^{d} & =0, \\ \mathcal{D}_{[a}^{*} \mathcal{H}_{b c]}-\mathcal{T}^{* e}{}_{[a b} \mathcal{H}_{c] e} & =0 . \end{aligned}$	$\begin{aligned} \mathcal{D}_{[a}^{*} \mathcal{R}^{d e}{}_{b c]}-\mathcal{T}^{* f}{}_{[a b} \mathcal{R}^{d e}{}_{c] f} & =0, \\ \mathcal{D}_{[a}^{*} \mathcal{T}^{* d}{}_{b c]}-\mathcal{T}^{* e}{}_{[a b} \mathcal{T}^{* d}{}_{c] e}-\mathcal{R}^{d}{}_{[a b c]}+\mathcal{H}_{[a b} \delta_{c]}^{d} & =0, \\ \mathcal{D}_{[a}^{*} \mathcal{H}_{b c]}-\mathcal{T}^{* e}{}_{[a b} \mathcal{H}_{c] e} & =0. \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0217 (250)	40	■0.995	`\begin{aligned} \delta_{\phi} L_{\phi} & =-\nu \mathcal{D}_{a}^{\dagger}\left(\mathcal{D}^{\dagger a} \phi\right)-4 \lambda \phi^{3} . \\ \partial_{\phi} L_{\mathcal{R}} & =-a \phi^{2} \mathcal{R}^{\dagger}, \\ \partial_{\phi} L_{\mathcal{T}^{2}} & =2 \beta_{1} \phi \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger a b c}+2 \beta_{2} \phi \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger b a c} . \end{aligned}`	$\begin{aligned} \delta_{\phi} L_{\phi} & =-\nu \mathcal{D}_{a}^{\dagger}\left(\mathcal{D}^{\dagger a} \phi\right)-4 \lambda \phi^{3} . \\ \partial_{\phi} L_{\mathcal{R}} & =-a \phi^{2} \mathcal{R}^{\dagger}, \\ \partial_{\phi} L_{\mathcal{T}^{2}} & =2 \beta_{1} \phi \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger a b c}+2 \beta_{2} \phi \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger b a c} . \end{aligned}$	$\begin{aligned} \delta_{\phi} L_{\phi} & =-\nu \mathcal{D}_{a}^{\dagger}(\mathcal{D}^{\dagger a} \phi)-4 \lambda \phi^{3} . \\ \partial_{\phi} L_{\mathcal{R}} & =-a \phi^{2} \mathcal{R}^{\dagger}, \\ \partial_{\phi} L_{\mathcal{T}^{2}} & =2 \beta_{1} \phi \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger a b c}+2 \beta_{2} \phi \mathcal{T}_{a b c}^{\dagger} \mathcal{T}^{\dagger b a c} . \end{aligned}$
1510.06699_ EQ0126 (139)	24	■0.995	`\begin{aligned} \mathcal{R}^{\prime a b}{ }_{c d} & =e^{-2 \rho}\left\{\mathcal{R}^{a b}{ }_{c d}+2 \theta \delta_{d}^{[a}\left(\mathcal{D}_{c}-\theta \mathcal{P}_{c}\right) \mathcal{P}^{b]}-2 \theta \delta_{c}^{[a}\left(\mathcal{D}_{d}-\theta \mathcal{P}_{d}\right) \mathcal{P}^{b]}-2 \theta \mathcal{P}^{[a} \mathcal{T}^{b]}{ }_{c d}-2 \theta^{2} \delta_{c}^{[a} \delta_{d}^{b]} \mathcal{P}^{e} \mathcal{P}_{e}\right\}, \\ \mathcal{T}^{\prime a}{ }_{b c} & =e^{-\rho}\left\{\mathcal{T}^{a}{ }_{b c}+2(1-\theta) \mathcal{P}_{[b} \delta_{c]}^{a}\right\} . \end{aligned}`	$\begin{aligned} \mathcal{R}^{\prime a b}{ }_{c d} & =e^{-2 \rho}\left\{\mathcal{R}^{a b}{ }_{c d}+2 \theta \delta_{d}^{[a}\left(\mathcal{D}_{c}-\theta \mathcal{P}_{c}\right) \mathcal{P}^{b]}-2 \theta \delta_{c}^{[a}\left(\mathcal{D}_{d}-\theta \mathcal{P}_{d}\right) \mathcal{P}^{b]}-2 \theta \mathcal{P}^{[a} \mathcal{T}^{b]}{ }_{c d}-2 \theta^{2} \delta_{c}^{[a} \delta_{d}^{b]} \mathcal{P}^{e} \mathcal{P}_{e}\right\}, \\ \mathcal{T}^{\prime a}{ }_{b c} & =e^{-\rho}\left\{\mathcal{T}^{a}{ }_{b c}+2(1-\theta) \mathcal{P}_{[b} \delta_{c]}^{a}\right\} . \end{aligned}$	$\begin{aligned} \mathcal{R}^{\prime a b}{ }_{c d} & =e^{-2 \rho}\{\mathcal{R}^{a b}{ }_{c d}+2 \theta \delta_{d}^{[a}(\mathcal{D}_{c}-\theta \mathcal{P}_{c}) \mathcal{P}^{b]}-2 \theta \delta_{c}^{[a}(\mathcal{D}_{d}-\theta \mathcal{P}_{d}) \mathcal{P}^{b]}-2 \theta \mathcal{P}^{[a} \mathcal{T}^{b]}{ }_{c d}-2 \theta^{2} \delta_{c}^{[a} \delta_{d}^{b]} \mathcal{P}^{e} \mathcal{P}_{e}\}, \\ \mathcal{T}^{\prime a}{ }_{b c} & =e^{-\rho}\{\mathcal{T}^{a}{ }_{b c}+2(1-\theta) \mathcal{P}_{[b} \delta_{c]}^{a}\} . \end{aligned}$
1510.06699_ EQ0021 (22)	9	■0.996	`D_{\mu}^{* \prime} \varphi^{\prime}\left(x^{\prime}\right)=\frac{\partial x^{\nu}}{\partial x^{\prime \mu}} e^{w \rho(x)} \mathrm{S}(\Lambda(x)) D_{\nu}^{*} \varphi(x)`	$D_{\mu}^{* \prime} \varphi^{\prime}\left(x^{\prime}\right)=\frac{\partial x^{\nu}}{\partial x^{\prime \mu}} e^{w \rho(x)} \mathrm{S}(\Lambda(x)) D_{\nu}^{*} \varphi(x).$	$D_{\mu}^{* \prime} \varphi^{\prime}(x^{\prime})=\frac{\partial x^{\nu}}{\partial x^{\prime \mu}} e^{w \rho(x)} \mathrm{S}(\Lambda(x)) D_{\nu}^{*} \varphi(x).$
1510.06699_ EQ0165 (181)	30	■0.996	`\mathcal{T}^{\natural a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu}\left(D_{\mu}^{\natural} b^{a}{ }_{\nu}-D_{\nu}^{\natural} b^{a}{ }_{\mu}\right)`	$\mathcal{T}^{\natural a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu}\left(D_{\mu}^{\natural} b^{a}{ }_{\nu}-D_{\nu}^{\natural} b^{a}{ }_{\mu}\right),$	$\mathcal{T}^{\natural a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu}(D_{\mu}^{\natural} b^{a}{ }_{\nu}-D_{\nu}^{\natural} b^{a}{ }_{\mu}),$
1510.06699_ EQ0215 (246)	39	■0.997	`\partial_{\phi} L_{\mathcal{R}^{2}}+\partial_{\phi} L_{\mathcal{H}^{2}}+\partial_{\phi} L_{\varphi}+\delta_{\phi} L_{\phi}+\partial_{\phi} L_{\mathcal{R}}+\partial_{\phi} L_{\mathcal{T}^{2}}=0`	$\partial_{\phi} L_{\mathcal{R}^{2}}+\partial_{\phi} L_{\mathcal{H}^{2}}+\partial_{\phi} L_{\varphi}+\delta_{\phi} L_{\phi}+\partial_{\phi} L_{\mathcal{R}}+\partial_{\phi} L_{\mathcal{T}^{2}}=0,$	$\partial_{\phi} L_{\mathcal{R}^{2}}+\partial_{\phi} L_{\mathcal{H}^{2}}+\partial_{\phi} L_{\varphi}+\delta_{\phi} L_{\phi}+\partial_{\phi} L_{\mathcal{R}}+\partial_{\phi} L_{\mathcal{T}^{2}}=0,$
1510.06699_ EQ0242 (A6)	47	■0.997	`L_{\mathrm{D}}=\frac{\Re\left[i \bar{\psi}\left(\bar{\psi} \psi+\bar{\psi} i \gamma^{5} \psi i \gamma^{5}\right), \mathbb{J} \not \partial \psi\right]}{(\bar{\psi} \psi)^{2}+\left(\bar{\psi} i \gamma^{5} \psi\right)^{2}}-m \bar{\psi} \psi`	$L_{\mathrm{D}}=\frac{\Re\left[i \bar{\psi}\left(\bar{\psi} \psi+\bar{\psi} i \gamma^{5} \psi i \gamma^{5}\right), \mathbb{J} \not \partial \psi\right]}{(\bar{\psi} \psi)^{2}+\left(\bar{\psi} i \gamma^{5} \psi\right)^{2}}-m \bar{\psi} \psi.$	$L_{\mathrm{D}}=\frac{\Re[i \bar{\psi}(\bar{\psi} \psi+\bar{\psi} i \gamma^{5} \psi i \gamma^{5}) \mathbb{J} \not \partial \psi]}{(\bar{\psi} \psi)^{2}+(\bar{\psi} i \gamma^{5} \psi)^{2}}-m \bar{\psi} \psi.$
1510.06699_ EQ0239 (A3)	47	■0.997	`\begin{aligned} \psi \bar{\psi}=\frac{1}{4}\left(\bar{\psi} \psi+\bar{\psi} \gamma^{\nu} \psi \gamma_{\nu}-\bar{\psi} \gamma^{\nu} \gamma^{5} \psi \gamma_{\nu} \gamma^{5}\right. & +\frac{1}{2} \bar{\psi} \sigma^{\nu \rho} \psi \sigma_{\nu \rho} \\ & \left.+\bar{\psi} \gamma^{5} \psi \gamma^{5}\right) \end{aligned}`	$\begin{aligned} \psi \bar{\psi}=\frac{1}{4}\left(\bar{\psi} \psi+\bar{\psi} \gamma^{\nu} \psi \gamma_{\nu}-\bar{\psi} \gamma^{\nu} \gamma^{5} \psi \gamma_{\nu} \gamma^{5}\right. & +\frac{1}{2} \bar{\psi} \sigma^{\nu \rho} \psi \sigma_{\nu \rho} \\ & \left.+\bar{\psi} \gamma^{5} \psi \gamma^{5}\right) \end{aligned}$	$\begin{aligned} \psi \bar{\psi}=\tfrac{1}{4}(\bar{\psi} \psi+\bar{\psi} \gamma^{\nu} \psi \gamma_{\nu}-\bar{\psi} \gamma^{\nu} \gamma^{5} \psi \gamma_{\nu} \gamma^{5} & +\tfrac{1}{2} \bar{\psi} \sigma^{\nu \rho} \psi \sigma_{\nu \rho} \\ & +\bar{\psi} \gamma^{5} \psi \gamma^{5}), \quad (\end{aligned}$
1510.06699_ EQ0056 (60)	13	■0.997	`\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}(h, A, \partial A, \partial B)+\mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, B)`	$\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}(h, A, \partial A, \partial B)+\mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, B),$	$\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}(h, A, \partial A, \partial B)+\mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, B),$
1510.06699_ EQ0077 (82)	17	■0.997	`\widehat{\mathcal{F}}_{a b}^{*}=\mathcal{F}_{a b}-\mathcal{T}^{* c}{ }_{a b} \mathcal{A}_{c}`	$\widehat{\mathcal{F}}_{a b}^{*}=\mathcal{F}_{a b}-\mathcal{T}^{* c}{ }_{a b} \mathcal{A}_{c},$	$\widehat{\mathcal{F}}_{a b}^{*}=\mathcal{F}_{a b}-\mathcal{T}^{* c}{ }_{a b} \mathcal{A}_{c},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0159 (173)	29	■0.997	`\begin{aligned} \mathcal{D}_{c}^{\dagger}\left(h s_{a b}{ }^{c}\right)+h t_{[a b]}^{\dagger} & =0, \\ \mathcal{D}_{c}^{\dagger}\left(h t^{\dagger c}{ }_{d}\right)-h\left(s_{a b}{ }^{c} \mathcal{R}^{\dagger a b}{ }_{c d}-t^{\dagger c}{ }_{b} \mathcal{T}^{\dagger b}{ }_{c d}+j^{\dagger c} \mathcal{H}_{c d}\right) & =0, \end{aligned}`	$\begin{aligned} \mathcal{D}_{c}^{\dagger}\left(h s_{a b}{ }^{c}\right)+h t_{[a b]}^{\dagger} & =0, \\ \mathcal{D}_{c}^{\dagger}\left(h t^{\dagger c}{ }_{d}\right)-h\left(s_{a b}{ }^{c} \mathcal{R}^{\dagger a b}{ }_{c d}-t^{\dagger c}{ }_{b} \mathcal{T}^{\dagger b}{ }_{c d}+j^{\dagger c} \mathcal{H}_{c d}\right) & =0, \end{aligned}$	$\begin{aligned} \mathcal{D}_{c}^{\dagger}(h s_{a b}{ }^{c})+h t_{[a b]}^{\dagger} & =0, \\ \mathcal{D}_{c}^{\dagger}(h t^{\dagger c}{ }_{d})-h(s_{a b}{ }^{c} \mathcal{R}^{\dagger a b}{ }_{c d}-t^{\dagger c}{ }_{b} \mathcal{T}^{\dagger b}{ }_{c d}+j^{\dagger c} \mathcal{H}_{c d}) & =0, \end{aligned}$
1510.06699_ EQ0047 (49)	12	■0.998	`\mathcal{D}_{a}^{*} \varphi=\left({ }^{0} \mathcal{D}_{a}^{*}+\frac{1}{2} \mathcal{K}^{* b c}{ }_{a} \Sigma_{b c}\right) \varphi`	$\mathcal{D}_{a}^{*} \varphi=\left({ }^{0} \mathcal{D}_{a}^{*}+\frac{1}{2} \mathcal{K}^{* b c}{ }_{a} \Sigma_{b c}\right) \varphi,$	$\mathcal{D}_{a}^{*} \varphi=({ }^{0} \mathcal{D}_{a}^{*}+\frac{1}{2} \mathcal{K}^{* b c}{ }_{a} \Sigma_{b c}) \varphi, ,$
1510.06699_ EQ0002 (2)	3	■0.998	`\begin{aligned} & L_{\mathcal{R}^{2}}=\alpha_{1} \mathcal{R}^{2}+\alpha_{2} \mathcal{R}_{a b} \mathcal{R}^{a b}+\alpha_{3} \mathcal{R}_{a b} \mathcal{R}^{b a}+\alpha_{4} \mathcal{R}_{a b c d} \mathcal{R}^{a b c d}+\alpha_{5} \mathcal{R}_{a b c d} \mathcal{R}^{a c b d}+\alpha_{6} \mathcal{R}_{a b c d} \mathcal{R}^{c d a b}, \\ & L_{\mathcal{T}^{2}}=\beta_{1} \mathcal{T}_{a b c} \mathcal{T}^{a b c}+\beta_{2} \mathcal{T}_{a b c} \mathcal{T}^{b a c}+\beta_{3} \mathcal{T}_{a} \mathcal{T}^{a}, \end{aligned}`	$\begin{aligned} & L_{\mathcal{R}^{2}}=\alpha_{1} \mathcal{R}^{2}+\alpha_{2} \mathcal{R}_{a b} \mathcal{R}^{a b}+\alpha_{3} \mathcal{R}_{a b} \mathcal{R}^{b a}+\alpha_{4} \mathcal{R}_{a b c d} \mathcal{R}^{a b c d}+\alpha_{5} \mathcal{R}_{a b c d} \mathcal{R}^{a c b d}+\alpha_{6} \mathcal{R}_{a b c d} \mathcal{R}^{c d a b}, \\ & L_{\mathcal{T}^{2}}=\beta_{1} \mathcal{T}_{a b c} \mathcal{T}^{a b c}+\beta_{2} \mathcal{T}_{a b c} \mathcal{T}^{b a c}+\beta_{3} \mathcal{T}_{a} \mathcal{T}^{a}, \end{aligned}$	$\begin{aligned} & L_{\mathcal{R}^{2}}=\alpha_{1} \mathcal{R}^{2}+\alpha_{2} \mathcal{R}_{a b} \mathcal{R}^{a b}+\alpha_{3} \mathcal{R}_{a b} \mathcal{R}^{b a}+\alpha_{4} \mathcal{R}_{a b c d} \mathcal{R}^{a b c d}+\alpha_{5} \mathcal{R}_{a b c d} \mathcal{R}^{a c b d}+\alpha_{6} \mathcal{R}_{a b c d} \mathcal{R}^{c d a b}, \\ & L_{\mathcal{T}^{2}}=\beta_{1} \mathcal{T}_{a b c} \mathcal{T}^{a b c}+\beta_{2} \mathcal{T}_{a b c} \mathcal{T}^{b a c}+\beta_{3} \mathcal{T}_{a} \mathcal{T}^{a}, \end{aligned}$
1510.06699_ EQ0064 (68b)	14	■0.998	`\begin{aligned} \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*}\right)\left(h s_{a b}{ }^{c}\right)+h t_{[a b]} & =0, \\ \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*}\right)\left(h t^{c}{ }_{d}\right)-h \left(s_{a b}{ }^{c} \mathcal{R}^{a b}{ }_{c d}-t^{c}{ }_{b} \mathcal{T}^{* b}{ }_{c d}+j^{c} \mathcal{H}_{c d}\right) & =0, \\ \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*}\right)\left(h j^{c}\right)-h t^{c}{ }_{c} & =0 . \end{aligned}`	$\begin{aligned} \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*}\right)\left(h s_{a b}{ }^{c}\right)+h t_{[a b]} & =0, \\ \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*}\right)\left(h t^{c}{ }_{d}\right)-h\left(s_{a b}{ }^{c} \mathcal{R}^{a b}{ }_{c d}-t^{c}{ }_{b} \mathcal{T}^{* b}{ }_{c d}+j^{c} \mathcal{H}_{c d}\right) & =0, \\ \left(\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*}\right)\left(h j^{c}\right)-h t^{c}{ }_{c} & =0 . \end{aligned}$	$\begin{aligned} (\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*})(h s_{a b}{ }^{c})+h t_{[a b]} & =0, \\ (\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*})(h t^{c}{ }_{d})-h(s_{a b}{ }^{c} \mathcal{R}^{a b}{ }_{c d}-t^{c}{ }_{b} \mathcal{T}^{* b}{ }_{c d}+j^{c} \mathcal{H}_{c d}) & =0, \\ (\mathcal{D}_{c}^{*}+\mathcal{T}_{c}^{*})(h j^{c})-h t^{c}{ }_{c} & =0 . \end{aligned}$
1510.06699_ EQ0079 (84)	17	■0.998	`\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}\right) \mathcal{F}^{a c}-\frac{1}{2} \mathcal{T}^{* c}{ }_{a b} \mathcal{F}^{a b}=\mathcal{J}^{c}`	$\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}\right) \mathcal{F}^{a c}-\frac{1}{2} \mathcal{T}^{* c}{ }_{a b} \mathcal{F}^{a b}=\mathcal{J}^{c}.$	$(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}) \mathcal{F}^{a c}-\frac{1}{2} \mathcal{T}^{* c}{ }_{a b} \mathcal{F}^{a b}=\mathcal{J}^{c}.$
1510.06699_ EQ0094 (102)	19	■0.998	`\phi v^{b}{ }^{0} \mathcal{D}_{b}^{*} v_{a}=\left( \delta_{a}^{b}-v_{a} v^{b}\right)^{0} \mathcal{D}_{b}^{*} \phi`	$\phi v^{b}{ }^{0} \mathcal{D}_{b}^{*} v_{a}=\left(\delta_{a}^{b}-v_{a} v^{b}\right)^{0} \mathcal{D}_{b}^{*} \phi.$	$\phi v^{b}{ }^{0} \mathcal{D}_{b}^{*} v_{a}=(\delta_{a}^{b}-v_{a} v^{b})^{0} \mathcal{D}_{b}^{*} \phi.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0162 (178b)	30	■ 0.998	`\begin{aligned} \mathcal{D}_{c}^{\dagger}\left(h \sigma_{a b}{ }^{c}\right)+h \tau_{[a b]}^{\dagger}+ \frac{1}{2} \frac{\delta L_{\mathrm{M}}}{\delta \varphi} \Sigma_{a b} \varphi & =0, \\ \mathcal{D}_{c}^{\dagger} \left(h \tau^{\dagger c}{ }_{d}\right)-h\left(\sigma_{a b}{ }^{c} \mathcal{R}^{\dagger a b}{ }_{c d}-\tau^{ \dagger c}{ }_{b} \mathcal{T}^{\dagger b}{ }_{c d}+ \zeta^{\dagger c} \mathcal{H}_{c d}\right)+\frac{ \delta L_{\mathrm{M}}}{\delta \phi} \mathcal{D}_{d}^{ \dagger} \phi+\frac{\delta L_{\mathrm{M}}}{\delta \varphi} \mathcal{D}_{d}^{\dagger} \varphi & =0, \\ \mathcal{D}_{c}^{\dagger}\left(h \zeta^{\dagger c} \right) & =0, \\ h \tau^{\dagger c}{ }_{c}+\frac{ \delta L_{\mathrm{M}}}{\delta \phi} \phi-\frac{\delta L_{\mathrm{M}}}{\delta \varphi} w \varphi & =0, \end{aligned}`	$\begin{aligned} \mathcal{D}_{c}^{\dagger}\left(h \sigma_{a b}{ }^{c}\right)+h \tau_{[a b]}^{\dagger}+ \frac{1}{2} \frac{\delta L_{\mathrm{M}}}{\delta \varphi} \Sigma_{a b} \varphi & =0, \\ \mathcal{D}_{c}^{\dagger} \left(h \tau^{\dagger c}{ }_{d}\right)-h\left(\sigma_{a b}{ }^{c} \mathcal{R}^{\dagger a b}{ }_{c d}-\tau^{ \dagger c}{ }_{b} \mathcal{T}^{\dagger b}{ }_{c d}+ \zeta^{\dagger c} \mathcal{H}_{c d}\right)+\frac{ \delta L_{\mathrm{M}}}{\delta \phi} \mathcal{D}_{d}^{ \dagger} \phi+\frac{\delta L_{\mathrm{M}}}{\delta \varphi} \mathcal{D}_{d}^{\dagger} \varphi & =0, \\ \mathcal{D}_{c}^{\dagger}\left(h \zeta^{\dagger c} \right) & =0, \\ h \tau^{\dagger c}{ }_{c}+\frac{ \delta L_{\mathrm{M}}}{\delta \phi} \phi-\frac{\delta L_{\mathrm{M}}}{\delta \varphi} w \varphi & =0, \end{aligned}$	$\begin{aligned} \mathcal{D}_{c}^{\dagger}(h \sigma_{a b}{ }^{c})+h \tau_{[a b]}^{\dagger}+ \tfrac{1}{2} \frac{\delta L_{\mathrm{M}}}{\delta \varphi} \Sigma_{a b} \varphi & =0, \\ \mathcal{D}_{c}^{\dagger} (h \tau^{\dagger c}{ }_{d})-h(\sigma_{a b}{ }^{c} \mathcal{R}^{\dagger a b}{ }_{c d}-\tau^{ \dagger c}{ }_{b} \mathcal{T}^{\dagger b}{ }_{c d}+ \zeta^{\dagger c} \mathcal{H}_{c d})+\frac{ \delta L_{\mathrm{M}}}{\delta \phi} \mathcal{D}_{d}^{ \dagger} \phi+\frac{\delta L_{\mathrm{M}}}{\delta \varphi} \mathcal{D}_{d}^{\dagger} \varphi & =0, \\ \mathcal{D}_{c}^{\dagger}(h \zeta^{\dagger c}) & =0, \\ h \tau^{\dagger c}{ }_{c}+\frac{ \delta L_{\mathrm{M}}}{\delta \phi} \phi-\frac{\delta L_{\mathrm{M}}}{\delta \varphi} w \varphi & =0, \end{aligned}$
1510.06699_ EQ0251 (B6)	49	■ 0.998	`\begin{aligned} R={ }^{0} R+\frac{1}{4} T^{\mu \nu \lambda} T_{\mu \nu \lambda} & +\frac{1}{2} T^{\mu \nu \lambda} T_{\nu \mu \lambda}-T^{\mu} T_{\mu} \\ & - \frac{2}{\sqrt{-g}} \partial_{\mu}\left(\sqrt{-g} T^{\mu} \right), \end{aligned}`	$\begin{aligned} R={ }^{0} R+\frac{1}{4} T^{\mu \nu \lambda} T_{\mu \nu \lambda} & +\frac{1}{2} T^{\mu \nu \lambda} T_{\nu \mu \lambda}-T^{\mu} T_{\mu} \\ & - \frac{2}{\sqrt{-g}} \partial_{\mu}\left(\sqrt{-g} T^{\mu} \right), \end{aligned}$	$\begin{aligned} R={ }^{0} R+\tfrac{1}{4} T^{\mu \nu \lambda} T_{\mu \nu \lambda}+\tfrac{1}{2} T^{\mu \nu \lambda} T_{\nu \mu \lambda}-T^{\mu} T_{\mu} \\ - \frac{2}{\sqrt{-g}} \partial_{\mu}(\sqrt{-g} T^{\mu}), \end{aligned}$
1510.06699_EQ0104	21	■ 0.999	`\begin{array}{r} \mathcal{L}_{\mathrm{M}}=h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^{a}{ }^{0} \stackrel{\leftrightarrow}{\mathcal{D}}_{a} \psi- \mu \phi \bar{\psi} \psi+\frac{1}{2} \nu\left({ }^{0} \mathcal{D}_{a}^{*} \phi\right)\left({ }^{0} \mathcal{D}^{* a} \phi\right)-\lambda \phi^{4}\right. \\ \left.-a \phi^{2}{ }^{0} \mathcal{R}^{*}\right],(112) \end{array}`	$\begin{array}{r} \mathcal{L}_{\mathrm{M}}=h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^{a}{ }^{0} \stackrel{\leftrightarrow}{\mathcal{D}}_{a} \psi- \mu \phi \bar{\psi} \psi+\frac{1}{2} \nu\left({ }^{0} \mathcal{D}_{a}^{*} \phi\right)\left({ }^{0} \mathcal{D}^{* a} \phi\right)-\lambda \phi^{4}\right. \\ \left.-a \phi^{2}{ }^{0} \mathcal{R}^{*}\right],(112) \end{array}$	$\begin{array}{r} \mathcal{L}_{\mathrm{M}}=h^{-1} [\tfrac{1}{2} i \bar{\psi} \gamma^{a}\, {}^{0} \stackrel{\leftrightarrow}{\mathcal{D}}_{a} \psi- \mu \phi \bar{\psi} \psi+\tfrac{1}{2} \nu({ }^{0} \mathcal{D}_{a}^{*} \phi)({ }^{0} \mathcal{D}^{* a} \phi)-\lambda \phi^{4} \\ -a \phi^{2}\, { }^{0} \mathcal{R}^{*}],(112) \end{array}$
1510.06699_ EQ0171 (187)	31	■ 0.999	`\mathcal{L}_{\mathrm{D}}=h^{-1} L_{\mathrm{D}}=h^{-1} \left(\frac{1}{2} i \bar{\psi} \gamma^{a} \stackrel{ \leftrightarrow}{\mathcal{D}}_{a}^{\dagger} \psi-\mu \phi \bar{\psi} \psi\right)`	$\mathcal{L}_{\mathrm{D}}=h^{-1} L_{\mathrm{D}}=h^{-1} \left(\frac{1}{2} i \bar{\psi} \gamma^{a} \stackrel{ \leftrightarrow}{\mathcal{D}}_{a}^{\dagger} \psi-\mu \phi \bar{\psi} \psi\right),$	$\mathcal{L}_{\mathrm{D}}=h^{-1} L_{\mathrm{D}}=h^{-1} (\tfrac{1}{2} i \bar{\psi} \gamma^{a} \stackrel{ \leftrightarrow}{\mathcal{D}}_{a}^{\dagger} \psi-\mu \phi \bar{\psi} \psi),$
1510.06699_ EQ0253 (C2)	50	■ 0.999	`\begin{aligned} \mathcal{R}^{a c}{ }_{b c}-\frac{1}{2} \delta_{b}^{a} \mathcal{R} & =\kappa h \tau^{a}{ }_{b}, \\ h b^{c}{ }_{\mu} D_{\nu}\left[h^{-1}\left(h_{a}{ }^{ \mu} h_{b}{ }^{\nu}-h_{a}{ }^{\nu} h_{b}{ }^{\mu}\right) \right] & =2 \kappa h \sigma_{a b}{ }^{c} . \end{aligned}`	$\begin{aligned} \mathcal{R}^{a c}{ }_{b c}-\frac{1}{2} \delta_{b}^{a} \mathcal{R} & =\kappa h \tau^{a}{ }_{b}, \\ h b^{c}{ }_{\mu} D_{\nu}\left[h^{-1}\left(h_{a}{ }^{ \mu} h_{b}{ }^{\nu}-h_{a}{ }^{\nu} h_{b}{ }^{\mu}\right) \right] & =2 \kappa h \sigma_{a b}{ }^{c} . \end{aligned}$	$\begin{aligned} \mathcal{R}^{a c}{ }_{b c}-\tfrac{1}{2} \delta_{b}^{a} \mathcal{R} =\kappa h \tau^{a}{ }_{b}, \\ h b^{c}{ }_{\mu} D_{\nu}[h^{-1}(h_{a}{ }^{ \mu} h_{b}{ }^{\nu}-h_{a}{ }^{\nu} h_{b}{ }^{\mu})] =2 \kappa h \sigma_{a b}{ }^{c} . \end{aligned}$
1510.06699_ EQ0144 (158)	27	■ 0.999	`\mathcal{A}_{a b c}^{\dagger}={ }^{0} \mathcal{A}_{a b c}^{\dagger}(h, \partial h, A, V)+\mathcal{K}_{a b c}^{ \dagger}(h, \partial h, A)`	$\mathcal{A}_{a b c}^{\dagger}={ }^{0} \mathcal{A}_{a b c}^{\dagger}(h, \partial h, A, V)+\mathcal{K}_{a b c}^{ \dagger}(h, \partial h, A),$	$\mathcal{A}_{a b c}^{\dagger}={ }^{0} \mathcal{A}_{a b c}^{\dagger}(h, \partial h, A, V)+\mathcal{K}_{a b c}^{ \dagger}(h, \partial h, A),$
1510.06699_ EQ0170 (186)	31	■ 0.999	`j^{a}=2 s^{a b}{ }_{b}`	$j^{a}=2 s^{a b}{ }_{b}.$	$j^{a}=2 s^{a b}{ }_{b}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0230 (264)	43	■0.999	`L_{\mathrm{G}}=\alpha_{1}{ }^{0} \mathcal{R}^{2}+\alpha_{2}{ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}+\alpha_{3}{ }^{0} \mathcal{R}_{a b c d}{ }^{0} \mathcal{R}^{a b c d}`	$L_{\mathrm{G}}=\alpha_{1}{ }^{0} \mathcal{R}^{2}+\alpha_{2}{ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}+\alpha_{3}{ }^{0} \mathcal{R}_{a b c d}{ }^{0} \mathcal{R}^{a b c d},$	$L_{\mathrm{G}}=\alpha_{1}{ }^{0} \mathcal{R}^{2}+\alpha_{2}{ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}+\alpha_{3}{ }^{0} \mathcal{R}_{a b c d}{ }^{0} \mathcal{R}^{a b c d},$
1510.06699_ EQ0258 (C8)	50	■0.999	`\mathcal{D}_{b} h_{a}{ }^{\mu}-\mathcal{D}_{a} h_{b}{ }^{\mu}=0`	$\mathcal{D}_{b} h_{a}{ }^{\mu}-\mathcal{D}_{a} h_{b}{ }^{\mu}=0.$	$\mathcal{D}_{b} h_{a}{ }^{\mu}-\mathcal{D}_{a} h_{b}{ }^{\mu}=0.$
1510.06699_ EQ0266 (D5)	52	■0.999	`a\left[\phi^{2} \mathcal{T}^{* c}{ }_{a b}+\delta_{a}^{c}\left(\mathcal{D}_{b}^{*}+\mathcal{T}_{b}^{*}\right) \phi^{2}-\delta_{b}^{c}\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}\right) \phi^{2}\right]=2 h\left(\sigma_{\varphi}\right)_{a b}{ }^{c}`	$a\left[\phi^{2} \mathcal{T}^{* c}{ }_{a b}+\delta_{a}^{c}\left(\mathcal{D}_{b}^{*}+\mathcal{T}_{b}^{*}\right) \phi^{2}-\delta_{b}^{c}\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}\right) \phi^{2}\right]=2 h\left(\sigma_{\varphi}\right)_{a b}{ }^{c},$	$a[\phi^{2} \mathcal{T}^{* c}{ }_{a b}+\delta_{a}^{c}(\mathcal{D}_{b}^{*}+\mathcal{T}_{b}^{*}) \phi^{2}-\delta_{b}^{c}(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}) \phi^{2}]=2 h(\sigma_{\varphi})_{a b}{ }^{c},$
1510.06699_ EQ0185 (201)	35	■0.999	`\left[{ }^{0} D_{\mu}^{\dagger},{ }^{0} D_{\nu}^{\dagger}\right] \varphi=\frac{1}{2}{ }^{0} R^{\dagger a b}{ }_{\mu \nu} \Sigma_{a b} \varphi+w H_{\mu \nu}^{\dagger} \varphi`	$\left[{ }^{0} D_{\mu}^{\dagger},{ }^{0} D_{\nu}^{\dagger}\right] \varphi=\frac{1}{2}{ }^{0} R^{\dagger a b}{ }_{\mu \nu} \Sigma_{a b} \varphi+w H_{\mu \nu}^{\dagger} \varphi,$	$[{ }^{0} D_{\mu}^{\dagger},{ }^{0} D_{\nu}^{\dagger}] \varphi=\frac{1}{2}{ }^{0} R^{\dagger a b}{ }_{\mu \nu} \Sigma_{a b} \varphi+w H_{\mu \nu}^{\dagger} \varphi,$
1510.06699_ EQ0005 (6)	7	■1.000	`x^{\prime \mu}=e^{\rho}\left(\Lambda^{\mu}{ }_{\nu} x^{\nu}+a^{\mu}\right)`	$x^{\prime \mu}=e^{\rho}\left(\Lambda^{\mu}{ }_{\nu} x^{\nu}+a^{\mu}\right),$	$x^{\prime \mu}=e^{\rho}(\Lambda^{\mu}{ }_{\nu} x^{\nu}+a^{\mu}),$
1510.06699_ EQ0009 (10)	8	■1.000	`L_{\mathrm{KG}}=\frac{1}{2} \eta^{\mu \nu} \partial_{\mu} \phi \partial_{\nu} \phi-\frac{1}{2} m^{2} \phi^{2}`	$L_{\mathrm{KG}}=\frac{1}{2} \eta^{\mu \nu} \partial_{\mu} \phi \partial_{\nu} \phi-\frac{1}{2} m^{2} \phi^{2},$	$L_{\mathrm{KG}}=\frac{1}{2} \eta^{\mu \nu} \partial_{\mu} \phi \, \partial_{\nu} \phi-\frac{1}{2} m^{2} \phi^{2},$
1510.06699_ EQ0029 (30)	10	■1.000	`\mathcal{D}_{a}^{* \prime} \varphi^{\prime}\left(x^{\prime}\right)=e^{(w-1) \rho(x)} \Lambda_{a}{ }^{b}(x) \mathrm{S}(\Lambda(x)) \mathcal{D}_{b}^{*} \varphi(x)`	$\mathcal{D}_{a}^{* \prime} \varphi^{\prime}\left(x^{\prime}\right)=e^{(w-1) \rho(x)} \Lambda_{a}{ }^{b}(x) \mathrm{S}(\Lambda(x)) \mathcal{D}_{b}^{*} \varphi(x).$	$\mathcal{D}_{a}^{* \prime} \varphi^{\prime}(x^{\prime})=e^{(w-1) \rho(x)} \Lambda_{a}{ }^{b}(x) \mathrm{S}(\Lambda(x)) \mathcal{D}_{b}^{*} \varphi(x).$
1510.06699_ EQ0075 (80)	16	■1.000	`L_{\mathrm{M}}=-\frac{1}{4} F_{\mu \nu} F^{\mu \nu}-J^{\mu} A_{\mu}`	$L_{\mathrm{M}}=-\frac{1}{4} F_{\mu \nu} F^{\mu \nu}-J^{\mu} A_{\mu},$	$L_{\mathrm{M}}=-\frac{1}{4} F_{\mu \nu} F^{\mu \nu}-J^{\mu} A_{\mu},$
1510.06699_ EQ0076 (81)	16	■1.000	`\mathcal{L}_{\mathrm{M}}=h^{-1} L_{\mathrm{M}}=-h^{-1} \left(\frac{1}{4} \widehat{\mathcal{F}}_{a b}^{*} \widehat{\mathcal{F}}^{* a b}+\mathcal{J}^{a} \mathcal{A}_{a}\right)`	$\mathcal{L}_{\mathrm{M}}=h^{-1} L_{\mathrm{M}}=-h^{-1} \left(\frac{1}{4} \widehat{\mathcal{F}}_{a b}^{*} \widehat{\mathcal{F}}^{* a b}+\mathcal{J}^{a} \mathcal{A}_{a}\right),$	$\mathcal{L}_{\mathrm{M}}=h^{-1} L_{\mathrm{M}}=-h^{-1} (\frac{1}{4} \widehat{\mathcal{F}}_{a b}^{*} \widehat{\mathcal{F}}^{* a b}+\mathcal{J}^{a} \mathcal{A}_{a}),$
1510.06699_ EQ0081 (87)	17	■1.000	`\begin{aligned} \left(\mathcal{D}_{a}+\mathcal{T}_{a}\right) \mathcal{F}^{a c}-\frac{1}{2} \mathcal{T}^{c}{ }_{a b} \mathcal{F}^{a b} & =\mathcal{J}^{c} \\ \mathcal{D}_{[a} \mathcal{F}_{b c]}-\mathcal{T}^{d}{ }_{[a b} \mathcal{F}_{c] d} & =0 \end{aligned}`	$\begin{aligned} \left(\mathcal{D}_{a}+\mathcal{T}_{a}\right) \mathcal{F}^{a c}-\frac{1}{2} \mathcal{T}^{c}{ }_{a b} \mathcal{F}^{a b} & =\mathcal{J}^{c} \\ \mathcal{D}_{[a} \mathcal{F}_{b c]}-\mathcal{T}^{d}{ }_{[a b} \mathcal{F}_{c] d} & =0 \end{aligned}$	$\begin{aligned} (\mathcal{D}_{a}+\mathcal{T}_{a}) \mathcal{F}^{a c}-\frac{1}{2} \mathcal{T}^{c}{ }_{a b} \mathcal{F}^{a b} & =\mathcal{J}^{c}, \\ \mathcal{D}_{[a} \mathcal{F}_{b c]}-\mathcal{T}^{d}{ }_{[a b} \mathcal{F}_{c] d} & =0. \end{aligned}$
1510.06699_ EQ0082 (88)	17	■1.000	`{ }^{0} \mathcal{D}_{a}^{*} \mathcal{F}^{a c}=\mathcal{J}^{c} \quad \text { and } \quad{ }^{0} \mathcal{D}_{[a}^{*} \mathcal{F}_{b c]}=0`	${ }^{0} \mathcal{D}_{a}^{*} \mathcal{F}^{a c}=\mathcal{J}^{c} \quad \text { and } \quad{ }^{0} \mathcal{D}_{[a}^{*} \mathcal{F}_{b c]}=0.$	${ }^{0} \mathcal{D}_{a}^{*} \mathcal{F}^{a c}=\mathcal{J}^{c} \quad \text { and } \quad{ }^{0} \mathcal{D}_{[a}^{*} \mathcal{F}_{b c]}=0.$
1510.06699_ EQ0083 (89)	17	■1.000	`{ }^{0} \mathcal{D}_{a} \mathcal{F}^{a c}=\mathcal{J}^{c} \quad \text { and } \quad{ }^{0} \mathcal{D}_{[a} \mathcal{F}_{b c]}=0`	${ }^{0} \mathcal{D}_{a} \mathcal{F}^{a c}=\mathcal{J}^{c} \quad \text { and } \quad{ }^{0} \mathcal{D}_{[a} \mathcal{F}_{b c]}=0,$	${ }^{0} \mathcal{D}_{a} \mathcal{F}^{a c}=\mathcal{J}^{c} \quad \text { and } \quad{ }^{0} \mathcal{D}_{[a} \mathcal{F}_{b c]}=0,$
1510.06699_ EQ0089 (95)	18	■1.000	`\phi \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}=-\widehat{h}_{a}{ }^{\mu} \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \widehat{h}_{a}{ }^{\mu}}+\partial_{\mu}\left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial \widehat{B}_{\mu}}\right)`	$\phi \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}=-\widehat{h}_{a}{ }^{\mu} \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \widehat{h}_{a}{ }^{\mu}}+\partial_{\mu}\left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial \widehat{B}_{\mu}}\right),$	$\phi \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}=-\widehat{h}_{a}{ }^{\mu} \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \widehat{h}_{a}{ }^{\mu}}+\partial_{\mu}\left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial \widehat{B}_{\mu}}\right),$
1510.06699_ EQ0095 (103)	19	■1.000	`\phi v^{b}{ }^{0} \mathcal{D}_{b} v_{a}=\left(\delta_{a}^{b}-v_{a} v^{b}\right) \partial_{b} \phi`	$\phi v^{b}{ }^{0} \mathcal{D}_{b} v_{a}=\left(\delta_{a}^{b}-v_{a} v^{b}\right) \partial_{b} \phi,$	$\phi \, v^{b}\, {}^{0} \mathcal{D}_{b} v_{a}=(\delta_{a}^{b}-v_{a} v^{b}) \partial_{b} \phi,$
1510.06699_ EQ0109 (117)	22	■1.000	`\delta J^{a}=-\left(A^{a}{ }_{b \mu}+w B_{\mu} \delta_{b}^{a}\right) J^{b} \delta x^{\mu}`	$\delta J^{a}=-\left(A^{a}{ }_{b \mu}+w B_{\mu} \delta_{b}^{a}\right) J^{b} \delta x^{\mu},$	$\delta J^{a}=-(A^{a}{ }_{b \mu}+w B_{\mu} \delta_{b}^{a}) J^{b} \, \delta x^{\mu},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0178 (194)	32	■ 1.000	`\mathcal{D}_{a}^{\dagger} \mathcal{F}^{a c}-\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{a b} \mathcal{F}^{a b}= \mathcal{J}^{c}`	$\mathcal{D}_{a}^{\dagger} \mathcal{F}^{a c}-\frac{1}{2} \mathcal{T}^{\dagger c}{ }_{a b} \mathcal{F}^{a b}= \mathcal{J}^{c}.$	$\mathcal{D}_{a}^{\dagger} \mathcal{F}^{ac}-\frac{1}{2} \mathcal{T}^{\dagger c}{}_{ab} \mathcal{F}^{ab}= \mathcal{J}^{c}.$
1510.06699_ EQ0214 (244)	39	■ 1.000	`\begin{aligned} h\left(\zeta_{\phi}\right)_{a} & =\nu \phi \mathcal{D}_{a}^{\dagger} \phi \\ h\left(\zeta_{ \mathcal{R}}\right)_{a} & =3 a \mathcal{D}_{a}^{\dagger} \phi^{2} \\ h\left(\zeta_{\mathcal{T}^{2}}\right)_{a} & =0 \end{aligned}`	$\begin{aligned} h\left(\zeta_{\phi}\right)_{a} & =\nu \phi \mathcal{D}_{a}^{\dagger} \phi \\ h\left(\zeta_{ \mathcal{R}}\right)_{a} & =3 a \mathcal{D}_{a}^{\dagger} \phi^{2} \\ h\left(\zeta_{\mathcal{T}^{2}}\right)_{a} & =0 \end{aligned}$	$\begin{aligned} h(\zeta_{\phi})_{a} & =\nu \phi \mathcal{D}_{a}^{\dagger} \phi, \\ h(\zeta_{\mathcal{R}})_{a} & =3 a \mathcal{D}_{a}^{\dagger} \phi^{2}, \\ h(\zeta_{\mathcal{T}^{2}})_{a} & =0. \end{aligned}$
1510.06699_ EQ0223 (257b)	42	■ 1.000	`\begin{aligned} \mathcal{L}_{\phi}^{\prime} & = \mathcal{L}_{\phi}+\frac{1}{2} \nu h^{-1}\left(\phi^{2} \mathcal{P}^{2}-2 \phi \mathcal{P}^{a} \mathcal{D}_{a} \phi\right) \\ \left(\phi^{2} \mathcal{L}_{\mathcal{R}} \right)^{\prime} & =\phi^{2} \mathcal{L}_{\mathcal{R}}+a \phi^{2} h^{-1} \theta\left[6\left(\mathcal{D}_{a}+ \frac{1}{3} \mathcal{T}_{a}\right) \mathcal{P}^{a}+6 \theta \mathcal{P}^{2}\right] \\ \left(\phi^{2} \mathcal{L}_{\mathcal{T}^{2}}\right)^{\prime} & = \phi^{2} \mathcal{L}_{\mathcal{T}^{2}}+\left(2 \beta_{1}+ \beta_{2}+3 \beta_{3}\right) \phi^{2} h^{-1}(1-\theta) \left[2 \mathcal{P}_{a} \mathcal{T}^{a}+3(1-\theta) \mathcal{P}^{2}\right] \end{aligned}`	$\begin{aligned} \mathcal{L}_{\phi}^{\prime} & = \mathcal{L}_{\phi}+\frac{1}{2} \nu h^{-1}\left(\phi^{2} \mathcal{P}^{2}-2 \phi \mathcal{P}^{a} \mathcal{D}_{a} \phi\right) \\ \left(\phi^{2} \mathcal{L}_{\mathcal{R}} \right)^{\prime} & =\phi^{2} \mathcal{L}_{\mathcal{R}}+a \phi^{2} h^{-1} \theta\left[6\left(\mathcal{D}_{a}+ \frac{1}{3} \mathcal{T}_{a}\right) \mathcal{P}^{a}+6 \theta \mathcal{P}^{2}\right] \\ \left(\phi^{2} \mathcal{L}_{\mathcal{T}^{2}}\right)^{\prime} & = \phi^{2} \mathcal{L}_{\mathcal{T}^{2}}+\left(2 \beta_{1}+ \beta_{2}+3 \beta_{3}\right) \phi^{2} h^{-1}(1-\theta) \left[2 \mathcal{P}_{a} \mathcal{T}^{a}+3(1-\theta) \mathcal{P}^{2}\right] \end{aligned}$	$\begin{aligned} \mathcal{L}_{\phi}^{\prime} & = \mathcal{L}_{\phi}+\tfrac{1}{2} \nu h^{-1}(\phi^{2} \mathcal{P}^{2}-2 \phi \mathcal{P}^{a} \mathcal{D}_{a} \phi), \\ (\phi^{2} \mathcal{L}_{\mathcal{R}})^{\prime} & =\phi^{2} \mathcal{L}_{\mathcal{R}}+a \phi^{2} h^{-1} \theta[6(\mathcal{D}_{a}+ \tfrac{1}{3} \mathcal{T}_{a}) \mathcal{P}^{a}+6 \theta \mathcal{P}^{2}], \\ (\phi^{2} \mathcal{L}_{\mathcal{T}^{2}})^{\prime} & = \phi^{2} \mathcal{L}_{\mathcal{T}^{2}}+(2 \beta_{1}+ \beta_{2}+3 \beta_{3}) \phi^{2} h^{-1}(1-\theta)[2 \mathcal{P}_{a} \mathcal{T}^{a}+3(1-\theta) \mathcal{P}^{2}]. \end{aligned}$
1510.06699_ EQ0231 (265)	43	■ 1.000	`L_{\mathrm{G}}=\alpha\left({ }^{0} \mathcal{R}_{a b c d}{ }^{0} \mathcal{R}^{a b c d}-2{ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}+\frac{1}{3}{ }^{0} \mathcal{R}^{2}\right)`	$L_{\mathrm{G}}=\alpha\left({ }^{0} \mathcal{R}_{a b c d}{ }^{0} \mathcal{R}^{a b c d}-2{ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}+\frac{1}{3}{ }^{0} \mathcal{R}^{2}\right),$	$L_{\mathrm{G}}=\alpha({}^{0} \mathcal{R}_{abcd}{}^{0} \mathcal{R}^{abcd}-2\,{}^{0} \mathcal{R}_{ab}{}^{0} \mathcal{R}^{ab}+\tfrac{1}{3}{}^{0} \mathcal{R}^{2}),$
1510.06699_ EQ0263 (D2)	51	■ 1.000	`\begin{aligned} L_{\mathrm{M}} & \equiv L_{\varphi}+L_{ \phi}+\phi^{2} L_{\mathcal{R}} \\ & =L_{\varphi}+ \frac{1}{2} \nu \mathcal{D}_{a}^{*} \phi \mathcal{D}^{* a} \phi-\lambda \phi^{4}-\frac{1}{2} a \phi^{2} \mathcal{R}, \end{aligned}`	$\begin{aligned} L_{\mathrm{M}} & \equiv L_{\varphi}+L_{ \phi}+\phi^{2} L_{\mathcal{R}} \\ & =L_{\varphi}+ \frac{1}{2} \nu \mathcal{D}_{a}^{*} \phi \mathcal{D}^{* a} \phi-\lambda \phi^{4}-\frac{1}{2} a \phi^{2} \mathcal{R}, \end{aligned}$	$\begin{aligned} L_{\mathrm{M}} & \equiv L_{\varphi}+L_{\phi}+\phi^{2} L_{\mathcal{R}} \\ & =L_{\varphi}+ \tfrac{1}{2} \nu \mathcal{D}_{a}^{*} \phi\, \mathcal{D}^{*a} \phi-\lambda \phi^{4}-\tfrac{1}{2} a \phi^{2} \mathcal{R}, \end{aligned}$
1510.06699_ EQ0265 (D4)	52	■ 1.000	`\begin{aligned} a \phi^{2}\left(\mathcal{R}^{a}{ }_{b}- \frac{1}{2} \delta_{b}^{a} \mathcal{R}\right)= & h \left(\tau_{\varphi}\right)^{a}{ }_{b}+\left[\nu\left(\mathcal{D}^{* a} \phi\right)\left(\mathcal{D}_{b}^{*} \phi\right)-\delta_{b}^{a} L_{\phi}\right] \\ & -\xi \left(\mathcal{H}^{a c} \mathcal{H}_{b c}-\frac{1}{4} \delta_{b}^{a} \mathcal{H}_{c d} \mathcal{H}^{c d} \right), \end{aligned}`	$\begin{aligned} a \phi^{2}\left(\mathcal{R}^{a}{ }_{b}- \frac{1}{2} \delta_{b}^{a} \mathcal{R}\right)= & h \left(\tau_{\varphi}\right)^{a}{ }_{b}+\left[\nu\left(\mathcal{D}^{* a} \phi\right)\left(\mathcal{D}_{b}^{*} \phi\right)-\delta_{b}^{a} L_{\phi}\right] \\ & -\xi \left(\mathcal{H}^{a c} \mathcal{H}_{b c}-\frac{1}{4} \delta_{b}^{a} \mathcal{H}_{c d} \mathcal{H}^{c d} \right), \end{aligned}$	$\begin{aligned} a \phi^{2}(\mathcal{R}^{a}{}_{b}- \tfrac{1}{2} \delta_{b}^{a} \mathcal{R}) = & h(\tau_{\varphi})^{a}{}_{b}+[\nu(\mathcal{D}^{*a} \phi)(\mathcal{D}_{b}^{*} \phi)-\delta_{b}^{a} L_{\phi}] \\ & -\xi(\mathcal{H}^{ac} \mathcal{H}_{bc}-\tfrac{1}{4} \delta_{b}^{a} \mathcal{H}_{cd} \mathcal{H}^{cd}), \quad \text{(D4} \end{aligned}$
1510.06699_ EQ0001 (1)	2	■ 1.000	`L_{\mathrm{G}}=-\kappa^{-1}(\Lambda+a \mathcal{R})+L_{ \mathcal{R}^{2}}+\kappa^{-1} L_{\mathcal{T}^{2}}`	$L_{\mathrm{G}}=-\kappa^{-1}(\Lambda+a \mathcal{R})+L_{ \mathcal{R}^{2}}+\kappa^{-1} L_{\mathcal{T}^{2}},$	$L_{\mathrm{G}}=-\kappa^{-1}(\Lambda+a \mathcal{R})+L_{\mathcal{R}^{2}}+\kappa^{-1} L_{\mathcal{T}^{2}},$
1510.06699_ EQ0003 (4)	5	■ 1.000	`L_{\mathrm{G}}=\alpha_{1} \mathcal{R}^{2}+\alpha_{2} \mathcal{R}_{a b} \mathcal{R}^{a b}+\alpha_{3} \mathcal{R}_{a b} \mathcal{R}^{b a}+\alpha_{4} \mathcal{R}_{a b c d} \mathcal{R}^{a b c d}+\alpha_{5} \mathcal{R}_{a b c d} \mathcal{R}^{a c b d}+\alpha_{6} \mathcal{R}_{a b c d} \mathcal{R}^{c d a b}+\xi \mathcal{H}_{a b} \mathcal{H}^{a b} \equiv L_{ \mathcal{R}^{2}}+L_{\mathcal{H}^{2}}`	$L_{\mathrm{G}}=\alpha_{1} \mathcal{R}^{2}+\alpha_{2} \mathcal{R}_{a b} \mathcal{R}^{a b}+\alpha_{3} \mathcal{R}_{a b} \mathcal{R}^{b a}+\alpha_{4} \mathcal{R}_{a b c d} \mathcal{R}^{a b c d}+\alpha_{5} \mathcal{R}_{a b c d} \mathcal{R}^{a c b d}+\alpha_{6} \mathcal{R}_{a b c d} \mathcal{R}^{c d a b}+\xi \mathcal{H}_{a b} \mathcal{H}^{a b} \equiv L_{ \mathcal{R}^{2}}+L_{\mathcal{H}^{2}},$	$L_{\mathrm{G}}=\alpha_{1} \mathcal{R}^{2}+\alpha_{2} \mathcal{R}_{ab} \mathcal{R}^{ab}+\alpha_{3} \mathcal{R}_{ab} \mathcal{R}^{ba}+\alpha_{4} \mathcal{R}_{abcd} \mathcal{R}^{abcd}+\alpha_{5} \mathcal{R}_{abcd} \mathcal{R}^{acbd}+\alpha_{6} \mathcal{R}_{abcd} \mathcal{R}^{cdab}+\xi \mathcal{H}_{ab} \mathcal{H}^{ab} \equiv L_{\mathcal{R}^{2}}+L_{\mathcal{H}^{2}},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0004 (5)	7	■1.000	`S_{\mathrm{M}}=\int L_{\mathrm{M}}\left(\varphi, \partial_{\mu} \varphi\right) d^{4} x`	$S_{\mathrm{M}}=\int L_{\mathrm{M}}\left(\varphi, \partial_{\mu} \varphi\right) d^{4} x$	$S_{\mathrm{M}}=\int L_{\mathrm{M}}(\varphi,\partial_\mu\varphi)\,d^4x,$
1510.06699_ EQ0006 (7)	7	■1.000	`\varphi^{\prime}\left(x^{\prime}\right)=e^{w \rho} \mathrm{~S}(\Lambda) \varphi(x)`	$\varphi^{\prime}\left(x^{\prime}\right)=e^{w \rho} \mathrm{~S}(\Lambda) \varphi(x),$	$\varphi'(x')=e^{w\rho}\mathsf{S}(\Lambda)\varphi(x),$
1510.06699_ EQ0007 (8)	8	■1.000	`\partial_{\mu}^{\prime} \varphi^{\prime}\left(x^{\prime}\right)=e^{(w-1) \rho} \Lambda_{\mu}{ }^{\nu} \mathrm{S}(\Lambda) \partial_{\nu} \varphi(x)`	$\partial_{\mu}^{\prime} \varphi^{\prime}\left(x^{\prime}\right)=e^{(w-1) \rho} \Lambda_{\mu}{ }^{\nu} \mathrm{S}(\Lambda) \partial_{\nu} \varphi(x).$	$\partial'_\mu\varphi'(x')=e^{(w-1)\rho}\Lambda_\mu{}^\nu\mathsf{S}(\Lambda)\partial_\nu\varphi(x).$
1510.06699_ EQ0014 (15)	8	■1.000	`L_{\mathrm{EM}}=-\frac{1}{4} F_{\mu \nu} F^{\mu \nu}-J^{\mu} A_{\mu}`	$L_{\mathrm{EM}}=-\frac{1}{4} F_{\mu \nu} F^{\mu \nu}-J^{\mu} A_{\mu}$	$L_{\mathrm{EM}}=-\frac{1}{4}F_{\mu\nu}F^{\mu\nu}-J^\mu A_\mu$
1510.06699_ EQ0016 (17)	9	■1.000	`\varphi^{\prime}\left(x^{\prime}\right)=e^{w \rho(x)} \mathrm{S}(\Lambda(x)) \varphi(x)`	$\varphi^{\prime}\left(x^{\prime}\right)=e^{w \rho(x)} \mathrm{S}(\Lambda(x)) \varphi(x).$	$\varphi'(x')=e^{w\rho(x)}\mathsf{S}(\Lambda(x))\varphi(x).$
1510.06699_ EQ0017 (18)	9	■1.000	`\gamma_{\mu \nu}^{\prime}\left(x^{\prime}\right)=\frac{\partial x^{\lambda}}{\partial x^{\prime \mu}} \frac{\partial x^{\sigma}}{\partial x^{\prime \nu}} e^{2 \rho(x)} \gamma_{\lambda \sigma}(x)`	$\gamma_{\mu \nu}^{\prime}\left(x^{\prime}\right)=\frac{\partial x^{\lambda}}{\partial x^{\prime \mu}} \frac{\partial x^{\sigma}}{\partial x^{\prime \nu}} e^{2 \rho(x)} \gamma_{\lambda \sigma}(x).$	$\gamma'_{\mu\nu}(x')=\frac{\partial x^\lambda}{\partial x'^\mu}\frac{\partial x^\sigma}{\partial x'^\nu}\,e^{2\rho(x)}\,\gamma_{\lambda\sigma}(x).$
1510.06699_ EQ0020 (21)	9	■1.000	`\left[\Sigma_{a b}, \Sigma_{c d}\right]=\eta_{a d} \Sigma_{b c}-\eta_{b d} \Sigma_{a c}+\eta_{b c} \Sigma_{a d}-\eta_{a c} \Sigma_{b d}`	$\left[\Sigma_{a b}, \Sigma_{c d}\right]=\eta_{a d} \Sigma_{b c}-\eta_{b d} \Sigma_{a c}+\eta_{b c} \Sigma_{a d}-\eta_{a c} \Sigma_{b d}.$	$[\Sigma_{ab},\Sigma_{cd}]=\eta_{ad}\Sigma_{bc}-\eta_{bd}\Sigma_{ac}+\eta_{bc}\Sigma_{ad}-\eta_{ac}\Sigma_{bd}.$
1510.06699_ EQ0023 (24)	9	■1.000	`B_{\mu}^{\prime}\left(x^{\prime}\right)=\frac{\partial x^{\nu}}{\partial x^{\prime \mu}}\left[B_{\nu}(x)-\partial_{\nu} \rho(x)\right]`	$B_{\mu}^{\prime}\left(x^{\prime}\right)=\frac{\partial x^{\nu}}{\partial x^{\prime \mu}}\left[B_{\nu}(x)-\partial_{\nu} \rho(x)\right].$	$B'_\mu(x')=\frac{\partial x^\nu}{\partial x'^\mu}[B_\nu(x)-\partial_\nu\rho(x)].$
1510.06699_ EQ0024 (25)	9	■1.000	`D_{\mu}^{*} \varphi(x)=\left[\partial_{\mu}^{*}+\frac{1}{2} A^{a b}{ }_{\mu}(x) \Sigma_{a b}\right] \varphi(x)`	$D_{\mu}^{*} \varphi(x)=\left[\partial_{\mu}^{*}+\frac{1}{2} A^{a b}{ }_{\mu}(x) \Sigma_{a b}\right] \varphi(x),$	$D^*_\mu\varphi(x)=[\partial^*_\mu+\frac{1}{2}A^{ab}{}_\mu(x)\Sigma_{ab}]\varphi(x),$
1510.06699_ EQ0025 (26)	9	■1.000	`\partial_{\mu}^{*} \equiv \partial_{\mu}+w B_{\mu}(x)`	$\partial_{\mu}^{*} \equiv \partial_{\mu}+w B_{\mu}(x).$	$\partial^*_\mu\equiv\partial_\mu+wB_\mu(x).$
1510.06699_ EQ0027 (28)	10	■1.000	`h_{a}{ }^{\mu} b^{a}{ }_{\nu}=\delta_{\nu}^{\mu} \quad \text { and } \quad h_{a}{ }^{\mu} b^{c}{ }_{\mu}=\delta_{a}^{c}`	$h_{a}{ }^{\mu} b^{a}{ }_{\nu}=\delta_{\nu}^{\mu} \quad \text { and } \quad h_{a}{ }^{\mu} b^{c}{ }_{\mu}=\delta_{a}^{c}.$	$h_a{}^\mu b^a{}_\nu=\delta^\mu_\nu \quad \text{and} \quad h_a{}^\mu b^c{}_\mu=\delta^c_a.$
1510.06699_ EQ0028 (29)	10	■1.000	`\begin{aligned} \mathcal{D}_{a}^{*} \varphi(x) & \equiv h_{a}{ }^{\mu}(x) D_{\mu}^{*} \varphi(x) \\ & =h_{a}{ }^{\mu}(x)\left[\partial_{\mu}+\frac{1}{2} A^{c d}{ }_{\mu}(x) \Sigma_{c d}+w B_{\mu}(x)\right] \varphi(x), \end{aligned}`	$\begin{aligned} \mathcal{D}_{a}^{*} \varphi(x) & \equiv h_{a}{ }^{\mu}(x) D_{\mu}^{*} \varphi(x) \\ & =h_{a}{ }^{\mu}(x)\left[\partial_{\mu}+\frac{1}{2} A^{c d}{ }_{\mu}(x) \Sigma_{c d}+w B_{\mu}(x)\right] \varphi(x), \end{aligned}$	$\begin{aligned}\mathcal{D}^*_a\varphi(x)&\equiv h_a{}^\mu(x)D^*_\mu\varphi(x)\\&=h_a{}^\mu(x)[\partial_\mu+\frac{1}{2}A^{cd}{}_\mu(x)\Sigma_{cd}+wB_\mu(x)]\varphi(x),\end{aligned}$
1510.06699_ EQ0030 (31)	10	■1.000	`L_{\mathrm{M}}\left(\varphi^{\prime}\left(x^{\prime}\right) ; \mathcal{D}_{a}^{* \prime} \varphi^{\prime}\left(x^{\prime}\right)\right)=e^{-4 \rho(x)} L_{\mathrm{M}}\left(\varphi(x) ; \mathcal{D}_{a}^{*} \varphi(x)\right)`	$L_{\mathrm{M}}\left(\varphi^{\prime}\left(x^{\prime}\right) ; \mathcal{D}_{a}^{* \prime} \varphi^{\prime}\left(x^{\prime}\right)\right)=e^{-4 \rho(x)} L_{\mathrm{M}}\left(\varphi(x) ; \mathcal{D}_{a}^{*} \varphi(x)\right).$	$L_{\mathrm{M}}(\varphi'(x');\mathcal{D}^{*\prime}_a\varphi'(x'))=e^{-4\rho(x)}L_{\mathrm{M}}(\varphi(x);\mathcal{D}^*_a\varphi(x)).$
1510.06699_ EQ0031 (32)	10	■1.000	`S_{\mathrm{M}}=\int h^{-1} L_{\mathrm{M}}\left(\varphi, \mathcal{D}_{a}^{*} \varphi\right) d^{4} x`	$S_{\mathrm{M}}=\int h^{-1} L_{\mathrm{M}}\left(\varphi, \mathcal{D}_{a}^{*} \varphi\right) d^{4} x$	$S_{\mathrm{M}}=\int h^{-1}L_{\mathrm{M}}(\varphi,\mathcal{D}^*_a\varphi)\,d^4x,$
1510.06699_ EQ0034 (35)	10	■1.000	`D_{\mu}^{*} \equiv \partial_{\mu}^{*}+{ }^{0} \Gamma^{\sigma}{ }_{\rho \mu} \mathrm{X}^{\rho}{ }_{\sigma}+\frac{1}{2} A^{a b}{ }_{\mu} \Sigma_{a b}={ }^{0} \nabla_{\mu}^{*}+\frac{1}{2} A^{a b}{ }_{\mu} \Sigma_{a b}`	$D_{\mu}^{*} \equiv \partial_{\mu}^{*}+{ }^{0} \Gamma^{\sigma}{ }_{\rho \mu} \mathrm{X}^{\rho}{ }_{\sigma}+\frac{1}{2} A^{a b}{ }_{\mu} \Sigma_{a b}={ }^{0} \nabla_{\mu}^{*}+\frac{1}{2} A^{a b}{ }_{\mu} \Sigma_{a b},$	$D^*_\mu\equiv\partial^*_\mu+{}^0\Gamma^\sigma{}_{\rho\mu}\mathrm{X}^\rho{}_\sigma+\frac{1}{2}A^{ab}{}_\mu\Sigma_{ab}={}^0\nabla^*_\mu+\frac{1}{2}A^{ab}{}_\mu\Sigma_{ab},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_EQ0035 (36)	11	1.000	`D_{\mu}^{*} h_{a}{ }^{\nu}=\partial_{\mu}^{*} h_{a}{ }^{\nu}+{ }^{0} \Gamma^{\nu}{ }_{\rho \mu} h_{a}{ }^{\rho}-A^{b}{ }_{a \mu} h_{b}{ }^{\nu}`	$D_{\mu}^{*} h_{a}{ }^{\nu}=\partial_{\mu}^{*} h_{a}{ }^{\nu}+{ }^{0} \Gamma^{\nu}{ }_{\rho \mu} h_{a}{ }^{\rho}-A^{b}{ }_{a \mu} h_{b}{ }^{\nu}.$	$D_{\mu}^{*} h_{a}{ }^{\nu}=\partial_{\mu}^{*} h_{a}{ }^{\nu}+{ }^{0} \Gamma^{\nu}{ }_{\rho \mu} h_{a}{ }^{\rho}-A^{b}{ }_{a \mu} h_{b}{ }^{\nu}.$
1510.06699_EQ0036 (37)	11	1.000	`\left[{ }^{0} \nabla_{\mu},{ }^{0} \nabla_{\nu}\right] \varphi=0`	$\left[{ }^{0} \nabla_{\mu},{ }^{0} \nabla_{\nu}\right] \varphi=0,$	$\left[{ }^{0} \nabla_{\mu},{ }^{0} \nabla_{\nu}\right] \varphi=0,$
1510.06699_EQ0037 (38)	11	1.000	`\left[D_{\mu}^{*}, D_{\nu}^{*}\right] \varphi=\frac{1}{2} R^{a b}{ }_{\mu \nu} \Sigma_{a b} \varphi+w H_{\mu \nu} \varphi`	$\left[D_{\mu}^{*}, D_{\nu}^{*}\right] \varphi=\frac{1}{2} R^{a b}{ }_{\mu \nu} \Sigma_{a b} \varphi+w H_{\mu \nu} \varphi,$	$\left[D_{\mu}^{*}, D_{\nu}^{*}\right] \varphi=\frac{1}{2} R^{a b}{ }_{\mu \nu} \Sigma_{a b} \varphi+w H_{\mu \nu} \varphi,$
1510.06699_EQ0039 (41)	12	1.000	`\left[\mathcal{D}_{c}^{*}, \mathcal{D}_{d}^{*}\right] \varphi=\frac{1}{2} \mathcal{R}^{a b}{ }_{c d} \Sigma_{a b} \varphi+w \mathcal{H}_{c d} \varphi-\mathcal{T}^{* a}{ }_{c d} \mathcal{D}_{a}^{*} \varphi`	$\left[\mathcal{D}_{c}^{*}, \mathcal{D}_{d}^{*}\right] \varphi=\frac{1}{2} \mathcal{R}^{a b}{ }_{c d} \Sigma_{a b} \varphi+w \mathcal{H}_{c d} \varphi-\mathcal{T}^{* a}{ }_{c d} \mathcal{D}_{a}^{*} \varphi,$	$\left[\mathcal{D}_{c}^{*}, \mathcal{D}_{d}^{*}\right] \varphi=\frac{1}{2} \mathcal{R}^{a b}{ }_{c d} \Sigma_{a b} \varphi+w \mathcal{H}_{c d} \varphi-\mathcal{T}^{* a}{ }_{c d} \mathcal{D}_{a}^{*} \varphi,$
1510.06699_EQ0040 (42)	12	1.000	`\mathcal{T}^{* a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu} T^{* a}{ }_{\mu \nu} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu}\left(D_{\mu}^{*} b^{a}{ }_{\nu}-D_{\nu}^{*} b^{a}{ }_{\mu}\right)`	$\mathcal{T}^{* a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu} T^{* a}{ }_{\mu \nu} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu}\left(D_{\mu}^{*} b^{a}{ }_{\nu}-D_{\nu}^{*} b^{a}{ }_{\mu}\right),$	$\mathcal{T}^{* a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu} T^{* a}{ }_{\mu \nu} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu}\left(D_{\mu}^{*} b^{a}{ }_{\nu}-D_{\nu}^{*} b^{a}{ }_{\mu}\right),$
1510.06699_EQ0041 (43)	12	1.000	`\mathcal{T}^{* a}{ }_{b c}=-b^{a}{ }_{\mu}\left(\mathcal{D}_{b}^{*} h_{c}{ }^{\mu}-\mathcal{D}_{c}^{*} h_{b}{ }^{\mu}\right)`	$\mathcal{T}^{* a}{ }_{b c}=-b^{a}{ }_{\mu}\left(\mathcal{D}_{b}^{*} h_{c}{ }^{\mu}-\mathcal{D}_{c}^{*} h_{b}{ }^{\mu}\right).$	$\mathcal{T}^{* a}{ }_{b c}=-b^{a}{ }_{\mu}\left(\mathcal{D}_{b}^{*} h_{c}{ }^{\mu}-\mathcal{D}_{c}^{*} h_{b}{ }^{\mu}\right).$
1510.06699_EQ0042 (44)	12	1.000	`\mathcal{T}^{* a}{ }_{b c}=\mathcal{T}^{a}{ }_{b c}+\delta_{c}^{a} \mathcal{B}_{b}-\delta_{b}^{a} \mathcal{B}_{c}`	$\mathcal{T}^{* a}{ }_{b c}=\mathcal{T}^{a}{ }_{b c}+\delta_{c}^{a} \mathcal{B}_{b}-\delta_{b}^{a} \mathcal{B}_{c},$	$\mathcal{T}^{* a}{ }_{b c}=\mathcal{T}^{a}{ }_{b c}+\delta_{c}^{a} \mathcal{B}_{b}-\delta_{b}^{a} \mathcal{B}_{c},$
1510.06699_EQ0043 (45)	12	1.000	`c^{* a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu} \left(\partial_{\mu}^{*} b^{a}{ }_{\nu}-\partial_{\nu}^{*} b^{a}{ }_{\mu}\right)`	$c^{* a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu} \left(\partial_{\mu}^{*} b^{a}{ }_{\nu}-\partial_{\nu}^{*} b^{a}{ }_{\mu}\right),$	$c^{* a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu} \left(\partial_{\mu}^{*} b^{a}{ }_{\nu}-\partial_{\nu}^{*} b^{a}{ }_{\mu}\right),$
1510.06699_EQ0044 (46)	12	1.000	`\mathcal{A}_{a b c}=\frac{1}{2}\left(c_{a b c}^{*}+c_{b c a}^{*}-c_{c a b}^{*}\right)-\frac{1}{2}\left( \mathcal{T}_{a b c}^{*}+\mathcal{T}_{b c a}^{*}- \mathcal{T}_{c a b}^{*}\right)`	$\mathcal{A}_{a b c}=\frac{1}{2}\left(c_{a b c}^{*}+c_{b c a}^{*}-c_{c a b}^{*}\right)-\frac{1}{2}\left(\mathcal{T}_{a b c}^{*}+\mathcal{T}_{b c a}^{*}- \mathcal{T}_{c a b}^{*}\right).$	$\mathcal{A}_{a b c}=\frac{1}{2}\left(c_{a b c}^{*}+c_{b c a}^{*}-c_{c a b}^{*}\right)-\frac{1}{2}\left(\mathcal{T}_{a b c}^{*}+\mathcal{T}_{b c a}^{*}- \mathcal{T}_{c a b}^{*}\right).$
1510.06699_EQ0045 (47)	12	1.000	`\mathcal{A}_{a b c}={ }^{0} \mathcal{A}_{a b c}^{*}(h, \partial h, B)+\mathcal{K}_{a b c}^{*}(h, \partial h, A, B)`	$\mathcal{A}_{a b c}={ }^{0} \mathcal{A}_{a b c}^{*}(h, \partial h, B)+\mathcal{K}_{a b c}^{*}(h, \partial h, A, B),$	$\mathcal{A}_{a b c}={ }^{0} \mathcal{A}_{a b c}^{*}(h, \partial h, B)+\mathcal{K}_{a b c}^{*}(h, \partial h, A, B),$
1510.06699_EQ0048 (50)	12	1.000	`\left[\mathcal{D}_{a}^{*},\left[\mathcal{D}_{b}^{*}, \mathcal{D}_{c}^{*}\right]\right] \varphi+\left[ \mathcal{D}_{c}^{*},\left[\mathcal{D}_{a}^{*}, \mathcal{D}_{b}^{*}\right]\right] \varphi+\left[ \mathcal{D}_{b}^{*},\left[\mathcal{D}_{c}^{*}, \mathcal{D}_{a}^{*}\right]\right] \varphi=0`	$\left[\mathcal{D}_{a}^{*},\left[\mathcal{D}_{b}^{*}, \mathcal{D}_{c}^{*}\right]\right] \varphi+\left[\mathcal{D}_{c}^{*},\left[\mathcal{D}_{a}^{*}, \mathcal{D}_{b}^{*}\right]\right] \varphi+\left[\mathcal{D}_{b}^{*},\left[\mathcal{D}_{c}^{*}, \mathcal{D}_{a}^{*}\right]\right] \varphi=0.$	$\left[\mathcal{D}_{a}^{*},\left[\mathcal{D}_{b}^{*}, \mathcal{D}_{c}^{*}\right]\right] \varphi+\left[\mathcal{D}_{c}^{*},\left[\mathcal{D}_{a}^{*}, \mathcal{D}_{b}^{*}\right]\right] \varphi+\left[\mathcal{D}_{b}^{*},\left[\mathcal{D}_{c}^{*}, \mathcal{D}_{a}^{*}\right]\right] \varphi=0.$
1510.06699_EQ0050 (54)	13	1.000	`\mathcal{D}_{a}^{*} \mathcal{R}^{a e}{ }_{b c}-2 \mathcal{D}_{[b}^{*} \mathcal{R}^{e}{ }_{c]}-2 \mathcal{T}^{* f}{ }_{a[b} \mathcal{R}^{a e}{ }_{c] f}-\mathcal{T}^{* f}{ }_{b c} \mathcal{R}^{e}{ }_{f}=0`	$\mathcal{D}_{a}^{*} \mathcal{R}^{a e}{ }_{b c}-2 \mathcal{D}_{[b}^{*} \mathcal{R}^{e}{ }_{c]}-2 \mathcal{T}^{* f}{ }_{a[b} \mathcal{R}^{a e}{ }_{c] f}-\mathcal{T}^{* f}{ }_{b c} \mathcal{R}^{e}{ }_{f}=0.$	$\mathcal{D}_{a}^{*} \mathcal{R}^{a e}{ }_{b c}-2 \mathcal{D}_{[b}^{*} \mathcal{R}^{e}{ }_{c]}-2 \mathcal{T}^{* f}{ }_{a[b} \mathcal{R}^{a e}{ }_{c] f}-\mathcal{T}^{* f}{ }_{b c} \mathcal{R}^{e}{ }_{f}=0.$
1510.06699_EQ0051 (55)	13	1.000	`\mathcal{D}_{a}^{*}\left(\mathcal{R}^{a}{ }_{c}-\frac{1}{2} \delta_{c}^{a} \mathcal{R}\right)+\mathcal{T}^{* f}{ }_{b c} \mathcal{R}^{b}{ }_{f}+\frac{1}{2} \mathcal{T}^{* f}{ }_{a b} \mathcal{R}^{a b}{ }_{c f}=0`	$\mathcal{D}_{a}^{*}\left(\mathcal{R}^{a}{ }_{c}-\frac{1}{2} \delta_{c}^{a} \mathcal{R}\right)+\mathcal{T}^{* f}{ }_{b c} \mathcal{R}^{b}{ }_{f}+\frac{1}{2} \mathcal{T}^{* f}{ }_{a b} \mathcal{R}^{a b}{ }_{c f}=0.$	$\mathcal{D}_{a}^{*}\left(\mathcal{R}^{a}{ }_{c}-\frac{1}{2} \delta_{c}^{a} \mathcal{R}\right)+\mathcal{T}^{* f}{ }_{b c} \mathcal{R}^{b}{ }_{f}+\frac{1}{2} \mathcal{T}^{* f}{ }_{a b} \mathcal{R}^{a b}{ }_{c f}=0.$
1510.06699_EQ0052 (56)	13	1.000	`\mathcal{D}_{a}^{*} \mathcal{T}^{* a}{ }_{b c}+2 \mathcal{D}_{[b}^{*} \mathcal{T}_{c]}^{*}+\mathcal{T}^{* e}{ }_{b c} \mathcal{T}_{e}^{*}+2 \mathcal{R}_{[b c]}+2 \mathcal{H}_{b c}=0`	$\mathcal{D}_{a}^{*} \mathcal{T}^{* a}{ }_{b c}+2 \mathcal{D}_{[b}^{*} \mathcal{T}_{c]}^{*}+\mathcal{T}^{* e}{ }_{b c} \mathcal{T}_{e}^{*}+2 \mathcal{R}_{[b c]}+2 \mathcal{H}_{b c}=0.$	$\mathcal{D}_{a}^{*} \mathcal{T}^{* a}{ }_{b c}+2 \mathcal{D}_{[b}^{*} \mathcal{T}_{c]}^{*}+\mathcal{T}^{* e}{ }_{b c} \mathcal{T}_{e}^{*}+2 \mathcal{R}_{[b c]}+2 \mathcal{H}_{b c}=0.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0053 (57)	13	■ 1.000	`S_{\mathrm{G}}=\int h^{-1} L_{\mathrm{G}}\left( \mathcal{R}_{a b c d}, \mathcal{T}_{a b c}^{*}, \mathcal{H}_{a b}\right) d^{4} x`	$S_{\mathrm{G}}=\int h^{-1} L_{\mathrm{G}}\left(\mathcal{R}_{a b c d}, \mathcal{T}_{a b c}^{*}, \mathcal{H}_{a b}\right) d^{4} x$	$S_{\mathrm{G}}=\int h^{-1} L_{\mathrm{G}}(\mathcal{R}_{abcd}, \mathcal{T}^{*}_{abc}, \mathcal{H}_{ab})\, d^{4}x,$
1510.06699_ EQ0054 (58)	13	■ 1.000	`L_{\mathrm{G}}=L_{\mathcal{R}^{2}}+L_{\mathcal{H}^{2}}`	$L_{\mathrm{G}}=L_{\mathcal{R}^{2}}+L_{\mathcal{H}^{2}},$	$L_{\mathrm{G}}=L_{\mathcal{R}^{2}}+L_{\mathcal{H}^{2}},$
1510.06699_ EQ0055 (59)	13	■ 1.000	`\mathcal{R}^{2}-4 \mathcal{R}_{a b} \mathcal{R}^{b a}+ \mathcal{R}_{a b c d} \mathcal{R}^{c d a b}`	$\mathcal{R}^{2}-4 \mathcal{R}_{a b} \mathcal{R}^{b a}+ \mathcal{R}_{a b c d} \mathcal{R}^{c d a b}$	$\mathcal{R}^{2}-4 \mathcal{R}_{ab} \mathcal{R}^{ba}+ \mathcal{R}_{abcd} \mathcal{R}^{cdab}$
1510.06699_ EQ0059 (63)	14	■ 1.000	`\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi} \equiv \frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial \varphi}-\partial_{\mu}\left(\frac{\partial \mathcal{L}_{ \mathrm{M}}}{\partial\left(\partial_{\mu} \varphi\right)} \right)=0`	$\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi} \equiv \frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial \varphi}-\partial_{\mu}\left(\frac{\partial \mathcal{L}_{ \mathrm{M}}}{\partial\left(\partial_{\mu} \varphi\right)} \right)=0.$	$\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi} \equiv \frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial \varphi}-\partial_{\mu}\left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial(\partial_{\mu} \varphi)} \right)=0.$
1510.06699_ EQ0060 (64)	14	■ 1.000	`\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi} \equiv \frac{\bar{\partial} \mathcal{L}_{\mathrm{M}}}{ \partial \varphi}-D_{\mu}^{*}\left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial\left(D_{\mu}^{*} \varphi\right)}\right)=0`	$\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi} \equiv \frac{\bar{\partial} \mathcal{L}_{\mathrm{M}}}{ \partial \varphi}-D_{\mu}^{*}\left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial\left(D_{\mu}^{*} \varphi\right)}\right)=0$	$\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi} \equiv \frac{\bar{\partial} \mathcal{L}_{\mathrm{M}}}{ \partial \varphi}-D_{\mu}^{*}\left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial(D_{\mu}^{*} \varphi)}\right)=0,$
1510.06699_ EQ0061 (65)	14	■ 1.000	`\frac{\bar{\partial} L_{\mathrm{M}}}{\partial \varphi}- \mathcal{D}_{a}^{*}\left(\frac{\partial L_{\mathrm{M}}}{ \partial\left(\mathcal{D}_{a}^{*} \varphi\right)} \right)=h D_{\mu}^{*}\left(h^{-1} h_{a}{ }^{\mu} \right) \frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_{a}^{*} \varphi\right)}`	$\frac{\bar{\partial} L_{\mathrm{M}}}{\partial \varphi}- \mathcal{D}_{a}^{*}\left(\frac{\partial L_{\mathrm{M}}}{ \partial\left(\mathcal{D}_{a}^{*} \varphi\right)} \right)=h D_{\mu}^{*}\left(h^{-1} h_{a}{ }^{\mu} \right) \frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_{a}^{*} \varphi\right)},$	$\frac{\bar{\partial} L_{\mathrm{M}}}{\partial \varphi}- \mathcal{D}_{a}^{*}\left(\frac{\partial L_{\mathrm{M}}}{ \partial(\mathcal{D}_{a}^{*} \varphi)} \right)=h D_{\mu}^{*}(h^{-1} h_{a}{ }^{\mu}) \frac{\partial L_{\mathrm{M}}}{\partial(\mathcal{D}_{a}^{*} \varphi)},$
1510.06699_ EQ0062 (66)	14	■ 1.000	`h D_{\mu}^{*}\left(h^{-1} h_{a}{ }^{\mu}\right)=b^{b}{ }_{\mu}\left(\mathcal{D}_{b}^{*} h_{a}{ }^{\mu}- \mathcal{D}_{a}^{*} h_{b}{ }^{\mu}\right)=\mathcal{T}^{* b}{ }_{a b} \equiv \mathcal{T}_{a}^{*}`	$h D_{\mu}^{*}\left(h^{-1} h_{a}{ }^{\mu}\right)=b^{b}{ }_{\mu}\left(\mathcal{D}_{b}^{*} h_{a}{ }^{\mu}- \mathcal{D}_{a}^{*} h_{b}{ }^{\mu}\right)=\mathcal{T}^{* b}{ }_{a b} \equiv \mathcal{T}_{a}^{*},$	$h D_{\mu}^{*}(h^{-1} h_{a}{ }^{\mu})=b^{b}{ }_{\mu}(\mathcal{D}_{b}^{*} h_{a}{ }^{\mu}- \mathcal{D}_{a}^{*} h_{b}{ }^{\mu})=\mathcal{T}^{* b}{ }_{a b} \equiv \mathcal{T}_{a}^{*},$
1510.06699_ EQ0069 (73)	15	■ 1.000	`i \gamma^{a}\left(\mathcal{D}_{a}^{*}+\frac{1}{2} \mathcal{T}_{a}^{*}\right) \psi-\mu \phi \psi=0`	$i \gamma^{a}\left(\mathcal{D}_{a}^{*}+\frac{1}{2} \mathcal{T}_{a}^{*}\right) \psi-\mu \phi \psi=0.$	$i \gamma^{a}(\mathcal{D}_{a}^{*}+\tfrac{1}{2} \mathcal{T}_{a}^{*}) \psi-\mu \phi \psi=0.$
1510.06699_ EQ0070 (74)	15	■ 1.000	`i \gamma^{a}\left(\mathcal{D}_{a}+\frac{1}{2} \mathcal{T}_{a}\right) \psi-\mu \phi \psi=0`	$i \gamma^{a}\left(\mathcal{D}_{a}+\frac{1}{2} \mathcal{T}_{a}\right) \psi-\mu \phi \psi=0.$	$i \gamma^{a}(\mathcal{D}_{a}+\tfrac{1}{2} \mathcal{T}_{a}) \psi-\mu \phi \psi=0.$
1510.06699_ EQ0071 (75)	16	■ 1.000	`i \gamma^{a}\left({ }^{0} \mathcal{D}_{a}^{*}-\frac{1}{4} \mathcal{T}_{[a b c]}^{*} \Sigma^{b c}\right) \psi-\mu \phi \psi=0`	$i \gamma^{a}\left({ }^{0} \mathcal{D}_{a}^{*}-\frac{1}{4} \mathcal{T}_{[a b c]}^{*} \Sigma^{b c}\right) \psi-\mu \phi \psi=0.$	$i \gamma^{a}({ }^{0} \mathcal{D}_{a}^{*}-\tfrac{1}{4} \mathcal{T}_{[abc]}^{*} \Sigma^{bc}) \psi-\mu \phi \psi=0.$
1510.06699_ EQ0072 (76)	16	■ 1.000	`i \gamma^{a}\left({ }^{0} \mathcal{D}_{a}-\frac{1}{4} \mathcal{T}_{[a b c]} \Sigma^{b c}\right) \psi-\mu \phi \psi=0`	$i \gamma^{a}\left({ }^{0} \mathcal{D}_{a}-\frac{1}{4} \mathcal{T}_{[a b c]} \Sigma^{b c}\right) \psi-\mu \phi \psi=0,$	$i \gamma^{a}({ }^{0} \mathcal{D}_{a}-\tfrac{1}{4} \mathcal{T}_{[abc]} \Sigma^{bc}) \psi-\mu \phi \psi=0,$
1510.06699_ EQ0078 (83)	17	■ 1.000	`\mathcal{L}_{\mathrm{M}}=h^{-1} L_{\mathrm{M}}=-h^{-1} \left(\frac{1}{4} \mathcal{F}_{a b} \mathcal{F}^{a b}+ \mathcal{J}^{a} \mathcal{A}_{a}\right)`	$\mathcal{L}_{\mathrm{M}}=h^{-1} L_{\mathrm{M}}=-h^{-1} \left(\frac{1}{4} \mathcal{F}_{a b} \mathcal{F}^{a b}+ \mathcal{J}^{a} \mathcal{A}_{a}\right),$	$\mathcal{L}_{\mathrm{M}}=h^{-1} L_{\mathrm{M}}=-h^{-1} (\tfrac{1}{4} \mathcal{F}_{ab} \mathcal{F}^{ab}+ \mathcal{J}^{a} \mathcal{A}_{a}),$
1510.06699_ EQ0084 (90)	17	■ 1.000	`h \tau^{a}{ }_{b}=\frac{1}{4} \delta_{b}^{a} \mathcal{F}^{c d} \mathcal{F}_{c d}-\mathcal{F}^{a c} \mathcal{F}_{b c}`	$h \tau^{a}{ }_{b}=\frac{1}{4} \delta_{b}^{a} \mathcal{F}^{c d} \mathcal{F}_{c d}-\mathcal{F}^{a c} \mathcal{F}_{b c},$	$h \tau^{a}{ }_{b}=\tfrac{1}{4} \delta_{b}^{a} \mathcal{F}^{cd} \mathcal{F}_{cd}-\mathcal{F}^{ac} \mathcal{F}_{bc},$
1510.06699_ EQ0087 (93)	18	■ 1.000	`\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}( \widehat{h}, \widehat{A}, \partial \widehat{A}, \partial \widehat{B})+\mathcal{L}_{\mathrm{M}}\left(\widehat{ \varphi}, \partial \widehat{\varphi}, \phi_{0}, 0, \widehat{h}, \partial \widehat{h}, \widehat{A}, \partial \widehat{A}, \widehat{B}\right)`	$\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}(\widehat{h}, \widehat{A}, \partial \widehat{A}, \partial \widehat{B})+\mathcal{L}_{\mathrm{M}}\left(\widehat{ \varphi}, \partial \widehat{\varphi}, \phi_{0}, 0, \widehat{h}, \partial \widehat{h}, \widehat{A}, \partial \widehat{A}, \widehat{B}\right).$	$\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}(\widehat{h}, \widehat{A}, \partial \widehat{A}, \partial \widehat{B})+\mathcal{L}_{\mathrm{M}}(\widehat{ \varphi}, \partial \widehat{\varphi}, \phi_{0}, 0, \widehat{h}, \partial \widehat{h}, \widehat{A}, \partial \widehat{A}, \widehat{B}).$

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>1510.06699_ EQ0088 (91d)</td><td>18</td><td>■1.000</td><td>\left.\phi_{0} \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}\right|_{\phi=\phi_{0}}=-\left.h_{a}{ }^{\mu} \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta h_{a}{ }^{\mu}}\right|_{\phi=\phi_{0}}+\partial_{\mu}\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta B_{\mu}}\right)_{\phi=\phi_{0}}</td><td>$\left.\phi_{0} \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}\right|_{\phi=\phi_{0}}=-\left.h_{a}{ }^{\mu} \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta h_{a}{ }^{\mu}}\right|_{\phi=\phi_{0}}+\partial_{\mu}\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta B_{\mu}}\right)_{\phi=\phi_{0}},$</td><td>$\phi_{0} \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}\Big|_{\phi=\phi_{0}}=-h_{a}{}^{\mu} \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta h_{a}{}^{\mu}}\Big|_{\phi=\phi_{0}}+\partial_{\mu}\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta B_{\mu}}\right)_{\phi=\phi_{0}},$</td></tr>
<tr><td>1510.06699_ EQ0090 (96)</td><td>19</td><td>■1.000</td><td>S=-\int d \lambda\left[p_{a} v^{a}-\frac{1}{2} e \left(p_{a} p^{a}-\mu^{2} \phi^{2}\right)\right]</td><td>$S=-\int d \lambda\left[p_{a} v^{a}-\frac{1}{2} e \left(p_{a} p^{a}-\mu^{2} \phi^{2}\right)\right]$</td><td>$S=-\int d\lambda\, [p_a v^a - \frac{1}{2}e(p_a p^a - \mu^2\phi^2)],$</td></tr>
<tr><td>1510.06699_ EQ0092 (100)</td><td>19</td><td>■1.000</td><td>v^{c}\left(\mathcal{D}_{c}^{*} p_{a}-\mathcal{T}_{c a b}^{*} p^{b}\right)=e \mu^{2} \phi \mathcal{D}_{a}^{*} \phi</td><td>$v^{c}\left(\mathcal{D}_{c}^{*} p_{a}-\mathcal{T}_{c a b}^{*} p^{b}\right)=e \mu^{2} \phi \mathcal{D}_{a}^{*} \phi.$</td><td>$v^{c}(\mathcal{D}_{c}^{*} p_{a}-\mathcal{T}_{c a b}^{*} p^{b})=e \mu^{2} \phi \mathcal{D}_{a}^{*} \phi.$</td></tr>
<tr><td>1510.06699_ EQ0096 (104)</td><td>19</td><td>■1.000</td><td>v^{b}{ }^{0} \mathcal{D}_{b} v_{a}=0</td><td>$v^{b0}\mathcal{D}_{b} v_{a}=0.$</td><td>$v^{b\,0}\mathcal{D}_{b} v_{a}=0.$</td></tr>
<tr><td>1510.06699_ EQ0098 (106)</td><td>20</td><td>■1.000</td><td>S=-\int d \widehat{\lambda}\left[\widehat{p}_{a} \widehat{v}^{a}-\frac{1}{2} \widehat{\epsilon}\left(\widehat{p}_{a} \widehat{p}^{a}-\mu^{2} \phi_{0}^{2} \right)\right]</td><td>$S=-\int d \widehat{\lambda}\left[\widehat{p}_{a} \widehat{v}^{a}-\frac{1}{2} \widehat{\epsilon}\left(\widehat{p}_{a} \widehat{p}^{a}-\mu^{2} \phi_{0}^{2} \right)\right]$</td><td>$S=-\int d\widehat{\lambda}\, [\widehat{p}_{a} \widehat{v}^{a}-\frac{1}{2} \widehat{\epsilon}(\widehat{p}_{a} \widehat{p}^{a}-\mu^{2} \phi_{0}^{2})],$</td></tr>
<tr><td>1510.06699_ EQ0099 (107)</td><td>20</td><td>■1.000</td><td>\widehat{v}^{b}{ }^{0} \widehat{\mathcal{D}}_{b} \widehat{v}_{a}=0</td><td>$\widehat{v}^{b0} \widehat{\mathcal{D}}_{b} \widehat{v}_{a}=0,$</td><td>$\widehat{v}^{b\,0} \widehat{\mathcal{D}}_{b} \widehat{v}_{a}=0,$</td></tr>
<tr><td>1510.06699_ EQ0100 (108)</td><td>20</td><td>■1.000</td><td>\left[{ }^{0} D_{\mu}^{*},{ }^{0} D_{\nu}^{*}\right] \varphi=\frac{1}{2}{ }^{0} R^{* a b}{ }_{\mu \nu} \Sigma_{a b} \varphi+w H_{\mu \nu} \varphi</td><td>$\left[{ }^{0} D_{\mu}^{*},{ }^{0} D_{\nu}^{*}\right] \varphi=\frac{1}{2}{ }^{0} R^{* a b}{ }_{\mu \nu} \Sigma_{a b} \varphi+w H_{\mu \nu} \varphi,$</td><td>$[{}^{0} D_{\mu}^{*},{}^{0} D_{\nu}^{*}] \varphi=\frac{1}{2}{}^{0} R^{* a b}{}_{\mu \nu} \Sigma_{a b} \varphi+w H_{\mu \nu} \varphi,$</td></tr>
<tr><td>1510.06699_ EQ0101 (109)</td><td>20</td><td>■1.000</td><td>\left[{ }^{0} \mathcal{D}_{c}^{*},{ }^{0} \mathcal{D}_{d}^{*}\right] \varphi=\frac{1}{2}{ }^{0} \mathcal{R}^{* a b}{ }_{c d} \Sigma_{a b} \varphi+w \mathcal{H}_{c d} \varphi</td><td>$\left[{ }^{0} \mathcal{D}_{c}^{*},{ }^{0} \mathcal{D}_{d}^{*}\right] \varphi=\frac{1}{2}{ }^{0} \mathcal{R}^{* a b}{ }_{c d} \Sigma_{a b} \varphi+w \mathcal{H}_{c d} \varphi,$</td><td>$[{}^{0} \mathcal{D}_{c}^{*},{}^{0} \mathcal{D}_{d}^{*}] \varphi=\frac{1}{2}{}^{0} \mathcal{R}^{* a b}{}_{c d} \Sigma_{a b} \varphi+w \mathcal{H}_{c d} \varphi,$</td></tr>
<tr><td>1510.06699_ EQ0107 (115)</td><td>21</td><td>■1.000</td><td>\boldsymbol{e}_{\mu} \cdot \boldsymbol{e}_{\nu}=\eta_{a b} b^{a}{ }_{\mu} b^{b}{ }_{\nu} \equiv g_{\mu \nu}</td><td>$\boldsymbol{e}_{\mu} \cdot \boldsymbol{e}_{\nu}=\eta_{a b} b^{a}{ }_{\mu} b^{b}{ }_{\nu} \equiv g_{\mu \nu}.$</td><td>$\boldsymbol{e}_{\mu} \cdot \boldsymbol{e}_{\nu}=\eta_{a b} b^{a}{}_{\mu} b^{b}{}_{\nu} \equiv g_{\mu \nu}.$</td></tr>
<tr><td>1510.06699_ EQ0113 (121)</td><td>22</td><td>■1.000</td><td>\Delta_{\mu}^{*} e^{a}{ }_{\nu} \equiv \partial_{\mu}^{*} e^{a}{ }_{\nu}-\Gamma^{\sigma}{ }_{\nu \mu} e^{a}{ }_{\sigma}+A^{a}{ }_{b \mu} e^{a}{ }_{\nu}=0</td><td>$\Delta_{\mu}^{*} e^{a}{ }_{\nu} \equiv \partial_{\mu}^{*} e^{a}{ }_{\nu}-\Gamma^{\sigma}{ }_{\nu \mu} e^{a}{ }_{\sigma}+A^{a}{ }_{b \mu} e^{a}{ }_{\nu}=0,$</td><td>$\Delta_{\mu}^{*} e^{a}{}_{\nu} \equiv \partial_{\mu}^{*} e^{a}{}_{\nu}-\Gamma^{\sigma}{}_{\nu \mu} e^{a}{}_{\sigma}+A^{a}{}_{b \mu} e^{a}{}_{\nu}=0,$</td></tr>
<tr><td>1510.06699_ EQ0119 (130)</td><td>23</td><td>■1.000</td><td>\Gamma^{\lambda}{ }_{\mu \nu}={ }^{0} \Gamma^{* \lambda}{ }_{\mu \nu}+K^{* \lambda}{ }_{\mu \nu}</td><td>$\Gamma^{\lambda}{ }_{\mu \nu}={ }^{0} \Gamma^{* \lambda}{ }_{\mu \nu}+K^{* \lambda}{ }_{\mu \nu},$</td><td>$\Gamma^{\lambda}{}_{\mu \nu}={}^{0} \Gamma^{* \lambda}{}_{\mu \nu}+K^{* \lambda}{}_{\mu \nu},$</td></tr>
<tr><td>1510.06699_ EQ0121 (132)</td><td>23</td><td>■1.000</td><td>K^{* \lambda}{ }_{\mu \nu}=-\frac{1}{2}\left(T^{* \lambda}{ }_{\mu \nu}-T^{*}{ }_{\nu}{ }^{\lambda}{ }_{\mu}+T^{*}{ }_{\mu \nu}{ }^{\lambda}\right)</td><td>$K^{* \lambda}{ }_{\mu \nu}=-\frac{1}{2}\left(T^{* \lambda}{ }_{\mu \nu}-T^{*}{ }_{\nu}{ }^{\lambda}{ }_{\mu}+T^{*}{ }_{\mu \nu}{ }^{\lambda}\right),$</td><td>$K^{* \lambda}{}_{\mu \nu}=-\frac{1}{2}(T^{* \lambda}{}_{\mu \nu}-T^{*}{}_{\nu}{}^{\lambda}{}_{\mu}+T^{*}{}_{\mu \nu}{}^{\lambda}),$</td></tr>
<tr><td>1510.06699_ EQ0122 (133)</td><td>23</td><td>■1.000</td><td>{ }^{0} \Delta_{\mu}^{*} e^{a}{ }_{\nu} \equiv \partial_{\mu}^{*} e^{a}{ }_{\nu}-{ }^{0} \Gamma^{* \sigma}{ }_{\nu \mu} e^{a}{ }_{\sigma}+{ }^{0} A^{* a}{ }_{b \mu} e^{b}{ }_{\nu}=0</td><td>${ }^{0} \Delta_{\mu}^{*} e^{a}{ }_{\nu} \equiv \partial_{\mu}^{*} e^{a}{ }_{\nu}-{ }^{0} \Gamma^{* \sigma}{ }_{\nu \mu} e^{a}{ }_{\sigma}+{ }^{0} A^{* a}{ }_{b \mu} e^{b}{ }_{\nu}=0.$</td><td>${}^{0} \Delta_{\mu}^{*} e^{a}{}_{\nu} \equiv \partial_{\mu}^{*} e^{a}{}_{\nu}-{}^{0} \Gamma^{* \sigma}{}_{\nu \mu} e^{a}{}_{\sigma}+{}^{0} A^{* a}{}_{b \mu} e^{b}{}_{\nu}=0.$</td></tr>
<tr><td>1510.06699_ EQ0127 (141)</td><td>24</td><td>■1.000</td><td>A^{\prime a b}{ }_{\mu}=A^{a b}{ }_{\mu}+\left(b^{a}{ }_{\mu} \mathcal{P}^{b}-b^{b}{ }_{\mu} \mathcal{P}^{a}\right)</td><td>$A^{\prime a b}{ }_{\mu}=A^{a b}{ }_{\mu}+\left(b^{a}{ }_{\mu} \mathcal{P}^{b}-b^{b}{ }_{\mu} \mathcal{P}^{a}\right),$</td><td>$A^{\prime a b}{}_{\mu}=A^{a b}{}_{\mu}+(b^{a}{}_{\mu} \mathcal{P}^{b}-b^{b}{}_{\mu} \mathcal{P}^{a}),$</td></tr>
<tr><td>1510.06699_ EQ0128 (142)</td><td>24</td><td>■1.000</td><td>A^{\dagger a b}{ }_{\mu} \equiv A^{a b}{ }_{\mu}+\left(\mathcal{V}^{a} b^{b}{ }_{\mu}-\mathcal{V}^{b} b^{a}{ }_{\mu}\right)</td><td>$A^{\dagger a b}{ }_{\mu} \equiv A^{a b}{ }_{\mu}+\left(\mathcal{V}^{a} b^{b}{ }_{\mu}-\mathcal{V}^{b} b^{a}{ }_{\mu}\right),$</td><td>$A^{\dagger a b}{}_{\mu} \equiv A^{a b}{}_{\mu}+(\mathcal{V}^{a} b^{b}{}_{\mu}-\mathcal{V}^{b} b^{a}{}_{\mu}),$</td></tr>
<tr><td>1510.06699_ EQ0129 (143)</td><td>24</td><td>■1.000</td><td>D_{\mu}^{\dagger} \varphi \equiv\left(\partial_{\mu}+ \frac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b}-w V_{ \mu}-\frac{1}{3} w T_{\mu}\right) \varphi</td><td>$D_{\mu}^{\dagger} \varphi \equiv\left(\partial_{\mu}+ \frac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b}-w V_{ \mu}-\frac{1}{3} w T_{\mu}\right) \varphi,$</td><td>$D_{\mu}^{\dagger} \varphi \equiv(\partial_{\mu}+ \frac{1}{2} A^{\dagger a b}{}_{\mu} \Sigma_{a b}-w V_{ \mu}-\frac{1}{3} w T_{\mu}) \varphi,$</td></tr>
</table>

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0130 (144)	24	■ 1.000	V_{\mu}^{\prime}=V_{\mu}+\theta P_{\mu}	$V_{\mu}^{\prime}=V_{\mu}+\theta P_{\mu},$	$V_{\mu}^{\prime}=V_{\mu}+\theta P_{\mu},$
1510.06699_ EQ0131 (145)	25	■ 1.000	D_{\mu}^{\dagger} \varphi=\left(\partial_{\mu}^{\dagger}+ \frac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b}\right) \varphi	$D_{\mu}^{\dagger} \varphi=\left(\partial_{\mu}^{\dagger}+\frac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b}\right) \varphi,$	$D_{\mu}^{\dagger} \varphi=(\partial_{\mu}^{\dagger}+\tfrac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b}) \varphi,$
1510.06699_ EQ0132 (146)	25	■ 1.000	\partial_{\mu}^{\dagger} \equiv \partial_{\mu}-w\left(V_{ \mu}+\frac{1}{3} T_{\mu}\right)	$\partial_{\mu}^{\dagger} \equiv \partial_{\mu}-w\left(V_{\mu}+\frac{1}{3} T_{\mu}\right).$	$\partial_{\mu}^{\dagger} \equiv \partial_{\mu}-w(V_{\mu}+\tfrac{1}{3} T_{\mu}).$
1510.06699_ EQ0133 (147)	25	■ 1.000	\mathcal{D}_{a}^{\dagger} \varphi \equiv h_{a}{ }^{\mu} D_{\mu}^{\dagger} \varphi	$\mathcal{D}_{a}^{\dagger} \varphi \equiv h_{a}{ }^{\mu} D_{\mu}^{\dagger} \varphi,$	$\mathcal{D}_{a}^{\dagger} \varphi \equiv h_{a}{ }^{\mu} D_{\mu}^{\dagger} \varphi,$
1510.06699_ EQ0134 (148)	25	■ 1.000	S_{\mathrm{M}}=\int h^{-1} L_{\mathrm{M}}\left(\varphi, \mathcal{D}_{a}^{\dagger} \varphi\right) d^{4} x	$S_{\mathrm{M}}=\int h^{-1} L_{\mathrm{M}}\left(\varphi, \mathcal{D}_{a}^{\dagger} \varphi\right) d^{4} x$	$S_{\mathrm{M}}=\int h^{-1} L_{\mathrm{M}}(\varphi, \mathcal{D}_{a}^{\dagger} \varphi) d^{4} x.$
1510.06699_ EQ0135 (149)	26	■ 1.000	D_{\mu}^{\dagger}=\partial_{\mu}^{\dagger}+{ }^{0} \Gamma^{\sigma}{ }_{\rho \mu} \mathrm{X}^{\rho}{ }_{ \sigma}+\frac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b}={ }^{0} \nabla_{\mu}^{\dagger}+\frac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b}	$D_{\mu}^{\dagger}=\partial_{\mu}^{\dagger}+{ }^{0} \Gamma^{\sigma}{ }_{\rho \mu} \mathrm{X}^{\rho}{ }_{\sigma}+\frac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b}={ }^{0} \nabla_{\mu}^{\dagger}+\frac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b},$	$D_{\mu}^{\dagger}=\partial_{\mu}^{\dagger}+{ }^{0} \Gamma^{\sigma}{ }_{\rho \mu} \mathrm{X}^{\rho}{ }_{\sigma}+\tfrac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b}={ }^{0} \nabla_{\mu}^{\dagger}+\tfrac{1}{2} A^{\dagger a b}{ }_{\mu} \Sigma_{a b},$
1510.06699_ EQ0136 (150)	26	■ 1.000	\left[D_{\mu}^{\dagger}, D_{\nu}^{\dagger}\right] \varphi=\frac{1}{2} R^{\dagger a b}{ }_{\mu \nu} \Sigma_{a b} \varphi-w H_{\mu \nu}^{\dagger} \varphi	$\left[D_{\mu}^{\dagger}, D_{\nu}^{\dagger}\right] \varphi=\frac{1}{2} R^{\dagger a b}{ }_{\mu \nu} \Sigma_{a b} \varphi-w H_{\mu \nu}^{\dagger} \varphi,$	$[D_{\mu}^{\dagger}, D_{\nu}^{\dagger}] \varphi=\tfrac{1}{2} R^{\dagger a b}{ }_{\mu \nu} \Sigma_{a b} \varphi-w H_{\mu \nu}^{\dagger} \varphi,$
1510.06699_ EQ0138 (152)	26	■ 1.000	H_{\mu \nu}^{\dagger}=\partial_{\mu}\left(V_{\nu}+ \frac{1}{3} T_{\nu}\right)-\partial_{\nu}\left(V_{\mu}+ \frac{1}{3} T_{\mu}\right)	$H_{\mu \nu}^{\dagger}=\partial_{\mu}\left(V_{\nu}+\frac{1}{3} T_{\nu}\right)-\partial_{\nu}\left(V_{\mu}+\frac{1}{3} T_{\mu}\right).$	$H_{\mu \nu}^{\dagger}=\partial_{\mu}(V_{\nu}+\tfrac{1}{3} T_{\nu})-\partial_{\nu}(V_{\mu}+\tfrac{1}{3} T_{\mu}).$
1510.06699_ EQ0139 (153)	26	■ 1.000	\left[\mathcal{D}_{c}^{\dagger}, \mathcal{D}_{d}^{ \dagger}\right] \varphi=\frac{1}{2} \mathcal{R}^{\dagger a b}{ }_{c d} \Sigma_{a b} \varphi-w \mathcal{H}_{c d}^{\dagger} \varphi-\mathcal{T}^{\dagger a}{ }_{c d} \mathcal{D}_{a}^{\dagger} \varphi	$\left[\mathcal{D}_{c}^{\dagger}, \mathcal{D}_{d}^{\dagger}\right] \varphi=\frac{1}{2} \mathcal{R}^{\dagger a b}{ }_{c d} \Sigma_{a b} \varphi-w \mathcal{H}_{c d}^{\dagger} \varphi-\mathcal{T}^{\dagger a}{ }_{c d} \mathcal{D}_{a}^{\dagger} \varphi,$	$[\mathcal{D}_{c}^{\dagger}, \mathcal{D}_{d}^{\dagger}] \varphi=\tfrac{1}{2} \mathcal{R}^{\dagger a b}{ }_{c d} \Sigma_{a b} \varphi-w \mathcal{H}_{c d}^{\dagger} \varphi-\mathcal{T}^{\dagger a}{ }_{c d} \mathcal{D}_{a}^{\dagger} \varphi,$
1510.06699_ EQ0140 (154)	27	■ 1.000	\mathcal{T}^{\dagger a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu}\left(D_{\mu}^{\dagger} b^{a}{ }_{\nu}-D_{ \nu}^{\dagger} b^{a}{ }_{\mu}\right) \equiv h_{b}{ }^{ \mu} h_{c}{ }^{\nu} T^{\dagger a}{ }_{\mu \nu}	$\mathcal{T}^{\dagger a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu}\left(D_{\mu}^{\dagger} b^{a}{ }_{\nu}-D_{\nu}^{\dagger} b^{a}{ }_{\mu}\right) \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu} T^{\dagger a}{ }_{\mu \nu}.$	$\mathcal{T}^{\dagger a}{ }_{b c} \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu}(D_{\mu}^{\dagger} b^{a}{ }_{\nu}-D_{\nu}^{\dagger} b^{a}{ }_{\mu}) \equiv h_{b}{ }^{\mu} h_{c}{ }^{\nu} T^{\dagger a}{ }_{\mu \nu}.$
1510.06699_ EQ0142 (156)	27	■ 1.000	\mathcal{T}^{\dagger a}{ }_{b c}=\mathcal{T}^{a}{ }_{b c}+\frac{1}{3}\left(\delta_{b}^{a} \mathcal{T}_{c}- \delta_{c}^{a} \mathcal{T}_{b}\right)	$\mathcal{T}^{\dagger a}{ }_{b c}=\mathcal{T}^{a}{ }_{b c}+\frac{1}{3}\left(\delta_{b}^{a} \mathcal{T}_{c}-\delta_{c}^{a} \mathcal{T}_{b}\right).$	$\mathcal{T}^{\dagger a}{ }_{b c}=\mathcal{T}^{a}{ }_{b c}+\tfrac{1}{3}(\delta_{b}^{a} \mathcal{T}_{c}-\delta_{c}^{a} \mathcal{T}_{b}).$
1510.06699_ EQ0143 (157)	27	■ 1.000	\mathcal{T}_{b}^{\dagger} \equiv \mathcal{T}^{\dagger a}{ }_{b a}=0	$\mathcal{T}_{b}^{\dagger} \equiv \mathcal{T}^{\dagger a}{ }_{b a}=0,$	$\mathcal{T}_{b}^{\dagger} \equiv \mathcal{T}^{\dagger a}{ }_{b a}=0,$
1510.06699_ EQ0146 (160)	27	■ 1.000	\mathcal{D}_{a}^{\dagger} \varphi=\left({ }^{0} \mathcal{D}_{a}^{\dagger}+\frac{1}{2} \mathcal{K}^{ \dagger b c}{ }_{a} \Sigma_{b c}\right) \varphi	$\mathcal{D}_{a}^{\dagger} \varphi=\left({ }^{0} \mathcal{D}_{a}^{\dagger}+\frac{1}{2} \mathcal{K}^{\dagger b c}{ }_{a} \Sigma_{b c}\right) \varphi,$	$\mathcal{D}_{a}^{\dagger} \varphi=({ }^{0} \mathcal{D}_{a}^{\dagger}+\tfrac{1}{2} \mathcal{K}^{\dagger b c}{ }_{a} \Sigma_{b c}) \varphi,$
1510.06699_ EQ0148 (162)	28	■ 1.000	\mathcal{D}_{a}^{\dagger} \mathcal{R}^{\dagger a e}{ }_{b c}-2 \mathcal{D}_{[b}^{\dagger} \mathcal{R}^{\dagger e}{ }_{c]}-2 \mathcal{T}^{\dagger f}{ }_{a[b} \mathcal{R}^{ \dagger a e}{ }_{c] f}-\mathcal{T}^{\dagger f}{ }_{b c} \mathcal{R}^{\dagger e}{ }_{f}=0	$\mathcal{D}_{a}^{\dagger} \mathcal{R}^{\dagger a e}{ }_{b c}-2 \mathcal{D}_{[b}^{\dagger} \mathcal{R}^{\dagger e}{ }_{c]}-2 \mathcal{T}^{\dagger f}{ }_{a[b} \mathcal{R}^{\dagger a e}{ }_{c] f}-\mathcal{T}^{\dagger f}{ }_{b c} \mathcal{R}^{\dagger e}{ }_{f}=0.$	$\mathcal{D}_{a}^{\dagger} \mathcal{R}^{\dagger a e}{ }_{b c}-2 \mathcal{D}_{[b}^{\dagger} \mathcal{R}^{\dagger e}{ }_{c]}-2 \mathcal{T}^{\dagger f}{ }_{a[b} \mathcal{R}^{\dagger a e}{ }_{c] f}-\mathcal{T}^{\dagger f}{ }_{b c} \mathcal{R}^{\dagger e}{ }_{f}=0.$
1510.06699_ EQ0149 (163)	28	■ 1.000	\mathcal{D}_{a}^{\dagger}\left(\mathcal{R}^{\dagger a}{ }_{c}-\frac{1}{2} \delta_{c}^{a} \mathcal{R}^{\dagger}\right)+\mathcal{T}^{\dagger f}{ }_{b c} \mathcal{R}^{ \dagger b}{ }_{f}+\frac{1}{2} \mathcal{T}^{\dagger f}{ }_{a b} \mathcal{R}^{\dagger a b}{ }_{c f}=0	$\mathcal{D}_{a}^{\dagger}\left(\mathcal{R}^{\dagger a}{ }_{c}-\frac{1}{2} \delta_{c}^{a} \mathcal{R}^{\dagger}\right)+\mathcal{T}^{\dagger f}{ }_{b c} \mathcal{R}^{\dagger b}{ }_{f}+\frac{1}{2} \mathcal{T}^{\dagger f}{ }_{a b} \mathcal{R}^{\dagger a b}{ }_{c f}=0.$	$\mathcal{D}_{a}^{\dagger}(\mathcal{R}^{\dagger a}{ }_{c}-\tfrac{1}{2} \delta_{c}^{a} \mathcal{R}^{\dagger})+\mathcal{T}^{\dagger f}{ }_{b c} \mathcal{R}^{\dagger b}{ }_{f}+\tfrac{1}{2} \mathcal{T}^{\dagger f}{ }_{a b} \mathcal{R}^{\dagger a b}{ }_{c f}=0.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0150 (164)	28	■1.000	`\mathcal{D}_{a}^{\dagger} \mathcal{T}^{\dagger a}{ }_{b c}+2 \mathcal{R}^{\dagger}{ }_{[b c]}+2 \mathcal{H}_{b c}^{\dagger}=0`	$\mathcal{D}_{a}^{\dagger} \mathcal{T}^{\dagger a}{ }_{b c}+2 \mathcal{R}^{\dagger}{ }_{[b c]}+2 \mathcal{H}_{b c}^{\dagger}=0.$	$\mathcal{D}^{\dagger}_a \mathcal{T}^{\dagger a}{}_{bc} + 2\mathcal{R}^{\dagger}{}_{[bc]} + 2\mathcal{H}^{\dagger}_{bc} = 0.$
1510.06699_ EQ0151 (165)	28	■1.000	`S_{\mathrm{G}}=\int h^{-1} L_{\mathrm{G}}\left(\mathcal{R}_{a b c d}^{\dagger}, \mathcal{T}_{a b c}^{\dagger}, \mathcal{H}_{a b}^{\dagger}\right) d^{4} x`	$S_{\mathrm{G}}=\int h^{-1} L_{\mathrm{G}}\left(\mathcal{R}_{a b c d}^{\dagger}, \mathcal{T}_{a b c}^{\dagger}, \mathcal{H}_{a b}^{\dagger}\right) d^{4} x$	$S_{\mathrm{G}} = \int h^{-1} L_{\mathrm{G}}(\mathcal{R}^{\dagger}_{abcd}, \mathcal{T}^{\dagger}_{abc}, \mathcal{H}^{\dagger}_{ab})\, d^4x,$
1510.06699_ EQ0156 (170)	29	■1.000	`\tau_{a b}^{\dagger} \equiv \tau_{a b}+2 \sigma_{c b a} \mathcal{V}^{c}-2 \sigma_{a c}{ }^{c} \mathcal{V}_{b}`	$\tau_{a b}^{\dagger} \equiv \tau_{a b}+2 \sigma_{c b a} \mathcal{V}^{c}-2 \sigma_{a c}{ }^{c} \mathcal{V}_{b},$	$\tau^{\dagger}_{ab} \equiv \tau_{ab} + 2\sigma_{cba}\mathcal{V}^c - 2\sigma_{ac}{}^c\mathcal{V}_b,$
1510.06699_ EQ0157 (171)	29	■1.000	`t^{\dagger a}{ }_{b}+\tau^{\dagger a}{ }_{b}=0`	$t^{\dagger a}{ }_{b}+\tau^{\dagger a}{ }_{b}=0.$	$t^{\dagger a}{}_b + \tau^{\dagger a}{}_b = 0.$
1510.06699_ EQ0158 (168a)	29	■1.000	`\begin{aligned} & \frac{\delta L_{\mathrm{M}}}{\delta \varphi}=\frac{\bar{\partial} L_{\mathrm{M}}}{\partial \varphi}-\mathcal{D}_{a}^{\dagger}\left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_{a}^{\dagger} \varphi\right)}\right)=0, \\ & \frac{\delta L_{\mathrm{M}}}{\delta \phi}=\frac{\bar{\partial} L_{\mathrm{M}}}{\partial \phi}-\mathcal{D}_{a}^{\dagger} \left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_{a}^{*} \phi\right)}\right)=0, \end{aligned}`	$\begin{aligned} & \frac{\delta L_{\mathrm{M}}}{\delta \varphi}=\frac{\bar{\partial} L_{\mathrm{M}}}{\partial \varphi}-\mathcal{D}_{a}^{\dagger}\left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_{a}^{\dagger} \varphi\right)}\right)=0, \\ & \frac{\delta L_{\mathrm{M}}}{\delta \phi}=\frac{\bar{\partial} L_{\mathrm{M}}}{\partial \phi}-\mathcal{D}_{a}^{\dagger} \left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_{a}^{*} \phi\right)}\right)=0, \end{aligned}$	$\begin{aligned} \frac{\delta L_{\mathrm{M}}}{\delta \varphi} &= \frac{\bar{\partial} L_{\mathrm{M}}}{\partial \varphi} - \mathcal{D}^{\dagger}_a \left(\frac{\partial L_{\mathrm{M}}}{\partial(\mathcal{D}^{\dagger}_a \varphi)}\right) = 0, \\ \frac{\delta L_{\mathrm{M}}}{\delta \phi} &= \frac{\bar{\partial} L_{\mathrm{M}}}{\partial \phi} - \mathcal{D}^{\dagger}_a \left(\frac{\partial L_{\mathrm{M}}}{\partial(\mathcal{D}^{*}_a \phi)}\right) = 0, \end{aligned}$
1510.06699_ EQ0160 (175)	29	■1.000	`j^{\dagger a} \equiv j^{a}-2 s^{a b}{ }_{b}`	$j^{\dagger a} \equiv j^{a}-2 s^{a b}{ }_{b}.$	$j^{\dagger a} \equiv j^a - 2s^{ab}{}_b.$
1510.06699_ EQ0164 (180)	30	■1.000	`\mathcal{D}_{a}^{\natural} \varphi \equiv h_{a}{ }^{\mu} D_{\mu}^{\natural} \varphi \equiv h_{a}{ }^{\mu}\left(\partial_{\mu}+\frac{1}{2} A^{\dagger b c}{ }_{\mu} \Sigma_{b c}\right) \varphi`	$\mathcal{D}_{a}^{\natural} \varphi \equiv h_{a}{ }^{\mu} D_{\mu}^{\natural} \varphi \equiv h_{a}{ }^{\mu}\left(\partial_{\mu}+\frac{1}{2} A^{\dagger b c}{ }_{\mu} \Sigma_{b c}\right) \varphi.$	$\mathcal{D}^{\natural}_a \varphi \equiv h_a{}^{\mu} D^{\natural}_{\mu}\varphi \equiv h_a{}^{\mu}(\partial_{\mu} + \tfrac{1}{2}A^{\dagger bc}{}_{\mu}\Sigma_{bc})\varphi.$
1510.06699_ EQ0166 (182)	31	■1.000	`\mathcal{D}_{a}^{\dagger} \varphi=\left(\mathcal{D}_{a}^{\natural}-\frac{1}{3} w \mathcal{T}_{a}^{\natural}\right) \varphi`	$\mathcal{D}_{a}^{\dagger} \varphi=\left(\mathcal{D}_{a}^{\natural}-\frac{1}{3} w \mathcal{T}_{a}^{\natural}\right) \varphi,$	$\mathcal{D}^{\dagger}_a \varphi = (\mathcal{D}^{\natural}_a - \tfrac{1}{3}w\mathcal{T}^{\natural}_a)\varphi,$
1510.06699_ EQ0169 (185)	31	■1.000	`\zeta^{a}=2 \sigma^{a b}{ }_{b}`	$\zeta^{a}=2 \sigma^{a b}{ }_{b},$	$\zeta^a = 2\sigma^{ab}{}_b,$
1510.06699_ EQ0172 (191)	32	■1.000	`i \gamma^{a} \mathcal{D}_{a}^{\dagger} \psi-\mu \phi \psi=0`	$i \gamma^{a} \mathcal{D}_{a}^{\dagger} \psi-\mu \phi \psi=0.$	$i\gamma^a \mathcal{D}^{\dagger}_a \psi - \mu\phi\psi = 0.$
1510.06699_ EQ0173 (189)	32	■1.000	`\tau^{a}{ }_{b}=\frac{1}{2} i h^{-1} \bar{\psi} \gamma^{a} \stackrel{\leftrightarrow}{\mathcal{D}}_{b}^{\dagger} \psi-\delta_{b}^{a} \mathcal{L}_{\mathrm{D}}-2 \sigma_{c b}{ }^{a} \mathcal{V}^{c}`	$\tau^{a}{ }_{b}=\frac{1}{2} i h^{-1} \bar{\psi} \gamma^{a} \stackrel{\leftrightarrow}{\mathcal{D}}_{b}^{\dagger} \psi-\delta_{b}^{a} \mathcal{L}_{\mathrm{D}}-2 \sigma_{c b}{ }^{a} \mathcal{V}^{c},$	$\tau^a{}_b = \tfrac{1}{2} i h^{-1} \bar{\psi}\gamma^a \overset{\leftrightarrow}{\mathcal{D}}{}^{\dagger}_b \psi - \delta^a_b \mathcal{L}_{\mathrm{D}} - 2\sigma_{cb}{}^a\mathcal{V}^c,$
1510.06699_ EQ0174 (190)	32	■1.000	`\tau^{\prime a}{ }_{b}=\tau^{a}{ }_{b}-2 \theta \sigma_{c d}{ }^{a} \mathcal{P}^{c} \delta_{b}^{d}`	$\tau^{\prime a}{ }_{b}=\tau^{a}{ }_{b}-2 \theta \sigma_{c d}{ }^{a} \mathcal{P}^{c} \delta_{b}^{d}$	$\tau'^a{}_b = \tau^a{}_b - 2\theta\sigma_{cd}{}^a\mathcal{P}^c\delta^d_b.$
1510.06699_ EQ0177 (193)	32	■1.000	`\mathcal{L}_{\mathrm{M}}=h^{-1} L_{\mathrm{M}}=-h^{-1} \left(\frac{1}{4} \mathcal{F}_{a b} \mathcal{F}^{a b}+ \mathcal{J}^{a} \mathcal{A}_{a}\right)`	$\mathcal{L}_{\mathrm{M}}=h^{-1} L_{\mathrm{M}}=-h^{-1} \left(\frac{1}{4} \mathcal{F}_{a b} \mathcal{F}^{a b}+ \mathcal{J}^{a} \mathcal{A}_{a}\right),$	$\mathcal{L}_{\mathrm{M}} = h^{-1}L_{\mathrm{M}} = -h^{-1}(\tfrac{1}{4}\mathcal{F}_{ab}\mathcal{F}^{ab} + \mathcal{J}^a\mathcal{A}_a),$
1510.06699_ EQ0179 (195)	33	■1.000	`\mathcal{D}_{[a}^{\dagger} \mathcal{F}_{b c]}-\mathcal{T}^{\dagger d}{ }_{[a b} \mathcal{F}_{c] d}=0`	$\mathcal{D}_{[a}^{\dagger} \mathcal{F}_{b c]}-\mathcal{T}^{\dagger d}{ }_{[a b} \mathcal{F}_{c] d}=0.$	$\mathcal{D}^{\dagger}_{[a}\mathcal{F}_{bc]} - \mathcal{T}^{\dagger d}{}_{[ab}\mathcal{F}_{c]d} = 0.$
1510.06699_ EQ0181 (197)	33	■1.000	`\mathcal{D}_{a}^{\dagger} \chi=\left(\frac{\phi}{ \phi_{0}}\right)^{1-w} \widehat{\mathcal{D}}_{a}^{ \dagger} \widehat{\chi}`	$\mathcal{D}_{a}^{\dagger} \chi=\left(\frac{\phi}{ \phi_{0}}\right)^{1-w} \widehat{\mathcal{D}}_{a}^{ \dagger} \widehat{\chi},$	$\mathcal{D}^{\dagger}_a \chi = \left(\frac{\phi}{\phi_0}\right)^{1-w} \widehat{\mathcal{D}}^{\dagger}_a \widehat{\chi},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0186 (202)	35	1.000	`\left[{ }^{0} \mathcal{D}_{c}^{\dagger},{ }^{0} \mathcal{D}_{d}^{\dagger}\right] \varphi=\frac{1}{2}{ }^{0} \mathcal{R}^{\dagger a b}{ }_{c d} \Sigma_{a b} \varphi+w \mathcal{H}_{c d}^{\dagger} \varphi`	$\left[{ }^{0} \mathcal{D}_{c}^{\dagger},{ }^{0} \mathcal{D}_{d}^{\dagger}\right] \varphi=\frac{1}{2}{ }^{0} \mathcal{R}^{\dagger a b}{ }_{c d} \Sigma_{a b} \varphi+w \mathcal{H}_{c d}^{\dagger} \varphi,$	$[{}^0\mathcal{D}_c^\dagger, {}^0\mathcal{D}_d^\dagger]\varphi = \frac{1}{2}{}^0\mathcal{R}^{\dagger ab}{}_{cd}\Sigma_{ab}\varphi + w\mathcal{H}^\dagger_{cd}\varphi,$
1510.06699_ EQ0193 (209)	36	1.000	`\Delta_{\mu}^{\dagger} \equiv \partial_{\mu}^{\dagger}+\Gamma^{\sigma}{ }_{\rho \mu} \mathrm{X}^{\rho}{ }_{\sigma}+\frac{1}{2} A^{a b}{ }_{\mu} \Sigma_{a b}=\nabla_{\mu}^{\dagger}+D_{\mu}^{\dagger}-\partial_{\mu}^{\dagger}`	$\Delta_{\mu}^{\dagger} \equiv \partial_{\mu}^{\dagger}+\Gamma^{\sigma}{ }_{\rho \mu} \mathrm{X}^{\rho}{ }_{\sigma}+\frac{1}{2} A^{a b}{ }_{\mu} \Sigma_{a b}=\nabla_{\mu}^{\dagger}+D_{\mu}^{\dagger}-\partial_{\mu}^{\dagger},$	$\Delta^\dagger_\mu \equiv \partial^\dagger_\mu + \Gamma^\sigma{}_{\rho\mu}\mathrm{X}^\rho{}_\sigma + \frac{1}{2}A^{ab}{}_\mu\Sigma_{ab} = \nabla^\dagger_\mu + D^\dagger_\mu - \partial^\dagger_\mu,$
1510.06699_ EQ0194 (210)	36	1.000	`\Delta_{\mu}^{\dagger} e^{a}{ }_{\nu} \equiv \partial_{\mu}^{\dagger} e^{a}{ }_{\nu}-\Gamma^{\sigma}{ }_{\nu \mu} e^{a}{ }_{\sigma}+A^{\dagger a}{ }_{b \mu} e^{b}{ }_{\nu}=0`	$\Delta_{\mu}^{\dagger} e^{a}{ }_{\nu} \equiv \partial_{\mu}^{\dagger} e^{a}{ }_{\nu}-\Gamma^{\sigma}{ }_{\nu \mu} e^{a}{ }_{\sigma}+A^{\dagger a}{ }_{b \mu} e^{b}{ }_{\nu}=0,$	$\Delta^\dagger_\mu e^a{}_\nu \equiv \partial^\dagger_\mu e^a{}_\nu - \Gamma^\sigma{}_{\nu\mu}e^a{}_\sigma + A^{\dagger a}{}_{b\mu}e^b{}_\nu = 0,$
1510.06699_ EQ0195 (211)	36	1.000	`\nabla_{\sigma} g_{\mu \nu}=2\left(V_{\sigma}+\frac{1}{3} T_{\sigma}\right) g_{\mu \nu}`	$\nabla_{\sigma} g_{\mu \nu}=2\left(V_{\sigma}+\frac{1}{3} T_{\sigma}\right) g_{\mu \nu}.$	$\nabla_\sigma g_{\mu\nu} = 2(V_\sigma + \frac{1}{3}T_\sigma)g_{\mu\nu}.$
1510.06699_ EQ0197 (215)	37	1.000	`\Gamma^{\lambda}{ }_{\mu \lambda}=\Gamma^{\lambda}{ }_{\lambda \mu}`	$\Gamma^{\lambda}{ }_{\mu \lambda}=\Gamma^{\lambda}{ }_{\lambda \mu}.$	$\Gamma^\lambda{}_{\mu\lambda} = \Gamma^\lambda{}_{\lambda\mu}.$
1510.06699_ EQ0198 (216)	37	1.000	`\widehat{R}^{\rho}{ }_{\sigma \mu \nu} \equiv R^{\dagger \rho}{ }_{\sigma \mu \nu}-H_{\mu \nu}^{\dagger} \delta_{\sigma}^{\rho}`	$\widehat{R}^{\rho}{ }_{\sigma \mu \nu} \equiv R^{\dagger \rho}{ }_{\sigma \mu \nu}-H_{\mu \nu}^{\dagger} \delta_{\sigma}^{\rho}.$	$\widehat{R}^\rho{}_{\sigma\mu\nu} \equiv R^{\dagger\rho}{}_{\sigma\mu\nu} - H^\dagger_{\mu\nu}\delta^\rho_\sigma.$
1510.06699_ EQ0199 (217)	37	1.000	`\left[\nabla_{\mu}^{\dagger}, \nabla_{\nu}^{\dagger}\right] J^{\rho}=\widehat{R}^{\rho}{ }_{\sigma \mu \nu} J^{\sigma}-w H_{\mu \nu}^{\dagger} J^{\rho}-T^{\dagger \sigma}{ }_{\mu \nu} \nabla_{\sigma}^{\dagger} V^{\rho}`	$\left[\nabla_{\mu}^{\dagger}, \nabla_{\nu}^{\dagger}\right] J^{\rho}=\widehat{R}^{\rho}{ }_{\sigma \mu \nu} J^{\sigma}-w H_{\mu \nu}^{\dagger} J^{\rho}-T^{\dagger \sigma}{ }_{\mu \nu} \nabla_{\sigma}^{\dagger} V^{\rho}.$	$[\nabla^\dagger_\mu, \nabla^\dagger_\nu]J^\rho = \widehat{R}^\rho{}_{\sigma\mu\nu}J^\sigma - wH^\dagger_{\mu\nu}J^\rho - T^{\dagger\sigma}{}_{\mu\nu}\nabla^\dagger_\sigma V^\rho.$
1510.06699_ EQ0200 (218)	37	1.000	`\Gamma^{\lambda}{ }_{\mu \nu}={ }^{0} \Gamma^{\dagger \lambda}{ }_{\mu \nu}+K^{\dagger \lambda}{ }_{\mu \nu}`	$\Gamma^{\lambda}{ }_{\mu \nu}={ }^{0} \Gamma^{\dagger \lambda}{ }_{\mu \nu}+K^{\dagger \lambda}{ }_{\mu \nu},$	$\Gamma^\lambda{}_{\mu\nu} = {}^0\Gamma^{\dagger\lambda}{}_{\mu\nu} + K^{\dagger\lambda}{}_{\mu\nu},$
1510.06699_ EQ0202 (220)	37	1.000	`K^{\dagger \lambda}{ }_{\mu \nu}=-\frac{1}{2}\left(T^{\dagger \lambda}{ }_{\mu \nu}-T^{\dagger}{ }_{\nu}{ }^{\lambda}{ }_{\mu}+T^{\dagger}{ }_{\mu \nu}{ }^{\lambda}\right)`	$K^{\dagger \lambda}{ }_{\mu \nu}=-\frac{1}{2}\left(T^{\dagger \lambda}{ }_{\mu \nu}-T^{\dagger}{ }_{\nu}{ }^{\lambda}{ }_{\mu}+T^{\dagger}{ }_{\mu \nu}{ }^{\lambda}\right).$	$K^{\dagger\lambda}{}_{\mu\nu} = -\frac{1}{2}(T^{\dagger\lambda}{}_{\mu\nu} - T^\dagger{}_\nu{}^\lambda{}_\mu + T^\dagger{}_{\mu\nu}{}^\lambda).$
1510.06699_ EQ0206 (228)	38	1.000	`\left(t_{\mathcal{R}^{2}}^{\dagger}\right)^{a}{ }_{b}+\left(t_{\mathcal{H}^{2}}^{\dagger}\right)^{a}{ }_{b}+\left(\tau_{\varphi}^{\dagger}\right)^{a}{ }_{b}+\left(\tau_{\phi}^{\dagger}\right)^{a}{ }_{b}+\left(\tau_{\mathcal{R}}^{\dagger}\right)^{a}{ }_{b}+\left(\tau_{\mathcal{T}^{2}}^{\dagger}\right)^{a}{ }_{b}=0`	$\left(t_{\mathcal{R}^{2}}^{\dagger}\right)^{a}{ }_{b}+\left(t_{\mathcal{H}^{2}}^{\dagger}\right)^{a}{ }_{b}+\left(\tau_{\varphi}^{\dagger}\right)^{a}{ }_{b}+\left(\tau_{\phi}^{\dagger}\right)^{a}{ }_{b}+\left(\tau_{\mathcal{R}}^{\dagger}\right)^{a}{ }_{b}+\left(\tau_{\mathcal{T}^{2}}^{\dagger}\right)^{a}{ }_{b}=0,$	$(t^\dagger_{\mathcal{R}^2})^a{}_b + (t^\dagger_{\mathcal{H}^2})^a{}_b + (\tau^\dagger_\varphi)^a{}_b + (\tau^\dagger_\phi)^a{}_b + (\tau^\dagger_\mathcal{R})^a{}_b + (\tau^\dagger_{\mathcal{T}^2})^a{}_b = 0,$
1510.06699_ EQ0212 (240)	39	1.000	`\left(j_{\mathcal{R}^{2}}\right)_{a}+\left(j_{\mathcal{H}^{2}}\right)_{a}+\left(\zeta_{\varphi}\right)_{a}+\left(\zeta_{\phi}\right)_{a}+\left(\zeta_{\mathcal{R}}\right)_{a}+\left(\zeta_{\mathcal{T}^{2}}\right)_{a}=0`	$\left(j_{\mathcal{R}^{2}}\right)_{a}+\left(j_{\mathcal{H}^{2}}\right)_{a}+\left(\zeta_{\varphi}\right)_{a}+\left(\zeta_{\phi}\right)_{a}+\left(\zeta_{\mathcal{R}}\right)_{a}+\left(\zeta_{\mathcal{T}^{2}}\right)_{a}=0,$	$(j_{\mathcal{R}^2})_a + (j_{\mathcal{H}^2})_a + (\zeta_\varphi)_a + (\zeta_\phi)_a + (\zeta_\mathcal{R})_a + (\zeta_{\mathcal{T}^2})_a = 0,$
1510.06699_ EQ0219 (253)	41	1.000	`\mathcal{D}_{c}^{\prime} \varphi^{\prime}=e^{(w-1) \rho}\left[\mathcal{D}_{c} \varphi+w \mathcal{P}_{c} \varphi+\theta \mathcal{P}^{[b} \delta_{c}^{a]} \Sigma_{a b} \varphi\right]`	$\mathcal{D}_{c}^{\prime} \varphi^{\prime}=e^{(w-1) \rho}\left[\mathcal{D}_{c} \varphi+w \mathcal{P}_{c} \varphi+\theta \mathcal{P}^{[b} \delta_{c}^{a]} \Sigma_{a b} \varphi\right],$	$\mathcal{D}'_c\varphi' = e^{(w-1)\rho}[\mathcal{D}_c\varphi + w\mathcal{P}_c\varphi + \theta\mathcal{P}^{[b}\delta^{a]}_c\Sigma_{ab}\varphi],$
1510.06699_ EQ0224 (258)	42	1.000	`\frac{1}{2} \nu=-6 a \theta=3(\theta-1)\left(2 \beta_{1}+\beta_{2}+3 \beta_{3}\right)`	$\frac{1}{2} \nu=-6 a \theta=3(\theta-1)\left(2 \beta_{1}+\beta_{2}+3 \beta_{3}\right),$	$\frac{1}{2}\nu = -6a\theta = 3(\theta-1)(2\beta_1 + \beta_2 + 3\beta_3),$
1510.06699_ EQ0225 (259)	42	1.000	`\mathcal{L}_{\mathrm{M}}^{\prime}=\mathcal{L}_{\mathrm{M}}+6 a \theta h^{-1}\left(\mathcal{D}_{a}+\mathcal{T}_{a}\right)\left(\phi^{2} \mathcal{P}^{a}\right)`	$\mathcal{L}_{\mathrm{M}}^{\prime}=\mathcal{L}_{\mathrm{M}}+6 a \theta h^{-1}\left(\mathcal{D}_{a}+\mathcal{T}_{a}\right)\left(\phi^{2} \mathcal{P}^{a}\right).$	$\mathcal{L}'_\mathrm{M} = \mathcal{L}_\mathrm{M} + 6a\theta h^{-1}(\mathcal{D}_a + \mathcal{T}_a)(\phi^2\mathcal{P}^a).$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0232 (266)	43	■ 1.000	`L_{\mathrm{G}}=2 \alpha\left({ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}-\frac{1}{3}{ }^{0} \mathcal{R}^{2}\right)`	$L_{\mathrm{G}}=2 \alpha\left({ }^{0} \mathcal{R}_{a b}{ }^{0} \mathcal{R}^{a b}-\frac{1}{3}{ }^{0} \mathcal{R}^{2}\right),$	$L_{\mathrm{G}}=2\alpha({}^{0}\mathcal{R}_{ab}{}^{0}\mathcal{R}^{ab}-\frac{1}{3}{}^{0}\mathcal{R}^{2}),$
1510.06699_ EQ0236 (270)	44	■ 1.000	`\mathcal{L}_{\mathrm{M}}^{\prime}=\mathcal{L}_{\mathrm{M}}-h^{-1}\left[\frac{1}{2} \nu^{0} \mathcal{D}_{a}\left(\phi^{2} \mathcal{P}^{a}\right) \right]`	$\mathcal{L}_{\mathrm{M}}^{\prime}=\mathcal{L}_{\mathrm{M}}-h^{-1}\left[\frac{1}{2} \nu^{0} \mathcal{D}_{a}\left(\phi^{2} \mathcal{P}^{a}\right)\right],$	$\mathcal{L}_{\mathrm{M}}^{\prime}=\mathcal{L}_{\mathrm{M}}-h^{-1}[\frac{1}{2}\nu\,{}^{0}\mathcal{D}_{a}(\phi^{2}\mathcal{P}^{a})],$
1510.06699_ EQ0237 (A1)	47	■ 1.000	`L_{\mathrm{D}}=\frac{1}{2} i\left[\bar{\psi} \gamma^{\mu} \partial_{\mu} \psi-\left(\partial_{\mu} \bar{\psi}\right) \gamma^{\mu} \psi\right]-m \bar{\psi} \psi \equiv \Re(i \bar{\psi} \not \partial \psi)-m \bar{\psi} \psi`	$L_{\mathrm{D}}=\frac{1}{2} i\left[\bar{\psi} \gamma^{\mu} \partial_{\mu} \psi-\left(\partial_{\mu} \bar{\psi}\right) \gamma^{\mu} \psi\right]-m \bar{\psi} \psi \equiv \Re(i \bar{\psi} \not \partial \psi)-m \bar{\psi} \psi,$	$L_{\mathrm{D}}=\frac{1}{2}i[\bar{\psi}\gamma^{\mu}\partial_{\mu}\psi-(\partial_{\mu}\bar{\psi})\gamma^{\mu}\psi]-m\bar{\psi}\psi\equiv\Re(i\bar{\psi}\not\partial\psi)-m\bar{\psi}\psi,$
1510.06699_ EQ0245 (A9)	47	■ 1.000	`S=-\int d \lambda\left[p_{\mu} \dot{x}^{\mu}-\frac{1}{2} e\left(p_{\mu} p^{\mu}-m^{2}\right)\right]`	$S=-\int d \lambda\left[p_{\mu} \dot{x}^{\mu}-\frac{1}{2} e\left(p_{\mu} p^{\mu}-m^{2}\right)\right]$	$S=-\int d\lambda\,[p_{\mu}\dot{x}^{\mu}-\frac{1}{2}e(p_{\mu}p^{\mu}-m^{2})],$
1510.06699_ EQ0246 (B1)	48	■ 1.000	`L_{\mathrm{G}}=-\kappa^{-1}(\Lambda+a \mathcal{R})+L_{\mathcal{R}^{2}}+\kappa^{-1} L_{\mathcal{T}^{2}}`	$L_{\mathrm{G}}=-\kappa^{-1}(\Lambda+a \mathcal{R})+L_{\mathcal{R}^{2}}+\kappa^{-1} L_{\mathcal{T}^{2}},$	$L_{\mathrm{G}}=-\kappa^{-1}(\Lambda+a\mathcal{R})+L_{\mathcal{R}^{2}}+\kappa^{-1}L_{\mathcal{T}^{2}},$
1510.06699_ EQ0252 (C1)	49	■ 1.000	`\mathcal{L}_{\mathrm{G}}=-\frac{1}{2 \kappa} h^{-1} \mathcal{R}`	$\mathcal{L}_{\mathrm{G}}=-\frac{1}{2 \kappa} h^{-1} \mathcal{R},$	$\mathcal{L}_{\mathrm{G}}=-\frac{1}{2\kappa}h^{-1}\mathcal{R},$
1510.06699_ EQ0254 (C4)	50	■ 1.000	`\mathcal{T}^{c}{ }_{a b}+\delta_{a}^{c} \mathcal{T}_{b}-\delta_{b}^{c} \mathcal{T}_{a}=2 \kappa h \sigma_{a b}{ }^{c}`	$\mathcal{T}^{c}{ }_{a b}+\delta_{a}^{c} \mathcal{T}_{b}-\delta_{b}^{c} \mathcal{T}_{a}=2 \kappa h \sigma_{a b}{ }^{c}$	$\mathcal{T}^{c}{}_{ab}+\delta_{a}^{c}\mathcal{T}_{b}-\delta_{b}^{c}\mathcal{T}_{a}=2\kappa h\sigma_{ab}{}^{c}.$
1510.06699_ EQ0255 (C5)	50	■ 1.000	`\mathcal{T}_{a}=-\kappa h \sigma_{a b}{ }^{b}`	$\mathcal{T}_{a}=-\kappa h \sigma_{a b}{ }^{b}.$	$\mathcal{T}_{a}=-\kappa h\sigma_{ab}{}^{b}.$
1510.06699_ EQ0256 (C6)	50	■ 1.000	`\mathcal{T}^{c}{ }_{a b}=\kappa h\left(2 \sigma_{a b}{ }^{c}+\delta_{a}^{c} \sigma_{b d}{ }^{d}-\delta_{b}^{c} \sigma_{a d}{ }^{d}\right)`	$\mathcal{T}^{c}{ }_{a b}=\kappa h\left(2 \sigma_{a b}{ }^{c}+\delta_{a}^{c} \sigma_{b d}{ }^{d}-\delta_{b}^{c} \sigma_{a d}{ }^{d}\right).$	$\mathcal{T}^{c}{}_{ab}=\kappa h(2\sigma_{ab}{}^{c}+\delta_{a}^{c}\sigma_{bd}{}^{d}-\delta_{b}^{c}\sigma_{ad}{}^{d}).$
1510.06699_ EQ0259 (C9)	50	■ 1.000	`\mathcal{T}_{a}=-\kappa h \sigma_{a b}{ }^{b}=0`	$\mathcal{T}_{a}=-\kappa h \sigma_{a b}{ }^{b}=0,$	$\mathcal{T}_{a}=-\kappa h\sigma_{ab}{}^{b}=0,$
1510.06699_ EQ0260 (C10)	50	■ 1.000	`i \gamma^{a} \mathcal{D}_{a} \psi-m \psi=0`	$i \gamma^{a} \mathcal{D}_{a} \psi-m \psi=0,$	$i\gamma^{a}\mathcal{D}_{a}\psi-m\psi=0,$
1510.06699_ EQ0262 (D1)	51	■ 1.000	`L_{\mathrm{G}}=-\frac{1}{4} \xi \mathcal{H}_{a b} \mathcal{H}^{a b}`	$L_{\mathrm{G}}=-\frac{1}{4} \xi \mathcal{H}_{a b} \mathcal{H}^{a b},$	$L_{\mathrm{G}}=-\frac{1}{4}\xi\mathcal{H}_{ab}\mathcal{H}^{ab},$
1510.06699_ EQ0267 (D6)	52	■ 1.000	`\xi\left[\frac{1}{2} \mathcal{T}^{* c}{ }_{a b} \mathcal{H}^{a b}-\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}\right) \mathcal{H}^{a c}\right]-\nu \phi \mathcal{D}^{* c} \phi=h\left(\zeta_{\varphi}\right)^{c}`	$\xi\left[\frac{1}{2} \mathcal{T}^{* c}{ }_{a b} \mathcal{H}^{a b}-\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}\right) \mathcal{H}^{a c}\right]-\nu \phi \mathcal{D}^{* c} \phi=h\left(\zeta_{\varphi}\right)^{c}$	$\xi[\frac{1}{2}\mathcal{T}^{*c}{}_{ab}\mathcal{H}^{ab}-(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*})\mathcal{H}^{ac}]-\nu\phi\mathcal{D}^{*c}\phi=h(\zeta_{\varphi})^{c}$
1510.06699_ EQ0268 (D7)	52	■ 1.000	`\frac{\partial L_{\varphi}}{\partial \phi}-\nu\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}\right) \mathcal{D}^{* a} \phi-4 \lambda \phi^{3}-a \phi \mathcal{R}=0`	$\frac{\partial L_{\varphi}}{\partial \phi}-\nu\left(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*}\right) \mathcal{D}^{* a} \phi-4 \lambda \phi^{3}-a \phi \mathcal{R}=0$	$\frac{\partial L_{\varphi}}{\partial\phi}-\nu(\mathcal{D}_{a}^{*}+\mathcal{T}_{a}^{*})\mathcal{D}^{*a}\phi-4\lambda\phi^{3}-a\phi\mathcal{R}=0.$
1510.06699_ EQ0269 (D8)	52	■ 1.000	`\mathcal{R}^{a}{ }_{b}-\frac{1}{2} \delta_{b}^{a} \mathcal{R}-\delta_{b}^{a} \Lambda=\kappa\left[\left.h\left(\tau_{\varphi}\right)^{a}{ }_{b}\right|_{\phi=\phi_{0}}+\nu\left(\mathcal{B}^{a} \mathcal{B}_{b}-\frac{1}{2} \delta_{b}^{a} \mathcal{B}^{c} \mathcal{B}_{c}\right)-\xi\left(\mathcal{H}^{a c} \mathcal{H}_{b c}-\frac{1}{4} \delta_{b}^{a} \mathcal{H}_{c d} \mathcal{H}^{c d}\right)\right]`	$\mathcal{R}^{a}{ }_{b}-\frac{1}{2} \delta_{b}^{a} \mathcal{R}-\delta_{b}^{a} \Lambda=\kappa\left[\left.h\left(\tau_{\varphi}\right)^{a}{ }_{b}\right\|_{\phi=\phi_{0}}+\nu\left(\mathcal{B}^{a} \mathcal{B}_{b}-\frac{1}{2} \delta_{b}^{a} \mathcal{B}^{c} \mathcal{B}_{c}\right)-\xi\left(\mathcal{H}^{a c} \mathcal{H}_{b c}-\frac{1}{4} \delta_{b}^{a} \mathcal{H}_{c d} \mathcal{H}^{c d}\right)\right].$	$\mathcal{R}^{a}{}_{b}-\frac{1}{2}\delta_{b}^{a}\mathcal{R}-\delta_{b}^{a}\Lambda=\kappa\left[h(\tau_{\varphi})^{a}{}_{b}\big\|_{\phi=\phi_{0}}+\nu(\mathcal{B}^{a}\mathcal{B}_{b}-\frac{1}{2}\delta_{b}^{a}\mathcal{B}^{c}\mathcal{B}_{c})-\xi(\mathcal{H}^{ac}\mathcal{H}_{bc}-\frac{1}{4}\delta_{b}^{a}\mathcal{H}_{cd}\mathcal{H}^{cd})\right].$

<table>
<tr><th>Identifier</th><th>Page</th><th>Conf.</th><th>LaTeX source</th><th>Rendered</th><th>Image</th></tr>
<tr><td>1510.06699_ EQ0270 (D9)</td><td>52</td><td>■1.000</td><td><code>\mathcal{T}^{c}{ }_{a b}+\delta_{a}^{c} \mathcal{T}_{b}-\delta_{b}^{c} \mathcal{T}_{a}=\left.2 \kappa h\left(\sigma_{\varphi}\right)_{a b}{ }^{c}\right|_{\phi=\phi_{0}}</code></td><td>$\mathcal{T}^{c}{ }_{a b}+\delta_{a}^{c} \mathcal{T}_{b}-\delta_{b}^{c} \mathcal{T}_{a}=\left.2 \kappa h\left(\sigma_{\varphi}\right)_{a b}{ }^{c}\right|_{\phi=\phi_{0}},$</td><td>$\mathcal{T}^{c}{}_{ab}+\delta_{a}^{c}\mathcal{T}_{b}-\delta_{b}^{c}\mathcal{T}_{a}=2\kappa h(\sigma_{\varphi})_{ab}{}^{c}|_{\phi=\phi_{0}}\,,$</td></tr>
<tr><td>1510.06699_ EQ0271 (D10)</td><td>52</td><td>■1.000</td><td><code>\xi\left[\frac{1}{2} \mathcal{T}^{c}{ }_{a b} \mathcal{H}^{a b}-\left(\mathcal{D}_{a}+\mathcal{T}_{a}\right) \mathcal{H}^{a c}\right]+\nu \phi_{0}^{2} \mathcal{B}^{c}=\left.h\left(\zeta_{\varphi}\right)^{c}\right|_{\phi=\phi_{0}}</code></td><td>$\xi\left[\frac{1}{2} \mathcal{T}^{c}{ }_{a b} \mathcal{H}^{a b}-\left(\mathcal{D}_{a}+\mathcal{T}_{a}\right) \mathcal{H}^{a c}\right]+\nu \phi_{0}^{2} \mathcal{B}^{c}=\left.h\left(\zeta_{\varphi}\right)^{c}\right|_{\phi=\phi_{0}},$</td><td>$\xi\,[\tfrac{1}{2}\mathcal{T}^{c}{}_{ab}\mathcal{H}^{ab}-(\mathcal{D}_{a}+\mathcal{T}_{a})\mathcal{H}^{ac}]+\nu\phi_{0}^{2}\mathcal{B}^{c}=h(\zeta_{\varphi})^{c}|_{\phi=\phi_{0}}\,,$</td></tr>
<tr><td>1510.06699_ EQ0272 (D11)</td><td>52</td><td>■1.000</td><td><code>\mathcal{R}+4 \Lambda=\kappa\left[\left.\phi_{0} \partial_{\phi} L_{\varphi}\right|_{\phi=\phi_{0}}+\nu \phi_{0}^{2}\left(\mathcal{D}_{a}+\mathcal{T}_{a}+\mathcal{B}_{a}\right) \mathcal{B}^{a}\right]</code></td><td>$\mathcal{R}+4 \Lambda=\kappa\left[\left.\phi_{0} \partial_{\phi} L_{\varphi}\right|_{\phi=\phi_{0}}+\nu \phi_{0}^{2}\left(\mathcal{D}_{a}+\mathcal{T}_{a}+\mathcal{B}_{a}\right) \mathcal{B}^{a}\right]$</td><td>$\mathcal{R}+4\Lambda=\kappa\left[\phi_{0}\;\partial_{\phi}L_{\varphi}|_{\phi=\phi_{0}}+\nu\phi_{0}^{2}(\mathcal{D}_{a}+\mathcal{T}_{a}+\mathcal{B}_{a})\mathcal{B}^{a}\right]$</td></tr>
<tr><td>1510.06699_ EQ0274 (D13)</td><td>53</td><td>■1.000</td><td><code>i \gamma^{a} \mathcal{D}_{a} \psi-\mu \phi \psi=0</code></td><td>$i \gamma^{a} \mathcal{D}_{a} \psi-\mu \phi \psi=0,$</td><td>$i\gamma^{a}\mathcal{D}_{a}\psi-\mu\phi\psi=0,$</td></tr>
<tr><td>1510.06699_ EQ0276 (E1)</td><td>53</td><td>■1.000</td><td><code>A^{\dagger a b}{ }_{\mu}=A^{a b}{ }_{\mu}+\left(\mathcal{V}^{a} b^{b}{ }_{\mu}-\mathcal{V}^{b} b^{a}{ }_{\mu}\right)</code></td><td>$A^{\dagger a b}{ }_{\mu}=A^{a b}{ }_{\mu}+\left(\mathcal{V}^{a} b^{b}{ }_{\mu}-\mathcal{V}^{b} b^{a}{ }_{\mu}\right),$</td><td>$A^{\dagger ab}{}_{\mu}=A^{ab}{}_{\mu}+(\mathcal{V}^{a}b^{b}{}_{\mu}-\mathcal{V}^{b}b^{a}{}_{\mu}),$</td></tr>
<tr><td>1510.06699_ EQ0277 (E2)</td><td>53</td><td>■1.000</td><td><code>\mathcal{D}_{a}^{\natural} \varphi \equiv h_{a}{ }^{\mu} D_{\mu}^{\natural} \varphi \equiv h_{a}{ }^{\mu}\left(\partial_{\mu}+\frac{1}{2} A^{\dagger b c}{ }_{\mu} \Sigma_{b c}\right) \varphi</code></td><td>$\mathcal{D}_{a}^{\natural} \varphi \equiv h_{a}{ }^{\mu} D_{\mu}^{\natural} \varphi \equiv h_{a}{ }^{\mu}\left(\partial_{\mu}+\frac{1}{2} A^{\dagger b c}{ }_{\mu} \Sigma_{b c}\right) \varphi.$</td><td>$\mathcal{D}_{a}^{\natural}\varphi\equiv h_{a}{}^{\mu}D_{\mu}^{\natural}\varphi\equiv h_{a}{}^{\mu}(\partial_{\mu}+\tfrac{1}{2}A^{\dagger bc}{}_{\mu}\Sigma_{bc})\varphi.$</td></tr>
<tr><td>1510.06699_ EQ0278 (E3)</td><td>54</td><td>■1.000</td><td><code>\left[D_{\mu}^{\natural}, D_{\nu}^{\natural}\right] \varphi=\frac{1}{2} R^{\dagger a b}{ }_{\mu \nu} \Sigma_{a b} \varphi</code></td><td>$\left[D_{\mu}^{\natural}, D_{\nu}^{\natural}\right] \varphi=\frac{1}{2} R^{\dagger a b}{ }_{\mu \nu} \Sigma_{a b} \varphi,$</td><td>$[D_{\mu}^{\natural},D_{\nu}^{\natural}]\varphi=\tfrac{1}{2}R^{\dagger ab}{}_{\mu\nu}\Sigma_{ab}\varphi,$</td></tr>
<tr><td>1510.06699_ EQ0279 (E4)</td><td>54</td><td>■1.000</td><td><code>V_{\mu}^{\prime}=V_{\mu}+\theta P_{\mu}</code></td><td>$V_{\mu}^{\prime}=V_{\mu}+\theta P_{\mu},$</td><td>$V_{\mu}'=V_{\mu}+\theta P_{\mu},$</td></tr>
</table>