

0707.4470: equation evidence

Display equations

Identifier	Page	Conf.	LaTeX source	Rendered	Image
0707.4470_EQ0025	17	■ 0.382	$\begin{aligned} & F = E_x \mathrm{d}x \wedge \mathrm{d}t + E_y \mathrm{d}y \wedge \mathrm{d}t + E_z \mathrm{d}z \wedge \mathrm{d}t \\ & \quad + B_x \mathrm{d}y \wedge \mathrm{d}z + B_y \mathrm{d}z \wedge \mathrm{d}x + B_z \mathrm{d}x \wedge \mathrm{d}y, \end{aligned}$	$F = E_x \mathrm{d}x \wedge \mathrm{d}t + E_y \mathrm{d}y \wedge \mathrm{d}t + E_z \mathrm{d}z \wedge \mathrm{d}t \\ + B_x \mathrm{d}y \wedge \mathrm{d}z + B_y \mathrm{d}z \wedge \mathrm{d}x + B_z \mathrm{d}x \wedge \mathrm{d}y$	$F = E_x \mathrm{d}x \wedge \mathrm{d}t + E_y \mathrm{d}y \wedge \mathrm{d}t + E_z \mathrm{d}z \wedge \mathrm{d}t \\ + B_x \mathrm{d}y \wedge \mathrm{d}z + B_y \mathrm{d}z \wedge \mathrm{d}x + B_z \mathrm{d}x \wedge \mathrm{d}y,$
0707.4470_EQ0032	19	■ 0.582	$\begin{aligned} & \frac{\left(B_x \right _{k, l + \frac{1}{2}, m + \frac{1}{2}} - B_x \right _{k, l + \frac{1}{2}, m + \frac{1}{2}}}{\Delta t} = \\ & \frac{E_y \left _{k, l + \frac{1}{2}, m + 1}^{n + \frac{1}{2}} - E_y \right _{k, l + \frac{1}{2}, m}^{n + \frac{1}{2}}}{\Delta z} - \frac{E_z \left _{k, l + 1, m + \frac{1}{2}}^{n + \frac{1}{2}} - E_z \right _{k, l, m + \frac{1}{2}}^{n + \frac{1}{2}}}{\Delta y} \\ & \frac{B_y \left _{k + \frac{1}{2}, l, m + \frac{1}{2}}^{n + 1} - B_y \right _{k + \frac{1}{2}, l, m + \frac{1}{2}}^n}{\Delta t} = \\ & \frac{E_z \left _{k + 1, l, m + \frac{1}{2}}^{n + \frac{1}{2}} - E_z \right _{k, l, m + \frac{1}{2}}^{n + \frac{1}{2}}}{\Delta x} - \frac{E_x \left _{k + \frac{1}{2}, l, m + 1}^{n + \frac{1}{2}} - E_x \right _{k + \frac{1}{2}, l, m}^{n + \frac{1}{2}}}{\Delta z} \\ & \frac{B_z \left _{k + \frac{1}{2}, l + \frac{1}{2}, m}^{n + 1} - B_z \right _{k + \frac{1}{2}, l + \frac{1}{2}, m}^n}{\Delta t} = \\ & \frac{E_x \left _{k + \frac{1}{2}, l + 1, m}^{n + \frac{1}{2}} - E_x \right _{k + \frac{1}{2}, l, m}^{n + \frac{1}{2}}}{\Delta y} - \frac{E_y \left _{k + 1, l + \frac{1}{2}, m}^{n + \frac{1}{2}} - E_y \right _{k, l + \frac{1}{2}, m}^{n + \frac{1}{2}}}{\Delta x} \end{aligned}$	$\frac{B_x \left _{k, l + \frac{1}{2}, m + \frac{1}{2}}^{n + 1} - B_x \right _{k, l + \frac{1}{2}, m + \frac{1}{2}}^n}{\Delta t} =$ $\frac{E_y \left _{k, l + \frac{1}{2}, m + 1}^{n + \frac{1}{2}} - E_y \right _{k, l + \frac{1}{2}, m}^{n + \frac{1}{2}}}{\Delta z} - \frac{E_z \left _{k, l + 1, m + \frac{1}{2}}^{n + \frac{1}{2}} - E_z \right _{k, l, m + \frac{1}{2}}^{n + \frac{1}{2}}}{\Delta y}$ $\frac{B_y \left _{k + \frac{1}{2}, l, m + \frac{1}{2}}^{n + 1} - B_y \right _{k + \frac{1}{2}, l, m + \frac{1}{2}}^n}{\Delta t} =$ $\frac{E_z \left _{k + 1, l, m + \frac{1}{2}}^{n + \frac{1}{2}} - E_z \right _{k, l, m + \frac{1}{2}}^{n + \frac{1}{2}}}{\Delta x} - \frac{E_x \left _{k + \frac{1}{2}, l, m + 1}^{n + \frac{1}{2}} - E_x \right _{k + \frac{1}{2}, l, m}^{n + \frac{1}{2}}}{\Delta z}$ $\frac{B_z \left _{k + \frac{1}{2}, l + \frac{1}{2}, m}^{n + 1} - B_z \right _{k + \frac{1}{2}, l + \frac{1}{2}, m}^n}{\Delta t} =$ $\frac{E_x \left _{k + \frac{1}{2}, l + 1, m}^{n + \frac{1}{2}} - E_x \right _{k + \frac{1}{2}, l, m}^{n + \frac{1}{2}}}{\Delta y} - \frac{E_y \left _{k + 1, l + \frac{1}{2}, m}^{n + \frac{1}{2}} - E_y \right _{k, l + \frac{1}{2}, m}^{n + \frac{1}{2}}}{\Delta x}$	$\frac{B_x \left _{k, l + \frac{1}{2}, m + \frac{1}{2}}^{n + 1} - B_x \right _{k, l + \frac{1}{2}, m + \frac{1}{2}}^n}{\Delta t} =$ $\frac{E_y \left _{k, l + \frac{1}{2}, m + 1}^{n + \frac{1}{2}} - E_y \right _{k, l + \frac{1}{2}, m}^{n + \frac{1}{2}}}{\Delta z} - \frac{E_z \left _{k, l + 1, m + \frac{1}{2}}^{n + \frac{1}{2}} - E_z \right _{k, l, m + \frac{1}{2}}^{n + \frac{1}{2}}}{\Delta y}$ $\frac{B_y \left _{k + \frac{1}{2}, l, m + \frac{1}{2}}^{n + 1} - B_y \right _{k + \frac{1}{2}, l, m + \frac{1}{2}}^n}{\Delta t} =$ $\frac{E_z \left _{k + 1, l, m + \frac{1}{2}}^{n + \frac{1}{2}} - E_z \right _{k, l, m + \frac{1}{2}}^{n + \frac{1}{2}}}{\Delta x} - \frac{E_x \left _{k + \frac{1}{2}, l, m + 1}^{n + \frac{1}{2}} - E_x \right _{k + \frac{1}{2}, l, m}^{n + \frac{1}{2}}}{\Delta z}$ $\frac{B_z \left _{k + \frac{1}{2}, l + \frac{1}{2}, m}^{n + 1} - B_z \right _{k + \frac{1}{2}, l + \frac{1}{2}, m}^n}{\Delta t} =$ $\frac{E_x \left _{k + \frac{1}{2}, l + 1, m}^{n + \frac{1}{2}} - E_x \right _{k + \frac{1}{2}, l, m}^{n + \frac{1}{2}}}{\Delta y} - \frac{E_y \left _{k + 1, l + \frac{1}{2}, m}^{n + \frac{1}{2}} - E_y \right _{k, l + \frac{1}{2}, m}^{n + \frac{1}{2}}}{\Delta x}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
0707.4470_EQ0035	20	0.705	$\begin{aligned} & \frac{\left. D_x \right _{k+\frac{1}{2}, l, m} - \left. D_x \right _{k+\frac{1}{2}, l, m}^{n-\frac{1}{2}}}{\Delta t} = \\ & \frac{H_z _{k+\frac{1}{2}, l+\frac{1}{2}, m}^n - H_z _{k+\frac{1}{2}, l-\frac{1}{2}, m}^n}{\Delta y} - \frac{H_y _{k+\frac{1}{2}, l, m+\frac{1}{2}}^n - H_y _{k+\frac{1}{2}, l, m-\frac{1}{2}}^n}{\Delta z} - J_x _{k+\frac{1}{2}, l, m}^n \\ & \frac{\left. D_y \right _{k, l+\frac{1}{2}, m}^{n+\frac{1}{2}} - \left. D_y \right _{k, l+\frac{1}{2}, m}^{n-\frac{1}{2}}}{\Delta t} = \\ & \frac{H_x _{k, l+\frac{1}{2}, m+\frac{1}{2}}^n - H_x _{k, l+\frac{1}{2}, m-\frac{1}{2}}^n}{\Delta z} - \frac{H_z _{k+\frac{1}{2}, l+\frac{1}{2}, m}^n - H_z _{k-\frac{1}{2}, l+\frac{1}{2}, m}^n}{\Delta x} - J_y _{k, l+\frac{1}{2}, m}^n \\ & \frac{\left. D_z \right _{k, l, m+\frac{1}{2}}^{n+\frac{1}{2}} - \left. D_z \right _{k, l, m+\frac{1}{2}}^{n-\frac{1}{2}}}{\Delta t} = \\ & \frac{H_y _{k+\frac{1}{2}, l, m+\frac{1}{2}}^n - H_y _{k-\frac{1}{2}, l, m+\frac{1}{2}}^n}{\Delta x} - \frac{H_x _{k, l+\frac{1}{2}, m+\frac{1}{2}}^n - H_x _{k, l-\frac{1}{2}, m+\frac{1}{2}}^n}{\Delta y} - J_z _{k, l, m+\frac{1}{2}}^n \end{aligned}$	$\begin{aligned} & \frac{\left. D_x \right _{k+\frac{1}{2}, l, m}^{n+\frac{1}{2}} - \left. D_x \right _{k+\frac{1}{2}, l, m}^{n-\frac{1}{2}}}{\Delta t} = \\ & \frac{H_z _{k+\frac{1}{2}, l+\frac{1}{2}, m}^n - H_z _{k+\frac{1}{2}, l-\frac{1}{2}, m}^n}{\Delta y} - \frac{H_y _{k+\frac{1}{2}, l, m+\frac{1}{2}}^n - H_y _{k+\frac{1}{2}, l, m-\frac{1}{2}}^n}{\Delta z} - J_x _{k+\frac{1}{2}, l, m}^n \\ & \frac{\left. D_y \right _{k, l+\frac{1}{2}, m}^{n+\frac{1}{2}} - \left. D_y \right _{k, l+\frac{1}{2}, m}^{n-\frac{1}{2}}}{\Delta t} = \\ & \frac{H_x _{k, l+\frac{1}{2}, m+\frac{1}{2}}^n - H_x _{k, l+\frac{1}{2}, m-\frac{1}{2}}^n}{\Delta z} - \frac{H_z _{k+\frac{1}{2}, l+\frac{1}{2}, m}^n - H_z _{k-\frac{1}{2}, l+\frac{1}{2}, m}^n}{\Delta x} - J_y _{k, l+\frac{1}{2}, m}^n \\ & \frac{\left. D_z \right _{k, l, m+\frac{1}{2}}^{n+\frac{1}{2}} - \left. D_z \right _{k, l, m+\frac{1}{2}}^{n-\frac{1}{2}}}{\Delta t} = \\ & \frac{H_y _{k+\frac{1}{2}, l, m+\frac{1}{2}}^n - H_y _{k-\frac{1}{2}, l, m+\frac{1}{2}}^n}{\Delta x} - \frac{H_x _{k, l+\frac{1}{2}, m+\frac{1}{2}}^n - H_x _{k, l-\frac{1}{2}, m+\frac{1}{2}}^n}{\Delta y} - J_z _{k, l, m+\frac{1}{2}}^n \end{aligned}$	
0707.4470_EQ0020	12	0.761	$\int_{\sigma} \mathrm{d} \alpha = \int_{\partial \sigma} \alpha .$	$\int_{\sigma} \mathrm{d} \alpha = \int_{\partial \sigma} \alpha .$	$\int_{\sigma} \mathrm{d} \alpha = \int_{\partial \sigma} \alpha .$
0707.4470_EQ0009	7	0.764	$S[A]=\int_X \mathscr{L} \; .$	$S[A] = \int_X \mathscr{L} .$	$S[A] = \int_X \mathscr{L} .$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
0707.4470_E00030	18	■ 0.881	$\begin{aligned} & y \, z \, t \text{-face: } \& -\left(\left. E_y \right _{k, l+\frac{1}{2}, m+1}^{n+\frac{1}{2}} - \left. E_y \right _{k, l+\frac{1}{2}, m}^{n+\frac{1}{2}} \right) \Delta y \Delta t \\ & + \left(\left. E_z \right _{k, l+1, m+\frac{1}{2}}^{n+\frac{1}{2}} - \left. E_z \right _{k, l, m+\frac{1}{2}}^{n+\frac{1}{2}} \right) \Delta z \Delta t \\ & + \left(\left. B_x \right _{k, l+\frac{1}{2}, m+\frac{1}{2}}^{n+1} - \left. B_x \right _{k, l+\frac{1}{2}, m+\frac{1}{2}}^n \right) \Delta y \Delta z \end{aligned}$	$\begin{aligned} & yzt\text{-face: } - \left(\left. E_y \right _{k, l+\frac{1}{2}, m+1}^{n+\frac{1}{2}} - \left. E_y \right _{k, l+\frac{1}{2}, m}^{n+\frac{1}{2}} \right) \Delta y \Delta t \\ & + \left(\left. E_z \right _{k, l+1, m+\frac{1}{2}}^{n+\frac{1}{2}} - \left. E_z \right _{k, l, m+\frac{1}{2}}^{n+\frac{1}{2}} \right) \Delta z \Delta t \\ & + \left(\left. B_x \right _{k, l+\frac{1}{2}, m+\frac{1}{2}}^{n+1} - \left. B_x \right _{k, l+\frac{1}{2}, m+\frac{1}{2}}^n \right) \Delta y \Delta z \end{aligned}$	$\begin{aligned} yzt\text{-face: } & - \left(\left. E_y \right _{k, l+\frac{1}{2}, m+1}^{n+\frac{1}{2}} - \left. E_y \right _{k, l+\frac{1}{2}, m}^{n+\frac{1}{2}} \right) \Delta y \Delta t \\ & + \left(\left. E_z \right _{k, l+1, m+\frac{1}{2}}^{n+\frac{1}{2}} - \left. E_z \right _{k, l, m+\frac{1}{2}}^{n+\frac{1}{2}} \right) \Delta z \Delta t \\ & + \left(\left. B_x \right _{k, l+\frac{1}{2}, m+\frac{1}{2}}^{n+1} - \left. B_x \right _{k, l+\frac{1}{2}, m+\frac{1}{2}}^n \right) \Delta y \Delta z \end{aligned}$
0707.4470_E00058 (5.3)	32	■ 0.887	$\begin{aligned} & \mathbf{d}S[A] \cdot \alpha = \int_X (\mathbf{d}_t \alpha \wedge D - \mathbf{d}_s \alpha \wedge H \wedge \mathbf{d}t + \alpha \wedge J \wedge \mathbf{d}t) \\ & = \int_X \alpha \wedge (\mathbf{d}_t D - \mathbf{d}_s H \wedge \mathbf{d}t + J \wedge \mathbf{d}t) \end{aligned}$	$\begin{aligned} \mathbf{d}S[A] \cdot \alpha &= \int_X (\mathbf{d}_t \alpha \wedge D - \mathbf{d}_s \alpha \wedge H \wedge \mathbf{d}t + \alpha \wedge J \wedge \mathbf{d}t) \\ &= \int_X \alpha \wedge (\mathbf{d}_t D - \mathbf{d}_s H \wedge \mathbf{d}t + J \wedge \mathbf{d}t) \end{aligned}$	$\begin{aligned} \mathbf{d}S[A] \cdot \alpha &= \int_X (\mathbf{d}_t \alpha \wedge D - \mathbf{d}_s \alpha \wedge H \wedge \mathbf{d}t + \alpha \wedge J \wedge \mathbf{d}t) \\ &= \int_X \alpha \wedge (\mathbf{d}_t D - \mathbf{d}_s H \wedge \mathbf{d}t + J \wedge \mathbf{d}t) \end{aligned}$
0707.4470_E00059	32	■ 0.892	$\mathbf{d}S[A] \cdot \alpha = \int_{\Sigma} \alpha \wedge D \Big _{t_0}^{t_f},$	$\mathbf{d}S[A] \cdot \alpha = \int_{\Sigma} \alpha \wedge D \Big _{t_0}^{t_f},$	$\mathbf{d}S[A] \cdot \alpha = \int_{\Sigma} \alpha \wedge D \Big _{t_0}^{t_f},$
0707.4470_E00016 (2.5)	8	■ 0.911	$\begin{aligned} & \mathbf{d}S[A, F, G] \cdot (\alpha, \phi, \gamma) = \int_X [-\phi \wedge *F + \alpha \wedge \mathcal{J} + (\phi - \mathbf{d}\alpha) \wedge G + (F - \mathbf{d}A) \wedge \gamma] \\ & = \int_X [\alpha \wedge (\mathcal{J} - \mathbf{d}G) + \phi \wedge (G - *F) + (F - \mathbf{d}A) \wedge \gamma] \end{aligned}$	$\begin{aligned} \mathbf{d}S[A, F, G] \cdot (\alpha, \phi, \gamma) &= \int_X [-\phi \wedge *F + \alpha \wedge \mathcal{J} + (\phi - \mathbf{d}\alpha) \wedge G + (F - \mathbf{d}A) \wedge \gamma] \\ &= \int_X [\alpha \wedge (\mathcal{J} - \mathbf{d}G) + \phi \wedge (G - *F) + (F - \mathbf{d}A) \wedge \gamma] \end{aligned}$	$\begin{aligned} \mathbf{d}S[A, F, G] \cdot (\alpha, \phi, \gamma) &= \int_X [-\phi \wedge *F + \alpha \wedge \mathcal{J} + (\phi - \mathbf{d}\alpha) \wedge G + (F - \mathbf{d}A) \wedge \gamma] \\ &= \int_X [\alpha \wedge (\mathcal{J} - \mathbf{d}G) + \phi \wedge (G - *F) + (F - \mathbf{d}A) \wedge \gamma] \end{aligned}$
0707.4470_E00028	18	■ 0.937	$\begin{aligned} & xyt\text{-face: } - \left(\left. E_x \right _{k+\frac{1}{2}, l+1, m}^{n+\frac{1}{2}} - \left. E_x \right _{k+\frac{1}{2}, l, m}^{n+\frac{1}{2}} \right) \Delta x \Delta t \\ & + \left(\left. E_y \right _{k+1, l+\frac{1}{2}, m}^{n+\frac{1}{2}} - \left. E_y \right _{k, l+\frac{1}{2}, m}^{n+\frac{1}{2}} \right) \Delta y \Delta t \\ & + \left(\left. B_z \right _{k+\frac{1}{2}, l+\frac{1}{2}, m}^{n+1} - \left. B_z \right _{k+\frac{1}{2}, l+\frac{1}{2}, m}^n \right) \Delta x \Delta y \end{aligned}$	$\begin{aligned} xyt\text{-face: } & - \left(\left. E_x \right _{k+\frac{1}{2}, l+1, m}^{n+\frac{1}{2}} - \left. E_x \right _{k+\frac{1}{2}, l, m}^{n+\frac{1}{2}} \right) \Delta x \Delta t \\ & + \left(\left. E_y \right _{k+1, l+\frac{1}{2}, m}^{n+\frac{1}{2}} - \left. E_y \right _{k, l+\frac{1}{2}, m}^{n+\frac{1}{2}} \right) \Delta y \Delta t \\ & + \left(\left. B_z \right _{k+\frac{1}{2}, l+\frac{1}{2}, m}^{n+1} - \left. B_z \right _{k+\frac{1}{2}, l+\frac{1}{2}, m}^n \right) \Delta x \Delta y \end{aligned}$	$\begin{aligned} xyt\text{-face: } & - \left(\left. E_x \right _{k+\frac{1}{2}, l+1, m}^{n+\frac{1}{2}} - \left. E_x \right _{k+\frac{1}{2}, l, m}^{n+\frac{1}{2}} \right) \Delta x \Delta t \\ & + \left(\left. E_y \right _{k+1, l+\frac{1}{2}, m}^{n+\frac{1}{2}} - \left. E_y \right _{k, l+\frac{1}{2}, m}^{n+\frac{1}{2}} \right) \Delta y \Delta t \\ & + \left(\left. B_z \right _{k+\frac{1}{2}, l+\frac{1}{2}, m}^{n+1} - \left. B_z \right _{k+\frac{1}{2}, l+\frac{1}{2}, m}^n \right) \Delta x \Delta y \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
0707.4470_ E00036 (4.2)	20	■ 0.951	$\begin{aligned} & \frac{\left. D_x \right _{k+\frac{1}{2},l,m} - \left. D_x \right _{k-\frac{1}{2},l,m}}{\Delta x} + \frac{\left. D_y \right _{k,l+\frac{1}{2},m} - \left. D_y \right _{k,l-\frac{1}{2},m}}{\Delta y} \\ & + \frac{\left. D_z \right _{k,l,m+\frac{1}{2}} - \left. D_z \right _{k,l,m-\frac{1}{2}}}{\Delta z} = \rho _{k,l,m} . \end{aligned}$	$\frac{D_x _{k+\frac{1}{2},l,m} - D_x _{k-\frac{1}{2},l,m}}{\Delta x} + \frac{D_y _{k,l+\frac{1}{2},m} - D_y _{k,l-\frac{1}{2},m}}{\Delta y} + \frac{D_z _{k,l,m+\frac{1}{2}} - D_z _{k,l,m-\frac{1}{2}}}{\Delta z} = \rho _{k,l,m} .$	$\frac{D_x _{k+\frac{1}{2},l,m} - D_x _{k-\frac{1}{2},l,m}}{\Delta x} + \frac{D_y _{k,l+\frac{1}{2},m} - D_y _{k,l-\frac{1}{2},m}}{\Delta y} + \frac{D_z _{k,l,m+\frac{1}{2}} - D_z _{k,l,m-\frac{1}{2}}}{\Delta z} = \rho _{k,l,m} .$
0707.4470_E00023	13	■ 0.955	$\begin{aligned} (\alpha, \beta) &= \sum_{\sigma^k} \kappa(\sigma) \binom{n}{k} \frac{ \mathrm{CH}(\sigma, * \sigma) }{ \sigma ^2} \langle \alpha, \sigma \rangle \langle \beta, \sigma \rangle \\ &= \sum_{\sigma^k} \kappa(\sigma) \frac{ * \sigma }{ \sigma } \langle \alpha, \sigma \rangle \langle \beta, \sigma \rangle \end{aligned}$	$\begin{aligned} (\alpha, \beta) &= \sum_{\sigma^k} \kappa(\sigma) \binom{n}{k} \frac{ \mathrm{CH}(\sigma, * \sigma) }{ \sigma ^2} \langle \alpha, \sigma \rangle \langle \beta, \sigma \rangle \\ &= \sum_{\sigma^k} \kappa(\sigma) \frac{ * \sigma }{ \sigma } \langle \alpha, \sigma \rangle \langle \beta, \sigma \rangle \end{aligned}$	$\begin{aligned} (\alpha, \beta) &= \sum_{\sigma^k} \kappa(\sigma) \binom{n}{k} \frac{ \mathrm{CH}(\sigma, * \sigma) }{ \sigma ^2} \langle \alpha, \sigma \rangle \langle \beta, \sigma \rangle \\ &= \sum_{\sigma^k} \kappa(\sigma) \frac{ * \sigma }{ \sigma } \langle \alpha, \sigma \rangle \langle \beta, \sigma \rangle \end{aligned}$
0707.4470_E00008	7	■ 0.963	$\mathrm{d} \mathscr{L} = - \frac{1}{2} \mathrm{d} A \wedge * \mathrm{d} A + A \wedge \mathscr{J} ,$	$\mathcal{L} = -\frac{1}{2} \mathrm{d} A \wedge * \mathrm{d} A + A \wedge \mathscr{J} ,$	$\mathcal{L} = -\frac{1}{2} \mathrm{d} A \wedge * \mathrm{d} A + A \wedge \mathscr{J} ,$
0707.4470_ E00012 (2.3)	8	■ 0.982	$\begin{aligned} \mathrm{d} F &= 0 \\ \mathrm{d} G &= \mathscr{J} \end{aligned}$	$\begin{aligned} \mathrm{d} F &= 0 \\ \mathrm{d} G &= \mathscr{J} \end{aligned}$	$\begin{aligned} \mathrm{d} F &= 0 \\ \mathrm{d} G &= \mathscr{J} \end{aligned}$
0707.4470_E00060	32	■ 0.982	$\mathbf{d} S[A] \cdot \mathrm{d}_s f = \int_{\Sigma} \mathrm{d}_s f \wedge D \Big _{t_0}^{t_f} = - \int_{\Sigma} f \wedge \mathrm{d}_s D \Big _{t_0}^{t_f}$	$\mathbf{d} S[A] \cdot \mathrm{d}_s f = \int_{\Sigma} \mathrm{d}_s f \wedge D \Big _{t_0}^{t_f} = - \int_{\Sigma} f \wedge \mathrm{d}_s D \Big _{t_0}^{t_f}$	$\mathbf{d} S[A] \cdot \mathrm{d}_s f = \int_{\Sigma} \mathrm{d}_s f \wedge D \Big _{t_0}^{t_f} = - \int_{\Sigma} f \wedge \mathrm{d}_s D \Big _{t_0}^{t_f}$
0707.4470_ E00046 (4.4)	24	■ 0.988	$\frac{D_e^{m+1/2} - D_e^{m-1/2}}{t_e^{m+1/2} - t_e^{m-1/2}} = \mathbf{d}_1^T \left(H_{\sigma}^n \mathbb{K} \{ t_{\sigma}^n = t_e^m \} \right) - J_e^m ,$	$\frac{D_e^{m+1/2} - D_e^{m-1/2}}{t_e^{m+1/2} - t_e^{m-1/2}} = \mathbf{d}_1^T \left(H_{\sigma}^n \mathbb{K} \{ t_{\sigma}^n = t_e^m \} \right) - J_e^m ,$	$\frac{D_e^{m+1/2} - D_e^{m-1/2}}{t_e^{m+1/2} - t_e^{m-1/2}} = \mathbf{d}_1^T \left(H_{\sigma}^n \mathbb{K} \{ t_{\sigma}^n = t_e^m \} \right) - J_e^m ,$
0707.4470_E00002	6	■ 0.996	$\oint_C \mathbf{E} \cdot \mathrm{d} \mathbf{l} = - \frac{\mathrm{d}}{\mathrm{d} t} \int_S \mathbf{B} \cdot \mathrm{d} \mathbf{A} ,$	$\oint_C \mathbf{E} \cdot \mathrm{d} \mathbf{l} = - \frac{\mathrm{d}}{\mathrm{d} t} \int_S \mathbf{B} \cdot \mathrm{d} \mathbf{A} ,$	$\oint_C \mathbf{E} \cdot \mathrm{d} \mathbf{l} = - \frac{\mathrm{d}}{\mathrm{d} t} \int_S \mathbf{B} \cdot \mathrm{d} \mathbf{A} ,$
0707.4470_ E00013 (2.4)	8	■ 0.996	$\begin{aligned} \nabla \times \mathbf{E} + \partial_t \mathbf{B} &= 0 \\ \nabla \cdot \mathbf{B} &= 0 . \end{aligned}$	$\begin{aligned} \nabla \times \mathbf{E} + \partial_t \mathbf{B} &= 0 \\ \nabla \cdot \mathbf{B} &= 0 . \end{aligned}$	$\begin{aligned} \nabla \times \mathbf{E} + \partial_t \mathbf{B} &= 0 \\ \nabla \cdot \mathbf{B} &= 0 . \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
0707.4470_EQ0001	5	■ 0.997	$\begin{aligned} & E=E_{\{x\}} \mathrm{\scriptsize~d} x+E_{\{y\}} \mathrm{\scriptsize~d} y+E_{\{z\}} \mathrm{\scriptsize~d} z \\ & B=B_x \mathrm{\scriptsize~d} y \wedge \mathrm{\scriptsize~d} z+B_y \mathrm{\scriptsize~d} z \wedge \mathrm{\scriptsize~d} x+B_z \mathrm{\scriptsize~d} x \wedge \mathrm{\scriptsize~d} y \end{aligned}$		$E=E_x \mathrm{d} x+E_y \mathrm{d} y+E_z \mathrm{d} z$ $B=B_x \mathrm{d} y \wedge \mathrm{d} z+B_y \mathrm{d} z \wedge \mathrm{d} x+B_z \mathrm{d} x \wedge \mathrm{d} y,$
0707.4470_EQ0047	29	■ 0.997	$\mathrm{\scriptsize~d} L=-\frac{1}{2} \mathrm{\scriptsize~d} A \wedge * \mathrm{\scriptsize~d} A+A \wedge \mathscr{J},$	$\mathcal{L}_d=-\frac{1}{2} \mathrm{d} A \wedge * \mathrm{d} A+A \wedge \mathscr{J},$	$\mathcal{L}_d=-\frac{1}{2} \mathrm{d} A \wedge * \mathrm{d} A+A \wedge \mathscr{J},$
0707.4470_EQ0015 (2.7)	8	■ 0.999	$S[A, F, G]=\int_X \left[-\frac{1}{2} F \wedge * F+A \wedge \mathscr{J}+(F-\mathrm{d} A) \wedge G\right].$	$S[A, F, G]=\int_X \left[-\frac{1}{2} F \wedge * F+A \wedge \mathscr{J}+(F-\mathrm{d} A) \wedge G\right].$	$S[A, F, G]=\int_X \left[-\frac{1}{2} F \wedge * F+A \wedge \mathscr{J}+(F-\mathrm{d} A) \wedge G\right].$
0707.4470_EQ0010	7	■ 1.000	$\begin{aligned} & \mathrm{\scriptsize~d} S[A] \cdot \alpha=\left. \frac{\mathrm{d}}{\mathrm{d} \epsilon} S[A+\epsilon \alpha]\right _{\epsilon=0} \\ & =\int_X(-\mathrm{d} \alpha \wedge * \mathrm{d} A+\alpha \wedge \mathscr{J}) \\ & =\int_X \alpha \wedge(-\mathrm{d} * \mathrm{d} A+\mathscr{J}), \end{aligned}$	$\begin{aligned} \mathrm{d} S[A] \cdot \alpha & =\left. \frac{\mathrm{d}}{\mathrm{d} \epsilon} S[A+\epsilon \alpha]\right _{\epsilon=0} \\ & =\int_X(-\mathrm{d} \alpha \wedge * \mathrm{d} A+\alpha \wedge \mathscr{J}) \\ & =\int_X \alpha \wedge(-\mathrm{d} * \mathrm{d} A+\mathscr{J}), \end{aligned}$	$\begin{aligned} \mathrm{d} S[A] \cdot \alpha & =\left. \frac{\mathrm{d}}{\mathrm{d} \epsilon} S[A+\epsilon \alpha]\right _{\epsilon=0} \\ & =\int_X(-\mathrm{d} \alpha \wedge * \mathrm{d} A+\alpha \wedge \mathscr{J}) \\ & =\int_X \alpha \wedge(-\mathrm{d} * \mathrm{d} A+\mathscr{J}), \end{aligned}$
0707.4470_EQ0033 (4.1)	19	■ 1.000	$\begin{aligned} & \frac{\left(B_x\right)_{k+1, l+\frac{1}{2}, m+\frac{1}{2}}-\left(B_x\right)_{k, l+\frac{1}{2}, m+\frac{1}{2}}}{\Delta x}+\frac{\left(B_y\right)_{k+\frac{1}{2}, l+1, m+\frac{1}{2}}-\left(B_y\right)_{k+\frac{1}{2}, l, m+\frac{1}{2}}}{\Delta y} \\ & +\frac{\left(B_z\right)_{k+\frac{1}{2}, l+\frac{1}{2}, m+1}-\left(B_z\right)_{k+\frac{1}{2}, l+\frac{1}{2}, m}}{\Delta z}=0 . \end{aligned}$	$\frac{\left(B_x\right)_{k+1, l+\frac{1}{2}, m+\frac{1}{2}}-\left(B_x\right)_{k, l+\frac{1}{2}, m+\frac{1}{2}}}{\Delta x}+\frac{\left(B_y\right)_{k+\frac{1}{2}, l+1, m+\frac{1}{2}}-\left(B_y\right)_{k+\frac{1}{2}, l, m+\frac{1}{2}}}{\Delta y}+\frac{\left(B_z\right)_{k+\frac{1}{2}, l+\frac{1}{2}, m+1}-\left(B_z\right)_{k+\frac{1}{2}, l+\frac{1}{2}, m}}{\Delta z}=0.$	$\frac{\left(B_x\right)_{k+1, l+\frac{1}{2}, m+\frac{1}{2}}-\left(B_x\right)_{k, l+\frac{1}{2}, m+\frac{1}{2}}}{\Delta x}+\frac{\left(B_y\right)_{k+\frac{1}{2}, l+1, m+\frac{1}{2}}-\left(B_y\right)_{k+\frac{1}{2}, l, m+\frac{1}{2}}}{\Delta y}+\frac{\left(B_z\right)_{k+\frac{1}{2}, l+\frac{1}{2}, m+1}-\left(B_z\right)_{k+\frac{1}{2}, l+\frac{1}{2}, m}}{\Delta z}=0.$
0707.4470_EQ0049	29	■ 1.000	$\mathrm{\scriptsize~d} S_{\{d\}}[A] \cdot \alpha=\langle-\mathrm{d} \alpha \wedge * \mathrm{d} A+\alpha \wedge \mathscr{J}, K\rangle=\langle\alpha \wedge(-\mathrm{d} * \mathrm{d} A+\mathscr{J}), K\rangle.$	$\mathrm{d} S_d[A] \cdot \alpha=\langle-\mathrm{d} \alpha \wedge * \mathrm{d} A+\alpha \wedge \mathscr{J}, K\rangle=\langle\alpha \wedge(-\mathrm{d} * \mathrm{d} A+\mathscr{J}), K\rangle.$	$\mathrm{d} S_d[A] \cdot \alpha=\langle-\mathrm{d} \alpha \wedge * \mathrm{d} A+\alpha \wedge \mathscr{J}, K\rangle=\langle\alpha \wedge(-\mathrm{d} * \mathrm{d} A+\mathscr{J}), K\rangle.$
0707.4470_EQ0050	30	■ 1.000	$\mathrm{\scriptsize~d} S_{\{d\}}[A] \cdot \alpha=\langle\alpha \wedge(-\mathrm{d} * \mathrm{d} A+\mathscr{J}), K\rangle+\langle\alpha \wedge * d A, \partial K\rangle.$	$\mathrm{d} S_d[A] \cdot \alpha=\langle\alpha \wedge(-\mathrm{d} * \mathrm{d} A+\mathscr{J}), K\rangle+\langle\alpha \wedge * d A, \partial K\rangle.$	$\mathrm{d} S_d[A] \cdot \alpha=\langle\alpha \wedge(-\mathrm{d} * \mathrm{d} A+\mathscr{J}), K\rangle+\langle\alpha \wedge * d A, \partial K\rangle.$
0707.4470_EQ0003	6	■ 1.000	$\oint_C \mathbf{H} \cdot \mathrm{d} \mathbf{l}=\frac{\mathrm{d}}{\mathrm{d} t} \int_S \mathbf{D} \cdot \mathrm{d} \mathbf{A},$	$\oint_C \mathbf{H} \cdot \mathrm{d} \mathbf{l}=\frac{\mathrm{d}}{\mathrm{d} t} \int_S \mathbf{D} \cdot \mathrm{d} \mathbf{A},$	$\oint_C \mathbf{H} \cdot \mathrm{d} \mathbf{l}=\frac{\mathrm{d}}{\mathrm{d} t} \int_S \mathbf{D} \cdot \mathrm{d} \mathbf{A},$
0707.4470_EQ0004	6	■ 1.000	$\mathbf{D}=\epsilon \mathbf{E}, \quad \mathbf{B}=\mu \mathbf{H}.$	$\mathbf{D}=\epsilon \mathbf{E}, \quad \mathbf{B}=\mu \mathbf{H}.$	$\mathbf{D}=\epsilon \mathbf{E}, \quad \mathbf{B}=\mu \mathbf{H}.$
0707.4470_EQ0005	6	■ 1.000	$F=E \wedge \mathrm{d} t+B.$	$F=E \wedge \mathrm{d} t+B.$	$F=E \wedge \mathrm{d} t+B.$
0707.4470_EQ0006	7	■ 1.000	$G=* F=H \wedge \mathrm{d} t-D,$	$G=* F=H \wedge \mathrm{d} t-D,$	$G=* F=H \wedge \mathrm{d} t-D,$
0707.4470_EQ0007	7	■ 1.000	$\mathscr{J}=J \wedge \mathrm{d} t-\rho.$	$\mathscr{J}=J \wedge \mathrm{d} t-\rho.$	$\mathscr{J}=J \wedge \mathrm{d} t-\rho.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
0707.4470_ EQ0011 (2.1)	7	■ 1.000	$\mathrm{d} \ * \ \mathrm{d} A = \mathscr{J} \ .$	$\mathrm{d} \ast \ \mathrm{d} A = \mathscr{J} \ .$	$\mathrm{d} \ast \mathrm{d} A = \mathscr{J} \ .$
0707.4470_ EQ0014 (2.6)	8	■ 1.000	$\begin{aligned} \nabla \times \mathbf{H} - \partial_t \mathbf{D} &= \mathbf{J} \\ \nabla \cdot \mathbf{D} &= \rho. \end{aligned}$	$\nabla \times \mathbf{H} - \partial_t \mathbf{D} = \mathbf{J}$ $\nabla \cdot \mathbf{D} = \rho.$	$\nabla \times \mathbf{H} - \partial_t \mathbf{D} = \mathbf{J}$ $\nabla \cdot \mathbf{D} = \rho.$
0707.4470_ EQ0017 (2.2)	8	■ 1.000	$\mathrm{d} G = \mathscr{J}, \quad \mathrm{d} G = \ast F, \quad F = \mathrm{d} A.$	$\mathrm{d} G = \mathscr{J}, \quad G = \ast F, \quad F = \mathrm{d} A.$	$\mathrm{d} G = \mathscr{J}, \quad G = \ast F, \quad F = \mathrm{d} A.$
0707.4470_EQ0018	9	■ 1.000	$\partial_t (\nabla \cdot \mathbf{B}) = 0, \quad \partial_t (\nabla \cdot \mathbf{D}) + \nabla \cdot \mathbf{J} = \partial_t (\nabla \cdot \mathbf{D} - \rho) = 0.$	$\partial_t (\nabla \cdot \mathbf{B}) = 0, \quad \partial_t (\nabla \cdot \mathbf{D}) + \nabla \cdot \mathbf{J} = \partial_t (\nabla \cdot \mathbf{D} - \rho) = 0.$	$\partial_t (\nabla \cdot \mathbf{B}) = 0, \quad \partial_t (\nabla \cdot \mathbf{D}) + \nabla \cdot \mathbf{J} = \partial_t (\nabla \cdot \mathbf{D} - \rho) = 0.$
0707.4470_EQ0019	12	■ 1.000	$\langle \alpha, \sigma \rangle \equiv \int_{\sigma} \alpha.$	$\langle \alpha, \sigma \rangle \equiv \int_{\sigma} \alpha.$	$\langle \alpha, \sigma \rangle \equiv \int_{\sigma} \alpha.$
0707.4470_EQ0021	12	■ 1.000	$\langle \mathrm{d} \alpha, \sigma \rangle = \langle \alpha, \partial \sigma \rangle,$	$\langle \mathrm{d} \alpha, \sigma \rangle = \langle \alpha, \partial \sigma \rangle,$	$\langle \mathrm{d} \alpha, \sigma \rangle = \langle \alpha, \partial \sigma \rangle,$
0707.4470_EQ0022	13	■ 1.000	$\frac{1}{ \ast \sigma } \langle \ast \alpha, \ast \sigma \rangle = \kappa(\sigma) \frac{1}{ \sigma } \langle \alpha, \sigma \rangle,$	$\frac{1}{ \ast \sigma } \langle \ast \alpha, \ast \sigma \rangle = \kappa(\sigma) \frac{1}{ \sigma } \langle \alpha, \sigma \rangle,$	$\frac{1}{ \ast \sigma } \langle \ast \alpha, \ast \sigma \rangle = \kappa(\sigma) \frac{1}{ \sigma } \langle \alpha, \sigma \rangle,$
0707.4470_ EQ0024 (3.1)	16	■ 1.000	$(\mathrm{d} \alpha, \beta) = (\alpha, \delta \beta) + \langle \alpha \wedge \ast \beta, \partial K \rangle.$	$(\mathrm{d} \alpha, \beta) = (\alpha, \delta \beta) + \langle \alpha \wedge \ast \beta, \partial K \rangle.$	$(\mathrm{d} \alpha, \beta) = (\alpha, \delta \beta) + \langle \alpha \wedge \ast \beta, \partial K \rangle.$
0707.4470_EQ0027	18	■ 1.000	$\mathrm{d} F = 0, \quad \mathrm{d} G = \mathscr{J},$	$\mathrm{d} F = 0, \quad \mathrm{d} G = \mathscr{J},$	$\mathrm{d} F = 0, \quad \mathrm{d} G = \mathscr{J},$
0707.4470_EQ0034	19	■ 1.000	$\partial_t \mathbf{B} = -\nabla \times \mathbf{E}, \quad \nabla \cdot \mathbf{B} = 0.$	$\partial_t \mathbf{B} = -\nabla \times \mathbf{E}, \quad \nabla \cdot \mathbf{B} = 0.$	$\partial_t \mathbf{B} = -\nabla \times \mathbf{E}, \quad \nabla \cdot \mathbf{B} = 0.$
0707.4470_EQ0037	20	■ 1.000	$\partial_t \mathbf{D} = \nabla \times \mathbf{H} - \mathbf{J}, \quad \nabla \cdot \mathbf{D} = \rho.$	$\partial_t \mathbf{D} = \nabla \times \mathbf{H} - \mathbf{J}, \quad \nabla \cdot \mathbf{D} = \rho.$	$\partial_t \mathbf{D} = \nabla \times \mathbf{H} - \mathbf{J}, \quad \nabla \cdot \mathbf{D} = \rho.$
0707.4470_EQ0038	21	■ 1.000	$F = E \wedge \mathrm{d} t + B.$	$F = E \wedge \mathrm{d} t + B.$	$F = E \wedge \mathrm{d} t + B.$
0707.4470_EQ0039	22	■ 1.000	$\frac{B^{n+1} - B^n}{\Delta t} = -\mathrm{d}_1 E^{n+1/2}.$	$\frac{B^{n+1} - B^n}{\Delta t} = -\mathrm{d}_1 E^{n+1/2}.$	$\frac{B^{n+1} - B^n}{\Delta t} = -\mathrm{d}_1 E^{n+1/2}.$
0707.4470_EQ0040	22	■ 1.000	$\frac{D^{n+1/2} - D^{n-1/2}}{\Delta t} = \mathrm{d}_1^T H^n - J^n.$	$\frac{D^{n+1/2} - D^{n-1/2}}{\Delta t} = \mathrm{d}_1^T H^n - J^n.$	$\frac{D^{n+1/2} - D^{n-1/2}}{\Delta t} = \mathrm{d}_1^T H^n - J^n.$
0707.4470_EQ0041	23	■ 1.000	$\Theta_{\sigma} = \{t_{\sigma}^0 < \dots < t_{\sigma}^{N_{\sigma}}\}.$	$\Theta_{\sigma} = \{t_{\sigma}^0 < \dots < t_{\sigma}^{N_{\sigma}}\}.$	$\Theta_{\sigma} = \{t_{\sigma}^0 < \dots < t_{\sigma}^{N_{\sigma}}\}.$
0707.4470_EQ0042	23	■ 1.000	$\Theta_e = \bigcup_{\sigma \ni e} \Theta_{\sigma} = \{t_e^0 \leq \dots \leq t_e^{N_e}\}.$	$\Theta_e = \bigcup_{\sigma \ni e} \Theta_{\sigma} = \{t_e^0 \leq \dots \leq t_e^{N_e}\}.$	$\Theta_e = \bigcup_{\sigma \ni e} \Theta_{\sigma} = \{t_e^0 \leq \dots \leq t_e^{N_e}\}.$
0707.4470_EQ0043	23	■ 1.000	$\Theta'_e = \{t_e^{1/2} \leq \dots \leq t_e^{N_e-1/2}\},$	$\Theta'_e = \{t_e^{1/2} \leq \dots \leq t_e^{N_e-1/2}\},$	$\Theta'_e = \{t_e^{1/2} \leq \dots \leq t_e^{N_e-1/2}\},$
0707.4470_EQ0044	24	■ 1.000	$\Theta_{\ast \sigma} = \Theta_{\sigma}, \quad \Theta_{\ast e} = \Theta_e.$	$\Theta_{\ast \sigma} = \Theta_{\sigma}, \quad \Theta_{\ast e} = \Theta_e.$	$\Theta_{\ast \sigma} = \Theta_{\sigma}, \quad \Theta_{\ast e} = \Theta_e.$
0707.4470_ EQ0045 (4.3)	24	■ 1.000	$\frac{B_{\sigma}^{n+1} - B_{\sigma}^n}{t_{\sigma}^{n+1} - t_{\sigma}^n} = -\mathrm{d}_1 \sum \left\{ E_e^{m+1/2} : t_{\sigma}^n < t_e^{m+1/2} < t_{\sigma}^{n+1} \right\}.$	$\frac{B_{\sigma}^{n+1} - B_{\sigma}^n}{t_{\sigma}^{n+1} - t_{\sigma}^n} = -\mathrm{d}_1 \sum \left\{ E_e^{m+1/2} : t_{\sigma}^n < t_e^{m+1/2} < t_{\sigma}^{n+1} \right\}.$	$\frac{B_{\sigma}^{n+1} - B_{\sigma}^n}{t_{\sigma}^{n+1} - t_{\sigma}^n} = -\mathrm{d}_1 \sum \left\{ E_e^{m+1/2} : t_{\sigma}^n < t_e^{m+1/2} < t_{\sigma}^{n+1} \right\}.$
0707.4470_EQ0048	29	■ 1.000	$S_d[A] = \langle \mathscr{L}_d, K \rangle.$	$S_d[A] = \langle \mathscr{L}_d, K \rangle.$	$S_d[A] = \langle \mathscr{L}_d, K \rangle.$
0707.4470_ EQ0051 (5.1)	30	■ 1.000	$\mathrm{d} S_d(A) \cdot \alpha = \langle \alpha \wedge \ast \mathrm{d} A, \partial K \rangle$	$\mathrm{d} S_d(A) \cdot \alpha = \langle \alpha \wedge \ast \mathrm{d} A, \partial K \rangle$	$\mathrm{d} S_d(A) \cdot \alpha = \langle \alpha \wedge \ast \mathrm{d} A, \partial K \rangle$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
0707.4470_E00052	30	■ 1.000	$\theta_{\mathrm{d}}\{\mathscr{L}\}_{\mathrm{d}}\cdot\alpha=\alpha\wedge*\mathrm{d}A$.	$\theta_{\mathcal{L}_d}\cdot\alpha=\alpha\wedge*\mathrm{d}A.$	$\theta_{\mathcal{L}_d}\cdot\alpha=\alpha\wedge*\mathrm{d}A.$
0707.4470_E00053	30	■ 1.000	$\mathbf{d}^2S_d[A]\cdot\alpha\cdot\beta=\langle\mathbf{d}\theta\cdot\alpha\cdot\beta,\partial K\rangle$.	$\mathbf{d}^2S_d[A]\cdot\alpha\cdot\beta=\langle\mathbf{d}\theta\cdot\alpha\cdot\beta,\partial K\rangle.$	$\mathbf{d}^2S_d[A]\cdot\alpha\cdot\beta=\langle\mathbf{d}\theta\cdot\alpha\cdot\beta,\partial K\rangle.$
0707.4470_E00054 (5.2)	30	■ 1.000	$\left\langle\omega_{\mathscr{L}_d}\cdot\alpha\cdot\beta,\partial K\right\rangle=0$	$\langle\omega_{\mathcal{L}_d}\cdot\alpha\cdot\beta,\partial K\rangle=0$	$\langle\omega_{\mathcal{L}_d}\cdot\alpha\cdot\beta,\partial K\rangle=0$
0707.4470_E00055	31	■ 1.000	$A=A_x\mathrm{d}x+A_y\mathrm{d}y+A_z\mathrm{d}z$.	$A=A_x\mathrm{d}x+A_y\mathrm{d}y+A_z\mathrm{d}z.$	$A=A_x\mathrm{d}x+A_y\mathrm{d}y+A_z\mathrm{d}z.$
0707.4470_E00056	32	■ 1.000	$\mathrm{d}_tA=E\wedge\mathrm{d}t,\quad\mathrm{d}_sA=B$.	$\mathrm{d}_tA=E\wedge\mathrm{d}t,\quad\mathrm{d}_sA=B.$	$\mathrm{d}_tA=E\wedge\mathrm{d}t,\quad\mathrm{d}_sA=B.$
0707.4470_E00057	32	■ 1.000	$\begin{aligned}\mathscr{L}&=-\frac{1}{2}\left(\mathrm{d}_tA+\mathrm{d}_sA\right)\wedge*\left(\mathrm{d}_tA+\mathrm{d}_sA\right)+A\wedge\mathscr{J}\\&=-\frac{1}{2}\left(\mathrm{d}_tA\wedge*\mathrm{d}_tA+\mathrm{d}_sA\wedge*\mathrm{d}_sA\right)+A\wedge J\wedge\mathrm{d}t\end{aligned}$	$\mathcal{L}=-\frac{1}{2}\left(\mathrm{d}_tA+\mathrm{d}_sA\right)\wedge*\left(\mathrm{d}_tA+\mathrm{d}_sA\right)+A\wedge\mathscr{J}\\=-\frac{1}{2}\left(\mathrm{d}_tA\wedge*\mathrm{d}_tA+\mathrm{d}_sA\wedge*\mathrm{d}_sA\right)+A\wedge J\wedge\mathrm{d}t$	$\mathcal{L}=-\frac{1}{2}\left(\mathrm{d}_tA+\mathrm{d}_sA\right)\wedge*\left(\mathrm{d}_tA+\mathrm{d}_sA\right)+A\wedge\mathscr{J}\\=-\frac{1}{2}\left(\mathrm{d}_tA\wedge*\mathrm{d}_tA+\mathrm{d}_sA\wedge*\mathrm{d}_sA\right)+A\wedge J\wedge\mathrm{d}t$
0707.4470_E00061	32	■ 1.000	$\mathbf{d}S[A]\cdot\mathrm{d}_sf=\int_X\mathrm{d}_sf\wedge J\wedge\mathrm{d}t=-\int_Xf\wedge\mathrm{d}_sJ\wedge\mathrm{d}t=-\int_Xf\wedge\mathrm{d}_t\rho=-\int_\Sigma f\wedge\rho\Big _{t_0}^{t_f}.$	$\mathbf{d}S[A]\cdot\mathrm{d}_sf=\int_X\mathrm{d}_sf\wedge J\wedge\mathrm{d}t=-\int_Xf\wedge\mathrm{d}_sJ\wedge\mathrm{d}t=-\int_Xf\wedge\mathrm{d}_t\rho=-\int_\Sigma f\wedge\rho\Big _{t_0}^{t_f}.$	$\mathbf{d}S[A]\cdot\mathrm{d}_sf=\int_X\mathrm{d}_sf\wedge J\wedge\mathrm{d}t=-\int_Xf\wedge\mathrm{d}_sJ\wedge\mathrm{d}t=-\int_Xf\wedge\mathrm{d}_t\rho=-\int_\Sigma f\wedge\rho\Big _{t_0}^{t_f}.$
0707.4470_E00062	33	■ 1.000	$\left.\left(\mathrm{d}_sD-\rho\right)\right _{t_0}^{t_f}=0$.	$(\mathrm{d}_sD-\rho) _{t_0}^{t_f}=0.$	$(\mathrm{d}_sD-\rho) _{t_0}^{t_f}=0.$