

Tables

Identifier	Page	Conf.	LaTeX source	Rendered	Image
Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_TAB_001	55	—	<pre> \begin{tabular}[t]{ l l } \hline \multicolumn{2}{ l }{Gravitational gauge field variables} \\ \hline \begin{tabular}[t]{ l l } \hline (h_{\mu}) & translational gauge field (h-field) \\ \hline (b^a_{\mu}) & determinant of h_a{}^{\mu} \\ \hline (A^ab_{\mu}) & inverse h-field \\ \hline (B_{\mu}) & rotational gauge field (A-field) \\ \hline (V_{\mu}) & WGT dilational gauge field (B-field) \\ \hline A^{\dagger ab}_{\mu} \equiv A^{ab}_{\mu} + 2\eta^{c[a}b^b]_{\mu} h_c{}^{\nu} V_{\nu} & eWGT dilational gauge field (V-field) \\ \hline \end{tabular} & eWGT extended rotational gauge field (A^{\dagger}-field) \\ \hline \end{tabular} Derivative operators D_a \equiv h_a{}^{\mu} D_{\mu} \equiv h_a{}^{\mu} (\partial_{\mu} + \tfrac{1}{2} A^{ab}_{\mu} \Sigma_{ab}) \partial^a_{\mu} \equiv \partial_{\mu} + w B_{\mu} D^a_{\mu} \equiv h_a{}^{\nu} D^a_{\nu} \equiv h_a{}^{\nu} (\partial^a_{\nu} + \tfrac{1}{2} A^{ab}_{\nu} \Sigma_{ab}) \partial^{\dagger a}_{\mu} \equiv \partial_{\mu} - w (V_{\mu} + \tfrac{1}{3} T_{\nu}) D^{\dagger a}_{\mu} \equiv h_a{}^{\nu} D^{\dagger a}_{\nu} \equiv h_a{}^{\nu} (\partial^{\dagger a}_{\nu} + \tfrac{1}{2} A^{\dagger ab}_{\nu} \Sigma_{ab}) D^2_a \equiv h_a{}^{\mu} D^2_{\mu} \equiv h_a{}^{\mu} (\partial_{\mu} + \tfrac{1}{2} A^{\dagger ab}_{\mu} \Sigma_{ab}) Gauge field strengths \mathcal{R}^{ab}_{cd} = \mathcal{R}^{*ab}_{cd} = 2h_a{}^{\mu} h_b{}^{\nu} (\partial_{[\mu} A^{ab}_{\nu]} + A^a{}_{c[\mu} A^{cb}_{\nu]}) \mathcal{R}^{\dagger ab}_{cd} = 2h_a{}^{\mu} h_b{}^{\nu} (\partial_{[\mu} A^{\dagger ab}_{\nu]} + A^{\dagger a}{}_{c[\mu} A^{\dagger cb}_{\nu]}) T^a{}_{bc} = 2h_b{}^{\mu} h_c{}^{\nu} D_{[\mu} b^a{}_{\nu]} T^{*a}{}_{bc} = 2h_b{}^{\mu} h_c{}^{\nu} D^a_{[\mu} b^a{}_{\nu]} T^{\dagger a}{}_{bc} = 2h_b{}^{\mu} h_c{}^{\nu} D^{\dagger a}_{[\mu} b^a{}_{\nu]} T^3{}_{bc} = 2h_b{}^{\mu} h_c{}^{\nu} D^3_{[\mu} b^a{}_{\nu]} \mathcal{H}_{ab} = 2h_a{}^{\mu} h_b{}^{\nu} \partial_{[\mu} B_{\nu]} \mathcal{H}^{\dagger}_{ab} = 2h_a{}^{\mu} h_b{}^{\nu} \partial_{[\mu} (V_{\nu} + \tfrac{1}{3} T_{\nu]}) Reduced A-fields and related quantities c^a{}_{bc} \equiv 2h_b{}^{\mu} h_c{}^{\nu} \partial_{[\mu} b^a{}_{\nu]} c^{*a}{}_{bc} \equiv 2h_b{}^{\mu} h_c{}^{\nu} \partial^a_{[\mu} b^a{}_{\nu]} c^{\dagger a}{}_{bc} \equiv 2h_b{}^{\mu} h_c{}^{\nu} \partial^{\dagger a}_{[\mu} b^a{}_{\nu]} {}^0A^{ab}_{\mu} \equiv \tfrac{1}{2} b^c{}_{\mu} (c^{ab}{}_c + c^b{}_c{}^a - c_c{}^{ab}) {}^0A^{*ab}_{\mu} \equiv \tfrac{1}{2} b^c{}_{\mu} (c^{*ab}{}_c + c^{*b}{}_c{}^a - c_c{}^{*ab}) {}^0A^{\dagger ab}_{\mu} \equiv \tfrac{1}{2} b^c{}_{\mu} (c^{\dagger ab}{}_c + c^{\dagger b}{}_c{}^a - c_c{}^{\dagger ab}) Currents and related quantities \mathcal{L} \equiv h^{-1} L t^a{}_b \equiv t^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_G / \delta h_a{}^{\mu} s_{ab}{}^c \equiv s_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_G / \delta A^{ab}_{\mu} j^a \equiv j^a{} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_G / \delta B_{\mu} t^{\dagger a}{}_b \equiv t^a{}_b + 2(s_{cb}{}^a V^c - s^{ac}{}_c V_b) j^{\dagger a} \equiv j^a - 2s^{ab}{}_b \tau^a{}_b \equiv \tau^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_M / \delta h_a{}^{\mu} \sigma_{ab}{}^c \equiv \sigma_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_M / \delta A^{ab}_{\mu} \zeta^a \equiv \zeta^a{} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_M / \delta B_{\mu} \tau^{\dagger a}{}_b \equiv \tau^a{}_b + 2(\sigma_{cb}{}^a V^c - \sigma^{ac}{}_c V_b) \zeta^{\dagger a} \equiv \zeta^a - 2s^{ab}{}_b Lagrangian Lagrangian density gravitational sector energy-momentum tensor^c gravitational sector spin-angular-momentum tensor^c gravitational sector dilation current^c gravitational sector eWGT covariant energy-momentum tensor^c gravitational sector eWGT covariant dilation current^c matter sector energy-momentum tensor^c matter sector spin-angular-momentum tensor^c matter sector dilation current^c gravitational sector eWGT covariant energy-momentum tensor^c gravitational sector eWGT covariant dilation current^c </pre>		

Identifier	Page	Conf.	LaTeX source	Rendered	Image						
1510.06699_TAB_004	55	—	$\begin{tabular}[t]{l}{ l } \hline \mathcal{R}^{\wedge\{a\}b\{ \}_c\,d}=\mathcal{R}^{\wedge\{*\,a\}b\{ \}_c\,d}=2\,h_{\{a\}\{ \}^{\wedge\{\mu\}}}\,h_{\{b\}\{ \}^{\wedge\{\nu\}}}\,\left(\partial_{[\mu}A^{\{a\}b\{ \}_{\nu]}}+A^a{}_{c[\mu}A^{cb}{}_{\nu]}\right) \mathcal{R}^{\wedge\{\dagger a\}b\{ \}_c\,d}=2\,h_{\{a\}\{ \}^{\wedge\{\mu\}}}\,h_{\{b\}\{ \}^{\wedge\{\nu\}}}\,\left(\partial_{[\mu}A^{\{\dagger a\}b\{ \}_{\nu]}}+A^{\dagger a}{}_{c[\mu}A^{\dagger cb}{}_{\nu]}\right) \mathcal{T}^a{}_{bc}=2h_b{}^\mu h_c{}^\nu D_{[\mu}b^a{}_{\nu]} \mathcal{T}^{*a}{}_{bc}=2h_b{}^\mu h_c{}^\nu D_{[\mu}^*b^a{}_{\nu]} \mathcal{T}^{\dagger a}{}_{bc}=2h_b{}^\mu h_c{}^\nu D_{[\mu}^{\dagger}b^a{}_{\nu]} \mathcal{T}^{\mathfrak{a}a}{}_{bc}=2h_b{}^\mu h_c{}^\nu D_{[\mu}^{\mathfrak{a}}b^a{}_{\nu]} \mathcal{H}_{ab}=2h_a{}^\mu h_b{}^\nu \partial_{[\mu}B_{\nu]} \mathcal{H}^{\dagger}{}_{ab}=2h_a{}^\mu h_b{}^\nu \partial_{[\mu}(V_{\nu}+\tfrac{1}{3}T_{\nu]}) \end{tabular}$	$\mathcal{R}^{ab}_{cd} = \mathcal{R}^{*ab}_{cd} = 2h_a{}^\mu h_b{}^\nu (\partial_{[\mu} A^{ab}{}_{\nu]} + A^a{}_{c[\mu} A^{cb}{}_{\nu]})$ $\mathcal{R}^{\dagger ab}_{cd} = 2h_a{}^\mu h_b{}^\nu (\partial_{[\mu} A^{\dagger ab}{}_{\nu]} + A^{\dagger a}{}_{c[\mu} A^{\dagger cb}{}_{\nu]})$ $\mathcal{T}^a{}_{bc} = 2h_b{}^\mu h_c{}^\nu D_{[\mu} b^a{}_{\nu]}$ $\mathcal{T}^{*a}{}_{bc} = 2h_b{}^\mu h_c{}^\nu D_{[\mu}^* b^a{}_{\nu]}$ $\mathcal{T}^{\dagger a}{}_{bc} = 2h_b{}^\mu h_c{}^\nu D_{[\mu}^{\dagger} b^a{}_{\nu]}$ $\mathcal{T}^{\mathfrak{a}a}{}_{bc} = 2h_b{}^\mu h_c{}^\nu D_{[\mu}^{\mathfrak{a}} b^a{}_{\nu]}$ $\mathcal{H}_{ab} = 2h_a{}^\mu h_b{}^\nu \partial_{[\mu} B_{\nu]}$ $\mathcal{H}^{\dagger}{}_{ab} = 2h_a{}^\mu h_b{}^\nu \partial_{[\mu} (V_{\nu} + \tfrac{1}{3} T_{\nu]})$							
1510.06699_TAB_005	55	—	$\begin{tabular}[t]{l}{ l } \hline (c^{\{a\}\{ \}_b\,c}\equiv 2\,h_{\{b\}\{ \}^{\wedge\{\mu\}}}\,h_{\{c\}\{ \}^{\wedge\{\nu\}}}\,\partial_{[\mu}b^a{}_{\nu]}\{ \}_{\nu]}\backslash)\backslash\hline (c^{\{*\,a\}\{ \}_b\,c}\equiv 2\,h_{\{b\}\{ \}^{\wedge\{\mu\}}}\,h_{\{c\}\{ \}^{\wedge\{\nu\}}}\,\partial_{[\mu}b^a{}_{\nu]}\{ \}_{\nu]}\backslash)\backslash\hline (c^{\{\dagger a\}\{ \}_b\,c}\equiv 2\,h_{\{b\}\{ \}^{\wedge\{\mu\}}}\,h_{\{c\}\{ \}^{\wedge\{\nu\}}}\,\partial_{[\mu}^{\dagger}b^a{}_{\nu]}\{ \}_{\nu]}\backslash)\backslash\hline (\{ \}^{\wedge\{0\}}A^{\{a\}b\{ \}_{\mu}}\equiv \tfrac{1}{2}b^c{}_{\mu}(c^{ab}{}_c+c^b{}^a{}_c-c_c{}^{ab}) \{ \}^{\wedge\{\mu\}}A^{*ab}{}_{\mu}\equiv \tfrac{1}{2}b^c{}_{\mu}(c^{*ab}{}_c+c^{*b}{}^a{}_c-c_c{}^{*ab}) \{ \}^{\wedge\{\mu\}}A^{\dagger ab}{}_{\mu}\equiv \tfrac{1}{2}b^c{}_{\mu}(c^{\dagger ab}{}_c+c^{\dagger b}{}^a{}_c-c_c{}^{\dagger ab}) \end{tabular}$	<table><tr><td>$c^a{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu} b^a{}_{\nu]}$</td></tr><tr><td>$c^{*a}{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu}^* b^a{}_{\nu]}$</td></tr><tr><td>$c^{\dagger a}{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu}^{\dagger} b^a{}_{\nu]}$</td></tr><tr><td>${}^0A^{ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{ab}{}_c + c^b{}^a{}_c - c_c{}^{ab})$</td></tr><tr><td>${}^0A^{*ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{*ab}{}_c + c^{*b}{}^a{}_c - c_c{}^{*ab})$</td></tr><tr><td>${}^0A^{\dagger ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{\dagger ab}{}_c + c^{\dagger b}{}^a{}_c - c_c{}^{\dagger ab})$</td></tr></table>	$c^a{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu} b^a{}_{\nu]}$	$c^{*a}{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu}^* b^a{}_{\nu]}$	$c^{\dagger a}{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu}^{\dagger} b^a{}_{\nu]}$	${}^0A^{ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{ab}{}_c + c^b{}^a{}_c - c_c{}^{ab})$	${}^0A^{*ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{*ab}{}_c + c^{*b}{}^a{}_c - c_c{}^{*ab})$	${}^0A^{\dagger ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{\dagger ab}{}_c + c^{\dagger b}{}^a{}_c - c_c{}^{\dagger ab})$	$c^a{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu} b^a{}_{\nu]}$ $c^{*a}{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu}^* b^a{}_{\nu]}$ $c^{\dagger a}{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu}^{\dagger} b^a{}_{\nu]}$ ${}^0A^{ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{ab}{}_c + c^b{}^a{}_c - c_c{}^{ab})$ ${}^0A^{*ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{*ab}{}_c + c^{*b}{}^a{}_c - c_c{}^{*ab})$ ${}^0A^{\dagger ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{\dagger ab}{}_c + c^{\dagger b}{}^a{}_c - c_c{}^{\dagger ab})$
$c^a{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu} b^a{}_{\nu]}$											
$c^{*a}{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu}^* b^a{}_{\nu]}$											
$c^{\dagger a}{}_{bc} \equiv 2h_b{}^\mu h_c{}^\nu \partial_{[\mu}^{\dagger} b^a{}_{\nu]}$											
${}^0A^{ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{ab}{}_c + c^b{}^a{}_c - c_c{}^{ab})$											
${}^0A^{*ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{*ab}{}_c + c^{*b}{}^a{}_c - c_c{}^{*ab})$											
${}^0A^{\dagger ab}{}_{\mu} \equiv \tfrac{1}{2}b^c{}_{\mu} (c^{\dagger ab}{}_c + c^{\dagger b}{}^a{}_c - c_c{}^{\dagger ab})$											

Identifier	Page	Conf.	LaTeX source	Rendered	Image												
1510.06699_TAB_006	55	—	$\begin{tabular}[t]{ l } \hline \mathcal{L} \equiv h^{-1} L \\ \equiv t^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_G / \delta h_a{}^{\mu} \\ s_{ab}{}^c \equiv s_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_G / \delta A^{ab}{}_{\mu} \\ j^a \equiv j^{\mu} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_G / \delta B_{\mu} \\ t^{\dagger a}{}_b \equiv t^a{}_b + 2(s_{cb}{}^a \mathcal{V}^c - s^{ac}{}_c \mathcal{V}_b) \\ j^{\dagger a} \equiv j^a - 2s^{ab}{}_b \\ \tau^a{}_b \equiv \tau^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_M / \delta h_a{}^{\mu} \\ \sigma_{ab}{}^c \equiv \sigma_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_M / \delta A^{ab}{}_{\mu} \\ \zeta^a \equiv \zeta^{\mu} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_M / \delta B_{\mu} \\ \tau^{\dagger a}{}_b \equiv \tau^a{}_b + 2(\sigma_{cb}{}^a \mathcal{V}^c - \sigma^{ac}{}_c \mathcal{V}_b) \\ \zeta^{\dagger a} \equiv \zeta^a - 2s^{ab}{}_b \end{tabular}$	<table><tr><td>L</td></tr><tr><td>$\mathcal{L} \equiv h^{-1} L$</td></tr><tr><td>$t^a{}_b \equiv t^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_G / \delta h_a{}^{\mu}$</td></tr><tr><td>$s_{ab}{}^c \equiv s_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_G / \delta A^{ab}{}_{\mu}$</td></tr><tr><td>$j^a \equiv j^{\mu} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_G / \delta B_{\mu}$</td></tr><tr><td>$t^{\dagger a}{}_b \equiv t^a{}_b + 2(s_{cb}{}^a \mathcal{V}^c - s^{ac}{}_c \mathcal{V}_b)$</td></tr><tr><td>$j^{\dagger a} \equiv j^a - 2s^{ab}{}_b$</td></tr><tr><td>$\tau^a{}_b \equiv \tau^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_M / \delta h_a{}^{\mu}$</td></tr><tr><td>$\sigma_{ab}{}^c \equiv \sigma_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_M / \delta A^{ab}{}_{\mu}$</td></tr><tr><td>$\zeta^a \equiv \zeta^{\mu} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_M / \delta B_{\mu}$</td></tr><tr><td>$\tau^{\dagger a}{}_b \equiv \tau^a{}_b + 2(\sigma_{cb}{}^a \mathcal{V}^c - \sigma^{ac}{}_c \mathcal{V}_b)$</td></tr><tr><td>$\zeta^{\dagger a} \equiv \zeta^a - 2s^{ab}{}_b$</td></tr></table>	L	$\mathcal{L} \equiv h^{-1} L$	$t^a{}_b \equiv t^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_G / \delta h_a{}^{\mu}$	$s_{ab}{}^c \equiv s_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_G / \delta A^{ab}{}_{\mu}$	$j^a \equiv j^{\mu} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_G / \delta B_{\mu}$	$t^{\dagger a}{}_b \equiv t^a{}_b + 2(s_{cb}{}^a \mathcal{V}^c - s^{ac}{}_c \mathcal{V}_b)$	$j^{\dagger a} \equiv j^a - 2s^{ab}{}_b$	$\tau^a{}_b \equiv \tau^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_M / \delta h_a{}^{\mu}$	$\sigma_{ab}{}^c \equiv \sigma_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_M / \delta A^{ab}{}_{\mu}$	$\zeta^a \equiv \zeta^{\mu} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_M / \delta B_{\mu}$	$\tau^{\dagger a}{}_b \equiv \tau^a{}_b + 2(\sigma_{cb}{}^a \mathcal{V}^c - \sigma^{ac}{}_c \mathcal{V}_b)$	$\zeta^{\dagger a} \equiv \zeta^a - 2s^{ab}{}_b$	$\begin{aligned} L \\ \mathcal{L} &\equiv h^{-1} L \\ t^a{}_b &\equiv t^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_G / \delta h_a{}^{\mu} \\ s_{ab}{}^c &\equiv s_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_G / \delta A^{ab}{}_{\mu} \\ j^a &\equiv j^{\mu} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_G / \delta B_{\mu} \\ t^{\dagger a}{}_b &\equiv t^a{}_b + 2(s_{cb}{}^a \mathcal{V}^c - s^{ac}{}_c \mathcal{V}_b) \\ j^{\dagger a} &\equiv j^a - 2s^{ab}{}_b \\ \tau^a{}_b &\equiv \tau^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_M / \delta h_a{}^{\mu} \\ \sigma_{ab}{}^c &\equiv \sigma_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_M / \delta A^{ab}{}_{\mu} \\ \zeta^a &\equiv \zeta^{\mu} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_M / \delta B_{\mu} \\ \tau^{\dagger a}{}_b &\equiv \tau^a{}_b + 2(\sigma_{cb}{}^a \mathcal{V}^c - \sigma^{ac}{}_c \mathcal{V}_b) \\ \zeta^{\dagger a} &\equiv \zeta^a - 2s^{ab}{}_b \end{aligned}$
L																	
$\mathcal{L} \equiv h^{-1} L$																	
$t^a{}_b \equiv t^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_G / \delta h_a{}^{\mu}$																	
$s_{ab}{}^c \equiv s_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_G / \delta A^{ab}{}_{\mu}$																	
$j^a \equiv j^{\mu} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_G / \delta B_{\mu}$																	
$t^{\dagger a}{}_b \equiv t^a{}_b + 2(s_{cb}{}^a \mathcal{V}^c - s^{ac}{}_c \mathcal{V}_b)$																	
$j^{\dagger a} \equiv j^a - 2s^{ab}{}_b$																	
$\tau^a{}_b \equiv \tau^a{}_{\mu} h_b{}^{\mu} \equiv h_b{}^{\mu} \delta \mathcal{L}_M / \delta h_a{}^{\mu}$																	
$\sigma_{ab}{}^c \equiv \sigma_{ab}{}^{\mu} b^c{}_{\mu} \equiv b^c{}_{\mu} \delta \mathcal{L}_M / \delta A^{ab}{}_{\mu}$																	
$\zeta^a \equiv \zeta^{\mu} b^a{}_{\mu} \equiv b^a{}_{\mu} \delta \mathcal{L}_M / \delta B_{\mu}$																	
$\tau^{\dagger a}{}_b \equiv \tau^a{}_b + 2(\sigma_{cb}{}^a \mathcal{V}^c - \sigma^{ac}{}_c \mathcal{V}_b)$																	
$\zeta^{\dagger a} \equiv \zeta^a - 2s^{ab}{}_b$																	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_TAB_007	—	—	\begin{tabular}{ll} {\em Gravitational gauge field variables} & \\\ \${h_a}^{\mu}\$ & translational gauge field (\$h\$-field) \\\ \$h\$ & determinant of \${h_a}^{\mu}\$ \\\ \${b^a}_{\mu}\$ & inverse \$h\$-field \\\ \${A^{\dagger}ab}_{\mu}\$ & rotational gauge field (\$A\$-field) \\\ \$B_{\mu}\$ & WGT dilational gauge field (\$B\$-field) \\\ \$V_{\mu}\$ & eWGT dilational gauge field (\$V\$-field) \\\ \${A^{\dagger}ab}_{\mu} \equiv {A^{\dagger}ab}_{\mu} + 2\eta^{ca}{b^b}_{\mu}\$ & \\\ \$\nu V_{\nu}\$ & eWGT extended rotational gauge field (\$A^{\dagger}\$-field) \\\ & \\\ {\em Derivative operators} & \\\ \$\mathcal{D}_a \equiv {h_a}^{\mu} D_{\mu} \equiv {h_a}^{\mu} (\partial_{\mu} + \frac{1}{2}{A^{\dagger}ab}_{\mu}\Sigma_{ab})\$ & \\\ PGT (generalised) covariant derivative\footnotemark[1] \\\ \$\partial^{\ast}_{\mu} \equiv \partial_{\mu} + wB_{\mu}\$ & \\\ WGT 'augmented' partial derivative \\\ \$\mathcal{D}^{\ast}_a \equiv {h_a}^{\mu} D^{\ast}_{\mu} \equiv {h_a}^{\mu} (\partial^{\ast}_{\mu} + \frac{1}{2}{A^{\dagger}ab}_{\mu}\Sigma_{ab})\$ & \\\ WGT (generalised) covariant derivative\footnotemark[1] \\\ \$\partial^{\dagger}_{\mu} \equiv \partial_{\mu} - w(V_{\mu} + \frac{1}{3}T_{\mu})\$ & \\\ eWGT 'augmented' partial derivative \\\ \$\mathcal{D}^{\dagger}_a \equiv {h_a}^{\mu} D^{\dagger}_{\mu} \equiv {h_a}^{\mu} (\partial^{\dagger}_{\mu} + \frac{1}{2}{A^{\dagger}ab}_{\mu}\Sigma_{ab})\$ & \\\ eWGT (generalised) covariant derivative\footnotemark[1] \\\ \$\mathcal{D}^{\natural}_a \equiv {h_a}^{\mu} D^{\natural}_{\mu} \equiv {h_a}^{\mu} (\partial_{\mu} + \frac{1}{2}{A^{\dagger}ab}_{\mu}\Sigma_{ab})\$ & \\\ eWGT (generalised) semi-covariant derivative\footnotemark[1] \\\ & \\\ {\em Gauge field strengths} & \\\ \$\mathcal{R}^{\dagger}_{ab} = \mathcal{R}^{\dagger}_{ab} - \partial^{\ast}ab = 2{h_a}^{\mu}{h_b}^{\nu}(\partial_{\mu}{b^a}_{\nu}) + {A^a}_{c\mu}{A^{\dagger}cb}_{\nu})\$ & \\\ PGT and WGT rotational gauge field strength\footnotemark[1], \\\ \footnotemark[2] \\\ \$\mathcal{R}^{\dagger\dagger}_{ab} = 2{h_a}^{\mu}{h_b}^{\nu}(\partial_{\mu}{A^{\dagger}ab}_{\nu}) + {A^{\dagger}a}_{c\mu}{A^{\dagger}cb}_{\nu})\$ & \\\ eWGT rotational gauge field strength\footnotemark[1], \\\ \footnotemark[2] \\\ \$\mathcal{T}^a_{bc} = 2{h_b}^{\mu}{h_c}^{\nu}D_{\mu}{b^a}_{\nu})\$ & \\\ PGT translational gauge field strength\footnotemark[2] \\\ \$\mathcal{T}^{\dagger}_{bc} = 2{h_b}^{\mu}{h_c}^{\nu}D^{\ast}_{\mu}{b^a}_{\nu})\$ & \\\ WGT translational gauge field strength \\\ \footnotemark[2] \\\ \$\mathcal{T}^{\dagger\dagger}_{bc} = 2{h_b}^{\mu}{h_c}^{\nu}D^{\dagger}_{\mu}{b^a}_{\nu})\$ & \\\ eWGT translational gauge field strength\footnotemark[2] \\\ \ \\\ \$\mathcal{T}^{\natural}_a = 2{h_b}^{\mu}{h_c}^{\nu}D^{\natural}_{\mu}{b^a}_{\nu})\$ & \\\ eWGT translational gauge 'semi' field strength\footnotemark[1], \\\ \footnotemark[2] \\\ \$\mathcal{H}_{ab} = 2{h_a}^{\mu}{h_b}^{\nu}\partial_{\mu}{b^a}_{\nu})\$ & \\\ WGT dilational gauge field strength \\\ \$\mathcal{H}^{\dagger}_{ab} = 2{h_a}^{\mu}{h_b}^{\nu}\partial_{\mu}(V_{\nu} + \frac{1}{3}T_{\nu})\$ & \\\ eWGT dilational gauge field strength \\\ & \\\ {\em Reduced \$A\$-fields and related quantities} & \\\ \$c^a_{bc} \equiv 2{h_b}^{\mu}{h_c}^{\nu}\partial_{\mu}{b^a}_{\nu})\$ & \\\ PGT Ricci rotation coefficients \\\ \$c^{\ast}_{abc} \equiv {h_c}^{\nu}\partial^{\ast}_{\mu}{b^a}_{\nu})\$ & \\\ WGT Ricci rotation coefficients \\\ \$c^{\dagger}_{abc} \equiv {h_c}^{\nu}\partial^{\dagger}_{\mu}{b^a}_{\nu})\$ & \\\ eWGT Ricci rotation coefficients \\\ \${}^0A^{\dagger}_{ab}_{\mu} \equiv \frac{1}{2}{b^c}_{\mu}(c^{\dagger}_{ab}_c + {c^b}_c{}^a - {c_c}^{\dagger}{}^ab)\$ & \\\ PGT reduced \$A\$-field (when \$\mathcal{T}^a_{bc} \equiv 0\$) \\\ \$\mathcal{T}^a_{bc} \equiv 0\$) \\\ & \\\ WGT reduced \$A\$-field (when \$\mathcal{T}^{\ast}_{abc} \equiv 0\$) \\\ & \\\ \${}^0A^{\dagger\dagger}_{ab}_{\mu} \equiv \frac{1}{2}{b^c}_{\mu}\$	(not rendered)	—

Identifier	Page	Conf.	LaTeX source	Rendered	Image
------------	------	-------	--------------	----------	-------