

fong-spivak-invitation: table evidence

Tables

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																																								
fong-spivak-invitation-TAB_001	28	0.972	$\begin{tabular}{t}{ l l l }\hline \text{Arrow } \backslash(a\backslash) \text{ \& source } \backslash(s(a) \in V\backslash) \text{ \& target } \backslash(t(a) \in V\backslash) \\\hline \backslash(a\backslash) \text{ \& } 1 \text{ \& } ? \\\hline \backslash(b\backslash) \text{ \& } 1 \text{ \& } 3 \\\hline \backslash(c\backslash) \text{ \& } ? \text{ \& } ? \\\hline d \text{ \& } ? \text{ \& } ? \\\hline \backslash(e\backslash) \text{ \& } ? \text{ \& } ? \\\hline \end{tabular}$	<table><tr><th>Arrow a</th><th>source $s(a) \in V$</th><th>target $t(a) \in V$</th></tr><tr><td>a</td><td>1</td><td>?</td></tr><tr><td>b</td><td>1</td><td>3</td></tr><tr><td>c</td><td>?</td><td>?</td></tr><tr><td>d</td><td>?</td><td>?</td></tr><tr><td>e</td><td>?</td><td>?</td></tr></table>	Arrow a	source $s(a) \in V$	target $t(a) \in V$	a	1	?	b	1	3	c	?	?	d	?	?	e	?	?	<table><tr><th>Arrow a</th><th>source $s(a) \in V$</th><th>target $t(a) \in V$</th></tr><tr><td>a</td><td>1</td><td>?</td></tr><tr><td>b</td><td>1</td><td>3</td></tr><tr><td>c</td><td>?</td><td>?</td></tr><tr><td>d</td><td>?</td><td>?</td></tr><tr><td>e</td><td>?</td><td>?</td></tr></table>	Arrow a	source $s(a) \in V$	target $t(a) \in V$	a	1	?	b	1	3	c	?	?	d	?	?	e	?	?																																				
Arrow a	source $s(a) \in V$	target $t(a) \in V$																																																																											
a	1	?																																																																											
b	1	3																																																																											
c	?	?																																																																											
d	?	?																																																																											
e	?	?																																																																											
Arrow a	source $s(a) \in V$	target $t(a) \in V$																																																																											
a	1	?																																																																											
b	1	3																																																																											
c	?	?																																																																											
d	?	?																																																																											
e	?	?																																																																											
fong-spivak-invitation-TAB_002	65	1.000	$\begin{tabular}{t}{ l l l l l l }\hline \backslash(\wedge\backslash) \text{ \& false \& true \& } * \text{ \& } 0 \text{ \& } 1 \\\hline \text{false \& false \& false \& } 0 \text{ \& } 0 \text{ \& } 0 \\\hline \text{true \& false \& true \& } 1 \text{ \& } 0 \text{ \& } 1 \\\hline \end{tabular}$	<table><tr><th>$\wedge$</th><th>false</th><th>true</th><th>*</th><th>0</th><th>1</th></tr><tr><td>false</td><td>false</td><td>false</td><td>0</td><td>0</td><td>0</td></tr><tr><td>true</td><td>false</td><td>true</td><td>1</td><td>0</td><td>1</td></tr></table>	$\wedge$	false	true	*	0	1	false	false	false	0	0	0	true	false	true	1	0	1	<table><tr><th>$\wedge$</th><th>false</th><th>true</th><th>*</th><th>0</th><th>1</th></tr><tr><td>false</td><td>false</td><td>false</td><td>0</td><td>0</td><td>0</td></tr><tr><td>true</td><td>false</td><td>true</td><td>1</td><td>0</td><td>1</td></tr></table>	$\wedge$	false	true	*	0	1	false	false	false	0	0	0	true	false	true	1	0	1																																				
$\wedge$	false	true	*	0	1																																																																								
false	false	false	0	0	0																																																																								
true	false	true	1	0	1																																																																								
$\wedge$	false	true	*	0	1																																																																								
false	false	false	0	0	0																																																																								
true	false	true	1	0	1																																																																								
fong-spivak-invitation-TAB_003	66	1.000	$\begin{tabular}{t}{ l l l l }\hline v \text{ \& false \& true } \\\hline \text{false \& false \& true } \\\hline \text{true \& true \& true } \\\hline \end{tabular}$	<table><tr><th>v</th><th>false</th><th>true</th></tr><tr><td>false</td><td>false</td><td>true</td></tr><tr><td>true</td><td>true</td><td>true</td></tr></table>	v	false	true	false	false	true	true	true	true	<table><tr><th>$\vee$</th><th>false</th><th>true</th></tr><tr><td>false</td><td>false</td><td>true</td></tr><tr><td>true</td><td>true</td><td>true</td></tr></table>	$\vee$	false	true	false	false	true	true	true	true																																																						
v	false	true																																																																											
false	false	true																																																																											
true	true	true																																																																											
$\vee$	false	true																																																																											
false	false	true																																																																											
true	true	true																																																																											
fong-spivak-invitation-TAB_004	66	1.000	$\begin{tabular}{t}{ l l l l }\hline \text{max \& } 0 \text{ \& } 1 \\\hline 0 \text{ \& } 0 \text{ \& } 1 \\\hline 1 \text{ \& } 1 \text{ \& } 1 \\\hline \end{tabular}$	<table><tr><th>max</th><th>0</th><th>1</th></tr><tr><td>0</td><td>0</td><td>1</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table>	max	0	1	0	0	1	1	1	1	<table><tr><th>max</th><th>0</th><th>1</th></tr><tr><td>0</td><td>0</td><td>1</td></tr><tr><td>1</td><td>1</td><td>1</td></tr></table>	max	0	1	0	0	1	1	1	1																																																						
max	0	1																																																																											
0	0	1																																																																											
1	1	1																																																																											
max	0	1																																																																											
0	0	1																																																																											
1	1	1																																																																											
fong-spivak-invitation-TAB_005	66	1.000	$\begin{tabular}{t}{ l l l l l }\hline \text{min \& no \& maybe \& yes } \\\hline \text{no \& } ? \text{ \& } ? \text{ \& } ? \\\hline \text{maybe \& } ? \text{ \& } ? \text{ \& } ? \\\hline \text{yes \& } ? \text{ \& } ? \text{ \& } ? \\\hline \end{tabular}$	<table><tr><th>min</th><th>no</th><th>maybe</th><th>yes</th></tr><tr><td>no</td><td>?</td><td>?</td><td>?</td></tr><tr><td>maybe</td><td>?</td><td>?</td><td>?</td></tr><tr><td>yes</td><td>?</td><td>?</td><td>?</td></tr></table>	min	no	maybe	yes	no	?	?	?	maybe	?	?	?	yes	?	?	?	<table><tr><th>min</th><th>no</th><th>maybe</th><th>yes</th></tr><tr><td>no</td><td>?</td><td>?</td><td>?</td></tr><tr><td>maybe</td><td>?</td><td>?</td><td>?</td></tr><tr><td>yes</td><td>?</td><td>?</td><td>?</td></tr></table>	min	no	maybe	yes	no	?	?	?	maybe	?	?	?	yes	?	?	?																																								
min	no	maybe	yes																																																																										
no	?	?	?																																																																										
maybe	?	?	?																																																																										
yes	?	?	?																																																																										
min	no	maybe	yes																																																																										
no	?	?	?																																																																										
maybe	?	?	?																																																																										
yes	?	?	?																																																																										
fong-spivak-invitation-TAB_006	71	0.289	$\begin{tabular}{t}{ l l l l l l }\hline \backslash(\leq\backslash). \text{ \& } \backslash(p\backslash) \text{ \& } \backslash(q\backslash) \text{ \& } \backslash(r\backslash) \text{ \& } \backslash(s\backslash) \text{ \& } \backslash(t\backslash) \\\hline \text{true \& true \& true \& true \& true } \\\hline \backslash(q\backslash) \text{ \& false \& true \& false \& true } \\\hline \backslash(r\backslash) \text{ \& false \& true \& true \& true } \\\hline \backslash(s\backslash) \text{ \& false \& false \& true \& true } \\\hline \backslash(t\backslash) \text{ \& false \& false \& false \& true } \\\hline \end{tabular}$	<table><tr><th>$\leq.$</th><th>p</th><th>q</th><th>r</th><th>s</th><th>t</th></tr><tr><td>p</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr><tr><td>q</td><td>false</td><td>true</td><td>false</td><td>true</td><td>true</td></tr><tr><td>r</td><td>false</td><td>false</td><td>true</td><td>true</td><td>true</td></tr><tr><td>s</td><td>false</td><td>false</td><td>false</td><td>true</td><td>true</td></tr><tr><td>t</td><td>false</td><td>false</td><td>false</td><td>false</td><td>true</td></tr></table>	$\leq.$	p	q	r	s	t	p	true	true	true	true	true	q	false	true	false	true	true	r	false	false	true	true	true	s	false	false	false	true	true	t	false	false	false	false	true	<table><tr><th>$\cdot \leq \cdot$</th><th>p</th><th>q</th><th>r</th><th>s</th><th>t</th></tr><tr><td>p</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr><tr><td>q</td><td>false</td><td>true</td><td>false</td><td>true</td><td>true</td></tr><tr><td>r</td><td>false</td><td>false</td><td>true</td><td>true</td><td>true</td></tr><tr><td>s</td><td>false</td><td>false</td><td>false</td><td>true</td><td>true</td></tr><tr><td>t</td><td>false</td><td>false</td><td>false</td><td>false</td><td>true</td></tr></table>	$\cdot \leq \cdot$	p	q	r	s	t	p	true	true	true	true	true	q	false	true	false	true	true	r	false	false	true	true	true	s	false	false	false	true	true	t	false	false	false	false	true
$\leq.$	p	q	r	s	t																																																																								
p	true	true	true	true	true																																																																								
q	false	true	false	true	true																																																																								
r	false	false	true	true	true																																																																								
s	false	false	false	true	true																																																																								
t	false	false	false	false	true																																																																								
$\cdot \leq \cdot$	p	q	r	s	t																																																																								
p	true	true	true	true	true																																																																								
q	false	true	false	true	true																																																																								
r	false	false	true	true	true																																																																								
s	false	false	false	true	true																																																																								
t	false	false	false	false	true																																																																								

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																		
fong-spivak-invitation_TAB_007	75	0.623	$\begin{tabular}{t}{ l l l l }\hline \backslash(d{\nearrow})\backslash \\ \& \backslash(X\backslash) \& \backslash(y\backslash) \& z \backslash \backslash \hline \backslash(x\backslash) \& 0 \& 4 \& 3 \backslash \backslash \hline y \& 3 \& 0 \& 6 \backslash \backslash \hline z \& 7 \& 4 \& 0 \backslash \backslash \hline \end{tabular}$	<table><tr><td>$d(\nearrow)$</td><td>X</td><td>y</td><td>z</td></tr><tr><td>x</td><td>0</td><td>4</td><td>3</td></tr><tr><td>y</td><td>3</td><td>0</td><td>6</td></tr><tr><td>z</td><td>7</td><td>4</td><td>0</td></tr></table>	$d(\nearrow)$	X	y	z	x	0	4	3	y	3	0	6	z	7	4	0	<table><tr><td>$d(\nearrow)$</td><td>x</td><td>y</td><td>z</td></tr><tr><td>x</td><td>0</td><td>4</td><td>3</td></tr><tr><td>y</td><td>3</td><td>0</td><td>6</td></tr><tr><td>z</td><td>7</td><td>4</td><td>0</td></tr></table>	$d(\nearrow)$	x	y	z	x	0	4	3	y	3	0	6	z	7	4	0																		
$d(\nearrow)$	X	y	z																																																				
x	0	4	3																																																				
y	3	0	6																																																				
z	7	4	0																																																				
$d(\nearrow)$	x	y	z																																																				
x	0	4	3																																																				
y	3	0	6																																																				
z	7	4	0																																																				
fong-spivak-invitation_TAB_008	75	0.578	$\begin{tabular}{t}{ l l l l l }\hline \backslash(d{\nearrow})\backslash \& \backslash(A\backslash) \& \backslash(B\backslash) \& \backslash(C\backslash) \& \backslash(D\backslash) \backslash \backslash \hline \backslash(A\backslash) \& 0 \& ? \& ? \& ? \& ? \backslash \backslash \hline B \& 2 \& ? \& 5 \& ? \backslash \backslash \hline C \& ? \& ? \& ? \& ? \& ? \backslash \backslash \hline D \& ? \& ? \& ? \& ? \& ? \backslash \backslash \hline \end{tabular}$	<table><tr><td>$d(\nearrow)$</td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>A</td><td>0</td><td>?</td><td>?</td><td>?</td></tr><tr><td>B</td><td>2</td><td>?</td><td>5</td><td>?</td></tr><tr><td>C</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>D</td><td>?</td><td>?</td><td>?</td><td>?</td></tr></table>	$d(\nearrow)$	A	B	C	D	A	0	?	?	?	B	2	?	5	?	C	?	?	?	?	D	?	?	?	?	<table><tr><td>$d(\nearrow)$</td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>A</td><td>0</td><td>?</td><td>?</td><td>?</td></tr><tr><td>B</td><td>2</td><td>?</td><td>5</td><td>?</td></tr><tr><td>C</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>D</td><td>?</td><td>?</td><td>?</td><td>?</td></tr></table>	$d(\nearrow)$	A	B	C	D	A	0	?	?	?	B	2	?	5	?	C	?	?	?	?	D	?	?	?	?
$d(\nearrow)$	A	B	C	D																																																			
A	0	?	?	?																																																			
B	2	?	5	?																																																			
C	?	?	?	?																																																			
D	?	?	?	?																																																			
$d(\nearrow)$	A	B	C	D																																																			
A	0	?	?	?																																																			
B	2	?	5	?																																																			
C	?	?	?	?																																																			
D	?	?	?	?																																																			
fong-spivak-invitation_TAB_009	76	0.600	$\begin{tabular}{t}{ l l l l l l }\hline \backslashmultirow{2}{*}{\& \nearrow \& \backslash(A\backslash) \& \backslash(B\backslash) \& C \& D \backslash \backslash \hline \& \backslash(A\backslash) \& 0 \& ? \& ? \& ? \backslash \backslash \hline \backslash(M_{\{X\}}=\backslash) \& B \& 2 \& 0 \& \backslash(\infty\backslash) \& ? \backslash \backslash \hline \& C \& ? \& ? \& ? \& ? \backslash \backslash \hline \& D \& ? \& ? \& ? \& ? \backslash \backslash \hline \end{tabular}$	(not rendered)	$M_X = \begin{array}{c cccc} \nearrow & A & B & C & D \\ \hline A & 0 & ? & ? & ? \\ B & 2 & 0 & \infty & ? \\ C & ? & ? & ? & ? \\ D & ? & ? & ? & ? \end{array}$																																																		
fong-spivak-invitation_TAB_010	81	0.535	$\begin{tabular}{t}{ l l l l }\hline X \& \backslash(A\backslash) \& \backslash(B\backslash) \& \backslash(C\backslash) \backslash \backslash \hline \backslash(A\backslash) \& 0 \& 2 \& 5 \backslash \backslash \hline B \& \backslash(\infty\backslash) \& 0 \& 3 \backslash \backslash \hline C \& \backslash(\infty\backslash) \& \backslash(\infty\backslash) \& 0 \backslash \backslash \hline \end{tabular}$	<table><tr><td>X</td><td>A</td><td>B</td><td>C</td></tr><tr><td>A</td><td>0</td><td>2</td><td>5</td></tr><tr><td>B</td><td>∞</td><td>0</td><td>3</td></tr><tr><td>C</td><td>∞</td><td>∞</td><td>0</td></tr></table>	X	A	B	C	A	0	2	5	B	∞	0	3	C	∞	∞	0	<table><tr><td>$\mathcal{X}$</td><td>A</td><td>B</td><td>C</td></tr><tr><td>A</td><td>0</td><td>2</td><td>5</td></tr><tr><td>B</td><td>∞</td><td>0</td><td>3</td></tr><tr><td>C</td><td>∞</td><td>∞</td><td>0</td></tr></table>	$\mathcal{X}$	A	B	C	A	0	2	5	B	∞	0	3	C	∞	∞	0																		
X	A	B	C																																																				
A	0	2	5																																																				
B	∞	0	3																																																				
C	∞	∞	0																																																				
$\mathcal{X}$	A	B	C																																																				
A	0	2	5																																																				
B	∞	0	3																																																				
C	∞	∞	0																																																				
fong-spivak-invitation_TAB_011	81	0.910	$\begin{tabular}{t}{ l l l }\hline y \& \backslash(p\backslash) \& \backslash(q\backslash) \backslash \backslash \hline \backslash(p\backslash) \& 0 \& 5 \backslash \backslash \hline \backslash(q\backslash) \& 8 \& 0 \backslash \backslash \hline \end{tabular}$	<table><tr><td>y</td><td>p</td><td>q</td></tr><tr><td>p</td><td>0</td><td>5</td></tr><tr><td>q</td><td>8</td><td>0</td></tr></table>	y	p	q	p	0	5	q	8	0	<table><tr><td>y</td><td>p</td><td>q</td></tr><tr><td>p</td><td>0</td><td>5</td></tr><tr><td>q</td><td>8</td><td>0</td></tr></table>	y	p	q	p	0	5	q	8	0																																
y	p	q																																																					
p	0	5																																																					
q	8	0																																																					
y	p	q																																																					
p	0	5																																																					
q	8	0																																																					

Identifier	Page	Conf.	LaTeX source	Rendered	Image
fong-spivak-invitation_TAB_012	81	0.647	$\begin{tabular}{t}{ l l l l l l l }\hline \backslash(x\times y\backslash) & \backslash((A,p)\backslash) & (\backslash(B,p)\backslash) & (\backslash(C,p)\backslash) & \backslash((A,q)\backslash) & \backslash((B,q)\backslash) & \backslash((C,q)\backslash)\\\hline (\backslash(A,p)\backslash) & 0 & 2 & 5 & 5 & 7 & 10\\\hline (B,p)\backslash) & \infty & 0 & 3 & \infty & 5 & 8\\\hline (C,p)\backslash) & \infty & \infty & 0 & \infty & \infty & 5\\\hline (A,q)\backslash) & 8 & 10 & 13 & 0 & 2 & 5\\\hline (B,q)\backslash) & \infty & 8 & 11 & \infty & 0 & 3\\\hline (C,q)\backslash) & \infty & \infty & 8 & \infty & \infty & 0\\\hline\end{tabular}$	$\begin{array}{c c c c c c c }x\times y & (A,p) & (B,p) & (C,p) & (A,q) & (B,q) & (C,q) \\ \hline (A,p) & 0 & 2 & 5 & 5 & 7 & 10 \\ \hline (B,p) & \infty & 0 & 3 & \infty & 5 & 8 \\ \hline (C,p) & \infty & \infty & 0 & \infty & \infty & 5 \\ \hline (A,q) & 8 & 10 & 13 & 0 & 2 & 5 \\ \hline (B,q) & \infty & 8 & 11 & \infty & 0 & 3 \\ \hline (C,q) & \infty & \infty & 8 & \infty & \infty & 0 \\ \hline\end{array}$	$\begin{array}{c c c c c c c }x\times y & (A,p) & (B,p) & (C,p) & (A,q) & (B,q) & (C,q) \\ \hline (A,p) & 0 & 2 & 5 & 5 & 7 & 10 \\ \hline (B,p) & \infty & 0 & 3 & \infty & 5 & 8 \\ \hline (C,p) & \infty & \infty & 0 & \infty & \infty & 5 \\ \hline (A,q) & 8 & 10 & 13 & 0 & 2 & 5 \\ \hline (B,q) & \infty & 8 & 11 & \infty & 0 & 3 \\ \hline (C,q) & \infty & \infty & 8 & \infty & \infty & 0 \\ \hline\end{array}$
fong-spivak-invitation_TAB_013	88	0.935	$\begin{tabular}{t}{ l l l l l }\hline \backslash(M_{\{Y\}}\backslash) & \backslash(x\backslash) & \backslash(y\backslash) & \backslash(z\backslash)\\\hline \backslash(x\backslash) & 0 & 4 & 3\\\hline \backslash(y\backslash) & 3 & 0 & \infty\\\hline \backslash(z\backslash) & \infty & 4 & 0\\\hline\end{tabular}$	$\begin{array}{c c c c }M_Y & x & y & z \\ \hline x & 0 & 4 & 3 \\ \hline y & 3 & 0 & \infty \\ \hline z & \infty & 4 & 0 \\ \hline\end{array}$	$\begin{array}{c c c c }M_Y & x & y & z \\ \hline x & 0 & 4 & 3 \\ \hline y & 3 & 0 & \infty \\ \hline z & \infty & 4 & 0 \\ \hline\end{array}$
fong-spivak-invitation_TAB_014	88	0.860	$\begin{tabular}{t}{ l l l l l }\hline \backslash(d_{\{Y\}}\backslash) & \backslash(x\backslash) & \backslash(y\backslash) & \backslash(z\backslash)\\\hline \backslash(x\backslash) & 0 & 4 & 3\\\hline \backslash(y\backslash) & 3 & 0 & 6\\\hline \backslash(z\backslash) & 7 & 4 & 0\\\hline\end{tabular}$	$\begin{array}{c c c c }d_Y & x & y & z \\ \hline x & 0 & 4 & 3 \\ \hline y & 3 & 0 & 6 \\ \hline z & 7 & 4 & 0 \\ \hline\end{array}$	$\begin{array}{c c c c }d_Y & x & y & z \\ \hline x & 0 & 4 & 3 \\ \hline y & 3 & 0 & 6 \\ \hline z & 7 & 4 & 0 \\ \hline\end{array}$
fong-spivak-invitation_TAB_015	88	0.833	$\begin{tabular}{t}{ l l l l l l }\hline \backslash(M_{\{Y\}}^2=\backslash) & \backslash(X\backslash) & \backslash(y\backslash) & \backslash(z\backslash)\\\hline \backslash(X\backslash) & 0 & 4 & 3\\\hline \backslash(y\backslash) & y & 3 & 0 & 6\\\hline \backslash(z\backslash) & z & 7 & 4 & 0\\\hline\end{tabular}$	(not rendered)	$M_Y^2 = \begin{array}{c c c c } \nearrow & x & y & z \\ \hline x & 0 & 4 & 3 \\ \hline y & 3 & 0 & 6 \\ \hline z & 7 & 4 & 0 \\ \hline\end{array}$
fong-spivak-invitation_TAB_016	88	0.509	$\begin{tabular}{t}{ l l l l l l }\hline \backslash(M_{\{Y\}}^3=\backslash) & \backslash(X\backslash) & \backslash(y\backslash) & \backslash(z\backslash)\\\hline \backslash(X\backslash) & 0 & 4 & 3\\\hline \backslash(y\backslash) & y & 3 & 0 & 6\\\hline \backslash(z\backslash) & z & 7 & 4 & 0\\\hline\end{tabular}$	(not rendered)	$M_Y^3 = \begin{array}{c c c c } \nearrow & x & y & z \\ \hline x & 0 & 4 & 3 \\ \hline y & 3 & 0 & 6 \\ \hline z & 7 & 4 & 0 \\ \hline\end{array}$
fong-spivak-invitation_TAB_017	91	1.000	$\begin{tabular}{t}{ l l l l l }\hline Employee & FName & WorksIn & Mngr\\\hline 1 & Alan & 101 & 2\\\hline 2 & Ruth & 101 & 2\\\hline 3 & Kris & 102 & 3\\\hline\end{tabular}$	$\begin{array}{c c c c }Employee & FName & WorksIn & Mngr \\ \hline 1 & Alan & 101 & 2 \\ \hline 2 & Ruth & 101 & 2 \\ \hline 3 & Kris & 102 & 3 \\ \hline\end{array}$	$\begin{array}{c c c c }Employee & FName & WorksIn & Mngr \\ \hline 1 & Alan & 101 & 2 \\ \hline 2 & Ruth & 101 & 2 \\ \hline 3 & Kris & 102 & 3 \\ \hline\end{array}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																						
fong-spivak-invitation_018	91	■1.000	<pre>\begin{tabular}[t]{ l l l } \hline Department & DName & Secr \\ \hline 101 & Sales & 1 \\ \hline 102 & IT & 3 \\ \hline \end{tabular}</pre>	<table><tr><th>Department</th><th>DName</th><th>Secr</th></tr><tr><td>101</td><td>Sales</td><td>1</td></tr><tr><td>102</td><td>IT</td><td>3</td></tr></table>	Department	DName	Secr	101	Sales	1	102	IT	3	<table><tr><th>Department</th><th>DName</th><th>Secr</th></tr><tr><td>101</td><td>Sales</td><td>1</td></tr><tr><td>102</td><td>IT</td><td>3</td></tr></table>	Department	DName	Secr	101	Sales	1	102	IT	3																																				
Department	DName	Secr																																																									
101	Sales	1																																																									
102	IT	3																																																									
Department	DName	Secr																																																									
101	Sales	1																																																									
102	IT	3																																																									
fong-spivak-invitation_019	104	■1.000	<pre>\begin{tabular}[t]{ l l l } \hline Planet of Sol & Prime number & Flying pig \\ \hline Mercury & 2 & \\ \hline Venus & 3 & \\ \hline Earth & 5 & \\ \hline Mars & 7 & \\ \hline Jupiter & 11 & \\ \hline Saturn & 13 & \\ \hline Uranus & 17 & \\ \hline Neptune & [U+22EE] & \\ \hline \end{tabular}</pre>	<table><tr><th>Planet of Sol</th><th>Prime number</th><th>Flying pig</th></tr><tr><td>Mercury</td><td>2</td><td></td></tr><tr><td>Venus</td><td>3</td><td></td></tr><tr><td>Earth</td><td>5</td><td></td></tr><tr><td>Mars</td><td>7</td><td></td></tr><tr><td>Jupiter</td><td>11</td><td></td></tr><tr><td>Saturn</td><td>13</td><td></td></tr><tr><td>Uranus</td><td>17</td><td></td></tr><tr><td>Neptune</td><td>[U+22EE]</td><td></td></tr></table>	Planet of Sol	Prime number	Flying pig	Mercury	2		Venus	3		Earth	5		Mars	7		Jupiter	11		Saturn	13		Uranus	17		Neptune	[U+22EE]		<table><tr><th>Planet of Sol</th><th>Prime number</th><th>Flying pig</th></tr><tr><td>Mercury</td><td>2</td><td></td></tr><tr><td>Venus</td><td>3</td><td></td></tr><tr><td>Earth</td><td>5</td><td></td></tr><tr><td>Mars</td><td>7</td><td></td></tr><tr><td>Jupiter</td><td>11</td><td></td></tr><tr><td>Saturn</td><td>13</td><td></td></tr><tr><td>Uranus</td><td>17</td><td></td></tr><tr><td>Neptune</td><td>:</td><td></td></tr></table>	Planet of Sol	Prime number	Flying pig	Mercury	2		Venus	3		Earth	5		Mars	7		Jupiter	11		Saturn	13		Uranus	17		Neptune	:	
Planet of Sol	Prime number	Flying pig																																																									
Mercury	2																																																										
Venus	3																																																										
Earth	5																																																										
Mars	7																																																										
Jupiter	11																																																										
Saturn	13																																																										
Uranus	17																																																										
Neptune	[U+22EE]																																																										
Planet of Sol	Prime number	Flying pig																																																									
Mercury	2																																																										
Venus	3																																																										
Earth	5																																																										
Mars	7																																																										
Jupiter	11																																																										
Saturn	13																																																										
Uranus	17																																																										
Neptune	:																																																										
fong-spivak-invitation_020	104	■1.000	<pre>\begin{tabular}[t]{ l l } \hline Beatle & Played \\ \hline George & lead guitar \\ \hline John & rhythm guitar \\ \hline Paul & bass guitar \\ \hline Ringo & drums \\ \hline \end{tabular}</pre>	<table><tr><th>Beatle</th><th>Played</th></tr><tr><td>George</td><td>lead guitar</td></tr><tr><td>John</td><td>rhythm guitar</td></tr><tr><td>Paul</td><td>bass guitar</td></tr><tr><td>Ringo</td><td>drums</td></tr></table>	Beatle	Played	George	lead guitar	John	rhythm guitar	Paul	bass guitar	Ringo	drums	<table><tr><th>Beatle</th><th>Played</th></tr><tr><td>George</td><td>lead guitar</td></tr><tr><td>John</td><td>rhythm guitar</td></tr><tr><td>Paul</td><td>bass guitar</td></tr><tr><td>Ringo</td><td>drums</td></tr></table>	Beatle	Played	George	lead guitar	John	rhythm guitar	Paul	bass guitar	Ringo	drums																																		
Beatle	Played																																																										
George	lead guitar																																																										
John	rhythm guitar																																																										
Paul	bass guitar																																																										
Ringo	drums																																																										
Beatle	Played																																																										
George	lead guitar																																																										
John	rhythm guitar																																																										
Paul	bass guitar																																																										
Ringo	drums																																																										
fong-spivak-invitation_021	105	■1.000	<pre>\begin{tabular}[t]{ l l } \hline Beatle & Played \\ \hline George & lead guitar \\ \hline John & rhythm guitar \\ \hline Paul & bass guitar \\ \hline Ringo & drums \\ \hline \end{tabular}</pre>	<table><tr><th>Beatle</th><th>Played</th></tr><tr><td>George</td><td>lead guitar</td></tr><tr><td>John</td><td>rhythm guitar</td></tr><tr><td>Paul</td><td>bass guitar</td></tr><tr><td>Ringo</td><td>drums</td></tr></table>	Beatle	Played	George	lead guitar	John	rhythm guitar	Paul	bass guitar	Ringo	drums	<table><tr><th>Beatle</th><th>Played</th></tr><tr><td>George</td><td>lead guitar</td></tr><tr><td>John</td><td>rhythm guitar</td></tr><tr><td>Paul</td><td>bass guitar</td></tr><tr><td>Ringo</td><td>drums</td></tr></table>	Beatle	Played	George	lead guitar	John	rhythm guitar	Paul	bass guitar	Ringo	drums																																		
Beatle	Played																																																										
George	lead guitar																																																										
John	rhythm guitar																																																										
Paul	bass guitar																																																										
Ringo	drums																																																										
Beatle	Played																																																										
George	lead guitar																																																										
John	rhythm guitar																																																										
Paul	bass guitar																																																										
Ringo	drums																																																										

Identifier	Page	Conf.	LaTeX source	Rendered	Image	
fong-spivak-invitation-TAB_022	105	■ 1.000	\begin{tabular}[t]{ l } \hline Rock-and-roll instrument \\\hline bass guitar \\\hline drums \\\hline keyboard \\\hline lead guitar \\\hline rhythm guitar \\\hline \end{tabular}	Rock-and-roll instrument bass guitar drums keyboard lead guitar rhythm guitar	Rock-and-roll instrument bass guitar drums keyboard lead guitar rhythm guitar	
fong-spivak-invitation-TAB_023	109	■ 1.000	\begin{tabular}[t]{ l l } \hline \(\mathbb{N}_{\geq 2}\) & Smallest prime factor \\\hline 2 & 2 \\\hline 3 & 3 \\\hline 4 & 2 \\\hline [U+22EE] & [U+22EE] \\\hline 49 & 7 \\\hline 50 & 2 \\\hline 51 & 3 \\\hline [U+22EE] & [U+22EE] \\\hline \end{tabular}	$\mathbb{N}_{\geq 2}$ 2 3 4 [U+22EE] 49 50 51 [U+22EE] Smallest prime factor 2 3 2 [U+22EE] 7 2 3 [U+22EE]	$\mathbb{N}_{\geq 2}$ 2 3 4 : 49 50 51 : Smallest prime factor 2 3 2 : 7 2 3 :	
fong-spivak-invitation-TAB_024	113	■ 0.803	\begin{tabular}[t]{ l l l l } \hline Arrow & source & target & Vertex \\\hline (a) & 1 & 2 & 1 \\\hline (b) & 1 & 3 & 2 \\\hline c & 1 & 3 & 3 \\\hline (d) & 2 & 2 & 4 \\\hline (e) & 2 & 3 & \\\hline \end{tabular}	Arrow a b c d e source 1 1 1 2 2 target 2 3 3 2 3 Vertex 1 2 3 4	Arrow a b c d e source 1 1 1 2 2 target 2 3 3 2 3 Vertex 1 2 3 4	

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																																
fong-spivak-invitation_TAB_025	115	■1.000	<pre>\begin{tabular}[t]{ l l }\hline State & next \\\hline 1 & 4 \\\hline 2 & 4 \\\hline 3 & 5 \\\hline 4 & 5 \\\hline 5 & 5 \\\hline 6 & 7 \\\hline 7 & 6 \\\hline\end{tabular}</pre>	<table><tr><th>State</th><th>next</th></tr><tr><td>1</td><td>4</td></tr><tr><td>2</td><td>4</td></tr><tr><td>3</td><td>5</td></tr><tr><td>4</td><td>5</td></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>7</td></tr><tr><td>7</td><td>6</td></tr></table>	State	next	1	4	2	4	3	5	4	5	5	5	6	7	7	6	<table><tr><th>State</th><th>next</th></tr><tr><td>1</td><td>4</td></tr><tr><td>2</td><td>4</td></tr><tr><td>3</td><td>5</td></tr><tr><td>4</td><td>5</td></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>7</td></tr><tr><td>7</td><td>6</td></tr></table>	State	next	1	4	2	4	3	5	4	5	5	5	6	7	7	6																																
State	next																																																																				
1	4																																																																				
2	4																																																																				
3	5																																																																				
4	5																																																																				
5	5																																																																				
6	7																																																																				
7	6																																																																				
State	next																																																																				
1	4																																																																				
2	4																																																																				
3	5																																																																				
4	5																																																																				
5	5																																																																				
6	7																																																																				
7	6																																																																				
fong-spivak-invitation_TAB_026	116	■1.000	<pre>\begin{tabular}[t]{ l l l l }\hline Arrow & source & target & Vertex \\\hline 1 & 1 & 4 & 1 \\\hline 2 & 2 & 4 & 2 \\\hline 3 & 3 & 5 & 3 \\\hline 4 & 4 & 5 & 4 \\\hline 5 & 5 & 5 & 5 \\\hline 6 & 6 & 7 & 6 \\\hline 7 & 7 & 6 & 7 \\\hline\end{tabular}</pre>	<table><tr><th>Arrow</th><th>source</th><th>target</th><th>Vertex</th></tr><tr><td>1</td><td>1</td><td>4</td><td>1</td></tr><tr><td>2</td><td>2</td><td>4</td><td>2</td></tr><tr><td>3</td><td>3</td><td>5</td><td>3</td></tr><tr><td>4</td><td>4</td><td>5</td><td>4</td></tr><tr><td>5</td><td>5</td><td>5</td><td>5</td></tr><tr><td>6</td><td>6</td><td>7</td><td>6</td></tr><tr><td>7</td><td>7</td><td>6</td><td>7</td></tr></table>	Arrow	source	target	Vertex	1	1	4	1	2	2	4	2	3	3	5	3	4	4	5	4	5	5	5	5	6	6	7	6	7	7	6	7	<table><tr><th>Arrow</th><th>source</th><th>target</th><th>Vertex</th></tr><tr><td>1</td><td>1</td><td>4</td><td>1</td></tr><tr><td>2</td><td>2</td><td>4</td><td>2</td></tr><tr><td>3</td><td>3</td><td>5</td><td>3</td></tr><tr><td>4</td><td>4</td><td>5</td><td>4</td></tr><tr><td>5</td><td>5</td><td>5</td><td>5</td></tr><tr><td>6</td><td>6</td><td>7</td><td>6</td></tr><tr><td>7</td><td>7</td><td>6</td><td>7</td></tr></table>	Arrow	source	target	Vertex	1	1	4	1	2	2	4	2	3	3	5	3	4	4	5	4	5	5	5	5	6	6	7	6	7	7	6	7
Arrow	source	target	Vertex																																																																		
1	1	4	1																																																																		
2	2	4	2																																																																		
3	3	5	3																																																																		
4	4	5	4																																																																		
5	5	5	5																																																																		
6	6	7	6																																																																		
7	7	6	7																																																																		
Arrow	source	target	Vertex																																																																		
1	1	4	1																																																																		
2	2	4	2																																																																		
3	3	5	3																																																																		
4	4	5	4																																																																		
5	5	5	5																																																																		
6	6	7	6																																																																		
7	7	6	7																																																																		
fong-spivak-invitation_TAB_027	120	■0.956	<pre>\begin{tabular}[t]{ l l l l }\hline Migration functor & pronounced & reminiscent of & database idea \\\hline \Delta & delta & duplicate or destroy & duplicate or destroy tables or columns \\\hline \Sigma & sigma & sum & union (sum up) data \\\hline \Pi & pi & product & pair⁹ and query data \\\hline\end{tabular}</pre>	<table><tr><th>Migration functor</th><th>pronounced</th><th>reminiscent of</th><th>database idea</th></tr><tr><td>Δ</td><td>delta</td><td>duplicate or destroy</td><td>duplicate or destroy tables or columns</td></tr><tr><td>Σ</td><td>sigma</td><td>sum</td><td>union (sum up) data</td></tr><tr><td>Π</td><td>pi</td><td>product</td><td>pair⁹ and query data</td></tr></table>	Migration functor	pronounced	reminiscent of	database idea	Δ	delta	duplicate or destroy	duplicate or destroy tables or columns	Σ	sigma	sum	union (sum up) data	Π	pi	product	pair ⁹ and query data	<table><tr><th>Migration functor</th><th>pronounced</th><th>reminiscent of</th><th>database idea</th></tr><tr><td>Δ</td><td>delta</td><td>duplicate or destroy</td><td>duplicate or destroy tables or columns</td></tr><tr><td>Σ</td><td>sigma</td><td>sum</td><td>union (sum up) data</td></tr><tr><td>Π</td><td>pi</td><td>product</td><td>pair⁹ and query data</td></tr></table>	Migration functor	pronounced	reminiscent of	database idea	Δ	delta	duplicate or destroy	duplicate or destroy tables or columns	Σ	sigma	sum	union (sum up) data	Π	pi	product	pair ⁹ and query data																																
Migration functor	pronounced	reminiscent of	database idea																																																																		
Δ	delta	duplicate or destroy	duplicate or destroy tables or columns																																																																		
Σ	sigma	sum	union (sum up) data																																																																		
Π	pi	product	pair ⁹ and query data																																																																		
Migration functor	pronounced	reminiscent of	database idea																																																																		
Δ	delta	duplicate or destroy	duplicate or destroy tables or columns																																																																		
Σ	sigma	sum	union (sum up) data																																																																		
Π	pi	product	pair ⁹ and query data																																																																		
fong-spivak-invitation_TAB_028	121	■1.000	<pre>\begin{tabular}[t]{ l l l l }\hline Email & sent_by & received_by & Address \\\hline Em_1 & Bob & Grace & Bob \\\hline Em_2 & Grace & Pat & Doug \\\hline Em_3 & Bob & Emmy & Emmy \\\hline Em_4 & Sue & Doug & Grace \\\hline Em_5 & Doug & Sue & Pat \\\hline Em_6 & Bob & Bob & Sue \\\hline\end{tabular}</pre>	(not rendered)	<table><tr><th>Email</th><th>sent_by</th><th>received_by</th><th>Address</th></tr><tr><td>Em_1</td><td>Bob</td><td>Grace</td><td>Bob</td></tr><tr><td>Em_2</td><td>Grace</td><td>Pat</td><td>Doug</td></tr><tr><td>Em_3</td><td>Bob</td><td>Emmy</td><td>Emmy</td></tr><tr><td>Em_4</td><td>Sue</td><td>Doug</td><td>Grace</td></tr><tr><td>Em_5</td><td>Doug</td><td>Sue</td><td>Pat</td></tr><tr><td>Em_6</td><td>Bob</td><td>Bob</td><td>Sue</td></tr></table>	Email	sent_by	received_by	Address	Em_1	Bob	Grace	Bob	Em_2	Grace	Pat	Doug	Em_3	Bob	Emmy	Emmy	Em_4	Sue	Doug	Grace	Em_5	Doug	Sue	Pat	Em_6	Bob	Bob	Sue																																				
Email	sent_by	received_by	Address																																																																		
Em_1	Bob	Grace	Bob																																																																		
Em_2	Grace	Pat	Doug																																																																		
Em_3	Bob	Emmy	Emmy																																																																		
Em_4	Sue	Doug	Grace																																																																		
Em_5	Doug	Sue	Pat																																																																		
Em_6	Bob	Bob	Sue																																																																		

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																												
fong-spivak-invitation_TAB_034	137	0.558	$\begin{tabular}[t]{l l l l l l}\hline M_{\Phi} & (x \backslash (y \backslash (z \backslash \hline (A \backslash (\infty \backslash (\infty \backslash (\infty \backslash \hline (B \backslash 11 \backslash (\infty \backslash (\infty \backslash \hline C \backslash (\infty \backslash (\infty \backslash (\infty \backslash \hline D \backslash (\infty \backslash 9 \backslash (\infty \backslash \hline \end{tabular}$	<table><tr><th>M_{Φ}</th><th>x</th><th>y</th><th>z</th></tr><tr><td>A</td><td>∞</td><td>∞</td><td>∞</td></tr><tr><td>B</td><td>11</td><td>∞</td><td>∞</td></tr><tr><td>C</td><td>∞</td><td>∞</td><td>∞</td></tr><tr><td>D</td><td>∞</td><td>9</td><td>∞</td></tr></table>	M_{Φ}	x	y	z	A	∞	∞	∞	B	11	∞	∞	C	∞	∞	∞	D	∞	9	∞	<table><tr><th>M_{Φ}</th><th>x</th><th>y</th><th>z</th></tr><tr><td>A</td><td>∞</td><td>∞</td><td>∞</td></tr><tr><td>B</td><td>11</td><td>∞</td><td>∞</td></tr><tr><td>C</td><td>∞</td><td>∞</td><td>∞</td></tr><tr><td>D</td><td>∞</td><td>9</td><td>∞</td></tr></table>	M_{Φ}	x	y	z	A	∞	∞	∞	B	11	∞	∞	C	∞	∞	∞	D	∞	9	∞																				
M_{Φ}	x	y	z																																																														
A	∞	∞	∞																																																														
B	11	∞	∞																																																														
C	∞	∞	∞																																																														
D	∞	9	∞																																																														
M_{Φ}	x	y	z																																																														
A	∞	∞	∞																																																														
B	11	∞	∞																																																														
C	∞	∞	∞																																																														
D	∞	9	∞																																																														
fong-spivak-invitation_TAB_035	137	0.626	$\begin{tabular}[t]{l l l l l l}\hline M_Y & (x \backslash (y \backslash (z \backslash \hline (x \backslash 0 \backslash 4 \backslash 3 \backslash \hline y \backslash 3 \backslash 0 \backslash \infty \backslash \hline z \backslash \infty \backslash 4 \backslash 0 \backslash \hline \end{tabular}$	<table><tr><th>M_Y</th><th>x</th><th>y</th><th>z</th></tr><tr><td>x</td><td>0</td><td>4</td><td>3</td></tr><tr><td>y</td><td>3</td><td>0</td><td>∞</td></tr><tr><td>z</td><td>∞</td><td>4</td><td>0</td></tr></table>	M_Y	x	y	z	x	0	4	3	y	3	0	∞	z	∞	4	0	<table><tr><th>M_Y</th><th>x</th><th>y</th><th>z</th></tr><tr><td>x</td><td>0</td><td>4</td><td>3</td></tr><tr><td>y</td><td>3</td><td>0</td><td>∞</td></tr><tr><td>z</td><td>∞</td><td>4</td><td>0</td></tr></table>	M_Y	x	y	z	x	0	4	3	y	3	0	∞	z	∞	4	0																												
M_Y	x	y	z																																																														
x	0	4	3																																																														
y	3	0	∞																																																														
z	∞	4	0																																																														
M_Y	x	y	z																																																														
x	0	4	3																																																														
y	3	0	∞																																																														
z	∞	4	0																																																														
fong-spivak-invitation_TAB_036	140	0.738	$\begin{tabular}[t]{l l l l l l l l l l}\hline \Phi & (a \backslash (b \backslash (c \backslash (d \backslash (e \backslash \hline (N \backslash \text{true} \backslash \text{false} \backslash \text{true} \backslash \text{false} \backslash \text{false} \backslash \hline (E \backslash \text{true} \backslash \text{false} \backslash \text{true} \backslash \text{false} \backslash \text{true} \backslash \hline W \backslash \text{true} \backslash \text{true} \backslash \text{true} \backslash \text{true} \backslash \text{false} \backslash \hline S \backslash \text{true} \backslash \text{true} \backslash \text{true} \backslash \text{true} \backslash \text{true} \backslash \hline \end{tabular}$	<table><tr><th>Φ</th><th>a</th><th>b</th><th>c</th><th>d</th><th>e</th></tr><tr><td>N</td><td>true</td><td>false</td><td>true</td><td>false</td><td>false</td></tr><tr><td>E</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>W</td><td>true</td><td>true</td><td>true</td><td>true</td><td>false</td></tr><tr><td>S</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr></table>	Φ	a	b	c	d	e	N	true	false	true	false	false	E	true	false	true	false	true	W	true	true	true	true	false	S	true	true	true	true	true	<table><tr><th>Φ</th><th>a</th><th>b</th><th>c</th><th>d</th><th>e</th></tr><tr><td>N</td><td>true</td><td>false</td><td>true</td><td>false</td><td>false</td></tr><tr><td>E</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>W</td><td>true</td><td>true</td><td>true</td><td>true</td><td>false</td></tr><tr><td>S</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr></table>	Φ	a	b	c	d	e	N	true	false	true	false	false	E	true	false	true	false	true	W	true	true	true	true	false	S	true	true	true	true	true
Φ	a	b	c	d	e																																																												
N	true	false	true	false	false																																																												
E	true	false	true	false	true																																																												
W	true	true	true	true	false																																																												
S	true	true	true	true	true																																																												
Φ	a	b	c	d	e																																																												
N	true	false	true	false	false																																																												
E	true	false	true	false	true																																																												
W	true	true	true	true	false																																																												
S	true	true	true	true	true																																																												
fong-spivak-invitation_TAB_037	140	0.600	$\begin{tabular}[t]{l l l l l l}\hline \Psi & (x \backslash (y \backslash \hline (a \backslash \text{false} \backslash \text{true} \backslash \hline (b \backslash \text{true} \backslash \text{true} \backslash \hline (c \backslash \text{false} \backslash \text{true} \backslash \hline d \backslash \text{true} \backslash \text{true} \backslash \hline (e \backslash \text{false} \backslash \text{false} \backslash \hline \end{tabular}$	<table><tr><th>Ψ</th><th>x</th><th>y</th></tr><tr><td>a</td><td>false</td><td>true</td></tr><tr><td>b</td><td>true</td><td>true</td></tr><tr><td>c</td><td>false</td><td>true</td></tr><tr><td>d</td><td>true</td><td>true</td></tr><tr><td>e</td><td>false</td><td>false</td></tr></table>	Ψ	x	y	a	false	true	b	true	true	c	false	true	d	true	true	e	false	false	<table><tr><th>Ψ</th><th>x</th><th>y</th></tr><tr><td>a</td><td>false</td><td>true</td></tr><tr><td>b</td><td>true</td><td>true</td></tr><tr><td>c</td><td>false</td><td>true</td></tr><tr><td>d</td><td>true</td><td>true</td></tr><tr><td>e</td><td>false</td><td>false</td></tr></table>	Ψ	x	y	a	false	true	b	true	true	c	false	true	d	true	true	e	false	false																								
Ψ	x	y																																																															
a	false	true																																																															
b	true	true																																																															
c	false	true																																																															
d	true	true																																																															
e	false	false																																																															
Ψ	x	y																																																															
a	false	true																																																															
b	true	true																																																															
c	false	true																																																															
d	true	true																																																															
e	false	false																																																															
fong-spivak-invitation_TAB_038	140	0.568	$\begin{tabular}[t]{l l l l l l}\hline \Phi \circ \Psi & (x \backslash (y \backslash \hline (N \backslash \text{false} \backslash \text{true} \backslash \hline E \backslash \text{false} \backslash \text{true} \backslash \hline W \backslash \text{true} \backslash \text{true} \backslash \hline S \backslash \text{true} \backslash \text{true} \backslash \hline \end{tabular}$	<table><tr><th>$\Phi \circ \Psi$</th><th>x</th><th>y</th></tr><tr><td>N</td><td>false</td><td>true</td></tr><tr><td>E</td><td>false</td><td>true</td></tr><tr><td>W</td><td>true</td><td>true</td></tr><tr><td>S</td><td>true</td><td>true</td></tr></table>	$\Phi \circ \Psi$	x	y	N	false	true	E	false	true	W	true	true	S	true	true	<table><tr><th>$\Phi \circ \Psi$</th><th>x</th><th>y</th></tr><tr><td>N</td><td>false</td><td>true</td></tr><tr><td>E</td><td>false</td><td>true</td></tr><tr><td>W</td><td>true</td><td>true</td></tr><tr><td>S</td><td>true</td><td>true</td></tr></table>	$\Phi \circ \Psi$	x	y	N	false	true	E	false	true	W	true	true	S	true	true																														
$\Phi \circ \Psi$	x	y																																																															
N	false	true																																																															
E	false	true																																																															
W	true	true																																																															
S	true	true																																																															
$\Phi \circ \Psi$	x	y																																																															
N	false	true																																																															
E	false	true																																																															
W	true	true																																																															
S	true	true																																																															

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																						
fong-spivak-invitation-TAB_039	141	0.618	$\begin{tabular}{t}{ l l l l l }\hline \backslash\Phi{ }_{9}^{\circ}\backslash\circ\backslash\Psi\backslash\&\backslash(p\backslash\&\backslash(q\backslash\&\backslash(r\backslash\&\backslash(s\backslash\backslash\hline \backslash(A\backslash\&? \&24 \&? \&? \backslash\hline B \&? \&? \&? \&? \backslash\hline C \&? \&? \&? \&? \backslash\hline D \&? \&? \&9 \&? \backslash\hline \end{tabular}$	<table><tr><td>$\Phi_9^\circ\Psi$</td><td>p</td><td>q</td><td>r</td><td>s</td></tr><tr><td>A</td><td>?</td><td>24</td><td>?</td><td>?</td></tr><tr><td>B</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>C</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>D</td><td>?</td><td>?</td><td>9</td><td>?</td></tr></table>	$\Phi_9^\circ\Psi$	p	q	r	s	A	?	24	?	?	B	?	?	?	?	C	?	?	?	?	D	?	?	9	?	<table><tr><td>$\Phi_9^\circ\Psi$</td><td>p</td><td>q</td><td>r</td><td>s</td></tr><tr><td>A</td><td>?</td><td>24</td><td>?</td><td>?</td></tr><tr><td>B</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>C</td><td>?</td><td>?</td><td>?</td><td>?</td></tr><tr><td>D</td><td>?</td><td>?</td><td>9</td><td>?</td></tr></table>	$\Phi_9^\circ\Psi$	p	q	r	s	A	?	24	?	?	B	?	?	?	?	C	?	?	?	?	D	?	?	9	?				
$\Phi_9^\circ\Psi$	p	q	r	s																																																							
A	?	24	?	?																																																							
B	?	?	?	?																																																							
C	?	?	?	?																																																							
D	?	?	9	?																																																							
$\Phi_9^\circ\Psi$	p	q	r	s																																																							
A	?	24	?	?																																																							
B	?	?	?	?																																																							
C	?	?	?	?																																																							
D	?	?	9	?																																																							
fong-spivak-invitation-TAB_040	146	0.706	$\begin{tabular}{t}{ l l l l l l l l l }\hline X \&\backslash(A\backslash\&\backslash(B\backslash\&\backslash(\Phi\backslash\&\backslash(\chi\backslash\&\backslash(y\backslash\&\backslash(y\backslash\&\backslash(\chi\backslash\&\backslash(y\backslash\backslash\hline \backslash(A\backslash\&0 \&2 \&\backslash(A\backslash\&5 \&8 \&\backslash(x\backslash\&0 \&3 \backslash\hline B \&\backslash(\infty\backslash\&0 \&B \&\backslash(\infty\backslash\&\backslash(\infty\backslash\&\backslash(y\backslash\&4 \&0 \backslash\hline \end{tabular}$	<table><tr><td>X</td><td>A</td><td>B</td><td>Φ</td><td>χ</td><td>y</td><td>y</td><td>χ</td><td>y</td></tr><tr><td>A</td><td>0</td><td>2</td><td>A</td><td>5</td><td>8</td><td>x</td><td>0</td><td>3</td></tr><tr><td>B</td><td>∞</td><td>0</td><td>B</td><td>∞</td><td>∞</td><td>y</td><td>4</td><td>0</td></tr></table>	X	A	B	Φ	χ	y	y	χ	y	A	0	2	A	5	8	x	0	3	B	∞	0	B	∞	∞	y	4	0	<table><tr><td>X</td><td>A</td><td>B</td><td>Φ</td><td>χ</td><td>y</td><td>y</td><td>χ</td><td>y</td></tr><tr><td>A</td><td>0</td><td>2</td><td>A</td><td>5</td><td>8</td><td>x</td><td>0</td><td>3</td></tr><tr><td>B</td><td>∞</td><td>0</td><td>B</td><td>∞</td><td>∞</td><td>y</td><td>4</td><td>0</td></tr></table>	X	A	B	Φ	χ	y	y	χ	y	A	0	2	A	5	8	x	0	3	B	∞	0	B	∞	∞	y	4	0
X	A	B	Φ	χ	y	y	χ	y																																																			
A	0	2	A	5	8	x	0	3																																																			
B	∞	0	B	∞	∞	y	4	0																																																			
X	A	B	Φ	χ	y	y	χ	y																																																			
A	0	2	A	5	8	x	0	3																																																			
B	∞	0	B	∞	∞	y	4	0																																																			
fong-spivak-invitation-TAB_041	146	0.848	$\begin{tabular}{t}{ l l l l l }\hline \backslash\operatorname{Col}\backslash(\Phi\backslash\&\backslash(A\backslash\&\backslash(B\backslash\&\backslash(x\backslash\&\backslash(y\backslash\backslash\hline \backslash(A\backslash\&0 \&2 \&5 \&8 \backslash\hline \backslash(B\backslash\&\backslash(\infty\backslash\&0 \&\backslash(\infty\backslash\&\backslash(\infty\backslash\backslash\hline \backslash(x\backslash\&0 \&0 \&0 \&3 \backslash\hline \backslash(y\backslash\&0 \&0 \&4 \&0 \backslash\hline \end{tabular}$	<table><tr><td>$\operatorname{Col}(\Phi)$</td><td>A</td><td>B</td><td>x</td><td>y</td></tr><tr><td>A</td><td>0</td><td>2</td><td>5</td><td>8</td></tr><tr><td>B</td><td>∞</td><td>0</td><td>∞</td><td>∞</td></tr><tr><td>x</td><td>0</td><td>0</td><td>0</td><td>3</td></tr><tr><td>y</td><td>0</td><td>0</td><td>4</td><td>0</td></tr></table>	$\operatorname{Col}(\Phi)$	A	B	x	y	A	0	2	5	8	B	∞	0	∞	∞	x	0	0	0	3	y	0	0	4	0	<table><tr><td>$\operatorname{Col}(\Phi)$</td><td>A</td><td>B</td><td>x</td><td>y</td></tr><tr><td>A</td><td>0</td><td>2</td><td>5</td><td>8</td></tr><tr><td>B</td><td>∞</td><td>0</td><td>∞</td><td>∞</td></tr><tr><td>x</td><td>0</td><td>0</td><td>0</td><td>3</td></tr><tr><td>y</td><td>0</td><td>0</td><td>4</td><td>0</td></tr></table>	$\operatorname{Col}(\Phi)$	A	B	x	y	A	0	2	5	8	B	∞	0	∞	∞	x	0	0	0	3	y	0	0	4	0				
$\operatorname{Col}(\Phi)$	A	B	x	y																																																							
A	0	2	5	8																																																							
B	∞	0	∞	∞																																																							
x	0	0	0	3																																																							
y	0	0	4	0																																																							
$\operatorname{Col}(\Phi)$	A	B	x	y																																																							
A	0	2	5	8																																																							
B	∞	0	∞	∞																																																							
x	0	0	0	3																																																							
y	0	0	4	0																																																							
fong-spivak-invitation-TAB_042	179	0.620	$\begin{tabular}{t}{ l l l l l }\hline \&\backslash(a\backslash\&\backslash(b\backslash\&\backslash\hline \backslash(x\backslash\&15 \&3 \&\backslash\left(\backslash\begin{array}{c}15 \backslash\backslash\end{array}\right.\backslash\&21 \backslash\backslash\hline \backslash(y\backslash\&0 \&21 \&\backslash\hline \end{tabular}$	<table><tr><td></td><td>a</td><td>b</td><td></td><td></td></tr><tr><td>x</td><td>15</td><td>3</td><td>$\left(\begin{array}{c}15 \\ 0\end{array}\right)$</td><td>21</td></tr><tr><td>y</td><td>0</td><td>21</td><td></td><td></td></tr></table>		a	b			x	15	3	$\left(\begin{array}{c}15 \\ 0\end{array}\right)$	21	y	0	21			<table><tr><td></td><td>a</td><td>b</td><td></td><td></td></tr><tr><td>x</td><td>15</td><td>3</td><td>$\left(\begin{array}{c}15 \\ 0\end{array}\right)$</td><td>21</td></tr><tr><td>y</td><td>0</td><td>21</td><td></td><td></td></tr></table>		a	b			x	15	3	$\left(\begin{array}{c}15 \\ 0\end{array}\right)$	21	y	0	21																										
	a	b																																																									
x	15	3	$\left(\begin{array}{c}15 \\ 0\end{array}\right)$	21																																																							
y	0	21																																																									
	a	b																																																									
x	15	3	$\left(\begin{array}{c}15 \\ 0\end{array}\right)$	21																																																							
y	0	21																																																									
fong-spivak-invitation-TAB_043	179	0.615	$\begin{tabular}{t}{ l l l l }\hline Generator \&Icon \&Matrix \&Arity \backslash\hline amplify by a \in R - a - (a) 1 \rightarrow 1 \backslash\hline add D- \begin{pmatrix} 1 \\ 1 \end{pmatrix} 2 \rightarrow 1 \backslash\hline zero \bigcirc- () 0 \rightarrow 1 \backslash\hline copy - C \begin{pmatrix} 1 & 1 \end{pmatrix} 1 \rightarrow 2 \backslash\hline discard \rightarrow () 1 \rightarrow 0 \backslash\hline \end{tabular}$	<table><tr><td>Generator</td><td>Icon</td><td>Matrix</td><td>Arity</td></tr><tr><td>amplify by $a \in R$</td><td>- a -</td><td>(a)</td><td>$1 \rightarrow 1$</td></tr><tr><td>add</td><td>D-</td><td>$\begin{pmatrix} 1 \\ 1 \end{pmatrix}$</td><td>$2 \rightarrow 1$</td></tr><tr><td>zero</td><td>$\bigcirc$-</td><td>$()$</td><td>$0 \rightarrow 1$</td></tr><tr><td>copy</td><td>- C</td><td>$\begin{pmatrix} 1 & 1 \end{pmatrix}$</td><td>$1 \rightarrow 2$</td></tr><tr><td>discard</td><td>$\rightarrow$</td><td>$()$</td><td>$1 \rightarrow 0$</td></tr></table>	Generator	Icon	Matrix	Arity	amplify by $a \in R$	- a -	(a)	$1 \rightarrow 1$	add	D-	$\begin{pmatrix} 1 \\ 1 \end{pmatrix}$	$2 \rightarrow 1$	zero	$\bigcirc$ -	$()$	$0 \rightarrow 1$	copy	- C	$\begin{pmatrix} 1 & 1 \end{pmatrix}$	$1 \rightarrow 2$	discard	$\rightarrow$	$()$	$1 \rightarrow 0$	<table><tr><td>Generator</td><td>Icon</td><td>Matrix</td><td>Arity</td></tr><tr><td>amplify by $a \in R$</td><td></td><td>(a)</td><td>$1 \rightarrow 1$</td></tr><tr><td>add</td><td></td><td>$\begin{pmatrix} 1 \\ 1 \end{pmatrix}$</td><td>$2 \rightarrow 1$</td></tr><tr><td>zero</td><td></td><td>$()$</td><td>$0 \rightarrow 1$</td></tr><tr><td>copy</td><td></td><td>$\begin{pmatrix} 1 & 1 \end{pmatrix}$</td><td>$1 \rightarrow 2$</td></tr><tr><td>discard</td><td></td><td>$()$</td><td>$1 \rightarrow 0$</td></tr></table>	Generator	Icon	Matrix	Arity	amplify by $a \in R$		(a)	$1 \rightarrow 1$	add		$\begin{pmatrix} 1 \\ 1 \end{pmatrix}$	$2 \rightarrow 1$	zero		$()$	$0 \rightarrow 1$	copy		$\begin{pmatrix} 1 & 1 \end{pmatrix}$	$1 \rightarrow 2$	discard		$()$	$1 \rightarrow 0$						
Generator	Icon	Matrix	Arity																																																								
amplify by $a \in R$	- a -	(a)	$1 \rightarrow 1$																																																								
add	D-	$\begin{pmatrix} 1 \\ 1 \end{pmatrix}$	$2 \rightarrow 1$																																																								
zero	$\bigcirc$ -	$()$	$0 \rightarrow 1$																																																								
copy	- C	$\begin{pmatrix} 1 & 1 \end{pmatrix}$	$1 \rightarrow 2$																																																								
discard	$\rightarrow$	$()$	$1 \rightarrow 0$																																																								
Generator	Icon	Matrix	Arity																																																								
amplify by $a \in R$		(a)	$1 \rightarrow 1$																																																								
add		$\begin{pmatrix} 1 \\ 1 \end{pmatrix}$	$2 \rightarrow 1$																																																								
zero		$()$	$0 \rightarrow 1$																																																								
copy		$\begin{pmatrix} 1 & 1 \end{pmatrix}$	$1 \rightarrow 2$																																																								
discard		$()$	$1 \rightarrow 0$																																																								

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																								
fong-spivak-invitation-TAB_044	242	0.665	$\begin{tabular}{t}{ l l l }\hline \backslash(P\backslash) \& \backslash(Q\backslash) \& \backslash(\backslashulcorner\backslash) \text{true}, \text{true} \backslash\backslash\urcorner(P, Q)\backslash\backslash \hline \text{true} \& \text{true} \& \text{true} \backslash\backslash \hline \text{true} \& \text{false} \& \text{false} \backslash\backslash \hline \text{false} \& \text{true} \& \text{false} \backslash\backslash \hline \text{false} \& \text{false} \& \text{false} \backslash\backslash \hline \end{tabular}$	<table><tr><th>P</th><th>Q</th><th>$\lceil(\text{true}, \text{true})\rceil(P, Q)$</th></tr><tr><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>false</td></tr><tr><td>false</td><td>true</td><td>false</td></tr><tr><td>false</td><td>false</td><td>false</td></tr></table>	P	Q	$\lceil(\text{true}, \text{true})\rceil(P, Q)$	true	true	true	true	false	false	false	true	false	false	false	false	<table><tr><th>P</th><th>Q</th><th>$\lceil(\text{true}, \text{true})\rceil(P, Q)$</th></tr><tr><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>false</td></tr><tr><td>false</td><td>true</td><td>false</td></tr><tr><td>false</td><td>false</td><td>false</td></tr></table>	P	Q	$\lceil(\text{true}, \text{true})\rceil(P, Q)$	true	true	true	true	false	false	false	true	false	false	false	false										
P	Q	$\lceil(\text{true}, \text{true})\rceil(P, Q)$																																											
true	true	true																																											
true	false	false																																											
false	true	false																																											
false	false	false																																											
P	Q	$\lceil(\text{true}, \text{true})\rceil(P, Q)$																																											
true	true	true																																											
true	false	false																																											
false	true	false																																											
false	false	false																																											
fong-spivak-invitation-TAB_045	242	1.000	$\begin{tabular}{t}{ l l l }\hline \backslash(P\backslash) \& \backslash(Q\backslash) \& \backslash(P\vee Q\backslash) \backslash\backslash \hline \text{true} \& \text{true} \& \text{true} \backslash\backslash \hline \text{true} \& \text{false} \& \text{true} \backslash\backslash \hline \text{false} \& \text{true} \& \text{true} \backslash\backslash \hline \text{false} \& \text{false} \& \text{false} \backslash\backslash \hline \end{tabular}$	<table><tr><th>P</th><th>Q</th><th>$P \vee Q$</th></tr><tr><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>true</td></tr><tr><td>false</td><td>true</td><td>true</td></tr><tr><td>false</td><td>false</td><td>false</td></tr></table>	P	Q	$P \vee Q$	true	true	true	true	false	true	false	true	true	false	false	false	<table><tr><th>P</th><th>Q</th><th>$P \vee Q$</th></tr><tr><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>true</td></tr><tr><td>false</td><td>true</td><td>true</td></tr><tr><td>false</td><td>false</td><td>false</td></tr></table>	P	Q	$P \vee Q$	true	true	true	true	false	true	false	true	true	false	false	false										
P	Q	$P \vee Q$																																											
true	true	true																																											
true	false	true																																											
false	true	true																																											
false	false	false																																											
P	Q	$P \vee Q$																																											
true	true	true																																											
true	false	true																																											
false	true	true																																											
false	false	false																																											
fong-spivak-invitation-TAB_046	243	1.000	$\begin{tabular}{t}{ l l l l }\hline \backslash(P\backslash) \& \backslash(Q\backslash) \& \backslash(P\wedge Q\backslash) \& \backslash(P=(P\wedge Q)\backslash) \backslash\backslash \hline \text{true} \& \text{true} \& ? \& ? \backslash\backslash \hline \text{true} \& \text{false} \& ? \& ? \backslash\backslash \hline \text{false} \& \text{true} \& ? \& ? \backslash\backslash \hline \text{false} \& \text{false} \& ? \& ? \backslash\backslash \hline \end{tabular}$	<table><tr><th>P</th><th>Q</th><th>$P \wedge Q$</th><th>$P = (P \wedge Q)$</th></tr><tr><td>true</td><td>true</td><td>?</td><td>?</td></tr><tr><td>true</td><td>false</td><td>?</td><td>?</td></tr><tr><td>false</td><td>true</td><td>?</td><td>?</td></tr><tr><td>false</td><td>false</td><td>?</td><td>?</td></tr></table>	P	Q	$P \wedge Q$	$P = (P \wedge Q)$	true	true	?	?	true	false	?	?	false	true	?	?	false	false	?	?	<table><tr><th>P</th><th>Q</th><th>$P \wedge Q$</th><th>$P = (P \wedge Q)$</th></tr><tr><td>true</td><td>true</td><td>?</td><td>?</td></tr><tr><td>true</td><td>false</td><td>?</td><td>?</td></tr><tr><td>false</td><td>true</td><td>?</td><td>?</td></tr><tr><td>false</td><td>false</td><td>?</td><td>?</td></tr></table>	P	Q	$P \wedge Q$	$P = (P \wedge Q)$	true	true	?	?	true	false	?	?	false	true	?	?	false	false	?	?
P	Q	$P \wedge Q$	$P = (P \wedge Q)$																																										
true	true	?	?																																										
true	false	?	?																																										
false	true	?	?																																										
false	false	?	?																																										
P	Q	$P \wedge Q$	$P = (P \wedge Q)$																																										
true	true	?	?																																										
true	false	?	?																																										
false	true	?	?																																										
false	false	?	?																																										
fong-spivak-invitation-TAB_047	273	0.919	$\begin{tabular}{t}{ l l l }\hline \text{Arrow} \backslash(a\backslash) \& \text{Source} \backslash(s(a) \in V\backslash) \& \text{Target} \backslash(t(a) \in V\backslash) \backslash\backslash \hline \backslash(a\backslash) \& 1 \& 2 \backslash\backslash \hline \backslash(b\backslash) \& 1 \& 3 \backslash\backslash \hline \backslash(c\backslash) \& 1 \& 3 \backslash\backslash \hline d \& 2 \& 2 \backslash\backslash \hline \backslash(e\backslash) \& 2 \& 3 \backslash\backslash \hline \end{tabular}$	<table><tr><th>Arrow a</th><th>Source $s(a) \in V$</th><th>Target $t(a) \in V$</th></tr><tr><td>a</td><td>1</td><td>2</td></tr><tr><td>b</td><td>1</td><td>3</td></tr><tr><td>c</td><td>1</td><td>3</td></tr><tr><td>d</td><td>2</td><td>2</td></tr><tr><td>e</td><td>2</td><td>3</td></tr></table>	Arrow a	Source $s(a) \in V$	Target $t(a) \in V$	a	1	2	b	1	3	c	1	3	d	2	2	e	2	3	<table><tr><th>Arrow a</th><th>Source $s(a) \in V$</th><th>Target $t(a) \in V$</th></tr><tr><td>a</td><td>1</td><td>2</td></tr><tr><td>b</td><td>1</td><td>3</td></tr><tr><td>c</td><td>1</td><td>3</td></tr><tr><td>d</td><td>2</td><td>2</td></tr><tr><td>e</td><td>2</td><td>3</td></tr></table>	Arrow a	Source $s(a) \in V$	Target $t(a) \in V$	a	1	2	b	1	3	c	1	3	d	2	2	e	2	3				
Arrow a	Source $s(a) \in V$	Target $t(a) \in V$																																											
a	1	2																																											
b	1	3																																											
c	1	3																																											
d	2	2																																											
e	2	3																																											
Arrow a	Source $s(a) \in V$	Target $t(a) \in V$																																											
a	1	2																																											
b	1	3																																											
c	1	3																																											
d	2	2																																											
e	2	3																																											

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																																																																																																																																																						
fong-spivak-invitation_048	280	■0.937	$\begin{tabular}{t}{ l l l l l l l }\hline \backslash(p\backslash) \& \backslash(q\backslash) \& \backslash(f(p)\backslash) \& \backslash(g(q)\backslash) \& \backslash(f(p) \leq ? \quad q\backslash) \& \backslash(p \leq ? \quad g(q)\backslash) \& \text{Same?} \\ \hline 1 \& 1 \& 1 \& 1 \& 1 \& 1 \& \text{yes} \& \text{yes} \& \text{yes!} \\ \hline 1 \& 2 \& 1 \& 2 \& \text{no} \& \text{no} \& \text{yes!} \\ \hline 1 \& 4 \& 1 \& 4 \& \text{yes} \& \text{yes} \& \text{yes!} \\ \hline 2 \& 1 \& 2 \& 2 \& \text{no} \& \text{no} \& \text{yes!} \\ \hline 2 \& 2 \& 2 \& 2 \& \text{yes} \& \text{yes} \& \text{yes!} \\ \hline 2 \& 4 \& 2 \& 4 \& \text{yes} \& \text{yes} \& \text{yes!} \\ \hline 3.9 \& 1 \& 4 \& 1 \& \text{no} \& \text{no} \& \text{yes!} \\ \hline 3.9 \& 2 \& 4 \& 2 \& \text{no} \& \text{no} \& \text{yes!} \\ \hline 3.9 \& 4 \& 4 \& 4 \& \text{yes} \& \text{yes} \& \text{yes!} \\ \hline 4 \& 1 \& 4 \& 1 \& \text{no} \& \text{no} \& \text{yes!} \\ \hline 4 \& 2 \& 4 \& 2 \& \text{no} \& \text{no} \& \text{yes!} \\ \hline 4 \& 4 \& 4 \& 4 \& \text{yes} \& \text{yes} \& \text{yes!} \\ \hline \end{tabular}$	<table><tr><th>p</th><th>q</th><th>$f(p)$</th><th>$g(q)$</th><th>$f(p) \leq ? \quad q$</th><th>$p \leq ? g(q)$</th><th>Same?</th></tr><tr><td>1</td><td>1</td><td>1</td><td>1</td><td>yes</td><td>yes</td><td>yes!</td></tr><tr><td>1</td><td>2</td><td>1</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>1</td><td>4</td><td>1</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr><tr><td>2</td><td>1</td><td>2</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>2</td><td>2</td><td>2</td><td>2</td><td>yes</td><td>yes</td><td>yes!</td></tr><tr><td>2</td><td>4</td><td>2</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr><tr><td>3.9</td><td>1</td><td>4</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>3.9</td><td>2</td><td>4</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>3.9</td><td>4</td><td>4</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr><tr><td>4</td><td>1</td><td>4</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>4</td><td>2</td><td>4</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>4</td><td>4</td><td>4</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr></table>	p	q	$f(p)$	$g(q)$	$f(p) \leq ? \quad q$	$p \leq ? g(q)$	Same?	1	1	1	1	yes	yes	yes!	1	2	1	2	no	no	yes!	1	4	1	4	yes	yes	yes!	2	1	2	1	no	no	yes!	2	2	2	2	yes	yes	yes!	2	4	2	4	yes	yes	yes!	3.9	1	4	1	no	no	yes!	3.9	2	4	2	no	no	yes!	3.9	4	4	4	yes	yes	yes!	4	1	4	1	no	no	yes!	4	2	4	2	no	no	yes!	4	4	4	4	yes	yes	yes!	<table><tr><th>p</th><th>q</th><th>$f(p)$</th><th>$g(q)$</th><th>$f(p) \leq ? \quad q$</th><th>$p \leq ? \quad g(q)$</th><th>Same?</th></tr><tr><td>1</td><td>1</td><td>1</td><td>1</td><td>yes</td><td>yes</td><td>yes!</td></tr><tr><td>1</td><td>2</td><td>1</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>1</td><td>4</td><td>1</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr><tr><td>2</td><td>1</td><td>2</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>2</td><td>2</td><td>2</td><td>2</td><td>yes</td><td>yes</td><td>yes!</td></tr><tr><td>2</td><td>4</td><td>2</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr><tr><td>3.9</td><td>1</td><td>4</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>3.9</td><td>2</td><td>4</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>3.9</td><td>4</td><td>4</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr><tr><td>4</td><td>1</td><td>4</td><td>1</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>4</td><td>2</td><td>4</td><td>2</td><td>no</td><td>no</td><td>yes!</td></tr><tr><td>4</td><td>4</td><td>4</td><td>4</td><td>yes</td><td>yes</td><td>yes!</td></tr></table>	p	q	$f(p)$	$g(q)$	$f(p) \leq ? \quad q$	$p \leq ? \quad g(q)$	Same?	1	1	1	1	yes	yes	yes!	1	2	1	2	no	no	yes!	1	4	1	4	yes	yes	yes!	2	1	2	1	no	no	yes!	2	2	2	2	yes	yes	yes!	2	4	2	4	yes	yes	yes!	3.9	1	4	1	no	no	yes!	3.9	2	4	2	no	no	yes!	3.9	4	4	4	yes	yes	yes!	4	1	4	1	no	no	yes!	4	2	4	2	no	no	yes!	4	4	4	4	yes	yes	yes!
p	q	$f(p)$	$g(q)$	$f(p) \leq ? \quad q$	$p \leq ? g(q)$	Same?																																																																																																																																																																																					
1	1	1	1	yes	yes	yes!																																																																																																																																																																																					
1	2	1	2	no	no	yes!																																																																																																																																																																																					
1	4	1	4	yes	yes	yes!																																																																																																																																																																																					
2	1	2	1	no	no	yes!																																																																																																																																																																																					
2	2	2	2	yes	yes	yes!																																																																																																																																																																																					
2	4	2	4	yes	yes	yes!																																																																																																																																																																																					
3.9	1	4	1	no	no	yes!																																																																																																																																																																																					
3.9	2	4	2	no	no	yes!																																																																																																																																																																																					
3.9	4	4	4	yes	yes	yes!																																																																																																																																																																																					
4	1	4	1	no	no	yes!																																																																																																																																																																																					
4	2	4	2	no	no	yes!																																																																																																																																																																																					
4	4	4	4	yes	yes	yes!																																																																																																																																																																																					
p	q	$f(p)$	$g(q)$	$f(p) \leq ? \quad q$	$p \leq ? \quad g(q)$	Same?																																																																																																																																																																																					
1	1	1	1	yes	yes	yes!																																																																																																																																																																																					
1	2	1	2	no	no	yes!																																																																																																																																																																																					
1	4	1	4	yes	yes	yes!																																																																																																																																																																																					
2	1	2	1	no	no	yes!																																																																																																																																																																																					
2	2	2	2	yes	yes	yes!																																																																																																																																																																																					
2	4	2	4	yes	yes	yes!																																																																																																																																																																																					
3.9	1	4	1	no	no	yes!																																																																																																																																																																																					
3.9	2	4	2	no	no	yes!																																																																																																																																																																																					
3.9	4	4	4	yes	yes	yes!																																																																																																																																																																																					
4	1	4	1	no	no	yes!																																																																																																																																																																																					
4	2	4	2	no	no	yes!																																																																																																																																																																																					
4	4	4	4	yes	yes	yes!																																																																																																																																																																																					
fong-spivak-invitation_049	283	■1.000	$\begin{tabular}{t}{ l l l l l }\hline \text{min} \& \text{no} \& \text{maybe} \& \text{yes} \\ \hline \text{no} \& \text{no} \& \text{no} \& \text{no} \\ \hline \text{maybe} \& \text{no} \& \text{maybe} \& \text{maybe} \\ \hline \text{yes} \& \text{no} \& \text{maybe} \& \text{yes} \\ \hline \end{tabular}$	<table><tr><th>min</th><th>no</th><th>maybe</th><th>yes</th></tr><tr><td>no</td><td>no</td><td>no</td><td>no</td></tr><tr><td>maybe</td><td>no</td><td>maybe</td><td>maybe</td></tr><tr><td>yes</td><td>no</td><td>maybe</td><td>yes</td></tr></table>	min	no	maybe	yes	no	no	no	no	maybe	no	maybe	maybe	yes	no	maybe	yes	<table><tr><th>min</th><th>no</th><th>maybe</th><th>yes</th></tr><tr><td>no</td><td>no</td><td>no</td><td>no</td></tr><tr><td>maybe</td><td>no</td><td>maybe</td><td>maybe</td></tr><tr><td>yes</td><td>no</td><td>maybe</td><td>yes</td></tr></table>	min	no	maybe	yes	no	no	no	no	maybe	no	maybe	maybe	yes	no	maybe	yes																																																																																																																																																						
min	no	maybe	yes																																																																																																																																																																																								
no	no	no	no																																																																																																																																																																																								
maybe	no	maybe	maybe																																																																																																																																																																																								
yes	no	maybe	yes																																																																																																																																																																																								
min	no	maybe	yes																																																																																																																																																																																								
no	no	no	no																																																																																																																																																																																								
maybe	no	maybe	maybe																																																																																																																																																																																								
yes	no	maybe	yes																																																																																																																																																																																								
fong-spivak-invitation_050	285	■0.780	$\begin{tabular}{t}{ l l l l l l }\hline \backslash(d(\nearrow)\backslash) \& \backslash(A\backslash) \& \backslash(B\backslash) \& \backslash(C\backslash) \& \backslash(D\backslash) \\ \hline A \& 0 \& 6 \& 3 \& 11 \\ \hline B \& 2 \& 0 \& 5 \& 5 \\ \hline C \& 5 \& 3 \& 0 \& 8 \\ \hline D \& 11 \& 9 \& 6 \& 0 \\ \hline \end{tabular}$	<table><tr><th>$d(\nearrow)$</th><th>A</th><th>B</th><th>C</th><th>D</th></tr><tr><td>A</td><td>0</td><td>6</td><td>3</td><td>11</td></tr><tr><td>B</td><td>2</td><td>0</td><td>5</td><td>5</td></tr><tr><td>C</td><td>5</td><td>3</td><td>0</td><td>8</td></tr><tr><td>D</td><td>11</td><td>9</td><td>6</td><td>0</td></tr></table>	$d(\nearrow)$	A	B	C	D	A	0	6	3	11	B	2	0	5	5	C	5	3	0	8	D	11	9	6	0	<table><tr><th>$d(\nearrow)$</th><th>A</th><th>B</th><th>C</th><th>D</th></tr><tr><td>A</td><td>0</td><td>6</td><td>3</td><td>11</td></tr><tr><td>B</td><td>2</td><td>0</td><td>5</td><td>5</td></tr><tr><td>C</td><td>5</td><td>3</td><td>0</td><td>8</td></tr><tr><td>D</td><td>11</td><td>9</td><td>6</td><td>0</td></tr></table>	$d(\nearrow)$	A	B	C	D	A	0	6	3	11	B	2	0	5	5	C	5	3	0	8	D	11	9	6	0																																																																																																																																				
$d(\nearrow)$	A	B	C	D																																																																																																																																																																																							
A	0	6	3	11																																																																																																																																																																																							
B	2	0	5	5																																																																																																																																																																																							
C	5	3	0	8																																																																																																																																																																																							
D	11	9	6	0																																																																																																																																																																																							
$d(\nearrow)$	A	B	C	D																																																																																																																																																																																							
A	0	6	3	11																																																																																																																																																																																							
B	2	0	5	5																																																																																																																																																																																							
C	5	3	0	8																																																																																																																																																																																							
D	11	9	6	0																																																																																																																																																																																							
fong-spivak-invitation_051	285	■0.593	$\begin{tabular}{t}{ l l l l l l }\hline \multispan{2}{*} \& \nearrow \& \backslash(A\backslash) \& \backslash(B\backslash) \& C \& \backslash(D\backslash) \\ \hline \& \backslash(A\backslash) \& 0 \& \backslash(\infty\backslash) \& 3 \& \backslash(\infty\backslash) \\ \hline \backslash(M_X=\backslash) \& B \& 2 \& 0 \& \backslash(\infty\backslash) \& 5 \\ \hline C \& \backslash(\infty\backslash) \& 3 \& 0 \& \backslash(\infty\backslash) \\ \hline \& D \& \backslash(\infty\backslash) \& \backslash(\infty\backslash) \& 6 \& 0 \\ \hline \end{tabular}$	(not rendered)	$M_X = \begin{array}{c cccc} \nearrow & A & B & C & D \\ A & 0 & \infty & 3 & \infty \\ B & 2 & 0 & \infty & 5 \\ C & \infty & 3 & 0 & \infty \\ D & \infty & \infty & 6 & 0 \end{array}$																																																																																																																																																																																						

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																																																																		
fong-spivak-invitation_TAB_052	285	■0.528	$\begin{tabular}[t]{l l l l l }\hline X(\nearrow) & \backslash(A\backslash) & \backslash(B\backslash) & \backslash(C\backslash) & \backslash(D\backslash) \\ \hline A & \backslash(M\backslash) & \backslash\{boat\backslash\} & \backslash(\backslashvarnothing\backslash) & \backslash\{boat\backslash\} \\ B & \backslash(\backslashvarnothing\backslash) & \backslash\{boat\backslash\} & \backslash(\backslashvarnothing\backslash) & \backslash(M\backslash) \\ C & \backslash\{foot, boat\backslash\} & \backslash\{boat\backslash\} & \backslash(M\backslash) & \backslash(M\backslash) \\ D & \backslash(\backslashvarnothing\backslash) & \backslash\{foot, car\backslash\} & \backslash(M\backslash) & \backslash\hline\end{tabular}$	<table><tr><td>X($\nearrow$)</td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>A</td><td>M</td><td>{boat}</td><td>$\varnothing$</td><td>{boat}</td></tr><tr><td>B</td><td>$\varnothing$</td><td>M</td><td>$\varnothing$</td><td>{boat}</td></tr><tr><td>C</td><td>{foot, boat}</td><td>{boat}</td><td>M</td><td>M</td></tr><tr><td>D</td><td>{foot}</td><td>$\varnothing$</td><td>{foot, car}</td><td>M</td></tr></table>	X($\nearrow$)	A	B	C	D	A	M	{boat}	$\varnothing$	{boat}	B	$\varnothing$	M	$\varnothing$	{boat}	C	{foot, boat}	{boat}	M	M	D	{foot}	$\varnothing$	{foot, car}	M	<table><tr><td>X($\nearrow$)</td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>A</td><td>M</td><td>{boat}</td><td>$\varnothing$</td><td>{boat}</td></tr><tr><td>B</td><td>$\varnothing$</td><td>M</td><td>$\varnothing$</td><td>{boat}</td></tr><tr><td>C</td><td>{foot, boat}</td><td>{boat}</td><td>M</td><td>M</td></tr><tr><td>D</td><td>{foot}</td><td>$\varnothing$</td><td>{foot, car}</td><td>M</td></tr></table>	X($\nearrow$)	A	B	C	D	A	M	{boat}	$\varnothing$	{boat}	B	$\varnothing$	M	$\varnothing$	{boat}	C	{foot, boat}	{boat}	M	M	D	{foot}	$\varnothing$	{foot, car}	M																																																
X($\nearrow$)	A	B	C	D																																																																																																			
A	M	{boat}	$\varnothing$	{boat}																																																																																																			
B	$\varnothing$	M	$\varnothing$	{boat}																																																																																																			
C	{foot, boat}	{boat}	M	M																																																																																																			
D	{foot}	$\varnothing$	{foot, car}	M																																																																																																			
X($\nearrow$)	A	B	C	D																																																																																																			
A	M	{boat}	$\varnothing$	{boat}																																																																																																			
B	$\varnothing$	M	$\varnothing$	{boat}																																																																																																			
C	{foot, boat}	{boat}	M	M																																																																																																			
D	{foot}	$\varnothing$	{foot, car}	M																																																																																																			
fong-spivak-invitation_TAB_053	286	■0.689	$\begin{tabular}[t]{l l l l }\hline \backslash(M(\backslashnearrow)\backslash) & \backslash(A\backslash) & \backslash(B\backslash) & \backslash(C\backslash) \\ \hline A & \backslash(M\backslash) & \backslash(\backslashinfty\backslash) & 10 \\ B & 6 & \backslash(\backslashinfty\backslash) & 6 \\ C & 10 & 10 & \backslash(\backslashinfty\backslash) \\ \hline\end{tabular}$	<table><tr><td>M($\nearrow$)</td><td>A</td><td>B</td><td>C</td></tr><tr><td>A</td><td>∞</td><td>10</td><td>10</td></tr><tr><td>B</td><td>6</td><td>∞</td><td>6</td></tr><tr><td>C</td><td>10</td><td>10</td><td>∞</td></tr></table>	M($\nearrow$)	A	B	C	A	∞	10	10	B	6	∞	6	C	10	10	∞	<table><tr><td>M($\nearrow$)</td><td>A</td><td>B</td><td>C</td></tr><tr><td>A</td><td>∞</td><td>10</td><td>10</td></tr><tr><td>B</td><td>6</td><td>∞</td><td>6</td></tr><tr><td>C</td><td>10</td><td>10</td><td>∞</td></tr></table>	M($\nearrow$)	A	B	C	A	∞	10	10	B	6	∞	6	C	10	10	∞																																																																		
M($\nearrow$)	A	B	C																																																																																																				
A	∞	10	10																																																																																																				
B	6	∞	6																																																																																																				
C	10	10	∞																																																																																																				
M($\nearrow$)	A	B	C																																																																																																				
A	∞	10	10																																																																																																				
B	6	∞	6																																																																																																				
C	10	10	∞																																																																																																				
fong-spivak-invitation_TAB_054	288	■1.000	$\begin{tabular}[t]{l l l }\hline \Rightarrow & \text{false} & \text{true} \\ \hline \text{false} & \text{true} & \text{true} \\ \text{true} & \text{false} & \text{true} \\ \hline\end{tabular}$	<table><tr><td>$\Rightarrow$</td><td>false</td><td>true</td></tr><tr><td>false</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>true</td></tr></table>	$\Rightarrow$	false	true	false	true	true	true	false	true	<table><tr><td>$\Rightarrow$</td><td>false</td><td>true</td></tr><tr><td>false</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>true</td></tr></table>	$\Rightarrow$	false	true	false	true	true	true	false	true																																																																																
$\Rightarrow$	false	true																																																																																																					
false	true	true																																																																																																					
true	false	true																																																																																																					
$\Rightarrow$	false	true																																																																																																					
false	true	true																																																																																																					
true	false	true																																																																																																					
fong-spivak-invitation_TAB_055	290	■0.508	$\begin{tabular}[t]{l l l l l l l }\hline \nearrow & \backslash(v_{1}\backslash) & \backslash(f_{1}\backslash) & \backslash(f_{1}\backslash)^{\circ}f_{2}\backslash) & \backslash(v_{2}\backslash) & \backslash(f_{2}\backslash) & \backslash(v_{3}\backslash) \\ \hline v_{1} & \backslash(v_{1}\backslash) & \backslash(f_{1}\backslash) & \backslash(f_{1}\backslash)^{\circ}f_{2}\backslash) & \backslash(v_{2}\backslash) & \backslash(f_{2}\backslash) & \backslash(v_{3}\backslash) \\ f_{1} & \backslash(f_{1}\backslash) & \backslash(f_{1}\backslash) & \backslash(f_{1}\backslash)^{\circ}f_{2}\backslash) & \backslash(v_{2}\backslash) & \backslash(f_{2}\backslash) & \backslash(v_{3}\backslash) \\ f_{1}\circ f_{2} & \backslash(f_{1}\backslash) & \backslash(f_{1}\backslash) & \backslash(f_{1}\backslash)^{\circ}f_{2}\backslash) & \backslash(v_{2}\backslash) & \backslash(f_{2}\backslash) & \backslash(v_{3}\backslash) \\ v_{2} & \backslash(v_{2}\backslash) & \backslash(f_{1}\backslash) & \backslash(f_{1}\backslash)^{\circ}f_{2}\backslash) & \backslash(v_{2}\backslash) & \backslash(f_{2}\backslash) & \backslash(v_{3}\backslash) \\ f_{2} & \backslash(v_{2}\backslash) & \backslash(f_{1}\backslash) & \backslash(f_{1}\backslash)^{\circ}f_{2}\backslash) & \backslash(v_{2}\backslash) & \backslash(f_{2}\backslash) & \backslash(v_{3}\backslash) \\ v_{3} & \backslash(v_{3}\backslash) & \backslash(f_{1}\backslash) & \backslash(f_{1}\backslash)^{\circ}f_{2}\backslash) & \backslash(v_{3}\backslash) & \backslash(f_{2}\backslash) & \backslash(v_{3}\backslash) \\ \hline\end{tabular}$	<table><tr><td>$\nearrow$</td><td>v_1</td><td>f_1</td><td>$f_1^{\circ}f_2$</td><td>v_2</td><td>f_2</td><td>v_3</td></tr><tr><td>v_1</td><td>v_1</td><td>f_1</td><td>$f_1;f_2$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td></tr><tr><td>f_1</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>f_1</td><td>$f_1^{\circ}f_2$</td><td>$\boxtimes$</td></tr><tr><td>$f_1^{\circ}f_2$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$f_1^{\circ}f_2$</td></tr><tr><td>v_2</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>v_2</td><td>f_2</td><td>$\boxtimes$</td></tr><tr><td>f_2</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>f_2</td></tr><tr><td>v_3</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>v_3</td></tr></table>	$\nearrow$	v_1	f_1	$f_1^{\circ}f_2$	v_2	f_2	v_3	v_1	v_1	f_1	$f_1;f_2$	$\boxtimes$	$\boxtimes$	$\boxtimes$	f_1	$\boxtimes$	$\boxtimes$	$\boxtimes$	f_1	$f_1^{\circ}f_2$	$\boxtimes$	$f_1^{\circ}f_2$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$f_1^{\circ}f_2$	v_2	$\boxtimes$	$\boxtimes$	$\boxtimes$	v_2	f_2	$\boxtimes$	f_2	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	f_2	v_3	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	v_3	<table><tr><td>$\nearrow$</td><td>v_1</td><td>f_1</td><td>$f_1\circ f_2$</td><td>v_2</td><td>f_2</td><td>v_3</td></tr><tr><td>v_1</td><td>v_1</td><td>f_1</td><td>$f_1\circ f_2$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td></tr><tr><td>f_1</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>f_1</td><td>$f_1\circ f_2$</td><td>$\boxtimes$</td></tr><tr><td>$f_1\circ f_2$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$f_1\circ f_2$</td></tr><tr><td>v_2</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>v_2</td><td>f_2</td><td>$\boxtimes$</td></tr><tr><td>f_2</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>f_2</td></tr><tr><td>v_3</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>$\boxtimes$</td><td>v_3</td></tr></table>	$\nearrow$	v_1	f_1	$f_1\circ f_2$	v_2	f_2	v_3	v_1	v_1	f_1	$f_1\circ f_2$	$\boxtimes$	$\boxtimes$	$\boxtimes$	f_1	$\boxtimes$	$\boxtimes$	$\boxtimes$	f_1	$f_1\circ f_2$	$\boxtimes$	$f_1\circ f_2$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$f_1\circ f_2$	v_2	$\boxtimes$	$\boxtimes$	$\boxtimes$	v_2	f_2	$\boxtimes$	f_2	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	f_2	v_3	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	v_3
$\nearrow$	v_1	f_1	$f_1^{\circ}f_2$	v_2	f_2	v_3																																																																																																	
v_1	v_1	f_1	$f_1;f_2$	$\boxtimes$	$\boxtimes$	$\boxtimes$																																																																																																	
f_1	$\boxtimes$	$\boxtimes$	$\boxtimes$	f_1	$f_1^{\circ}f_2$	$\boxtimes$																																																																																																	
$f_1^{\circ}f_2$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$f_1^{\circ}f_2$																																																																																																	
v_2	$\boxtimes$	$\boxtimes$	$\boxtimes$	v_2	f_2	$\boxtimes$																																																																																																	
f_2	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	f_2																																																																																																	
v_3	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	v_3																																																																																																	
$\nearrow$	v_1	f_1	$f_1\circ f_2$	v_2	f_2	v_3																																																																																																	
v_1	v_1	f_1	$f_1\circ f_2$	$\boxtimes$	$\boxtimes$	$\boxtimes$																																																																																																	
f_1	$\boxtimes$	$\boxtimes$	$\boxtimes$	f_1	$f_1\circ f_2$	$\boxtimes$																																																																																																	
$f_1\circ f_2$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$f_1\circ f_2$																																																																																																	
v_2	$\boxtimes$	$\boxtimes$	$\boxtimes$	v_2	f_2	$\boxtimes$																																																																																																	
f_2	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	f_2																																																																																																	
v_3	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	$\boxtimes$	v_3																																																																																																	
fong-spivak-invitation_TAB_056	295	■1.000	$\begin{tabular}[t]{l l l }\hline Arrow & source & target \\ \hline Mngr & Employee & Employee \\ WorksIn & Employee & Department \\ Secr & Department & Employee \\ FName & Employee & string \\ DName & Department & string \\ \hline\end{tabular}$	<table><tr><td>Arrow</td><td>source</td><td>target</td></tr><tr><td>Mngr</td><td>Employee</td><td>Employee</td></tr><tr><td>WorksIn</td><td>Employee</td><td>Department</td></tr><tr><td>Secr</td><td>Department</td><td>Employee</td></tr><tr><td>FName</td><td>Employee</td><td>string</td></tr><tr><td>DName</td><td>Department</td><td>string</td></tr></table>	Arrow	source	target	Mngr	Employee	Employee	WorksIn	Employee	Department	Secr	Department	Employee	FName	Employee	string	DName	Department	string	<table><tr><td>Arrow</td><td>source</td><td>target</td></tr><tr><td>Mngr</td><td>Employee</td><td>Employee</td></tr><tr><td>WorksIn</td><td>Employee</td><td>Department</td></tr><tr><td>Secr</td><td>Department</td><td>Employee</td></tr><tr><td>FName</td><td>Employee</td><td>string</td></tr><tr><td>DName</td><td>Department</td><td>string</td></tr></table>	Arrow	source	target	Mngr	Employee	Employee	WorksIn	Employee	Department	Secr	Department	Employee	FName	Employee	string	DName	Department	string																																																														
Arrow	source	target																																																																																																					
Mngr	Employee	Employee																																																																																																					
WorksIn	Employee	Department																																																																																																					
Secr	Department	Employee																																																																																																					
FName	Employee	string																																																																																																					
DName	Department	string																																																																																																					
Arrow	source	target																																																																																																					
Mngr	Employee	Employee																																																																																																					
WorksIn	Employee	Department																																																																																																					
Secr	Department	Employee																																																																																																					
FName	Employee	string																																																																																																					
DName	Department	string																																																																																																					

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																
fong-spivak-invitation_TAB_057	295	■1.000	$\begin{tabular}{t}{ l } \hline \text{Vertex} \\ \hline \text{Department Employee string} \\ \hline \end{tabular}$	<table><tr><th>Vertex</th></tr><tr><td>Department Employee string</td></tr></table>	Vertex	Department Employee string	<table><tr><th>Vertex</th></tr><tr><td>Department Employee string</td></tr></table>	Vertex	Department Employee string																																												
Vertex																																																					
Department Employee string																																																					
Vertex																																																					
Department Employee string																																																					
fong-spivak-invitation_TAB_058	296	■1.000	$\begin{tabular}{t}{ l l l l } \hline \multicolumn{4}{*}{\text{State \& next}} \\ \hline \multicolumn{4}{*}{\text{1 \& 4}} \\ \hline \multicolumn{4}{*}{\text{2 \& 4}} \\ \hline \multicolumn{4}{*}{\text{3 \& 5}} \\ \hline \multicolumn{4}{*}{\text{4 \& 5}} \\ \hline \multicolumn{4}{*}{\text{5 \& 5}} \\ \hline \multicolumn{4}{*}{\text{6 \& 7}} \\ \hline \multicolumn{4}{*}{\text{7 \& 6}} \\ \hline \end{tabular}$	(not rendered)	<table><tr><th>State</th><th>next</th></tr><tr><td>1</td><td>4</td></tr><tr><td>2</td><td>4</td></tr><tr><td>3</td><td>5</td></tr><tr><td>4</td><td>5</td></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>7</td></tr><tr><td>7</td><td>6</td></tr></table>	State	next	1	4	2	4	3	5	4	5	5	5	6	7	7	6																																
State	next																																																				
1	4																																																				
2	4																																																				
3	5																																																				
4	5																																																				
5	5																																																				
6	7																																																				
7	6																																																				
fong-spivak-invitation_TAB_059	296	■1.000	$\begin{tabular}{t}{ l l l } \hline \text{Arrow \& source \& target} \\ \hline \text{1 \& 4 \& 1} \\ \hline \text{2 \& 4 \& 2} \\ \hline \text{3 \& 5 \& 3} \\ \hline \text{4 \& 5 \& 4} \\ \hline \text{5 \& 5 \& 5} \\ \hline \text{6 \& 7 \& 6} \\ \hline \text{7 \& 6 \& 7} \\ \hline \end{tabular}$	<table><tr><th>Arrow</th><th>source</th><th>target</th></tr><tr><td>1</td><td>4</td><td>1</td></tr><tr><td>2</td><td>4</td><td>2</td></tr><tr><td>3</td><td>5</td><td>3</td></tr><tr><td>4</td><td>5</td><td>4</td></tr><tr><td>5</td><td>5</td><td>5</td></tr><tr><td>6</td><td>7</td><td>6</td></tr><tr><td>7</td><td>6</td><td>7</td></tr></table>	Arrow	source	target	1	4	1	2	4	2	3	5	3	4	5	4	5	5	5	6	7	6	7	6	7	<table><tr><th>Arrow</th><th>source</th><th>target</th></tr><tr><td>1</td><td>4</td><td>1</td></tr><tr><td>2</td><td>4</td><td>2</td></tr><tr><td>3</td><td>5</td><td>3</td></tr><tr><td>4</td><td>5</td><td>4</td></tr><tr><td>5</td><td>5</td><td>5</td></tr><tr><td>6</td><td>7</td><td>6</td></tr><tr><td>7</td><td>6</td><td>7</td></tr></table>	Arrow	source	target	1	4	1	2	4	2	3	5	3	4	5	4	5	5	5	6	7	6	7	6	7
Arrow	source	target																																																			
1	4	1																																																			
2	4	2																																																			
3	5	3																																																			
4	5	4																																																			
5	5	5																																																			
6	7	6																																																			
7	6	7																																																			
Arrow	source	target																																																			
1	4	1																																																			
2	4	2																																																			
3	5	3																																																			
4	5	4																																																			
5	5	5																																																			
6	7	6																																																			
7	6	7																																																			
fong-spivak-invitation_TAB_060	296	■1.000	$\begin{tabular}{t}{ l } \hline \text{Vertex} \\ \hline \text{1} \\ \hline \text{2} \\ \hline \text{3} \\ \hline \text{4} \\ \hline \text{5} \\ \hline \text{6} \\ \hline \text{7} \\ \hline \end{tabular}$	<table><tr><th>Vertex</th></tr><tr><td>1</td></tr><tr><td>2</td></tr><tr><td>3</td></tr><tr><td>4</td></tr><tr><td>5</td></tr><tr><td>6</td></tr><tr><td>7</td></tr></table>	Vertex	1	2	3	4	5	6	7	<table><tr><th>Vertex</th></tr><tr><td>1</td></tr><tr><td>2</td></tr><tr><td>3</td></tr><tr><td>4</td></tr><tr><td>5</td></tr><tr><td>6</td></tr><tr><td>7</td></tr></table>	Vertex	1	2	3	4	5	6	7																																
Vertex																																																					
1																																																					
2																																																					
3																																																					
4																																																					
5																																																					
6																																																					
7																																																					
Vertex																																																					
1																																																					
2																																																					
3																																																					
4																																																					
5																																																					
6																																																					
7																																																					

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																												
fong-spivak-invitation-TAB_061	297	■ 1.000	$\begin{tabular}{t}{ l l l l }\hline Email & sent_by & received_by & Address \\\hline Em_1 & Bob & Grace & Bob \\\hline Em_2 & Grace & Pat & Doug \\\hline Em_3 & Bob & Emmy & Emmy \\\hline Em_4 & Sue & Doug & Grace \\\hline Em_5 & Doug & Sue & Pat \\\hline Em_6 & Bob & Bob & Sue \\\hline \end{tabular}$	(not rendered)	<table><tr><th>Email</th><th>sent_by</th><th>received_by</th><th>Address</th></tr><tr><td>Em_1</td><td>Bob</td><td>Grace</td><td>Bob</td></tr><tr><td>Em_2</td><td>Grace</td><td>Pat</td><td>Doug</td></tr><tr><td>Em_3</td><td>Bob</td><td>Emmy</td><td>Emmy</td></tr><tr><td>Em_4</td><td>Sue</td><td>Doug</td><td>Grace</td></tr><tr><td>Em_5</td><td>Doug</td><td>Sue</td><td>Pat</td></tr><tr><td>Em_6</td><td>Bob</td><td>Bob</td><td>Sue</td></tr></table>	Email	sent_by	received_by	Address	Em_1	Bob	Grace	Bob	Em_2	Grace	Pat	Doug	Em_3	Bob	Emmy	Emmy	Em_4	Sue	Doug	Grace	Em_5	Doug	Sue	Pat	Em_6	Bob	Bob	Sue																																
Email	sent_by	received_by	Address																																																														
Em_1	Bob	Grace	Bob																																																														
Em_2	Grace	Pat	Doug																																																														
Em_3	Bob	Emmy	Emmy																																																														
Em_4	Sue	Doug	Grace																																																														
Em_5	Doug	Sue	Pat																																																														
Em_6	Bob	Bob	Sue																																																														
fong-spivak-invitation-TAB_062	300	■ 0.863	$\begin{tabular}{t}{ l l l l l l }\hline \backslash(\Phi\backslash) & \backslash(a\backslash) & \backslash(b\backslash) & \backslash(c\backslash) & \backslash(d\backslash) & \backslash(e\backslash) \\\hline \backslash(N\backslash) & true & false & true & false & true \\\hline E & true & true & true & true & true \\\hline W & true & false & true & false & true \\\hline \backslash(S\backslash) & true & true & true & true & true \\\hline \end{tabular}$	<table><tr><th>Φ</th><th>a</th><th>b</th><th>c</th><th>d</th><th>e</th></tr><tr><td>N</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>E</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr><tr><td>W</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>S</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr></table>	Φ	a	b	c	d	e	N	true	false	true	false	true	E	true	true	true	true	true	W	true	false	true	false	true	S	true	true	true	true	true	<table><tr><th>Φ</th><th>a</th><th>b</th><th>c</th><th>d</th><th>e</th></tr><tr><td>N</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>E</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr><tr><td>W</td><td>true</td><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>S</td><td>true</td><td>true</td><td>true</td><td>true</td><td>true</td></tr></table>	Φ	a	b	c	d	e	N	true	false	true	false	true	E	true	true	true	true	true	W	true	false	true	false	true	S	true	true	true	true	true
Φ	a	b	c	d	e																																																												
N	true	false	true	false	true																																																												
E	true	true	true	true	true																																																												
W	true	false	true	false	true																																																												
S	true	true	true	true	true																																																												
Φ	a	b	c	d	e																																																												
N	true	false	true	false	true																																																												
E	true	true	true	true	true																																																												
W	true	false	true	false	true																																																												
S	true	true	true	true	true																																																												
fong-spivak-invitation-TAB_063	301	■ 0.893	$\begin{tabular}{t}{ l l l l l l }\hline \backslash(\Phi: \Psi\backslash) & \backslash(p\backslash) & \backslash(q\backslash) & \backslash(r\backslash) & \backslash(s\backslash) \\\hline \backslash(A\backslash) & 22 & 24 & 20 & 21 \\\hline B & 16 & 18 & 14 & 15 \\\hline C & 19 & 21 & 17 & 18 \\\hline D & 11 & 13 & 9 & 10 \\\hline \end{tabular}$	<table><tr><th>$\Phi : \Psi$</th><th>p</th><th>q</th><th>r</th><th>s</th></tr><tr><td>A</td><td>22</td><td>24</td><td>20</td><td>21</td></tr><tr><td>B</td><td>16</td><td>18</td><td>14</td><td>15</td></tr><tr><td>C</td><td>19</td><td>21</td><td>17</td><td>18</td></tr><tr><td>D</td><td>11</td><td>13</td><td>9</td><td>10</td></tr></table>	$\Phi : \Psi$	p	q	r	s	A	22	24	20	21	B	16	18	14	15	C	19	21	17	18	D	11	13	9	10	<table><tr><th>$\Phi \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} \Psi$</th><th>$p$</th><th>$q$</th><th>$r$</th><th>$s$</th></tr><tr><td>$A$</td><td>22</td><td>24</td><td>20</td><td>21</td></tr><tr><td>B</td><td>16</td><td>18</td><td>14</td><td>15</td></tr><tr><td>C</td><td>19</td><td>21</td><td>17</td><td>18</td></tr><tr><td>D</td><td>11</td><td>13</td><td>9</td><td>10</td></tr></table>	$\Phi \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} \Psi$	p	q	r	s	A	22	24	20	21	B	16	18	14	15	C	19	21	17	18	D	11	13	9	10										
$\Phi : \Psi$	p	q	r	s																																																													
A	22	24	20	21																																																													
B	16	18	14	15																																																													
C	19	21	17	18																																																													
D	11	13	9	10																																																													
$\Phi \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} \Psi$	p	q	r	s																																																													
A	22	24	20	21																																																													
B	16	18	14	15																																																													
C	19	21	17	18																																																													
D	11	13	9	10																																																													
fong-spivak-invitation-TAB_064	325	■ 0.987	$\begin{tabular}{t}{ l l l l l l }\hline & r1 & r2 & r3 & c1 & i1 \\\hline \backslash(s(-)\backslash) & dl & ul & ur & ul & dl \\\hline \backslash(t(-)\backslash) & ul & ur & dr & ur & dr \\\hline \backslash(\ell(-)\backslash) & \backslash(1 \ 0\omega\backslash) & \backslash(2 \ 0\omega\backslash) & \backslash(1 \ 0\omega\backslash) & \backslash(3 \ F\backslash) & \backslash(1 \ H\backslash) \\\hline \end{tabular}$	<table><tr><th></th><th>r1</th><th>r2</th><th>r3</th><th>c1</th><th>i1</th></tr><tr><td>$s(-)$</td><td>dl</td><td>ul</td><td>ur</td><td>ul</td><td>dl</td></tr><tr><td>$t(-)$</td><td>ul</td><td>ur</td><td>dr</td><td>ur</td><td>dr</td></tr><tr><td>$\ell(-)$</td><td>1Ω</td><td>2Ω</td><td>1Ω</td><td>$3F$</td><td>$1H$</td></tr></table>		r1	r2	r3	c1	i1	$s(-)$	dl	ul	ur	ul	dl	$t(-)$	ul	ur	dr	ur	dr	$\ell(-)$	1Ω	2Ω	1Ω	$3F$	$1H$	<table><tr><th></th><th>r1</th><th>r2</th><th>r3</th><th>c1</th><th>i1</th></tr><tr><td>$s(-)$</td><td>dl</td><td>ul</td><td>ur</td><td>ul</td><td>dl</td></tr><tr><td>$t(-)$</td><td>ul</td><td>ur</td><td>dr</td><td>ur</td><td>dr</td></tr><tr><td>$\ell(-)$</td><td>1Ω</td><td>2Ω</td><td>1Ω</td><td>$3F$</td><td>$1H$</td></tr></table>		r1	r2	r3	c1	i1	$s(-)$	dl	ul	ur	ul	dl	$t(-)$	ul	ur	dr	ur	dr	$\ell(-)$	1Ω	2Ω	1Ω	$3F$	$1H$												
	r1	r2	r3	c1	i1																																																												
$s(-)$	dl	ul	ur	ul	dl																																																												
$t(-)$	ul	ur	dr	ur	dr																																																												
$\ell(-)$	1Ω	2Ω	1Ω	$3F$	$1H$																																																												
	r1	r2	r3	c1	i1																																																												
$s(-)$	dl	ul	ur	ul	dl																																																												
$t(-)$	ul	ur	dr	ur	dr																																																												
$\ell(-)$	1Ω	2Ω	1Ω	$3F$	$1H$																																																												
fong-spivak-invitation-TAB_065	325	■ 0.879	$\begin{tabular}{t}{ l l l }\hline & 1 & 2 \\\hline \backslash(f^{\prime}(-)\backslash) & l & d \\\hline \backslash(g^{\prime}(-)\backslash) & r & r \\\hline \end{tabular}$	<table><tr><th></th><th>1</th><th>2</th></tr><tr><td>$f'(-)$</td><td>l</td><td>d</td></tr><tr><td>$g'(-)$</td><td>r</td><td>r</td></tr></table>		1	2	$f'(-)$	l	d	$g'(-)$	r	r	<table><tr><th></th><th>1</th><th>2</th></tr><tr><td>$f'(-)$</td><td>l</td><td>d</td></tr><tr><td>$g'(-)$</td><td>r</td><td>r</td></tr></table>		1	2	$f'(-)$	l	d	$g'(-)$	r	r																																										
	1	2																																																															
$f'(-)$	l	d																																																															
$g'(-)$	r	r																																																															
	1	2																																																															
$f'(-)$	l	d																																																															
$g'(-)$	r	r																																																															
fong-spivak-invitation-TAB_066	325	■ 0.948	$\begin{tabular}{t}{ l l l }\hline & r1' & r2' \\\hline \backslash(s(-)\backslash) & l & r \\\hline \backslash(t(-)\backslash) & r & d \\\hline \backslash(\ell(-)\backslash) & \backslash(5 \ 0\omega\backslash) & \backslash(8 \ 0\omega\backslash) \\\hline \end{tabular}$	<table><tr><th></th><th>r1'</th><th>r2'</th></tr><tr><td>$s(-)$</td><td>l</td><td>r</td></tr><tr><td>$t(-)$</td><td>r</td><td>d</td></tr><tr><td>$\ell(-)$</td><td>5Ω</td><td>8Ω</td></tr></table>		r1'	r2'	$s(-)$	l	r	$t(-)$	r	d	$\ell(-)$	5Ω	8Ω	<table><tr><th></th><th>r1'</th><th>r2'</th></tr><tr><td>$s(-)$</td><td>l</td><td>r</td></tr><tr><td>$t(-)$</td><td>r</td><td>d</td></tr><tr><td>$\ell(-)$</td><td>5Ω</td><td>8Ω</td></tr></table>		r1'	r2'	$s(-)$	l	r	$t(-)$	r	d	$\ell(-)$	5Ω	8Ω																																				
	r1'	r2'																																																															
$s(-)$	l	r																																																															
$t(-)$	r	d																																																															
$\ell(-)$	5Ω	8Ω																																																															
	r1'	r2'																																																															
$s(-)$	l	r																																																															
$t(-)$	r	d																																																															
$\ell(-)$	5Ω	8Ω																																																															

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																																
fong-spivak-invitation-TAB_067	325	1.000	$\begin{tabular}{t}{ l l l l l l l l }\hline & r1 & r2 & r3 & c1 & i1 & r1' & r2' \\ \hline s^{\prime}(-) & dl & ul & m & ul & dl & m & r \\ t^{\prime}(-) & ul & m & dr & m & dr & r & m \\ \ell^{\prime}(-) & 1\Omega & 2\Omega & 1\Omega & 3F & 1H & 5\Omega & 8\Omega \end{tabular}$	<table><tr><td></td><td>r1</td><td>r2</td><td>r3</td><td>c1</td><td>i1</td><td>r1'</td><td>r2'</td></tr><tr><td>$s''(-)$</td><td>dl</td><td>ul</td><td>m</td><td>ul</td><td>dl</td><td>m</td><td>r</td></tr><tr><td>$t''(-)$</td><td>ul</td><td>m</td><td>dr</td><td>m</td><td>dr</td><td>r</td><td>m</td></tr><tr><td>$\ell''(-)$</td><td>1Ω</td><td>2Ω</td><td>1Ω</td><td>3F</td><td>1H</td><td>5Ω</td><td>8Ω</td></tr></table>		r1	r2	r3	c1	i1	r1'	r2'	$s''(-)$	dl	ul	m	ul	dl	m	r	$t''(-)$	ul	m	dr	m	dr	r	m	$\ell''(-)$	1Ω	2Ω	1Ω	3F	1H	5Ω	8Ω	<table><tr><td></td><td>r1</td><td>r2</td><td>r3</td><td>c1</td><td>i1</td><td>r1'</td><td>r2'</td></tr><tr><td>$s''(-)$</td><td>dl</td><td>ul</td><td>m</td><td>ul</td><td>dl</td><td>m</td><td>r</td></tr><tr><td>$t''(-)$</td><td>ul</td><td>m</td><td>dr</td><td>m</td><td>dr</td><td>r</td><td>m</td></tr><tr><td>$\ell''(-)$</td><td>1Ω</td><td>2Ω</td><td>1Ω</td><td>3F</td><td>1H</td><td>5Ω</td><td>8Ω</td></tr></table>		r1	r2	r3	c1	i1	r1'	r2'	$s''(-)$	dl	ul	m	ul	dl	m	r	$t''(-)$	ul	m	dr	m	dr	r	m	$\ell''(-)$	1Ω	2Ω	1Ω	3F	1H	5Ω	8Ω
	r1	r2	r3	c1	i1	r1'	r2'																																																														
$s''(-)$	dl	ul	m	ul	dl	m	r																																																														
$t''(-)$	ul	m	dr	m	dr	r	m																																																														
$\ell''(-)$	1Ω	2Ω	1Ω	3F	1H	5Ω	8Ω																																																														
	r1	r2	r3	c1	i1	r1'	r2'																																																														
$s''(-)$	dl	ul	m	ul	dl	m	r																																																														
$t''(-)$	ul	m	dr	m	dr	r	m																																																														
$\ell''(-)$	1Ω	2Ω	1Ω	3F	1H	5Ω	8Ω																																																														
fong-spivak-invitation-TAB_068	331	1.000	$\begin{tabular}{t}{ l l l l }\hline & (P) & (Q) & \\ \hline (P \wedge Q) & (P=(P \wedge Q)) & & \\ \hline true & true & false & false \\ \hline false & true & false & true \\ \hline false & false & true & \\ \hline \end{tabular}$	<table><tr><td>P</td><td>Q</td><td>P ∧ Q</td><td>P = (P ∧ Q)</td></tr><tr><td>true</td><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>false</td><td>false</td></tr><tr><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>false</td><td>false</td><td>false</td><td>true</td></tr></table>	P	Q	P ∧ Q	P = (P ∧ Q)	true	true	true	true	true	false	false	false	false	true	false	true	false	false	false	true	<table><tr><td>P</td><td>Q</td><td>P ∧ Q</td><td>P = (P ∧ Q)</td></tr><tr><td>true</td><td>true</td><td>true</td><td>true</td></tr><tr><td>true</td><td>false</td><td>false</td><td>false</td></tr><tr><td>false</td><td>true</td><td>false</td><td>true</td></tr><tr><td>false</td><td>false</td><td>false</td><td>true</td></tr></table>	P	Q	P ∧ Q	P = (P ∧ Q)	true	true	true	true	true	false	false	false	false	true	false	true	false	false	false	true																								
P	Q	P ∧ Q	P = (P ∧ Q)																																																																		
true	true	true	true																																																																		
true	false	false	false																																																																		
false	true	false	true																																																																		
false	false	false	true																																																																		
P	Q	P ∧ Q	P = (P ∧ Q)																																																																		
true	true	true	true																																																																		
true	false	false	false																																																																		
false	true	false	true																																																																		
false	false	false	true																																																																		