

fong-spivak-seven-sketches: residuals

equations measured 2026-09-05T11:52:33Z against the model of 2026-09-03

Unresolved

Identifier	Page	Conf.	LaTeX source	Rendered	Image
fong-spivak-seven-sketches- F03716 [conf 0.083]	317	0.083	$\left[f ; h ; \iota_E, g \circ k ; \iota_F \right] = (f+g) \circ (h+k)$	(not rendered)	$[f \circ h \circ \iota_E, g \circ k \circ \iota_F] = (f+g) \circ (h+k), \text{ as required.}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Flagged, not acted on

Identifier	Page	Conf.	LaTeX source	Rendered	Image
fong-spivak-seven-sketches_112 E00064 (3.65)	112	■ 0.147 ● C +31	$\mathbf{G\,r}:=\stackrel{\text{Arrow}}{\longrightarrow}\stackrel{\text{Vertex}}{\underset{\text{target}}{\stackrel{\text{source}}{\Rightarrow}}}$ no equations	$\mathbf{Gr} := \overset{\text{Arrow}}{\longrightarrow} \overset{\text{source}}{\Rightarrow} \overset{\text{Vertex}}{\underset{\text{target}}{\quad}}$ no equations	$\mathbf{Gr} :=$ Arrow ● $\xRightarrow[\text{target}]{\text{source}}$ Vertex ● no equations $\mathbf{DDS} :=$ State ● $\hookrightarrow$ next ● no equations
fong-spivak-seven-sketches_95 E00054 (3.11)	95	■ 0.526 ● C +43	$\mathbf{3}:=\operatorname{Free}\left(\stackrel{v_1}{\bullet}\stackrel{f_1}{\longrightarrow}\stackrel{v_2}{\bullet}\stackrel{f_2}{\longrightarrow}\stackrel{v_3}{\bullet}\right)$	$\mathbf{3} := \text{Free} \left(\overset{v_1}{\bullet} \xrightarrow{f_1} \overset{v_2}{\bullet} \xrightarrow{f_2} \overset{v_3}{\bullet} \right)$	$\mathbf{3} := \text{Free} \left(\begin{array}{c} \overset{v_1}{\bullet} \xrightarrow{f_1} \overset{v_2}{\bullet} \xrightarrow{f_2} \overset{v_3}{\bullet} \end{array} \right)$
fong-spivak-seven-sketches_257 E00164	257	■ 0.917 ● C +22	$\stackrel{A}{\longrightarrow}\stackrel{B}{\bullet}\stackrel{C}{\bullet}$	$\stackrel{A}{\longrightarrow}\stackrel{B}{\bullet}\stackrel{C}{\bullet}$	$\overset{A}{\bullet} \longrightarrow \overset{B}{\bullet} \quad \overset{C}{\bullet}$ $\subseteq$ $\overset{A}{\bullet} \xrightleftharpoons[g]{f} \overset{B}{\bullet} \xrightarrow{h} \overset{C}{\bullet} \xrightarrow{i} \overset{D}{\bullet}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

69 more flagged rows below the band, stated as a count: 37 component, 32 weak; confidence high 39, mid 12, low 18, none 0

Low confidence

Identifier	Page	Conf.	LaTeX source	Rendered	Image
fong-spivak-seven-sketches EQ0186 [conf 0.050]	279	0.050 ●	$g!\left(c_{1}\right)={ }^{12} 3{ }^{4}$	$g!\left(c_{1}\right)={ }^{12} 3^{4}$	$g!(c_1) = \begin{array}{c} 12 \quad 3 \quad 4 \\ \diagdown \quad \quad \diagup \\ \bullet \end{array}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5-0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

