

gilmore-lie-groups: table evidence

Tables

Identifier	Page	Conf.	LaTeX source	Rendered	Image
gilmore-lie-groups_ TAB_001	26	0.877	$\begin{tabular}{t}{ l l l l l }\hline & I & (123) & (321) & \text{Basis functions} \\ \hline \Gamma^1 & 1 & 1 & 1 & v_1 = s_1 + s_2 + s_3 \\ \Gamma^2 & 1 & \omega & \omega^2 & v_2 = s_1 + \omega s_2 + \omega^2 s_3 \\ \Gamma^3 & 1 & \omega^2 & \omega & v_3 = s_1 + \omega^2 s_2 + \omega s_3 \\ \hline\end{tabular}$	$\begin{array}{c ccc c} & I & (123) & (321) & \text{Basis functions} \\ \hline \Gamma^1 & 1 & 1 & 1 & v_1 = s_1 + s_2 + s_3 \\ \Gamma^2 & 1 & \omega & \omega^2 & v_2 = s_1 + \omega s_2 + \omega^2 s_3 \\ \Gamma^3 & 1 & \omega^2 & \omega & v_3 = s_1 + \omega^2 s_2 + \omega s_3 \\ \hline\end{array}$	$\begin{array}{c ccc c} & I & (123) & (321) & \text{Basis functions} \\ \hline \Gamma^1 & 1 & 1 & 1 & v_1 = s_1 + s_2 + s_3 \\ \Gamma^2 & 1 & \omega & \omega^2 & v_2 = s_1 + \omega s_2 + \omega^2 s_3 \\ \Gamma^3 & 1 & \omega^2 & \omega & v_3 = s_1 + \omega^2 s_2 + \omega s_3 \\ \hline\end{array}$
gilmore-lie-groups_ TAB_002	30	0.669	$\begin{tabular}{t}{ l l l l l l }\hline & (I\backslash) & (12)(34) & (13)(24) & (14)(23) & \text{Basis functions} \\ \hline & & & & & w_1 = t_1 + t_2 + t_3 + t_4 \\ & & & & & w_2 = t_1 + t_2 - t_3 - t_4 \\ & & & & & w_3 = t_1 - t_2 + t_3 - t_4 \\ & & & & & w_4 = t_1 - t_2 - t_3 + t_4 \\ \hline\end{tabular}$	$\begin{array}{c ccccc c} & I & (12)(34) & (13)(24) & (14)(23) & \text{Basis functions} \\ \hline \Gamma^1 & 1 & 1 & 1 & 1 & w_1 = t_1 + t_2 + t_3 + t_4 \\ \Gamma^2 & 1 & 1 & -1 & -1 & w_2 = t_1 + t_2 - t_3 - t_4 \\ \Gamma^3 & 1 & -1 & 1 & -1 & w_3 = t_1 - t_2 + t_3 - t_4 \\ \Gamma^4 & 1 & -1 & -1 & 1 & w_4 = t_1 - t_2 - t_3 + t_4 \\ \hline\end{array}$	$\begin{array}{c ccccc c} & I & (12)(34) & (13)(24) & (14)(23) & \text{Basis functions} \\ \hline \Gamma^1 & 1 & 1 & 1 & 1 & w_1 = t_1 + t_2 + t_3 + t_4 \\ \Gamma^2 & 1 & 1 & -1 & -1 & w_2 = t_1 + t_2 - t_3 - t_4 \\ \Gamma^3 & 1 & -1 & 1 & -1 & w_3 = t_1 - t_2 + t_3 - t_4 \\ \Gamma^4 & 1 & -1 & -1 & 1 & w_4 = t_1 - t_2 - t_3 + t_4 \\ \hline\end{array}$
gilmore-lie-groups_ TAB_003	62	0.837	$\begin{tabular}{t}{ l l }\hline & \text{Group} & \text{Dimension} \\ \hline UT(p,q) & p^2 + q^2 + pq \\ HT(p,q) & p(p+q) \\ UT(p,q,r) & p^2 + q^2 + r^2 + pq + pr + qr \\ Sol(n) & n(n+1)/2 \\ Nil(n) & n(n-1)/2 \\ A(p,q) & pq \\ \hline\end{tabular}$	$\begin{array}{c c} \text{Group} & \text{Dimension} \\ \hline UT(p,q) & p^2 + q^2 + pq \\ HT(p,q) & p(p+q) \\ UT(p,q,r) & p^2 + q^2 + r^2 + pq + pr + qr \\ Sol(n) & n(n+1)/2 \\ Nil(n) & n(n-1)/2 \\ A(p,q) & pq \\ \hline\end{array}$	$\begin{array}{c c} \text{Group} & \text{Dimension} \\ \hline UT(p,q) & p^2 + q^2 + pq \\ HT(p,q) & p(p+q) \\ UT(p,q,r) & p^2 + q^2 + r^2 + pq + pr + qr \\ Sol(n) & n(n+1)/2 \\ Nil(n) & n(n-1)/2 \\ A(p,q) & pq \\ \hline\end{array}$
gilmore-lie-groups_ TAB_004	62	1.000	$\begin{tabular}{t}{ l l l }\hline & \text{Transformation} & \text{F} = d\mathbf{p}/dt & (\nabla^2 - \frac{1}{c^2} \frac{\partial^2}{\partial t^2}) A_\mu = -\frac{4\pi}{c} j_\mu \\ \hline Galilean & invariant & not invariant \\ Poincaré & not invariant & invariant \\ \hline\end{tabular}$	$\begin{array}{c cc} \text{Transformation} & \mathbf{F} = d\mathbf{p}/dt & \left(\nabla^2 - \frac{1}{c^2} \frac{\partial^2}{\partial t^2}\right) A_\mu = -\frac{4\pi}{c} j_\mu \\ \hline Galilean & invariant & not invariant \\ Poincaré & not invariant & invariant \\ \hline\end{array}$	$\begin{array}{c cc} \text{Transformation} & \mathbf{F} = d\mathbf{p}/dt & (\nabla^2 - \frac{1}{c^2} \frac{\partial^2}{\partial t^2}) A_\mu = -\frac{4\pi}{c} j_\mu \\ \hline Galilean & invariant & not invariant \\ Poincaré & not invariant & invariant \\ \hline\end{array}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
gilmore-lie-groups_ TAB_009	151	■ 1.000	<pre> \begin{tabular}[t]{ l l l } \hline \(\left[\begin{array}{cc c}0 & \theta & v_1 \\ -\theta & 0 & v_2 \\ \hline v_1 & v_2 & 0\end{array}\right]\) & \(\left[\begin{array}{cc cc}0 & \theta & v_1 & t_1 \\ -\theta & 0 & v_2 & t_2 \\ \hline v_1 & v_2 & 0 & t_3 \\ 0 & 0 & 0 & 0\end{array}\right]\) & \(\left[\begin{array}{cc cc}0 & \theta & v_1 & t_1 \\ -\theta & 0 & v_2 & t_2 \\ \hline 0 & 0 & 0 & t_3 \\ 0 & 0 & 0 & 0\end{array}\right]\) \\ \hline Lorentz & Poincare & Galilei \\ \end{pre> </pre>	$\left[\begin{array}{cc c}0 & \theta & v_1 \\ -\theta & 0 & v_2 \\ \hline v_1 & v_2 & 0\end{array}\right]$ $\left[\begin{array}{cc cc}0 & \theta & v_1 & t_1 \\ -\theta & 0 & v_2 & t_2 \\ \hline v_1 & v_2 & 0 & t_3 \\ 0 & 0 & 0 & 0\end{array}\right]$ $\left[\begin{array}{cc cc}0 & \theta & v_1 & t_1 \\ -\theta & 0 & v_2 & t_2 \\ \hline 0 & 0 & 0 & t_3 \\ 0 & 0 & 0 & 0\end{array}\right]$ Lorentz Poincare Galilei	$\left[\begin{array}{cc c}0 & \theta & v_1 \\ -\theta & 0 & v_2 \\ \hline v_1 & v_2 & 0\end{array}\right]$ $\left[\begin{array}{cc cc}0 & \theta & v_1 & t_1 \\ -\theta & 0 & v_2 & t_2 \\ \hline v_1 & v_2 & 0 & t_3 \\ 0 & 0 & 0 & 0\end{array}\right]$ $\left[\begin{array}{cc cc}0 & \theta & v_1 & t_1 \\ -\theta & 0 & v_2 & t_2 \\ \hline 0 & 0 & 0 & t_3 \\ 0 & 0 & 0 & 0\end{array}\right]$ Lorentz Poincare Galilei

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																									
gilmore-lie-groups_ TAB_010	167	■ 0.608	$\begin{tabular}{t}{t}{l}{l}{l}{l} \hline \left[H_1, H_2\right] \&= \& 0 \\ \left[\mathbf{H}, E_{\pm 2 \mathbf{e}_1}\right] \&= \& \left((\pm 2 / \sqrt{12}), 0\right) E_{\pm 2 \mathbf{e}_1} \\ \left[\mathbf{H}, E_{\pm 2 \mathbf{e}_2}\right] \&= \& \left(0, \pm 2 / \sqrt{12}\right) E_{\pm 2 \mathbf{e}_2} \\ \left[\mathbf{H}, E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}\right] \&= \& \left(\pm / \sqrt{12}, \pm / \sqrt{12}\right) E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2} \\ \left[E_{+2 \mathbf{e}_1}, E_{-2 \mathbf{e}_1}\right] \&= \& (2 / \sqrt{12}) H_1 \\ \left[E_{+2 \mathbf{e}_2}, E_{-2 \mathbf{e}_2}\right] \&= \& (2 / \sqrt{12}) H_2 \\ \left[E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}, E_{-(\pm \mathbf{e}_1 \pm \mathbf{e}_2)}\right] \&= \& (1 / \sqrt{12})(\pm H_1 \pm H_2) \\ \left[E_{+2 \mathbf{e}_1}, E_{-(\mathbf{e}_1+\mathbf{e}_2)}\right] \&= \& *\left(1 / \sqrt{6}\right) E_{\mathbf{e}_1-\mathbf{e}_2} \\ \left[E_{-\mathbf{e}_1+\mathbf{e}_2}, E_{-\mathbf{e}_1-\mathbf{e}_2}\right] \&= \& (1 / \sqrt{6}) E_{-2 \mathbf{e}_1} \\ \left[E_{-\mathbf{e}_1-\mathbf{e}_2}, E_{+2 \mathbf{e}_1}\right] \&= \& (1 / \sqrt{6}) E_{+\mathbf{e}_1-\mathbf{e}_2} \\ \left[E_{-2 \mathbf{e}_1}, E_{\mathbf{e}_1-\mathbf{e}_2}\right] \&= \& (-1 / \sqrt{6}) E_{-\mathbf{e}_1-\mathbf{e}_2} \\ \left[E_{+\mathbf{e}_1-\mathbf{e}_2}, E_{+\mathbf{e}_1+\mathbf{e}_2}\right] \&= \& (-1 / \sqrt{6}) E_{+2 \mathbf{e}_1} \\ \left[E_{+\mathbf{e}_1+\mathbf{e}_2}, E_{-2 \mathbf{e}_2}\right] \&= \& (-1 / \sqrt{6}) E_{+\mathbf{e}_1-\mathbf{e}_2} \\ \left[E_{+2 \mathbf{e}_2}, E_{-\mathbf{e}_1-\mathbf{e}_2}\right] \&= \& *\left(1 / \sqrt{6}\right) E_{-\mathbf{e}_1+\mathbf{e}_2} \\ \left[E_{-\mathbf{e}_1-\mathbf{e}_2}, E_{+\mathbf{e}_1-\mathbf{e}_2}\right] \&= \& (1 / \sqrt{6}) E_{-2 \mathbf{e}_2} \\ \left[E_{+\mathbf{e}_1-\mathbf{e}_2}, E_{+2 \mathbf{e}_2}\right] \&= \& (1 / \sqrt{6}) E_{+\mathbf{e}_1+\mathbf{e}_2} \\ \left[E_{-2 \mathbf{e}_2}, E_{+\mathbf{e}_1+\mathbf{e}_2}\right] \&= \& (-1 / \sqrt{6}) E_{+\mathbf{e}_1-\mathbf{e}_2} \\ \left[E_{+\mathbf{e}_1+\mathbf{e}_2}, E_{-\mathbf{e}_1+\mathbf{e}_2}\right] \&= \& (-1 / \sqrt{6}) E_{+2 \mathbf{e}_2} \\ \left[E_{-\mathbf{e}_1+\mathbf{e}_2}, E_{-2 \mathbf{e}_2}\right] \&= \& (-1 / \sqrt{6}) E_{-\mathbf{e}_1-\mathbf{e}_2} \end{tabular}$	<table><tr><td>$[H_1, H_2]$</td><td>=</td><td>0</td></tr><tr><td>$[\mathbf{H}, E_{\pm 2\mathbf{e}_1}]$</td><td>=</td><td>$(\pm 2/\sqrt{12}, 0)E_{\pm 2\mathbf{e}_1}$</td></tr><tr><td>$[\mathbf{H}, E_{\pm 2\mathbf{e}_2}]$</td><td>=</td><td>$(0, \pm 2/\sqrt{12})E_{\pm 2\mathbf{e}_2}$</td></tr><tr><td>$[\mathbf{H}, E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}]$</td><td>=</td><td>$(\pm/\sqrt{12}, \pm/\sqrt{12})E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}$</td></tr><tr><td>$[E_{+2\mathbf{e}_1}, E_{-2\mathbf{e}_1}]$</td><td>=</td><td>$(2/\sqrt{12})H_1$</td></tr><tr><td>$[E_{+2\mathbf{e}_2}, E_{-2\mathbf{e}_2}]$</td><td>=</td><td>$(2/\sqrt{12})H_2$</td></tr><tr><td>$[E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}, E_{-(\pm \mathbf{e}_1 \pm \mathbf{e}_2)}]$</td><td>=</td><td>$(1/\sqrt{12})(\pm H_1 \pm H_2)$</td></tr><tr><td>$[E_{+2\mathbf{e}_1}, E_{-(\mathbf{e}_1 + \mathbf{e}_2)}]$</td><td>=</td><td>$*(1/\sqrt{6})E_{\mathbf{e}_1 - \mathbf{e}_2}$</td></tr><tr><td>$[E_{-\mathbf{e}_1 + \mathbf{e}_2}, E_{-\mathbf{e}_1 - \mathbf{e}_2}]$</td><td>=</td><td>$(1/\sqrt{6})E_{-2\mathbf{e}_1}$</td></tr><tr><td>$[E_{-\mathbf{e}_1 - \mathbf{e}_2}, E_{+2\mathbf{e}_1}]$</td><td>=</td><td>$(1/\sqrt{6})E_{+\mathbf{e}_1 - \mathbf{e}_2}$</td></tr><tr><td>$[E_{-2\mathbf{e}_1}, E_{\mathbf{e}_1 - \mathbf{e}_2}]$</td><td>=</td><td>$(-1/\sqrt{6})E_{-\mathbf{e}_1 - \mathbf{e}_2}$</td></tr><tr><td>$[E_{+\mathbf{e}_1 - \mathbf{e}_2}, E_{+\mathbf{e}_1 + \mathbf{e}_2}]$</td><td>=</td><td>$(-1/\sqrt{6})E_{+2\mathbf{e}_1}$</td></tr><tr><td>$[E_{+\mathbf{e}_1 + \mathbf{e}_2}, E_{-2\mathbf{e}_2}]$</td><td>=</td><td>$(-1/\sqrt{6})E_{+\mathbf{e}_1 - \mathbf{e}_2}$</td></tr><tr><td>$[E_{+2\mathbf{e}_2}, E_{-\mathbf{e}_1 - \mathbf{e}_2}]$</td><td>=</td><td>$*(1/\sqrt{6})E_{-\mathbf{e}_1 + \mathbf{e}_2}$</td></tr><tr><td>$[E_{-\mathbf{e}_1 - \mathbf{e}_2}, E_{+\mathbf{e}_1 - \mathbf{e}_2}]$</td><td>=</td><td>$(1/\sqrt{6})E_{-2\mathbf{e}_2}$</td></tr><tr><td>$[E_{+\mathbf{e}_1 - \mathbf{e}_2}, E_{+2\mathbf{e}_2}]$</td><td>=</td><td>$(1/\sqrt{6})E_{+\mathbf{e}_1 + \mathbf{e}_2}$</td></tr><tr><td>$[E_{-2\mathbf{e}_2}, E_{+\mathbf{e}_1 + \mathbf{e}_2}]$</td><td>=</td><td>$(-1/\sqrt{6})E_{+\mathbf{e}_1 - \mathbf{e}_2}$</td></tr><tr><td>$[E_{+\mathbf{e}_1 + \mathbf{e}_2}, E_{-\mathbf{e}_1 + \mathbf{e}_2}]$</td><td>=</td><td>$(-1/\sqrt{6})E_{+2\mathbf{e}_2}$</td></tr><tr><td>$[E_{-\mathbf{e}_1 + \mathbf{e}_2}, E_{-2\mathbf{e}_2}]$</td><td>=</td><td>$(-1/\sqrt{6})E_{-\mathbf{e}_1 - \mathbf{e}_2}$</td></tr></table>	$[H_1, H_2]$	=	0	$[\mathbf{H}, E_{\pm 2\mathbf{e}_1}]$	=	$(\pm 2/\sqrt{12}, 0)E_{\pm 2\mathbf{e}_1}$	$[\mathbf{H}, E_{\pm 2\mathbf{e}_2}]$	=	$(0, \pm 2/\sqrt{12})E_{\pm 2\mathbf{e}_2}$	$[\mathbf{H}, E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}]$	=	$(\pm/\sqrt{12}, \pm/\sqrt{12})E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}$	$[E_{+2\mathbf{e}_1}, E_{-2\mathbf{e}_1}]$	=	$(2/\sqrt{12})H_1$	$[E_{+2\mathbf{e}_2}, E_{-2\mathbf{e}_2}]$	=	$(2/\sqrt{12})H_2$	$[E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}, E_{-(\pm \mathbf{e}_1 \pm \mathbf{e}_2)}]$	=	$(1/\sqrt{12})(\pm H_1 \pm H_2)$	$[E_{+2\mathbf{e}_1}, E_{-(\mathbf{e}_1 + \mathbf{e}_2)}]$	=	$*(1/\sqrt{6})E_{\mathbf{e}_1 - \mathbf{e}_2}$	$[E_{-\mathbf{e}_1 + \mathbf{e}_2}, E_{-\mathbf{e}_1 - \mathbf{e}_2}]$	=	$(1/\sqrt{6})E_{-2\mathbf{e}_1}$	$[E_{-\mathbf{e}_1 - \mathbf{e}_2}, E_{+2\mathbf{e}_1}]$	=	$(1/\sqrt{6})E_{+\mathbf{e}_1 - \mathbf{e}_2}$	$[E_{-2\mathbf{e}_1}, E_{\mathbf{e}_1 - \mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{-\mathbf{e}_1 - \mathbf{e}_2}$	$[E_{+\mathbf{e}_1 - \mathbf{e}_2}, E_{+\mathbf{e}_1 + \mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{+2\mathbf{e}_1}$	$[E_{+\mathbf{e}_1 + \mathbf{e}_2}, E_{-2\mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{+\mathbf{e}_1 - \mathbf{e}_2}$	$[E_{+2\mathbf{e}_2}, E_{-\mathbf{e}_1 - \mathbf{e}_2}]$	=	$*(1/\sqrt{6})E_{-\mathbf{e}_1 + \mathbf{e}_2}$	$[E_{-\mathbf{e}_1 - \mathbf{e}_2}, E_{+\mathbf{e}_1 - \mathbf{e}_2}]$	=	$(1/\sqrt{6})E_{-2\mathbf{e}_2}$	$[E_{+\mathbf{e}_1 - \mathbf{e}_2}, E_{+2\mathbf{e}_2}]$	=	$(1/\sqrt{6})E_{+\mathbf{e}_1 + \mathbf{e}_2}$	$[E_{-2\mathbf{e}_2}, E_{+\mathbf{e}_1 + \mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{+\mathbf{e}_1 - \mathbf{e}_2}$	$[E_{+\mathbf{e}_1 + \mathbf{e}_2}, E_{-\mathbf{e}_1 + \mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{+2\mathbf{e}_2}$	$[E_{-\mathbf{e}_1 + \mathbf{e}_2}, E_{-2\mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{-\mathbf{e}_1 - \mathbf{e}_2}$	
$[H_1, H_2]$	=	0																																																												
$[\mathbf{H}, E_{\pm 2\mathbf{e}_1}]$	=	$(\pm 2/\sqrt{12}, 0)E_{\pm 2\mathbf{e}_1}$																																																												
$[\mathbf{H}, E_{\pm 2\mathbf{e}_2}]$	=	$(0, \pm 2/\sqrt{12})E_{\pm 2\mathbf{e}_2}$																																																												
$[\mathbf{H}, E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}]$	=	$(\pm/\sqrt{12}, \pm/\sqrt{12})E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}$																																																												
$[E_{+2\mathbf{e}_1}, E_{-2\mathbf{e}_1}]$	=	$(2/\sqrt{12})H_1$																																																												
$[E_{+2\mathbf{e}_2}, E_{-2\mathbf{e}_2}]$	=	$(2/\sqrt{12})H_2$																																																												
$[E_{\pm \mathbf{e}_1 \pm \mathbf{e}_2}, E_{-(\pm \mathbf{e}_1 \pm \mathbf{e}_2)}]$	=	$(1/\sqrt{12})(\pm H_1 \pm H_2)$																																																												
$[E_{+2\mathbf{e}_1}, E_{-(\mathbf{e}_1 + \mathbf{e}_2)}]$	=	$*(1/\sqrt{6})E_{\mathbf{e}_1 - \mathbf{e}_2}$																																																												
$[E_{-\mathbf{e}_1 + \mathbf{e}_2}, E_{-\mathbf{e}_1 - \mathbf{e}_2}]$	=	$(1/\sqrt{6})E_{-2\mathbf{e}_1}$																																																												
$[E_{-\mathbf{e}_1 - \mathbf{e}_2}, E_{+2\mathbf{e}_1}]$	=	$(1/\sqrt{6})E_{+\mathbf{e}_1 - \mathbf{e}_2}$																																																												
$[E_{-2\mathbf{e}_1}, E_{\mathbf{e}_1 - \mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{-\mathbf{e}_1 - \mathbf{e}_2}$																																																												
$[E_{+\mathbf{e}_1 - \mathbf{e}_2}, E_{+\mathbf{e}_1 + \mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{+2\mathbf{e}_1}$																																																												
$[E_{+\mathbf{e}_1 + \mathbf{e}_2}, E_{-2\mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{+\mathbf{e}_1 - \mathbf{e}_2}$																																																												
$[E_{+2\mathbf{e}_2}, E_{-\mathbf{e}_1 - \mathbf{e}_2}]$	=	$*(1/\sqrt{6})E_{-\mathbf{e}_1 + \mathbf{e}_2}$																																																												
$[E_{-\mathbf{e}_1 - \mathbf{e}_2}, E_{+\mathbf{e}_1 - \mathbf{e}_2}]$	=	$(1/\sqrt{6})E_{-2\mathbf{e}_2}$																																																												
$[E_{+\mathbf{e}_1 - \mathbf{e}_2}, E_{+2\mathbf{e}_2}]$	=	$(1/\sqrt{6})E_{+\mathbf{e}_1 + \mathbf{e}_2}$																																																												
$[E_{-2\mathbf{e}_2}, E_{+\mathbf{e}_1 + \mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{+\mathbf{e}_1 - \mathbf{e}_2}$																																																												
$[E_{+\mathbf{e}_1 + \mathbf{e}_2}, E_{-\mathbf{e}_1 + \mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{+2\mathbf{e}_2}$																																																												
$[E_{-\mathbf{e}_1 + \mathbf{e}_2}, E_{-2\mathbf{e}_2}]$	=	$(-1/\sqrt{6})E_{-\mathbf{e}_1 - \mathbf{e}_2}$																																																												

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																								
gilmore-lie-groups_ TAB_011	172	■1.000	<pre>\begin{tabular}[t]{ l l l l l } \hline \multirow{b}{3}{*}{\((i \ \phi)^{\{j\}} f_{\{j\}}\)} & \multicolumn{4}{ c }{Representation} \\ \hline & \frac{1}{2} & 1 & \frac{3}{2} & 2 \\ & 2 & 3 & 4 & 5 \\ \hline f_0 & \cos(\phi/2) & 1 & \frac{9}{8} \cos(\frac{\phi}{2}) - \frac{1}{8} \cos(\frac{3\phi}{2}) & 1 \\ (i \ \phi)^1 f_1 & 2i \sin(\phi/2) & i \sin(\phi) & \frac{9i}{4} \sin(\frac{\phi}{2}) - \frac{i}{12} \sin(\frac{3\phi}{2}) & \frac{i}{3} \sin(\phi) - \frac{i}{6} \sin(2\phi) \\ (i \ \phi)^2 f_2 & & \cos(\phi) - 1 & -\frac{1}{2} \cos(\frac{\phi}{2}) + \frac{1}{2} \cos(\frac{3\phi}{2}) & -\frac{5}{4} + \frac{1}{3} \cos(\phi) - \frac{1}{12} \cos(2\phi) \\ (i \ \phi)^3 f_3 & & & -i \sin(\frac{\phi}{2}) + \frac{i}{3} \sin(\frac{3\phi}{2}) & -\frac{i}{3} \sin(\phi) + \frac{i}{6} \sin(2\phi) \\ (i \ \phi)^4 f_4 & & & & \frac{1}{4} - \frac{1}{3} \cos(\phi) + \frac{1}{12} \cos(2\phi) \\ \hline \hline </pre>	(not rendered)																																									
gilmore-lie-groups_ TAB_012	175	■0.995	<pre>\begin{tabular}[t]{ l l l l l } \hline \cos ^{2}(\alpha, \beta) & \theta(\alpha, \beta) & n = \frac{2\alpha \cdot \beta}{\alpha \cdot \alpha} & n' = \frac{2\alpha \cdot \beta}{\beta \cdot \beta} & \frac{\alpha \cdot \alpha}{\beta \cdot \beta} = \frac{n'}{n} \\ \hline 1 & \frac{\pi}{2} \pm \frac{\pi}{2} & \pm 2 & \pm 2 & 1 \\ 3 & \frac{\pi}{2} \pm \frac{\pi}{3} & \pm 3 & \pm 1 & 3^{-1} \\ \frac{2}{4} & \frac{\pi}{2} \pm \frac{\pi}{4} & \pm 1 & \pm 3 & 3^{+1} \\ \frac{2}{4} & \frac{\pi}{2} \pm \frac{\pi}{4} & \pm 2 & \pm 1 & 2^{-1} \\ \frac{1}{4} & \frac{\pi}{2} \pm \frac{\pi}{6} & \pm 1 & \pm 2 & 2^{+1} \\ \frac{1}{4} & \frac{\pi}{2} \pm \frac{\pi}{6} & \pm 1 & \pm 1 & 1 \\ 0 & \frac{\pi}{2} & 0 & 0 & - \\ \hline \hline </pre>	<table><tr><th>$\cos^2(\alpha, \beta)$</th><th>$\theta(\alpha, \beta)$</th><th>$n = \frac{2\alpha \cdot \beta}{\alpha \cdot \alpha}$</th><th>$n' = \frac{2\alpha \cdot \beta}{\beta \cdot \beta}$</th><th>$\frac{\alpha \cdot \alpha}{\beta \cdot \beta} = \frac{n'}{n}$</th></tr><tr><td>1</td><td>$\frac{\pi}{2} \pm \frac{\pi}{2}$</td><td>$\pm 2$</td><td>$\pm 2$</td><td>1</td></tr><tr><td>3</td><td>$\frac{\pi}{2} \pm \frac{\pi}{3}$</td><td>$\pm 3$</td><td>$\pm 1$</td><td>$3^{-1}$</td></tr><tr><td></td><td></td><td>± 1</td><td>± 3</td><td>3^{+1}</td></tr><tr><td>$\frac{2}{4}$</td><td>$\frac{\pi}{2} \pm \frac{\pi}{4}$</td><td>$\pm 2$</td><td>$\pm 1$</td><td>$2^{-1}$</td></tr><tr><td></td><td></td><td>± 1</td><td>± 2</td><td>2^{+1}</td></tr><tr><td>$\frac{1}{4}$</td><td>$\frac{\pi}{2} \pm \frac{\pi}{6}$</td><td>$\pm 1$</td><td>$\pm 1$</td><td>1</td></tr><tr><td>0</td><td>$\frac{\pi}{2}$</td><td>0</td><td>0</td><td>-</td></tr></table>	$\cos^2(\alpha, \beta)$	$\theta(\alpha, \beta)$	$n = \frac{2\alpha \cdot \beta}{\alpha \cdot \alpha}$	$n' = \frac{2\alpha \cdot \beta}{\beta \cdot \beta}$	$\frac{\alpha \cdot \alpha}{\beta \cdot \beta} = \frac{n'}{n}$	1	$\frac{\pi}{2} \pm \frac{\pi}{2}$	± 2	± 2	1	3	$\frac{\pi}{2} \pm \frac{\pi}{3}$	± 3	± 1	3^{-1}			± 1	± 3	3^{+1}	$\frac{2}{4}$	$\frac{\pi}{2} \pm \frac{\pi}{4}$	± 2	± 1	2^{-1}			± 1	± 2	2^{+1}	$\frac{1}{4}$	$\frac{\pi}{2} \pm \frac{\pi}{6}$	± 1	± 1	1	0	$\frac{\pi}{2}$	0	0	-	
$\cos^2(\alpha, \beta)$	$\theta(\alpha, \beta)$	$n = \frac{2\alpha \cdot \beta}{\alpha \cdot \alpha}$	$n' = \frac{2\alpha \cdot \beta}{\beta \cdot \beta}$	$\frac{\alpha \cdot \alpha}{\beta \cdot \beta} = \frac{n'}{n}$																																									
1	$\frac{\pi}{2} \pm \frac{\pi}{2}$	± 2	± 2	1																																									
3	$\frac{\pi}{2} \pm \frac{\pi}{3}$	± 3	± 1	3^{-1}																																									
		± 1	± 3	3^{+1}																																									
$\frac{2}{4}$	$\frac{\pi}{2} \pm \frac{\pi}{4}$	± 2	± 1	2^{-1}																																									
		± 1	± 2	2^{+1}																																									
$\frac{1}{4}$	$\frac{\pi}{2} \pm \frac{\pi}{6}$	± 1	± 1	1																																									
0	$\frac{\pi}{2}$	0	0	-																																									

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																								
gilmore-lie-groups_ TAB_013	180	0.508	$\begin{tabular}{t}{ l l l l l l }\hline & \alpha_1 & \alpha_2 & \alpha_3 & & \alpha_{l-1} & \alpha_l \\ \hline A_{l-1} & \mathbf{e}_1 - \mathbf{e}_2 & \mathbf{e}_2 - \mathbf{e}_3 & \mathbf{e}_3 - \mathbf{e}_4 & \cdots & \mathbf{e}_{l-1} - \mathbf{e}_l & \\ D_l & \text{''} & \text{''} & \text{''} & \cdots & \text{''} & \mathbf{e}_{l-1} + \mathbf{e}_l \\ B_l & \text{''} & \text{''} & \text{''} & \cdots & \text{''} & \mathbf{e}_l \\ C_l & \text{''} & \text{''} & \text{''} & \cdots & \text{''} & 2\mathbf{e}_l \end{tabular}$	<table><tr><td></td><td>α_1</td><td>α_2</td><td>α_3</td><td></td><td>α_{l-1}</td><td>α_l</td></tr><tr><td>A_{l-1}</td><td>$\mathbf{e}_1 - \mathbf{e}_2$</td><td>$\mathbf{e}_2 - \mathbf{e}_3$</td><td>$\mathbf{e}_3 - \mathbf{e}_4$</td><td>...</td><td>$\mathbf{e}_{l-1} - \mathbf{e}_l$</td><td></td></tr><tr><td>D_l</td><td>''</td><td>''</td><td>''</td><td>...</td><td>''</td><td>$\mathbf{e}_{l-1} + \mathbf{e}_l$</td></tr><tr><td>$B_l$</td><td>''</td><td>''</td><td>''</td><td>...</td><td>''</td><td>$\mathbf{e}_l$</td></tr><tr><td>C_l</td><td>''</td><td>''</td><td>''</td><td>...</td><td>''</td><td>$2\mathbf{e}_l$</td></tr></table>		α_1	α_2	α_3		α_{l-1}	α_l	A_{l-1}	$\mathbf{e}_1 - \mathbf{e}_2$	$\mathbf{e}_2 - \mathbf{e}_3$	$\mathbf{e}_3 - \mathbf{e}_4$	...	$\mathbf{e}_{l-1} - \mathbf{e}_l$		D_l	''	''	''	...	''	$\mathbf{e}_{l-1} + \mathbf{e}_l$	B_l	''	''	''	...	''	$\mathbf{e}_l$	C_l	''	''	''	...	''	$2\mathbf{e}_l$	$\begin{array}{ccccccc} & \alpha_1 & \alpha_2 & \alpha_3 & & \alpha_{l-1} & \alpha_l \\ A_{l-1} & \mathbf{e}_1 - \mathbf{e}_2 & \mathbf{e}_2 - \mathbf{e}_3 & \mathbf{e}_3 - \mathbf{e}_4 & \cdots & \mathbf{e}_{l-1} - \mathbf{e}_l & \\ D_l & \text{''} & \text{''} & \text{''} & \cdots & \text{''} & \mathbf{e}_{l-1} + \mathbf{e}_l \\ B_l & \text{''} & \text{''} & \text{''} & \cdots & \text{''} & \mathbf{e}_l \\ C_l & \text{''} & \text{''} & \text{''} & \cdots & \text{''} & 2\mathbf{e}_l \end{array}$					
	α_1	α_2	α_3		α_{l-1}	α_l																																							
A_{l-1}	$\mathbf{e}_1 - \mathbf{e}_2$	$\mathbf{e}_2 - \mathbf{e}_3$	$\mathbf{e}_3 - \mathbf{e}_4$	...	$\mathbf{e}_{l-1} - \mathbf{e}_l$																																								
D_l	''	''	''	...	''	$\mathbf{e}_{l-1} + \mathbf{e}_l$																																							
B_l	''	''	''	...	''	$\mathbf{e}_l$																																							
C_l	''	''	''	...	''	$2\mathbf{e}_l$																																							
gilmore-lie-groups_ TAB_014	182	0.999	$\begin{tabular}{t}{ l l l l }\hline & (p) & (q) & (r) \\ \hline & \text{Root space} & & \\ \hline & 3 & 3 & 2 \\ \hline & 4 & 3 & 2 \\ \hline & 5 & 3 & 2 \\ \hline \end{tabular}$	<table><tr><td>p</td><td>q</td><td>r</td><td>Root space</td></tr><tr><td>p</td><td>2</td><td>2</td><td>D_{p+2}</td></tr><tr><td>3</td><td>3</td><td>2</td><td>E_6</td></tr><tr><td>4</td><td>3</td><td>2</td><td>E_7</td></tr><tr><td>5</td><td>3</td><td>2</td><td>E_8</td></tr></table>	p	q	r	Root space	p	2	2	D_{p+2}	3	3	2	E_6	4	3	2	E_7	5	3	2	E_8	<table><tr><td>p</td><td>q</td><td>r</td><td>Root space</td></tr><tr><td>p</td><td>2</td><td>2</td><td>D_{p+2}</td></tr><tr><td>3</td><td>3</td><td>2</td><td>E_6</td></tr><tr><td>4</td><td>3</td><td>2</td><td>E_7</td></tr><tr><td>5</td><td>3</td><td>2</td><td>E_8</td></tr></table>	p	q	r	Root space	p	2	2	D_{p+2}	3	3	2	E_6	4	3	2	E_7	5	3	2	E_8
p	q	r	Root space																																										
p	2	2	D_{p+2}																																										
3	3	2	E_6																																										
4	3	2	E_7																																										
5	3	2	E_8																																										
p	q	r	Root space																																										
p	2	2	D_{p+2}																																										
3	3	2	E_6																																										
4	3	2	E_7																																										
5	3	2	E_8																																										
gilmore-lie-groups_ TAB_015	184	1.000	$\begin{tabular}{t}{ l l l l }\hline & \text{Canonical form} & \text{Boson operators} & \text{Coordinates and derivatives} \\ \hline H_i & & b_i^\dagger b_i & x^i \partial_i \\ \hline E_{+\mathbf{e}_i - \mathbf{e}_j} & & b_i^\dagger b_j & x^i \partial_j \\ \hline \end{tabular}$	<table><tr><th>Canonical form</th><th>Boson operators</th><th>Coordinates and derivatives</th><th>Fermion operators</th></tr><tr><td>H_i</td><td>$b_i^\dagger b_i$</td><td>$x^i \partial_i$</td><td>$f_i^\dagger f_i$</td></tr><tr><td>$E_{+\mathbf{e}_i - \mathbf{e}_j}$</td><td>$b_i^\dagger b_j$</td><td>$x^i \partial_j$</td><td>$f_i^\dagger f_j$</td></tr></table>	Canonical form	Boson operators	Coordinates and derivatives	Fermion operators	H_i	$b_i^\dagger b_i$	$x^i \partial_i$	$f_i^\dagger f_i$	$E_{+\mathbf{e}_i - \mathbf{e}_j}$	$b_i^\dagger b_j$	$x^i \partial_j$	$f_i^\dagger f_j$	<table><tr><th>Canonical form</th><th>Boson operators</th><th>Coordinates and derivatives</th><th>Fermion operators</th></tr><tr><td>H_i</td><td>$b_i^\dagger b_i$</td><td>$x^i \partial_i$</td><td>$f_i^\dagger f_i$</td></tr><tr><td>$E_{+\mathbf{e}_i - \mathbf{e}_j}$</td><td>$b_i^\dagger b_j$</td><td>$x^i \partial_j$</td><td>$f_i^\dagger f_j$</td></tr></table>	Canonical form	Boson operators	Coordinates and derivatives	Fermion operators	H_i	$b_i^\dagger b_i$	$x^i \partial_i$	$f_i^\dagger f_i$	$E_{+\mathbf{e}_i - \mathbf{e}_j}$	$b_i^\dagger b_j$	$x^i \partial_j$	$f_i^\dagger f_j$																
Canonical form	Boson operators	Coordinates and derivatives	Fermion operators																																										
H_i	$b_i^\dagger b_i$	$x^i \partial_i$	$f_i^\dagger f_i$																																										
$E_{+\mathbf{e}_i - \mathbf{e}_j}$	$b_i^\dagger b_j$	$x^i \partial_j$	$f_i^\dagger f_j$																																										
Canonical form	Boson operators	Coordinates and derivatives	Fermion operators																																										
H_i	$b_i^\dagger b_i$	$x^i \partial_i$	$f_i^\dagger f_i$																																										
$E_{+\mathbf{e}_i - \mathbf{e}_j}$	$b_i^\dagger b_j$	$x^i \partial_j$	$f_i^\dagger f_j$																																										

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																																																									
gilmore-lie-groups_ TAB_018	195	■ 0.500	$\begin{tabular}{t l l l l l } \hline (A_1) & \sim & (B_1) & \sim & (C_1) \\ (B_1) & \sim & (C_1) & \sim & \mathfrak{sp}(1) = \mathfrak{usp}(2) \\ \hline \mathfrak{u}(2) & \sim & \mathfrak{so}(3) & \sim & \mathfrak{sp}(2; \mathbb{R}) \\ \mathfrak{su}(1, 1) = \mathfrak{sl}(2; \mathbb{R}) & \sim & \mathfrak{so}(2, 1) & \sim & \mathfrak{sp}(2; \mathbb{R}) \\ \hline D_2 & = & A_1 & + & A_1 \\ \mathfrak{so}(4) & = & \mathfrak{so}(3) & + & \mathfrak{so}(3) \\ \mathfrak{so}^*(4) & \sim & \mathfrak{so}(3) & + & \mathfrak{so}(2, 1) \\ \mathfrak{so}(3, 1) & \sim & \mathfrak{sl}(2; \mathbb{C}) & & \\ \mathfrak{so}(2, 2) & \sim & \mathfrak{so}(2, 1) & + & \mathfrak{so}(2, 1) \\ \hline B_2 & = & C_2 & & \\ \mathfrak{so}(5) & \sim & \mathfrak{sp}(2) = \mathfrak{usp}(4) & & \\ \mathfrak{so}(4, 1) & \sim & \mathfrak{sp}(1, 1) = \mathfrak{usp}(2, 2) & & \\ \mathfrak{so}(3, 2) & \sim & \mathfrak{sp}(4; R) & & \\ \hline D_3 & = & A_3 & & \\ \mathfrak{so}(6) & \sim & \mathfrak{su}(4) & & \\ \mathfrak{so}(5, 1) & \sim & \mathfrak{su}^*(4) & & \\ \mathfrak{so}^*(6) & \sim & \mathfrak{su}(3, 1) & & \\ \mathfrak{so}(4, 2) & \sim & \mathfrak{su}(2, 2) & & \\ \mathfrak{so}(3, 3) & \sim & \mathfrak{sl}(4; \mathbb{R}) & & \end{tabular}$	<table><tr><td>A_1</td><td></td><td>B_1</td><td></td><td>C_1</td></tr><tr><td>$\mathfrak{su}(2)$</td><td></td><td>$\mathfrak{so}(3)$</td><td></td><td>$\mathfrak{sp}(1) = \mathfrak{usp}(2)$</td></tr><tr><td>$\mathfrak{su}(1, 1) = \mathfrak{sl}(2; \mathbb{R})$</td><td></td><td>$\mathfrak{so}(2, 1)$</td><td></td><td>$\mathfrak{sp}(2; \mathbb{R})$</td></tr><tr><td>$D_2$</td><td>=</td><td>$A_1$</td><td>+</td><td>$A_1$</td></tr><tr><td>$\mathfrak{so}(4)$</td><td>=</td><td>$\mathfrak{so}(3)$</td><td>+</td><td>$\mathfrak{so}(3)$</td></tr><tr><td>$\mathfrak{so}^*(4)$</td><td></td><td>$\mathfrak{so}(3)$</td><td>+</td><td>$\mathfrak{so}(2, 1)$</td></tr><tr><td>$\mathfrak{so}(3, 1)$</td><td></td><td>$\mathfrak{sl}(2; \mathbb{C})$</td><td></td><td></td></tr><tr><td>$\mathfrak{so}(2, 2)$</td><td></td><td>$\mathfrak{so}(2, 1)$</td><td>+</td><td>$\mathfrak{so}(2, 1)$</td></tr><tr><td>B_2</td><td>=</td><td>C_2</td><td></td><td></td></tr><tr><td>$\mathfrak{so}(5)$</td><td></td><td>$\mathfrak{sp}(2) = \mathfrak{usp}(4)$</td><td></td><td></td></tr><tr><td>$\mathfrak{so}(4, 1)$</td><td></td><td>$\mathfrak{sp}(1, 1) = \mathfrak{usp}(2, 2)$</td><td></td><td></td></tr><tr><td>$\mathfrak{so}(3, 2)$</td><td></td><td>$\mathfrak{sp}(4; R)$</td><td></td><td></td></tr><tr><td>D_3</td><td>=</td><td>A_3</td><td></td><td></td></tr><tr><td>$\mathfrak{so}(6)$</td><td></td><td>$\mathfrak{su}(4)$</td><td></td><td></td></tr><tr><td>$\mathfrak{so}(5, 1)$</td><td></td><td>$\mathfrak{su}^*(4)$</td><td></td><td></td></tr><tr><td>$\mathfrak{so}^*(6)$</td><td></td><td>$\mathfrak{su}(3, 1)$</td><td></td><td></td></tr><tr><td>$\mathfrak{so}(4, 2)$</td><td></td><td>$\mathfrak{su}(2, 2)$</td><td></td><td></td></tr><tr><td>$\mathfrak{so}(3, 3)$</td><td></td><td>$\mathfrak{sl}(4; \mathbb{R})$</td><td></td><td></td></tr></table>	A_1		B_1		C_1	$\mathfrak{su}(2)$		$\mathfrak{so}(3)$		$\mathfrak{sp}(1) = \mathfrak{usp}(2)$	$\mathfrak{su}(1, 1) = \mathfrak{sl}(2; \mathbb{R})$		$\mathfrak{so}(2, 1)$		$\mathfrak{sp}(2; \mathbb{R})$	D_2	=	A_1	+	A_1	$\mathfrak{so}(4)$	=	$\mathfrak{so}(3)$	+	$\mathfrak{so}(3)$	$\mathfrak{so}^*(4)$		$\mathfrak{so}(3)$	+	$\mathfrak{so}(2, 1)$	$\mathfrak{so}(3, 1)$		$\mathfrak{sl}(2; \mathbb{C})$			$\mathfrak{so}(2, 2)$		$\mathfrak{so}(2, 1)$	+	$\mathfrak{so}(2, 1)$	B_2	=	C_2			$\mathfrak{so}(5)$		$\mathfrak{sp}(2) = \mathfrak{usp}(4)$			$\mathfrak{so}(4, 1)$		$\mathfrak{sp}(1, 1) = \mathfrak{usp}(2, 2)$			$\mathfrak{so}(3, 2)$		$\mathfrak{sp}(4; R)$			D_3	=	A_3			$\mathfrak{so}(6)$		$\mathfrak{su}(4)$			$\mathfrak{so}(5, 1)$		$\mathfrak{su}^*(4)$			$\mathfrak{so}^*(6)$		$\mathfrak{su}(3, 1)$			$\mathfrak{so}(4, 2)$		$\mathfrak{su}(2, 2)$			$\mathfrak{so}(3, 3)$		$\mathfrak{sl}(4; \mathbb{R})$		
A_1		B_1		C_1																																																																																										
$\mathfrak{su}(2)$		$\mathfrak{so}(3)$		$\mathfrak{sp}(1) = \mathfrak{usp}(2)$																																																																																										
$\mathfrak{su}(1, 1) = \mathfrak{sl}(2; \mathbb{R})$		$\mathfrak{so}(2, 1)$		$\mathfrak{sp}(2; \mathbb{R})$																																																																																										
D_2	=	A_1	+	A_1																																																																																										
$\mathfrak{so}(4)$	=	$\mathfrak{so}(3)$	+	$\mathfrak{so}(3)$																																																																																										
$\mathfrak{so}^*(4)$		$\mathfrak{so}(3)$	+	$\mathfrak{so}(2, 1)$																																																																																										
$\mathfrak{so}(3, 1)$		$\mathfrak{sl}(2; \mathbb{C})$																																																																																												
$\mathfrak{so}(2, 2)$		$\mathfrak{so}(2, 1)$	+	$\mathfrak{so}(2, 1)$																																																																																										
B_2	=	C_2																																																																																												
$\mathfrak{so}(5)$		$\mathfrak{sp}(2) = \mathfrak{usp}(4)$																																																																																												
$\mathfrak{so}(4, 1)$		$\mathfrak{sp}(1, 1) = \mathfrak{usp}(2, 2)$																																																																																												
$\mathfrak{so}(3, 2)$		$\mathfrak{sp}(4; R)$																																																																																												
D_3	=	A_3																																																																																												
$\mathfrak{so}(6)$		$\mathfrak{su}(4)$																																																																																												
$\mathfrak{so}(5, 1)$		$\mathfrak{su}^*(4)$																																																																																												
$\mathfrak{so}^*(6)$		$\mathfrak{su}(3, 1)$																																																																																												
$\mathfrak{so}(4, 2)$		$\mathfrak{su}(2, 2)$																																																																																												
$\mathfrak{so}(3, 3)$		$\mathfrak{sl}(4; \mathbb{R})$																																																																																												

Identifier	Page	Conf.	LaTeX source	Rendered	Image																														
gilmore-lie-groups_ TAB_019	196	■1.000	<pre>\begin{tabular}[t]{ l l l l } \hline \multirow[b]{2}{*}{Root space} & \multirow[b]{2}{*}{Class \({}_\text{rank(character)}\)} & \multicolumn{2}{ l }{Maximal compact subgroup} \\ \hline & & Root space & Dimension \\ \hline G_2 & $G_{2(-14)}$ & G_2 & 14 \\ & $G_{2(+2)}$ & $A_1 + A_1$ & 6 \\ F_4 & $F_{4(-52)}$ & F_4 & 52 \\ & $F_{4(-20)}$ & B_4 & 36 \\ & $F_{4(+4)}$ & $C_3 + A_1$ & 24 \\ E_6 & $E_{6(-78)}$ & E_6 & 78 \\ & $E_{6(-26)}$ & F_4 & 52 \\ & $E_{6(-14)}$ & $D_5 + D_1$ & 46 \\ & $E_{6(+2)}$ & $A_5 + A_1$ & 38 \\ & $E_{6(+6)}$ & C_4 & 36 \\ E_7 & $E_{7(-133)}$ & E_7 & 133 \\ & $E_{7(-25)}$ & $E_6 + D_1$ & 79 \\ & $E_{7(-5)}$ & $D_6 + A_1$ & 69 \\ & $E_{7(+7)}$ & A_7 & 63 \\ E_8 & $E_{8(-248)}$ & E_8 & 248 \\ & $E_{8(-24)}$ & $E_7 + A_1$ & 136 \\ & $E_{8(+8)}$ & D_8 & 120 \\ \hline \hline \end{tabular}</pre>	(not rendered)	<table><tr><th>Quadrant</th><th>Operator</th><th>Edge</th></tr><tr><td>I</td><td>J_+</td><td>$n_2 = 0$</td></tr><tr><td>I</td><td>J_-</td><td>$n_1 = 0$</td></tr><tr><td>III</td><td>J_+</td><td>$n_1 = -1$</td></tr><tr><td>III</td><td>J_-</td><td>$n_2 = -1$</td></tr></table>	Quadrant	Operator	Edge	I	J_+	$n_2 = 0$	I	J_-	$n_1 = 0$	III	J_+	$n_1 = -1$	III	J_-	$n_2 = -1$															
Quadrant	Operator	Edge																																	
I	J_+	$n_2 = 0$																																	
I	J_-	$n_1 = 0$																																	
III	J_+	$n_1 = -1$																																	
III	J_-	$n_2 = -1$																																	
gilmore-lie-groups_ TAB_020	199	■1.000	<pre>\begin{tabular}[t]{ l l l l } \hline Quadrant & Operator & Edge \\ \hline I & J_+ & $n_2 = 0$ \\ I & J_- & $n_1 = 0$ \\ III & J_+ & $n_1 = -1$ \\ III & J_- & $n_2 = -1$ \\ \hline \hline \end{tabular}</pre>	<table><tr><th>Quadrant</th><th>Operator</th><th>Edge</th></tr><tr><td>I</td><td>J_+</td><td>$n_2 = 0$</td></tr><tr><td>I</td><td>J_-</td><td>$n_1 = 0$</td></tr><tr><td>III</td><td>J_+</td><td>$n_1 = -1$</td></tr><tr><td>III</td><td>J_-</td><td>$n_2 = -1$</td></tr></table>	Quadrant	Operator	Edge	I	J_+	$n_2 = 0$	I	J_-	$n_1 = 0$	III	J_+	$n_1 = -1$	III	J_-	$n_2 = -1$	<table><tr><th>Quadrant</th><th>Operator</th><th>Edge</th></tr><tr><td>I</td><td>J_+</td><td>$n_2 = 0$</td></tr><tr><td>I</td><td>J_-</td><td>$n_1 = 0$</td></tr><tr><td>III</td><td>J_+</td><td>$n_1 = -1$</td></tr><tr><td>III</td><td>J_-</td><td>$n_2 = -1$</td></tr></table>	Quadrant	Operator	Edge	I	J_+	$n_2 = 0$	I	J_-	$n_1 = 0$	III	J_+	$n_1 = -1$	III	J_-	$n_2 = -1$
Quadrant	Operator	Edge																																	
I	J_+	$n_2 = 0$																																	
I	J_-	$n_1 = 0$																																	
III	J_+	$n_1 = -1$																																	
III	J_-	$n_2 = -1$																																	
Quadrant	Operator	Edge																																	
I	J_+	$n_2 = 0$																																	
I	J_-	$n_1 = 0$																																	
III	J_+	$n_1 = -1$																																	
III	J_-	$n_2 = -1$																																	

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																																														
gilmore-lie-groups_ TAB_021	206	0.877	$\begin{tabular}{t l l l l l } \hline \text{Root space} \& \text{Quotient } (G^{\prime}/H) \& \text{Dimension } (P) \& \text{Rank } (P) \\ \hline (A_{p+q-1}) \& (SU(p, q)/S[U(p) \otimes U(q)]) \& (2pq) \& (\min(p, q)) \\ \hline (A_{n-1}) \& (SL(n; \mathbb{R})/SO(n)) \& (\frac{1}{2}(n+2)(n-1)) \& (n-1) \\ \hline (A_{2n-1}) \& (SU^*(2n)/U\mathbf{Sp}(2n)) \& ((2n+1)(n-1)) \& (n-1) \\ \hline (B_{p+q}) \& (SO(p, q)/SO(p) \otimes SO(q)) \& (pq) \& (\min(p, q)) \\ \hline (D_{p+q}) \& (SO(p, q)/SO(p) \otimes SO(q)) \& (pq) \& (\min(p, q)) \\ \hline (D_n) \& (SO^*(2n)/U(n)) \& (n(n-1)) \& (\lfloor n/2 \rfloor) \\ \hline (C_{p+q}) \& (USp(2p, 2q)/USp(2p) \otimes USp(2q)) \& (4pq) \& (\min(p, q)) \\ \hline (C_n) \& (Sp(2n; \mathbb{R})/U(n)) \& (n(n+1)) \& (n) \\ \hline \end{tabular}$	<table><tr><th>Root space</th><th>Quotient G'/H</th><th>Dimension P</th><th>Rank P</th></tr><tr><td>A_{p+q-1}</td><td>$SU(p, q)/S[U(p) \otimes U(q)]$</td><td>$2pq$</td><td>$\min(p, q)$</td></tr><tr><td>$A_{n-1}$</td><td>$SL(n; \mathbb{R})/SO(n)$</td><td>$\frac{1}{2}(n+2)(n-1)$</td><td>$n-1$</td></tr><tr><td>$A_{2n-1}$</td><td>$SU^*(2n)/U\mathbf{Sp}(2n)$</td><td>$(2n+1)(n-1)$</td><td>$n-1$</td></tr><tr><td>$B_{p+q}$</td><td>$SO(p, q)/SO(p) \otimes SO(q)$</td><td>$pq$</td><td>$\min(p, q)$</td></tr><tr><td>$D_{p+q}$</td><td>$SO(p, q)/SO(p) \otimes SO(q)$</td><td>$pq$</td><td>$\min(p, q)$</td></tr><tr><td>$D_n$</td><td>$SO^*(2n)/U(n)$</td><td>$n(n-1)$</td><td>$\lfloor n/2 \rfloor$</td></tr><tr><td>$C_{p+q}$</td><td>$USp(2p, 2q)/USp(2p) \otimes USp(2q)$</td><td>$4pq$</td><td>$\min(p, q)$</td></tr><tr><td>$C_n$</td><td>$Sp(2n; \mathbb{R})/U(n)$</td><td>$n(n+1)$</td><td>$n$</td></tr></table>	Root space	Quotient G'/H	Dimension P	Rank P	A_{p+q-1}	$SU(p, q)/S[U(p) \otimes U(q)]$	$2pq$	$\min(p, q)$	A_{n-1}	$SL(n; \mathbb{R})/SO(n)$	$\frac{1}{2}(n+2)(n-1)$	$n-1$	A_{2n-1}	$SU^*(2n)/U\mathbf{Sp}(2n)$	$(2n+1)(n-1)$	$n-1$	B_{p+q}	$SO(p, q)/SO(p) \otimes SO(q)$	pq	$\min(p, q)$	D_{p+q}	$SO(p, q)/SO(p) \otimes SO(q)$	pq	$\min(p, q)$	D_n	$SO^*(2n)/U(n)$	$n(n-1)$	$\lfloor n/2 \rfloor$	C_{p+q}	$USp(2p, 2q)/USp(2p) \otimes USp(2q)$	$4pq$	$\min(p, q)$	C_n	$Sp(2n; \mathbb{R})/U(n)$	$n(n+1)$	n	<table><tr><th>Root space</th><th>Quotient G'/H</th><th>Dimension P</th><th>Rank P</th></tr><tr><td>A_{p+q-1}</td><td>$SU(p, q)/S[U(p) \otimes U(q)]$</td><td>$2pq$</td><td>$\min(p, q)$</td></tr><tr><td>$A_{n-1}$</td><td>$SL(n; \mathbb{R})/SO(n)$</td><td>$\frac{1}{2}(n+2)(n-1)$</td><td>$n-1$</td></tr><tr><td>$A_{2n-1}$</td><td>$SU^*(2n)/U\mathbf{Sp}(2n)$</td><td>$(2n+1)(n-1)$</td><td>$n-1$</td></tr><tr><td>$B_{p+q}$</td><td>$SO(p, q)/SO(p) \otimes SO(q)$</td><td>$pq$</td><td>$\min(p, q)$</td></tr><tr><td>$D_{p+q}$</td><td>$SO(p, q)/SO(p) \otimes SO(q)$</td><td>$pq$</td><td>$\min(p, q)$</td></tr><tr><td>$D_n$</td><td>$SO^*(2n)/U(n)$</td><td>$n(n-1)$</td><td>$\lfloor n/2 \rfloor$</td></tr><tr><td>$C_{p+q}$</td><td>$USp(2p, 2q)/USp(2p) \otimes USp(2q)$</td><td>$4pq$</td><td>$\min(p, q)$</td></tr><tr><td>$C_n$</td><td>$Sp(2n; \mathbb{R})/U(n)$</td><td>$n(n+1)$</td><td>$n$</td></tr></table>	Root space	Quotient G'/H	Dimension P	Rank P	A_{p+q-1}	$SU(p, q)/S[U(p) \otimes U(q)]$	$2pq$	$\min(p, q)$	A_{n-1}	$SL(n; \mathbb{R})/SO(n)$	$\frac{1}{2}(n+2)(n-1)$	$n-1$	A_{2n-1}	$SU^*(2n)/U\mathbf{Sp}(2n)$	$(2n+1)(n-1)$	$n-1$	B_{p+q}	$SO(p, q)/SO(p) \otimes SO(q)$	pq	$\min(p, q)$	D_{p+q}	$SO(p, q)/SO(p) \otimes SO(q)$	pq	$\min(p, q)$	D_n	$SO^*(2n)/U(n)$	$n(n-1)$	$\lfloor n/2 \rfloor$	C_{p+q}	$USp(2p, 2q)/USp(2p) \otimes USp(2q)$	$4pq$	$\min(p, q)$	C_n	$Sp(2n; \mathbb{R})/U(n)$	$n(n+1)$	n						
Root space	Quotient G'/H	Dimension P	Rank P																																																																																
A_{p+q-1}	$SU(p, q)/S[U(p) \otimes U(q)]$	$2pq$	$\min(p, q)$																																																																																
A_{n-1}	$SL(n; \mathbb{R})/SO(n)$	$\frac{1}{2}(n+2)(n-1)$	$n-1$																																																																																
A_{2n-1}	$SU^*(2n)/U\mathbf{Sp}(2n)$	$(2n+1)(n-1)$	$n-1$																																																																																
B_{p+q}	$SO(p, q)/SO(p) \otimes SO(q)$	pq	$\min(p, q)$																																																																																
D_{p+q}	$SO(p, q)/SO(p) \otimes SO(q)$	pq	$\min(p, q)$																																																																																
D_n	$SO^*(2n)/U(n)$	$n(n-1)$	$\lfloor n/2 \rfloor$																																																																																
C_{p+q}	$USp(2p, 2q)/USp(2p) \otimes USp(2q)$	$4pq$	$\min(p, q)$																																																																																
C_n	$Sp(2n; \mathbb{R})/U(n)$	$n(n+1)$	n																																																																																
Root space	Quotient G'/H	Dimension P	Rank P																																																																																
A_{p+q-1}	$SU(p, q)/S[U(p) \otimes U(q)]$	$2pq$	$\min(p, q)$																																																																																
A_{n-1}	$SL(n; \mathbb{R})/SO(n)$	$\frac{1}{2}(n+2)(n-1)$	$n-1$																																																																																
A_{2n-1}	$SU^*(2n)/U\mathbf{Sp}(2n)$	$(2n+1)(n-1)$	$n-1$																																																																																
B_{p+q}	$SO(p, q)/SO(p) \otimes SO(q)$	pq	$\min(p, q)$																																																																																
D_{p+q}	$SO(p, q)/SO(p) \otimes SO(q)$	pq	$\min(p, q)$																																																																																
D_n	$SO^*(2n)/U(n)$	$n(n-1)$	$\lfloor n/2 \rfloor$																																																																																
C_{p+q}	$USp(2p, 2q)/USp(2p) \otimes USp(2q)$	$4pq$	$\min(p, q)$																																																																																
C_n	$Sp(2n; \mathbb{R})/U(n)$	$n(n+1)$	n																																																																																
gilmore-lie-groups_ TAB_022	207	0.979	$\begin{tabular}{t l l l l l } \hline \text{Root space} \& (G^{\prime}/H) \& (\operatorname{Dim} G^{\prime}) \& (\operatorname{Dim} H) \& (\operatorname{Dim} P) \& \text{Rank } (P) \\ \hline (G_2) \& (G_{2(+2)}) \& (14) \& (6) \& (8) \& (2) \\ \hline (F_4) \& (F_{4(-20)}) \& (52) \& (36) \& (16) \& (1) \\ \hline (E_6) \& (F_{4(+4)}) \& (52) \& (24) \& (28) \& (4) \\ \hline & (E_{6(-26)}) \& (78) \& (52) \& (26) \& (2) \\ \hline & (E_{6(-14)}) \& (78) \& (46) \& (32) \& (2) \\ \hline & (E_{6(+2)}) \& (78) \& (38) \& (40) \& (4) \\ \hline & (E_{6(+6)}) \& (78) \& (36) \& (42) \& (6) \\ \hline (E_7) \& (E_{7(-25)}) \& (133) \& (79) \& (54) \& (3) \\ \hline & (E_{7(-5)}) \& (133) \& (69) \& (64) \& (4) \\ \hline & (E_{7(+7)}) \& (133) \& (63) \& (70) \& (7) \\ \hline (E_8) \& (E_{8(-24)}) \& (248) \& (136) \& (112) \& (4) \\ \hline & (E_{8(+8)}) \& (248) \& (120) \& (128) \& (8) \\ \hline \end{tabular}$	(not rendered)	<table><tr><th>Root space</th><th>G'/H</th><th>Dim G'</th><th>Dim H</th><th>Dim P</th><th>Rank P</th></tr><tr><td>G_2</td><td>$G_{2(+2)}/(A_1 \oplus A_1)$</td><td>14</td><td>6</td><td>8</td><td>2</td></tr><tr><td>F_4</td><td>$F_{4(-20)}/B_4$</td><td>52</td><td>36</td><td>16</td><td>1</td></tr><tr><td></td><td>$F_{4(+4)}/(C_3 \oplus A_1)$</td><td>52</td><td>24</td><td>28</td><td>4</td></tr><tr><td>E_6</td><td>$E_{6(-26)}/F_4$</td><td>78</td><td>52</td><td>26</td><td>2</td></tr><tr><td></td><td>$E_{6(-14)}/(D_5 \oplus D_1)$</td><td>78</td><td>46</td><td>32</td><td>2</td></tr><tr><td></td><td>$E_{6(+2)}/(A_5 \oplus A_1)$</td><td>78</td><td>38</td><td>40</td><td>4</td></tr><tr><td></td><td>$E_{6(+6)}/C_4$</td><td>78</td><td>36</td><td>42</td><td>6</td></tr><tr><td>E_7</td><td>$E_{7(-25)}/(E_6 \oplus D_1)$</td><td>133</td><td>79</td><td>54</td><td>3</td></tr><tr><td></td><td>$E_{7(-5)}/(D_6 \oplus A_1)$</td><td>133</td><td>69</td><td>64</td><td>4</td></tr><tr><td></td><td>$E_{7(+7)}/A_7$</td><td>133</td><td>63</td><td>70</td><td>7</td></tr><tr><td>E_8</td><td>$E_{8(-24)}/(E_7 \oplus A_1)$</td><td>248</td><td>136</td><td>112</td><td>4</td></tr><tr><td></td><td>$E_{8(+8)}/D_8$</td><td>248</td><td>120</td><td>128</td><td>8</td></tr></table>	Root space	G'/H	Dim G'	Dim H	Dim P	Rank P	G_2	$G_{2(+2)}/(A_1 \oplus A_1)$	14	6	8	2	F_4	$F_{4(-20)}/B_4$	52	36	16	1		$F_{4(+4)}/(C_3 \oplus A_1)$	52	24	28	4	E_6	$E_{6(-26)}/F_4$	78	52	26	2		$E_{6(-14)}/(D_5 \oplus D_1)$	78	46	32	2		$E_{6(+2)}/(A_5 \oplus A_1)$	78	38	40	4		$E_{6(+6)}/C_4$	78	36	42	6	E_7	$E_{7(-25)}/(E_6 \oplus D_1)$	133	79	54	3		$E_{7(-5)}/(D_6 \oplus A_1)$	133	69	64	4		$E_{7(+7)}/A_7$	133	63	70	7	E_8	$E_{8(-24)}/(E_7 \oplus A_1)$	248	136	112	4		$E_{8(+8)}/D_8$	248	120	128	8
Root space	G'/H	Dim G'	Dim H	Dim P	Rank P																																																																														
G_2	$G_{2(+2)}/(A_1 \oplus A_1)$	14	6	8	2																																																																														
F_4	$F_{4(-20)}/B_4$	52	36	16	1																																																																														
	$F_{4(+4)}/(C_3 \oplus A_1)$	52	24	28	4																																																																														
E_6	$E_{6(-26)}/F_4$	78	52	26	2																																																																														
	$E_{6(-14)}/(D_5 \oplus D_1)$	78	46	32	2																																																																														
	$E_{6(+2)}/(A_5 \oplus A_1)$	78	38	40	4																																																																														
	$E_{6(+6)}/C_4$	78	36	42	6																																																																														
E_7	$E_{7(-25)}/(E_6 \oplus D_1)$	133	79	54	3																																																																														
	$E_{7(-5)}/(D_6 \oplus A_1)$	133	69	64	4																																																																														
	$E_{7(+7)}/A_7$	133	63	70	7																																																																														
E_8	$E_{8(-24)}/(E_7 \oplus A_1)$	248	136	112	4																																																																														
	$E_{8(+8)}/D_8$	248	120	128	8																																																																														

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																
gilmore-lie-groups_ TAB_023	212	■ 1.000	$\begin{tabular}{t}{ l l l l } \hline \text{Operation} \& \begin{pmatrix} i\sigma_1 \\ i\sigma_2 \\ i\sigma_3 \end{pmatrix} \\ \hline T_1 = \text{block matrix decomposition} \& \begin{pmatrix} -1 & -1 & +1 \end{pmatrix} \\ \hline T_2 = \text{complex conjugation} \& \begin{pmatrix} -1 & +1 & -1 \end{pmatrix} \\ \hline T_3 = T_1 T_2 \& \begin{pmatrix} +1 & -1 & -1 \end{pmatrix} \\ \hline \end{tabular}$	<table><tr><th>Operation</th><th>$i\sigma_1$</th><th>$i\sigma_2$</th><th>$i\sigma_3$</th></tr><tr><td>$T_1 = \text{block matrix decomposition}$</td><td>-1</td><td>-1</td><td>+1</td></tr><tr><td>$T_2 = \text{complex conjugation}$</td><td>-1</td><td>+1</td><td>-1</td></tr><tr><td>$T_3 = T_1 T_2$</td><td>+1</td><td>-1</td><td>-1</td></tr></table>	Operation	$i\sigma_1$	$i\sigma_2$	$i\sigma_3$	$T_1 = \text{block matrix decomposition}$	-1	-1	+1	$T_2 = \text{complex conjugation}$	-1	+1	-1	$T_3 = T_1 T_2$	+1	-1	-1	<table><tr><th>Operation</th><th>$i\sigma_1$</th><th>$i\sigma_2$</th><th>$i\sigma_3$</th></tr><tr><td>$T_1 = \text{block matrix decomposition}$</td><td>-1</td><td>-1</td><td>+1</td></tr><tr><td>$T_2 = \text{complex conjugation}$</td><td>-1</td><td>+1</td><td>-1</td></tr><tr><td>$T_3 = T_1 T_2$</td><td>+1</td><td>-1</td><td>-1</td></tr></table>	Operation	$i\sigma_1$	$i\sigma_2$	$i\sigma_3$	$T_1 = \text{block matrix decomposition}$	-1	-1	+1	$T_2 = \text{complex conjugation}$	-1	+1	-1	$T_3 = T_1 T_2$	+1	-1	-1
Operation	$i\sigma_1$	$i\sigma_2$	$i\sigma_3$																																		
$T_1 = \text{block matrix decomposition}$	-1	-1	+1																																		
$T_2 = \text{complex conjugation}$	-1	+1	-1																																		
$T_3 = T_1 T_2$	+1	-1	-1																																		
Operation	$i\sigma_1$	$i\sigma_2$	$i\sigma_3$																																		
$T_1 = \text{block matrix decomposition}$	-1	-1	+1																																		
$T_2 = \text{complex conjugation}$	-1	+1	-1																																		
$T_3 = T_1 T_2$	+1	-1	-1																																		
gilmore-lie-groups_ TAB_024	232	■ 1.000	$\begin{tabular}{t}{ l l l l } \hline \text{Bessel function} \& \rightarrow \& \text{harmonic oscillator eigenfunction} \\ \hline \text{Bessel equation} \& \rightarrow \& \text{Schrödinger equation for harmonic oscillator} \\ \hline \end{tabular}$	<table><tr><td>Bessel function</td><td>→</td><td>harmonic oscillator eigenfunction</td></tr><tr><td>Bessel equation</td><td>→</td><td>Schrödinger equation for harmonic oscillator</td></tr></table>	Bessel function	→	harmonic oscillator eigenfunction	Bessel equation	→	Schrödinger equation for harmonic oscillator	<table><tr><td>Bessel function</td><td>→</td><td>harmonic oscillator eigenfunction</td></tr><tr><td>Bessel equation</td><td>→</td><td>Schrödinger equation for harmonic oscillator</td></tr></table>	Bessel function	→	harmonic oscillator eigenfunction	Bessel equation	→	Schrödinger equation for harmonic oscillator																				
Bessel function	→	harmonic oscillator eigenfunction																																			
Bessel equation	→	Schrödinger equation for harmonic oscillator																																			
Bessel function	→	harmonic oscillator eigenfunction																																			
Bessel equation	→	Schrödinger equation for harmonic oscillator																																			
gilmore-lie-groups_ TAB_025	239	■ 0.424	$\begin{tabular}{t}{ l l l l l } \hline \text{Equation} \& \begin{pmatrix} A \\ B \\ C \end{pmatrix} \\ \hline \text{Klein-Gordon} \& \begin{pmatrix} -l(l+1) + (e^2/\hbar c)^2 \\ 2Ee^2/(\hbar c)^2 \\ [E^2 - (mc^2)^2]/(\hbar c)^2 \end{pmatrix} \\ \hline \text{Schrödinger} \& \begin{pmatrix} -l(l+1) \\ 2me^2/\hbar^2 \\ 2mW/\hbar^2 \end{pmatrix} \\ \hline \end{tabular}$	<table><tr><th>Equation</th><th>A</th><th>B</th><th>C</th></tr><tr><td>Klein-Gordon</td><td>$-l(l+1) + (e^2/\hbar c)^2$</td><td>$2Ee^2/(\hbar c)^2$</td><td>$[E^2 - (mc^2)^2]/(\hbar c)^2$</td></tr><tr><td>Schrödinger</td><td>$-l(l+1)$</td><td>$2me^2/\hbar^2$</td><td>$2mW/\hbar^2$</td></tr></table>	Equation	A	B	C	Klein-Gordon	$-l(l+1) + (e^2/\hbar c)^2$	$2Ee^2/(\hbar c)^2$	$[E^2 - (mc^2)^2]/(\hbar c)^2$	Schrödinger	$-l(l+1)$	$2me^2/\hbar^2$	$2mW/\hbar^2$	<table><tr><th>Equation</th><th>A</th><th>B</th><th>C</th></tr><tr><td>Klein–Gordon</td><td>$-l(l+1) + (e^2/\hbar c)^2$</td><td>$2Ee^2/(\hbar c)^2$</td><td>$[E^2 - (mc^2)^2]/(\hbar c)^2$</td></tr><tr><td>Schrödinger</td><td>$-l(l+1)$</td><td>$2me^2/\hbar^2$</td><td>$2mW/\hbar^2$</td></tr></table>	Equation	A	B	C	Klein–Gordon	$-l(l+1) + (e^2/\hbar c)^2$	$2Ee^2/(\hbar c)^2$	$[E^2 - (mc^2)^2]/(\hbar c)^2$	Schrödinger	$-l(l+1)$	$2me^2/\hbar^2$	$2mW/\hbar^2$								
Equation	A	B	C																																		
Klein-Gordon	$-l(l+1) + (e^2/\hbar c)^2$	$2Ee^2/(\hbar c)^2$	$[E^2 - (mc^2)^2]/(\hbar c)^2$																																		
Schrödinger	$-l(l+1)$	$2me^2/\hbar^2$	$2mW/\hbar^2$																																		
Equation	A	B	C																																		
Klein–Gordon	$-l(l+1) + (e^2/\hbar c)^2$	$2Ee^2/(\hbar c)^2$	$[E^2 - (mc^2)^2]/(\hbar c)^2$																																		
Schrödinger	$-l(l+1)$	$2me^2/\hbar^2$	$2mW/\hbar^2$																																		

Identifier	Page	Conf.	LaTeX source	Rendered	Image																				
gilmore-lie-groups_ TAB_026	240	■ 0.655	<pre>\begin{tabular}[t]{l l l l}\hline & Procedure & Result \\ \hline 1 & Locate singularities & $0, \infty$ \\ 2 & Determine analytic behavior at singular points & $r \rightarrow 0 : R \simeq r^\gamma, \gamma(\gamma - 1) + A = 0$ $r \rightarrow \infty : R \simeq e^{\lambda r}, \lambda^2 + C = 0$ \\ 3 & Keep only $\mathcal{L}^2$ solutions & $\gamma = \frac{1}{2} + \sqrt{(\frac{1}{2})^2 - A}, \lambda = -\sqrt{-C}$ \\ 4 & Look for solutions with proper asymptotic behavior & $R = r^\gamma e^{\lambda r} f(r)$ \\ 5 & Construct differential equation for $f(r)$ & $\left[(rD^2 + 2\gamma D) + (2\lambda\gamma + B + 2\lambda r D)\right] f(r) = 0$ \\ 6 & Construct recursion relation & $f_{j+1} = -\frac{2\lambda(j + \gamma) + B}{j(j + 1) + 2\gamma(j + 1)} f_j$ \\ 7 & Look at asymptotic behavior & $f \simeq e^{-2\lambda r}$ if series does not terminate $\simeq e^{+1\lambda r}$ if series does terminate ($\lambda < 0$) \\ 8 & Construct quantization condition & $2\lambda(n + \gamma) + B = 0$ or $n + \frac{1}{2} + \sqrt{(\frac{1}{2})^2 - A} = \frac{B}{2\sqrt{-C}}$ \\ 9 & Construct explicit solutions & $E = \frac{mc^2}{\sqrt{1 + (\alpha/N')^2}}, W = -\frac{1}{2}mc^2\alpha^2 \frac{1}{N^2}$ $N' = n + \frac{1}{2} + \sqrt{(l + \frac{1}{2})^2 - \alpha^2}, N = n + l + 1$ \\ \hline \end{tabular}</pre>	(not rendered)	<table><thead><tr><th>Procedure</th><th>Result</th></tr></thead><tbody><tr><td>1 Locate singularities</td><td>$0, \infty$</td></tr><tr><td>2 Determine analytic behavior at singular points</td><td>$r \rightarrow 0 : R \simeq r^\gamma, \gamma(\gamma - 1) + A = 0$ $r \rightarrow \infty : R \simeq e^{\lambda r}, \lambda^2 + C = 0$</td></tr><tr><td>3 Keep only $\mathcal{L}^2$ solutions</td><td>$\gamma = \frac{1}{2} + \sqrt{(\frac{1}{2})^2 - A}, \lambda = -\sqrt{-C}$</td></tr><tr><td>4 Look for solutions with proper asymptotic behavior</td><td>$R = r^\gamma e^{\lambda r} f(r)$</td></tr><tr><td>5 Construct differential equation for $f(r)$</td><td>$\left[(rD^2 + 2\gamma D) + (2\lambda\gamma + B + 2\lambda r D)\right] f(r) = 0$</td></tr><tr><td>6 Construct recursion relation</td><td>$f_{j+1} = -\frac{2\lambda(j + \gamma) + B}{j(j + 1) + 2\gamma(j + 1)} f_j$</td></tr><tr><td>7 Look at asymptotic behavior</td><td>$f \simeq e^{-2\lambda r}$ if series does not terminate $\simeq e^{+1\lambda r}$ if series does terminate ($\lambda < 0$)</td></tr><tr><td>8 Construct quantization condition</td><td>$2\lambda(n + \gamma) + B = 0$ or $n + \frac{1}{2} + \sqrt{(\frac{1}{2})^2 - A} = \frac{B}{2\sqrt{-C}}$</td></tr><tr><td>9 Construct explicit solutions</td><td>$E = \frac{mc^2}{\sqrt{1 + (\alpha/N')^2}}, W = -\frac{1}{2}mc^2\alpha^2 \frac{1}{N^2}$ $N' = n + \frac{1}{2} + \sqrt{(l + \frac{1}{2})^2 - \alpha^2}, N = n + l + 1$</td></tr></tbody></table>	Procedure	Result	1 Locate singularities	$0, \infty$	2 Determine analytic behavior at singular points	$r \rightarrow 0 : R \simeq r^\gamma, \gamma(\gamma - 1) + A = 0$ $r \rightarrow \infty : R \simeq e^{\lambda r}, \lambda^2 + C = 0$	3 Keep only $\mathcal{L}^2$ solutions	$\gamma = \frac{1}{2} + \sqrt{(\frac{1}{2})^2 - A}, \lambda = -\sqrt{-C}$	4 Look for solutions with proper asymptotic behavior	$R = r^\gamma e^{\lambda r} f(r)$	5 Construct differential equation for $f(r)$	$\left[(rD^2 + 2\gamma D) + (2\lambda\gamma + B + 2\lambda r D)\right] f(r) = 0$	6 Construct recursion relation	$f_{j+1} = -\frac{2\lambda(j + \gamma) + B}{j(j + 1) + 2\gamma(j + 1)} f_j$	7 Look at asymptotic behavior	$f \simeq e^{-2\lambda r}$ if series does not terminate $\simeq e^{+1\lambda r}$ if series does terminate ($\lambda < 0$)	8 Construct quantization condition	$2\lambda(n + \gamma) + B = 0$ or $n + \frac{1}{2} + \sqrt{(\frac{1}{2})^2 - A} = \frac{B}{2\sqrt{-C}}$	9 Construct explicit solutions	$E = \frac{mc^2}{\sqrt{1 + (\alpha/N')^2}}, W = -\frac{1}{2}mc^2\alpha^2 \frac{1}{N^2}$ $N' = n + \frac{1}{2} + \sqrt{(l + \frac{1}{2})^2 - \alpha^2}, N = n + l + 1$
Procedure	Result																								
1 Locate singularities	$0, \infty$																								
2 Determine analytic behavior at singular points	$r \rightarrow 0 : R \simeq r^\gamma, \gamma(\gamma - 1) + A = 0$ $r \rightarrow \infty : R \simeq e^{\lambda r}, \lambda^2 + C = 0$																								
3 Keep only $\mathcal{L}^2$ solutions	$\gamma = \frac{1}{2} + \sqrt{(\frac{1}{2})^2 - A}, \lambda = -\sqrt{-C}$																								
4 Look for solutions with proper asymptotic behavior	$R = r^\gamma e^{\lambda r} f(r)$																								
5 Construct differential equation for $f(r)$	$\left[(rD^2 + 2\gamma D) + (2\lambda\gamma + B + 2\lambda r D)\right] f(r) = 0$																								
6 Construct recursion relation	$f_{j+1} = -\frac{2\lambda(j + \gamma) + B}{j(j + 1) + 2\gamma(j + 1)} f_j$																								
7 Look at asymptotic behavior	$f \simeq e^{-2\lambda r}$ if series does not terminate $\simeq e^{+1\lambda r}$ if series does terminate ($\lambda < 0$)																								
8 Construct quantization condition	$2\lambda(n + \gamma) + B = 0$ or $n + \frac{1}{2} + \sqrt{(\frac{1}{2})^2 - A} = \frac{B}{2\sqrt{-C}}$																								
9 Construct explicit solutions	$E = \frac{mc^2}{\sqrt{1 + (\alpha/N')^2}}, W = -\frac{1}{2}mc^2\alpha^2 \frac{1}{N^2}$ $N' = n + \frac{1}{2} + \sqrt{(l + \frac{1}{2})^2 - \alpha^2}, N = n + l + 1$																								

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																						
gilmore-lie-groups_TAB_027	244	■0.998	$\begin{tabular}{t l l l l } \hline \text{\(m\)} & \text{\(l=0\)} & \text{\(l=1\)} & \text{\(l=2\)} & \text{\(l=3\)} \\ \hline 0 & \sqrt{\frac{1}{4\pi}} & \sqrt{\frac{3}{4\pi}}\cos\theta & \sqrt{\frac{5}{16\pi}}(3\cos^2\theta-1) & \sqrt{\frac{7}{16\pi}}(5\cos^3\theta-3\cos\theta) \\ \pm 1 & & \mp\sqrt{\frac{3}{8\pi}}\sin\theta\,e^{\pm i\phi} & \mp\sqrt{\frac{15}{8\pi}}\cos\theta\sin\theta\,e^{\pm i\phi} & \mp\sqrt{\frac{21}{64\pi}}\sin\theta(5\cos^2\theta-1)\,e^{\pm i\phi} \\ \pm 2 & & & \sqrt{\frac{15}{32\pi}}\sin^2\theta\,e^{\pm 2i\phi} & \sqrt{\frac{105}{32\pi}}\sin^2\theta\cos\theta\,e^{\pm 2i\phi} \\ \pm 3 & & & & \mp\sqrt{\frac{35}{64\pi}}\sin^3\theta\,e^{\pm 3i\phi} \\ \hline \end{tabular}$	<table><tr><th>m</th><th>$l=0$</th><th>$l=1$</th><th>$l=2$</th><th>$l=3$</th></tr><tr><td>0</td><td>$\sqrt{\frac{1}{4\pi}}$</td><td>$\sqrt{\frac{3}{4\pi}}\cos\theta$</td><td>$\sqrt{\frac{5}{16\pi}}(3\cos^2\theta-1)$</td><td>$\sqrt{\frac{7}{16\pi}}(5\cos^3\theta-3\cos\theta)$</td></tr><tr><td>$\pm 1$</td><td></td><td>$\mp\sqrt{\frac{3}{8\pi}}\sin\theta e^{\pm i\phi}$</td><td>$\mp\sqrt{\frac{15}{8\pi}}\cos\theta\sin\theta e^{\pm i\phi}$</td><td>$\mp\sqrt{\frac{21}{64\pi}}\sin\theta(5\cos^2\theta-1)e^{\pm i\phi}$</td></tr><tr><td>$\pm 2$</td><td></td><td></td><td>$\sqrt{\frac{15}{32\pi}}\sin^2\theta e^{\pm 2i\phi}$</td><td>$\sqrt{\frac{105}{32\pi}}\sin^2\theta\cos\theta e^{\pm 2i\phi}$</td></tr><tr><td>$\pm 3$</td><td></td><td></td><td></td><td>$\mp\sqrt{\frac{35}{64\pi}}\sin^3\theta e^{\pm 3i\phi}$</td></tr></table>	m	$l=0$	$l=1$	$l=2$	$l=3$	0	$\sqrt{\frac{1}{4\pi}}$	$\sqrt{\frac{3}{4\pi}}\cos\theta$	$\sqrt{\frac{5}{16\pi}}(3\cos^2\theta-1)$	$\sqrt{\frac{7}{16\pi}}(5\cos^3\theta-3\cos\theta)$	± 1		$\mp\sqrt{\frac{3}{8\pi}}\sin\theta e^{\pm i\phi}$	$\mp\sqrt{\frac{15}{8\pi}}\cos\theta\sin\theta e^{\pm i\phi}$	$\mp\sqrt{\frac{21}{64\pi}}\sin\theta(5\cos^2\theta-1)e^{\pm i\phi}$	± 2			$\sqrt{\frac{15}{32\pi}}\sin^2\theta e^{\pm 2i\phi}$	$\sqrt{\frac{105}{32\pi}}\sin^2\theta\cos\theta e^{\pm 2i\phi}$	± 3				$\mp\sqrt{\frac{35}{64\pi}}\sin^3\theta e^{\pm 3i\phi}$	<table><tr><th>m</th><th>$l=0$</th><th>$l=1$</th><th>$l=2$</th><th>$l=3$</th></tr><tr><td>0</td><td>$\sqrt{\frac{1}{4\pi}}$</td><td>$\sqrt{\frac{3}{4\pi}}\cos\theta$</td><td>$\sqrt{\frac{5}{16\pi}}(3\cos^2\theta-1)$</td><td>$\sqrt{\frac{7}{16\pi}}(5\cos^3\theta-3\cos\theta)$</td></tr><tr><td>$\pm 1$</td><td></td><td>$\mp\sqrt{\frac{3}{8\pi}}\sin\theta e^{\pm i\phi}$</td><td>$\mp\sqrt{\frac{15}{8\pi}}\cos\theta\sin\theta e^{\pm i\phi}$</td><td>$\mp\sqrt{\frac{21}{64\pi}}\sin\theta(5\cos^2\theta-1)e^{\pm i\phi}$</td></tr><tr><td>$\pm 2$</td><td></td><td></td><td>$\sqrt{\frac{15}{32\pi}}\sin^2\theta e^{\pm 2i\phi}$</td><td>$\sqrt{\frac{105}{32\pi}}\sin^2\theta\cos\theta e^{\pm 2i\phi}$</td></tr><tr><td>$\pm 3$</td><td></td><td></td><td></td><td>$\mp\sqrt{\frac{35}{64\pi}}\sin^3\theta e^{\pm 3i\phi}$</td></tr></table>	m	$l=0$	$l=1$	$l=2$	$l=3$	0	$\sqrt{\frac{1}{4\pi}}$	$\sqrt{\frac{3}{4\pi}}\cos\theta$	$\sqrt{\frac{5}{16\pi}}(3\cos^2\theta-1)$	$\sqrt{\frac{7}{16\pi}}(5\cos^3\theta-3\cos\theta)$	± 1		$\mp\sqrt{\frac{3}{8\pi}}\sin\theta e^{\pm i\phi}$	$\mp\sqrt{\frac{15}{8\pi}}\cos\theta\sin\theta e^{\pm i\phi}$	$\mp\sqrt{\frac{21}{64\pi}}\sin\theta(5\cos^2\theta-1)e^{\pm i\phi}$	± 2			$\sqrt{\frac{15}{32\pi}}\sin^2\theta e^{\pm 2i\phi}$	$\sqrt{\frac{105}{32\pi}}\sin^2\theta\cos\theta e^{\pm 2i\phi}$	± 3				$\mp\sqrt{\frac{35}{64\pi}}\sin^3\theta e^{\pm 3i\phi}$				
m	$l=0$	$l=1$	$l=2$	$l=3$																																																							
0	$\sqrt{\frac{1}{4\pi}}$	$\sqrt{\frac{3}{4\pi}}\cos\theta$	$\sqrt{\frac{5}{16\pi}}(3\cos^2\theta-1)$	$\sqrt{\frac{7}{16\pi}}(5\cos^3\theta-3\cos\theta)$																																																							
± 1		$\mp\sqrt{\frac{3}{8\pi}}\sin\theta e^{\pm i\phi}$	$\mp\sqrt{\frac{15}{8\pi}}\cos\theta\sin\theta e^{\pm i\phi}$	$\mp\sqrt{\frac{21}{64\pi}}\sin\theta(5\cos^2\theta-1)e^{\pm i\phi}$																																																							
± 2			$\sqrt{\frac{15}{32\pi}}\sin^2\theta e^{\pm 2i\phi}$	$\sqrt{\frac{105}{32\pi}}\sin^2\theta\cos\theta e^{\pm 2i\phi}$																																																							
± 3				$\mp\sqrt{\frac{35}{64\pi}}\sin^3\theta e^{\pm 3i\phi}$																																																							
m	$l=0$	$l=1$	$l=2$	$l=3$																																																							
0	$\sqrt{\frac{1}{4\pi}}$	$\sqrt{\frac{3}{4\pi}}\cos\theta$	$\sqrt{\frac{5}{16\pi}}(3\cos^2\theta-1)$	$\sqrt{\frac{7}{16\pi}}(5\cos^3\theta-3\cos\theta)$																																																							
± 1		$\mp\sqrt{\frac{3}{8\pi}}\sin\theta e^{\pm i\phi}$	$\mp\sqrt{\frac{15}{8\pi}}\cos\theta\sin\theta e^{\pm i\phi}$	$\mp\sqrt{\frac{21}{64\pi}}\sin\theta(5\cos^2\theta-1)e^{\pm i\phi}$																																																							
± 2			$\sqrt{\frac{15}{32\pi}}\sin^2\theta e^{\pm 2i\phi}$	$\sqrt{\frac{105}{32\pi}}\sin^2\theta\cos\theta e^{\pm 2i\phi}$																																																							
± 3				$\mp\sqrt{\frac{35}{64\pi}}\sin^3\theta e^{\pm 3i\phi}$																																																							
gilmore-lie-groups_TAB_028	258	■0.721	$\begin{tabular}{t l l l } \hline H & \text{\(A_4\)} & \text{\(\Gamma_4\)} & \text{\(\Gamma_5\)} \\ \hline A & \text{\(\Theta\)} & \text{\(A\)} & \text{\(B\)} \\ B & \text{\(A\)} & \text{\(B\)} & \text{\(C\)} \\ C & \text{\(A\)} & \text{\(B\)} & \text{\(C\)} \\ \hline \end{tabular}$	<table><tr><th>H</th><th>$\frac{p^2}{2m} - \frac{\alpha}{r}$</th><th>$\sqrt{p^2 + m^2} - \frac{\alpha}{r}$</th></tr><tr><td>$A_4$</td><td>$\mathbf{r} \cdot \mathbf{p} - i$</td><td>$\mathbf{r} \cdot \mathbf{p} - i$</td></tr><tr><td>$\Gamma_4$</td><td>$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} - r)$</td><td>$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} - r - \frac{\alpha^2}{r}\right)$</td></tr><tr><td>$\Gamma_5$</td><td>$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} + r)$</td><td>$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} + r - \frac{\alpha^2}{r}\right)$</td></tr><tr><td>$\Theta$</td><td>$r(H_S - W)$</td><td>$r\left\{\left(H_{KG} + \frac{\alpha}{r}\right)^2 - \left(E + \frac{\alpha}{r}\right)^2\right\}$</td></tr><tr><td></td><td>$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$</td><td>$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$</td></tr><tr><td>$A$</td><td>$1/2m$</td><td>$1$</td></tr><tr><td>$B$</td><td>$-W$</td><td>$m^2 - E^2$</td></tr><tr><td>$C$</td><td>$-\alpha$</td><td>$-2\alpha E$</td></tr></table>	H	$\frac{p^2}{2m} - \frac{\alpha}{r}$	$\sqrt{p^2 + m^2} - \frac{\alpha}{r}$	A_4	$\mathbf{r} \cdot \mathbf{p} - i$	$\mathbf{r} \cdot \mathbf{p} - i$	Γ_4	$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} - r)$	$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} - r - \frac{\alpha^2}{r}\right)$	Γ_5	$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} + r)$	$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} + r - \frac{\alpha^2}{r}\right)$	Θ	$r(H_S - W)$	$r\left\{\left(H_{KG} + \frac{\alpha}{r}\right)^2 - \left(E + \frac{\alpha}{r}\right)^2\right\}$		$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$	$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$	A	$1/2m$	1	B	$-W$	$m^2 - E^2$	C	$-\alpha$	$-2\alpha E$	<table><tr><th>H</th><th>$\frac{p^2}{2m} - \frac{\alpha}{r}$</th><th>$\sqrt{p^2 + m^2} - \frac{\alpha}{r}$</th></tr><tr><td>$A_4$</td><td>$\mathbf{r} \cdot \mathbf{p} - i$</td><td>$\mathbf{r} \cdot \mathbf{p} - i$</td></tr><tr><td>$\Gamma_4$</td><td>$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} - r)$</td><td>$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} - r - \frac{\alpha^2}{r}\right)$</td></tr><tr><td>$\Gamma_5$</td><td>$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} + r)$</td><td>$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} + r - \frac{\alpha^2}{r}\right)$</td></tr><tr><td>$\Theta$</td><td>$r(H_S - W)$</td><td>$r\left\{\left(H_{KG} + \frac{\alpha}{r}\right)^2 - \left(E + \frac{\alpha}{r}\right)^2\right\}$</td></tr><tr><td></td><td>$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$</td><td>$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$</td></tr><tr><td>$A$</td><td>$1/2m$</td><td>$1$</td></tr><tr><td>$B$</td><td>$-W$</td><td>$m^2 - E^2$</td></tr><tr><td>$C$</td><td>$-\alpha$</td><td>$-2\alpha E$</td></tr></table>	H	$\frac{p^2}{2m} - \frac{\alpha}{r}$	$\sqrt{p^2 + m^2} - \frac{\alpha}{r}$	A_4	$\mathbf{r} \cdot \mathbf{p} - i$	$\mathbf{r} \cdot \mathbf{p} - i$	Γ_4	$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} - r)$	$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} - r - \frac{\alpha^2}{r}\right)$	Γ_5	$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} + r)$	$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} + r - \frac{\alpha^2}{r}\right)$	Θ	$r(H_S - W)$	$r\left\{\left(H_{KG} + \frac{\alpha}{r}\right)^2 - \left(E + \frac{\alpha}{r}\right)^2\right\}$		$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$	$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$	A	$1/2m$	1	B	$-W$	$m^2 - E^2$	C	$-\alpha$	$-2\alpha E$
H	$\frac{p^2}{2m} - \frac{\alpha}{r}$	$\sqrt{p^2 + m^2} - \frac{\alpha}{r}$																																																									
A_4	$\mathbf{r} \cdot \mathbf{p} - i$	$\mathbf{r} \cdot \mathbf{p} - i$																																																									
Γ_4	$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} - r)$	$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} - r - \frac{\alpha^2}{r}\right)$																																																									
Γ_5	$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} + r)$	$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} + r - \frac{\alpha^2}{r}\right)$																																																									
Θ	$r(H_S - W)$	$r\left\{\left(H_{KG} + \frac{\alpha}{r}\right)^2 - \left(E + \frac{\alpha}{r}\right)^2\right\}$																																																									
	$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$	$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$																																																									
A	$1/2m$	1																																																									
B	$-W$	$m^2 - E^2$																																																									
C	$-\alpha$	$-2\alpha E$																																																									
H	$\frac{p^2}{2m} - \frac{\alpha}{r}$	$\sqrt{p^2 + m^2} - \frac{\alpha}{r}$																																																									
A_4	$\mathbf{r} \cdot \mathbf{p} - i$	$\mathbf{r} \cdot \mathbf{p} - i$																																																									
Γ_4	$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} - r)$	$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} - r - \frac{\alpha^2}{r}\right)$																																																									
Γ_5	$\frac{1}{2}(r\mathbf{p} \cdot \mathbf{p} + r)$	$\frac{1}{2}\left(r\mathbf{p} \cdot \mathbf{p} + r - \frac{\alpha^2}{r}\right)$																																																									
Θ	$r(H_S - W)$	$r\left\{\left(H_{KG} + \frac{\alpha}{r}\right)^2 - \left(E + \frac{\alpha}{r}\right)^2\right\}$																																																									
	$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$	$A(\Gamma_5 + \Gamma_4) + B(\Gamma_5 - \Gamma_4) + C$																																																									
A	$1/2m$	1																																																									
B	$-W$	$m^2 - E^2$																																																									
C	$-\alpha$	$-2\alpha E$																																																									

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																												
gilmore-lie-groups_ TAB_029	267	■ 0.953	$\begin{tabular}[t]{ l l } \hline \text{Particle} & \text{Rest energy (MeV)} \\ \hline \text{electron } e^\pm & 0.511 \\ \text{mu meson } \mu^\pm & 105.7 \\ \text{tau meson } \tau^\pm & 1784.0 \\ \text{proton, antiproton } p^\pm & 938.26 \\ \text{deuteron } d^+ & 1875.6 \\ \text{tritium } t^+ & 2809.4 \\ \text{pi meson } \pi^\pm & 139.6 \\ \text{sigma meson } \Sigma^\pm & 1385.0 \\ \text{cascade meson } \Xi^- & 1533.0 \\ \text{omega } \Omega^- & 1672.0 \\ \hline \end{tabular}$	<table><tr><th>Particle</th><th>Rest energy (MeV)</th></tr><tr><td>electron $e^\pm$</td><td>0.511</td></tr><tr><td>mu meson $\mu^\pm$</td><td>105.7</td></tr><tr><td>tau meson $\tau^\pm$</td><td>1784.0</td></tr><tr><td>proton, antiproton $p^\pm$</td><td>938.26</td></tr><tr><td>deuteron d^+</td><td>1875.6</td></tr><tr><td>tritium t^+</td><td>2809.4</td></tr><tr><td>pi meson $\pi^\pm$</td><td>139.6</td></tr><tr><td>sigma meson $\Sigma^\pm$</td><td>1385.0</td></tr><tr><td>cascade meson Ξ^-</td><td>1533.0</td></tr><tr><td>omega Ω^-</td><td>1672.0</td></tr></table>	Particle	Rest energy (MeV)	electron $e^\pm$	0.511	mu meson $\mu^\pm$	105.7	tau meson $\tau^\pm$	1784.0	proton, antiproton $p^\pm$	938.26	deuteron d^+	1875.6	tritium t^+	2809.4	pi meson $\pi^\pm$	139.6	sigma meson $\Sigma^\pm$	1385.0	cascade meson Ξ^-	1533.0	omega Ω^-	1672.0	<table><tr><th>Particle</th><th>Rest energy (MeV)</th></tr><tr><td>electron $e^\pm$</td><td>0.511</td></tr><tr><td>mu meson $\mu^\pm$</td><td>105.7</td></tr><tr><td>tau meson $\tau^\pm$</td><td>1784.0</td></tr><tr><td>proton, antiproton $p^\pm$</td><td>938.26</td></tr><tr><td>deuteron d^+</td><td>1875.6</td></tr><tr><td>tritium t^+</td><td>2809.4</td></tr><tr><td>pi meson $\pi^\pm$</td><td>139.6</td></tr><tr><td>sigma meson $\Sigma^\pm$</td><td>1385.0</td></tr><tr><td>cascade meson Ξ^-</td><td>1533.0</td></tr><tr><td>omega Ω^-</td><td>1672.0</td></tr></table>	Particle	Rest energy (MeV)	electron $e^\pm$	0.511	mu meson $\mu^\pm$	105.7	tau meson $\tau^\pm$	1784.0	proton, antiproton $p^\pm$	938.26	deuteron d^+	1875.6	tritium t^+	2809.4	pi meson $\pi^\pm$	139.6	sigma meson $\Sigma^\pm$	1385.0	cascade meson Ξ^-	1533.0	omega Ω^-	1672.0
Particle	Rest energy (MeV)																																																
electron $e^\pm$	0.511																																																
mu meson $\mu^\pm$	105.7																																																
tau meson $\tau^\pm$	1784.0																																																
proton, antiproton $p^\pm$	938.26																																																
deuteron d^+	1875.6																																																
tritium t^+	2809.4																																																
pi meson $\pi^\pm$	139.6																																																
sigma meson $\Sigma^\pm$	1385.0																																																
cascade meson Ξ^-	1533.0																																																
omega Ω^-	1672.0																																																
Particle	Rest energy (MeV)																																																
electron $e^\pm$	0.511																																																
mu meson $\mu^\pm$	105.7																																																
tau meson $\tau^\pm$	1784.0																																																
proton, antiproton $p^\pm$	938.26																																																
deuteron d^+	1875.6																																																
tritium t^+	2809.4																																																
pi meson $\pi^\pm$	139.6																																																
sigma meson $\Sigma^\pm$	1385.0																																																
cascade meson Ξ^-	1533.0																																																
omega Ω^-	1672.0																																																
gilmore-lie-groups_ TAB_030	269	■ 1.000	$\begin{tabular}[t]{ l l l l l l l l } \hline \text{Mercury} & \text{Venus} & \text{Earth} & \text{Mars} & \text{Jupiter} & \text{Saturn} & \text{Uranus} & \text{Neptune} \\ \hline 0.39 & 0.72 & 1.00 & 1.52 & 5.20 & 9.54 & 19.18 & 30.06 \\ \hline \end{tabular}$	<table><tr><th>Mercury</th><th>Venus</th><th>Earth</th><th>Mars</th><th>Jupiter</th><th>Saturn</th><th>Uranus</th><th>Neptune</th></tr><tr><td>0.39</td><td>0.72</td><td>1.00</td><td>1.52</td><td>5.20</td><td>9.54</td><td>19.18</td><td>30.06</td></tr></table>	Mercury	Venus	Earth	Mars	Jupiter	Saturn	Uranus	Neptune	0.39	0.72	1.00	1.52	5.20	9.54	19.18	30.06	<table><tr><th>Mercury</th><th>Venus</th><th>Earth</th><th>Mars</th><th>Jupiter</th><th>Saturn</th><th>Uranus</th><th>Neptune</th></tr><tr><td>0.39</td><td>0.72</td><td>1.00</td><td>1.52</td><td>5.20</td><td>9.54</td><td>19.18</td><td>30.06</td></tr></table>	Mercury	Venus	Earth	Mars	Jupiter	Saturn	Uranus	Neptune	0.39	0.72	1.00	1.52	5.20	9.54	19.18	30.06												
Mercury	Venus	Earth	Mars	Jupiter	Saturn	Uranus	Neptune																																										
0.39	0.72	1.00	1.52	5.20	9.54	19.18	30.06																																										
Mercury	Venus	Earth	Mars	Jupiter	Saturn	Uranus	Neptune																																										
0.39	0.72	1.00	1.52	5.20	9.54	19.18	30.06																																										
gilmore-lie-groups_ TAB_031	274	■ 1.000	$\begin{tabular}[t]{ l l l l } \hline \text{Time period} & \text{Approach} & \text{Strengths} & \text{Weaknesses} \\ \hline \text{Nineteenth century} & \text{Manifestly covariant} & \text{Fields have elegant transformation properties} & \text{Many fields represent nonphysical states} \\ \text{Twentieth century} & \text{Hilbert space} & \text{All linear superpositions represent physical states} & \text{Transformation properties are complicated} \\ \hline \end{tabular}$	<table><tr><th>Time period</th><th>Approach</th><th>Strengths</th><th>Weaknesses</th></tr><tr><td>Nineteenth century</td><td>Manifestly covariant</td><td>Fields have elegant transformation properties</td><td>Many fields represent nonphysical states</td></tr><tr><td>Twentieth century</td><td>Hilbert space</td><td>All linear superpositions represent physical states</td><td>Transformation properties are complicated</td></tr></table>	Time period	Approach	Strengths	Weaknesses	Nineteenth century	Manifestly covariant	Fields have elegant transformation properties	Many fields represent nonphysical states	Twentieth century	Hilbert space	All linear superpositions represent physical states	Transformation properties are complicated	<table><tr><th>Time period</th><th>Approach</th><th>Strengths</th><th>Weaknesses</th></tr><tr><td>Nineteenth century</td><td>Manifestly covariant</td><td>Fields have elegant transformation properties</td><td>Many fields represent nonphysical states</td></tr><tr><td>Twentieth century</td><td>Hilbert space</td><td>All linear superpositions represent physical states</td><td>Transformation properties are complicated</td></tr></table>	Time period	Approach	Strengths	Weaknesses	Nineteenth century	Manifestly covariant	Fields have elegant transformation properties	Many fields represent nonphysical states	Twentieth century	Hilbert space	All linear superpositions represent physical states	Transformation properties are complicated																				
Time period	Approach	Strengths	Weaknesses																																														
Nineteenth century	Manifestly covariant	Fields have elegant transformation properties	Many fields represent nonphysical states																																														
Twentieth century	Hilbert space	All linear superpositions represent physical states	Transformation properties are complicated																																														
Time period	Approach	Strengths	Weaknesses																																														
Nineteenth century	Manifestly covariant	Fields have elegant transformation properties	Many fields represent nonphysical states																																														
Twentieth century	Hilbert space	All linear superpositions represent physical states	Transformation properties are complicated																																														
gilmore-lie-groups_ TAB_032	280	■ 0.815	$\begin{tabular}[t]{ l l l } \hline & & \\ \hline \{I, a\} & k\rangle e^{ik\cdot a} & \left. \begin{array}{c} j \\ \mu \end{array} \begin{array}{c} j' \\ \mu' \end{array} \right\rangle_{vv';\mu\mu'} \\ \hline \{ \Lambda, 0 \} & \Lambda k\rangle & \left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle D^{jj'}_{vv';\mu\mu'}(\Lambda) \\ \hline \end{tabular}$	<table><tr><td></td><td>$k\rangle$</td><td>$\left. \begin{array}{c} j \\ \mu \end{array} \begin{array}{c} j' \\ \mu' \end{array} \right\rangle$</td></tr><tr><td>$\{I, a\}$</td><td>$k\rangle e^{ik\cdot a}$</td><td>$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle_{vv';\mu\mu'}$</td></tr><tr><td>$\{ \Lambda, 0 \}$</td><td>$\Lambda k\rangle$</td><td>$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle D^{jj'}_{vv';\mu\mu'}(\Lambda)$</td></tr></table>		$ k\rangle$	$\left. \begin{array}{c} j \\ \mu \end{array} \begin{array}{c} j' \\ \mu' \end{array} \right\rangle$	$\{I, a\}$	$ k\rangle e^{ik\cdot a}$	$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle_{vv';\mu\mu'}$	$\{ \Lambda, 0 \}$	$ \Lambda k\rangle$	$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle D^{jj'}_{vv';\mu\mu'}(\Lambda)$	<table><tr><td></td><td>$k\rangle$</td><td>$\left. \begin{array}{c} j \\ \mu \end{array} \begin{array}{c} j' \\ \mu' \end{array} \right\rangle$</td></tr><tr><td>$\{I, a\}$</td><td>$k\rangle e^{ik\cdot a}$</td><td>$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle_{vv';\mu\mu'}$</td></tr><tr><td>$\{ \Lambda, 0 \}$</td><td>$\Lambda k\rangle$</td><td>$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle D^{jj'}_{vv';\mu\mu'}(\Lambda)$</td></tr></table>		$ k\rangle$	$\left. \begin{array}{c} j \\ \mu \end{array} \begin{array}{c} j' \\ \mu' \end{array} \right\rangle$	$\{I, a\}$	$ k\rangle e^{ik\cdot a}$	$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle_{vv';\mu\mu'}$	$\{ \Lambda, 0 \}$	$ \Lambda k\rangle$	$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle D^{jj'}_{vv';\mu\mu'}(\Lambda)$																										
	$ k\rangle$	$\left. \begin{array}{c} j \\ \mu \end{array} \begin{array}{c} j' \\ \mu' \end{array} \right\rangle$																																															
$\{I, a\}$	$ k\rangle e^{ik\cdot a}$	$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle_{vv';\mu\mu'}$																																															
$\{ \Lambda, 0 \}$	$ \Lambda k\rangle$	$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle D^{jj'}_{vv';\mu\mu'}(\Lambda)$																																															
	$ k\rangle$	$\left. \begin{array}{c} j \\ \mu \end{array} \begin{array}{c} j' \\ \mu' \end{array} \right\rangle$																																															
$\{I, a\}$	$ k\rangle e^{ik\cdot a}$	$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle_{vv';\mu\mu'}$																																															
$\{ \Lambda, 0 \}$	$ \Lambda k\rangle$	$\left. \begin{array}{c} j \\ v \end{array} \begin{array}{c} j' \\ v' \end{array} \right\rangle D^{jj'}_{vv';\mu\mu'}(\Lambda)$																																															

Identifier	Page	Conf.	LaTeX source	Rendered	Image																								
gilmore-lie-groups_ TAB_033	290	■ 1.000	<pre>\begin{tabular}[t]{l l l l } \hline & Electric & & Magnetic \\ \hline Charge density & \(\rho_e(\mathbf{x}, t)=\sum_j e_j \mathbf{x}_j(t)\) & & \(\rho_m(\mathbf{x}, t)=\sum_j m_j \mathbf{x}_j(t)\) \\ Current density & \(\mathbf{J}_e(\mathbf{x}, t)=\sum_j e_j \frac{d\mathbf{x}_j(t)}{dt}\) & & \(\mathbf{J}_m(\mathbf{x}, t)=\sum_j m_j \frac{d\mathbf{x}_j(t)}{dt}\) \\ Conservation law & \(\nabla \cdot \mathbf{J}_e(\mathbf{x}, t) + \frac{\partial \rho_e(\mathbf{x}, t)}{\partial t} = 0\) & & \(\nabla \cdot \mathbf{J}_m(\mathbf{x}, t) + \frac{\partial \rho_m(\mathbf{x}, t)}{\partial t} = 0\) \\ \hline \end{tabular}</pre>	<table><tr><td></td><td>Electric</td><td>Magnetic</td></tr><tr><td>Charge density</td><td>$\rho_e(\mathbf{x}, t) = \sum_j e_j \mathbf{x}_j(t)$</td><td>$\rho_m(\mathbf{x}, t) = \sum_j m_j \mathbf{x}_j(t)$</td></tr><tr><td>Current density</td><td>$\mathbf{J}_e(\mathbf{x}, t) = \sum_j e_j \frac{d\mathbf{x}_j(t)}{dt}$</td><td>$\mathbf{J}_m(\mathbf{x}, t) = \sum_j m_j \frac{d\mathbf{x}_j(t)}{dt}$</td></tr><tr><td>Conservation law</td><td>$\nabla \cdot \mathbf{J}_e(\mathbf{x}, t) + \frac{\partial \rho_e(\mathbf{x}, t)}{\partial t} = 0$</td><td>$\nabla \cdot \mathbf{J}_m(\mathbf{x}, t) + \frac{\partial \rho_m(\mathbf{x}, t)}{\partial t} = 0$</td></tr></table>		Electric	Magnetic	Charge density	$\rho_e(\mathbf{x}, t) = \sum_j e_j \mathbf{x}_j(t)$	$\rho_m(\mathbf{x}, t) = \sum_j m_j \mathbf{x}_j(t)$	Current density	$\mathbf{J}_e(\mathbf{x}, t) = \sum_j e_j \frac{d\mathbf{x}_j(t)}{dt}$	$\mathbf{J}_m(\mathbf{x}, t) = \sum_j m_j \frac{d\mathbf{x}_j(t)}{dt}$	Conservation law	$\nabla \cdot \mathbf{J}_e(\mathbf{x}, t) + \frac{\partial \rho_e(\mathbf{x}, t)}{\partial t} = 0$	$\nabla \cdot \mathbf{J}_m(\mathbf{x}, t) + \frac{\partial \rho_m(\mathbf{x}, t)}{\partial t} = 0$	<table><tr><td colspan="2">Electric</td><td>Magnetic</td></tr><tr><td>Charge density</td><td>$\rho_e(\mathbf{x}, t) = \sum_j e_j \mathbf{x}_j(t)$</td><td>$\rho_m(\mathbf{x}, t) = \sum_j m_j \mathbf{x}_j(t)$</td></tr><tr><td>Current density</td><td>$\mathbf{J}_e(\mathbf{x}, t) = \sum_j e_j \frac{d\mathbf{x}_j(t)}{dt}$</td><td>$\mathbf{J}_m(\mathbf{x}, t) = \sum_j m_j \frac{d\mathbf{x}_j(t)}{dt}$</td></tr><tr><td>Conservation law</td><td>$\nabla \cdot \mathbf{J}_e(\mathbf{x}, t) + \frac{\partial \rho_e(\mathbf{x}, t)}{\partial t} = 0$</td><td>$\nabla \cdot \mathbf{J}_m(\mathbf{x}, t) + \frac{\partial \rho_m(\mathbf{x}, t)}{\partial t} = 0$</td></tr></table>	Electric		Magnetic	Charge density	$\rho_e(\mathbf{x}, t) = \sum_j e_j \mathbf{x}_j(t)$	$\rho_m(\mathbf{x}, t) = \sum_j m_j \mathbf{x}_j(t)$	Current density	$\mathbf{J}_e(\mathbf{x}, t) = \sum_j e_j \frac{d\mathbf{x}_j(t)}{dt}$	$\mathbf{J}_m(\mathbf{x}, t) = \sum_j m_j \frac{d\mathbf{x}_j(t)}{dt}$	Conservation law	$\nabla \cdot \mathbf{J}_e(\mathbf{x}, t) + \frac{\partial \rho_e(\mathbf{x}, t)}{\partial t} = 0$	$\nabla \cdot \mathbf{J}_m(\mathbf{x}, t) + \frac{\partial \rho_m(\mathbf{x}, t)}{\partial t} = 0$
	Electric	Magnetic																											
Charge density	$\rho_e(\mathbf{x}, t) = \sum_j e_j \mathbf{x}_j(t)$	$\rho_m(\mathbf{x}, t) = \sum_j m_j \mathbf{x}_j(t)$																											
Current density	$\mathbf{J}_e(\mathbf{x}, t) = \sum_j e_j \frac{d\mathbf{x}_j(t)}{dt}$	$\mathbf{J}_m(\mathbf{x}, t) = \sum_j m_j \frac{d\mathbf{x}_j(t)}{dt}$																											
Conservation law	$\nabla \cdot \mathbf{J}_e(\mathbf{x}, t) + \frac{\partial \rho_e(\mathbf{x}, t)}{\partial t} = 0$	$\nabla \cdot \mathbf{J}_m(\mathbf{x}, t) + \frac{\partial \rho_m(\mathbf{x}, t)}{\partial t} = 0$																											
Electric		Magnetic																											
Charge density	$\rho_e(\mathbf{x}, t) = \sum_j e_j \mathbf{x}_j(t)$	$\rho_m(\mathbf{x}, t) = \sum_j m_j \mathbf{x}_j(t)$																											
Current density	$\mathbf{J}_e(\mathbf{x}, t) = \sum_j e_j \frac{d\mathbf{x}_j(t)}{dt}$	$\mathbf{J}_m(\mathbf{x}, t) = \sum_j m_j \frac{d\mathbf{x}_j(t)}{dt}$																											
Conservation law	$\nabla \cdot \mathbf{J}_e(\mathbf{x}, t) + \frac{\partial \rho_e(\mathbf{x}, t)}{\partial t} = 0$	$\nabla \cdot \mathbf{J}_m(\mathbf{x}, t) + \frac{\partial \rho_m(\mathbf{x}, t)}{\partial t} = 0$																											

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																																																																																																																										
gilmore-lie-groups_TAB_034	311	0.852	$\begin{tabular}{ t { l l l l l l }} \hline \multicolumn{3}{ c }{\text{Infinitesimal generators}} \& \multicolumn{3}{ c }{\text{Canonical coordinates}} \& \text{Constraint} \\ \hline \xi(x,y) \& \eta(x,y) \& \zeta(x,y,p) \& R(x,y) \& S(x,y) \& T(x,y,p) \& dS/dR \\ \hline 0 \& 1 \& 0 \& x \& y \& p \& T \\ 1 \& 0 \& 0 \& y \& x \& p \& 1/T \\ 1/a \& -1/b \& 0 \& ax+by \& bx-ay \& p \& (b-aT)/(a+bT) \\ x \& 0 \& -p \& y \& \ln x \& xp \& 1/T \\ 0 \& y \& p \& x \& \ln y \& p/y \& T \\ x/a \& y/b \& (1/b-1/a)p \& y^b/x^a \& b \ln y \& p/x^{(a/b-1)} \& (bT/R)/(bT-aR^{(1/b)}) \\ x \& y \& 0 \& y/x \& \ln y \& p \& (T/R)/(T-R) \\ x \& -y \& -2p \& xy \& \ln y \& x^2p \& (T/R)/(T+R) \\ 2x \& y \& -p \& y^2/x \& \ln y \& yp \& (T/R)/(2T-R) \\ x \& 2y \& p \& y/x^2 \& \ln y \& p/x \& (T/R)/(T-2R) \\ y \& 0 \& -p^2 \& y \& x/y \& x-y/p \& -T/R^2 \\ 0 \& x \& 1 \& x \& y/x \& xp-y \& T/R^2 \\ -y \& x \& 1+p^2 \& \sqrt{x^2+y^2} \& \tan^{-1}(y/x) \& (y-xp)/(x+yp) \& -T/R \\ 1 \& y/x \& (px-y)/x^2 \& y/x \& x \& (xp-y)/x^2 \& 1/T \\ a \& x \& 1 \& x^2-2ay \& x/a \& x-ap \& 1/(2aT) \\ a \& y \& p \& x-a \ln y \& x/a \& p/y \& (1/a)/(1-aT) \\ x \& b \& -p \& e^y/x^b \& y/b \& e^y * p^b \& (bR)^{-1}/[1-b(R/T)^{(1/b)}] \\ \hline y \& b \& -p^2 \& y^2-2bx \& y/b \& y-b/p \& 1/(2bT) \\ 0 \& e^{f(x)} \& f'e^f \& x \& y/e^f \& p-yf' \& T/e^{f(R)} \\ x^2 \& xy \& y-xp \& y/x \& 1/x \& xp-y \& 1/T \\ xy \& y^2 \& yp-xp^2 \& y/x \& 1/y \& y/p-x \& 1/(TR^2) \\ xy \& 0 \& -yp-xp^2 \& y \& (\ln x)/y \& y/(xp)-\ln x \& T/R^2 \\ 0 \& xy \& y+xp \& x \& (\ln y)/x \& xp/y-\ln y \& T/R^2 \\ g(y) \& 0 \& -g'p^2 \& y \& x/g \& 1/p-xg'/g \& T/g(R) \\ 0 \& f(x) \& f' \& x \& y/f \& fp-f'y \& T/f^2(R) \\ f(x) \& 0 \& -f'p \& y \& F(F'f=1) \& pf \& 1/T \\ 0 \& g(y) \& g'p \& x \& G(G'g=1) \& p/g \& T \\ x^{k+1} \& kx^ky \& x^k(k^2y/x-p) \& y/x^k \& 1/x^k \& xp-ky \& -k/T \\ kxy^k \& y^{k+1} \& y^k(p-k^2xp^2/y) \& x/y^k \& 1/y^k \& y/p-kx \& -k/T \\ \hline \end{tabular}$	<table><tr><th colspan="2">Infinitesimal generators</th><th colspan="2">Canonical coordinates</th><th>Constraint</th></tr><tr><td>$\xi(x,y)$</td><td>$\eta(x,y)$</td><td>$R(x,y)$</td><td>$S(x,y)$</td><td>$T(x,y,p)$</td></tr><tr><td>0</td><td>1</td><td>0</td><td>x</td><td>y</td></tr><tr><td>1</td><td>0</td><td>0</td><td>y</td><td>x</td></tr><tr><td>$1/a$</td><td>$-1/b$</td><td>0</td><td>$ax+by$</td><td>$bx-ay$</td></tr><tr><td>x</td><td>0</td><td>$-p$</td><td>y</td><td>$\ln x$</td></tr><tr><td>0</td><td>y</td><td>p</td><td>x</td><td>$\ln y$</td></tr><tr><td>x/a</td><td>y/b</td><td>$(1/b-1/a)p$</td><td>y^b/x^a</td><td>$b \ln y$</td></tr><tr><td>x</td><td>y</td><td>0</td><td>y/x</td><td>$\ln y$</td></tr><tr><td>x</td><td>$-y$</td><td>$-2p$</td><td>xy</td><td>$\ln y$</td></tr><tr><td>$2x$</td><td>y</td><td>$-p$</td><td>y^2/x</td><td>$\ln y$</td></tr><tr><td>x</td><td>$2y$</td><td>p</td><td>y/x^2</td><td>$\ln y$</td></tr><tr><td>y</td><td>0</td><td>$-p^2$</td><td>y</td><td>x/y</td></tr><tr><td>0</td><td>x</td><td>1</td><td>x</td><td>y/x</td></tr><tr><td>$-y$</td><td>x</td><td>$1+p^2$</td><td>$\sqrt{x^2+y^2}$</td><td>$\tan^{-1}(y/x)$</td></tr><tr><td>1</td><td>y/x</td><td>$(px-y)/x^2$</td><td>y/x</td><td>x</td></tr><tr><td>a</td><td>x</td><td>1</td><td>x^2-2ay</td><td>x/a</td></tr><tr><td>a</td><td>y</td><td>p</td><td>$x-a \ln y$</td><td>x/a</td></tr><tr><td>x</td><td>b</td><td>$-p$</td><td>e^y/x^b</td><td>y/b</td></tr><tr><td>y</td><td>b</td><td>$-p^2$</td><td>y^2-2bx</td><td>y/b</td></tr><tr><td>0</td><td>$e^{f(x)}$</td><td>$f'e^f$</td><td>x</td><td>y/e^f</td></tr><tr><td>x^2</td><td>xy</td><td>$y-xp$</td><td>y/x</td><td>$1/x$</td></tr><tr><td>xy</td><td>y^2</td><td>$yp-xp^2$</td><td>y/x</td><td>$1/y$</td></tr><tr><td>xy</td><td>0</td><td>$-yp-xp^2$</td><td>y</td><td>$(\ln x)/y$</td></tr><tr><td>0</td><td>xy</td><td>$y+xp$</td><td>x</td><td>$(\ln y)/x$</td></tr><tr><td>$g(y)$</td><td>0</td><td>$-g'p^2$</td><td>y</td><td>x/g</td></tr><tr><td>0</td><td>$f(x)$</td><td>f'</td><td>x</td><td>y/f</td></tr><tr><td>$f(x)$</td><td>0</td><td>$-f'p$</td><td>y</td><td>$F(F'f=1)$</td></tr><tr><td>0</td><td>$g(y)$</td><td>$g'p$</td><td>x</td><td>$G(G'g=1)$</td></tr><tr><td>x^{k+1}</td><td>kx^ky</td><td>$x^k(k^2y/x-p)$</td><td>y/x^k</td><td>$1/x^k$</td></tr><tr><td>kxy^k</td><td>y^{k+1}</td><td>$y^k(p-k^2xp^2/y)$</td><td>x/y^k</td><td>$1/y^k$</td></tr></table>	Infinitesimal generators		Canonical coordinates		Constraint	$\xi(x,y)$	$\eta(x,y)$	$R(x,y)$	$S(x,y)$	$T(x,y,p)$	0	1	0	x	y	1	0	0	y	x	$1/a$	$-1/b$	0	$ax+by$	$bx-ay$	x	0	$-p$	y	$\ln x$	0	y	p	x	$\ln y$	x/a	y/b	$(1/b-1/a)p$	y^b/x^a	$b \ln y$	x	y	0	y/x	$\ln y$	x	$-y$	$-2p$	xy	$\ln y$	$2x$	y	$-p$	y^2/x	$\ln y$	x	$2y$	p	y/x^2	$\ln y$	y	0	$-p^2$	y	x/y	0	x	1	x	y/x	$-y$	x	$1+p^2$	$\sqrt{x^2+y^2}$	$\tan^{-1}(y/x)$	1	y/x	$(px-y)/x^2$	y/x	x	a	x	1	x^2-2ay	x/a	a	y	p	$x-a \ln y$	x/a	x	b	$-p$	e^y/x^b	y/b	y	b	$-p^2$	y^2-2bx	y/b	0	$e^{f(x)}$	$f'e^f$	x	y/e^f	x^2	xy	$y-xp$	y/x	$1/x$	xy	y^2	$yp-xp^2$	y/x	$1/y$	xy	0	$-yp-xp^2$	y	$(\ln x)/y$	0	xy	$y+xp$	x	$(\ln y)/x$	$g(y)$	0	$-g'p^2$	y	x/g	0	$f(x)$	f'	x	y/f	$f(x)$	0	$-f'p$	y	$F(F'f=1)$	0	$g(y)$	$g'p$	x	$G(G'g=1)$	x^{k+1}	kx^ky	$x^k(k^2y/x-p)$	y/x^k	$1/x^k$	kxy^k	y^{k+1}	$y^k(p-k^2xp^2/y)$	x/y^k	$1/y^k$
Infinitesimal generators		Canonical coordinates		Constraint																																																																																																																																																											
$\xi(x,y)$	$\eta(x,y)$	$R(x,y)$	$S(x,y)$	$T(x,y,p)$																																																																																																																																																											
0	1	0	x	y																																																																																																																																																											
1	0	0	y	x																																																																																																																																																											
$1/a$	$-1/b$	0	$ax+by$	$bx-ay$																																																																																																																																																											
x	0	$-p$	y	$\ln x$																																																																																																																																																											
0	y	p	x	$\ln y$																																																																																																																																																											
x/a	y/b	$(1/b-1/a)p$	y^b/x^a	$b \ln y$																																																																																																																																																											
x	y	0	y/x	$\ln y$																																																																																																																																																											
x	$-y$	$-2p$	xy	$\ln y$																																																																																																																																																											
$2x$	y	$-p$	y^2/x	$\ln y$																																																																																																																																																											
x	$2y$	p	y/x^2	$\ln y$																																																																																																																																																											
y	0	$-p^2$	y	x/y																																																																																																																																																											
0	x	1	x	y/x																																																																																																																																																											
$-y$	x	$1+p^2$	$\sqrt{x^2+y^2}$	$\tan^{-1}(y/x)$																																																																																																																																																											
1	y/x	$(px-y)/x^2$	y/x	x																																																																																																																																																											
a	x	1	x^2-2ay	x/a																																																																																																																																																											
a	y	p	$x-a \ln y$	x/a																																																																																																																																																											
x	b	$-p$	e^y/x^b	y/b																																																																																																																																																											
y	b	$-p^2$	y^2-2bx	y/b																																																																																																																																																											
0	$e^{f(x)}$	$f'e^f$	x	y/e^f																																																																																																																																																											
x^2	xy	$y-xp$	y/x	$1/x$																																																																																																																																																											
xy	y^2	$yp-xp^2$	y/x	$1/y$																																																																																																																																																											
xy	0	$-yp-xp^2$	y	$(\ln x)/y$																																																																																																																																																											
0	xy	$y+xp$	x	$(\ln y)/x$																																																																																																																																																											
$g(y)$	0	$-g'p^2$	y	x/g																																																																																																																																																											
0	$f(x)$	f'	x	y/f																																																																																																																																																											
$f(x)$	0	$-f'p$	y	$F(F'f=1)$																																																																																																																																																											
0	$g(y)$	$g'p$	x	$G(G'g=1)$																																																																																																																																																											
x^{k+1}	kx^ky	$x^k(k^2y/x-p)$	y/x^k	$1/x^k$																																																																																																																																																											
kxy^k	y^{k+1}	$y^k(p-k^2xp^2/y)$	x/y^k	$1/y^k$																																																																																																																																																											

16

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																										
gilmore-lie-groups_ TAB_035	316	■1.000	$\begin{tabular}{t}{ l l l } \hline 1830 & \text{Galois} & \text{solve algebraic equations} \\ \hline 1874 & \text{Lie} & \text{solve differential equations} \\ \hline 1969 & \text{Risch} & \text{integrate in closed form} \\ \hline ? & - & \text{solve determining equations for } \xi, \eta \\ \hline ? & - & \text{solve determining equations for } R, S, T \\ \hline ? & - & \text{solve } F(R, -, T) = 0 \text{ for } R. \\ \hline \end{tabular}$	<table><tr><td>1830</td><td>Galois</td><td>solve algebraic equations</td></tr><tr><td>1874</td><td>Lie</td><td>solve differential equations</td></tr><tr><td>1969</td><td>Risch</td><td>integrate in closed form</td></tr><tr><td>?</td><td>-</td><td>solve determining equations for ξ, η</td></tr><tr><td>?</td><td>-</td><td>solve determining equations for R, S, T</td></tr><tr><td>?</td><td>-</td><td>solve $F(R, -, T) = 0$ for R.</td></tr></table>	1830	Galois	solve algebraic equations	1874	Lie	solve differential equations	1969	Risch	integrate in closed form	?	-	solve determining equations for ξ, η	?	-	solve determining equations for R, S, T	?	-	solve $F(R, -, T) = 0$ for R .	<table><tr><td>1830</td><td>Galois</td><td>solve algebraic equations</td></tr><tr><td>1874</td><td>Lie</td><td>solve differential equations</td></tr><tr><td>1969</td><td>Risch</td><td>integrate in closed form</td></tr><tr><td>?</td><td>-</td><td>solve determining equations for ξ, η</td></tr><tr><td>?</td><td>-</td><td>solve determining equations for R, S, T</td></tr><tr><td>?</td><td>-</td><td>solve $F(R, -, T) = 0$ for R.</td></tr></table>	1830	Galois	solve algebraic equations	1874	Lie	solve differential equations	1969	Risch	integrate in closed form	?	-	solve determining equations for ξ, η	?	-	solve determining equations for R, S, T	?	-	solve $F(R, -, T) = 0$ for R .						
1830	Galois	solve algebraic equations																																													
1874	Lie	solve differential equations																																													
1969	Risch	integrate in closed form																																													
?	-	solve determining equations for ξ, η																																													
?	-	solve determining equations for R, S, T																																													
?	-	solve $F(R, -, T) = 0$ for R .																																													
1830	Galois	solve algebraic equations																																													
1874	Lie	solve differential equations																																													
1969	Risch	integrate in closed form																																													
?	-	solve determining equations for ξ, η																																													
?	-	solve determining equations for R, S, T																																													
?	-	solve $F(R, -, T) = 0$ for R .																																													
gilmore-lie-groups_ TAB_036	318	■1.000	$\begin{tabular}{t}{ l l l } \hline \text{\(k\)} & \text{Potential type} & \text{Transformation} \\ \hline -1 & \text{Coulomb} & \gamma^2 = \beta^3 \\ \hline 0 & \text{no force} & \gamma^2 = \beta^2 \\ \hline +1 & \text{local gravitational potential} & \gamma^2 = \beta^1 \\ \hline +2 & \text{harmonic oscillator} & \gamma^2 = \beta^0 \\ \hline \end{tabular}$	<table><tr><td>k</td><td>Potential type</td><td>Transformation</td></tr><tr><td>-1</td><td>Coulomb</td><td>$\gamma^2 = \beta^3$</td></tr><tr><td>0</td><td>no force</td><td>$\gamma^2 = \beta^2$</td></tr><tr><td>+1</td><td>local gravitational potential</td><td>$\gamma^2 = \beta^1$</td></tr><tr><td>+2</td><td>harmonic oscillator</td><td>$\gamma^2 = \beta^0$</td></tr></table>	k	Potential type	Transformation	-1	Coulomb	$\gamma^2 = \beta^3$	0	no force	$\gamma^2 = \beta^2$	+1	local gravitational potential	$\gamma^2 = \beta^1$	+2	harmonic oscillator	$\gamma^2 = \beta^0$	<table><tr><td>k</td><td>Potential type</td><td>Transformation</td></tr><tr><td>−1</td><td>Coulomb</td><td>$\gamma^2 = \beta^3$</td></tr><tr><td>0</td><td>no force</td><td>$\gamma^2 = \beta^2$</td></tr><tr><td>+1</td><td>local gravitational potential</td><td>$\gamma^2 = \beta^1$</td></tr><tr><td>+2</td><td>harmonic oscillator</td><td>$\gamma^2 = \beta^0$</td></tr></table>	k	Potential type	Transformation	−1	Coulomb	$\gamma^2 = \beta^3$	0	no force	$\gamma^2 = \beta^2$	+1	local gravitational potential	$\gamma^2 = \beta^1$	+2	harmonic oscillator	$\gamma^2 = \beta^0$												
k	Potential type	Transformation																																													
-1	Coulomb	$\gamma^2 = \beta^3$																																													
0	no force	$\gamma^2 = \beta^2$																																													
+1	local gravitational potential	$\gamma^2 = \beta^1$																																													
+2	harmonic oscillator	$\gamma^2 = \beta^0$																																													
k	Potential type	Transformation																																													
−1	Coulomb	$\gamma^2 = \beta^3$																																													
0	no force	$\gamma^2 = \beta^2$																																													
+1	local gravitational potential	$\gamma^2 = \beta^1$																																													
+2	harmonic oscillator	$\gamma^2 = \beta^0$																																													
gilmore-lie-groups_ TAB_037	319	■1.000	$\begin{tabular}{t}{ l l l } \hline v_i & \text{Infinitesimal} & e^{\epsilon v_i} f(x, t) = \\ \hline v_1 & \partial_x & f(x - \epsilon, t) \\ \hline v_2 & \partial_t & f(x, t - \epsilon) \\ \hline v_3 & u \partial_u & e^\epsilon f(x, t) \\ \hline v_4 & x \partial_x + 2t \partial_t & f(e^{-\epsilon} x, e^{-2\epsilon} t) \\ \hline v_5 & 2t \partial_x - x u \partial_u & e^{-\epsilon x + \epsilon^2 t} f(x - 2\epsilon t, t) \\ \hline v_6 & 4xt \partial_x + 4t^2 \partial_t - (x^2 + 2t) u \partial_u & \lambda e^{-\epsilon \lambda^2 x^2} f(\lambda^2 x, \lambda^2 t) \text{ where } \lambda^2 = 1/(1 + 4\epsilon t) \\ \hline \end{tabular}$	<table><tr><td>v_i</td><td>Infinitesimal</td><td>$e^{\epsilon v_i} f(x, t) =$</td></tr><tr><td>$v_1$</td><td>$\partial_x$</td><td>$f(x - \epsilon, t)$</td></tr><tr><td>$v_2$</td><td>$\partial_t$</td><td>$f(x, t - \epsilon)$</td></tr><tr><td>$v_3$</td><td>$u \partial_u$</td><td>$e^\epsilon f(x, t)$</td></tr><tr><td>$v_4$</td><td>$x \partial_x + 2t \partial_t$</td><td>$f(e^{-\epsilon} x, e^{-2\epsilon} t)$</td></tr><tr><td>$v_5$</td><td>$2t \partial_x - x u \partial_u$</td><td>$e^{-\epsilon x + \epsilon^2 t} f(x - 2\epsilon t, t)$</td></tr><tr><td>$v_6$</td><td>$4xt \partial_x + 4t^2 \partial_t - (x^2 + 2t) u \partial_u$</td><td>$\lambda e^{-\epsilon \lambda^2 x^2} f(\lambda^2 x, \lambda^2 t)$ where $\lambda^2 = 1/(1 + 4\epsilon t)$</td></tr></table>	v_i	Infinitesimal	$e^{\epsilon v_i} f(x, t) =$	v_1	∂_x	$f(x - \epsilon, t)$	v_2	∂_t	$f(x, t - \epsilon)$	v_3	$u \partial_u$	$e^\epsilon f(x, t)$	v_4	$x \partial_x + 2t \partial_t$	$f(e^{-\epsilon} x, e^{-2\epsilon} t)$	v_5	$2t \partial_x - x u \partial_u$	$e^{-\epsilon x + \epsilon^2 t} f(x - 2\epsilon t, t)$	v_6	$4xt \partial_x + 4t^2 \partial_t - (x^2 + 2t) u \partial_u$	$\lambda e^{-\epsilon \lambda^2 x^2} f(\lambda^2 x, \lambda^2 t)$ where $\lambda^2 = 1/(1 + 4\epsilon t)$	<table><tr><td>v_i</td><td>Infinitesimal</td><td>$e^{\epsilon v_i} f(x, t) =$</td></tr><tr><td>$v_1$</td><td>$\partial_x$</td><td>$f(x - \epsilon, t)$</td></tr><tr><td>$v_2$</td><td>$\partial_t$</td><td>$f(x, t - \epsilon)$</td></tr><tr><td>$v_3$</td><td>$u \partial_u$</td><td>$e^\epsilon f(x, t)$</td></tr><tr><td>$v_4$</td><td>$x \partial_x + 2t \partial_t$</td><td>$f(e^{-\epsilon} x, e^{-2\epsilon} t)$</td></tr><tr><td>$v_5$</td><td>$2t \partial_x - x u \partial_u$</td><td>$e^{-\epsilon x + \epsilon^2 t} f(x - 2\epsilon t, t)$</td></tr><tr><td>$v_6$</td><td>$4xt \partial_x + 4t^2 \partial_t - (x^2 + 2t) u \partial_u$</td><td>$\lambda e^{-\epsilon \lambda^2 x^2} f(\lambda^2 x, \lambda^2 t)$ where $\lambda^2 = 1/(1 + 4\epsilon t)$</td></tr></table>	v_i	Infinitesimal	$e^{\epsilon v_i} f(x, t) =$	v_1	∂_x	$f(x - \epsilon, t)$	v_2	∂_t	$f(x, t - \epsilon)$	v_3	$u \partial_u$	$e^\epsilon f(x, t)$	v_4	$x \partial_x + 2t \partial_t$	$f(e^{-\epsilon} x, e^{-2\epsilon} t)$	v_5	$2t \partial_x - x u \partial_u$	$e^{-\epsilon x + \epsilon^2 t} f(x - 2\epsilon t, t)$	v_6	$4xt \partial_x + 4t^2 \partial_t - (x^2 + 2t) u \partial_u$	$\lambda e^{-\epsilon \lambda^2 x^2} f(\lambda^2 x, \lambda^2 t)$ where $\lambda^2 = 1/(1 + 4\epsilon t)$
v_i	Infinitesimal	$e^{\epsilon v_i} f(x, t) =$																																													
v_1	∂_x	$f(x - \epsilon, t)$																																													
v_2	∂_t	$f(x, t - \epsilon)$																																													
v_3	$u \partial_u$	$e^\epsilon f(x, t)$																																													
v_4	$x \partial_x + 2t \partial_t$	$f(e^{-\epsilon} x, e^{-2\epsilon} t)$																																													
v_5	$2t \partial_x - x u \partial_u$	$e^{-\epsilon x + \epsilon^2 t} f(x - 2\epsilon t, t)$																																													
v_6	$4xt \partial_x + 4t^2 \partial_t - (x^2 + 2t) u \partial_u$	$\lambda e^{-\epsilon \lambda^2 x^2} f(\lambda^2 x, \lambda^2 t)$ where $\lambda^2 = 1/(1 + 4\epsilon t)$																																													
v_i	Infinitesimal	$e^{\epsilon v_i} f(x, t) =$																																													
v_1	∂_x	$f(x - \epsilon, t)$																																													
v_2	∂_t	$f(x, t - \epsilon)$																																													
v_3	$u \partial_u$	$e^\epsilon f(x, t)$																																													
v_4	$x \partial_x + 2t \partial_t$	$f(e^{-\epsilon} x, e^{-2\epsilon} t)$																																													
v_5	$2t \partial_x - x u \partial_u$	$e^{-\epsilon x + \epsilon^2 t} f(x - 2\epsilon t, t)$																																													
v_6	$4xt \partial_x + 4t^2 \partial_t - (x^2 + 2t) u \partial_u$	$\lambda e^{-\epsilon \lambda^2 x^2} f(\lambda^2 x, \lambda^2 t)$ where $\lambda^2 = 1/(1 + 4\epsilon t)$																																													
gilmore-lie-groups_ TAB_038	320	■1.000	$\begin{tabular}{t}{ l l l } \hline \text{Symmetry} & \text{Conserved quantity} \\ \hline \text{Space displacements} & \text{momentum} \\ \hline \text{Time displacements} & \text{energy} \\ \hline \text{Space-time displacements} & \text{four-momentum} \\ \hline \text{Rotations} & \text{angular momentum} \\ \hline \end{tabular}$	<table><tr><td>Symmetry</td><td>Conserved quantity</td></tr><tr><td>Space displacements</td><td>momentum</td></tr><tr><td>Time displacements</td><td>energy</td></tr><tr><td>Space-time displacements</td><td>four-momentum</td></tr><tr><td>Rotations</td><td>angular momentum</td></tr></table>	Symmetry	Conserved quantity	Space displacements	momentum	Time displacements	energy	Space-time displacements	four-momentum	Rotations	angular momentum	<table><tr><td>Symmetry</td><td>Conserved quantity</td></tr><tr><td>Space displacements</td><td>momentum</td></tr><tr><td>Time displacements</td><td>energy</td></tr><tr><td>Space-time displacements</td><td>four-momentum</td></tr><tr><td>Rotations</td><td>angular momentum</td></tr></table>	Symmetry	Conserved quantity	Space displacements	momentum	Time displacements	energy	Space-time displacements	four-momentum	Rotations	angular momentum																						
Symmetry	Conserved quantity																																														
Space displacements	momentum																																														
Time displacements	energy																																														
Space-time displacements	four-momentum																																														
Rotations	angular momentum																																														
Symmetry	Conserved quantity																																														
Space displacements	momentum																																														
Time displacements	energy																																														
Space-time displacements	four-momentum																																														
Rotations	angular momentum																																														