

penev_B: equation evidence

Display equations

Identifier	Page	Conf.	LaTeX source	Rendered	Image
penev_B_ EQ0037 (5.19)	10	■ 0.287	$\begin{aligned} A^{\mathbf{m}}(\mathbf{x}) &= \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left[\begin{array}{cc} (q^{-1})^m & \mathbf{0} \\ 0 & 0 \end{array} \right] + \\ &+ \bar{z} \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left(\left[\begin{array}{c} -u^T \\ 1 \end{array} \right] \left[\begin{array}{cc} -u & 1 \end{array} \right] \right)^m = \\ &= \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left[\begin{array}{cc} (q^{-1})^m & \mathbf{0} \\ 0 & 0 \end{array} \right] + \bar{z} \left(P^M(\mathbf{x}) - p^l(\mathbf{x}) u^T \right) \left[\begin{array}{cc} -u^m & 1 \end{array} \right] = \\ &= \left[\begin{array}{c} a^m(\mathbf{x}) \\ \mathbf{0} \end{array} \right] + \bar{z} A(\mathbf{x}) \left[\begin{array}{cc} -u^m & 1 \end{array} \right] \end{aligned}$	$A^m(\mathbf{x}) = \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left[\begin{array}{cc} (q^{-1})^m & \mathbf{0} \\ 0 & 0 \end{array} \right] + \\ + \bar{z} \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left(\left[\begin{array}{c} -u^T \\ 1 \end{array} \right] \left[\begin{array}{cc} -u & 1 \end{array} \right] \right)^m = \\ = \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left[\begin{array}{cc} (q^{-1})^m & \mathbf{0} \\ 0 & 0 \end{array} \right] + \bar{z} \left(P^M(\mathbf{x}) - p^l(\mathbf{x}) u^T \right) \left[\begin{array}{cc} -u^m & 1 \end{array} \right] = \\ = \left[\begin{array}{c} a^m(\mathbf{x}) \\ \mathbf{0} \end{array} \right] + \bar{z} A(\mathbf{x}) \left[\begin{array}{cc} -u^m & 1 \end{array} \right]$	$A^m(\mathbf{x}) = \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left[\begin{array}{cc} (q^{-1})^m & \mathbf{0} \\ 0 & 0 \end{array} \right] + \\ + \bar{z} \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left(\left[\begin{array}{c} -u^T \\ 1 \end{array} \right] \left[\begin{array}{cc} -u & 1 \end{array} \right] \right)^m = \\ = \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left[\begin{array}{cc} (q^{-1})^m & \mathbf{0} \\ 0 & 0 \end{array} \right] + \bar{z} \left(P^M(\mathbf{x}) - p^l(\mathbf{x}) u^T \right) \left[\begin{array}{cc} -u^m & 1 \end{array} \right] = \\ = \left[\begin{array}{c} a^m(\mathbf{x}) \\ \mathbf{0} \end{array} \right] + \bar{z} A(\mathbf{x}) \left[\begin{array}{cc} -u^m & 1 \end{array} \right] \quad (5)$
penev_B_ EQ0005 (4.62)	1	■ 0.325	$\mathrm{p}_l = \sum_{n=1}^{ \mathcal{M} } \mathrm{Q}^{-1} \ln \mathrm{q}_n.$	$\mathbf{p}_l = \sum_{n=1}^{ \mathcal{M} } \mathbf{Q}^{-1} \ln \mathbf{q}_n.$	
penev_B_ EQ0016 (4.73)	3	■ 0.397	$\begin{aligned} 0^{\{r \text{ e } x\}}(\mathbf{x}) &= \sum_{i=1}^{ \mathcal{M} } \mathcal{O}_i P_i(\mathbf{x}) \\ \phi^{\{r \text{ e } c\}}(\mathbf{x}) &= \sum_{l=1}^{ \mathcal{M} } \mathcal{O}_l K_l^{-1}(\mathbf{x}) \end{aligned}$	$O^{rex}(\mathbf{x}) = \sum_{i=1}^{ \mathcal{M} } \mathcal{O}_i P_i(\mathbf{x})$ $\phi^{rec}(\mathbf{x}) = \sum_{l=1}^{ \mathcal{M} } \mathcal{O}_l K_l^{-1}(\mathbf{x})$	$O^{rec}(\mathbf{x}) = \sum_{i=1}^{ \mathcal{M} } \mathcal{O}_i P_i(\mathbf{x})$ $\phi^{rec}(\mathbf{x}) = \sum_{l=1}^{ \mathcal{M} } \mathcal{O}_l K_l^{-1}(\mathbf{x}).$
penev_B_ EQ0033 (5.15)	10	■ 0.412	$\left[\begin{array}{c} -u \\ 1 \end{array} \right] \equiv \left[\begin{array}{cc} -yw^{-1} & 1 \end{array} \right] = \left[\begin{array}{cc} -pq^{-1} & 1 \end{array} \right]$	$\left[\begin{array}{c} -u \\ 1 \end{array} \right] \equiv \left[\begin{array}{cc} -yw^{-1} & 1 \end{array} \right] = \left[\begin{array}{cc} -pq^{-1} & 1 \end{array} \right]$	$\left[\begin{array}{c} -u \\ 1 \end{array} \right] \equiv \left[\begin{array}{cc} -yw^{-1} & 1 \end{array} \right] = \left[\begin{array}{cc} -pq^{-1} & 1 \end{array} \right]$
penev_B_ EQ0050 (5.32)	11	■ 0.503	$\bar{z}^1 = P^M(\mathbf{x}_M) - a^m(\mathbf{x}_M) P^M(\mathbf{x}_m) = \mathcal{D}_{P^M}(\mathbf{x}_M).$	$\bar{z}^1 = P^M(\mathbf{x}_M) - a^m(\mathbf{x}_M) P^M(\mathbf{x}_m) = \mathcal{D}_{P^M}(\mathbf{x}_M).$	$\bar{z}^1 = P^M(\mathbf{x}_M) - a^m(\mathbf{x}_M) P^M(\mathbf{x}_m) = \mathcal{D}_{P^M}(\mathbf{x}_M).$
penev_B_ EQ0010 (4.67)	1	■ 0.503	$0^{\{r \text{ e } n\}}(\mathbf{x}) = \sum_{m=1}^{ \mathcal{M} } \mathcal{O}_m a_m(\mathbf{x})$	$O^{ren}(\mathbf{x}) = \sum_{m=1}^{ \mathcal{M} } \mathcal{O}_m a_m(\mathbf{x})$	$O^{rec}(\mathbf{x}) = \sum_{m=1}^{ \mathcal{M} } \mathcal{O}_m a_m(\mathbf{x})$
penev_B_EQ0027 (5.9)	10	■ 0.518	$W = \left[\begin{array}{cc} w & x \\ y & z \end{array} \right] = \left[\begin{array}{cc} 1_{n'} & 0 \\ yw^{-1} & 1_{n''} \end{array} \right] \left[\begin{array}{cc} w & x \\ 0 & \tilde{z}^{-1} \end{array} \right]$	$W = \left[\begin{array}{cc} w & x \\ y & z \end{array} \right] = \left[\begin{array}{cc} 1_{n'} & 0 \\ yw^{-1} & 1_{n''} \end{array} \right] \left[\begin{array}{cc} w & x \\ 0 & \tilde{z}^{-1} \end{array} \right]$	$W = \left[\begin{array}{cc} w & x \\ y & z \end{array} \right] = \left[\begin{array}{cc} 1_{n'} & 0 \\ yw^{-1} & 1_{n''} \end{array} \right] \left[\begin{array}{cc} w & x \\ 0 & \tilde{z}^{-1} \end{array} \right]$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
penev_B_ E00029 (5.11)	10	0.537	$\begin{aligned} W^{\{1\}} &= \left[\begin{array}{cc} w^{\{1\}} & -w^{\{1\}}x\tilde{z} \\ 0 & \tilde{z} \end{array} \right] \left[\begin{array}{cc} 1 & 0 \\ -yw^{-1} & 1 \end{array} \right] = \\ &= \left[\begin{array}{cc} w^{-1} + w^{-1}x\tilde{z}yw^{-1} & -w^{-1}x\tilde{z} \\ -\tilde{z}yw^{-1} & \tilde{z} \end{array} \right] = \\ &= \left[\begin{array}{cc} w^{-1} & 0 \\ 0 & 0 \end{array} \right] + \left[\begin{array}{cc} w^{-1}x\tilde{z}yw^{-1} & -w^{-1}x\tilde{z} \\ -\tilde{z}yw^{-1} & \tilde{z} \end{array} \right]. \end{aligned}$	$W^{-1} = \left[\begin{array}{cc} w^{-1} & -w^{-1}x\tilde{z} \\ 0 & \tilde{z} \end{array} \right] \left[\begin{array}{cc} 1 & 0 \\ -yw^{-1} & 1 \end{array} \right] = \\ = \left[\begin{array}{cc} w^{-1} + w^{-1}x\tilde{z}yw^{-1} & -w^{-1}x\tilde{z} \\ -\tilde{z}yw^{-1} & \tilde{z} \end{array} \right] = \\ = \left[\begin{array}{cc} w^{-1} & 0 \\ 0 & 0 \end{array} \right] + \left[\begin{array}{cc} w^{-1}x\tilde{z}yw^{-1} & -w^{-1}x\tilde{z} \\ -\tilde{z}yw^{-1} & \tilde{z} \end{array} \right].$	
penev_B_E00024 (5.6)	9	0.542	$\mathbf{K}_{\mathbf{j}}^{(n)} = \sum_{\mathbf{f} \in \Delta_{\mathbf{j}}} \Psi_{\mathbf{f}} \left(\frac{1}{\sigma_{\mathbf{f}}} \right)^n (\Psi_{\mathbf{f}},).$	$\mathbf{K}_j^{(n)} = \sum_{\mathbf{f} \in \Delta_j} \Psi_{\mathbf{f}} \left(\frac{1}{\sigma_{\mathbf{f}}} \right)^n (\Psi_{\mathbf{f}},).$	
penev_B_ E00013 (4.70)	1	0.665	$\phi^{\mathrm{rec}}(\mathbf{x}) = \sum_{m=1}^{ \mathcal{M} } O_m \sum_{n=1}^{ \mathcal{M} } \mathbf{Q}_{mn}^{-1} K^{(-1)}_n(\mathbf{x})$	$\phi^{\mathrm{rec}}(\mathbf{x}) = \sum_{m=1}^{ \mathcal{M} } O_m \sum_{n=1}^{ \mathcal{M} } \mathbf{Q}_{mn}^{-1} K^{(-1)}_n(\mathbf{x})$	
penev_B_E00026 (5.8)	9	0.668	$\mathbf{O}_j^* \mathbf{O}_j = \mathbf{P}_j \neq \mathbf{1}.$	$\mathbf{O}_j^* \mathbf{O}_j = \mathbf{P}_j \neq \mathbf{1}.$	
penev_B_ E00053 (5.35)	11	0.670	$\begin{aligned} \Delta O^{\mathrm{rec}}(\mathbf{x}) &= \Delta A^m(\mathbf{x}) O(\mathbf{x}_m) = \\ &= A^M(\mathbf{x}) \begin{bmatrix} -a^m(\mathbf{x}_M) & 1 \end{bmatrix} \begin{bmatrix} O(\mathbf{x}_m) \\ O(\mathbf{x}_M) \end{bmatrix} = \\ &= A^M(\mathbf{x}) \mathcal{D}_O(\mathbf{x}_M) \end{aligned}$	$\begin{aligned} \Delta O^{\mathrm{rec}}(\mathbf{x}) &= \Delta A^m(\mathbf{x}) O(\mathbf{x}_m) = \\ &= A^M(\mathbf{x}) \begin{bmatrix} -a^m(\mathbf{x}_M) & 1 \end{bmatrix} \begin{bmatrix} O(\mathbf{x}_m) \\ O(\mathbf{x}_M) \end{bmatrix} = \\ &= A^M(\mathbf{x}) \mathcal{D}_O(\mathbf{x}_M). \end{aligned}$	
penev_B_ E00018 (4.75)	4	0.672	$-\tau \frac{d}{dt} \mathcal{O}(\mathbf{x}) = \mathbf{K} \phi - \mathbf{P} G(\mathcal{O})$	$-\tau \frac{d}{dt} \mathcal{O}(\mathbf{x}) = \mathbf{K} \phi - \mathbf{P} G(\mathcal{O})$	
penev_B_ E00034 (5.16)	10	0.682	$\mathbf{Q}^{-1} = \left[\begin{array}{cc} q^{-1} & 0 \\ 0 & 0 \end{array} \right] + \bar{z} \left[\begin{array}{c} -u^T \\ 1 \end{array} \right] \left[\begin{array}{cc} -u & 1 \end{array} \right].$	$\mathbf{Q}^{-1} = \left[\begin{array}{cc} q^{-1} & 0 \\ 0 & 0 \end{array} \right] + \bar{z} \left[\begin{array}{c} -u^T \\ 1 \end{array} \right] \left[\begin{array}{cc} -u & 1 \end{array} \right].$	
penev_B_ E00046 (5.28)	11	0.695	$A(\mathbf{x}) = P^M(\mathbf{x}) - \mathcal{R}_{P^M}^{M-1}(\mathbf{x}).$	$A(\mathbf{x}) = P^M(\mathbf{x}) - \mathcal{R}_{P^M}^{M-1}(\mathbf{x}).$	
penev_B_ E00002 (4.59)	1	0.709	$O^{\mathrm{rec}}(\mathbf{x}) = \left(\hat{\mathbf{x}}, \mathbf{O}^* \sum_{m=1}^{ \mathcal{M} } O_m \mathbf{p}_m \right) = \sum_{m=1}^{ \mathcal{M} } O_m \langle \hat{\mathbf{x}}, \mathbf{O}^* \mathbf{p}_m \rangle = \sum_{m=1}^{ \mathcal{M} } O_m a_m(\mathbf{x})$	$O^{\mathrm{rec}}(\mathbf{x}) = \langle \hat{\mathbf{x}}, \mathbf{O}^* \sum_{m=1}^{ \mathcal{M} } O_m \mathbf{p}_m \rangle = \sum_{m=1}^{ \mathcal{M} } O_m \langle \hat{\mathbf{x}}, \mathbf{O}^* \mathbf{p}_m \rangle = \sum_{m=1}^{ \mathcal{M} } O_m a_m(\mathbf{x})$	
penev_B_ E00009 (4.66)	1	0.710	$a_m(\mathbf{x}) = \langle \hat{\mathbf{x}}, \mathbf{O}^* \mathbf{p}_m \rangle = \sum_{n=1}^{ \mathcal{M} } \mathbf{Q}_{mn}^{-1} \langle \hat{\mathbf{x}}, \mathbf{O}^* \mathbf{q}_n \rangle = \sum_{n=1}^{ \mathcal{M} } \mathbf{Q}_{mn}^{-1} P_n(\mathbf{x}).$	$a_m(\mathbf{x}) = \langle \hat{\mathbf{x}}, \mathbf{O}^* \mathbf{p}_m \rangle = \sum_{n=1}^{ \mathcal{M} } \mathbf{Q}_{mn}^{-1} \langle \hat{\mathbf{x}}, \mathbf{O}^* \mathbf{q}_n \rangle = \sum_{n=1}^{ \mathcal{M} } \mathbf{Q}_{mn}^{-1} P_n(\mathbf{x}).$	
penev_B_ E00062 (5.43)	12	0.779	$\Delta v^{\mathrm{rec}}(t) = A^M(t) \times 1$	$\Delta v^{\mathrm{rec}}(t) = A^M(t) \times 1$	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
penev_B_ E00044 (5.26)	10	■ 0.782	$\mathcal{R}_{\mathcal{V}}^{\{V\}^{\wedge} \{\mathcal{M}\} }(\mathbf{x})=A^{\wedge\{m\}}(\mathbf{x})\mathcal{V}(\mathbf{x}_m)$	$\mathcal{R}_V^{ \mathcal{M} }(\mathbf{x}) = A^m(\mathbf{x})V(\mathbf{x}_m)$	$\mathcal{R}_V^{ \mathcal{M} }(\mathbf{x}) = A^m(\mathbf{x})V(\mathbf{x}_m)$
penev_B_ E00061 (5.42)	11	■ 0.825	$\Delta f^{\mathrm{rec}}(\mathbf{x}_M)=e_{\mathbf{n}}=1\times\mathcal{D}_f(\mathbf{x}_M)$	$\Delta f^{\mathrm{rec}}(\mathbf{x}_M) = e_{\mathbf{n}} = 1 \times \mathcal{D}_f(\mathbf{x}_M)$	$\Delta f^{\mathrm{rec}}(\mathbf{x}_M) = e_{\mathbf{n}} = 1 \times \mathcal{D}_f(\mathbf{x}_M)$
penev_B_ E00059 (5.40)	11	■ 0.868	$Q_{ml}=\left.E\left\{f_{n-l}f_{n-m}\right\}\right _{m,l=0}^{M-1}$	$Q_{ml} = E\{f_{n-l}f_{n-m}\} _{m,l=0}^{M-1}$	$Q_{ml} = E\{f_{n-l}f_{n-m}\} _{m,l=0}^{M-1}$
penev_B_ E00007 (4.64)	1	■ 0.887	$P_{\{m\}}(\mathrm{x}) \equiv P_{\mathrm{x}_m}(\mathrm{x})$	$P_m(\mathbf{x}) \equiv P_{\mathbf{x}_m}(\mathbf{x})$	$P_m(\mathbf{x}) \equiv P_{\mathbf{x}_m}(\mathbf{x})$
penev_B_ E00036 (5.18)	10	■ 0.923	$A^{\wedge\{m\}}(\mathbf{x})=P^{\wedge\{l\}}(\mathbf{x})\left(\mathbf{Q}^{\wedge\{-1\}}\right)^m_l$	$A^m(\mathbf{x}) = P^l(\mathbf{x})\left(\mathbf{Q}^{-1}\right)_l^m$	$A^m(\mathbf{x}) = P^l(\mathbf{x})(\mathbf{Q}^{-1})_l^m$
penev_B_ E00015 (4.72)	3	■ 0.924	$\mathcal{O}_{\{l\}} \equiv \mathbf{Q}^{\wedge\{-1\}}_{lm}O_m$	$\mathcal{O}_l \equiv \mathbf{Q}^{-1}_{lm}O_m$	$\mathcal{O}_l \equiv \mathbf{Q}^{-1}_{lm}O_m$
penev_B_ E00045 (5.27)	11	■ 0.925	$O^{\mathrm{rec}}(\mathbf{x})=\mathcal{R}_O^M(\mathbf{x})$	$O^{\mathrm{rec}}(\mathbf{x}) = \mathcal{R}_O^M(\mathbf{x})$	$O^{\mathrm{rec}}(\mathbf{x}) = \mathcal{R}_O^M(\mathbf{x})$
penev_B_ E00022 (5.4)	6	■ 0.928	$N\langle S\rangle(N,\alpha)=\left\ \Phi_N^{*+}\phi(\alpha)\right\ _S^2$	$N\langle S\rangle(N,\alpha) = \left\ \Phi_N^{*+}\phi(\alpha)\right\ _S^2$	$N\langle S\rangle(N,\alpha) = \left\ \Phi_N^{*+}\phi(\alpha)\right\ _S^2$
penev_B_ E00030 (5.12)	10	■ 0.929	$Q_{ml}=\left.P_{\{m\}}\left(\mathbf{x}_{\{l\}}\right)\right _{l,m=1}^M$	$Q_{ml} = P_m(\mathbf{x}_l) _{l,m=1}^M$	$Q_{ml} = P_m(\mathbf{x}_l) _{l,m=1}^M$
penev_B_ E00043 (5.25)	10	■ 0.933	$A(\mathbf{x})=P^M(\mathbf{x})-a^{\mathbf{m}}(\mathbf{x})P^M(\mathbf{x}_m)$	$A(\mathbf{x}) = P^M(\mathbf{x}) - a^{\mathbf{m}}(\mathbf{x})P^M(\mathbf{x}_m)$	$A(\mathbf{x}) = P^M(\mathbf{x}) - a^m(\mathbf{x})P^M(\mathbf{x}_m)$
penev_B_ E00054 (5.36)	11	■ 0.941	$\Delta O^{\mathrm{rec}}(\mathbf{x})=\frac{\mathcal{D}_{PM}(\mathbf{x})}{\mathcal{D}_{PM}(\mathbf{x}_M)}\mathcal{D}_O(\mathbf{x}_M)$	$\Delta O^{\mathrm{rec}}(\mathbf{x}) = \frac{\mathcal{D}_{PM}(\mathbf{x})}{\mathcal{D}_{PM}(\mathbf{x}_M)}\mathcal{D}_O(\mathbf{x}_M)$	$\Delta O^{\mathrm{rec}}(\mathbf{x}) = \frac{\mathcal{D}_{PM}(\mathbf{x})}{\mathcal{D}_{PM}(\mathbf{x}_M)}\mathcal{D}_O(\mathbf{x}_M)$
penev_B_ E00014 (4.71)	1	■ 0.941	$O^{\mathrm{err}}(\mathbf{x})=O(\mathbf{x})-O^{\mathrm{rec}}(\mathbf{x})$	$O^{\mathrm{err}}(\mathbf{x}) = O(\mathbf{x}) - O^{\mathrm{rec}}(\mathbf{x})$	$O^{\mathrm{err}}(\mathbf{x}) = O(\mathbf{x}) - O^{\mathrm{rec}}(\mathbf{x})$
penev_B_ E00035 (5.17)	10	■ 0.948	$O^{\mathrm{rec}}(\mathbf{x})=A^m(\mathbf{x})O(\mathbf{x}_m)$	$O^{\mathrm{rec}}(\mathbf{x}) = A^m(\mathbf{x})O(\mathbf{x}_m)$	$O^{\mathrm{rec}}(\mathbf{x}) = A^m(\mathbf{x})O(\mathbf{x}_m)$
penev_B_ E00020 (5.1)	5	■ 0.950	$\alpha^t=(\theta^t,S^t,X^t,Y^t)$	$\alpha^t = (\theta^t, S^t, X^t, Y^t)$	$\alpha^t = (\theta^t, S^t, X^t, Y^t)$
penev_B_ E00057 (5.38)	11	■ 0.956	$\alpha^m=(q^{-1})_l^mQ_0^l$	$\alpha^m = (q^{-1})_l^mQ_0^l$	$\alpha^m = (q^{-1})_l^mQ_0^l$
penev_B_ E00058 (5.39)	11	■ 0.962	$q_{ml}=Q_{ml} _{m,l=1}^{M-1}$	$q_{ml} = Q_{ml} _{m,l=1}^{M-1}$	$q_{ml} = Q_{ml} _{m,l=1}^{M-1}$
penev_B_ E00019 (4.76)	4	■ 0.963	$\mathbf{PO}=\mathbf{K}\phi$	$\mathbf{PO} = \mathbf{K}\phi$	$\mathbf{P}\phi = \mathbf{K}\phi$
penev_B_ E00012 (4.69)	1	■ 0.971	$a_{\{m\}}(\mathbf{x}_{\{l\}})=\sum_{n=1}^{\left \mathcal{M}\right }\mathbf{Q}^{\wedge\{-1\}}_{\{m\}n}P_{\{n\}}(\mathbf{x}_{\{l\}})=\sum_{n=1}^{\left \mathcal{M}\right }\mathbf{Q}^{\wedge\{-1\}}_{\{m\}n}\mathbf{Q}_{\{n\}l}=\delta_{m,l}$	$a_m(\mathbf{x}_l) = \sum_{n=1}^{ \mathcal{M} }\mathbf{Q}^{-1}_{mn}P_n(\mathbf{x}_l) = \sum_{n=1}^{ \mathcal{M} }\mathbf{Q}^{-1}_{mn}\mathbf{Q}_{nl} = \delta_{ml}$	$a_m(\mathbf{x}_l) = \sum_{n=1}^{ \mathcal{M} }\mathbf{Q}^{-1}_{mn}P_n(\mathbf{x}_l) = \sum_{n=1}^{ \mathcal{M} }\mathbf{Q}^{-1}_{mn}\mathbf{Q}_{nl} = \delta_{m,l}$
penev_B_ E00028 (5.10)	10	■ 0.979	$\tilde{z}^1=z\quad yw^1x$	$\tilde{z}^1 = z\quad yw^1x$	$\tilde{z}^1 = z\quad yw^1x$
penev_B_ E00017 (4.74)	3	■ 0.981	$\sum_{l=1}^{ \mathcal{M} }Q_{ml}\mathcal{O}_l=O_m$	$\sum_{l=1}^{ \mathcal{M} }Q_{ml}\mathcal{O}_l = O_m$	$\sum_{l=1}^{ \mathcal{M} }\mathbf{Q}_{ml}\mathcal{O}_l = O_m$
penev_B_ E00003 (4.60)	1	■ 0.981	$a_{\{m\}}(\mathbf{x}) \equiv (\hat{\mathbf{x}}, \mathbf{O}^*\mathbf{p}_m)$	$a_m(\mathbf{x}) \equiv (\hat{\mathbf{x}}, \mathbf{O}^*\mathbf{p}_m)$	$a_m(\mathbf{x}) \equiv (\hat{\mathbf{x}}, \mathbf{O}^*\mathbf{p}_m)$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
penev_B_ EQ0004 (4.61)	1	■ 0.984	$\Delta_{m,l}=\left\langle \mathbf{q}_m, \sum_{n=1}^{\left \mathcal{M}\right } \mathbf{B}_{ln} \mathbf{q}_n \right\rangle = \sum_{n=1}^{\left \mathcal{M}\right } \mathbf{B}_{ln} \left\langle \mathbf{q}_m, \mathbf{q}_n \right\rangle = \sum_{n=1}^{\left \mathcal{M}\right } \mathbf{B}_{ln} \mathbf{Q}_{mn}$		
penev_B_ EQ0011 (4.68)	1	■ 0.991	$a_m(\mathbf{x})=\sum_{n=1}^{\left \mathcal{M}\right } \mathbf{B}_{mn} P_n(\mathbf{x})$		$a_m(\mathbf{x})=\sum_{n=1}^{\left \mathcal{M}\right } \mathbf{Q}_{mn}^{-1} P_n(\mathbf{x})$
penev_B_ EQ0041 (5.23)	10	■ 0.992	$\Delta A^m(\mathbf{x})=A^M(\mathbf{x}) \left[\begin{array}{cc} -u^m & 1 \end{array} \right]$		$\Delta A^m(\mathbf{x})=A^M(\mathbf{x}) \left[\begin{array}{cc} -u^m & 1 \end{array} \right]$
penev_B_ EQ0060 (5.41)	11	■ 0.995	$e_n=f_n-\hat{f}_n=\mathcal{D}_f(\mathbf{x}_M)$		$e_n=f_n-\hat{f}_n=\mathcal{D}_f(\mathbf{x}_M)$
penev_B_ EQ0047 (5.29)	11	■ 0.999	$\mathcal{D}_V(\mathbf{x})=V(\mathbf{x})-\mathcal{R}_V^{ \mathcal{M} -1}(\mathbf{x})$		$\mathcal{D}_V(\mathbf{x})=V(\mathbf{x})-\mathcal{R}_V^{ \mathcal{M} -1}(\mathbf{x})$
penev_B_ EQ0006 (4.63)	1	■ 0.999	$\mathbf{Q}_{nm}=\langle \mathbf{q}_n, \mathbf{q}_m \rangle = \langle \mathbf{O}\hat{\mathbf{x}}_n, \mathbf{q}_m \rangle = P_m(\mathbf{x}_n)$		$\mathbf{Q}_{nm}=\langle \mathbf{q}_n, \mathbf{q}_m \rangle = \langle \mathbf{O}\hat{\mathbf{x}}_n, \mathbf{q}_m \rangle = P_m(\mathbf{x}_n)$
penev_B_ EQ0042 (5.24)	10	■ 0.999	$u^m=p^l(\mathbf{x}_M)(q^{-1})_l^m=a^m(\mathbf{x}_M)$		$u^m=p^l(\mathbf{x}_M)(q^{-1})_l^m=a^m(\mathbf{x}_M)$
penev_B_ EQ0001 (4.58)	1	■ 1.000	$s^{rec}=s_{\parallel}=\sum_{m=1}^{\left \mathcal{M}\right } O_m p_m$		$\mathbf{s}^{rec}=\mathbf{s}_{\parallel}=\sum_{m=1}^{\left \mathcal{M}\right } O_m \mathbf{p}_m$
penev_B_ EQ0031 (5.13)	10	■ 1.000	$p^T_l \equiv y^T_l = x_l = Q_{Ml} = P_M(\mathbf{x}_i) _{l=1}^{M-1}$		$p^T_l \equiv y^T_l = x_l = Q_{Ml} = P_M(\mathbf{x}_i) _{l=1}^{M-1}$
penev_B_ EQ0008 (4.65)	1	■ 1.000	$\mathbf{Q}=\mathbf{P} _{\mathcal{M}}$		$\mathbf{Q}=\mathbf{P} _{\mathcal{M}}$
penev_B_EQ0021 (5.2)	5	■ 1.000	$\phi^t=H(I^t;\alpha^t)$		$\phi^t=H(I^t;\alpha^t)$
penev_B_EQ0023 (5.5)	7	■ 1.000	$\alpha_h^t=(\theta^t,(1+h)S^t,X^t,Y^t)$		$\alpha_h^t=(\theta^t,(1+h)S^t,X^t,Y^t)$
penev_B_EQ0025 (5.7)	9	■ 1.000	$O_j=\mathbf{K}_j\phi_j=\mathbf{K}_j\mathbf{P}_j\phi=\mathbf{K}_j\phi$		$O_j=\mathbf{K}_j\phi_j=\mathbf{K}_j\mathbf{P}_j\phi=\mathbf{K}_j\phi$
penev_B_ EQ0032 (5.14)	10	■ 1.000	$z=P_M(\mathbf{x}_M)$		$z=P_M(\mathbf{x}_M)$
penev_B_ EQ0038 (5.20)	10	■ 1.000	$A(\mathbf{x})\equiv P^M(\mathbf{x})-p^l(\mathbf{x})u^T_l$		$A(\mathbf{x})\equiv P^M(\mathbf{x})-p^l(\mathbf{x})u^T_l$
penev_B_ EQ0039 (5.21)	10	■ 1.000	$\Delta A^m(\mathbf{x})=\bar{z}A(\mathbf{x}) \left[\begin{array}{cc} -u^m & 1 \end{array} \right]$		$\Delta A^m(\mathbf{x})=\bar{z}A(\mathbf{x}) \left[\begin{array}{cc} -u^m & 1 \end{array} \right]$
penev_B_ EQ0040 (5.22)	10	■ 1.000	$A^M(\mathbf{x})=\bar{z}A(\mathbf{x})$		$A^M(\mathbf{x})=\bar{z}A(\mathbf{x})$
penev_B_ EQ0048 (5.30)	11	■ 1.000	$A(\mathbf{x})=\mathcal{D}_{PM}(\mathbf{x})$		$A(\mathbf{x})=\mathcal{D}_{PM}(\mathbf{x})$
penev_B_ EQ0049 (5.31)	11	■ 1.000	$A(\mathbf{x}_m)=0 _{m=1}^{M-1}$		$A(\mathbf{x}_m)=0 _{m=1}^{M-1}$
penev_B_ EQ0051 (5.33)	11	■ 1.000	$A^M(\mathbf{x})=\frac{\mathcal{D}_{PM}(\mathbf{x})}{\mathcal{D}_{PM}(\mathbf{x}_M)}$		$A^M(\mathbf{x})=\frac{\mathcal{D}_{PM}(\mathbf{x})}{\mathcal{D}_{PM}(\mathbf{x}_M)}$
penev_B_ EQ0052 (5.34)	11	■ 1.000	$\Delta A^m(\mathbf{x})=A^M(\mathbf{x}) \left[\begin{array}{cc} -a^m(\mathbf{x}_M) & 1 \end{array} \right]$		$\Delta A^m(\mathbf{x})=A^M(\mathbf{x}) \left[\begin{array}{cc} -a^m(\mathbf{x}_M) & 1 \end{array} \right]$
penev_B_EQ0055	11	■ 1.000	120		120
penev_B_ EQ0056 (5.37)	11	■ 1.000	$\hat{f}_n=\sum_{m=1}^{M-1} \alpha_m f_{n-m}$		$\hat{f}_n=\sum_{m=1}^{M-1} \alpha_m f_{n-m}$