

1510.06699 — formula report

1063 inline formulas (section omitted; all rendered), 279 display equations, 7 tables, 38 unrecovered image regions.

Flagged, not acted on — 2 of 57 shown

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
1510.06699_ EQ09093 ● C +28	005	■ 1.000	$\begin{aligned} L_{\{\mathrm{G}\}} &= \alpha_1 \mathcal{R}^{\{2\}} + \alpha_2 \mathcal{R}^{\{a\,b\}} + \alpha_3 \mathcal{R}^{\{b\,a\}} + \alpha_4 \mathcal{R}^{\{a\,b\,c\,d\}} + \alpha_5 \mathcal{R}^{\{a\,c\,b\,d\}} + \alpha_6 \mathcal{R}^{\{c\,d\,a\,b\}} + \xi \mathcal{H}^{\{a\,b\}} \equiv L_{\mathcal{R}^2} + L_{\mathcal{H}^2}, \\ L_{\{\mathrm{H}\}} &= \alpha_1 \mathcal{R}^2 + \alpha_2 \mathcal{R}^{\{a\,b\}} + \alpha_3 \mathcal{R}^{\{b\,a\}} + \alpha_4 \mathcal{R}^{\{a\,b\,c\,d\}} + \alpha_5 \mathcal{R}^{\{a\,c\,b\,d\}} + \alpha_6 \mathcal{R}^{\{c\,d\,a\,b\}} + \xi \mathcal{H}^{\{a\,b\}} \equiv L_{\mathcal{R}^2} + L_{\mathcal{H}^2}, \end{aligned}$	$L_{\mathrm{G}} = \alpha_1 \mathcal{R}^2 + \alpha_2 \mathcal{R}_{ab} \mathcal{R}^{ab} + \alpha_3 \mathcal{R}_{ab} \mathcal{R}^{ba} + \alpha_4 \mathcal{R}_{abcd} \mathcal{R}^{abcd} + \alpha_5 \mathcal{R}_{abcd} \mathcal{R}^{acbd} + \alpha_6 \mathcal{R}_{abcd} \mathcal{R}^{cdab} + \xi \mathcal{H}_{ab} \mathcal{H}^{ab} \equiv L_{\mathcal{R}^2} + L_{\mathcal{H}^2}$	$L_{\mathrm{G}} = \alpha_1 \mathcal{R}^2 + \alpha_2 \mathcal{R}_{ab} \mathcal{R}^{ab} + \alpha_3 \mathcal{R}_{ab} \mathcal{R}^{ba} + \alpha_4 \mathcal{R}_{abcd} \mathcal{R}^{abcd} + \alpha_5 \mathcal{R}_{abcd} \mathcal{R}^{acbd} + \alpha_6 \mathcal{R}_{abcd} \mathcal{R}^{cdab} + \xi \mathcal{H}_{ab} \mathcal{H}^{ab} \equiv L_{\mathcal{R}^2} + L_{\mathcal{H}^2},$
1510.06699_ EQ0168 ● C +25	031	■ 0.814	$\begin{aligned} &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta h_c^\mu}\right)_\dagger = \tau^c_\mu + 2\sigma_{ab}{}^c \mathcal{V}^a b^b_\mu - 2\sigma^{cb}{}_b V_\mu = \tau^{\dagger c}_\mu, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta A^{\dagger ab}{}_\mu}\right)_\dagger = \sigma_{ab}{}^\mu, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta V_\mu}\right)_\dagger = \zeta^\mu - 2h_a{}^\mu \sigma^{ab}{}_b = \zeta^{\dagger \mu} = 0, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}\right)_\dagger = \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}\right)_\dagger = \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}, \end{aligned}$	$\begin{aligned} &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta h_c^\mu}\right)_\dagger = \tau^c_\mu + 2\sigma_{ab}{}^c \mathcal{V}^a b^b_\mu - 2\sigma^{cb}{}_b V_\mu = \tau^{\dagger c}_\mu, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta A^{\dagger ab}{}_\mu}\right)_\dagger = \sigma_{ab}{}^\mu, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta V_\mu}\right)_\dagger = \zeta^\mu - 2h_a{}^\mu \sigma^{ab}{}_b = \zeta^{\dagger \mu} = 0, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}\right)_\dagger = \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}\right)_\dagger = \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}, \end{aligned}$	$\begin{aligned} &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta h_c^\mu}\right)_\dagger = \tau^c_\mu + 2\sigma_{ab}{}^c \mathcal{V}^a b^b_\mu - 2\sigma^{cb}{}_b V_\mu = \tau^{\dagger c}_\mu, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta A^{\dagger ab}{}_\mu}\right)_\dagger = \sigma_{ab}{}^\mu, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta V_\mu}\right)_\dagger = \zeta^\mu - 2h_a{}^\mu \sigma^{ab}{}_b = \zeta^{\dagger \mu} = 0, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}\right)_\dagger = \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi}, \\ &\left(\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}\right)_\dagger = \frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \phi}, \end{aligned}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

The remaining 55 flagged rows are stated as a count.

Each differs from its scan by fewer than 20 components, which is the tail of the distribution rather than its bulk: 27 are component (C), 28 weak (W). By MathPix confidence: 30 at ≥ 0.9 , 17 in 0.6–0.9, 8 below 0.6, 0 with none. Out/465 sampled twenty rows drawn from the ≥ 0.9 band corpus-wide and found eighteen purely typographic differences, one typographic plus a crop overrun, one borderline and *no* unambiguous content errors — so a high-confidence flag here is evidence of a rendering difference, not of a defect. Every row is in report.ink.json.

Doubted but correct (1)

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
1510.06699_ EQ0241 • S -2	047	■ 0.019	$\frac{\bar{\psi}}{\psi}=\frac{\bar{\psi}\left(\rho+\beta i \gamma^5\right)}{\rho^2+\beta^2}$	$\bar{\psi}=\frac{\bar{\psi}\left(\rho+\beta i \gamma^5\right)}{\rho^2+\beta^2}$	$\bar{\psi}=\frac{\bar{\psi}\left(\rho+\beta i \gamma^5\right)}{\rho^2+\beta^2}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value					
Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					