

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_ E08517 [conf 0.002]	085	■ 0.002 ● C +43	$\begin{aligned} & \frac{1}{2}(-\lambda_0 - \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 0 \quad 0 \quad 1 \quad 0 \quad 1 \quad 0 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 1 \quad 2 \quad 3 \quad 1 \quad 2 \quad 1 \\ & \frac{1}{2}(-\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 0 \quad 1 \quad 2 \quad 1 \quad 2 \quad 1 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 + \lambda_2 + \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 1 \quad 1 \quad 2 \quad 1 \quad 2 \quad 1 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 1 \quad 2 \quad 2 \quad 1 \quad 2 \quad 1 \\ & \frac{1}{2}(-\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 0 \quad 0 \quad 0 \quad 0 \quad 1 \quad 0 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 - \lambda_2 - \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 1 \quad 1 \quad 1 \quad 0 \quad 1 \quad 0 \\ & \frac{1}{2}(-\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 0 \quad 1 \quad 1 \quad 0 \quad 1 \quad 0 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 + \lambda_2 - \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 1 \quad 1 \quad 2 \quad 1 \quad 1 \quad 0 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 0 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3) + \frac{1}{2}(\mu_1 - \mu_2) = 0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 1 \end{aligned}$	$\begin{aligned} & \frac{1}{2}(-\lambda_0 - \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 0 \quad 0 \quad 1 \quad 0 \quad 1 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 1 \quad 2 \quad 3 \quad 1 \quad 1 \quad 2 \\ & \frac{1}{2}(-\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 0 \quad 1 \quad 2 \quad 1 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 + \lambda_2 + \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 1 \quad 1 \quad 2 \quad 2 \quad 1 \quad 2 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 1 \quad 2 \quad 2 \quad 1 \\ & \frac{1}{2}(-\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 0 \quad 0, 0 \quad 0 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 - \lambda_2 - \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 1 \quad 1 \quad 1 \quad 1 \quad 0 \quad 1 \\ & \frac{1}{2}(-\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) + \frac{1}{2}(\mu_3 - \mu_1) = 0 \quad 1 \quad 1 \quad 0 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 + \lambda_2 - \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 1 \quad 1 \quad 2 \quad 1 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 1 \quad 1 \quad 1 \end{aligned}$ $\frac{1}{1} \quad 1 \quad 0$	

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_ EQ1026 [conf 0.018]	171	■0.018 ●C +25	$\left.\begin{array}{l} \lambda_0 - \lambda_1 = 2 \quad 3 \quad 4 \quad 3 \quad 2 \quad 1 \quad 0 \quad 2 \quad \lambda_0 + \lambda_1 = 2 \quad 4 \quad 6 \quad 5 \quad 4 \quad 3 \quad 2 \quad 3 \\ \lambda_0 - \lambda_2 = 2 \quad 3 \quad 4 \quad 3 \quad 2 \quad 1 \quad 1 \quad 2 \quad \lambda_0 + \lambda_2 = 2 \quad 4 \quad 6 \quad 5 \quad 4 \quad 3 \quad 1 \quad 3 \\ \lambda_0 - \lambda_3 = 2 \quad 3 \quad 4 \quad 3 \quad 2 \quad 2 \quad 1 \quad 2 \quad \lambda_0 + \lambda_3 = 2 \quad 4 \quad 6 \quad 5 \quad 4 \quad 2 \quad 1 \quad 3 \\ \lambda_1 - \lambda_2 = 0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 1 \quad 0 \quad \lambda_1 + \lambda_2 = 0 \quad 1 \quad 2 \quad 2 \quad 2 \quad 2 \quad 1 \quad 1 \\ \lambda_1 - \lambda_3 = 0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 1 \quad 1 \quad 0 \quad \lambda_1 + \lambda_3 = 0 \quad 1 \quad 2 \quad 2 \quad 2 \quad 1 \quad 1 \quad 1 \\ \lambda_2 - \lambda_3 = 0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 1 \quad 0 \quad 0 \quad \lambda_2 + \lambda_3 = 0 \quad 1 \quad 2 \quad 2 \quad 2 \quad 1 \quad 0 \quad 1 \end{array}\right]$	$\lambda_0 - \lambda_1 = 2 \quad 3 \quad 4 \quad 3 \quad 2 \quad 1 \quad 0 \quad 2 \quad \lambda_0 + \lambda_1 = 2 \quad 4 \quad 6 \quad 5 \quad 4 \quad 3 \quad 2 \quad 3$	$\begin{array}{l} \lambda_0 - \lambda_2 = 2 \quad 3 \quad 4 \quad 3 \quad 2 \quad 1 \quad 1 \quad 2 \quad \lambda_0 + \lambda_2 = 2 \quad 4 \quad 6 \\ \lambda_0 - \lambda_3 = 2 \quad 3 \quad 4 \quad 3 \quad 2 \quad 1 \quad 2 \quad \lambda_0 + \lambda_3 = 2 \quad 4 \quad 6 \\ \lambda_1 - \lambda_2 = 0 \quad 0 \quad 0 \quad 0 \quad 0 \quad 1 \quad 0 \quad 4 \quad \lambda_1 + \lambda_2 = 0 \quad 1 \quad 2 \quad 2 \quad 2 \quad 1 \quad 1 \\ \lambda_1 - \lambda_3 = 0 \quad 0 \quad 0 \quad 0 \quad 1 \quad 1 \quad 0 \quad \lambda_1 + \lambda_3 = 0 \quad 1 \quad 2 \quad 2 \quad 2 \quad 1 \quad 1 \\ \lambda_2 - \lambda_3 = 0 \quad 0 \quad 0 \quad 0 \quad 1 \quad 0 \quad 0 \quad 2 \quad \lambda_2 + \lambda_3 = 0 \quad 1 \quad 2 \quad 2 \quad 2 \quad 1 \quad 0 \quad 1 \\ \lambda_2 + \lambda_3 = 0 \quad 1 \quad 2 \quad 2 \quad 1 \quad 0 \quad 1 \end{array}$
0902.0431_ EQ0518 [conf 0.021]	086	■0.021 ●C +6	$\begin{aligned} & \frac{1}{2}(\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 1 \quad 2 \quad 2 \quad 2 \quad 1 \quad 1 \quad c \\ & \frac{1}{2}(-\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 0 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \\ & \frac{1}{2}(-\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 0 \quad 1 \quad 2 \quad 1 \quad 1 \quad 1 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 1 \quad 2 \quad 3 \quad 2 \\ & \frac{1}{2}(-\lambda_0 - \lambda_1 + \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 0 \quad 0 \end{aligned}$	$\begin{aligned} & \frac{1}{2}(\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 1 \quad 2 \quad 2 \quad 2 \quad 1 \quad 1 \quad c \\ & \frac{1}{2}(-\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 0 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \\ & \frac{1}{2}(-\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 0 \quad 1 \quad 2 \quad 1 \quad 1 \quad 1 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 1 \quad 2 \quad 3 \quad 2 \\ & \frac{1}{2}(-\lambda_0 - \lambda_1 + \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 0 \quad 0 \end{aligned}$	$\begin{aligned} & \frac{1}{2}(\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 1 \quad 2 \quad 2 \quad 1 \quad 1 \quad 0 \\ & \frac{1}{2}(-\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 0 \quad 1 \quad 1 \quad 1 \quad 1 \quad 0 \\ & \frac{1}{2}(-\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 0 \quad 1 \quad 2 \quad 1 \quad 1 \quad 0 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 1 \quad 2 \quad 3 \quad 2 \quad 2 \quad 1 \\ & \frac{1}{2}(-\lambda_0 - \lambda_1 + \lambda_2 + \lambda_3) - \frac{1}{2}(\mu_1 - \mu_2) = 0 \quad 0 \quad 1 \quad 1 \quad 1 \quad 0. \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_ EQ1032 [conf 0.022]	173	■ 0.022 ● C +579	$\begin{aligned} & \frac{1}{2}(\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2}\mu_2 - \frac{2}{3}\nu = 1 \quad 2 \quad 3 \quad 3 \quad 2 \quad 2 \quad 1 \quad 1 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2}\mu_2 - \frac{2}{3}\nu = 1 \quad 2 \quad 3 \quad 3 \quad 2 \quad 1 \quad 1 \quad 1 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 + \lambda_2 + \lambda_3) + \frac{1}{2}\mu_2 - \frac{2}{3}\nu = 1 \quad 2 \quad 3 \quad 3 \quad 2 \quad 1 \quad 0 \quad 1 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 - \lambda_2 - \lambda_3) + \frac{1}{2}\mu_2 - \frac{2}{3}\nu = 1 \quad 1 \quad 1 \quad 1 \quad 0 \quad 0 \quad 0 \quad 0 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3) - \frac{1}{2}\mu_2 + \frac{2}{3}\nu = 1 \quad 2 \quad 3 \quad 2 \quad 2 \quad 2 \quad 1 \quad 2 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3) - \frac{1}{2}\mu_2 + \frac{2}{3}\nu = 1 \quad 2 \quad 3 \quad 2 \quad 2 \quad 1 \quad 1 \quad 2 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 + \lambda_2 + \lambda_3) - \frac{1}{2}\mu_2 - \frac{2}{3}\nu = 1 \quad 2 \quad 3 \quad 2 \quad 2 \quad 1 \quad 0 \quad 2 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 - \lambda_2 - \lambda_3) - \frac{1}{2}\mu_2 + \frac{2}{3}\nu = 1 \quad 1 \quad 1 \quad 0 \quad 0 \quad 0 \quad 0 \quad 1 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3) + \frac{1}{2}\mu_3 - \frac{2}{3}\nu = 1 \quad 2 \quad 3 \quad 3 \quad 3 \quad 2 \quad 1 \quad 1 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) + \frac{1}{2}\mu_3 - \frac{2}{3}\nu = 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 0 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2}\mu_3 - \frac{2}{3}\nu = 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 0 \quad 0 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2}\mu_3 - \frac{2}{3}\nu = 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 0 \quad 0 \quad 0 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3) - \frac{1}{2}\mu_3 + \frac{2}{3}\nu = 1 \quad 3 \quad 5 \quad 4 \quad 3 \quad 2 \quad 1 \quad 3 \\ & \frac{1}{2}(\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) - \frac{1}{2}\mu_3 + \frac{2}{3}\nu = 1 \quad 2 \quad 3 \quad 2 \quad 1 \quad 1 \quad 1 \quad 2 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 + \lambda_2 - \lambda_3) - \frac{1}{2}\mu_3 + \frac{2}{3}\nu = 1 \quad 2 \quad 3 \quad 2 \quad 1 \quad 1 \quad 0 \quad 2 \\ & \frac{1}{2}(\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3) - \frac{1}{2}\mu_3 + \frac{2}{3}\nu = 1 \quad 2 \quad 3 \quad 2 \quad 1 \quad 0 \quad 0 \quad 2 \end{aligned}$	(not rendered)	

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_ EQ1033 [conf 0.026]	174	■ 0.026 ● C +36	<pre>\begin{array}{llllllll} \lambda_0+\frac{1}{2}\mu_1+\frac{1}{3}\nu+r=2 & 4 & 6 & 4 & 3 & 2 & 1 & 3 & \\ \lambda_0+\frac{1}{2}\mu_1+\frac{1}{3}\nu-r=2 & 4 & 5 & 4 & 3 & 2 & 1 & 3 & \\ \lambda_0-\frac{1}{2}\mu_1-\frac{1}{3}\nu+r=2 & 3 & 5 & 4 & 3 & 2 & 1 & 2 & \\ \lambda_0-\frac{1}{2}\mu_1-\frac{1}{3}\nu-r=2 & 3 & 4 & 4 & 3 & 2 & 1 & 2 & \\ \lambda_1+\frac{1}{2}\mu_1+\frac{1}{3}\nu+r=0 & 1 & 2 & 1 & 1 & 1 & 1 & 1 & \\ \lambda_1+\frac{1}{2}\mu_1+\frac{1}{3}\nu-r=0 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & \\ \lambda_1-\frac{1}{2}\mu_1-\frac{1}{3}\nu+r=0 & 0 & 1 & 1 & 1 & 1 & 1 & 0 & \\ \lambda_1-\frac{1}{2}\mu_1-\frac{1}{3}\nu-r=0 & 0 & 0 & 1 & 1 & 1 & 1 & 0 & \\ \lambda_2+\frac{1}{2}\mu_1+\frac{1}{3}\nu+r=0 & 1 & 2 & 1 & 1 & 1 & 0 & 1 & \\ \lambda_2+\frac{1}{2}\mu_1+\frac{1}{3}\nu-r=0 & 1 & 1 & 1 & 1 & 1 & 0 & 1 & \\ \lambda_2-\frac{1}{2}\mu_1-\frac{1}{3}\nu+r=0 & 0 & 1 & 1 & 1 & 1 & 0 & 0 & \\ \lambda_2-\frac{1}{2}\mu_1-\frac{1}{3}\nu-r=0 & 0 & 0 & 1 & 1 & 1 & 0 & 0 & \\ \lambda_3+\frac{1}{2}\mu_1+\frac{1}{3}\nu+r=0 & 1 & 2 & 1 & 1 & 0 & 0 & 1 & \\ \lambda_3+\frac{1}{2}\mu_1+\frac{1}{3}\nu-r=0 & 1 & 1 & 1 & 1 & 0 & 0 & 1 & \\ \lambda_3-\frac{1}{2}\mu_1-\frac{1}{3}\nu+r=0 & 0 & 1 & 1 & 1 & 0 & 0 & 0 & \\ \lambda_3-\frac{1}{2}\mu_1-\frac{1}{3}\nu-r=0 & 0 & 0 & 1 & 1 & 0 & 0 & 0 & \\ \lambda_1+\lambda_2-\lambda_3)+\frac{1}{2}\mu_2+\frac{1}{3}\nu+r=1 & 2 & 4 & 3 & 2 & 2 & 1 & 2 & \\ \lambda_1+\lambda_2-\lambda_3)+\frac{1}{2}\mu_2+\frac{1}{3}\nu-r=1 & 2 & 3 & 3 & 2 & 2 & 1 & 2 & \end{array}</pre>	$\lambda_0 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu + r = 2$$\lambda_0 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu - r = 2$$\lambda_0 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu + r = 2$$\lambda_0 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu - r = 2$$\lambda_1 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu + r = 0$$\lambda_1 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu - r = 0$$\lambda_1 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu + r = 0$$\lambda_1 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu - r = 0$$\lambda_2 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu + r = 0$$\lambda_2 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu - r = 0$$\lambda_2 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu + r = 0$$\lambda_2 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu - r = 0$$\lambda_3 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu + r = 0$$\lambda_3 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu - r = 0$$\lambda_3 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu + r = 0$$\lambda_3 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu - r = 0$$1 + \lambda_2 - \lambda_3 + \frac{1}{2}\mu_2 + \frac{1}{3}\nu + r = 1$$1 + \lambda_2 - \lambda_3 + \frac{1}{2}\mu_2 + \frac{1}{3}\nu - r = 1$	$\lambda_0 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu + r = 2$$\lambda_0 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu - r = 2$$\lambda_0 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu + r = 2$$\lambda_0 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu - r = 2$$\lambda_1 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu + r = 0$$\lambda_1 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu - r = 0$$\lambda_1 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu + r = 0$$\lambda_1 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu - r = 0$$\lambda_2 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu + r = 0$$\lambda_2 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu - r = 0$$\lambda_2 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu + r = 0$$\lambda_2 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu - r = 0$$\lambda_3 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu + r = 0$$\lambda_3 + \frac{1}{2}\mu_1 + \frac{1}{3}\nu - r = 0$$\lambda_3 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu + r = 0$$\lambda_3 - \frac{1}{2}\mu_1 - \frac{1}{3}\nu - r = 0$$1 + \lambda_2 - \lambda_3 + \frac{1}{2}\mu_2 + \frac{1}{3}\nu + r = 1$$1 + \lambda_2 - \lambda_3 + \frac{1}{2}\mu_2 + \frac{1}{3}\nu - r = 1$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_ E01031 [conf 0.036]	173	■ 0.036 ● C +5	$\begin{aligned} & \& \lambda_2 + \frac{1}{2} \mu_1 - \frac{2}{3} \nu = 0 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 0 \quad 0 \\ & \& \frac{2}{3} \mu_1 + \frac{2}{3} \nu = 0 \quad 0 \quad 1 \quad 1 \quad 1 \quad 1 \quad 0 \\ & \& \frac{1}{2} \mu_1 - \frac{2}{3} \nu = 0 \quad 1 \quad 1 \quad 1 \quad 1 \\ & \& \frac{1}{2} \mu_1 + \frac{2}{3} \nu = 0 \quad 0 \quad 1 \quad 1 \quad 1 \quad 0 \\ & 0 \end{aligned}$	$\begin{aligned} \lambda_2 + \frac{1}{2} \mu_1 - \frac{2}{3} \nu &= 0 & 1 & 1 & 1 & 1 & 1 & 0 & 0 \\ \lambda_2 - \frac{1}{2} \mu_1 + \frac{2}{3} \nu &= 0 & 0 & 1 & 1 & 1 & 1 & 0 \\ \lambda_3 + \frac{1}{2} \mu_1 - \frac{2}{3} \nu &= 0 & 1 & 1 & 1 & 1 \\ \lambda_3 - \frac{1}{2} \mu_1 + \frac{2}{3} \nu &= 0 & 0 & 1 & 1 & 1 & 0 \\ 0 \end{aligned}$	$\begin{aligned} \lambda_2 + \frac{1}{2} \mu_1 - \frac{2}{3} \nu &= 0 & 1 & 1 & 1 & 1 & 1 & 0 & 0 \\ \lambda_2 - \frac{1}{2} \mu_1 + \frac{2}{3} \nu &= 0 & 0 & 1 & 1 & 1 & 1 & 0 & 1 \\ \lambda_3 + \frac{1}{2} \mu_1 - \frac{2}{3} \nu &= 0 & 1 & 1 & 1 & 1 & 0 & 0 & 0 \\ \lambda_3 - \frac{1}{2} \mu_1 + \frac{2}{3} \nu &= 0 & 0 & 1 & 1 & 1 & 0 & 0 & 1 \end{aligned}$
0902.0431_ E00761 [conf 0.036]	127	■ 0.036 ● C +497	$\begin{aligned} & \& \frac{1}{2} \left(-\lambda_0 - \lambda_1 + \lambda_2 - \lambda_3 \right) - \lambda_0 + \lambda_1 + \lambda_2 - \lambda_3 \right) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu = 0 \quad 0 \quad 1 \quad 1 \quad 0 \quad 0 \quad 1 \\ & \& \frac{1}{2} \left(-\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3 \right) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu = 0 \quad 1 \quad 2 \quad 3 \quad 2 \quad 1 \quad 2 \\ & \& \frac{1}{2} \left(-\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3 \right) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu = 0 \quad 0 \quad 0 \quad 1 \quad 0 \quad 0 \quad 1 \\ & \& \frac{1}{2} \left(-\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3 \right) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu = 0 \quad 1 \quad 1 \quad 1 \quad 0 \quad 0 \quad 1 \\ & \& \frac{1}{2} \left(\lambda_0 - \lambda_1 + \lambda_2 - \lambda_3 \right) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu = 1 \quad 1 \quad 2 \quad 2 \quad 1 \quad 0 \quad 1 \\ & \& \frac{1}{2} \left(\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3 \right) + \frac{1}{2} \mu_3 + \frac{2}{3} \nu = 1 \quad 1 \quad 1 \quad 2 \quad 1 \quad 0 \quad 1 \\ & \& \frac{1}{2} \left(\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3 \right) - \frac{1}{2} \mu_3 - \frac{2}{3} \nu = 0 \quad 0 \quad 0 \quad 0 \quad 1 \quad 1 \quad 0 \\ & \& \frac{1}{2} \left(\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3 \right) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu = 1 \quad 2 \quad 2 \quad 2 \quad 1 \quad 0 \quad 1 \\ & \& \frac{1}{2} \left(-\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3 \right) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu = 0 \quad 1 \quad 1 \quad 2 \quad 1 \quad 0 \quad 1 \\ & \& \frac{1}{2} \left(-\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3 \right) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu = 0 \quad 1 \quad 2 \quad 2 \quad 1 \quad 0 \quad 1 \\ & \& \frac{1}{2} \left(\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3 \right) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu = 1 \quad 2 \quad 3 \quad 4 \quad 3 \quad 1 \quad 2 \\ & \& \frac{1}{2} \left(-\lambda_0 - \lambda_1 + \lambda_2 + \lambda_3 \right) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu = 0 \quad 0 \quad 1 \quad 2 \quad 1 \quad 0 \quad 1. \end{aligned}$	$\begin{aligned} \frac{1}{2} (-\lambda_0 - \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu &= 0 & 0 & 1 & 1 & 0 & 0 & 1 \\ \frac{1}{2} (\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu &= 1 & 2 & 3 & 3 & 2 & 1 & 2 \\ \frac{1}{2} (-\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu &= 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ \frac{1}{2} (-\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu &= 1 & 1 & 2 & 3 & 2 & 1 & 2 \\ \frac{1}{2} (-\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu &= 1 & 2 & 2 & 3 & 2 & 1 & 2 \\ \frac{1}{2} (-\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu &= 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ \frac{1}{2} (-\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu &= 1 & 1 & 1 & 1 & 0 & 0 & 1 \\ \frac{1}{2} (-\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu &= 0 & 1 & 1 & 1 & 0 & 0 & 1 \\ \frac{1}{2} (-\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu &= 1 & 1 & 2 & 2 & 1 & 0 & 1 \\ \frac{1}{2} (-\lambda_0 - \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2} \mu_3 + \frac{2}{3} \nu &= 1 & 1 & 1 & 2 & 1 & 0 & 1 \\ \frac{1}{2} (-\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3) - \frac{1}{2} \mu_3 - \frac{2}{3} \nu &= 0 & 0 & 0 & 0 & 1 & 1 & 0 \\ \frac{1}{2} (-\lambda_0 + \lambda_1 - \lambda_2 - \lambda_3) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu &= 1 & 2 & 2 & 2 & 1 & 0 & 1 \\ \frac{1}{2} (-\lambda_0 + \lambda_1 - \lambda_2 + \lambda_3) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu &= 0 & 1 & 1 & 2 & 1 & 0 & 1 \\ \frac{1}{2} (-\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu &= 0 & 1 & 2 & 2 & 1 & 0 & 1 \\ \frac{1}{2} (-\lambda_0 + \lambda_1 + \lambda_2 + \lambda_3) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu &= 1 & 2 & 3 & 4 & 3 & 1 & 2 \\ \frac{1}{2} (-\lambda_0 - \lambda_1 + \lambda_2 + \lambda_3) + \frac{1}{2} \mu_3 - \frac{2}{3} \nu &= 0 & 0 & 1 & 2 & 1 & 0 & 1. \end{aligned}$	$\begin{aligned} \frac{1}{2} (-\lambda_0 - \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu &= 0 & 0 & 1 & 1 & 0 & 0 & 1 \\ \frac{1}{2} (\lambda_0 + \lambda_1 + \lambda_2 - \lambda_3) + \frac{1}{2} \mu_2 - \frac{2}{3} \nu &= 1 & 2 & 3 & 3 & 2 & 1 & 2. \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_ E00516 [conf 0.041]	085	■0.041 ● C +12	$\begin{aligned} & \begin{aligned} & \lambda_0 + \frac{1}{2}(\mu_2 - \mu_3) = 1 \quad 1 \quad 1 \quad 1 \quad a \quad 0 \\ & \lambda_1 + \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 1 \quad 1 \quad 1 \quad a \\ & \lambda_2 + \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 0 \quad 1 \quad 1 \\ & \lambda_3 + \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 0 \quad 0 \\ & \lambda_0 - \frac{1}{2}(\mu_2 - \mu_3) = 1 \quad 1 \quad 1 \quad 1 \quad 0 \\ & \lambda_1 - \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 1 \quad 1 \quad 1 \quad 0 \\ & \lambda_2 - \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 0 \quad 1 \quad 1 \\ & \lambda_3 - \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 0 \quad 0 \quad 0 \end{aligned} \\ & \begin{aligned} & \lambda_0 + \frac{1}{2}(\mu_2 - \mu_3) = 1 \quad 1 \quad 1 \quad 1 \quad 0 \quad 0 \\ & \lambda_1 + \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 1 \quad 1 \quad 1 \quad 0 \quad 0 \\ & \lambda_2 + \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 0 \quad 1 \quad 1 \quad 0 \quad 0 \\ & \lambda_3 + \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 0 \quad 0 \quad 1 \quad 0 \quad 0 \\ & \lambda_0 - \frac{1}{2}(\mu_2 - \mu_3) = 1 \quad 1 \quad 1 \quad 0 \quad 1 \quad 1 \\ & \lambda_1 - \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 1 \quad 1 \quad 0 \quad 1 \quad 1 \\ & \lambda_2 - \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 0 \quad 1 \quad 0 \quad 1 \quad 1 \\ & \lambda_3 - \frac{1}{2}(\mu_2 - \mu_3) = 0 \quad 0 \quad 0 \quad 0 \quad 1 \quad 1 \end{aligned} \end{aligned}$		
0902.0431_ E00425 [conf 0.082]	070	■0.082 ● W -2	$\begin{aligned} & \begin{aligned} & AXA^* \times AYA^* = A(X \times Y)A^*, \\ & (PMA^*)^*(PNA^*) = AM^*P^*PNA = A(M^*N)A, \\ & (PMA^*)(AYA^*) = P(MY)A^*, \\ & \overline{PMA^* \times PNA^*} = \overline{{}^t\tilde{P}(M \times N){}^t\tilde{A}^*} = \overline{PM \times NA^*}, \text{ etc.} \end{aligned} \\ & \begin{aligned} & AXA^* \times AYA^* = A(X \times Y)A^* \\ & (PMA^*)^*(PNA^*) = AM^*P^*PNA = A(M^*N)A, \\ & (PMA^*)(AYA^*) = P(MY)A^*, \\ & \overline{PMA^* \times PNA^*} = \overline{{}^t\tilde{P}(M \times N){}^t\tilde{A}^*} = \overline{PM \times NA^*}, \text{ etc.} \end{aligned} \end{aligned}$		
0902.0431_ E01059 [conf 0.093]	180	■0.093 ● C +7	$\begin{aligned} & \begin{aligned} & = \{ \alpha \in (E_8^C)_{1,1-,1-} \mid \tau \tilde{\lambda} \alpha = \alpha \tau \tilde{\lambda} \} \\ & = \{ \alpha \in E_7^C \mid \tau \tilde{\lambda} \alpha = \alpha \tau \tilde{\lambda} \} \text{ (Proposition 5.7.1)} \\ & = \{ \alpha \in E_7^C \mid \tau \lambda \alpha = \alpha \tau \lambda \} \text{ (by the correspondence to Proposition 5.7.1)} \\ & = E_7 \text{ (Lemma 4.3.3.(4)).} \end{aligned} \\ & \begin{aligned} & = \{ \alpha \in (E_8^C)_{1,1-,1-} \mid \tau \tilde{\lambda} \alpha = \alpha \tau \tilde{\lambda} \} \\ & = \{ \alpha \in E_7^C \mid \tau \tilde{\lambda} \alpha = \alpha \tau \tilde{\lambda} \} \text{ (Proposition 5.7.1)} \\ & = \{ \alpha \in E_7^C \mid \tau \lambda \alpha = \alpha \tau \lambda \} \text{ (by the correspondence to Proposition 5.7.1)} \\ & = E_7 \text{ (Lemma 4.3.3.(4)).} \end{aligned} \end{aligned}$		

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_ E00757 [conf 0.095]	126	■ 0.095 ● C +4	$\begin{aligned} & \backslash begin{aligned} \& \backslash lambda_{\{0\}}-\backslash frac{1}{\{2\}}\backslash left(\backslash mu_{\{2\}}-\backslash mu_{\{3\}}\backslash right)=1 \backslash quad 1 \backslash quad 1 \backslash quad 1 \backslash quad 1 \backslash quad 1 \backslash quad 1 \backslash quad 0 \backslash quad 0 \backslash \& \backslash lambda_{\{1\}}-\backslash frac{1}{\{2\}}\backslash left(\backslash mu_{\{2\}}-\backslash mu_{\{3\}}\backslash right)=0 \backslash quad 1 \backslash quad 1 \backslash quad 1 \backslash quad 1 \backslash quad 1 \backslash quad a \backslash \& \backslash lambda_{\{2\}}-\backslash frac{1}{\{2\}}\backslash left(\backslash mu_{\{2\}}-\backslash mu_{\{3\}}\backslash right)=0 \backslash quad 0 \backslash quad 1 \backslash quad 1 \backslash quad 1 \backslash \& \backslash lambda_{\{3\}}-\backslash frac{1}{\{2\}}\backslash left(\backslash mu_{\{2\}}-\backslash mu_{\{3\}}\backslash right)=0 \backslash quad 0 \backslash quad 0 \backslash \& 0 \backslash end{aligned} \end{aligned}$	$\begin{aligned} \lambda_0 - \frac{1}{2}(\mu_2 - \mu_3) &= 1 & 1 & 1 & 1 & 1 & 0 & 0 \\ \lambda_1 - \frac{1}{2}(\mu_2 - \mu_3) &= 0 & 1 & 1 & 1 & 1 & 1 & a \\ \lambda_2 - \frac{1}{2}(\mu_2 - \mu_3) &= 0 & 0 & 1 & 1 & 1 & & \\ \lambda_3 - \frac{1}{2}(\mu_2 - \mu_3) &= 0 & 0 & 0 & & & & \\ 0 & & & & & & & \end{aligned}$	$\begin{aligned} \lambda_0 - \frac{1}{2}(\mu_2 - \mu_3) &= 1 & 1 & 1 & 1 & 1 & 0 & 0 \\ \lambda_1 - \frac{1}{2}(\mu_2 - \mu_3) &= 0 & 1 & 1 & 1 & 1 & 0 & 0 \\ \lambda_2 - \frac{1}{2}(\mu_2 - \mu_3) &= 0 & 0 & 1 & 1 & 1 & 0 & 0 \\ \lambda_3 - \frac{1}{2}(\mu_2 - \mu_3) &= 0 & 0 & 0 & 1 & 1 & 0 & 0 \end{aligned}$
0902.0431_E00922	153	■ 0.102 ● C +237	$f^{-1}\left(\sum_{i<j<k} x_{\{i\ j\ k\}} \boldsymbol{e}_{\{i\}} \wedge \boldsymbol{e}_{\{j\}} \wedge \boldsymbol{e}_{\{k\}} \right) = \left(\begin{array}{c} \left(\begin{array}{ccc} h(x_{156}) & h(x_{164}, \overline{x}_{256}) & h(x_{145}, \overline{x}_{356}) \\ h(x_{256}, \overline{x}_{164}) & h(x_{264}) & h(x_{245}, \overline{x}_{364}) \\ h(x_{356}, \overline{x}_{145}) & h(x_{364}, \overline{x}_{245}) & h(x_{345}) \end{array} \right) \\ \left(\begin{array}{ccc} h(x_{423}) & h(x_{431}, \overline{x}_{523}) & h(x_{412}, \overline{x}_{623}) \\ h(x_{523}, \overline{x}_{431}) & h(x_{531}) & h(x_{512}, \overline{x}_{631}) \\ h(x_{623}, \overline{x}_{412}) & h(x_{631}, \overline{x}_{512}) & h(x_{612}) \end{array} \right) \\ h(x_{123}) \\ h(x_{456}) \end{array} \right),$	(not rendered)	

[illegible]

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_EQ1187	200	■ 0.183 ● C +279	$\begin{aligned} & \&= (\boldsymbol{v}, \boldsymbol{w})(\boldsymbol{a}, *(\boldsymbol{b} \wedge \boldsymbol{x})) - (\boldsymbol{a}_1, \boldsymbol{w})(\boldsymbol{w} \wedge \boldsymbol{a}_2, *(\boldsymbol{b} \wedge \boldsymbol{x})) \\ & + (\boldsymbol{a}_2, \boldsymbol{w})(\boldsymbol{w} \wedge \boldsymbol{a}_1, *(\boldsymbol{b} \wedge \boldsymbol{x})) - \frac{3}{5}(*(\boldsymbol{a} \wedge \boldsymbol{b}), \boldsymbol{x})(\boldsymbol{v}, \boldsymbol{w}) \\ & = \frac{2}{5}(*(\boldsymbol{a} \wedge \boldsymbol{b}), \boldsymbol{x})(\boldsymbol{v}, \boldsymbol{w}) - (\boldsymbol{a}_1, \boldsymbol{w})(\boldsymbol{b} \wedge \boldsymbol{x} \wedge \boldsymbol{w} \wedge \boldsymbol{a}_2, \boldsymbol{e}_1 \wedge \cdots \wedge \boldsymbol{e}_5) \\ & \quad + (\boldsymbol{a}_2, \boldsymbol{w})(\boldsymbol{b} \wedge \boldsymbol{x} \wedge \boldsymbol{w} \wedge \boldsymbol{a}_1, \boldsymbol{e}_1 \wedge \cdots \wedge \boldsymbol{e}_5), \\ & ((\boldsymbol{b} \times *(\boldsymbol{a} \wedge \boldsymbol{x}))\boldsymbol{v}, \boldsymbol{w}) \\ & = (\boldsymbol{x} \wedge \boldsymbol{a}, \boldsymbol{w} \wedge *(\boldsymbol{b} \wedge \boldsymbol{v})) - \frac{3}{5}(*(\boldsymbol{a} \wedge \boldsymbol{b}), \boldsymbol{x})(\boldsymbol{v}, \boldsymbol{w}) \\ & = (\boldsymbol{v}, \boldsymbol{w})(*(\boldsymbol{a} \wedge \boldsymbol{b}), \boldsymbol{v}) + (\boldsymbol{a}_1, \boldsymbol{w})(\boldsymbol{b} \wedge \boldsymbol{x} \wedge \boldsymbol{w} \wedge \boldsymbol{a}_2, \boldsymbol{e}_1 \wedge \cdots \wedge \boldsymbol{e}_5) \\ & - (\boldsymbol{a}_2, \boldsymbol{w})(\boldsymbol{b} \wedge \boldsymbol{x} \wedge \boldsymbol{w} \wedge \boldsymbol{a}_1, \boldsymbol{e}_1 \wedge \cdots \wedge \boldsymbol{e}_5) - \frac{3}{5}(*(\boldsymbol{a} \wedge \boldsymbol{b}), \boldsymbol{x})(\boldsymbol{v}, \boldsymbol{w}). \end{aligned}$	(not rendered)	$\begin{aligned} & = (v, w)(a, *(b \wedge x)) - (a_1, w)(w \wedge a_2, *(b \wedge x)) \\ & + (a_2, w)(w \wedge a_1, *(b \wedge x)) - \frac{3}{5}(*(a \wedge b), x)(v, w) \\ & = \frac{2}{5}(*(a \wedge b), x)(v, w) - (a_1, w)(b \wedge x \wedge w \wedge a_2, e_1 \wedge \cdots \wedge e_5) \\ & \quad + (a_2, w)(b \wedge x \wedge w \wedge a_1, e_1 \wedge \cdots \wedge e_5), \\ & ((b \times *(a \wedge x))v, w) \\ & = (x \wedge a, w \wedge *(b \wedge v)) - \frac{3}{5}(*(a \wedge b), x)(v, w) \\ & = (v, w)(*(a \wedge b), v) + (a_1, w)(b \wedge x \wedge w \wedge a_2, e_1 \wedge \cdots \wedge e_5) \\ & - (a_2, w)(b \wedge x \wedge w \wedge a_1, e_1 \wedge \cdots \wedge e_5) - \frac{3}{5}(*(a \wedge b), x)(v, w). \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_E08830	138	0.186 W +0	$\begin{aligned} \kappa(X, Y, \xi, \eta) = & \kappa \left(\begin{array}{ccc} \xi_1 & x_3 & \bar{x}_2 \\ \bar{x}_3 & \xi_2 & x_1 \\ x_2 & \bar{x}_1 & \xi_3 \end{array} \right), \left(\begin{array}{ccc} \eta_1 & y_3 & \bar{y}_2 \\ \bar{y}_3 & \eta_2 & y_1 \\ y_2 & \bar{y}_1 & \eta_3 \end{array} \right), \xi, \eta \right) \\ = & \left(\begin{array}{ccc} -\xi_1 & 0 & 0 \\ 0 & \xi_2 & x_1 \\ 0 & \bar{x}_1 & \xi_3 \end{array} \right), \left(\begin{array}{ccc} \eta_1 & 0 & 0 \\ 0 & -\eta_2 & -y_1 \\ 0 & -\bar{y}_1 & -\eta_3 \end{array} \right), -\xi, \eta \right), \\ \mu(X, Y, \xi, \eta) = & \left(\begin{array}{ccc} \eta & 0 & 0 \\ 0 & \eta_3 & -y_1 \\ 0 & -\bar{y}_1 & \eta_2 \end{array} \right), \left(\begin{array}{ccc} \xi & 0 & 0 \\ 0 & \xi_3 & -x_1 \\ 0 & -\bar{x}_1 & \xi_2 \end{array} \right), \eta_1, \xi_1 \right). \end{aligned}$	$\begin{aligned} \kappa(X, Y, \xi, \eta) &= \kappa \left(\begin{pmatrix} \xi_1 & x_3 & \bar{x}_2 \\ \bar{x}_3 & \xi_2 & x_1 \\ x_2 & \bar{x}_1 & \xi_3 \end{pmatrix}, \begin{pmatrix} \eta_1 & y_3 & \bar{y}_2 \\ \bar{y}_3 & \eta_2 & y_1 \\ y_2 & \bar{y}_1 & \eta_3 \end{pmatrix}, \xi, \eta \right) \\ &= \left(\begin{pmatrix} -\xi_1 & 0 & 0 \\ 0 & \xi_2 & x_1 \\ 0 & \bar{x}_1 & \xi_3 \end{pmatrix}, \begin{pmatrix} \eta_1 & 0 & 0 \\ 0 & -\eta_2 & -y_1 \\ 0 & -\bar{y}_1 & -\eta_3 \end{pmatrix}, -\xi, \eta \right), \\ \mu(X, Y, \xi, \eta) &= \left(\begin{pmatrix} \eta & 0 & 0 \\ 0 & \eta_3 & -y_1 \\ 0 & -\bar{y}_1 & \eta_2 \end{pmatrix}, \begin{pmatrix} \xi & 0 & 0 \\ 0 & \xi_3 & -x_1 \\ 0 & -\bar{x}_1 & \xi_2 \end{pmatrix}, \eta_1, \xi_1 \right). \end{aligned}$	
0902.0431_E01041	177	0.204 C +4	$\begin{aligned} & \left(\alpha_i, \alpha_i \right) = \frac{1}{30}, \quad i = 1, 2, 3, 4, 5, 6, 7, 8 \\ & \left(\alpha_i, \alpha_{i+1} \right) = -\frac{1}{60}, \quad i = 1, 2, \cdots, 6, \quad \left(\alpha_3, \alpha_8 \right) = -\frac{1}{60} \\ & \left(\alpha_i, \alpha_j \right) = 0, \quad \text{otherwise} \\ & \left(-\mu, -\mu \right) = \frac{1}{30}, \quad \left(-\mu, \alpha_7 \right) = -\frac{1}{60}, \quad \left(-\mu, \alpha_i \right) = 0, \quad i = 1, 2, 3, 4, 5, 6, 8, \end{aligned}$	$\begin{aligned} & \left(\alpha_i, \alpha_i \right) = \frac{1}{30}, \quad i = 1, 2, 3, 4, 5, 6, 7, 8 \\ & \left(\alpha_i, \alpha_{i+1} \right) = -\frac{1}{60}, \quad i = 1, 2, \cdots, 6, \quad \left(\alpha_3, \alpha_8 \right) = -\frac{1}{60} \\ & \left(\alpha_i, \alpha_j \right) = 0, \quad \text{otherwise} \\ & \left(-\mu, -\mu \right) = \frac{1}{30}, \quad \left(-\mu, \alpha_7 \right) = -\frac{1}{60}, \quad \left(-\mu, \alpha_i \right) = 0, \quad i = 1, 2, 3, 4, 5, 6, 8, \end{aligned}$	$\begin{aligned} \left(\alpha_i, \alpha_i \right) &= \frac{1}{30}, \quad i = 1, 2, 3, 4, 5, 6, 7, 8, \\ \left(\alpha_i, \alpha_{i+1} \right) &= -\frac{1}{60}, \quad i = 1, 2, \cdots, 6, \quad \left(\alpha_3, \alpha_8 \right) = -\frac{1}{60}, \\ \left(\alpha_i, \alpha_j \right) &= 0, \quad \text{otherwise}, \\ \left(-\mu, -\mu \right) &= \frac{1}{30}, \quad \left(-\mu, \alpha_7 \right) = -\frac{1}{60}, \quad \left(-\mu, \alpha_i \right) = 0, \quad i = 1, 2, 3, 4, 5, 6, 8, \end{aligned}$
0902.0431_E00340	054	0.226 W +0	$\begin{aligned} \lambda_0 &= \alpha_1 + \alpha_2 + \alpha_3 \\ \lambda_1 &= \alpha_2 + \alpha_3 \\ \lambda_3 &= \alpha_3 \\ \lambda_3 &= \alpha_1 + 2\alpha_2 + 3\alpha_3 + 2\alpha_4, \end{aligned}$	$\begin{aligned} \lambda_0 &= \alpha_1 + \alpha_2 + \alpha_3 \\ \lambda_1 &= \alpha_2 + \alpha_3 \\ \lambda_3 &= \alpha_3 \\ \lambda_3 &= \alpha_1 + 2\alpha_2 + 3\alpha_3 + 2\alpha_4, \end{aligned}$	$\begin{aligned} \lambda_0 &= \alpha_1 + \alpha_2 + \alpha_3 \\ \lambda_1 &= \alpha_2 + \alpha_3 \\ \lambda_3 &= \alpha_3 \\ \lambda_3 &= \alpha_1 + 2\alpha_2 + 3\alpha_3 + 2\alpha_4, \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_E00937	155	0.238 W +0	<pre>\begin{aligned} & P=(0,0,1,0) \quad \& \xrightarrow{f} \\ & \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 \\ & \boldsymbol{e}_3 \quad \& \stackrel{D}{\longrightarrow} \\ & D \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 + \boldsymbol{e}_1 \wedge D \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 + \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge D \boldsymbol{e}_3 \\ & + \left(b_{11} + \frac{\nu}{3}\right) \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 - \bar{l}_{11} \boldsymbol{e}_4 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 - \bar{l}_{12} \boldsymbol{e}_5 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 - \bar{l}_{13} \boldsymbol{e}_6 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 \\ & + \left(b_{33} + \frac{\nu}{3}\right) \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 - \bar{l}_{21} \boldsymbol{e}_4 \wedge \boldsymbol{e}_3 \wedge \boldsymbol{e}_1 - \bar{l}_{22} \boldsymbol{e}_1 \wedge \boldsymbol{e}_5 \wedge \boldsymbol{e}_3 - \bar{l}_{23} \boldsymbol{e}_1 \wedge \boldsymbol{e}_6 \wedge \boldsymbol{e}_3 \\ & \left(\begin{array}{ccc} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{array}\right) \\ & \xrightarrow{f^{-1}} \left(\begin{array}{ccc} -h(\bar{l}_{11}) & -h(\bar{l}_{21}, l_{12}) & -h(\bar{l}_{31}, l_{13}) \\ -h(\bar{l}_{12}, l_{21}) & -h(\bar{l}_{22}) & -h(\bar{l}_{32}, l_{23}) \\ -h(\bar{l}_{13}, l_{31}) & -h(\bar{l}_{23}, l_{32}) & -h(\bar{l}_{33}) \end{array}\right) = \left(\begin{array}{c} h(\nu) \\ 0 \\ -\tau h(L) \\ -i\nu e_1 \\ 0 \end{array}\right) h(L) \\ & = \left(\begin{array}{cccc} \phi_C(B, C) + \frac{i\nu e_1}{3} & -2\tau h(L) & 0 & h(L) \\ 2h(L) & \tau\phi_C(B, C)\tau - \frac{i\nu e_1}{3} & -\tau h(L) & 0 \\ 0 & h(L) & -i\nu e_1 & 0 \\ -\tau h(L) & 0 & 0 & i\nu e_1 \end{array}\right) \left(\begin{array}{c} 0 \\ 0 \\ 1 \\ 0 \end{array}\right) \\ & = \Phi(\phi_C(B, C), h(L), -\tau h(L), -i\nu e_1) P. \end{aligned}</pre>	$P = (0, 0, 1, 0)$ $\xrightarrow{f} \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3$ $\xrightarrow{D} D\boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 + \boldsymbol{e}_1 \wedge D\boldsymbol{e}_2 \wedge \boldsymbol{e}_3 + \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge D\boldsymbol{e}_3$ $= \left(b_{11} + \frac{\nu}{3}\right) \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 - \bar{l}_{11} \boldsymbol{e}_4 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 - \bar{l}_{12} \boldsymbol{e}_5 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 - \bar{l}_{13} \boldsymbol{e}_6 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3$ $+ \left(b_{22} + \frac{\nu}{3}\right) \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 - \bar{l}_{21} \boldsymbol{e}_4 \wedge \boldsymbol{e}_3 \wedge \boldsymbol{e}_1 - \bar{l}_{22} \boldsymbol{e}_1 \wedge \boldsymbol{e}_5 \wedge \boldsymbol{e}_3 - \bar{l}_{23} \boldsymbol{e}_1 \wedge \boldsymbol{e}_6 \wedge \boldsymbol{e}_3$ $+ \left(b_{33} + \frac{\nu}{3}\right) \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 \wedge \boldsymbol{e}_3 - \bar{l}_{31} \boldsymbol{e}_4 \wedge \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 - \bar{l}_{32} \boldsymbol{e}_5 \wedge \boldsymbol{e}_1 \wedge \boldsymbol{e}_2 - \bar{l}_{33} \boldsymbol{e}_6 \wedge \boldsymbol{e}_1 \wedge \boldsymbol{e}_2$ $\xrightarrow{f^{-1}} \left(\begin{array}{ccc} \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} \\ \begin{pmatrix} -h(\bar{l}_{11}) & -h(\bar{l}_{21}, l_{12}) & -h(\bar{l}_{31}, l_{13}) \\ -h(\bar{l}_{12}, l_{21}) & -h(\bar{l}_{22}) & -h(\bar{l}_{32}, l_{23}) \\ -h(\bar{l}_{13}, l_{31}) & -h(\bar{l}_{23}, l_{32}) & -h(\bar{l}_{33}) \end{pmatrix} \\ h(\nu) \\ 0 \end{array} \right) = \begin{pmatrix} 0 \\ -\tau h(L) \\ -i\nu e_1 \\ 0 \end{pmatrix}$ $= \begin{pmatrix} \phi_C(B, C) + \frac{i\nu e_1}{3} & -2\tau h(L) & 0 & h(L) \\ 2h(L) & \tau\phi_C(B, C)\tau - \frac{i\nu e_1}{3} & -\tau h(L) & 0 \\ 0 & h(L) & -i\nu e_1 & 0 \\ -\tau h(L) & 0 & 0 & i\nu e_1 \end{pmatrix} \begin{pmatrix} 0 \\ 0 \\ 1 \\ 0 \end{pmatrix}$ $= \Phi(\phi_C(B, C), h(L), -\tau h(L), -i\nu e_1)P.$	

13

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_E08834	139	0.239 W +1	$\left[\begin{array}{l} \left(\left(\mathfrak{e}_7\right)^{\kappa,\mu}\right)^{\kappa,\mu}_{\left(\left(0,E_1,0,1\right)\right)}=\left(\Phi\left(\phi,A,-\tau A,0\right)\in\mathfrak{e}_7\right)\mid\left(\phi\in\mathfrak{e}_6,\phi E_1=0\right.\\ \left.\mid\Phi\left(\phi,A,-\tau A,0\right)\in\mathfrak{e}_7\right)\mid\left(\phi\in\mathfrak{e}_6,\phi E_1=0\right.\\ \left.\mid A\in\mathfrak{J}^C,2 E_1\times A=\tau A\right)\end{array}\right]$	$\begin{aligned} ((\mathfrak{e}_7)^{\kappa,\mu})_{(0,E_1,0,1)} &= \{\Phi \in (\mathfrak{e}_7)^{\kappa,\mu} \mid \Phi((0, E_1, 0, 1)) = 0\} \\ &= \left\{ \Phi(\phi, A, -\tau A, 0) \in \mathfrak{e}_7 \mid \begin{array}{l} \phi \in \mathfrak{e}_6, \phi E_1 = 0 \\ A \in \mathfrak{J}^C, 2E_1 \times A = \tau A \end{array} \right\}. \end{aligned}$	$\begin{aligned} ((\mathfrak{e}_7)^{\kappa,\mu})_{(0,E_1,0,1)} &= \{\Phi \in (\mathfrak{e}_7)^{\kappa,\mu} \mid \Phi((0, E_1, 0, 1)) = 0\} \\ &= \left\{ \Phi(\phi, A, -\tau A, 0) \in \mathfrak{e}_7 \mid \begin{array}{l} \phi \in \mathfrak{e}_6, \phi E_1 = 0, \\ A \in \mathfrak{J}^C, 2E_1 \times A = \tau A \end{array} \right\}. \end{aligned}$
0902.0431_E08946	157	0.244 C +3	$\begin{aligned} \psi(A,\epsilon)\psi(B,1)P &= \psi(A,\epsilon)\left(f^{-1}(B(fP))\right) \\ &= f^{-1}\left(Af\left(\overline{f^{-1}(B(fP))}\right)\right) = f^{-1}\left(Af\left(f^{-1}\left(\overline{(\mathrm{Ad}J_3)B}\right)(f\bar{P})\right)\right) \\ &= f^{-1}((A(\epsilon B))(f\bar{P})) = \psi(A(\epsilon B),\epsilon)P \end{aligned}$	$\begin{aligned} \psi(A,\epsilon)\psi(B,1)P &= \psi(A,\epsilon)\left(f^{-1}(B(fP))\right) \\ &= f^{-1}\left(Af\left(\overline{f^{-1}(B(fP))}\right)\right) = f^{-1}\left(Af\left(f^{-1}\left(\overline{(\mathrm{Ad}J_3)B}\right)(f\bar{P})\right)\right) \\ &= f^{-1}((A(\epsilon B))(f\bar{P})) = \psi(A(\epsilon B),\epsilon)P. \end{aligned}$	$\begin{aligned} \psi(A,\epsilon)\psi(B,1)P &= \psi(A,\epsilon)(f^{-1}(B(fP))) \\ &= f^{-1}(Af(\overline{f^{-1}(B(fP))})) = f^{-1}(Af(f^{-1}(\overline{(\mathrm{Ad}J_3)B})(f\bar{P}))) \\ &= f^{-1}((A(\epsilon B))(f\bar{P})) = \psi(A(\epsilon B),\epsilon)P. \end{aligned}$
0902.0431_E01037	176	0.252 N +0	$\begin{aligned} B_8\left(\widetilde{h},\widetilde{h}'\right) &= \frac{5}{3}B_7\left(\Phi(h),\Phi\left(h'\right)\right)+120rr'\text{ (Theorem 5.3.2)} \\ &= \frac{5}{3}6\left(6\sum_{k=0}^3\lambda_k\lambda_k'+3\sum_{j=1}^3\mu_j\mu_j'+4\nu\nu'\right)+120rr'\text{ (Theorem 4.6.2)} \\ &= 60\sum_{k=0}^3\lambda_k\lambda_k'+30\sum_{j=1}^3\mu_j\mu_j'+40\nu\nu'+120rr'. \end{aligned}$	$\begin{aligned} B_8\left(\widetilde{h},\widetilde{h}'\right) &= \frac{5}{3}B_7\left(\Phi(h),\Phi\left(h'\right)\right)+120rr'\text{ (Theorem 5.3.2)} \\ &= \frac{5}{3}6\left(6\sum_{k=0}^3\lambda_k\lambda_k'+3\sum_{j=1}^3\mu_j\mu_j'+4\nu\nu'\right)+120rr'\text{ (Theorem 4.6.2)} \\ &= 60\sum_{k=0}^3\lambda_k\lambda_k'+30\sum_{j=1}^3\mu_j\mu_j'+40\nu\nu'+120rr'. \end{aligned}$	$\begin{aligned} B_8(\widetilde{h},\widetilde{h}') &= \frac{5}{3}B_7(\Phi(h),\Phi(h')) + 120rr' \text{ (Theorem 5.3.2)} \\ &= \frac{5}{3}6\left(6\sum_{k=0}^3\lambda_k\lambda_k' + 3\sum_{j=1}^3\mu_j\mu_j' + 4\nu\nu'\right) + 120rr' \text{ (Theorem 4.6.2)} \\ &= 60\sum_{k=0}^3\lambda_k\lambda_k' + 30\sum_{j=1}^3\mu_j\mu_j' + 40\nu\nu' + 120rr'. \end{aligned}$
0902.0431_E08365	059	0.264 N +0	$\begin{array}{l} 1 \longrightarrow \mathrm{Spin}(8) \longrightarrow (F_4)_{E_1} \longrightarrow S^8 \longrightarrow \\ \quad \downarrow p' \quad \quad \downarrow p \quad \quad \downarrow = \\ 1 \longrightarrow SO(8) \longrightarrow SO(9) \longrightarrow S^8 \longrightarrow \end{array}$	$\begin{array}{l} 1 \longrightarrow \mathrm{Spin}(8) \longrightarrow (F_4)_{E_1} \longrightarrow S^8 \longrightarrow * \\ \quad \downarrow p' \quad \quad \downarrow p \quad \quad \downarrow = \\ 1 \longrightarrow SO(8) \longrightarrow SO(9) \longrightarrow S^8 \longrightarrow * \end{array}$	$\begin{array}{ccccccc} 1 & \longrightarrow & Spin(8) & \longrightarrow & (F_4)_{E_1} & \longrightarrow & S^8 \longrightarrow * \\ & & \downarrow p' & & \downarrow p & & \downarrow = \\ 1 & \longrightarrow & SO(8) & \longrightarrow & SO(9) & \longrightarrow & S^8 \longrightarrow * \end{array}$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_E01189	200	■ 0.322 ● N +0	$\begin{aligned} & ((\boldsymbol{a} \times (\boldsymbol{x} \wedge \boldsymbol{y})) \boldsymbol{v}, \boldsymbol{w}) = (\boldsymbol{x} \wedge \boldsymbol{y} \wedge \boldsymbol{w}, \boldsymbol{v} \wedge \boldsymbol{a}) - \frac{3}{5} (\boldsymbol{a}, \boldsymbol{x} \wedge \boldsymbol{y}) (\boldsymbol{v}, \boldsymbol{w}) \\ & = (\boldsymbol{x}, \boldsymbol{v}) (\boldsymbol{y} \wedge \boldsymbol{w}, \boldsymbol{a}) - (\boldsymbol{y}, \boldsymbol{v}) (\boldsymbol{x} \wedge \boldsymbol{w}, \boldsymbol{a}) + \frac{2}{5} (\boldsymbol{a}, \boldsymbol{x} \wedge \boldsymbol{y}) (\boldsymbol{v}, \boldsymbol{w}) \\ & = (\boldsymbol{x}, \boldsymbol{v}) (*(\boldsymbol{a} \wedge \boldsymbol{y}), \boldsymbol{w}) - (\boldsymbol{y}, \boldsymbol{v}) (*(\boldsymbol{a} \wedge \boldsymbol{x}), \boldsymbol{w}) + \frac{2}{5} (\boldsymbol{a}, \boldsymbol{x} \wedge \boldsymbol{y}) (\boldsymbol{v}, \boldsymbol{w}). \end{aligned}$	$\begin{aligned} & ((\boldsymbol{a} \times (\boldsymbol{x} \wedge \boldsymbol{y})) \boldsymbol{v}, \boldsymbol{w}) = (\boldsymbol{x} \wedge \boldsymbol{y} \wedge \boldsymbol{w}, \boldsymbol{v} \wedge \boldsymbol{a}) - \frac{3}{5} (\boldsymbol{a}, \boldsymbol{x} \wedge \boldsymbol{y}) (\boldsymbol{v}, \boldsymbol{w}) \\ & = (\boldsymbol{x}, \boldsymbol{v}) (\boldsymbol{y} \wedge \boldsymbol{w}, \boldsymbol{a}) - (\boldsymbol{y}, \boldsymbol{v}) (\boldsymbol{x} \wedge \boldsymbol{w}, \boldsymbol{a}) + \frac{2}{5} (\boldsymbol{a}, \boldsymbol{x} \wedge \boldsymbol{y}) (\boldsymbol{v}, \boldsymbol{w}) \\ & = (\boldsymbol{x}, \boldsymbol{v}) (*(\boldsymbol{a} \wedge \boldsymbol{y}), \boldsymbol{w}) - (\boldsymbol{y}, \boldsymbol{v}) (*(\boldsymbol{a} \wedge \boldsymbol{x}), \boldsymbol{w}) + \frac{2}{5} (\boldsymbol{a}, \boldsymbol{x} \wedge \boldsymbol{y}) (\boldsymbol{v}, \boldsymbol{w}). \end{aligned}$	$\begin{aligned} & ((\boldsymbol{a} \times (\boldsymbol{x} \wedge \boldsymbol{y})) \boldsymbol{v}, \boldsymbol{w}) = (\boldsymbol{x} \wedge \boldsymbol{y} \wedge \boldsymbol{w}, \boldsymbol{v} \wedge \boldsymbol{a}) - \frac{3}{5} (\boldsymbol{a}, \boldsymbol{x} \wedge \boldsymbol{y}) (\boldsymbol{v}, \boldsymbol{w}) \\ & = (\boldsymbol{x}, \boldsymbol{v}) (\boldsymbol{y} \wedge \boldsymbol{w}, \boldsymbol{a}) - (\boldsymbol{y}, \boldsymbol{v}) (\boldsymbol{x} \wedge \boldsymbol{w}, \boldsymbol{a}) + \frac{2}{5} (\boldsymbol{a}, \boldsymbol{x} \wedge \boldsymbol{y}) (\boldsymbol{v}, \boldsymbol{w}) \\ & = (\boldsymbol{x}, \boldsymbol{v}) (*(\boldsymbol{a} \wedge \boldsymbol{y}), \boldsymbol{w}) - (\boldsymbol{y}, \boldsymbol{v}) (*(\boldsymbol{a} \wedge \boldsymbol{x}), \boldsymbol{w}) + \frac{2}{5} (\boldsymbol{a}, \boldsymbol{x} \wedge \boldsymbol{y}) (\boldsymbol{v}, \boldsymbol{w}). \end{aligned}$
0902.0431_E01157	195	■ 0.323 ● C +4	$\begin{aligned} & \& \theta=0 \ \boldsymbol{u}=\sum_{\boldsymbol{I}} \boldsymbol{u}_{\boldsymbol{I}} \ \boldsymbol{D} \ \boldsymbol{e}_{\boldsymbol{I}}=3 \sum_{\boldsymbol{I} \not\supseteq 9} \boldsymbol{u}_{\boldsymbol{I}} \ \boldsymbol{e}_{\boldsymbol{I}}-6 \sum_{\boldsymbol{I} \ni 9} \boldsymbol{u}_{\boldsymbol{I}} \ \boldsymbol{e}_{\boldsymbol{I}} \\ & \& \theta=-1 \ \boldsymbol{D} \ \boldsymbol{v}=-3 \sum_{\boldsymbol{J} \not\supseteq 9} \boldsymbol{v}_{\boldsymbol{J}} \ \boldsymbol{e}_{\boldsymbol{J}}+6 \sum_{\boldsymbol{J} \ni 9} \boldsymbol{v}_{\boldsymbol{J}} \ \boldsymbol{e}_{\boldsymbol{J}}, \end{aligned}$	$\begin{aligned} 0 &= D\boldsymbol{u} = \sum_I u_I D\boldsymbol{e}_I = 3 \sum_{I \not\supseteq 9} u_I \boldsymbol{e}_I - 6 \sum_{I \supseteq 9} u_I \boldsymbol{e}_I, \\ 0 &= -{}^t D\boldsymbol{v} = -3 \sum_{J \not\supseteq 9} v_J \boldsymbol{e}_J + 6 \sum_{J \supseteq 9} v_J \boldsymbol{e}_J, \end{aligned}$	$\begin{aligned} 0 &= D\boldsymbol{u} = \sum_I u_I D\boldsymbol{e}_I = 3 \sum_{I \not\supseteq 9} u_I \boldsymbol{e}_I - 6 \sum_{I \supseteq 9} u_I \boldsymbol{e}_I, \\ 0 &= -{}^t D\boldsymbol{v} = -3 \sum_{J \not\supseteq 9} v_J \boldsymbol{e}_J + 6 \sum_{J \supseteq 9} v_J \boldsymbol{e}_J, \end{aligned}$
0902.0431_E00460	075	■ 0.325 ● C +268	$\mathfrak{a} \supset \left[\mathfrak{a}, \mathfrak{e}_6^C \right] \supset \left[\mathfrak{f}_4^C, \widetilde{\mathfrak{J}}_0^C \right] = \mathfrak{f}_4^C \widetilde{\mathfrak{J}}_0^C \text{ (Lemma 3.2.2)} = \widetilde{\mathfrak{J}}_0^C \text{ (Proposition 2.4.6.(2)).}$	$\mathfrak{a} \supset [\mathfrak{a}, \mathfrak{e}_6^C] \supset [\mathfrak{f}_4^C, \widetilde{\mathfrak{J}}_0^C] = \mathfrak{f}_4^C \widetilde{\mathfrak{J}}_0^C \text{ (Lemma 3.2.2)} = \widetilde{\mathfrak{J}}_0^C \text{ (Proposition 2.4.6.(2)).}$	

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_EQ0802	134	0.338 W +2	$\left(\begin{array}{c} \left(\begin{array}{ccc} \cos a_1 a_2 \frac{\sin a_2 }{ a_2 } a_3 \frac{\sin a_3 }{ a_3 } & 0 & 0 \\ 0 & a_1 \frac{\sin a_1 }{ a_1 } \cos a_2 a_3 \frac{\sin a_3 }{ a_3 } & 0 \\ 0 & 0 & a_1 \frac{\sin a_1 }{ a_1 } a_2 \frac{\sin a_2 }{ a_2 } \cos a_3 \end{array}\right) \\ \left(\begin{array}{ccc} a_1 \frac{\sin a_1 }{ a_1 } \cos a_2 \cos a_3 & 0 & 0 \\ 0 & \cos a_1 a_2 \frac{\sin a_2 }{ a_2 } \cos a_3 & 0 \\ 0 & 0 & \cos a_1 \cos a_2 a_3 \frac{\sin a_3 }{ a_3 } \end{array}\right) \\ \cos a_1 \cos a_2 \cos a_3 \\ a_1 \frac{\sin a_1 }{ a_1 } a_2 \frac{\sin a_2 }{ a_2 } a_3 \frac{\sin a_3 }{ a_3 } \end{array}\right)$	(not rendered)	
0902.0431_EQ0875	145	0.339 N +1	$\begin{aligned} &\begin{array}{l} \varphi_2(A) \left(\begin{array}{c} \xi_1 \quad x_3 \quad \bar{x}_2 \\ \bar{x}_3 \quad \xi_2 \quad x_1 \\ x_2 \quad \bar{x}_1 \quad \xi_3 \end{array} \right), \left(\begin{array}{c} \eta_1 \quad y_3 \quad \bar{y}_2 \\ \bar{y}_3 \quad \eta_2 \quad y_1 \\ y_2 \quad \bar{y}_1 \quad \eta_3 \end{array} \right), \xi, \eta \\ = \left(\begin{array}{c} \xi'_1 \quad x'_3 \quad \bar{x}'_2 \\ \bar{x}'_3 \quad \xi'_2 \quad x'_1 \\ x'_2 \quad \bar{x}'_1 \quad \xi'_3 \end{array} \right), \left(\begin{array}{c} \eta'_1 \quad y'_3 \quad \bar{y}'_2 \\ \bar{y}'_3 \quad \eta'_2 \quad y'_1 \\ y'_2 \quad \bar{y}'_1 \quad \eta'_3 \end{array} \right), \xi', \eta' \end{array}$	$\varphi_2(A) \left(\begin{array}{c} \xi_1 \quad x_3 \quad \bar{x}_2 \\ \bar{x}_3 \quad \xi_2 \quad x_1 \\ x_2 \quad \bar{x}_1 \quad \xi_3 \end{array} \right), \left(\begin{array}{c} \eta_1 \quad y_3 \quad \bar{y}_2 \\ \bar{y}_3 \quad \eta_2 \quad y_1 \\ y_2 \quad \bar{y}_1 \quad \eta_3 \end{array} \right), \xi, \eta \Bigg) \\ = \left(\begin{array}{c} \xi'_1 \quad x'_3 \quad \bar{x}'_2 \\ \bar{x}'_3 \quad \xi'_2 \quad x'_1 \\ x'_2 \quad \bar{x}'_1 \quad \xi'_3 \end{array} \right), \left(\begin{array}{c} \eta'_1 \quad y'_3 \quad \bar{y}'_2 \\ \bar{y}'_3 \quad \eta'_2 \quad y'_1 \\ y'_2 \quad \bar{y}'_1 \quad \eta'_3 \end{array} \right), \xi', \eta' \Bigg),$	

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_E00941	156	0.372 W +2	$\begin{aligned} & \begin{aligned} & \& P=\left(F_1(1),\ 0,0,0\right) \\ & \& \xrightarrow{\quad} \boldsymbol{e}_2\wedge\boldsymbol{e}_4\wedge\boldsymbol{e}_5+\boldsymbol{e}_3\wedge\boldsymbol{e}_6\wedge\boldsymbol{e}_4 \\ & \& \xrightarrow{D} (De_2\wedge e_4\wedge e_5+e_2\wedge De_4\wedge e_5+e_2\wedge e_4\wedge De_5) \\ & \& \quad + (De_3\wedge e_6\wedge e_4+e_3\wedge De_6\wedge e_4+e_3\wedge e_6\wedge De_4) \\ & = \left(b_{12}e_1\wedge e_4\wedge e_5+\left(b_{22}+\frac{\nu}{3}\right)e_2\wedge e_4\wedge e_5-\bar{b}_{23}e_3\wedge e_4\wedge e_5-\bar{l}_{23}e_6\wedge e_4\wedge e_5\right. \\ & \quad +l_{11}e_2\wedge e_1\wedge e_5+l_{31}e_2\wedge e_3\wedge e_5+\left(c_{11}-\frac{\nu}{3}\right)e_2\wedge e_4\wedge e_5-\bar{c}_{13}e_2\wedge e_6\wedge e_5 \\ & \quad +l_{12}e_2\wedge e_4\wedge e_1+l_{32}e_2\wedge e_4\wedge e_3+\left(c_{22}-\frac{\nu}{3}\right)e_3\wedge e_6\wedge e_4-\bar{c}_{23}e_2\wedge e_4\wedge e_6\Big) \\ & \quad +\left(b_{13}e_1\wedge e_6\wedge e_4+b_{23}e_2\wedge e_6\wedge e_4+\left(b_{33}+\frac{\nu}{3}\right)e_3\wedge e_6\wedge e_4-\bar{l}_{32}e_5\wedge e_6\wedge e_4\right. \\ & \quad +l_{13}e_3\wedge e_1\wedge e_4+l_{23}e_3\wedge e_2\wedge e_4+c_{23}e_3\wedge e_5\wedge e_4+\left(c_{33}-\frac{\nu}{3}\right)e_3\wedge e_6\wedge e_4 \\ & \quad \left.+l_{11}e_3\wedge e_6\wedge e_1+l_{21}e_3\wedge e_6\wedge e_2+\left(c_{11}-\frac{\nu}{3}\right)e_3\wedge e_6\wedge e_4-\bar{c}_{12}e_3\wedge e_6\wedge e_5\right) \\ & \xrightarrow{f^{-1}} \left(\begin{array}{ccc} 0 & h(b_{13}, c_{13}) & 0 \\ * & h(b_{23} + \bar{c}_{23}) & h(b_{22} - c_{33} - \frac{\nu}{3}, -b_{33} + c_{33} + \frac{\nu}{3}) \\ * & & -h(b_{23} + c_{23}) \end{array}\right) \end{aligned} \end{aligned}$	$\begin{aligned} P &= (F_1(1), 0, 0, 0) \\ &\xrightarrow{f} \boldsymbol{e}_2 \wedge \boldsymbol{e}_4 \wedge \boldsymbol{e}_5 + \boldsymbol{e}_3 \wedge \boldsymbol{e}_6 \wedge \boldsymbol{e}_4 \\ &\xrightarrow{D} (De_2 \wedge e_4 \wedge e_5 + e_2 \wedge De_4 \wedge e_5 + e_2 \wedge e_4 \wedge De_5) \\ &\quad + (De_3 \wedge e_6 \wedge e_4 + e_3 \wedge De_6 \wedge e_4 + e_3 \wedge e_6 \wedge De_4) \\ &= \left(b_{12}e_1 \wedge e_4 \wedge e_5 + \left(b_{22} + \frac{\nu}{3}\right)e_2 \wedge e_4 \wedge e_5 - \bar{b}_{23}e_3 \wedge e_4 \wedge e_5 - \bar{l}_{23}e_6 \wedge e_4 \wedge e_5\right. \\ &\quad + l_{11}e_2 \wedge e_1 \wedge e_5 + l_{31}e_2 \wedge e_3 \wedge e_5 + \left(c_{11} - \frac{\nu}{3}\right)e_2 \wedge e_4 \wedge e_5 - \bar{c}_{13}e_2 \wedge e_6 \wedge e_5 \\ &\quad + l_{12}e_2 \wedge e_4 \wedge e_1 + l_{32}e_2 \wedge e_4 \wedge e_3 + \left(c_{22} - \frac{\nu}{3}\right)e_3 \wedge e_6 \wedge e_4 - \bar{c}_{23}e_2 \wedge e_4 \wedge e_6\Big) \\ &\quad + \left(b_{13}e_1 \wedge e_6 \wedge e_4 + b_{23}e_2 \wedge e_6 \wedge e_4 + \left(b_{33} + \frac{\nu}{3}\right)e_3 \wedge e_6 \wedge e_4 - \bar{l}_{32}e_5 \wedge e_6 \wedge e_4\right. \\ &\quad + l_{13}e_3 \wedge e_1 \wedge e_4 + l_{23}e_3 \wedge e_2 \wedge e_4 + c_{23}e_3 \wedge e_5 \wedge e_4 + \left(c_{33} - \frac{\nu}{3}\right)e_3 \wedge e_6 \wedge e_4 \\ &\quad \left.+ l_{11}e_3 \wedge e_6 \wedge e_1 + l_{21}e_3 \wedge e_6 \wedge e_2 + \left(c_{11} - \frac{\nu}{3}\right)e_3 \wedge e_6 \wedge e_4 - \bar{c}_{12}e_3 \wedge e_6 \wedge e_5\right) \\ &\xrightarrow{f^{-1}} \left(\begin{array}{ccc} 0 & h(b_{13}, c_{13}) & 0 \\ * & h(b_{23} + \bar{c}_{23}) & h(b_{22} - c_{33} - \frac{\nu}{3}, -b_{33} + c_{33} + \frac{\nu}{3}) \\ * & & -h(b_{23} + c_{23}) \end{array}\right) \end{aligned}$	$\begin{aligned} P &= (F_1(1), 0, 0, 0) \\ &\xrightarrow{f} \boldsymbol{e}_2 \wedge \boldsymbol{e}_4 \wedge \boldsymbol{e}_5 + \boldsymbol{e}_3 \wedge \boldsymbol{e}_6 \wedge \boldsymbol{e}_4 \\ &\xrightarrow{D} (De_2 \wedge e_4 \wedge e_5 + e_2 \wedge De_4 \wedge e_5 + e_2 \wedge e_4 \wedge De_5) \\ &\quad + (De_3 \wedge e_6 \wedge e_4 + e_3 \wedge De_6 \wedge e_4 + e_3 \wedge e_6 \wedge De_4) \\ &= \left(b_{12}e_1 \wedge e_4 \wedge e_5 + \left(b_{22} + \frac{\nu}{3}\right)e_2 \wedge e_4 \wedge e_5 - \bar{b}_{23}e_3 \wedge e_4 \wedge e_5 - \bar{l}_{23}e_6 \wedge e_4 \wedge e_5\right. \\ &\quad + l_{11}e_2 \wedge e_1 \wedge e_5 + l_{31}e_2 \wedge e_3 \wedge e_5 + \left(c_{11} - \frac{\nu}{3}\right)e_2 \wedge e_4 \wedge e_5 - \bar{c}_{13}e_2 \wedge e_6 \wedge e_5 \\ &\quad + l_{12}e_2 \wedge e_4 \wedge e_1 + l_{32}e_2 \wedge e_4 \wedge e_3 + \left(c_{22} - \frac{\nu}{3}\right)e_3 \wedge e_6 \wedge e_4 - \bar{c}_{23}e_2 \wedge e_4 \wedge e_6\Big) \\ &\quad + \left(b_{13}e_1 \wedge e_6 \wedge e_4 + b_{23}e_2 \wedge e_6 \wedge e_4 + \left(b_{33} + \frac{\nu}{3}\right)e_3 \wedge e_6 \wedge e_4 - \bar{l}_{32}e_5 \wedge e_6 \wedge e_4\right. \\ &\quad + l_{13}e_3 \wedge e_1 \wedge e_4 + l_{23}e_3 \wedge e_2 \wedge e_4 + c_{23}e_3 \wedge e_5 \wedge e_4 + \left(c_{33} - \frac{\nu}{3}\right)e_3 \wedge e_6 \wedge e_4 \\ &\quad \left.+ l_{11}e_3 \wedge e_6 \wedge e_1 + l_{21}e_3 \wedge e_6 \wedge e_2 + \left(c_{11} - \frac{\nu}{3}\right)e_3 \wedge e_6 \wedge e_4 - \bar{c}_{12}e_3 \wedge e_6 \wedge e_5\right) \\ &\xrightarrow{f^{-1}} \left(\begin{array}{ccc} 0 & h(b_{13}, c_{13}) & 0 \\ * & h(b_{23} + \bar{c}_{23}) & h(b_{22} - c_{33} - \frac{\nu}{3}, -b_{33} + c_{33} + \frac{\nu}{3}) \\ * & & -h(b_{23} + c_{23}) \end{array}\right) \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_EQ09900	149	0.397 C +9	$\begin{aligned} P = & (X, Y, \xi, \eta) \\\stackrel{\chi}{\longrightarrow} & k\left(gX - \frac{\xi}{2}E\right)J + e_1k\left(g(\gamma Y) - \frac{\eta}{2}E\right)J \\ \longrightarrow & e_1k(T)k\left(gX - \frac{\xi}{2}E\right)J - k(T)k\left(g(\gamma Y) - \frac{\eta}{2}E\right)J \\ & + e_1k\left(gX - \frac{\xi}{2}E\right)J^tk(T) - k\left(g(\gamma Y) - \frac{\eta}{2}E\right)J^tk(T) \\ = & k(-Tg(\gamma Y) - g(\gamma Y)T + \eta T)J + e_1k(T(gX) + (gX)T - \xi T)J \\ = & k(-2gA \circ g(\gamma Y) + \eta gA)J + e_1k(2gA \circ gX - \xi gA)J \\ = & k\left(-2g(\gamma A \times Y) - \frac{1}{2}(A, Y)E + \eta gA\right)J \\ & + e_1k\left(2g(\gamma A \times \gamma X) + \frac{1}{2}(\gamma A, X)E - \xi gA\right)J \text{ (Lemma 3.12.1)} \\ = & \chi\left(\begin{array}{c} -2\gamma A \times Y + \eta A \\ 2A \times X - \xi \gamma A \\ (A, Y) \\ (-\gamma A, X) \end{array}\right) = \chi\left(\left(\begin{array}{cccc} 0 & -2\gamma A & 0 & A \\ 2A & 0 & -\gamma A & 0 \\ 0 & A & 0 & 0 \\ -\gamma A & 0 & 0 & 0 \end{array}\right)\left(\begin{array}{c} X \\ Y \\ \xi \\ \eta \end{array}\right)\right) \\ = & \chi(\Phi(0, A, -\gamma A, 0)P). \end{aligned}$	$P = (X, Y, \xi, \eta)$ $\xrightarrow{\chi} k\left(gX - \frac{\xi}{2}E\right)J + e_1k\left(g(\gamma Y) - \frac{\eta}{2}E\right)J$ $\longrightarrow e_1k(T)k\left(gX - \frac{\xi}{2}E\right)J - k(T)k\left(g(\gamma Y) - \frac{\eta}{2}E\right)J$ $+ e_1k\left(gX - \frac{\xi}{2}E\right)J^tk(T) - k\left(g(\gamma Y) - \frac{\eta}{2}E\right)J^tk(T)$ $= k(-Tg(\gamma Y) - g(\gamma Y)T + \eta T)J + e_1k(T(gX) + (gX)T - \xi T)J$ $= k(-2gA \circ g(\gamma Y) + \eta gA)J + e_1k(2gA \circ gX - \xi gA)J$ $= k\left(-2g(\gamma A \times Y) - \frac{1}{2}(A, Y)E + \eta gA\right)J$ $+ e_1k\left(2g(\gamma A \times \gamma X) + \frac{1}{2}(\gamma A, X)E - \xi gA\right)J \text{ (Lemma 3.12.1)}$ $= \chi\left(\begin{array}{c} -2\gamma A \times Y + \eta A \\ 2A \times X - \xi \gamma A \\ (A, Y) \\ (-\gamma A, X) \end{array}\right) = \chi\left(\left(\begin{array}{cccc} 0 & -2\gamma A & 0 & A \\ 2A & 0 & -\gamma A & 0 \\ 0 & A & 0 & 0 \\ -\gamma A & 0 & 0 & 0 \end{array}\right)\left(\begin{array}{c} X \\ Y \\ \xi \\ \eta \end{array}\right)\right)$ $= \chi(\Phi(0, A, -\gamma A, 0)P)$	$P = (X, Y, \xi, \eta)$ $\xrightarrow{\chi} k\left(gX - \frac{\xi}{2}E\right)J + e_1k\left(g(\gamma Y) - \frac{\eta}{2}E\right)J$ $\longrightarrow e_1k(T)k\left(gX - \frac{\xi}{2}E\right)J - k(T)k\left(g(\gamma Y) - \frac{\eta}{2}E\right)J$ $+ e_1k\left(gX - \frac{\xi}{2}E\right)J^tk(T) - k\left(g(\gamma Y) - \frac{\eta}{2}E\right)J^tk(T)$ $= k(-Tg(\gamma Y) - g(\gamma Y)T + \eta T)J + e_1k(T(gX) + (gX)T - \xi T)J$ $= k(-2gA \circ g(\gamma Y) + \eta gA)J + e_1k(2gA \circ gX - \xi gA)J$ $= k\left(-2g(\gamma A \times Y) - \frac{1}{2}(A, Y)E + \eta gA\right)J$ $+ e_1k\left(2g(\gamma A \times \gamma X) + \frac{1}{2}(\gamma A, X)E - \xi gA\right)J \text{ (Lemma 3.12.1)}$ $= \chi\left(\begin{array}{c} -2\gamma A \times Y + \eta A \\ 2A \times X - \xi \gamma A \\ (A, Y) \\ (-\gamma A, X) \end{array}\right) = \chi\left(\left(\begin{array}{cccc} 0 & -2\gamma A & 0 & A \\ 2A & 0 & -\gamma A & 0 \\ 0 & A & 0 & 0 \\ -\gamma A & 0 & 0 & 0 \end{array}\right)\left(\begin{array}{c} X \\ Y \\ \xi \\ \eta \end{array}\right)\right)$ $= \chi(\Phi(0, A, -\gamma A, 0)P).$
0902.0431_EQ10800	183	0.403 N +0	$S_{\{1\}} \tau S_{\{2\}} - S_{\{2\}} \tau S_{\{1\}} - \frac{1}{8}(S_{\{1\}} \tau S_{\{2\}} - S_{\{2\}} \tau S_{\{1\}}) \in \mathfrak{su}(8),$	$S_1\tau S_2 - S_2\tau S_1 - \frac{1}{8}(S_1\tau S_2 - S_2\tau S_1) \in \mathfrak{su}(8),$	$S_1\tau S_2 - S_2\tau S_1 - \frac{1}{8}(S_1\tau S_2 - S_2\tau S_1) \in \mathfrak{su}(8),$
0902.0431_EQ10300	173	0.410 W -1	$\begin{aligned} & \& \lambda_{\{0\}} + \frac{1}{2} \mu_{\{1\}} - \frac{1}{2} \mu_{\{2\}} \\ & \& \lambda_{\{0\}} - \frac{1}{2} \mu_{\{1\}} + \frac{1}{2} \mu_{\{2\}} \\ & \& \lambda_{\{1\}} + \frac{1}{2} \mu_{\{1\}} - \frac{1}{2} \mu_{\{2\}} \\ & \& \lambda_{\{1\}} - \frac{1}{2} \mu_{\{1\}} + \frac{1}{2} \mu_{\{2\}} \end{aligned}$	$\lambda_0 + \frac{1}{2}\mu_1 - \frac{2}{3}\nu = 2 \quad 4 \quad 5 \quad 4 \quad 3 \quad 2 \quad 1 \quad 2$ $\lambda_0 - \frac{1}{2}\mu_1 + \frac{2}{3}\nu = 2 \quad 3 \quad 5 \quad 4 \quad 3 \quad 2 \quad 1 \quad 3$ $\lambda_1 + \frac{1}{2}\mu_1 - \frac{2}{3}\nu = 0 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 0$ $\lambda_1 - \frac{1}{2}\mu_1 + \frac{2}{3}\nu = 0 \quad 0 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1$	$\lambda_0 + \frac{1}{2}\mu_1 - \frac{2}{3}\nu = 2 \quad 4 \quad 5 \quad 4 \quad 3 \quad 2 \quad 1 \quad 2$ $\lambda_0 - \frac{1}{2}\mu_1 + \frac{2}{3}\nu = 2 \quad 3 \quad 5 \quad 4 \quad 3 \quad 2 \quad 1 \quad 3$ $\lambda_1 + \frac{1}{2}\mu_1 - \frac{2}{3}\nu = 0 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 0$ $\lambda_1 - \frac{1}{2}\mu_1 + \frac{2}{3}\nu = 0 \quad 0 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1 \quad 1$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_E08492	081	0.411 W +0	$\delta\left(\begin{array}{ccc}\xi_1&x_{12}&x_{13}\\\xi_2&x_{23}&\xi_3\end{array}\right)=\left(\begin{array}{ccc}0&\delta_3x_{12}&\bar{\delta}_2\bar{x}_{13}\\\bar{\delta}_3\bar{x}_{21}&0&\delta_1x_{23}\\\delta_2x_{31}&\bar{\delta}_1\bar{x}_{32}&0\end{array}\right).$	$\delta\left(\begin{array}{ccc}\xi_1&x_{12}&x_{13}\\\xi_2&x_{23}&\xi_3\end{array}\right)=\left(\begin{array}{ccc}0&\delta_3x_{12}&\bar{\delta}_2\bar{x}_{13}\\\bar{\delta}_3\bar{x}_{21}&0&\delta_1x_{23}\\\delta_2x_{31}&\bar{\delta}_1\bar{x}_{32}&0\end{array}\right).$	$\delta\left(\begin{array}{ccc}\xi_1&x_{12}&x_{13}\\\xi_2&x_{23}&\xi_3\end{array}\right)=\left(\begin{array}{ccc}0&\delta_3x_{12}&\bar{\delta}_2\bar{x}_{13}\\\bar{\delta}_3\bar{x}_{21}&0&\delta_1x_{23}\\\delta_2x_{31}&\bar{\delta}_1\bar{x}_{32}&0\end{array}\right).$
0902.0431_E01097	186	0.420 W +2	$\begin{aligned} \zeta[(i\,c\,E),\,l(S)\,I]&=\zeta(2\,l(i\,c\,S)\,I)\\ &=\Theta\left(0,4\lambda\gamma\chi^{-1}(icS),4\chi^{-1}(icS),0,0,0\right)\\ &=\Theta\left(0,4\chi^{-1}(cS),-4\lambda\gamma\chi^{-1}(cS),0,0,0\right)\quad(\text{Lemma 5.8.3})\\ &=\left[\Theta(0,0,0,0,2c,-2c),\Theta(0,2\lambda\gamma\chi^{-1}S,2\chi^{-1}S,0,0,0)\right]\\ &=[\zeta l(icE),\zeta(l(S)I)]. \end{aligned}$	$\begin{aligned} \zeta[(icE),l(S)I]&=\zeta(2l(icS)I)\\ &=\Theta\left(0,4\lambda\gamma\chi^{-1}(icS),4\chi^{-1}(icS),0,0,0\right)\\ &=\Theta\left(0,4\chi^{-1}(cS),-4\lambda\gamma\chi^{-1}(cS),0,0,0\right)\quad(\text{Lemma 5.8.3})\\ &=\left[\Theta(0,0,0,0,2c,-2c),\Theta\left(0,2\lambda\gamma\chi^{-1}S,2\chi^{-1}S,0,0,0\right)\right]\\ &=[\zeta l(icE),\zeta(l(S)I)]. \end{aligned}$	$\begin{aligned} \zeta[(icE),l(S)I]&=\zeta(2l(icS)I)\\ &=\Theta(0,4\lambda\gamma\chi^{-1}(icS),4\chi^{-1}(icS),0,0,0)\\ &=\Theta(0,4\chi^{-1}(cS),-4\lambda\gamma\chi^{-1}(cS),0,0,0)\quad(\text{Lemma 5.8.3})\\ &=[\Theta(0,0,0,0,2c,-2c),\Theta(0,2\lambda\gamma\chi^{-1}S,2\chi^{-1}S,0,0,0)]\\ &=[\zeta l(icE),\zeta(l(S)I)]. \end{aligned}$
0902.0431_E08694	115	0.434 N +1	$\mathfrak{e}_7^C\ni f_r\Phi f_r^{-1}=\begin{pmatrix}g&r^{-1}l&r^{-2}C&rA\\rk&h&r^{-1}B&r^2D\\r^2c&ra&\nu&r^3\lambda\\r^{-1}b&r^{-2}d&r^{-3}k&\mu\end{pmatrix}$	$\mathfrak{e}_7^C\ni f_r\Phi f_r^{-1}=\begin{pmatrix}g&r^{-1}l&r^{-2}C&rA\\rk&h&r^{-1}B&r^2D\\r^2c&ra&\nu&r^3\lambda\\r^{-1}b&r^{-2}d&r^{-3}k&\mu\end{pmatrix}$	$\mathfrak{e}_7^C\ni f_r\Phi f_r^{-1}=\begin{pmatrix}g&r^{-1}l&r^{-2}C&rA\\rk&h&r^{-1}B&r^2D\\r^2c&ra&\nu&r^3\lambda\\r^{-1}b&r^{-2}d&r^{-3}k&\mu\end{pmatrix}$
0902.0431_E08642	106	0.434 W +0	$\begin{aligned} &h(a,b)+h(a',b')=h(a+a',b+b'),\quad h(ca,cb)=ch(a,b),c\in\boldsymbol{C},\\ &h(A,B)+h(A',B')=h(A+A',B+B'),\quad h(cA,cB)=h(A,B),c\in\boldsymbol{C}. \end{aligned}$	$\begin{aligned} &h(a,b)+h(a',b')=h(a+a',b+b'),\quad h(ca,cb)=ch(a,b),c\in\boldsymbol{C}\\ &h(A,B)+h(A',B')=h(A+A',B+B'),\quad h(cA,cB)=h(A,B),c\in\boldsymbol{C}. \end{aligned}$	$\begin{aligned} &h(a,b)+h(a',b')=h(a+a',b+b'),\quad h(ca,cb)=ch(a,b),c\in\boldsymbol{C},\\ &h(A,B)+h(A',B')=h(A+A',B+B'),\quad h(cA,cB)=h(A,B),c\in\boldsymbol{C}. \end{aligned}$
0902.0431_E08558	094	0.435 C +5	$\begin{array}{l} 1\longrightarrow Spin(9)\longrightarrow (E_6)_{E_1}\longrightarrow S^9\longrightarrow *\\ \qquad\qquad\qquad\downarrow p'\qquad\qquad\qquad\downarrow p\qquad\qquad\qquad\downarrow =\\ 1\longrightarrow SO(9)\longrightarrow SO(10)\longrightarrow S^9\longrightarrow * \end{array}$	$\begin{array}{l} 1\longrightarrow Spin(9)\longrightarrow (E_6)_{E_1}\longrightarrow S^9\longrightarrow *\\ \qquad\qquad\qquad\downarrow p'\qquad\qquad\qquad\downarrow p\qquad\qquad\qquad\downarrow =\\ 1\longrightarrow SO(9)\longrightarrow SO(10)\longrightarrow S^9\longrightarrow * \end{array}$	$\begin{array}{l} 1\longrightarrow Spin(9)\longrightarrow (E_6)_{E_1}\longrightarrow S^9\longrightarrow *\\ \qquad\qquad\qquad\downarrow p'\qquad\qquad\qquad\downarrow p\qquad\qquad\qquad\downarrow =\\ 1\longrightarrow SO(9)\longrightarrow SO(10)\longrightarrow S^9\longrightarrow * \end{array}$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_E08332	053	0.438 W +0	$\begin{aligned} & \pm\left(\lambda_k-\lambda_l\right), \& \pm\left(\lambda_k+\lambda_l\right), \quad 0 \leq k<l \leq 3, \\ & \pm \lambda_0, \quad \pm \lambda_1, \quad \pm \lambda_2, \quad \pm \lambda_3, \\ & \pm \frac{1}{2}\left(-\lambda_0-\lambda_1+\lambda_2-\lambda_3\right), \pm \frac{1}{2}\left(\lambda_0+\lambda_1+\lambda_2-\lambda_3\right), \\ & \pm \frac{1}{2}\left(-\lambda_0+\lambda_1+\lambda_2+\lambda_3\right), \pm \frac{1}{2}\left(\lambda_0-\lambda_1+\lambda_2+\lambda_3\right), \\ & \pm \frac{1}{2}\left(\lambda_0-\lambda_1+\lambda_2-\lambda_3\right), \pm \frac{1}{2}\left(-\lambda_0+\lambda_1+\lambda_2-\lambda_3\right), \\ & \pm \frac{1}{2}\left(\lambda_0+\lambda_1+\lambda_2+\lambda_3\right), \pm \frac{1}{2}\left(-\lambda_0-\lambda_1+\lambda_2+\lambda_3\right) . \end{aligned}$	$\begin{aligned} & \pm\left(\lambda_k-\lambda_l\right), \quad \pm\left(\lambda_k+\lambda_l\right), \quad 0 \leq k<l \leq 3, \\ & \pm \lambda_0, \quad \pm \lambda_1, \quad \pm \lambda_2, \quad \pm \lambda_3, \\ & \pm \frac{1}{2}\left(-\lambda_0-\lambda_1+\lambda_2-\lambda_3\right), \quad \pm \frac{1}{2}\left(\lambda_0+\lambda_1+\lambda_2-\lambda_3\right), \\ & \pm \frac{1}{2}\left(-\lambda_0+\lambda_1+\lambda_2+\lambda_3\right), \quad \pm \frac{1}{2}\left(\lambda_0-\lambda_1+\lambda_2+\lambda_3\right), \\ & \pm \frac{1}{2}\left(\lambda_0-\lambda_1+\lambda_2-\lambda_3\right), \quad \pm \frac{1}{2}\left(-\lambda_0+\lambda_1+\lambda_2-\lambda_3\right), \\ & \pm \frac{1}{2}\left(\lambda_0+\lambda_1+\lambda_2+\lambda_3\right), \quad \pm \frac{1}{2}\left(-\lambda_0-\lambda_1+\lambda_2+\lambda_3\right) . \end{aligned}$	
0902.0431_EQ1211	203	0.448 C +195	$\begin{aligned} & \exp (\operatorname{ad}\left\{Z, 0\right\})\left(C, D, \boldsymbol{x} \otimes \boldsymbol{a}, \boldsymbol{b} \otimes \boldsymbol{y}, \boldsymbol{c} \otimes \boldsymbol{z}, \boldsymbol{w} \otimes \boldsymbol{d}\right) \\ & =\left(\exp (\operatorname{ad}(Z)) C, D,\left((\exp Z) \boldsymbol{x}\right) \otimes \boldsymbol{a},\right. \\ & \quad\left.\left((\exp Z) \boldsymbol{b}\right) \otimes \boldsymbol{y},\left((\exp \left(-{}^t Z\right)) \boldsymbol{c} \otimes \boldsymbol{z},\left((\exp \left(-{}^t Z\right)) \boldsymbol{w}\right) \otimes \boldsymbol{d}\right)\right) \\ & =\left(\operatorname{Ad}(\exp Z) C, D,\left((\exp Z) \boldsymbol{x}\right) \otimes \boldsymbol{a},\right. \\ & \quad\left.\left((\exp Z) \boldsymbol{b}\right) \otimes \boldsymbol{y},\left({}^t(\exp Z)^{-1} \boldsymbol{c}\right) \otimes \boldsymbol{z},\left({}^t(\exp Z)^{-1} \boldsymbol{w}\right) \otimes \boldsymbol{d}\right) \\ & =\varphi_1(\exp Z)\left(C, D, \boldsymbol{x} \otimes \boldsymbol{a}, \boldsymbol{b} \otimes \boldsymbol{y}, \boldsymbol{c} \otimes \boldsymbol{z}, \boldsymbol{w} \otimes \boldsymbol{d}\right) . \end{aligned}$	$\begin{aligned} & \exp (\operatorname{ad}(Z, 0))(C, D, \boldsymbol{x} \otimes \boldsymbol{a}, \boldsymbol{b} \otimes \boldsymbol{y}, \boldsymbol{c} \otimes \boldsymbol{z}, \boldsymbol{w} \otimes \boldsymbol{d}) \\ & =(\exp (\operatorname{ad}(Z)) C, D,((\exp Z) \boldsymbol{x}) \otimes \boldsymbol{a}, \\ & \quad((\exp Z) \boldsymbol{b}) \otimes \boldsymbol{y},((\exp \left(-{}^t Z\right)) \boldsymbol{c} \otimes \boldsymbol{z},((\exp \left(-{}^t Z\right)) \boldsymbol{w}) \otimes \boldsymbol{d}) \\ & =(\operatorname{Ad}(\exp Z) C, D,((\exp Z) \boldsymbol{x}) \otimes \boldsymbol{a}, \\ & \quad((\exp Z) \boldsymbol{b}) \otimes \boldsymbol{y},\left({}^t(\exp Z)^{-1} \boldsymbol{c}\right) \otimes \boldsymbol{z},\left({}^t(\exp Z)^{-1} \boldsymbol{w}\right) \otimes \boldsymbol{d}) \\ & =\varphi_1(\exp Z)(C, D, \boldsymbol{x} \otimes \boldsymbol{a}, \boldsymbol{b} \otimes \boldsymbol{y}, \boldsymbol{c} \otimes \boldsymbol{z}, \boldsymbol{w} \otimes \boldsymbol{d}) . \end{aligned}$	$\begin{aligned} & \exp (\operatorname{ad}(Z, 0))(C, D, \boldsymbol{x} \otimes \boldsymbol{a}, \boldsymbol{b} \otimes \boldsymbol{y}, \boldsymbol{c} \otimes \boldsymbol{z}, \boldsymbol{w} \otimes \boldsymbol{d}) \\ & =(\exp (\operatorname{ad}(Z)) C, D,((\exp Z) \boldsymbol{x}) \otimes \boldsymbol{a}, \\ & \quad((\exp Z) \boldsymbol{b}) \otimes \boldsymbol{y},((\exp \left(-{}^t Z\right)) \boldsymbol{c} \otimes \boldsymbol{z},((\exp \left(-{}^t Z\right)) \boldsymbol{w}) \otimes \boldsymbol{d}) \\ & =(\operatorname{Ad}(\exp Z) C, D,((\exp Z) \boldsymbol{x}) \otimes \boldsymbol{a}, \\ & \quad((\exp Z) \boldsymbol{b}) \otimes \boldsymbol{y},\left({}^t(\exp Z)^{-1} \boldsymbol{c}\right) \otimes \boldsymbol{z},\left({}^t(\exp Z)^{-1} \boldsymbol{w}\right) \otimes \boldsymbol{d}) \\ & =\varphi_1(\exp Z)(C, D, \boldsymbol{x} \otimes \boldsymbol{a}, \boldsymbol{b} \otimes \boldsymbol{y}, \boldsymbol{c} \otimes \boldsymbol{z}, \boldsymbol{w} \otimes \boldsymbol{d}) . \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
0902.0431_E01039	177	0.452 W +2	$\begin{aligned} H_{\alpha_3} &= \left(0, 0, 0, \frac{1}{60}, 0, 0, \right), \\ H_{\alpha_4} &= \left(\Phi\left(\frac{1}{90}(-E_1 + 2E_2 - E_3)^\sim, 0, 0, -\frac{1}{120}\right), 0, 0, -\frac{1}{120}, 0, 0\right), \\ H_{\alpha_5} &= \left(\Phi\left(\frac{1}{60}(H_3 - (E_2 - E_3)^\sim), 0, 0, 0\right), 0, 0, 0, 0, 0\right), \\ H_{\alpha_6} &= \left(\Phi\left(\frac{1}{60}(H_2 - H_3), 0, 0, 0\right), 0, 0, 0, 0, 0\right), \\ H_{\alpha_7} &= \left(\Phi\left(\frac{1}{60}(H_1 - H_2), 0, 0, 0\right), 0, 0, 0, 0, 0\right), \\ H_{\alpha_8} &= \left(\Phi\left(0, 0, 0, \frac{1}{40}\right), 0, 0, -\frac{1}{120}, 0, 0\right). \end{aligned}$	$\begin{aligned} H_{\alpha_3} &= \left(0, 0, 0, \frac{1}{60}, 0, 0, \right), \\ H_{\alpha_4} &= \left(\Phi\left(\frac{1}{90}(-E_1 + 2E_2 - E_3)^\sim, 0, 0, -\frac{1}{120}\right), 0, 0, -\frac{1}{120}, 0, 0\right), \\ H_{\alpha_5} &= \left(\Phi\left(\frac{1}{60}(H_3 - (E_2 - E_3)^\sim), 0, 0, 0\right), 0, 0, 0, 0, 0\right), \\ H_{\alpha_6} &= \left(\Phi\left(\frac{1}{60}(H_2 - H_3), 0, 0, 0\right), 0, 0, 0, 0, 0\right), \\ H_{\alpha_7} &= \left(\Phi\left(\frac{1}{60}(H_1 - H_2), 0, 0, 0\right), 0, 0, 0, 0, 0\right), \\ H_{\alpha_8} &= \left(\Phi\left(0, 0, 0, \frac{1}{40}\right), 0, 0, -\frac{1}{120}, 0, 0\right). \end{aligned}$	
0902.0431_E00939	156	0.471 W +0	$\left.\begin{array}{l} \xrightarrow{\quad} \\ \xrightarrow{\quad} \end{array}\right\} \left(\begin{array}{ccc} h\left(b_{11} - c_{11} - \frac{\nu}{3}\right) & -h(c_{12}, b_{12}) & -h(c_{13}, b_{13}) \\ -h(\bar{b}_{12}, \bar{c}_{12}) & 0 & 0 \\ -h(\bar{b}_{13}, \bar{c}_{13}) & 0 & 0 \end{array} \right) \\ \left(\begin{array}{ccc} 0 & 0 & 0 \\ 0 & h(l_{33}) & -h(l_{23}, \bar{l}_{32}) \\ 0 & -h(l_{32}, \bar{l}_{23}) & h(l_{22}) \end{array} \right) \\ \left(\begin{array}{ccc} 0 & 0 & 0 \\ 0 & h(l_{33}) & -h(l_{23}, \bar{l}_{32}) \\ 0 & -h(l_{32}, \bar{l}_{23}) & h(l_{22}) \end{array} \right) \\ 0 \\ -h(\bar{l}_{11}) \end{array} \right) \\ = \left(\begin{array}{c} \phi_C(B, C)E_1 + \frac{i\nu e_1}{3}E_1 \\ 2h(L) \times E_1 \\ 0 \\ -(\tau h(L), E_1) \end{array} \right) = \Phi(\phi_C(B, C), h(L), -\tau h(L), -i\nu e_1) \begin{pmatrix} E_1 \\ 0 \\ 0 \\ 0 \end{pmatrix}.$	(not rendered)	

Inline formulas (first occurrence)

Identifier	Page	Conf.	LaTeX source	Rendered
------------	------	-------	--------------	----------