

1510.06699: equation evidence

3 rows show a REFINEMENT below, not the OCR reading: 3 verified against the census. Each is marked [refined] beside its identifier. The model is unchanged — the original reading is still what ‘latex’ holds; this report chose the refinement for them. Rows: 1510.06699_EQ0238, 1510.06699_EQ0240, 1510.06699_EQ0241

Display equations

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0241 (A5) [conf 0.019] [refined: census]	47	■ 0.019	$\bar{\psi}=\frac{\bar{\psi}\left(\rho+\beta i \gamma^5\right) \cancel{J}}{\rho^2+\beta^2}$	$\bar{\psi}=\frac{\bar{\psi}\left(\rho+\beta i \gamma^5\right) \cancel{J}}{\rho^2+\beta^2}.$	$\bar{\psi}=\frac{\bar{\psi}\left(\rho+\beta i \gamma^5\right) \cancel{J}}{\rho^2+\beta^2}.$
1510.06699_ EQ0248 (B3)	49	■ 0.183	$L_{\mathrm{G}}=-\kappa^{-1}\left(\Lambda+a^0 \mathcal{R}\right)+L_0 \mathcal{R}^2,$	$L_G=-\kappa^{-1}\left(\Lambda+a^0 \mathcal{R}\right)+L_0 \mathcal{R}^2,$	$L_G=-\kappa^{-1}\left(\Lambda+a^0 \mathcal{R}\right)+L_0 \mathcal{R}^2,$
1510.06699_ EQ0210 (235)	39	■ 0.264	$\begin{aligned} & h\left(s_{\mathcal{R}^2}\right)_{a b}^c=4 \alpha_1\left(\delta_{[a}^c \mathcal{D}_{b]}^{\dagger}+\frac{1}{2} \mathcal{T}_{a b}^{\dagger c}\right) \mathcal{R}^{\dagger} \\ & +4 \alpha_2\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}_{[a}^{\dagger} \delta_{b]}^e \\ & +4 \alpha_3\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}^{\dagger d}{}_{[a} \delta_{b]}^e \\ & +4 \alpha_4\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}_{a b}^{\dagger d e} \\ & +4 \alpha_5\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}^{\dagger[d}{}_{[a b]}^e] \\ & +4 \alpha_6\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}^{\dagger d e}{}_{a b}, \\ & h\left(s_{\mathcal{H}^2}\right)_{a b}^c=\frac{2}{3} \xi \eta_{f[b} \delta_{a]}^c\left(\mathcal{D}_e^{\dagger} \mathcal{H}^{\dagger e f}-\frac{1}{2} \mathcal{T}_{d e}^{\dagger f} \mathcal{H}^{\dagger d e}\right), \end{aligned}$	$h\left(s_{\mathcal{R}^2}\right)_{a b}^c=4 \alpha_1\left(\delta_{[a}^c \mathcal{D}_{b]}^{\dagger}+\frac{1}{2} \mathcal{T}_{a b}^{\dagger c}\right) \mathcal{R}^{\dagger} \\ +4 \alpha_2\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}_{[a}^{\dagger} \delta_{b]}^e \\ +4 \alpha_3\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}^{\dagger d}{}_{[a} \delta_{b]}^e \\ +4 \alpha_4\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}_{a b}^{\dagger d e} \\ +4 \alpha_5\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}^{\dagger[d}{}_{[a b]}^e] \\ +4 \alpha_6\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}^{\dagger d e}{}_{a b}, \\ h\left(s_{\mathcal{H}^2}\right)_{a b}^c=\frac{2}{3} \xi \eta_{f[b} \delta_{a]}^c\left(\mathcal{D}_e^{\dagger} \mathcal{H}^{\dagger e f}-\frac{1}{2} \mathcal{T}_{d e}^{\dagger f} \mathcal{H}^{\dagger d e}\right),$	$h\left(s_{\mathcal{R}^2}\right)_{a b}^c=4 \alpha_1\left(\delta_{[a}^c \mathcal{D}_{b]}^{\dagger}+\frac{1}{2} \mathcal{T}_{a b}^{\dagger c}\right) \mathcal{R}^{\dagger} \\ +4 \alpha_2\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}_{[a}^{\dagger} \delta_{b]}^e \\ +4 \alpha_3\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}^{\dagger d}{}_{[a} \delta_{b]}^e \\ +4 \alpha_4\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}_{a b}^{\dagger d e} \\ +4 \alpha_5\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}^{\dagger[d}{}_{[a b]}^e] \\ +4 \alpha_6\left(\delta_{[d}^c \mathcal{D}_{e]}^{\dagger}+\frac{1}{2} \mathcal{T}_{d e}^{\dagger c}\right) \mathcal{R}^{\dagger d e}{}_{a b}, \\ h\left(s_{\mathcal{H}^2}\right)_{a b}^c=\frac{2}{3} \xi \eta_{f[b} \delta_{a]}^c\left(\mathcal{D}_e^{\dagger} \mathcal{H}^{\dagger e f}-\frac{1}{2} \mathcal{T}_{d e}^{\dagger f} \mathcal{H}^{\dagger d e}\right),$
1510.06699_ EQ0192 (208)	36	■ 0.344	$\begin{aligned} & D_{\mu}^{\dagger} J^a=\partial_{\mu} J^a-w\left(V_{\mu}+\frac{1}{3} T_{\mu}\right) J^a+A_{b \mu}^{\dagger a} J^b \\ & =\partial_{\mu}^{\dagger} J^a+A_{b \mu}^{\dagger a} J^b \end{aligned}$	$D_{\mu}^{\dagger} J^a=\partial_{\mu} J^a-w\left(V_{\mu}+\frac{1}{3} T_{\mu}\right) J^a+A_{b \mu}^{\dagger a} J^b \\ =\partial_{\mu}^{\dagger} J^a+A_{b \mu}^{\dagger a} J^b$	$D_{\mu}^{\dagger} J^a=\partial_{\mu} J^a-w\left(V_{\mu}+\frac{1}{3} T_{\mu}\right) J^a+A_{b \mu}^{\dagger a} J^b \\ =\partial_{\mu}^{\dagger} J^a+A_{b \mu}^{\dagger a} J^b,$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0105 (113)	21	■ 0.463	$\begin{aligned} \mathrm{L}_{\mathrm{T}} &= \mathrm{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, B, \partial B) \\ &+ \mathrm{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^2 h, B, \partial B). \end{aligned}$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, B, \partial B) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^2 h, B, \partial B).$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, B, \partial B) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^2 h, B, \partial B).$
1510.06699_ EQ0116 (126)	22	■ 0.469	$\begin{aligned} R_{\sigma \mu \nu} &= 2 \left(\partial_{[\mu} \Gamma_{ \sigma \nu]}^{\rho} + \Gamma_{\lambda [\mu}^{\rho} \Gamma_{ \sigma \nu]}^{\lambda} \right) - H_{\mu \nu} \delta_{\sigma}^{\rho}, \\ T^{* \lambda}_{\mu \nu} &= 2 \Gamma_{[\nu \mu]}^{\lambda}, \\ H_{\mu \nu} &= 2 \partial_{[\mu} B_{\nu]}, \end{aligned}$	$R_{\sigma \mu \nu}^{\rho} = 2 \left(\partial_{[\mu} \Gamma_{ \sigma \nu]}^{\rho} + \Gamma_{\lambda [\mu}^{\rho} \Gamma_{ \sigma \nu]}^{\lambda} \right) - H_{\mu \nu} \delta_{\sigma}^{\rho},$ $T^{* \lambda}_{\mu \nu} = 2 \Gamma_{[\nu \mu]}^{\lambda},$ $H_{\mu \nu} = 2 \partial_{[\mu} B_{\nu]},$	$R_{\sigma \mu \nu}^{\rho} = 2(\partial_{[\mu} \Gamma_{ \sigma \nu]}^{\rho} + \Gamma_{\lambda [\mu}^{\rho} \Gamma_{ \sigma \nu]}^{\lambda}) - H_{\mu \nu} \delta_{\sigma}^{\rho},$ $T^{* \lambda}_{\mu \nu} = 2 \Gamma_{[\nu \mu]}^{\lambda},$ $H_{\mu \nu} = 2 \partial_{[\mu} B_{\nu]},$
1510.06699_ EQ0046 (48)	12	■ 0.479	$\{ \}^{\{0\}} D_{\mu}^{*} \varphi \equiv \left(\partial_{\mu}^{*} + \frac{1}{2} A^{*ab}{}_{\mu} \Sigma_{ab} \right) \varphi,$	${}^0 D_{\mu}^{*} \varphi \equiv \left(\partial_{\mu}^{*} + \frac{1}{2} A^{*ab}{}_{\mu} \Sigma_{ab} \right) \varphi,$	${}^0 D_{\mu}^{*} \varphi \equiv (\partial_{\mu}^{*} + \frac{1}{2} A^{*ab}{}_{\mu} \Sigma_{ab}) \varphi,$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0207 (229)	38	■0.487	$\begin{aligned} & \hleft(t_{\mathcal{R}^2}^{\dagger})^a{}_b = \alpha_1 \mathcal{R}^{\dagger} (4\mathcal{R}^{\dagger a}{}_b - \delta_b^a \mathcal{R}^{\dagger}) \\ & + \alpha_2 [2(\mathcal{R}^{\dagger ca} \mathcal{R}_{cb}^{\dagger} - \mathcal{R}^{\dagger cd} \mathcal{R}_{cdb}^{\dagger}) - \delta_b^a \mathcal{R}_{cd}^{\dagger} \mathcal{R}^{\dagger cd}] \\ & + \alpha_3 [2(\mathcal{R}^{\dagger ac} \mathcal{R}_{cb}^{\dagger} - \mathcal{R}^{\dagger dc} \mathcal{R}_{cdb}^{\dagger}) - \delta_b^a \mathcal{R}_{cd}^{\dagger} \mathcal{R}^{\dagger dc}] \\ & + \alpha_4 [4\mathcal{R}^{\dagger cdea} \mathcal{R}_{cdeb}^{\dagger} - \delta_b^a \mathcal{R}^{\dagger cdef} \mathcal{R}_{cdef}^{\dagger}] \\ & + \alpha_5 [2(\mathcal{R}^{\dagger acde} - \mathcal{R}^{\dagger ecda}) \mathcal{R}_{cdeb}^{\dagger} - \delta_b^a \mathcal{R}^{\dagger cedf} \mathcal{R}_{cdef}^{\dagger}] \\ & + \alpha_6 [4\mathcal{R}^{\dagger eacd} \mathcal{R}_{cdeb}^{\dagger} - \delta_b^a \mathcal{R}^{\dagger e fcd} \mathcal{R}_{cdef}^{\dagger}], \\ & h(t_{\mathcal{H}^2}^{\dagger})^a{}_b = \frac{1}{2} \xi [4\mathcal{H}_{bc}^{\dagger} \mathcal{H}^{\dagger ac} - \delta_b^a \mathcal{H}_{cd}^{\dagger} \mathcal{H}^{\dagger cd} + \frac{4}{3} \mathcal{D}_b^{\dagger} (\mathcal{D}_c^{\dagger} \mathcal{H}^{\dagger ca} - \frac{1}{2} \mathcal{T}^{\dagger a}{}_{cd} \mathcal{H}^{\dagger cd})], \end{aligned}$	$h(t_{\mathcal{R}^2}^{\dagger})^a{}_b = \alpha_1 \mathcal{R}^{\dagger} (4\mathcal{R}^{\dagger a}{}_b - \delta_b^a \mathcal{R}^{\dagger})$ $+ \alpha_2 [2(\mathcal{R}^{\dagger ca} \mathcal{R}_{cb}^{\dagger} - \mathcal{R}^{\dagger cd} \mathcal{R}_{cdb}^{\dagger}) - \delta_b^a \mathcal{R}_{cd}^{\dagger} \mathcal{R}^{\dagger cd}]$ $+ \alpha_3 [2(\mathcal{R}^{\dagger ac} \mathcal{R}_{cb}^{\dagger} - \mathcal{R}^{\dagger dc} \mathcal{R}_{cdb}^{\dagger}) - \delta_b^a \mathcal{R}_{cd}^{\dagger} \mathcal{R}^{\dagger dc}]$ $+ \alpha_4 [4\mathcal{R}^{\dagger cdea} \mathcal{R}_{cdeb}^{\dagger} - \delta_b^a \mathcal{R}^{\dagger cdef} \mathcal{R}_{cdef}^{\dagger}]$ $+ \alpha_5 [2(\mathcal{R}^{\dagger acde} - \mathcal{R}^{\dagger ecda}) \mathcal{R}_{cdeb}^{\dagger} - \delta_b^a \mathcal{R}^{\dagger cedf} \mathcal{R}_{cdef}^{\dagger}]$ $+ \alpha_6 [4\mathcal{R}^{\dagger eacd} \mathcal{R}_{cdeb}^{\dagger} - \delta_b^a \mathcal{R}^{\dagger e fcd} \mathcal{R}_{cdef}^{\dagger}]$ $h(t_{\mathcal{H}^2}^{\dagger})^a{}_b = \frac{1}{2} \xi \left[4\mathcal{H}_{bc}^{\dagger} \mathcal{H}^{\dagger ac} - \delta_b^a \mathcal{H}_{cd}^{\dagger} \mathcal{H}^{\dagger cd} + \frac{4}{3} \mathcal{D}_b^{\dagger} \left(\mathcal{D}_c^{\dagger} \mathcal{H}^{\dagger ca} - \frac{1}{2} \mathcal{T}^{\dagger a}{}_{cd} \mathcal{H}^{\dagger cd} \right) \right],$	
1510.06699_ EQ0117 (128)	22	■0.497	$\widetilde{R}_{\sigma\mu\nu} \equiv R_{\sigma\mu\nu}^{\rho} \equiv R_{\sigma\mu\nu}^{\rho} + H_{\mu\nu} \delta_{\sigma}^{\rho}.$	$\widetilde{R}_{\sigma\mu\nu} \equiv R_{\sigma\mu\nu}^{\rho} + H_{\mu\nu} \delta_{\sigma}^{\rho}.$	$\widetilde{R}_{\sigma\mu\nu} \equiv R_{\sigma\mu\nu}^{\rho} + H_{\mu\nu} \delta_{\sigma}^{\rho}.$
1510.06699_ EQ0249 (B4)	49	■0.500	$L_{\{0\}} \mathcal{R}^2 = \alpha_1 \{0\} \mathcal{R}^2 + \alpha_2 \{0\} \mathcal{R}_{ab} \mathcal{R}^{ab} + \alpha_3 \{0\} \mathcal{R}_{abcd} \mathcal{R}^{abcd},$	$L_0 \mathcal{R}^2 = \alpha_1 {}^0 \mathcal{R}^2 + \alpha_2 {}^0 \mathcal{R}_{ab} {}^0 \mathcal{R}^{ab} + \alpha_3 {}^0 \mathcal{R}_{abcd} {}^0 \mathcal{R}^{abcd},$	$L_{\mathcal{R}^2} = \alpha_1 {}^0 \mathcal{R}^2 + \alpha_2 {}^0 \mathcal{R}_{ab} {}^0 \mathcal{R}^{ab} + \alpha_3 {}^0 \mathcal{R}_{abcd} {}^0 \mathcal{R}^{abcd},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E09141 (155b)	27	■ 0.505	$\begin{aligned} & \mathcal{R}^{\dagger a b}_{c d} = \mathcal{R}^{a b}_{c d} + 2 \delta_d^{[b} (\mathcal{D}_c + \mathcal{V}_c) \mathcal{V}^{a]} - 2 \delta_c^{[b} (\mathcal{D}_d + \mathcal{V}_d) \mathcal{V}^{a]} - 2 \mathcal{V}^e \mathcal{V}_e \delta_c^{[a} \delta_d^{b]} + 2 \mathcal{V}^{[a} \mathcal{T}^{b]}_{c d}, \\ & \mathcal{R}^{\dagger a}_{c} = \mathcal{R}^a_{c} + 2 (\mathcal{D}_c + \tfrac{1}{2} \mathcal{T}_c + \mathcal{V}_c) \mathcal{V}^a + \delta_c^a (\mathcal{D}_b - 2 \mathcal{V}_b) \mathcal{V}^b - \mathcal{T}^a_{c b} \mathcal{V}^b, \\ & \mathcal{R}^{\dagger} = \mathcal{R} + 6 (\mathcal{D}_a + \tfrac{1}{3} \mathcal{T}_a - \mathcal{V}_a) \mathcal{V}^a, \end{aligned}$	$\mathcal{R}^{\dagger a b}_{c d} = \mathcal{R}^{a b}_{c d} + 2 \delta_d^{[b} (\mathcal{D}_c + \mathcal{V}_c) \mathcal{V}^{a]} - 2 \delta_c^{[b} (\mathcal{D}_d + \mathcal{V}_d) \mathcal{V}^{a]} - 2 \mathcal{V}^e \mathcal{V}_e \delta_c^{[a} \delta_d^{b]} + 2 \mathcal{V}^{[a} \mathcal{T}^{b]}_{c d}$ $\mathcal{R}^{\dagger a}_{c} = \mathcal{R}^a_{c} + 2 \left(\mathcal{D}_c + \frac{1}{2} \mathcal{T}_c + \mathcal{V}_c \right) \mathcal{V}^a + \delta_c^a (\mathcal{D}_b - 2 \mathcal{V}_b) \mathcal{V}^b - \mathcal{T}^a_{c b} \mathcal{V}^b$ $\mathcal{R}^{\dagger} = \mathcal{R} + 6 \left(\mathcal{D}_a + \frac{1}{3} \mathcal{T}_a - \mathcal{V}_a \right) \mathcal{V}^a,$	$\mathcal{R}^{\dagger a b}_{c d} = \mathcal{R}^{a b}_{c d} + 2 \delta_d^{[b} (\mathcal{D}_c + \mathcal{V}_c) \mathcal{V}^{a]} - 2 \delta_c^{[b} (\mathcal{D}_d + \mathcal{V}_d) \mathcal{V}^{a]} - 2 \mathcal{V}^e \mathcal{V}_e \delta_c^{[a} \delta_d^{b]} + 2 \mathcal{V}^{[a} \mathcal{T}^{b]}_{c d},$ $\mathcal{R}^{\dagger a}_{c} = \mathcal{R}^a_{c} + 2 (\mathcal{D}_c + \tfrac{1}{2} \mathcal{T}_c + \mathcal{V}_c) \mathcal{V}^a + \delta_c^a (\mathcal{D}_b - 2 \mathcal{V}_b) \mathcal{V}^b - \mathcal{T}^a_{c b} \mathcal{V}^b,$ $\mathcal{R}^{\dagger} = \mathcal{R} + 6 (\mathcal{D}_a + \tfrac{1}{3} \mathcal{T}_a - \mathcal{V}_a) \mathcal{V}^a,$
1510.06699_ E09235 (269)	44	■ 0.527	$\begin{aligned} & \mathcal{L}_{\mathrm{M}}^{\prime} = \mathcal{L}_{\mathrm{M}} - h^{-1} \left[\frac{1}{2} \nu \mathcal{P}^{a 0} \mathcal{D}_a \phi^2 - 6 a \phi^{2 0} \mathcal{D}_a \mathcal{P}^a \right. \\ & \quad \left. + \left(\frac{1}{2} \nu + 6 a \right) \phi^2 \mathcal{P}_a \mathcal{P}^a \right] \end{aligned}$	$\mathcal{L}'_{\mathrm{M}} = \mathcal{L}_{\mathrm{M}} - h^{-1} \left[\frac{1}{2} \nu \mathcal{P}^{a 0} \mathcal{D}_a \phi^2 - 6 a \phi^{2 0} \mathcal{D}_a \mathcal{P}^a + \left(\frac{1}{2} \nu + 6 a \right) \phi^2 \mathcal{P}_a \mathcal{P}^a \right]$	$\mathcal{L}'_{\mathrm{M}} = \mathcal{L}_{\mathrm{M}} - h^{-1} \left[\frac{1}{2} \nu \mathcal{P}^{a 0} \mathcal{D}_a \phi^2 - 6 a \phi^{2 0} \mathcal{D}_a \mathcal{P}^a + \left(\frac{1}{2} \nu + 6 a \right) \phi^2 \mathcal{P}_a \mathcal{P}^a \right].$
1510.06699_ E09187 (203)	35	■ 0.544	$L_{\mathrm{G}} = L_{0_{\mathcal{R}^{\dagger 2}}} + L_{\mathcal{H}^{\dagger 2}},$	$L_{\mathrm{G}} = L_{0_{\mathcal{R}^{\dagger 2}}} + L_{\mathcal{H}^{\dagger 2}},$	
1510.06699_ E09244 (A8)	47	■ 0.551	$S = \int d\lambda \left[\Re(i \bar{R} \dot{R}) - p_{\mu} (\dot{x}^{\mu} - m e \bar{R} \gamma^{\mu} R) - m^2 e \right].$	$S = \int d\lambda \left[\Re(i \bar{R} \dot{R}) - p_{\mu} (\dot{x}^{\mu} - m e \bar{R} \gamma^{\mu} R) - m^2 e \right].$	$S = \int d\lambda \left[\Re(i \bar{R} \dot{R}) - p_{\mu} (\dot{x}^{\mu} - m e \bar{R} \gamma^{\mu} R) - m^2 e \right].$
1510.06699_ E09293 (222)	37	■ 0.560	$\begin{aligned} & \mathcal{L}_{\mathcal{H}^{\dagger 2}} = \frac{1}{2} \xi \mathcal{H}^{\dagger}_{a b} \mathcal{H}^{\dagger a b}, \\ & \mathcal{L}_{\mathcal{R}^{\dagger 2}} = \alpha_1 \mathcal{R}^{\dagger 2} + \alpha_2 \mathcal{R}^{\dagger}_{a b} \mathcal{R}^{\dagger a b} + \alpha_3 \mathcal{R}^{\dagger}_{a b} \mathcal{R}^{\dagger b a} + \alpha_4 \mathcal{R}^{\dagger}_{a b c d} \mathcal{R}^{\dagger a b c d} + \alpha_5 \mathcal{R}^{\dagger}_{a b c d} \mathcal{R}^{\dagger a c b d} + \alpha_6 \mathcal{R}^{\dagger}_{a b c d} \mathcal{R}^{\dagger c d a b}, \end{aligned}$	$\mathcal{L}_{\mathcal{H}^{\dagger 2}} = \frac{1}{2} \xi \mathcal{H}^{\dagger}_{a b} \mathcal{H}^{\dagger a b},$ $\mathcal{L}_{\mathcal{R}^{\dagger 2}} = \alpha_1 \mathcal{R}^{\dagger 2} + \alpha_2 \mathcal{R}^{\dagger}_{a b} \mathcal{R}^{\dagger a b} + \alpha_3 \mathcal{R}^{\dagger}_{a b} \mathcal{R}^{\dagger b a} + \alpha_4 \mathcal{R}^{\dagger}_{a b c d} \mathcal{R}^{\dagger a b c d} + \alpha_5 \mathcal{R}^{\dagger}_{a b c d} \mathcal{R}^{\dagger a c b d} + \alpha_6 \mathcal{R}^{\dagger}_{a b c d} \mathcal{R}^{\dagger c d a b},$	$\mathcal{L}_{\mathcal{R}^{\dagger 2}} = \alpha_1 \mathcal{R}^{\dagger 2} + \alpha_2 \mathcal{R}^{\dagger}_{a b} \mathcal{R}^{\dagger a b} + \alpha_3 \mathcal{R}^{\dagger}_{a b} \mathcal{R}^{\dagger b a} + \alpha_4 \mathcal{R}^{\dagger}_{a b c d} \mathcal{R}^{\dagger a b c d} + \alpha_5 \mathcal{R}^{\dagger}_{a b c d} \mathcal{R}^{\dagger a c b d} + \alpha_6 \mathcal{R}^{\dagger}_{a b c d} \mathcal{R}^{\dagger c d a b},$ $\mathcal{L}_{\mathcal{H}^{\dagger 2}} = \frac{1}{2} \xi \mathcal{H}^{\dagger}_{a b} \mathcal{H}^{\dagger a b},$
1510.06699_ E09091 (98)	19	■ 0.575	$\begin{aligned} & v^a = e p^a, \\ & \dot{p}_a = c^c_{a b} v^b p_c + e \mu^2 \phi \partial_a \phi, \\ & p^2 = \mu^2 \phi^2. \end{aligned}$	$v^a = e p^a,$ $\dot{p}_a = c^c_{a b} v^b p_c + e \mu^2 \phi \partial_a \phi,$ $p^2 = \mu^2 \phi^2.$	$v^a = e p^a,$ $\dot{p}_a = c^c_{a b} v^b p_c + e \mu^2 \phi \partial_a \phi,$ $p^2 = \mu^2 \phi^2.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E09261 (C12)	50	■ 0.600	$\begin{aligned} R_{\mu\nu}-\frac{1}{2}g_{\mu\nu}R&=\kappa\frac{\tau_{\mu\nu}}{\sqrt{-g}}\\ T^{\lambda}{}_{\mu\nu}&=\frac{\kappa}{2\sqrt{-g}}(2\sigma_{\mu\nu}{}^{\lambda}+\delta_{\mu}^{\lambda}\sigma_{\nu\rho}{}^{\rho}-\delta_{\nu}^{\lambda}\sigma_{\mu\rho}{}^{\rho}), \end{aligned}$	$R_{\mu\nu}-\frac{1}{2}g_{\mu\nu}R=\kappa\frac{\tau_{\mu\nu}}{\sqrt{-g}}$ $T^{\lambda}{}_{\mu\nu}=\frac{\kappa}{2\sqrt{-g}}\left(2\sigma_{\mu\nu}{}^{\lambda}+\delta_{\mu}^{\lambda}\sigma_{\nu\rho}{}^{\rho}-\delta_{\nu}^{\lambda}\sigma_{\mu\rho}{}^{\rho}\right),$	$R_{\mu\nu}-\frac{1}{2}g_{\mu\nu}R=\kappa\frac{\tau_{\mu\nu}}{\sqrt{-g}},$ $T^{\lambda}{}_{\mu\nu}=\frac{\kappa}{2\sqrt{-g}}(2\sigma_{\mu\nu}{}^{\lambda}+\delta_{\mu}^{\lambda}\sigma_{\nu\rho}{}^{\rho}-\delta_{\nu}^{\lambda}\sigma_{\mu\rho}{}^{\rho}),$
1510.06699_ E09011 (12)	8	■ 0.614	$L_{\mathrm{D}}=\frac{1}{2}i\left[\bar{\psi}\gamma^{\mu}\partial_{\mu}\psi-(\partial_{\mu}\bar{\psi})\gamma^{\mu}\psi\right]-m\bar{\psi}\psi\equiv\frac{1}{2}i\bar{\psi}\gamma^{\mu}\overleftrightarrow{\partial}_{\mu}\psi-m\bar{\psi}\psi$	$L_{\mathrm{D}}=\frac{1}{2}i\left[\bar{\psi}\gamma^{\mu}\partial_{\mu}\psi-(\partial_{\mu}\bar{\psi})\gamma^{\mu}\psi\right]-m\bar{\psi}\psi\equiv\frac{1}{2}i\bar{\psi}\gamma^{\mu}\overleftrightarrow{\partial}_{\mu}\psi-m\bar{\psi}\psi.$	$L_{\mathrm{D}}=\frac{1}{2}i[\bar{\psi}\gamma^{\mu}\partial_{\mu}\psi-(\partial_{\mu}\bar{\psi})\gamma^{\mu}\psi]-m\bar{\psi}\psi\equiv\frac{1}{2}i\bar{\psi}\gamma^{\mu}\overleftrightarrow{\partial}_{\mu}\psi-m\bar{\psi}\psi.$
1510.06699_ E09183 (199b)	34	■ 0.615	$\begin{aligned} \widehat{\varphi}&\equiv\left(\frac{\phi}{\phi_0}\right)^{-w}\varphi\\ \widehat{h}_a{}^{\mu}&\equiv\left(\frac{\phi}{\phi_0}\right)^{-1}h_a{}^{\mu}\\ \widehat{A}^{\dagger ab}{}_{\mu}&\equiv A^{ab}{}_{\mu}+(\mathcal{V}^ab_{\mu}^b-\mathcal{V}^bb_{\mu}^a)\\ \widehat{V}_{\mu}&\equiv V_{\mu}+\frac{1}{3}T_{\mu}+\partial_{\mu}\ln\left(\frac{\phi}{\phi_0}\right) \end{aligned}$	$\widehat{\varphi}\equiv\left(\frac{\phi}{\phi_0}\right)^{-w}\varphi$ $\widehat{h}_a{}^{\mu}\equiv\left(\frac{\phi}{\phi_0}\right)^{-1}h_a{}^{\mu}$ $\widehat{A}^{\dagger ab}{}_{\mu}\equiv A^{ab}{}_{\mu}+(\mathcal{V}^ab_{\mu}^b-\mathcal{V}^bb_{\mu}^a)$ $\widehat{V}_{\mu}\equiv V_{\mu}+\frac{1}{3}T_{\mu}+\partial_{\mu}\ln\left(\frac{\phi}{\phi_0}\right)$	$\widehat{\varphi}\equiv\left(\frac{\phi}{\phi_0}\right)^{-w}\varphi,$ $\widehat{h}_a{}^{\mu}\equiv\left(\frac{\phi}{\phi_0}\right)^{-1}h_a{}^{\mu},$ $\widehat{A}^{\dagger ab}{}_{\mu}\equiv A^{ab}{}_{\mu}+(\mathcal{V}^ab_{\mu}^b-\mathcal{V}^bb_{\mu}^a),$ $\widehat{V}_{\mu}\equiv V_{\mu}+\frac{1}{3}T_{\mu}+\partial_{\mu}\ln\left(\frac{\phi}{\phi_0}\right),$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0208 (232)	38	0.629	$\begin{aligned} & \hleft(\tau_{\phi}^{\dagger})^a{}_b = \frac{1}{2}\nu\left[\frac{4}{3}\mathcal{D}^{\dagger a}\phi\mathcal{D}_b^{\dagger}\phi - \frac{1}{3}\delta_b^a\mathcal{D}^{\dagger c}\phi\mathcal{D}_c^{\dagger}\phi + \frac{2}{3}\phi\left(\delta_b^a\mathcal{D}_c^{\dagger}\mathcal{D}^{\dagger c}\phi - \mathcal{D}_b^{\dagger}\mathcal{D}^{\dagger a}\phi\right)\right] + \lambda\delta_b^a\phi^4 \\ & \hleft(\tau_{\mathcal{R}}^{\dagger})^a{}_b = -a\phi^2\left(\mathcal{R}^{\dagger a}{}_b - \frac{1}{2}\delta_b^a\mathcal{R}^{\dagger}\right) \\ & \hleft(\tau_{\mathcal{T}^2}^{\dagger})^a{}_b = \beta_1\left[\phi^2\left(4\mathcal{T}^{\dagger cda}\mathcal{T}_{cdb}^{\dagger} - 2\mathcal{T}^{\dagger ade}\mathcal{T}_{bde}^{\dagger} - \delta_b^a\mathcal{T}^{\dagger cde}\mathcal{T}_{cde}^{\dagger}\right) + 4\mathcal{D}_c^{\dagger}\left(\phi^2\mathcal{T}_b^{\dagger ca}\right)\right] \\ & \quad + \beta_2\left[\phi^2\left(2\mathcal{T}^{\dagger dca}\mathcal{T}_{cdb}^{\dagger} + 2\mathcal{T}^{\dagger adc}\mathcal{T}_{cdb}^{\dagger} - 2\mathcal{T}^{\dagger acd}\mathcal{T}_{cbd}^{\dagger} - \delta_b^a\mathcal{T}^{\dagger dce}\mathcal{T}_{cde}^{\dagger}\right) + 4\mathcal{D}_c^{\dagger}\left(\phi^2\mathcal{T}^{\dagger[c}{}_b{}^{a]}\right)\right] \end{aligned}$	$h\left(\tau_{\phi}^{\dagger}\right)^a{}_b = \frac{1}{2}\nu\left[\frac{4}{3}\mathcal{D}^{\dagger a}\phi\mathcal{D}_b^{\dagger}\phi - \frac{1}{3}\delta_b^a\mathcal{D}^{\dagger c}\phi\mathcal{D}_c^{\dagger}\phi + \frac{2}{3}\phi\left(\delta_b^a\mathcal{D}_c^{\dagger}\mathcal{D}^{\dagger c}\phi - \mathcal{D}_b^{\dagger}\mathcal{D}^{\dagger a}\phi\right)\right] + \lambda\delta_b^a\phi^4$ $h\left(\tau_{\mathcal{R}}^{\dagger}\right)^a{}_b = -a\phi^2\left(\mathcal{R}^{\dagger a}{}_b - \frac{1}{2}\delta_b^a\mathcal{R}^{\dagger}\right)$ $h\left(\tau_{\mathcal{T}^2}^{\dagger}\right)^a{}_b = \beta_1\left[\phi^2\left(4\mathcal{T}^{\dagger cda}\mathcal{T}_{cdb}^{\dagger} - 2\mathcal{T}^{\dagger ade}\mathcal{T}_{bde}^{\dagger} - \delta_b^a\mathcal{T}^{\dagger cde}\mathcal{T}_{cde}^{\dagger}\right) + 4\mathcal{D}_c^{\dagger}\left(\phi^2\mathcal{T}_b^{\dagger ca}\right)\right]$ $+ \beta_2\left[\phi^2\left(2\mathcal{T}^{\dagger dca}\mathcal{T}_{cdb}^{\dagger} + 2\mathcal{T}^{\dagger adc}\mathcal{T}_{cdb}^{\dagger} - 2\mathcal{T}^{\dagger acd}\mathcal{T}_{cbd}^{\dagger} - \delta_b^a\mathcal{T}^{\dagger dce}\mathcal{T}_{cde}^{\dagger}\right) + 4\mathcal{D}_c^{\dagger}\left(\phi^2\mathcal{T}^{\dagger[c}{}_b{}^{a]}\right)\right]$	$h(\tau_{\phi}^{\dagger})^a{}_b = \frac{1}{2}\nu[\frac{4}{3}\mathcal{D}^{\dagger a}\phi\mathcal{D}_b^{\dagger}\phi - \frac{1}{3}\delta_b^a\mathcal{D}^{\dagger c}\phi\mathcal{D}_c^{\dagger}\phi + \frac{2}{3}\phi(\delta_b^a\mathcal{D}_c^{\dagger}\mathcal{D}^{\dagger c}\phi - \mathcal{D}_b^{\dagger}\mathcal{D}^{\dagger a}\phi)] + \lambda\delta_b^a\phi^4$ $h(\tau_{\mathcal{R}}^{\dagger})^a{}_b = -a\phi^2(\mathcal{R}^{\dagger a}{}_b - \frac{1}{2}\delta_b^a\mathcal{R}^{\dagger}),$ $h(\tau_{\mathcal{T}^2}^{\dagger})^a{}_b = \beta_1[\phi^2(4\mathcal{T}^{\dagger cda}\mathcal{T}_{cdb}^{\dagger} - 2\mathcal{T}^{\dagger ade}\mathcal{T}_{bde}^{\dagger} - \delta_b^a\mathcal{T}^{\dagger cde}\mathcal{T}_{cde}^{\dagger}) + 4\mathcal{D}_c^{\dagger}(\phi^2\mathcal{T}_b^{\dagger ca})]$ $+ \beta_2[\phi^2(2\mathcal{T}^{\dagger dca}\mathcal{T}_{cdb}^{\dagger} + 2\mathcal{T}^{\dagger adc}\mathcal{T}_{cdb}^{\dagger} - 2\mathcal{T}^{\dagger acd}\mathcal{T}_{cbd}^{\dagger} - \delta_b^a\mathcal{T}^{\dagger dce}\mathcal{T}_{cde}^{\dagger}) + 4\mathcal{D}_c^{\dagger}(\phi^2\mathcal{T}^{\dagger[c}{}_b{}^{a]})].$
1510.06699_ EQ0153 (167)	29	0.631	$\begin{aligned} & \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, A, \partial A, V, \partial V) \\ & + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, V, \partial V), \end{aligned}$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}\left(h, \partial h, \partial^2 h, A, \partial A, V, \partial V\right) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, V, \partial V),$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, A, \partial A, V, \partial V) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, V, \partial V),$
1510.06699_ EQ0066 (70)	15	0.647	$L_{\mathrm{D}} = \frac{1}{2}i\bar{\psi}\gamma^{\mu}\overleftrightarrow{\partial}_{\mu}\psi - \mu\phi\bar{\psi}\psi,$	$L_{\mathrm{D}} = \frac{1}{2}i\bar{\psi}\gamma^{\mu}\overleftrightarrow{\partial}_{\mu}\psi - \mu\phi\bar{\psi}\psi,$	$L_{\mathrm{D}} = \frac{1}{2}i\bar{\psi}\gamma^{\mu}\overleftrightarrow{\partial}_{\mu}\psi - \mu\phi\bar{\psi}\psi,$
1510.06699_ EQ0097 (105b)	20	0.649	$\begin{aligned} & \widehat{\lambda} \equiv \left(\frac{\phi}{\phi_0}\right)\lambda, \\ & \widehat{p}_a \equiv \widehat{h}_a{}^{\mu}p_{\mu} = \left(\frac{\phi}{\phi_0}\right)^{-1}p_a, \\ & \widehat{v}^a \equiv \widehat{b}^a{}_{\mu}\widehat{\frac{dx^{\mu}}{d\lambda}} = v^a, \\ & \widehat{e} \equiv \left(\frac{\phi}{\phi_0}\right)e, \end{aligned}$	$\widehat{\lambda} \equiv \left(\frac{\phi}{\phi_0}\right)\lambda$ $\widehat{p}_a \equiv \widehat{h}_a{}^{\mu}p_{\mu} = \left(\frac{\phi}{\phi_0}\right)^{-1}p_a$ $\widehat{v}^a \equiv \widehat{b}^a{}_{\mu}\frac{dx^{\mu}}{\widehat{d\lambda}} = v^a,$ $\widehat{e} \equiv \left(\frac{\phi}{\phi_0}\right)e,$	$\widehat{\lambda} \equiv \left(\frac{\phi}{\phi_0}\right)\lambda,$ $\widehat{p}_a \equiv \widehat{h}_a{}^{\mu}p_{\mu} = \left(\frac{\phi}{\phi_0}\right)^{-1}p_a,$ $\widehat{v}^a \equiv \widehat{b}^a{}_{\mu}\frac{dx^{\mu}}{\widehat{d\lambda}} = v^a,$ $\widehat{e} \equiv \left(\frac{\phi}{\phi_0}\right)e,$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00085 (91b)	18	0.651	$\begin{aligned} \widehat{\varphi} &\equiv \left(\frac{\phi}{\phi_0}\right)^{-w} \varphi \\ \widehat{h}_a{}^\mu &\equiv \left(\frac{\phi}{\phi_0}\right)^{-1} h_a{}^\mu \\ \widehat{A}_\mu^{ab} &\equiv A_\mu^{ab} \\ \widehat{B}_\mu &\equiv B_\mu - \partial_\mu \ln \left(\frac{\phi}{\phi_0}\right) \end{aligned}$	$\widehat{\varphi} \equiv \left(\frac{\phi}{\phi_0}\right)^{-w} \varphi$ $\widehat{h}_a{}^\mu \equiv \left(\frac{\phi}{\phi_0}\right)^{-1} h_a{}^\mu$ $\widehat{A}_\mu^{ab} \equiv A_\mu^{ab}$ $\widehat{B}_\mu \equiv B_\mu - \partial_\mu \ln \left(\frac{\phi}{\phi_0}\right)$	$\widehat{\varphi} \equiv \left(\frac{\phi}{\phi_0}\right)^{-w} \varphi,$ $\widehat{h}_a{}^\mu \equiv \left(\frac{\phi}{\phi_0}\right)^{-1} h_a{}^\mu,$ $\widehat{A}_\mu^{ab} \equiv A_\mu^{ab},$ $\widehat{B}_\mu \equiv B_\mu - \partial_\mu \ln \left(\frac{\phi}{\phi_0}\right),$
1510.06699_ E00063 (67a)	14	0.657	$\begin{aligned} &\frac{\delta L_M}{\delta \varphi} = \frac{\bar{\partial} L_M}{\partial \varphi} - (\mathcal{D}_a^* + \mathcal{T}_a^*) \left(\frac{\partial L_M}{\partial (\mathcal{D}_a^* \varphi)} \right) = 0, \\ &\frac{\delta L_M}{\delta \phi} = \frac{\bar{\partial} L_M}{\partial \phi} - (\mathcal{D}_a^* + \mathcal{T}_a^*) \left(\frac{\partial L_M}{\partial (\mathcal{D}_a^* \phi)} \right) = 0. \end{aligned}$	$\frac{\delta L_M}{\delta \varphi} = \frac{\bar{\partial} L_M}{\partial \varphi} - (\mathcal{D}_a^* + \mathcal{T}_a^*) \left(\frac{\partial L_M}{\partial (\mathcal{D}_a^* \varphi)} \right) = 0,$ $\frac{\delta L_M}{\delta \phi} = \frac{\bar{\partial} L_M}{\partial \phi} - (\mathcal{D}_a^* + \mathcal{T}_a^*) \left(\frac{\partial L_M}{\partial (\mathcal{D}_a^* \phi)} \right) = 0.$	$\frac{\delta L_M}{\delta \varphi} = \frac{\bar{\partial} L_M}{\partial \varphi} - (\mathcal{D}_a^* + \mathcal{T}_a^*) \left(\frac{\partial L_M}{\partial (\mathcal{D}_a^* \varphi)} \right) = 0,$ $\frac{\delta L_M}{\delta \phi} = \frac{\bar{\partial} L_M}{\partial \phi} - (\mathcal{D}_a^* + \mathcal{T}_a^*) \left(\frac{\partial L_M}{\partial (\mathcal{D}_a^* \phi)} \right) = 0.$
1510.06699_ E00227 (261)	42	0.664	$\begin{aligned} \mathcal{L}_M &= h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi + \frac{1}{2} \nu (\mathcal{D}_a^\dagger \phi) (\mathcal{D}^{\dagger a} \phi) - \lambda \phi^4 + \frac{1}{12} \nu \phi^2 \mathcal{R}^\dagger + \phi^2 L_{\mathcal{T}^\dagger 2} \right] - \frac{1}{2} \nu h^{-1} (\mathcal{D}_a + \mathcal{T}_a) (\phi^2 \mathcal{V}^a), \\ &\mathcal{L}_M = h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi + \frac{1}{2} \nu (\mathcal{D}_a^\dagger \phi) (\mathcal{D}^{\dagger a} \phi) - \lambda \phi^4 + \frac{1}{12} \nu \phi^2 \mathcal{R}^\dagger + \phi^2 L_{\mathcal{T}^\dagger 2} \right] - \frac{1}{2} \nu h^{-1} (\mathcal{D}_a + \mathcal{T}_a) (\phi^2 \mathcal{V}^a), \end{aligned}$	$\mathcal{L}_M = h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi + \frac{1}{2} \nu (\mathcal{D}_a^\dagger \phi) (\mathcal{D}^{\dagger a} \phi) - \lambda \phi^4 + \frac{1}{12} \nu \phi^2 \mathcal{R}^\dagger + \phi^2 L_{\mathcal{T}^\dagger 2} \right] - \frac{1}{2} \nu h^{-1} (\mathcal{D}_a + \mathcal{T}_a) (\phi^2 \mathcal{V}^a),$	$\mathcal{L}_M = h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi + \frac{1}{2} \nu (\mathcal{D}_a^\dagger \phi) (\mathcal{D}^{\dagger a} \phi) - \lambda \phi^4 + \frac{1}{12} \nu \phi^2 \mathcal{R}^\dagger + \phi^2 L_{\mathcal{T}^\dagger 2} \right] - \frac{1}{2} \nu h^{-1} (\mathcal{D}_a + \mathcal{T}_a) (\phi^2 \mathcal{V}^a),$
1510.06699_ E00074 (79)	16	0.671	$\begin{aligned} \mathcal{L}_M &= h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi + \frac{1}{2} \nu (\mathcal{D}_a^* \phi) (\mathcal{D}^{*a} \phi) - \lambda \phi^4 \right. \\ &\quad \left. - a \phi^2 \mathcal{R} + \phi^2 L_{\mathcal{T}^{*2}} \right] \end{aligned}$	$\mathcal{L}_M = h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi + \frac{1}{2} \nu (\mathcal{D}_a^* \phi) (\mathcal{D}^{*a} \phi) - \lambda \phi^4 \right. \\ \left. - a \phi^2 \mathcal{R} + \phi^2 L_{\mathcal{T}^{*2}} \right]$	$\mathcal{L}_M = h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi + \frac{1}{2} \nu (\mathcal{D}_a^* \phi) (\mathcal{D}^{*a} \phi) - \lambda \phi^4 \right. \\ \left. - a \phi^2 \mathcal{R} + \phi^2 L_{\mathcal{T}^{*2}} \right], \quad (79)$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00211 (238)	39	■0.675	$\begin{aligned} & \hleft(\sigma_{\phi})_{ab}{}^c = -\frac{1}{3}\nu\phi\delta_{[a}^c\mathcal{D}_{b]}^{\dagger}\phi \\ & \hleft(\sigma_{\mathcal{R}}\right)_{ab}{}^c = -a\left(\delta_{[a}^c\mathcal{D}_{b]}^{\dagger} + \frac{1}{2}\mathcal{T}^{\dagger c}{}_{ab}\right)\phi^2 \\ & \hleft(\sigma_{\mathcal{T}^2}\right)_{ab}{}^c = -4\beta_1\phi^2\mathcal{T}^{\dagger}{}_{[ab]}{}^c + 2\beta_2\phi^2\left(\mathcal{T}^{\dagger c}{}_{ab} + \mathcal{T}^{\dagger}{}_{[ab]}{}^c\right)\phi \end{aligned}$	$\begin{aligned} & h\left(\sigma_{\phi}\right)_{ab}{}^c = -\frac{1}{3}\nu\phi\delta_{[a}^c\mathcal{D}_{b]}^{\dagger}\phi \\ & h\left(\sigma_{\mathcal{R}}\right)_{ab}{}^c = -a\left(\delta_{[a}^c\mathcal{D}_{b]}^{\dagger} + \frac{1}{2}\mathcal{T}^{\dagger c}{}_{ab}\right)\phi^2 \\ & h\left(\sigma_{\mathcal{T}^2}\right)_{ab}{}^c = -4\beta_1\phi^2\mathcal{T}^{\dagger}{}_{[ab]}{}^c + 2\beta_2\phi^2\left(\mathcal{T}^{\dagger c}{}_{ab} + \mathcal{T}^{\dagger}{}_{[ab]}{}^c\right)\phi \end{aligned}$	$\begin{aligned} & h\left(\sigma_{\phi}\right)_{ab}{}^c = -\frac{1}{3}\nu\phi\delta_{[a}^c\mathcal{D}_{b]}^{\dagger}\phi, \\ & h\left(\sigma_{\mathcal{R}}\right)_{ab}{}^c = -a\left(\delta_{[a}^c\mathcal{D}_{b]}^{\dagger} + \frac{1}{2}\mathcal{T}^{\dagger c}{}_{ab}\right)\phi^2, \\ & h\left(\sigma_{\mathcal{T}^2}\right)_{ab}{}^c = -4\beta_1\phi^2\mathcal{T}^{\dagger}{}_{[ab]}{}^c + 2\beta_2\phi^2\left(\mathcal{T}^{\dagger c}{}_{ab} + \mathcal{T}^{\dagger}{}_{[ab]}{}^c\right)\phi \end{aligned}$
1510.06699_ E00216 (248)	39	■0.686	$\begin{aligned} & \partial_{\phi}L_{\mathcal{R}^2} = 0, \\ & \partial_{\phi}L_{\mathcal{H}^2} = 0, \end{aligned}$	$\begin{aligned} & \partial_{\phi}L_{\mathcal{R}^2} = 0, \\ & \partial_{\phi}L_{\mathcal{H}^2} = 0, \end{aligned}$	$\begin{aligned} & \partial_{\phi}L_{\mathcal{R}^2} = 0, \\ & \partial_{\phi}L_{\mathcal{H}^2} = 0, \end{aligned}$
1510.06699_ E00213 (239)	39	■0.687	$\begin{aligned} & \hleft(j_{\mathcal{R}^2}\right)_a = -12\alpha_1\mathcal{D}_a^{\dagger}\mathcal{R}^{\dagger} \\ & \quad -4\alpha_2\left[\mathcal{D}_b^{\dagger}\left(\mathcal{R}_a^{\dagger b} + \frac{1}{2}\delta_a^b\mathcal{R}^{\dagger}\right) - \frac{1}{2}\mathcal{T}^{\dagger b}{}_{ac}\mathcal{R}_b^{\dagger c}\right] \\ & \quad -4\alpha_3\left[\mathcal{D}_b^{\dagger}\left(\mathcal{R}_a^{\dagger b} + \frac{1}{2}\delta_a^b\mathcal{R}^{\dagger}\right) - \frac{1}{2}\mathcal{T}^{\dagger b}{}_{ac}\mathcal{R}^{\dagger c}{}_b\right] \\ & \quad -8\alpha_4\left[\mathcal{D}_b^{\dagger}\mathcal{R}_a^{\dagger b} - \frac{1}{2}\mathcal{T}^{\dagger bcd}\mathcal{R}_{abcd}^{\dagger}\right] \\ & \quad -2\alpha_5\left[\mathcal{D}_b^{\dagger}\left(\mathcal{R}_a^{\dagger b} + \mathcal{R}^{\dagger b}{}_a\right) - \mathcal{T}^{\dagger bcd}\left(\mathcal{R}_{cbad}^{\dagger} + \mathcal{R}_{cabd}^{\dagger}\right)\right] \\ & \quad -8\alpha_6\left[\mathcal{D}_b^{\dagger}\mathcal{R}^{\dagger b}{}_a - \frac{1}{2}\mathcal{T}^{\dagger bcd}\mathcal{R}_{cdab}^{\dagger}\right] \\ & \hleft(j_{\mathcal{H}^2}\right)_a = -2\xi\left[\mathcal{D}_b^{\dagger}\mathcal{H}^{\dagger b}{}_a - \frac{1}{2}\mathcal{T}^{\dagger}{}_{acd}\mathcal{H}^{\dagger cd}\right] \end{aligned}$	$\begin{aligned} & h\left(j_{\mathcal{R}^2}\right)_a = -12\alpha_1\mathcal{D}_a^{\dagger}\mathcal{R}^{\dagger} \\ & \quad -4\alpha_2\left[\mathcal{D}_b^{\dagger}\left(\mathcal{R}_a^{\dagger b} + \frac{1}{2}\delta_a^b\mathcal{R}^{\dagger}\right) - \frac{1}{2}\mathcal{T}^{\dagger b}{}_{ac}\mathcal{R}_b^{\dagger c}\right] \\ & \quad -4\alpha_3\left[\mathcal{D}_b^{\dagger}\left(\mathcal{R}_a^{\dagger b} + \frac{1}{2}\delta_a^b\mathcal{R}^{\dagger}\right) - \frac{1}{2}\mathcal{T}^{\dagger b}{}_{ac}\mathcal{R}^{\dagger c}{}_b\right] \\ & \quad -8\alpha_4\left[\mathcal{D}_b^{\dagger}\mathcal{R}_a^{\dagger b} - \frac{1}{2}\mathcal{T}^{\dagger bcd}\mathcal{R}_{abcd}^{\dagger}\right] \\ & \quad -2\alpha_5\left[\mathcal{D}_b^{\dagger}\left(\mathcal{R}_a^{\dagger b} + \mathcal{R}^{\dagger b}{}_a\right) - \mathcal{T}^{\dagger bcd}\left(\mathcal{R}_{cbad}^{\dagger} + \mathcal{R}_{cabd}^{\dagger}\right)\right] \\ & \quad -8\alpha_6\left[\mathcal{D}_b^{\dagger}\mathcal{R}^{\dagger b}{}_a - \frac{1}{2}\mathcal{T}^{\dagger bcd}\mathcal{R}_{cdab}^{\dagger}\right] \\ & h\left(j_{\mathcal{H}^2}\right)_a = -2\xi\left[\mathcal{D}_b^{\dagger}\mathcal{H}^{\dagger b}{}_a - \frac{1}{2}\mathcal{T}^{\dagger}{}_{acd}\mathcal{H}^{\dagger cd}\right] \end{aligned}$	$\begin{aligned} & h\left(j_{\mathcal{R}^2}\right)_a = -12\alpha_1\mathcal{D}_a^{\dagger}\mathcal{R}^{\dagger} \\ & \quad -4\alpha_2\left[\mathcal{D}_b^{\dagger}\left(\mathcal{R}_a^{\dagger b} + \frac{1}{2}\delta_a^b\mathcal{R}^{\dagger}\right) - \frac{1}{2}\mathcal{T}^{\dagger b}{}_{ac}\mathcal{R}_b^{\dagger c}\right] \\ & \quad -4\alpha_3\left[\mathcal{D}_b^{\dagger}\left(\mathcal{R}_a^{\dagger b} + \frac{1}{2}\delta_a^b\mathcal{R}^{\dagger}\right) - \frac{1}{2}\mathcal{T}^{\dagger b}{}_{ac}\mathcal{R}^{\dagger c}{}_b\right] \\ & \quad -8\alpha_4\left[\mathcal{D}_b^{\dagger}\mathcal{R}_a^{\dagger b} - \frac{1}{2}\mathcal{T}^{\dagger bcd}\mathcal{R}_{abcd}^{\dagger}\right] \\ & \quad -2\alpha_5\left[\mathcal{D}_b^{\dagger}\left(\mathcal{R}_a^{\dagger b} + \mathcal{R}^{\dagger b}{}_a\right) - \mathcal{T}^{\dagger bcd}\left(\mathcal{R}_{cbad}^{\dagger} + \mathcal{R}_{cabd}^{\dagger}\right)\right] \\ & \quad -8\alpha_6\left[\mathcal{D}_b^{\dagger}\mathcal{R}^{\dagger b}{}_a - \frac{1}{2}\mathcal{T}^{\dagger bcd}\mathcal{R}_{cdab}^{\dagger}\right], \quad (241) \\ & h\left(j_{\mathcal{H}^2}\right)_a = -2\xi\left[\mathcal{D}_b^{\dagger}\mathcal{H}^{\dagger b}{}_a - \frac{1}{2}\mathcal{T}^{\dagger}{}_{acd}\mathcal{H}^{\dagger cd}\right], \quad (242) \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0201 (219)	37	0.691	$\begin{aligned} \{ \}^{\{0\}} \Gamma^{\{\dagger \lambda \}}_{\lambda} \{ \}_{\mu \nu} &= \frac{1}{2} g^{\lambda \rho} \left(\partial_{\mu}^{\dagger} g_{\nu \rho} + \partial_{\nu}^{\dagger} g_{\mu \rho} - \partial_{\rho}^{\dagger} g_{\mu \nu} \right) \\ &= \Gamma^{\lambda}_{\mu \nu} - \delta_{\nu}^{\lambda} \left(V_{\mu} + \frac{1}{3} T_{\mu} \right) - \delta_{\mu}^{\lambda} \left(V_{\nu} + \frac{1}{3} T_{\nu} \right) \\ &\quad + g_{\mu \nu} \left(V^{\lambda} + \frac{1}{3} T^{\lambda} \right) \end{aligned}$	${}^0\Gamma^{\dagger\lambda}_{\mu\nu}=\frac{1}{2}g^{\lambda\rho}\left(\partial_{\mu}^{\dagger}g_{\nu\rho}+\partial_{\nu}^{\dagger}g_{\mu\rho}-\partial_{\rho}^{\dagger}g_{\mu\nu}\right)$ $={}^0\Gamma^{\lambda}_{\mu\nu}-\delta_{\nu}^{\lambda}\left(V_{\mu}+\frac{1}{3}T_{\mu}\right)-\delta_{\mu}^{\lambda}\left(V_{\nu}+\frac{1}{3}T_{\nu}\right)$ $+g_{\mu\nu}\left(V^{\lambda}+\frac{1}{3}T^{\lambda}\right)$	${}^0\Gamma^{\dagger\lambda}_{\mu\nu}=\frac{1}{2}g^{\lambda\rho}\left(\partial_{\mu}^{\dagger}g_{\nu\rho}+\partial_{\nu}^{\dagger}g_{\mu\rho}-\partial_{\rho}^{\dagger}g_{\mu\nu}\right)$ $={}^0\Gamma^{\lambda}_{\mu\nu}-\delta_{\nu}^{\lambda}\left(V_{\mu}+\frac{1}{3}T_{\mu}\right)-\delta_{\mu}^{\lambda}\left(V_{\nu}+\frac{1}{3}T_{\nu}\right)$ $+g_{\mu\nu}\left(V^{\lambda}+\frac{1}{3}T^{\lambda}\right),$
1510.06699_ EQ0147 (161b)	28	0.692	$\begin{aligned} \mathcal{D}_{[a}^{\dagger}\mathcal{R}^{\dagger de}_{bc]}-\mathcal{T}^{\dagger f}_{[ab}\mathcal{R}^{\dagger de}_{c]f}&=0,\\ \mathcal{D}_{[a}^{\dagger}\mathcal{T}^{\dagger d}_{bc]}-\mathcal{T}^{\dagger e}_{[ab}\mathcal{T}^{\dagger d}_{c]e}-\mathcal{R}^{\dagger d}_{[abc]}+\mathcal{H}^{\dagger}_{[ab}\delta^d_{c]}&=0,\\ \mathcal{D}_{[a}^{\dagger}\mathcal{H}^{\dagger}_{bc]}-\mathcal{T}^{\dagger e}_{[ab}\mathcal{H}^{\dagger}_{c]e}&=0. \end{aligned}$	$\mathcal{D}_{[a}^{\dagger}\mathcal{R}^{\dagger de}_{bc]}-\mathcal{T}^{\dagger f}_{[ab}\mathcal{R}^{\dagger de}_{c]f}=0,$ $\mathcal{D}_{[a}^{\dagger}\mathcal{T}^{\dagger d}_{bc]}-\mathcal{T}^{\dagger e}_{[ab}\mathcal{T}^{\dagger d}_{c]e}-\mathcal{R}^{\dagger d}_{[abc]}+\mathcal{H}^{\dagger}_{[ab}\delta^d_{c]}=0,$ $\mathcal{D}_{[a}^{\dagger}\mathcal{H}^{\dagger}_{bc]}-\mathcal{T}^{\dagger e}_{[ab}\mathcal{H}^{\dagger}_{c]e}=0.$	$\mathcal{D}_{[a}^{\dagger}\mathcal{R}^{\dagger de}_{bc]}-\mathcal{T}^{\dagger f}_{[ab}\mathcal{R}^{\dagger de}_{c]f}=0,$ $\mathcal{D}_{[a}^{\dagger}\mathcal{T}^{\dagger d}_{bc]}-\mathcal{T}^{\dagger e}_{[ab}\mathcal{T}^{\dagger d}_{c]e}-\mathcal{R}^{\dagger d}_{[abc]}+\mathcal{H}^{\dagger}_{[ab}\delta^d_{c]}=0,$ $\mathcal{D}_{[a}^{\dagger}\mathcal{H}^{\dagger}_{bc]}-\mathcal{T}^{\dagger e}_{[ab}\mathcal{H}^{\dagger}_{c]e}=0.$
1510.06699_ EQ0115 (124)	22	0.692	$\nabla_{\sigma}g_{\mu\nu}=-2B_{\sigma}g_{\mu\nu}$	$\nabla_{\sigma}g_{\mu\nu}=-2B_{\sigma}g_{\mu\nu},$	$\nabla_{\sigma}g_{\mu\nu}=-2B_{\sigma}g_{\mu\nu},$
1510.06699_ EQ0226 (260)	42	0.694	$\mathcal{L}_{\mathcal{M}}=\hbar^{-1}\left[\frac{1}{2}i\bar{\psi}\gamma^a\overleftrightarrow{\mathcal{D}}_a\psi-\mu\phi\bar{\psi}\psi-\lambda\phi^4-a\phi^2\mathcal{R}+\phi^2L_{\mathcal{T}^{*2}}\right]$	$\mathcal{L}_{\mathcal{M}}=h^{-1}\left[\frac{1}{2}i\bar{\psi}\gamma^a\overleftrightarrow{\mathcal{D}}_a\psi-\mu\phi\bar{\psi}\psi-\lambda\phi^4-a\phi^2\mathcal{R}+\phi^2L_{\mathcal{T}^{*2}}\right]$	$\mathcal{L}_{\mathcal{M}}=h^{-1}[\frac{1}{2}i\bar{\psi}\gamma^a\overleftrightarrow{\mathcal{D}}_a\psi-\mu\phi\bar{\psi}\psi-\lambda\phi^4-a\phi^2\mathcal{R}+\phi^2L_{\mathcal{T}^{*2}}],$
1510.06699_ EQ0218 (252)	40	0.699	$\begin{aligned} &\& \nu \mathcal{D}^{\dagger}_a(\mathcal{D}^{\dagger a}\phi)+4\lambda\phi^3-\partial_{\phi}L_{\varphi} \\ &\quad +\phi\left(a\mathcal{R}^{\dagger}-2\beta_1\mathcal{T}^{\dagger}_{abc}\mathcal{T}^{\dagger abc}-2\beta_2\mathcal{T}^{\dagger}_{abc}\mathcal{T}^{\dagger bac}\right)=0 \end{aligned}$	$\nu\mathcal{D}^{\dagger}_a(\mathcal{D}^{\dagger a}\phi)+4\lambda\phi^3-\partial_{\phi}L_{\varphi}$ $+\phi(a\mathcal{R}^{\dagger}-2\beta_1\mathcal{T}^{\dagger}_{abc}\mathcal{T}^{\dagger abc}-2\beta_2\mathcal{T}^{\dagger}_{abc}\mathcal{T}^{\dagger bac})=0.$	$\nu\mathcal{D}^{\dagger}_a(\mathcal{D}^{\dagger a}\phi)+4\lambda\phi^3-\partial_{\phi}L_{\varphi}$ $+\phi(a\mathcal{R}^{\dagger}-2\beta_1\mathcal{T}^{\dagger}_{abc}\mathcal{T}^{\dagger abc}-2\beta_2\mathcal{T}^{\dagger}_{abc}\mathcal{T}^{\dagger bac})=0.$
1510.06699_ EQ0137 (151a)	26	0.704	$\begin{aligned} R^{\{\dagger}a b\}_{\mu \nu} &\& \equiv \partial_{\mu} A^{\dagger ab}_{\nu} - \partial_{\nu} A^{\dagger ab}_{\mu} + A^{\dagger a}_{c \mu} A^{\dagger cb}_{\nu} - A^{\dagger a}_{c \nu} A^{\dagger cb}_{\mu} \\ &= R^{ab}_{\mu \nu} + 4 b^{[b}_{[\nu} D_{\mu]} \mathcal{V}^{a]} + 4 \mathcal{V}^{[a} V_{[\mu} b^{b]}_{\nu]} - 2 \mathcal{V}^e \mathcal{V}_e b^{[a}_{\mu} b^{b]}_{\nu} + 2 \mathcal{V}^{[a} T^{b]}_{\mu \nu}, \end{aligned}$	$R^{\dagger ab}_{\mu\nu}\equiv\partial_{\mu}A^{\dagger ab}_{\nu}-\partial_{\nu}A^{\dagger ab}_{\mu}+A^{\dagger a}_{c\mu}A^{\dagger cb}_{\nu}-A^{\dagger a}_{c\nu}A^{\dagger cb}_{\mu}$ $=R^{ab}_{\mu\nu}+4b^{[b}_{[\nu}D_{\mu]}\mathcal{V}^{a]}+4\mathcal{V}^{[a}V_{[\mu}b^{b]}_{\nu]}-2\mathcal{V}^e\mathcal{V}_eb^{[a}_{\mu}b^{b]}_{\nu}+2\mathcal{V}^{[a}T^{b]}_{\mu\nu}$	$R^{\dagger ab}_{\mu\nu}\equiv\partial_{\mu}A^{\dagger ab}_{\nu}-\partial_{\nu}A^{\dagger ab}_{\mu}+A^{\dagger a}_{c\mu}A^{\dagger cb}_{\nu}-A^{\dagger a}_{c\nu}A^{\dagger cb}_{\mu},$ $=R^{ab}_{\mu\nu}+4b^{[b}_{[\nu}D_{\mu]}\mathcal{V}^{a]}+4\mathcal{V}^{[a}V_{[\mu}b^{b]}_{\nu]}-2\mathcal{V}^e\mathcal{V}_eb^{[a}_{\mu}b^{b]}_{\nu}+2\mathcal{V}^{[a}T^{b]}_{\mu\nu},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00022 (23)	9	■ 0.723	$A^{\prime a}{}_{\mu}(x) \left(x^{\prime \mu} \frac{\partial}{\partial x^{\prime \mu}} \left[\Lambda^a{}_c(x) \Lambda^b{}_d(x) A^{cd}{}_{\nu}(x) - \Lambda^{bc}(x) \partial_{\nu} \Lambda^a{}_c(x) \right] \right. \\ \left. - \Lambda^{bc}(x) \partial_{\nu} \Lambda^a{}_c(x) \right)$	$A'^{ab}{}_{\mu}(x') = \frac{\partial x^{\nu}}{\partial x'^{\mu}} \left[\Lambda^a{}_c(x) \Lambda^b{}_d(x) A^{cd}{}_{\nu}(x) - \Lambda^{bc}(x) \partial_{\nu} \Lambda^a{}_c(x) \right],$	$A'^{ab}{}_{\mu}(x') = \frac{\partial x^{\nu}}{\partial x'^{\mu}} \left[\Lambda^a{}_c(x) \Lambda^b{}_d(x) A^{cd}{}_{\nu}(x) - \Lambda^{bc}(x) \partial_{\nu} \Lambda^a{}_c(x) \right],$
1510.06699_ E00013 (14)	8	■ 0.734	$L_{\mathrm{M}} = \frac{1}{2} i \bar{\psi} \gamma^{\mu} \overleftrightarrow{\partial}_{\mu} \psi + \frac{1}{2} \partial_{\mu} \phi \partial^{\mu} \phi - \mu \phi \bar{\psi} \psi,$	$L_{\mathrm{M}} = \frac{1}{2} i \bar{\psi} \gamma^{\mu} \overleftrightarrow{\partial}_{\mu} \psi + \frac{1}{2} \partial_{\mu} \phi \partial^{\mu} \phi - \mu \phi \bar{\psi} \psi,$	$L_{\mathrm{M}} = \frac{1}{2} i \bar{\psi} \gamma^{\mu} \overleftrightarrow{\partial}_{\mu} \psi + \frac{1}{2} \partial_{\mu} \phi \partial^{\mu} \phi - \mu \phi \bar{\psi} \psi,$
1510.06699_ E00182 (190)	33	■ 0.744	$\begin{aligned} \mathcal{L}_{\mathrm{T}} = & \mathcal{L}_{\mathrm{G}}(\widehat{h}, \partial \widehat{h}, \partial^2 \widehat{h}, \widehat{A}^{\dagger}, \partial \widehat{A}^{\dagger}) \\ & + \mathcal{L}_{\mathrm{M}}(\widehat{\varphi}, \partial \widehat{\varphi}, \phi_0, 0, \widehat{h}, \partial \widehat{h}, \widehat{A}^{\dagger}, \partial \widehat{A}^{\dagger}). \end{aligned}$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(\widehat{h}, \partial \widehat{h}, \partial^2 \widehat{h}, \widehat{A}^{\dagger}, \partial \widehat{A}^{\dagger}) \\ + \mathcal{L}_{\mathrm{M}}(\widehat{\varphi}, \partial \widehat{\varphi}, \phi_0, 0, \widehat{h}, \partial \widehat{h}, \widehat{A}^{\dagger}, \partial \widehat{A}^{\dagger}).$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(\widehat{h}, \partial \widehat{h}, \partial^2 \widehat{h}, \widehat{A}^{\dagger}, \partial \widehat{A}^{\dagger}) \\ + \mathcal{L}_{\mathrm{M}}(\widehat{\varphi}, \partial \widehat{\varphi}, \phi_0, 0, \widehat{h}, \partial \widehat{h}, \widehat{A}^{\dagger}, \partial \widehat{A}^{\dagger}).$
1510.06699_ E00012 (13)	8	■ 0.749	$\begin{aligned} L_{\mathrm{D}}^{\prime} = & \frac{1}{2} i \bar{\psi}^{\prime} \gamma^{\mu} \overleftrightarrow{\partial}_{\mu}^{\prime} \psi^{\prime} - m \bar{\psi}^{\prime} \psi^{\prime} \\ = & \frac{1}{2} i e^{(2w-1)\rho} \bar{\psi} \gamma^{\mu} \overleftrightarrow{\partial}_{\mu} \psi - m e^{2w\rho} \bar{\psi} \psi \end{aligned}$	$L_{\mathrm{D}}^{\prime} = \frac{1}{2} i \bar{\psi}^{\prime} \gamma^{\mu} \overleftrightarrow{\partial}_{\mu}^{\prime} \psi^{\prime} - m \bar{\psi}^{\prime} \psi^{\prime} \\ = \frac{1}{2} i e^{(2w-1)\rho} \bar{\psi} \gamma^{\mu} \overleftrightarrow{\partial}_{\mu} \psi - m e^{2w\rho} \bar{\psi} \psi$	$L_{\mathrm{D}}^{\prime} = \frac{1}{2} i \bar{\psi}^{\prime} \gamma^{\mu} \overleftrightarrow{\partial}_{\mu}^{\prime} \psi^{\prime} - m \bar{\psi}^{\prime} \psi^{\prime} \\ = \frac{1}{2} i e^{(2w-1)\rho} \bar{\psi} \gamma^{\mu} \overleftrightarrow{\partial}_{\mu} \psi - m e^{2w\rho} \bar{\psi} \psi.$
1510.06699_ E00155 (169a)	29	■ 0.758	$\begin{aligned} & t_{ab}^{\prime} = t_{ab} + 2\theta(s_{ac}{}^c \mathcal{P}_b - s_{cba} \mathcal{P}^c), \\ & \tau_{ab}^{\prime} = \tau_{ab} + 2\theta(\sigma_{ac}{}^c \mathcal{P}_b - \sigma_{cba} \mathcal{P}^c), \end{aligned}$	$t_{ab}^{\prime} = t_{ab} + 2\theta(s_{ac}{}^c \mathcal{P}_b - s_{cba} \mathcal{P}^c) \\ \tau_{ab}^{\prime} = \tau_{ab} + 2\theta(\sigma_{ac}{}^c \mathcal{P}_b - \sigma_{cba} \mathcal{P}^c)$	$t_{ab}^{\prime} = t_{ab} + 2\theta(s_{ac}{}^c \mathcal{P}_b - s_{cba} \mathcal{P}^c), \\ \tau_{ab}^{\prime} = \tau_{ab} + 2\theta(\sigma_{ac}{}^c \mathcal{P}_b - \sigma_{cba} \mathcal{P}^c),$
1510.06699_ E00108 (116)	21	■ 0.766	$\hat{e}_a \cdot \hat{e}_b = \eta_{ab} = g_{\mu\nu} h_a{}^{\mu} h_b{}^{\nu}.$	$\hat{e}_a \cdot \hat{e}_b = \eta_{ab} = g_{\mu\nu} h_a{}^{\mu} h_b{}^{\nu}.$	$\hat{e}_a \cdot \hat{e}_b = \eta_{ab} = g_{\mu\nu} h_a{}^{\mu} h_b{}^{\nu}.$
1510.06699_ E00123 (134)	23	■ 0.768	$\begin{aligned} & h_a^{\prime\mu}(x) = e^{-\rho(x)} h_a{}^{\mu}(x), \\ & A'^{ab}{}_{\mu}(x) = A^{ab}{}_{\mu}(x), \end{aligned}$	$h_a^{\prime\mu}(x) = e^{-\rho(x)} h_a{}^{\mu}(x), \\ A'^{ab}{}_{\mu}(x) = A^{ab}{}_{\mu}(x),$	$h_a^{\prime\mu}(x) = e^{-\rho(x)} h_a{}^{\mu}(x), \\ A'^{ab}{}_{\mu}(x) = A^{ab}{}_{\mu}(x),$
1510.06699_ E00222 (256)	41	■ 0.771	$\begin{aligned} & \mathcal{L}_{\mathrm{M}} = h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi + \frac{1}{2} \nu (\mathcal{D}_a \phi) (\mathcal{D}^a \phi) - \lambda \phi^4 \right. \\ & \quad \left. - a \phi^2 \mathcal{R} + \phi^2 L_{\mathcal{T}^2} \right], \end{aligned}$	$\mathcal{L}_{\mathrm{M}} = h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi + \frac{1}{2} \nu (\mathcal{D}_a \phi) (\mathcal{D}^a \phi) - \lambda \phi^4 \right. \\ \left. - a \phi^2 \mathcal{R} + \phi^2 L_{\mathcal{T}^2} \right],$	$\mathcal{L}_{\mathrm{M}} = h^{-1} \left[\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi + \frac{1}{2} \nu (\mathcal{D}_a \phi) (\mathcal{D}^a \phi) - \lambda \phi^4 \right. \\ \left. - a \phi^2 \mathcal{R} + \phi^2 L_{\mathcal{T}^2} \right], \quad (256)$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0114 (123)	22	■ 0.786	$\begin{aligned} \Gamma^{\lambda}_{\nu\mu} &= e_a{}^{\lambda}(\partial_{\mu}^* e^a{}_{\nu} + A^a{}_{b\mu} e^b{}_{\nu}), \\ A^a{}_{b\mu} &= e^a{}_{\lambda}(\partial_{\mu}^* e_b{}^{\lambda} + \Gamma^{\lambda}_{\nu\mu} e_b{}^{\nu}). \end{aligned}$	$\Gamma^{\lambda}_{\nu\mu} = e_a{}^{\lambda}(\partial_{\mu}^* e^a{}_{\nu} + A^a{}_{b\mu} e^b{}_{\nu}),$ $A^a{}_{b\mu} = e^a{}_{\lambda}(\partial_{\mu}^* e_b{}^{\lambda} + \Gamma^{\lambda}_{\nu\mu} e_b{}^{\nu}).$	$\Gamma^{\lambda}_{\nu\mu} = e_a{}^{\lambda}(\partial_{\mu}^* e^a{}_{\nu} + A^a{}_{b\mu} e^b{}_{\nu}),$ $A^a{}_{b\mu} = e^a{}_{\lambda}(\partial_{\mu}^* e_b{}^{\lambda} + \Gamma^{\lambda}_{\nu\mu} e_b{}^{\nu}).$
1510.06699_ EQ0168 (184c)	31	■ 0.814	$\begin{aligned} &\left(\frac{\delta\mathcal{L}_M}{\delta h_c{}^{\mu}}\right)_{\dagger} = \tau^c{}_{\mu} + 2\sigma_{ab}{}^c \mathcal{V}^a b_{\mu}^b - 2\sigma^{cb}{}_b V_{\mu} = \tau^{\dagger c}{}_{\mu}, (184a) \\ &\left(\frac{\delta\mathcal{L}_M}{\delta A^{\dagger ab}{}_{\mu}}\right)_{\dagger} = \sigma_{ab}{}^{\mu}, (184b) \\ &\left(\frac{\delta\mathcal{L}_M}{\delta V_{\mu}}\right)_{\dagger} = \zeta^{\mu} - 2h_a{}^{\mu} \sigma^{ab}{}_b = \zeta^{\dagger\mu} = 0, (184c) \\ &\left(\frac{\delta\mathcal{L}_M}{\delta\varphi}\right)_{\dagger} = \frac{\delta\mathcal{L}_M}{\delta\varphi}, (184d) \\ &\left(\frac{\delta\mathcal{L}_M}{\delta\phi}\right)_{\dagger} = \frac{\delta\mathcal{L}_M}{\delta\phi}, (184e) \end{aligned}$	$\left(\frac{\delta\mathcal{L}_M}{\delta h_c{}^{\mu}}\right)_{\dagger} = \tau^c{}_{\mu} + 2\sigma_{ab}{}^c \mathcal{V}^a b_{\mu}^b - 2\sigma^{cb}{}_b V_{\mu} = \tau^{\dagger c}{}_{\mu}, (184a)$ $\left(\frac{\delta\mathcal{L}_M}{\delta A^{\dagger ab}{}_{\mu}}\right)_{\dagger} = \sigma_{ab}{}^{\mu},$ $\left(\frac{\delta\mathcal{L}_M}{\delta V_{\mu}}\right)_{\dagger} = \zeta^{\mu} - 2h_a{}^{\mu} \sigma^{ab}{}_b = \zeta^{\dagger\mu} = 0$ $\left(\frac{\delta\mathcal{L}_M}{\delta\varphi}\right)_{\dagger} = \frac{\delta\mathcal{L}_M}{\delta\varphi},$ $\left(\frac{\delta\mathcal{L}_M}{\delta\phi}\right)_{\dagger} = \frac{\delta\mathcal{L}_M}{\delta\phi},$	$\left(\frac{\delta\mathcal{L}_M}{\delta h_c{}^{\mu}}\right)_{\dagger} = \tau^c{}_{\mu} + 2\sigma_{ab}{}^c \mathcal{V}^a b_{\mu}^b - 2\sigma^{cb}{}_b V_{\mu} = \tau^{\dagger c}{}_{\mu}, (184a)$ $\left(\frac{\delta\mathcal{L}_M}{\delta A^{\dagger ab}{}_{\mu}}\right)_{\dagger} = \sigma_{ab}{}^{\mu},$ $\left(\frac{\delta\mathcal{L}_M}{\delta V_{\mu}}\right)_{\dagger} = \zeta^{\mu} - 2h_a{}^{\mu} \sigma^{ab}{}_b = \zeta^{\dagger\mu} = 0,$ $\left(\frac{\delta\mathcal{L}_M}{\delta\varphi}\right)_{\dagger} = \frac{\delta\mathcal{L}_M}{\delta\varphi},$ $\left(\frac{\delta\mathcal{L}_M}{\delta\phi}\right)_{\dagger} = \frac{\delta\mathcal{L}_M}{\delta\phi},$
1510.06699_ EQ0103 (111)	20	■ 0.819	$L_{\{\mathrm{G}\}} = L_{\{0_{\{\mathrm{R}\}} * 2\}} + L_{\{\mathrm{H}\}^{\{2\}}}$	$L_G = L_{0_{\mathcal{R}*2}} + L_{\mathcal{H}^2},$	$L_G = L_{0_{\mathcal{R}*2}} + L_{\mathcal{H}^2},$
1510.06699_ EQ0257 (C7)	50	■ 0.842	$\begin{aligned} \mathcal{A}_{abc} &= \frac{1}{2}(c_{abc} + c_{bca} - c_{cab}) \\ &+ \kappa h(\sigma_{abc} - \sigma_{bca} - \sigma_{cab} + \eta_{ac}\sigma_{bd}{}^d - \eta_{bc}\sigma_{ad}{}^d), \end{aligned}$	$\mathcal{A}_{abc} = \frac{1}{2}(c_{abc} + c_{bca} - c_{cab})$ $+ \kappa h(\sigma_{abc} - \sigma_{bca} - \sigma_{cab} + \eta_{ac}\sigma_{bd}{}^d - \eta_{bc}\sigma_{ad}{}^d),$	$\mathcal{A}_{abc} = \frac{1}{2}(c_{abc} + c_{bca} - c_{cab})$ $+ \kappa h(\sigma_{abc} - \sigma_{bca} - \sigma_{cab} + \eta_{ac}\sigma_{bd}{}^d - \eta_{bc}\sigma_{ad}{}^d),$
1510.06699_ EQ0209 (.234)	39	■ 0.860	$\begin{aligned} &s_{\{\mathrm{R}\}^{\{2\}}} + \left(s_{\{\mathrm{H}\}^{\{2\}}}\right)_{\mathrm{a}b}{}^c + \left(s_{\{\mathrm{H}\}^{\{2\}}}\right)_{\mathrm{a}b}{}^c \\ &+ (\sigma_{\varphi})_{ab}{}^c + (\sigma_{\phi})_{ab}{}^c + (\sigma_{\mathcal{R}})_{ab}{}^c + (\sigma_{\mathcal{T}^2})_{ab}{}^c = 0, \end{aligned}$	$(s_{\mathcal{R}^2})_{ab}{}^c + (s_{\mathcal{H}^2})_{ab}{}^c$ $+ (\sigma_{\varphi})_{ab}{}^c + (\sigma_{\phi})_{ab}{}^c + (\sigma_{\mathcal{R}})_{ab}{}^c + (\sigma_{\mathcal{T}^2})_{ab}{}^c = 0,$	$(s_{\mathcal{R}^2})_{ab}{}^c + (s_{\mathcal{H}^2})_{ab}{}^c$ $+ (\sigma_{\varphi})_{ab}{}^c + (\sigma_{\phi})_{ab}{}^c + (\sigma_{\mathcal{R}})_{ab}{}^c + (\sigma_{\mathcal{T}^2})_{ab}{}^c = 0,$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510..06699_ EQ0196 (213)	36	■ 0.861	$\begin{aligned} R^{\dagger}{}_{\sigma\mu\nu} &= 2\left(\partial_{[\mu}\Gamma^{\rho}{}_{ \sigma \nu]} + \Gamma^{\rho}{}_{\lambda[\mu}\Gamma^{\lambda}{}_{ \sigma \nu]}\right) + H^{\dagger}_{\mu\nu}\delta^{\rho}_{\sigma}, \\ T^{\dagger\lambda}{}_{\mu\nu} &= 2\Gamma^{\lambda}{}_{[\nu\mu]}, \\ H^{\dagger}_{\mu\nu} &= \partial_{\mu}\left(V_{\nu} + \frac{1}{3}T_{\nu}\right) - \partial_{\nu}\left(V_{\mu} + \frac{1}{3}T_{\mu}\right). \end{aligned}$	$\begin{aligned} R^{\dagger\rho}{}_{\sigma\mu\nu} &= 2\left(\partial_{[\mu}\Gamma^{\rho}{}_{ \sigma \nu]} + \Gamma^{\rho}{}_{\lambda[\mu}\Gamma^{\lambda}{}_{ \sigma \nu]}\right) + H^{\dagger}_{\mu\nu}\delta^{\rho}_{\sigma}, \\ T^{\dagger\lambda}{}_{\mu\nu} &= 2\Gamma^{\lambda}{}_{[\nu\mu]}, \\ H^{\dagger}_{\mu\nu} &= \partial_{\mu}\left(V_{\nu} + \frac{1}{3}T_{\nu}\right) - \partial_{\nu}\left(V_{\mu} + \frac{1}{3}T_{\mu}\right). \end{aligned}$	$\begin{aligned} R^{\dagger\rho}{}_{\sigma\mu\nu} &= 2(\partial_{[\mu}\Gamma^{\rho}{}_{ \sigma \nu]} + \Gamma^{\rho}{}_{\lambda[\mu}\Gamma^{\lambda}{}_{ \sigma \nu]}) + H^{\dagger}_{\mu\nu}\delta^{\rho}_{\sigma}, \\ T^{\dagger\lambda}{}_{\mu\nu} &= 2\Gamma^{\lambda}{}_{[\nu\mu]}, \\ H^{\dagger}_{\mu\nu} &= \partial_{\mu}(V_{\nu} + \tfrac{1}{3}T_{\nu}) - \partial_{\nu}(V_{\mu} + \tfrac{1}{3}T_{\mu}). \end{aligned}$
1510..06699_ EQ0102 (110b)	20	■ 0.862	$\begin{aligned} \mathcal{R}^{\mathbf{a}\mathbf{b}}_{\mathbf{c}\mathbf{d}} &= \mathcal{R}^{\mathbf{a}\mathbf{b}}_{\mathbf{c}\mathbf{d}} + \mathcal{D}_{\mathbf{c}}^*\mathcal{K}^{*\mathbf{a}\mathbf{b}}_{\mathbf{d}} - \mathcal{D}_{\mathbf{d}}^*\mathcal{K}^{*\mathbf{a}\mathbf{b}}_{\mathbf{c}} + \mathcal{K}^{*\mathbf{a}}{}_{\mathbf{e}\mathbf{c}}\mathcal{K}^{*\mathbf{e}\mathbf{b}}_{\mathbf{d}} - \mathcal{K}^{*\mathbf{a}}{}_{\mathbf{e}\mathbf{d}}\mathcal{K}^{*\mathbf{e}\mathbf{b}}_{\mathbf{c}} \\ \mathcal{R}^{\mathbf{a}}{}_{\mathbf{c}} &= \mathcal{R}^{\mathbf{a}}{}_{\mathbf{c}} + \mathcal{D}_{\mathbf{c}}^*\mathcal{K}^{*\mathbf{a}\mathbf{b}}_{\mathbf{b}} - \mathcal{D}_{\mathbf{b}}^*\mathcal{K}^{*\mathbf{a}\mathbf{b}}_{\mathbf{c}} + \mathcal{K}^{*\mathbf{a}}{}_{\mathbf{e}\mathbf{c}}\mathcal{K}^{*\mathbf{e}\mathbf{b}}_{\mathbf{b}} - \mathcal{K}^{*\mathbf{a}}{}_{\mathbf{e}\mathbf{b}}\mathcal{K}^{*\mathbf{e}\mathbf{b}}_{\mathbf{c}}, \\ \mathcal{R} &= \mathcal{R}^* + \frac{1}{4}\mathcal{T}^{*abc}\mathcal{T}_{abc}^* + \frac{1}{2}\mathcal{T}^{*abc}\mathcal{T}_{bac}^* - \mathcal{T}^{*a}\mathcal{T}_a^* - 2{}^0\mathcal{D}_a^*\mathcal{T}^{*a}. \end{aligned}$	$\begin{aligned} \mathcal{R}^{ab}{}_{cd} &= {}^0\mathcal{R}^{*ab}{}_{cd} + {}^0\mathcal{D}_c^*\mathcal{K}^{*ab}{}_d - {}^0\mathcal{D}_d^*\mathcal{K}^{*ab}{}_c + \mathcal{K}^{*a}{}_{ec}\mathcal{K}^{*eb}{}_d - \mathcal{K}^{*a}{}_{ed}\mathcal{K}^{*eb}{}_c \\ \mathcal{R}^a{}_c &= {}^0\mathcal{R}^{*a}{}_c + {}^0\mathcal{D}_c^*\mathcal{K}^{*ab}{}_b - {}^0\mathcal{D}_b^*\mathcal{K}^{*ab}{}_c + \mathcal{K}^{*a}{}_{ec}\mathcal{K}^{*eb}{}_b - \mathcal{K}^{*a}{}_{eb}\mathcal{K}^{*eb}{}_c, \\ \mathcal{R} &= {}^0\mathcal{R}^* + \tfrac{1}{4}\mathcal{T}^{*abc}\mathcal{T}_{abc}^* + \tfrac{1}{2}\mathcal{T}^{*abc}\mathcal{T}_{bac}^* - \mathcal{T}^{*a}\mathcal{T}_a^* - 2{}^0\mathcal{D}_a^*\mathcal{T}^{*a}. \end{aligned}$	$\begin{aligned} \mathcal{R}^{ab}{}_{cd} &= {}^0\mathcal{R}^{*ab}{}_{cd} + {}^0\mathcal{D}_c^*\mathcal{K}^{*ab}{}_d - {}^0\mathcal{D}_d^*\mathcal{K}^{*ab}{}_c + \mathcal{K}^{*a}{}_{ec}\mathcal{K}^{*eb}{}_d - \mathcal{K}^{*a}{}_{ed}\mathcal{K}^{*eb}{}_c \\ \mathcal{R}^a{}_c &= {}^0\mathcal{R}^{*a}{}_c + {}^0\mathcal{D}_c^*\mathcal{K}^{*ab}{}_b - {}^0\mathcal{D}_b^*\mathcal{K}^{*ab}{}_c + \mathcal{K}^{*a}{}_{ec}\mathcal{K}^{*eb}{}_b - \mathcal{K}^{*a}{}_{eb}\mathcal{K}^{*eb}{}_c, \\ \mathcal{R} &= {}^0\mathcal{R}^* + \tfrac{1}{4}\mathcal{T}^{*abc}\mathcal{T}_{abc}^* + \tfrac{1}{2}\mathcal{T}^{*abc}\mathcal{T}_{bac}^* - \mathcal{T}^{*a}\mathcal{T}_a^* - 2{}^0\mathcal{D}_a^*\mathcal{T}^{*a}. \end{aligned}$
1510..06699_ EQ0238 (A2) [re-fined: census]	47	■ 0.875	$\bar{\psi}\cancel{J}=J^{\mu}\bar{\psi}\gamma_{\mu}\bar{\psi}\gamma_{\mu}=\bar{\psi}\gamma_{\mu}\bar{\psi}\gamma_{\mu}.$	$\bar{\psi}\cancel{J} = J^{\mu}\bar{\psi}\gamma_{\mu} = \bar{\psi}\gamma^{\mu}\psi\bar{\psi}\gamma_{\mu}..$	$\bar{\psi}\cancel{J} = J^{\mu}\bar{\psi}\gamma_{\mu} = \bar{\psi}\gamma^{\mu}\psi\bar{\psi}\gamma_{\mu}.$
1510..06699_ EQ0234 (268)	44	■ 0.882	$\begin{array}{l} \mathcal{L}_{\mathbf{L}}[\mathbf{M}]=h^{-1}\left[\frac{1}{2}i\bar{\psi}\gamma^a\mathcal{D}_a\psi-\mu\phi\bar{\psi}\psi+\frac{1}{2}\nu\left({}^0\mathcal{D}_a\phi\right)\left({}^0\mathcal{D}^a\phi\right)-\lambda\phi^4\right. \\ \left.\leftarrow\mathcal{D}_a\psi+\frac{1}{2}\nu\leftarrow\left(\psi\right)\mathcal{D}_a\psi\right)\left(\psi\right)\mathcal{D}_a\psi\right)-\lambda\phi^4 \\ \left.\leftarrow\mathcal{D}_a\psi+\frac{1}{2}\nu\leftarrow\left(\psi\right)\mathcal{D}_a\psi\right)\left(\psi\right)\mathcal{D}_a\psi\right)-\lambda\phi^4\right]. \end{array}$	$\mathcal{L}_{\mathbf{M}}=h^{-1}\left[\frac{1}{2}i\bar{\psi}\gamma^{a0}\overset{\leftrightarrow}{\mathcal{D}}_a\psi-\mu\phi\bar{\psi}\psi+\frac{1}{2}\nu\left({}^0\mathcal{D}_a\phi\right)\left({}^0\mathcal{D}^a\phi\right)-\lambda\phi^4\right. \\ \left.\leftarrow\mathcal{D}_a\psi+\frac{1}{2}\nu\leftarrow\left(\psi\right)\mathcal{D}_a\psi\right)\left(\psi\right)\mathcal{D}_a\psi\right)-\lambda\phi^4\right].$	$\mathcal{L}_{\mathbf{M}}=h^{-1}[\tfrac{1}{2}i\bar{\psi}\gamma^a{}^0\overset{\leftrightarrow}{\mathcal{D}}_a\psi-\mu\phi\bar{\psi}\psi+\tfrac{1}{2}\nu\left({}^0\mathcal{D}_a\phi\right)\left({}^0\mathcal{D}^a\phi\right)-\lambda\phi^4 \\ -a\phi^2{}^0\mathcal{R}]. \quad (268)$
1510..06699_ EQ0180 (196)	33	■ 0.900	$\widehat{\varphi}\equiv\left(\frac{\phi}{\phi_0}\right)^{-w}\varphi,\quad\widehat{h}_a{}^{\mu}\equiv\left(\frac{\phi}{\phi_0}\right)^{-1}h_a{}^{\mu},\quad\widehat{A}^{\dagger ab}{}_{\mu}\equiv A^{\dagger ab}{}_{\mu},$	$\widehat{\varphi}\equiv\left(\frac{\phi}{\phi_0}\right)^{-w}\varphi,\quad\widehat{h}_a{}^{\mu}\equiv\left(\frac{\phi}{\phi_0}\right)^{-1}h_a{}^{\mu},\quad\widehat{A}^{\dagger ab}{}_{\mu}\equiv A^{\dagger ab}{}_{\mu},$	$\widehat{\varphi}\equiv\left(\frac{\phi}{\phi_0}\right)^{-w}\varphi,\quad\widehat{h}_a{}^{\mu}\equiv\left(\frac{\phi}{\phi_0}\right)^{-1}h_a{}^{\mu},\quad\widehat{A}^{\dagger ab}{}_{\mu}\equiv A^{\dagger ab}{}_{\mu},$
1510..06699_ EQ0190 (206)	35	■ 0.901	$\begin{aligned} \mathcal{L}_{\mathbf{T}} &= \mathcal{L}_{\mathbf{G}}(h, \partial h, \partial^2 h, A^{\dagger}, \partial A^{\dagger}) \\ &+ \mathcal{L}_{\mathbf{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^2 h, A^{\dagger}, \partial A^{\dagger}) \end{aligned}$	$\mathcal{L}_{\mathbf{T}} = \mathcal{L}_{\mathbf{G}}(h, \partial h, \partial^2 h, A^{\dagger}, \partial A^{\dagger}) \\ + \mathcal{L}_{\mathbf{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^2 h, A^{\dagger}, \partial A^{\dagger}),$	$\mathcal{L}_{\mathbf{T}} = \mathcal{L}_{\mathbf{G}}(h, \partial h, \partial^2 h, A^{\dagger}, \partial A^{\dagger}) \\ + \mathcal{L}_{\mathbf{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^2 h, A^{\dagger}, \partial A^{\dagger}),$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00145 (159)	27	■ 0.908	$\{ \}^{\{0\}} D_{\{\mu\}}^{\{\dagger\}} \varphi \equiv \left(\partial_{\mu}^{\dagger} + \frac{1}{2} A^{\dagger ab}{}_{\mu} \Sigma_{ab} \right) \varphi,$	${}^0D_{\mu}^{\dagger}\varphi\equiv\left(\partial_{\mu}^{\dagger}+\frac{1}{2}{}^0A^{\dagger ab}{}_{\mu}\Sigma_{ab}\right)\varphi,$	${}^0D_{\mu}^{\dagger}\varphi\equiv(\partial_{\mu}^{\dagger}+\frac{1}{2}{}^0A^{\dagger ab}{}_{\mu}\Sigma_{ab})\varphi,$
1510.06699_ E00275 (D14)	53	■ 0.909	$\begin{aligned} & \mathcal{D}_{\{a\}} \mathcal{D}^{\{a\}} \mathcal{B}^{\{c\}} \& - \mathcal{B}^{\{c\}} \mathcal{R}^{\{a c\}} \mathcal{B}_a + m^2 \mathcal{B}^c \\ & + 2 \kappa \left[(\delta_b^c \mathcal{D}_a - \kappa h \sigma_{ab}{}^c) (h \sigma^{abd} \mathcal{B}_d) \right] = 0 \end{aligned}$	$\mathcal{D}_a \mathcal{D}^a \mathcal{B}^c - \mathcal{R}^{ac} \mathcal{B}_a + m^2 \mathcal{B}^c + 2 \kappa \left[(\delta_b^c \mathcal{D}_a - \kappa h \sigma_{ab}{}^c) (h \sigma^{abd} \mathcal{B}_d) \right] = 0$	$\mathcal{D}_a \mathcal{D}^a \mathcal{B}^c - \mathcal{R}^{ac} \mathcal{B}_a + m^2 \mathcal{B}^c + 2 \kappa [(\delta_b^c \mathcal{D}_a - \kappa h \sigma_{ab}{}^c) (h \sigma^{abd} \mathcal{B}_d)] = 0,$
1510.06699_ E00273 (D12)	53	■ 0.910	$L_{\psi} = \frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi,$	$L_{\psi} = \frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi,$	$L_{\psi} = \frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi,$
1510.06699_ E00050 (62b)	14	■ 0.910	$\begin{aligned} & t^a{}_b + \tau^a{}_b = 0 \\ & s_{ab}{}^c + \sigma_{ab}{}^c = 0 \\ & j^a + \zeta^a = 0 \end{aligned}$	$t^a{}_b + \tau^a{}_b = 0$ $s_{ab}{}^c + \sigma_{ab}{}^c = 0$ $j^a + \zeta^a = 0$	$t^a{}_b + \tau^a{}_b = 0,$ $s_{ab}{}^c + \sigma_{ab}{}^c = 0,$ $j^a + \zeta^a = 0,$
1510.06699_ E00125 (138)	23	■ 0.912	$\mathcal{T}^{\prime a}{}_{bc} = e^{-\rho} (\mathcal{T}^a{}_{bc} + \mathcal{P}_b \delta_c^a - \mathcal{P}_c \delta_b^a),$	$\mathcal{T}'^a{}_{bc} = e^{-\rho} (\mathcal{T}^a{}_{bc} + \mathcal{P}_b \delta_c^a - \mathcal{P}_c \delta_b^a),$	$\mathcal{T}'^a{}_{bc} = e^{-\rho} (\mathcal{T}^a{}_{bc} + \mathcal{P}_b \delta_c^a - \mathcal{P}_c \delta_b^a),$
1510.06699_ E00161 (176)	30	■ 0.929	$\begin{aligned} & D_{\{c\}}^{\{\dagger\}} \left(h j^{\dagger c} \right) = 0, \\ & h t^{\dagger c}{}_c = 0. \end{aligned}$	$D_c^{\dagger} \left(h j^{\dagger c} \right) = 0,$ $h t^{\dagger c}{}_c = 0.$	$D_c^{\dagger} (h j^{\dagger c}) = 0,$ $h t^{\dagger c}{}_c = 0.$
1510.06699_ E00112 (120)	22	■ 0.934	$J^a + \delta J^a = (J^\mu + \delta J^\mu) e^a{}_\mu (x + \delta x).$	$J^a + \delta J^a = (J^\mu + \delta J^\mu) e^a{}_\mu (x + \delta x).$	$J^a + \delta J^a = (J^\mu + \delta J^\mu) e^a{}_\mu (x + \delta x).$
1510.06699_ E00240 (A4) [re-fined: census]	47	■ 0.943	$\bar{\psi} \cancel{J} = \bar{\psi} (\bar{\psi} \psi + \bar{\psi} i \gamma^5 \psi i \gamma^5) ..$	$\bar{\psi} \cancel{J} = \bar{\psi} (\bar{\psi} \psi + \bar{\psi} i \gamma^5 \psi i \gamma^5) ..$	$\bar{\psi} \cancel{J} = \bar{\psi} (\bar{\psi} \psi + \bar{\psi} i \gamma^5 \psi i \gamma^5).$
1510.06699_ E00264 (D3)	51	■ 0.943	$\begin{aligned} & L_{\mathrm{T}} \& = L_{\mathrm{M}} + L_{\mathrm{G}} \\ & = L_{\varphi} + \frac{1}{2} \nu \mathcal{D}_a^* \phi \mathcal{D}^{*a} \phi - \lambda \phi^4 - \frac{1}{2} a \phi^2 \mathcal{R} - \frac{1}{4} \xi \mathcal{H}_{ab} \mathcal{H}^{ab}. \end{aligned}$	$L_T = L_{\mathrm{M}} + L_{\mathrm{G}}$ $= L_{\varphi} + \frac{1}{2} \nu \mathcal{D}_a^* \phi \mathcal{D}^{*a} \phi - \lambda \phi^4 - \frac{1}{2} a \phi^2 \mathcal{R} - \frac{1}{4} \xi \mathcal{H}_{ab} \mathcal{H}^{ab}.$	$L_T = L_{\mathrm{M}} + L_{\mathrm{G}}$ $= L_{\varphi} + \frac{1}{2} \nu \mathcal{D}_a^* \phi \mathcal{D}^{*a} \phi - \lambda \phi^4 - \frac{1}{2} a \phi^2 \mathcal{R} - \frac{1}{4} \xi \mathcal{H}_{ab} \mathcal{H}^{ab}.$
1510.06699_ E00019 (20)	9	■ 0.944	$\begin{aligned} & D_{\{\mu\}}^{\{*\}} \varphi(x) \& \equiv \left[\partial_{\mu} + \frac{1}{2} A^{ab}{}_{\mu}(x) \Sigma_{ab} + w B_{\mu}(x) \right] \varphi(x) \\ & = [D_{\mu} + w B_{\mu}(x)] \varphi(x) \end{aligned}$	$D_{\mu}^* \varphi(x) \equiv \left[\partial_{\mu} + \frac{1}{2} A^{ab}{}_{\mu}(x) \Sigma_{ab} + w B_{\mu}(x) \right] \varphi(x)$ $= [D_{\mu} + w B_{\mu}(x)] \varphi(x)$	$D_{\mu}^* \varphi(x) \equiv [\partial_{\mu} + \frac{1}{2} A^{ab}{}_{\mu}(x) \Sigma_{ab} + w B_{\mu}(x)] \varphi(x)$ $= [D_{\mu} + w B_{\mu}(x)] \varphi(x),$
1510.06699_ E00167 (183)	31	■ 0.946	$\begin{aligned} & \mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, A^{\dagger}, \partial A^{\dagger}) \\ & + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A^{\dagger}, \partial A^{\dagger}), \end{aligned}$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, A^{\dagger}, \partial A^{\dagger}) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A^{\dagger}, \partial A^{\dagger}),$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, A^{\dagger}, \partial A^{\dagger}) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A^{\dagger}, \partial A^{\dagger}),$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00038 (39)	11	■ 0.946	$\begin{aligned} R^{\{a\ b\}}_{\{\mu\ \nu\}} &\equiv \partial_{\mu} A^{\{a\ b\}}_{\{\nu\}} - \partial_{\nu} A^{\{a\ b\}}_{\{\mu\}} + A^{\{a\ b\}}_{\{c\ \mu\}} A^{\{c\ b\}}_{\{\nu\}} - A^{\{a\ b\}}_{\{c\ \nu\}} A^{\{c\ b\}}_{\{\mu\}} \\ H_{\mu\nu} &\equiv \partial_{\mu} B_{\nu} - \partial_{\nu} B_{\mu} . \end{aligned}$	$R^{ab}_{\mu\nu} \equiv \partial_{\mu} A^{ab}_{\nu} - \partial_{\nu} A^{ab}_{\mu} + A^a_{c\mu} A^{cb}_{\nu} - A^a_{c\nu} A^{cb}_{\mu},$ $H_{\mu\nu} \equiv \partial_{\mu} B_{\nu} - \partial_{\nu} B_{\mu}.$	$R^{ab}_{\mu\nu} \equiv \partial_{\mu} A^{ab}_{\nu} - \partial_{\nu} A^{ab}_{\mu} + A^a_{c\mu} A^{cb}_{\nu} - A^a_{c\nu} A^{cb}_{\mu},$ $H_{\mu\nu} \equiv \partial_{\mu} B_{\nu} - \partial_{\nu} B_{\mu}.$
1510.06699_ E00124 (136)	23	■ 0.952	$\begin{aligned} h_a^{\prime\mu} &= e^{-\rho} h_a^{\mu} \\ A^{\prime ab}_{\mu} &= A^{ab}_{\mu} + \theta \left(b^a_{\mu} \mathcal{P}^b - b^b_{\mu} \mathcal{P}^a \right), \\ \theta &= \frac{1}{2} \left(\mathcal{P}^a_{[b} \mathcal{P}^b_{c]} - \mathcal{P}^b_{[a} \mathcal{P}^a_{c]} \right), \end{aligned}$	$h_a^{\prime\mu} = e^{-\rho} h_a^{\mu}$ $A^{\prime ab}_{\mu} = A^{ab}_{\mu} + \theta \left(b^a_{\mu} \mathcal{P}^b - b^b_{\mu} \mathcal{P}^a \right),$	$h_a^{\prime\mu} = e^{-\rho} h_a^{\mu}$ $A^{\prime ab}_{\mu} = A^{ab}_{\mu} + \theta (b^a_{\mu} \mathcal{P}^b - b^b_{\mu} \mathcal{P}^a),$
1510.06699_ E00221 (255a)	41	■ 0.954	$\begin{aligned} \mathcal{T}^{\prime a}_{bc} &= e^{-\rho} \left\{ \mathcal{T}^a_{bc} + 2(1-\theta) \mathcal{P}_{[b} \delta^a_{c]} \right\}, \\ \mathcal{T}'_b &= e^{-\rho} \left\{ \mathcal{T}_b + 3(1-\theta) \mathcal{P}_b \right\}. \end{aligned}$	$\mathcal{T}^{\prime a}_{bc} = e^{-\rho} \left\{ \mathcal{T}^a_{bc} + 2(1-\theta) \mathcal{P}_{[b} \delta^a_{c]} \right\},$ $\mathcal{T}'_b = e^{-\rho} \left\{ \mathcal{T}_b + 3(1-\theta) \mathcal{P}_b \right\}.$	$\mathcal{T}^{\prime a}_{bc} = e^{-\rho} \left\{ \mathcal{T}^a_{bc} + 2(1-\theta) \mathcal{P}_{[b} \delta^a_{c]} \right\},$ $\mathcal{T}'_b = e^{-\rho} \left\{ \mathcal{T}_b + 3(1-\theta) \mathcal{P}_b \right\}.$
1510.06699_ E00086 (92)	18	■ 0.955	$\begin{aligned} \mathcal{D}_a^* \chi &\equiv (\mathcal{D}_a + w \mathcal{B}_a) \chi \\ &= \left(\frac{\phi}{\phi_0} \right)^{1-w} \left(\widehat{\mathcal{D}}_a + w \widehat{\mathcal{B}}_a \right) \widehat{\chi} \equiv \left(\frac{\phi}{\phi_0} \right)^{1-w} \widehat{\mathcal{D}}_a^* \widehat{\chi} \end{aligned}$	$\mathcal{D}_a^* \chi \equiv (\mathcal{D}_a + w \mathcal{B}_a) \chi$ $= \left(\frac{\phi}{\phi_0} \right)^{1-w} \left(\widehat{\mathcal{D}}_a + w \widehat{\mathcal{B}}_a \right) \widehat{\chi} \equiv \left(\frac{\phi}{\phi_0} \right)^{1-w} \widehat{\mathcal{D}}_a^* \widehat{\chi}$	$\mathcal{D}_a^* \chi \equiv (\mathcal{D}_a + w \mathcal{B}_a) \chi$ $= \left(\frac{\phi}{\phi_0} \right)^{1-w} (\widehat{\mathcal{D}}_a + w \widehat{\mathcal{B}}_a) \widehat{\chi} \equiv \left(\frac{\phi}{\phi_0} \right)^{1-w} \widehat{\mathcal{D}}_a^* \widehat{\chi},$
1510.06699_ E00068 (72)	15	■ 0.956	$\mathcal{L}_{\mathrm{D}} = h^{-1} \left(\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi \right).$	$\mathcal{L}_{\mathrm{D}} = h^{-1} \left(\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi \right).$	$\mathcal{L}_{\mathrm{D}} = h^{-1} (\frac{1}{2} i \bar{\psi} \gamma^a \overleftrightarrow{\mathcal{D}}_a \psi - \mu \phi \bar{\psi} \psi).$
1510.06699_ E00093 (101)	19	■ 0.959	$v^{\{c\}}_{\{\}}^{\{0\}} \mathcal{D}_{\{c\}}^* p_a = e \mu^2 \phi^0 \mathcal{D}_a^* \phi,$	$v^{c0} \mathcal{D}_c^* p_a = e \mu^2 \phi^0 \mathcal{D}_a^* \phi,$	$v^{c0} \mathcal{D}_c^* p_a = e \mu^2 \phi^0 \mathcal{D}_a^* \phi,$
1510.06699_ E00026 (27)	10	■ 0.964	$h_a^{\prime\mu} (x') = \frac{\partial x'^{\mu}}{\partial x^{\nu}} e^{-\rho(x)} \Lambda_a^{\ b}(x) h_b^{\ \nu}(x).$	$h_a^{\prime\mu} (x') = \frac{\partial x'^{\mu}}{\partial x^{\nu}} e^{-\rho(x)} \Lambda_a^{\ b}(x) h_b^{\ \nu}(x).$	$h_a^{\prime\mu} (x') = \frac{\partial x'^{\mu}}{\partial x^{\nu}} e^{-\rho(x)} \Lambda_a^{\ b}(x) h_b^{\ \nu}(x).$
1510.06699_ E00008 (9)	8	■ 0.965	$L_{\mathrm{M}}(\varphi'(x'), \partial_{\mu}' \varphi'(x')) = e^{-4\rho} L_{\mathrm{M}}(\varphi(x), \partial_{\mu} \varphi(x)),$	$L_{\mathrm{M}}(\varphi'(x'), \partial_{\mu}' \varphi'(x')) = e^{-4\rho} L_{\mathrm{M}}(\varphi(x), \partial_{\mu} \varphi(x)),$	$L_{\mathrm{M}}(\varphi'(x'), \partial_{\mu}' \varphi'(x')) = e^{-4\rho} L_{\mathrm{M}}(\varphi(x), \partial_{\mu} \varphi(x)),$
1510.06699_ E00057 (61b)	14	■ 0.971	$\begin{aligned} t^a_{\mu} + \tau^a_{\mu} &= 0 \\ s_{ab}^{\mu} + \sigma_{ab}^{\mu} &= 0 \\ j^{\mu} + \zeta^{\mu} &= 0 \end{aligned}$	$t^a_{\mu} + \tau^a_{\mu} = 0$ $s_{ab}^{\mu} + \sigma_{ab}^{\mu} = 0$ $j^{\mu} + \zeta^{\mu} = 0$	$t^a_{\mu} + \tau^a_{\mu} = 0,$ $s_{ab}^{\mu} + \sigma_{ab}^{\mu} = 0,$ $j^{\mu} + \zeta^{\mu} = 0.$
1510.06699_ E00250 (B5)	49	■ 0.973	$L_{\mathrm{G}} = -\kappa^{-1} \left(\Lambda + a^0 \mathcal{R} \right) + \alpha_1{}^0 \mathcal{R}^2 + \alpha_2{}^0 \mathcal{R}_{ab}{}^0 \mathcal{R}^{ab}.$	$L_{\mathrm{G}} = -\kappa^{-1} \left(\Lambda + a^0 \mathcal{R} \right) + \alpha_1{}^0 \mathcal{R}^2 + \alpha_2{}^0 \mathcal{R}_{ab}{}^0 \mathcal{R}^{ab}.$	$L_{\mathrm{G}} = -\kappa^{-1} (\Lambda + a^0 \mathcal{R}) + \alpha_1{}^0 \mathcal{R}^2 + \alpha_2{}^0 \mathcal{R}_{ab}{}^0 \mathcal{R}^{ab}.$
1510.06699_ E00152 (166)	28	■ 0.974	$L_{\mathrm{G}} = L_{\mathcal{R}^{\dagger 2}} + L_{\mathcal{H}^{\dagger 2}},$	$L_{\mathrm{G}} = L_{\mathcal{R}^{\dagger 2}} + L_{\mathcal{H}^{\dagger 2}},$	$L_{\mathrm{G}} = L_{\mathcal{R}^{\dagger 2}} + L_{\mathcal{H}^{\dagger 2}},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0228 (262)	43	■0.976	$\{ \}^{\{0\}} \backslash\mathrm{mathcal{D}}_{\{c\}}^{\prime}\varphi^{\{\prime\}} \varphi^{\{\prime\}} = e^{\{(w-1)\rho}\backslash\mathrm{rho}\}\left[\{ \}^{\{0\}} \backslash\mathrm{mathcal{D}}_{\{c\}}\backslash\mathrm{varphi}+w \backslash\mathrm{mathcal{P}}_{\{c\}}\backslash\mathrm{varphi}+\backslash\mathrm{mathcal{P}}^{\{b\}}\delta_c^{[a]}\Sigma_{ab}\varphi\right],$	${}^0\mathcal{D}'_c\varphi' = e^{(w-1)\rho}\left[{}^0\mathcal{D}_c\varphi + w\mathcal{P}_c\varphi + \mathcal{P}^{[b}\delta_c^{a]}\Sigma_{ab}\varphi\right],$	${}^0\mathcal{D}'_c\varphi' = e^{(w-1)\rho}[{}^0\mathcal{D}_c\varphi + w\mathcal{P}_c\varphi + \mathcal{P}^{[b}\delta_c^{a]}\Sigma_{ab}\varphi],$
1510.06699_ EQ0220 (254b)	41	■0.979	$\begin{aligned} & \backslash\mathrm{begin}{aligned} \backslash\mathrm{mathcal{R}}^{\{ \}^{\{\prime\}}\mathrm{a}\mathrm{b}\{ \}}_{\{c\}}\mathrm{d}\} \& = e^{\{-2\backslash\mathrm{rho}\}\backslash\mathrm{left}\{\backslash\mathrm{mathcal{R}}^{\{a\}\mathrm{b}\{ \}}_{\{c\}}\mathrm{d}\}+2\backslash\mathrm{theta}\backslash\mathrm{delta}_{\{d\}}^{\{ \}^{\{a\}}\backslash\mathrm{left}(\backslash\mathrm{mathcal{D}}_{\{c\}}-\backslash\mathrm{theta}\backslash\mathrm{mathcal{P}}_{\{c\}}\backslash\mathrm{right})\backslash\mathrm{mathcal{P}}^{\{b\}}\}-2\backslash\mathrm{theta}\backslash\mathrm{delta}_{\{c\}}^{\{ \}^{\{a\}}\backslash\mathrm{left}(\backslash\mathrm{mathcal{D}}_{\{d\}}-\backslash\mathrm{theta}\backslash\mathrm{mathcal{P}}_{\{d\}}\backslash\mathrm{right})\backslash\mathrm{mathcal{P}}^{\{b\}}\}-2\backslash\mathrm{theta}\backslash\mathrm{mathcal{P}}^{\{ \}^{\{a\}}\backslash\mathrm{mathcal{T}}^{\{b\}}\}_{\{ \}^{\{c\}}\mathrm{d}\}-2\backslash\mathrm{theta}^{\{2\}}\backslash\mathrm{delta}_{\{c\}}^{\{ \}^{\{a\}}\backslash\mathrm{delta}_{\{d\}}^{\{ \}^{\{b\}}}\}\backslash\mathrm{mathcal{P}}^{\{e\}}\backslash\mathrm{mathcal{P}}_{\{e\}}\backslash\mathrm{right}\}, \backslash\backslash \backslash\mathrm{mathcal{R}}^{\{ \}^{\{\prime\}}\mathrm{a}\{ \}}_{\{c\}} \& = e^{\{-2\backslash\mathrm{rho}\}\backslash\mathrm{left}\{\backslash\mathrm{mathcal{R}}^{\{ \}^{\{a\}}\}_{\{ \}^{\{c\}}\}-2\backslash\mathrm{theta}\backslash\mathrm{mathcal{D}}_{\{c\}}\backslash\mathrm{mathcal{P}}^{\{a\}}-\backslash\mathrm{theta}\backslash\mathrm{delta}_{\{c\}}^{\{ \}^{\{a\}}\backslash\mathrm{mathcal{D}}_{\{b\}}\backslash\mathrm{mathcal{P}}^{\{b\}}+2\backslash\mathrm{theta}^{\{2\}}\backslash\mathrm{mathcal{P}}_{\{c\}}\backslash\mathrm{mathcal{P}}^{\{a\}}-2\backslash\mathrm{theta}^{\{2\}}\backslash\mathrm{delta}_{\{c\}}^{\{ \}^{\{a\}}\backslash\mathrm{mathcal{P}}^{\{2\}}+\backslash\mathrm{theta}\backslash\mathrm{mathcal{P}}^{\{a\}}\backslash\mathrm{mathcal{T}}_{cb}-\backslash\mathrm{theta}\backslash\mathrm{mathcal{P}}^a\mathcal{T}_c\}\backslash\mathrm{right}\}, \backslash\backslash \backslash\mathrm{mathcal{R}}^{\{ \}^{\{\prime\}}\mathrm{a}\{ \}}_{\{c\}} \& = e^{\{-2\backslash\mathrm{rho}\}\backslash\mathrm{left}\{\backslash\mathrm{mathcal{R}}^{\{ \}^{\{a\}}\}_{\{ \}^{\{c\}}\}-2\backslash\mathrm{theta}\backslash\mathrm{mathcal{D}}_{\{c\}}\backslash\mathrm{mathcal{P}}^{\{a\}}-\backslash\mathrm{theta}\backslash\mathrm{delta}_{\{c\}}^{\{ \}^{\{a\}}\backslash\mathrm{mathcal{D}}_{\{b\}}\backslash\mathrm{mathcal{P}}^{\{b\}}+2\backslash\mathrm{theta}^{\{2\}}\backslash\mathrm{mathcal{P}}_{\{c\}}\backslash\mathrm{mathcal{P}}^{\{a\}}-2\backslash\mathrm{theta}^{\{2\}}\backslash\mathrm{delta}_{\{c\}}^{\{ \}^{\{a\}}\backslash\mathrm{mathcal{P}}^{\{2\}}+\backslash\mathrm{theta}\backslash\mathrm{mathcal{P}}^{\{a\}}\backslash\mathrm{mathcal{P}}^{\{b\}}\backslash\mathrm{mathcal{T}}_{cb}-\backslash\mathrm{theta}\backslash\mathrm{mathcal{P}}^a\mathcal{T}_c\}\backslash\mathrm{right}\}, \backslash\backslash \backslash\mathrm{mathcal{R}}^{\{ \}^{\{\prime\}}\mathrm{a}\{ \}}_{\{c\}} \& = e^{\{-2\backslash\mathrm{rho}\}\backslash\mathrm{left}\{\backslash\mathrm{mathcal{R}}^{\{ \}^{\{a\}}\}_{\{ \}^{\{c\}}\}-6\backslash\mathrm{theta}\backslash\mathrm{left}(\backslash\mathrm{mathcal{D}}_{\{a\}}+\backslash\mathrm{frac}\{1\}{3}\backslash\mathrm{mathcal{T}}_a\backslash\mathrm{right})\backslash\mathrm{mathcal{P}}^a\}-6\backslash\mathrm{theta}^{\{2\}}\backslash\mathrm{mathcal{P}}^{\{2\}}\backslash\mathrm{right}\}, \backslash\mathrm{end}{aligned}$	$\begin{aligned} \mathcal{R}^{ab}_{ cd} &= e^{-2\rho}\left\{\mathcal{R}^{ab}_{ cd} + 2\theta\delta_d^{[a}(\mathcal{D}_c - \theta\mathcal{P}_c)\mathcal{P}^{b]} - 2\theta\delta_c^{[a}(\mathcal{D}_d - \theta\mathcal{P}_d)\mathcal{P}^{b]} - 2\theta\mathcal{P}^{[a}\mathcal{T}^{b]}_{ cd} - 2\theta^2\delta_c^{[a}\delta_d^{b]}\mathcal{P}^e\mathcal{P}_e\right\}, \\ \mathcal{R}'^a_{ c} &= e^{-2\rho}\left\{\mathcal{R}^a_{ c} - 2\theta\mathcal{D}_c\mathcal{P}^a - \theta\delta_c^a\mathcal{D}_b\mathcal{P}^b + 2\theta^2\mathcal{P}^a\mathcal{P}_c - 2\theta^2\delta_c^a\mathcal{P}^2 + \theta\mathcal{P}^b\mathcal{T}^a_{ cb} - \theta\mathcal{P}^a\mathcal{T}_c\right\}, \\ \mathcal{R}' &= e^{-2\rho}\left\{\mathcal{R} - 6\theta\left(\mathcal{D}_a + \frac{1}{3}\mathcal{T}_a\right)\mathcal{P}^a - 6\theta^2\mathcal{P}^2\right\}, \end{aligned}$	$\begin{aligned} \mathcal{R}'^{ab}_{ cd} &= e^{-2\rho}\{\mathcal{R}^{ab}_{ cd} + 2\theta\delta_d^{[a}(\mathcal{D}_c - \theta\mathcal{P}_c)\mathcal{P}^{b]} - 2\theta\delta_c^{[a}(\mathcal{D}_d - \theta\mathcal{P}_d)\mathcal{P}^{b]} - 2\theta\mathcal{P}^{[a}\mathcal{T}^{b]}_{ cd} - 2\theta^2\delta_c^{[a}\delta_d^{b]}\mathcal{P}^e\mathcal{P}_e\}, \\ \mathcal{R}'^a_{ c} &= e^{-2\rho}\{\mathcal{R}^a_{ c} - 2\theta\mathcal{D}_c\mathcal{P}^a - \theta\delta_c^a\mathcal{D}_b\mathcal{P}^b + 2\theta^2\mathcal{P}^a\mathcal{P}_c - 2\theta^2\delta_c^a\mathcal{P}^2 + \theta\mathcal{P}^b\mathcal{T}^a_{ cb} - \theta\mathcal{P}^a\mathcal{T}_c\}, \\ \mathcal{R}' &= e^{-2\rho}\{\mathcal{R} - 6\theta(\mathcal{D}_a + \tfrac{1}{3}\mathcal{T}_a)\mathcal{P}^a - 6\theta^2\mathcal{P}^2\}, \end{aligned}$
1510.06699_ EQ0120 (131)	23	■0.979	$\begin{aligned} & \{ \}^{\{0\}} \backslash\mathrm{Gamma}^{\{*} \lambda_{\{b\}} \{ \}_{\{ \mu \nu \}}} \\ & \& = \frac{1}{2} g^{\{ \lambda_{\{b\}} \rho \} \backslash\mathrm{left}(\backslash\mathrm{partial}_{\{ \mu \}}^{\{*} g_{\{ \nu \} \rho \} + \backslash\mathrm{partial}_{\{ \nu \}}^{\{*} g_{\{ \mu \} \rho \} - \backslash\mathrm{partial}_{\{ \rho \}}^{\{*} g_{\{ \mu \} \nu \}} \\ & \& \backslash\mathrm{right}\} \backslash\backslash \& = \{ \}^{\{0\}} \backslash\mathrm{Gamma}^{\{*} \lambda_{\{b\}} \{ \}_{\{ \mu \nu \}} + \delta_{\{ \nu \}}^{\lambda_{\{b\}}} B_{\{ \mu \}} + \delta_{\{ \mu \}}^{\lambda_{\{b\}}} B_{\{ \nu \}} - g_{\{ \mu \nu \}} B^{\lambda_{\{b\}}}, \end{aligned}$	$\begin{aligned} {}^0\Gamma^{*\lambda}_{ \mu \nu} &= \frac{1}{2} g^{\lambda \rho} \left(\partial_{\mu}^* g_{\nu \rho} + \partial_{\nu}^* g_{\mu \rho} - \partial_{\rho}^* g_{\mu \nu} \right) \\ &= {}^0\Gamma^{\lambda}_{\mu \nu} + \delta_{\nu}^{\lambda} B_{\mu} + \delta_{\mu}^{\lambda} B_{\nu} - g_{\mu \nu} B^{\lambda} \end{aligned}$	$\begin{aligned} {}^0\Gamma^{*\lambda}_{ \mu \nu} &= \frac{1}{2} g^{\lambda \rho} \left(\partial_{\mu}^* g_{\nu \rho} + \partial_{\nu}^* g_{\mu \rho} - \partial_{\rho}^* g_{\mu \nu} \right) \\ &= {}^0\Gamma^{\lambda}_{\mu \nu} + \delta_{\nu}^{\lambda} B_{\mu} + \delta_{\mu}^{\lambda} B_{\nu} - g_{\mu \nu} B^{\lambda}, \end{aligned}$
1510.06699_ EQ0110 (118)	22	■0.979	$\begin{aligned} & \mathcal{D}_{\{ \mu \}}^{\{ * \}} J^{\{ a \}} = \partial_{\{ \mu \}} J^{\{ a \}} + w B_{\{ \mu \}} J^{\{ a \}} + A^{\{ a \}}_{\{ b \}} J^{\{ b \}} \\ & \mathcal{D}_{\{ \mu \}}^{\{ * \}} J^{\{ a \}} + A^{\{ a \}}_{\{ b \}} J^{\{ b \}} = \partial_{\{ \mu \}} J^{\{ a \}} + A^{\{ a \}}_{\{ b \}} J^{\{ b \}} \end{aligned}$	$D_{\mu}^* J^a = \partial_{\mu} J^a + w B_{\mu} J^a + A^a_{ b \mu} J^b = \partial_{\mu}^* J^a + A^a_{ b \mu} J^b,$	$D_{\mu}^* J^a = \partial_{\mu} J^a + w B_{\mu} J^a + A^a_{ b \mu} J^b = \partial_{\mu}^* J^a + A^a_{ b \mu} J^b,$
1510.06699_ EQ0233 (267)	44	■0.982	$\begin{aligned} & \{ \}^{\{0\}} \backslash\mathrm{mathcal{C}}_{\{a b c d\}} = \{ \}^{\{0\}} \backslash\mathrm{mathcal{R}}_{\{a b c d\}} \& - \frac{1}{2} \left(\eta_{ac} {}^0\mathcal{R}_{bd} - \eta_{ad} {}^0\mathcal{R}_{bc} - \eta_{bc} {}^0\mathcal{R}_{ad} + \eta_{bd} {}^0\mathcal{R}_{ac} \right) \\ & \& + \frac{1}{6} \left(\eta_{ac} \eta_{bd} - \eta_{ad} \eta_{bc} \right) {}^0\mathcal{R}. \end{aligned}$	$\begin{aligned} {}^0\mathcal{C}_{abcd} &= {}^0\mathcal{R}_{abcd} - \frac{1}{2} \left(\eta_{ac} {}^0\mathcal{R}_{bd} - \eta_{ad} {}^0\mathcal{R}_{bc} - \eta_{bc} {}^0\mathcal{R}_{ad} + \eta_{bd} {}^0\mathcal{R}_{ac} \right) \\ &\& + \frac{1}{6} \left(\eta_{ac} \eta_{bd} - \eta_{ad} \eta_{bc} \right) {}^0\mathcal{R}. \end{aligned}$	$\begin{aligned} {}^0\mathcal{C}_{abcd} &= {}^0\mathcal{R}_{abcd} - \frac{1}{2} \left(\eta_{ac} {}^0\mathcal{R}_{bd} - \eta_{ad} {}^0\mathcal{R}_{bc} - \eta_{bc} {}^0\mathcal{R}_{ad} + \eta_{bd} {}^0\mathcal{R}_{ac} \right) \\ &\& + \frac{1}{6} \left(\eta_{ac} \eta_{bd} - \eta_{ad} \eta_{bc} \right) {}^0\mathcal{R}. \end{aligned} \tag{267}$
1510.06699_ EQ0184 (200)	34	■0.982	$\phi v^{\{b\}} \{ \}^{\{0\}} \backslash\mathrm{mathcal{D}}_{\{b\}}^{\dagger} v_{\{a\}} = \left(\delta_{\{a\}}^{\{b\}} - v_a v^b \right) {}^0\backslash\mathrm{mathcal{D}}_{\{b\}}^{\dagger} \phi.$	$\phi v^{b0} \mathcal{D}_b^{\dagger} v_a = \left(\delta_a^b - v_a v^b \right) {}^0\mathcal{D}_b^{\dagger} \phi.$	$\phi v^b {}^0\mathcal{D}_b^{\dagger} v_a = \left(\delta_a^b - v_a v^b \right) {}^0\mathcal{D}_b^{\dagger} \phi.$
1510.06699_ EQ0243 (A7)	47	■0.983	$\nexists \partial \psi = J^{\mu} \partial_{\mu} \psi - i \sigma^{\mu \nu} J_{\mu} \partial_{\nu} \psi.$	$\nexists \partial \psi = J^{\mu} \partial_{\mu} \psi - i \sigma^{\mu \nu} J_{\mu} \partial_{\nu} \psi.$	$\nexists \partial \psi = J^{\mu} \partial_{\mu} \psi - i \sigma^{\mu \nu} J_{\mu} \partial_{\nu} \psi.$
1510.06699_ EQ0118 (129)	23	■0.984	$\left[\nabla_{\{ \mu \}}^{\{ * \}}, \nabla_{\{ \nu \}}^{\{ * \}} \right] J^{\{ \rho \}} = \widetilde{w} \widetilde{H}_{\{ \mu \} \{ \nu \}} J^{\{ \rho \}} - T^{\{ \sigma \}}_{\{ \mu \nu \}} \nabla_{\sigma}^* V^{\rho}.$	$[\nabla_{\mu}^*, \nabla_{\nu}^*] J^{\rho} = \widetilde{R}^{\rho}_{ \sigma \mu \nu} J^{\sigma} + w H_{\mu \nu} J^{\rho} - T^{*\sigma}_{ \mu \nu} \nabla_{\sigma}^* V^{\rho}.$	$[\nabla_{\mu}^*, \nabla_{\nu}^*] J^{\rho} = \widetilde{R}^{\rho}_{ \sigma \mu \nu} J^{\sigma} + w H_{\mu \nu} J^{\rho} - T^{*\sigma}_{ \mu \nu} \nabla_{\sigma}^* V^{\rho}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0111 (119)	22	■ 0.984	$\Delta_{\mu}^{\ast}\equiv\partial_{\mu}^{\ast}+\Gamma^{\sigma}{}_{\rho\mu}X^{\rho}{}_{\sigma}+\frac{1}{2}A^{ab}{}_{\mu}\Sigma_{ab}=\nabla_{\mu}^{\ast}+D_{\mu}^{\ast}-\partial_{\mu}^{\ast},$	$\Delta_{\mu}^{\ast}\equiv\partial_{\mu}^{\ast}+\Gamma^{\sigma}{}_{\rho\mu}X^{\rho}{}_{\sigma}+\frac{1}{2}A^{ab}{}_{\mu}\Sigma_{ab}=\nabla_{\mu}^{\ast}+D_{\mu}^{\ast}-\partial_{\mu}^{\ast},$	
1510.06699_ EQ0018 (19)	9	■ 0.985	$\partial_{\mu}^{\prime}\varphi^{\prime}(x^{\prime})=\frac{\partial x^{\nu}}{\partial x^{\prime\mu}}e^{w\rho(x)}[S(\Lambda(x))\partial_{\nu}\varphi(x)+\partial_{\nu}S(\Lambda(x))\varphi(x)+w\partial_{\nu}\rho S(\Lambda(x))\varphi(x)].$	$\partial_{\mu}^{\prime}\varphi^{\prime}(x^{\prime})=\frac{\partial x^{\nu}}{\partial x^{\prime\mu}}e^{w\rho(x)}[S(\Lambda(x))\partial_{\nu}\varphi(x)+\partial_{\nu}S(\Lambda(x))\varphi(x)+w\partial_{\nu}\rho S(\Lambda(x))\varphi(x)].$	
1510.06699_ EQ0033 (34)	10	■ 0.985	$D_{\mu}^{\ast}b^a{}_{\nu}=\partial_{\mu}^{\ast}b^a{}_{\nu}+A^a{}_{b\mu}b^b{}_{\nu}.$	$D_{\mu}^{\ast}b^a{}_{\nu}=\partial_{\mu}^{\ast}b^a{}_{\nu}+A^a{}_{b\mu}b^b{}_{\nu}.$	
1510.06699_ EQ0175 (188)	32	■ 0.985	$\tau^{\dagger a}{}_b=\tau^a{}_b+2\sigma_{cb}{}^a\mathcal{V}^c.$	$\tau^{\dagger a}{}_b=\tau^a{}_b+2\sigma_{cb}{}^a\mathcal{V}^c.$	
1510.06699_ EQ0080 (85)	17	■ 0.986	$\mathcal{D}_{[a}^{\ast}\mathcal{F}_{bc]}-\mathcal{T}^{\ast d}{}_{[ab}\mathcal{F}_{c]d}=0.$	$\mathcal{D}_{[a}^{\ast}\mathcal{F}_{bc]}-\mathcal{T}^{\ast d}{}_{[ab}\mathcal{F}_{c]d}=0.$	
1510.06699_ EQ0188 (204)	35	■ 0.987	$\begin{array}{l} \mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2}i\bar{\psi}\gamma^{a0}\overleftrightarrow{\mathcal{D}}_a\psi-\mu\phi\bar{\psi}\psi+\frac{1}{2}\nu\left({}^0\mathcal{D}_a^{\dagger}\phi\right)\left({}^0\mathcal{D}^{\dagger a}\phi\right)-\lambda\phi^4\right.\\ \left.-a\phi^2{}^0\mathcal{R}^{\dagger}\right].(204) \end{array}$	$\mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2}i\bar{\psi}\gamma^{a0}\overleftrightarrow{\mathcal{D}}_a\psi-\mu\phi\bar{\psi}\psi+\frac{1}{2}\nu\left({}^0\mathcal{D}_a^{\dagger}\phi\right)\left({}^0\mathcal{D}^{\dagger a}\phi\right)-\lambda\phi^4\right.\\ \left.-a\phi^2{}^0\mathcal{R}^{\dagger}\right].(204)$	
1510.06699_ EQ0106 (114)	21	■ 0.987	$\hat{e}_a=h_a{}^{\mu}e_{\mu},\quad e_{\mu}=b^a{}_{\mu}\hat{e}_a,$	$\hat{e}_a=h_a{}^{\mu}e_{\mu},\quad e_{\mu}=b^a{}_{\mu}\hat{e}_a,$	
1510.06699_ EQ0154 (168b)	29	■ 0.988	$\begin{aligned} t^a{}_b+\tau^a{}_b&=0\\ s_{ab}{}^c+\sigma_{ab}{}^c&=0\\ j^a+\zeta^a&=0 \end{aligned}$	$\begin{aligned} t^a{}_b+\tau^a{}_b&=0,\\ s_{ab}{}^c+\sigma_{ab}{}^c&=0,\\ j^a+\zeta^a&=0, \end{aligned}$	
1510.06699_ EQ0204 (224)	38	■ 0.988	$L_{\varphi}+L_{\phi}+\phi^2L_{\mathcal{R}^{\dagger}}+\phi^2L_{\mathcal{T}^{\dagger 2}}$	$L_{\varphi}+L_{\phi}+\phi^2L_{\mathcal{R}^{\dagger}}+\phi^2L_{\mathcal{T}^{\dagger 2}},$ where	
1510.06699_ EQ0073 (77)	16	■ 0.990	$\begin{aligned} h\tau^a{}_b&=\frac{1}{2}i\bar{\psi}\gamma^a\overleftrightarrow{\mathcal{D}}_b\psi-\delta_b^aL_{\mathrm{D}}\\ h\sigma_{abc}&=\frac{1}{4}i\bar{\psi}\gamma_{[a}\gamma_b\gamma_{c]}\psi \end{aligned}$	$\begin{aligned} h\tau^a{}_b&=\frac{1}{2}i\bar{\psi}\gamma^a\overleftrightarrow{\mathcal{D}}_b\psi-\delta_b^aL_{\mathrm{D}},\\ h\sigma_{abc}&=\frac{1}{4}i\bar{\psi}\gamma_{[a}\gamma_b\gamma_{c]}\psi, \end{aligned}$	
1510.06699_ EQ0163 (179)	30	■ 0.990	$\zeta^{\dagger a}\equiv\zeta^a-2\sigma^{ab}{}_b,$	$\zeta^{\dagger a}\equiv\zeta^a-2\sigma^{ab}{}_b,$	
1510.06699_ EQ0247 (B2)	48	■ 0.991	$\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}(h,\partial h,A,\partial A)+\mathcal{L}_{\mathrm{M}}(\varphi,\partial\varphi,h,A),$	$\mathcal{L}_{\mathrm{T}}=\mathcal{L}_{\mathrm{G}}(h,\partial h,A,\partial A)+\mathcal{L}_{\mathrm{M}}(\varphi,\partial\varphi,h,A),$	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00189 (205)	35	■ 0.991	$\begin{aligned} \mathrm{L}_{\mathrm{T}} &= \mathrm{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, A, \partial A, V, \partial V) \\ &+ \mathrm{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^2 h, A, \partial A, V, \partial V). \end{aligned}$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, A, \partial A, V, \partial V) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^2 h, A, \partial A, V, \partial V).$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, \partial h, \partial^2 h, A, \partial A, V, \partial V) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, \partial^2 h, A, \partial A, V, \partial V).$
1510.06699_ E00191 (207)	36	■ 0.992	$\delta J^a = -\left[A^{\dagger a}{}_{b\mu} - w\left(V_\mu + \frac{1}{3}T_\mu\right)\delta_b^a\right]J^b\delta x^\mu.$	$\delta J^a = -\left[A^{\dagger a}{}_{b\mu} - w\left(V_\mu + \frac{1}{3}T_\mu\right)\delta_b^a\right]J^b\delta x^\mu.$	$\delta J^a = -[A^{\dagger a}{}_{b\mu} - w(V_\mu + \frac{1}{3}T_\mu)\delta_b^a]J^b\delta x^\mu.$
1510.06699_ E00015 (16)	8	■ 0.993	$\begin{aligned} L_{\mathrm{EM}}' &= -\frac{1}{4}F_{\mu\nu}'F'^{\mu\nu} - J'^\mu A_\mu' \\ &= -\frac{1}{4}e^{2(w-1)\rho}F_{\mu\nu}F^{\mu\nu} - e^{(w+w_J)\rho}J^\mu A_\mu, \end{aligned}$	$\begin{aligned} L_{\mathrm{EM}}' &= -\frac{1}{4}F_{\mu\nu}'F'^{\mu\nu} - J'^\mu A_\mu' \\ &= -\frac{1}{4}e^{2(w-1)\rho}F_{\mu\nu}F^{\mu\nu} - e^{(w+w_J)\rho}J^\mu A_\mu, \end{aligned}$	$\begin{aligned} L_{\mathrm{EM}}' &= -\frac{1}{4}F_{\mu\nu}'F'^{\mu\nu} - J'^\mu A_\mu' \\ &= -\frac{1}{4}e^{2(w-1)\rho}F_{\mu\nu}F^{\mu\nu} - e^{(w+w_J)\rho}J^\mu A_\mu, \end{aligned}$
1510.06699_ E00065 (69b)	15	■ 0.993	$\begin{aligned} &\left(\mathrm{D}_{\mathrm{T}}^* + \mathrm{T}_{\mathrm{c}}^*\right)(h\sigma_{ab}{}^c) + h\tau_{[ab]} + \frac{1}{2}\frac{\delta L_{\mathrm{M}}}{\delta\varphi}\Sigma_{ab}\varphi = 0, \\ &\left(\mathrm{D}_{\mathrm{c}}^* + \mathrm{T}_{\mathrm{c}}^*\right)(h\tau^c{}_d) - h(\sigma_{ab}{}^c\mathcal{R}^{ab}{}_{cd} - \tau^c{}_b\mathcal{T}^{*b}{}_{cd} + \zeta^c\mathcal{H}_{cd}) + \frac{\delta L_{\mathrm{M}}}{\delta\phi}\mathcal{D}_d^*\phi + \frac{\delta L_{\mathrm{M}}}{\delta\varphi}\mathcal{D}_d^*\varphi = 0, \\ &\left(\mathrm{D}_{\mathrm{c}}^* + \mathrm{T}_{\mathrm{c}}^*\right)(h\zeta^c) - h\tau^c{}_c - \frac{\delta L_{\mathrm{M}}}{\delta\phi}\phi + \frac{\delta L_{\mathrm{M}}}{\delta\varphi}w\varphi = 0. \end{aligned}$	$\begin{aligned} &\left(\mathcal{D}_{\mathrm{c}}^* + \mathcal{T}_{\mathrm{c}}^*\right)(h\sigma_{ab}{}^c) + h\tau_{[ab]} + \frac{1}{2}\frac{\delta L_{\mathrm{M}}}{\delta\varphi}\Sigma_{ab}\varphi = 0, \\ &\left(\mathcal{D}_{\mathrm{c}}^* + \mathcal{T}_{\mathrm{c}}^*\right)(h\tau^c{}_d) - h(\sigma_{ab}{}^c\mathcal{R}^{ab}{}_{cd} - \tau^c{}_b\mathcal{T}^{*b}{}_{cd} + \zeta^c\mathcal{H}_{cd}) + \frac{\delta L_{\mathrm{M}}}{\delta\phi}\mathcal{D}_d^*\phi + \frac{\delta L_{\mathrm{M}}}{\delta\varphi}\mathcal{D}_d^*\varphi = 0, \\ &\left(\mathcal{D}_{\mathrm{c}}^* + \mathcal{T}_{\mathrm{c}}^*\right)(h\zeta^c) - h\tau^c{}_c - \frac{\delta L_{\mathrm{M}}}{\delta\phi}\phi + \frac{\delta L_{\mathrm{M}}}{\delta\varphi}w\varphi = 0. \end{aligned}$	$\begin{aligned} &\left(\mathcal{D}_{\mathrm{c}}^* + \mathcal{T}_{\mathrm{c}}^*\right)(h\sigma_{ab}{}^c) + h\tau_{[ab]} + \frac{1}{2}\frac{\delta L_{\mathrm{M}}}{\delta\varphi}\Sigma_{ab}\varphi = 0, \\ &\left(\mathcal{D}_{\mathrm{c}}^* + \mathcal{T}_{\mathrm{c}}^*\right)(h\tau^c{}_d) - h(\sigma_{ab}{}^c\mathcal{R}^{ab}{}_{cd} - \tau^c{}_b\mathcal{T}^{*b}{}_{cd} + \zeta^c\mathcal{H}_{cd}) + \frac{\delta L_{\mathrm{M}}}{\delta\phi}\mathcal{D}_d^*\phi + \frac{\delta L_{\mathrm{M}}}{\delta\varphi}\mathcal{D}_d^*\varphi = 0, \\ &\left(\mathcal{D}_{\mathrm{c}}^* + \mathcal{T}_{\mathrm{c}}^*\right)(h\zeta^c) - h\tau^c{}_c - \frac{\delta L_{\mathrm{M}}}{\delta\phi}\phi + \frac{\delta L_{\mathrm{M}}}{\delta\varphi}w\varphi = 0. \end{aligned}$
1510.06699_ E00049 (52)	13	■ 0.993	$\begin{aligned} &\mathrm{D}_{[a}^*\mathcal{R}^{de}{}_{bc]} - \mathcal{T}^{*f}{}_{[ab}\mathcal{R}^{de}{}_{c]f} = 0, \\ &\mathcal{D}_{[a}^*\mathcal{T}^{*d}{}_{bc]} - \mathcal{T}^{*e}{}_{[ab}\mathcal{T}^{*d}{}_{c]e} - \mathcal{R}^d{}_{[abc]} + \mathcal{H}_{[ab}\delta_{c]}^d = 0, \\ &\mathcal{D}_{[a}^*\mathcal{H}_{bc]} - \mathcal{T}^{*e}{}_{[ab}\mathcal{H}_{c]e} = 0. \end{aligned}$	$\begin{aligned} &\mathcal{D}_{[a}^*\mathcal{R}^{de}{}_{bc]} - \mathcal{T}^{*f}{}_{[ab}\mathcal{R}^{de}{}_{c]f} = 0, \\ &\mathcal{D}_{[a}^*\mathcal{T}^{*d}{}_{bc]} - \mathcal{T}^{*e}{}_{[ab}\mathcal{T}^{*d}{}_{c]e} - \mathcal{R}^d{}_{[abc]} + \mathcal{H}_{[ab}\delta_{c]}^d = 0, \\ &\mathcal{D}_{[a}^*\mathcal{H}_{bc]} - \mathcal{T}^{*e}{}_{[ab}\mathcal{H}_{c]e} = 0. \end{aligned}$	$\begin{aligned} &\mathcal{D}_{[a}^*\mathcal{R}^{de}{}_{bc]} - \mathcal{T}^{*f}{}_{[ab}\mathcal{R}^{de}{}_{c]f} = 0, \\ &\mathcal{D}_{[a}^*\mathcal{T}^{*d}{}_{bc]} - \mathcal{T}^{*e}{}_{[ab}\mathcal{T}^{*d}{}_{c]e} - \mathcal{R}^d{}_{[abc]} + \mathcal{H}_{[ab}\delta_{c]}^d = 0, \\ &\mathcal{D}_{[a}^*\mathcal{H}_{bc]} - \mathcal{T}^{*e}{}_{[ab}\mathcal{H}_{c]e} = 0. \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E08217 (250)	40	■ 0.995	$\begin{aligned} \delta_\phi L_\phi &= -\nu \mathcal{D}_a^\dagger (\mathcal{D}^{\dagger a} \phi) - 4\lambda \phi^3. \\ \partial_\phi L_{\mathcal{R}} &= -a \phi^2 \mathcal{R}^\dagger, \\ \partial_\phi L_{\mathcal{T}^2} &= 2\beta_1 \phi \mathcal{T}_{abc}^\dagger \mathcal{T}^{\dagger abc} + 2\beta_2 \phi \mathcal{T}_{abc}^\dagger \mathcal{T}^{\dagger bac}. \end{aligned}$	$\begin{aligned} \delta_\phi L_\phi &= -\nu \mathcal{D}_a^\dagger (\mathcal{D}^{\dagger a} \phi) - 4\lambda \phi^3. \\ \partial_\phi L_{\mathcal{R}} &= -a \phi^2 \mathcal{R}^\dagger, \\ \partial_\phi L_{\mathcal{T}^2} &= 2\beta_1 \phi \mathcal{T}_{abc}^\dagger \mathcal{T}^{\dagger abc} + 2\beta_2 \phi \mathcal{T}_{abc}^\dagger \mathcal{T}^{\dagger bac}. \end{aligned}$	$\begin{aligned} \delta_\phi L_\phi &= -\nu \mathcal{D}_a^\dagger (\mathcal{D}^{\dagger a} \phi) - 4\lambda \phi^3. \\ \partial_\phi L_{\mathcal{R}} &= -a \phi^2 \mathcal{R}^\dagger, \\ \partial_\phi L_{\mathcal{T}^2} &= 2\beta_1 \phi \mathcal{T}_{abc}^\dagger \mathcal{T}^{\dagger abc} + 2\beta_2 \phi \mathcal{T}_{abc}^\dagger \mathcal{T}^{\dagger bac}. \end{aligned}$
1510.06699_ E08126 (139)	24	■ 0.995	$\begin{aligned} \mathcal{R}^{ab}{}_{cd} &= e^{-2\rho} \left\{ \mathcal{R}^{ab}{}_{cd} + 2\theta \delta_d^{[a} (\mathcal{D}_c - \theta \mathcal{P}_c) \mathcal{P}^{b]} - 2\theta \delta_c^{[a} (\mathcal{D}_d - \theta \mathcal{P}_d) \mathcal{P}^{b]} - 2\theta \mathcal{P}^{[a} \mathcal{T}^{b]}{}_{cd} - 2\theta^2 \delta_c^{[a} \delta_d^{b]} \mathcal{P}^e \mathcal{P}_e \right\}, \\ \mathcal{T}^{ab}{}_{bc} &= e^{-\rho} \left\{ \mathcal{T}^{ab}{}_{bc} + 2(1-\theta) \mathcal{P}_{[b} \delta_{c]}^a \right\}. \end{aligned}$	$\begin{aligned} \mathcal{R}^{ab}{}_{cd} &= e^{-2\rho} \left\{ \mathcal{R}^{ab}{}_{cd} + 2\theta \delta_d^{[a} (\mathcal{D}_c - \theta \mathcal{P}_c) \mathcal{P}^{b]} - 2\theta \delta_c^{[a} (\mathcal{D}_d - \theta \mathcal{P}_d) \mathcal{P}^{b]} - 2\theta \mathcal{P}^{[a} \mathcal{T}^{b]}{}_{cd} - 2\theta^2 \delta_c^{[a} \delta_d^{b]} \mathcal{P}^e \mathcal{P}_e \right\}, \\ \mathcal{T}^{ab}{}_{bc} &= e^{-\rho} \left\{ \mathcal{T}^{ab}{}_{bc} + 2(1-\theta) \mathcal{P}_{[b} \delta_{c]}^a \right\}. \end{aligned}$	$\begin{aligned} \mathcal{R}^{ab}{}_{cd} &= e^{-2\rho} \left\{ \mathcal{R}^{ab}{}_{cd} + 2\theta \delta_d^{[a} (\mathcal{D}_c - \theta \mathcal{P}_c) \mathcal{P}^{b]} - 2\theta \delta_c^{[a} (\mathcal{D}_d - \theta \mathcal{P}_d) \mathcal{P}^{b]} - 2\theta \mathcal{P}^{[a} \mathcal{T}^{b]}{}_{cd} - 2\theta^2 \delta_c^{[a} \delta_d^{b]} \mathcal{P}^e \mathcal{P}_e \right\}, \\ \mathcal{T}^{ab}{}_{bc} &= e^{-\rho} \left\{ \mathcal{T}^{ab}{}_{bc} + 2(1-\theta) \mathcal{P}_{[b} \delta_{c]}^a \right\}. \end{aligned}$
1510.06699_ E08021 (22)	9	■ 0.996	$D_{\mu}^{*'} \varphi'(x') = \frac{\partial x^\nu}{\partial x'^\mu} e^{w\rho(x)} S(\Lambda(x)) D_\nu^* \varphi(x).$	$D_{\mu}^{*'} \varphi'(x') = \frac{\partial x^\nu}{\partial x'^\mu} e^{w\rho(x)} S(\Lambda(x)) D_\nu^* \varphi(x).$	$D_{\mu}^{*'} \varphi'(x') = \frac{\partial x^\nu}{\partial x'^\mu} e^{w\rho(x)} S(\Lambda(x)) D_\nu^* \varphi(x).$
1510.06699_ E08165 (181)	30	■ 0.996	$\mathcal{T}^a{}_{bc} \equiv h_b{}^\mu h_c{}^\nu (D_\mu^\natural b^a{}_\nu - D_\nu^\natural b^a{}_\mu),$	$\mathcal{T}^a{}_{bc} \equiv h_b{}^\mu h_c{}^\nu (D_\mu^\natural b^a{}_\nu - D_\nu^\natural b^a{}_\mu),$	$\mathcal{T}^a{}_{bc} \equiv h_b{}^\mu h_c{}^\nu (D_\mu^\natural b^a{}_\nu - D_\nu^\natural b^a{}_\mu),$
1510.06699_ E08215 (246)	39	■ 0.997	$\partial_\phi L_{\mathcal{R}^2} + \partial_\phi L_{\mathcal{H}^2} + \partial_\phi L_\varphi + \delta_\phi L_\phi + \partial_\phi L_{\mathcal{R}} + \partial_\phi L_{\mathcal{T}^2} = 0,$	$\partial_\phi L_{\mathcal{R}^2} + \partial_\phi L_{\mathcal{H}^2} + \partial_\phi L_\varphi + \delta_\phi L_\phi + \partial_\phi L_{\mathcal{R}} + \partial_\phi L_{\mathcal{T}^2} = 0,$	$\partial_\phi L_{\mathcal{R}^2} + \partial_\phi L_{\mathcal{H}^2} + \partial_\phi L_\varphi + \delta_\phi L_\phi + \partial_\phi L_{\mathcal{R}} + \partial_\phi L_{\mathcal{T}^2} = 0,$
1510.06699_ E08242 (A6)	47	■ 0.997	$L_{\mathrm{D}} = \frac{\Re \left[i \bar{\psi} \left(\bar{\psi} \psi + \bar{\psi} i \gamma^5 \psi i \gamma^5 \right), \mathbb{J} \partial \psi \right]}{(\bar{\psi} \psi)^2 + (\bar{\psi} i \gamma^5 \psi)^2} - m \bar{\psi} \psi.$	$L_{\mathrm{D}} = \frac{\Re \left[i \bar{\psi} \left(\bar{\psi} \psi + \bar{\psi} i \gamma^5 \psi i \gamma^5 \right), \mathbb{J} \partial \psi \right]}{(\bar{\psi} \psi)^2 + (\bar{\psi} i \gamma^5 \psi)^2} - m \bar{\psi} \psi.$	$L_{\mathrm{D}} = \frac{\Re [i \bar{\psi} (\bar{\psi} \psi + \bar{\psi} i \gamma^5 \psi i \gamma^5) \not{J} \not{\partial} \psi]}{(\bar{\psi} \psi)^2 + (\bar{\psi} i \gamma^5 \psi)^2} - m \bar{\psi} \psi.$
1510.06699_ E08239 (A3)	47	■ 0.997	$\psi \bar{\psi} = \frac{1}{4} \left(\bar{\psi} \psi + \bar{\psi} \gamma^\nu \psi \gamma_\nu - \bar{\psi} \gamma^\nu \gamma^5 \psi \gamma_\nu \gamma^5 + \frac{1}{2} \bar{\psi} \sigma^{\nu\rho} \psi \sigma_{\nu\rho} + \bar{\psi} \gamma^5 \psi \gamma^5 \right)$	$\psi \bar{\psi} = \frac{1}{4} \left(\bar{\psi} \psi + \bar{\psi} \gamma^\nu \psi \gamma_\nu - \bar{\psi} \gamma^\nu \gamma^5 \psi \gamma_\nu \gamma^5 + \frac{1}{2} \bar{\psi} \sigma^{\nu\rho} \psi \sigma_{\nu\rho} + \bar{\psi} \gamma^5 \psi \gamma^5 \right)$	$\psi \bar{\psi} = \frac{1}{4} (\bar{\psi} \psi + \bar{\psi} \gamma^\nu \psi \gamma_\nu - \bar{\psi} \gamma^\nu \gamma^5 \psi \gamma_\nu \gamma^5 + \frac{1}{2} \bar{\psi} \sigma^{\nu\rho} \psi \sigma_{\nu\rho} + \bar{\psi} \gamma^5 \psi \gamma^5), \quad ($
1510.06699_ E08056 (60)	13	■ 0.997	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, A, \partial A, \partial B) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, B),$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, A, \partial A, \partial B) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, B),$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(h, A, \partial A, \partial B) + \mathcal{L}_{\mathrm{M}}(\varphi, \partial \varphi, \phi, \partial \phi, h, \partial h, A, \partial A, B),$
1510.06699_ E08077 (82)	17	■ 0.997	$\widehat{\mathcal{F}}_{ab}^* = \mathcal{F}_{ab} - \mathcal{T}^{*c}{}_{ab} \mathcal{A}_c,$	$\widehat{\mathcal{F}}_{ab}^* = \mathcal{F}_{ab} - \mathcal{T}^{*c}{}_{ab} \mathcal{A}_c,$	$\widehat{\mathcal{F}}_{ab}^* = \mathcal{F}_{ab} - \mathcal{T}^{*c}{}_{ab} \mathcal{A}_c,$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00159 (173)	29	■ 0.997	$\begin{aligned} & \mathcal{D}_{\{c\}^{\dagger}} \left(h_{s_{\{a\}b\}^{\dagger}} \right) + h_{t_{\{a\}b\}^{\dagger}} \mathcal{D}_{\{c\}^{\dagger}} \left(h_{t^{\dagger} \{c\}^{\dagger}} \right) - h_{\left(s_{\{a\}b\}^{\dagger} \right) \mathcal{R}^{\dagger} \{a\}b\}^{\dagger}} \\ & - h_{\left(t^{\dagger} \{c\}^{\dagger} \right) \mathcal{R}^{\dagger} \{a\}b\}^{\dagger}} = 0, \end{aligned}$	$\mathcal{D}_c^\dagger (hs_{ab}{}^c) + ht_{[ab]}^\dagger = 0,$ $\mathcal{D}_c^\dagger (ht^{\dagger c}{}_d) - h(s_{ab}{}^c \mathcal{R}^{\dagger ab}{}_{cd} - t^{\dagger c}{}_b \mathcal{T}^{\dagger b}{}_{cd} + j^{\dagger c} \mathcal{H}_{cd}) = 0,$	$\mathcal{D}_c^\dagger (hs_{ab}{}^c) + ht_{[ab]}^\dagger = 0,$ $\mathcal{D}_c^\dagger (ht^{\dagger c}{}_d) - h(s_{ab}{}^c \mathcal{R}^{\dagger ab}{}_{cd} - t^{\dagger c}{}_b \mathcal{T}^{\dagger b}{}_{cd} + j^{\dagger c} \mathcal{H}_{cd}) = 0,$
1510.06699_ E00047 (49)	12	■ 0.998	$\mathcal{D}_{\{a\}^*} \varphi = \left(\mathcal{D}_a^* + \frac{1}{2} \mathcal{K}^{*bc}{}_a \Sigma_{bc} \right) \varphi,$	$\mathcal{D}_a^* \varphi = \left({}^0 \mathcal{D}_a^* + \frac{1}{2} \mathcal{K}^{*bc}{}_a \Sigma_{bc} \right) \varphi,$	$\mathcal{D}_a^* \varphi = ({}^0 \mathcal{D}_a^* + \frac{1}{2} \mathcal{K}^{*bc}{}_a \Sigma_{bc}) \varphi,$
1510.06699_ E00002 (2)	3	■ 0.998	$\begin{aligned} & \mathcal{L}_{\{\mathcal{R}\}^2} = \alpha_1 \mathcal{R}_{ab} \mathcal{R}^{ab} + \alpha_2 \mathcal{R}_{ab} \mathcal{R}^{ba} + \alpha_3 \mathcal{R}_{abcd} \mathcal{R}^{abcd} + \alpha_4 \mathcal{R}_{abcd} \mathcal{R}^{acbd} + \alpha_5 \mathcal{R}_{abcd} \mathcal{R}^{cbad} \\ & + \alpha_6 \mathcal{R}_{abcd} \mathcal{R}^{cdab}, \end{aligned}$	$L_{\mathcal{R}^2} = \alpha_1 \mathcal{R}^2 + \alpha_2 \mathcal{R}_{ab} \mathcal{R}^{ab} + \alpha_3 \mathcal{R}_{ab} \mathcal{R}^{ba} + \alpha_4 \mathcal{R}_{abcd} \mathcal{R}^{abcd} + \alpha_5 \mathcal{R}_{abcd} \mathcal{R}^{acbd} + \alpha_6 \mathcal{R}_{abcd} \mathcal{R}^{cdab},$ $L_{\mathcal{T}^2} = \beta_1 \mathcal{T}_{abc} \mathcal{T}^{abc} + \beta_2 \mathcal{T}_{abc} \mathcal{T}^{bac} + \beta_3 \mathcal{T}_a \mathcal{T}^a,$	$L_{\mathcal{R}^2} = \alpha_1 \mathcal{R}^2 + \alpha_2 \mathcal{R}_{ab} \mathcal{R}^{ab} + \alpha_3 \mathcal{R}_{ab} \mathcal{R}^{ba} + \alpha_4 \mathcal{R}_{abcd} \mathcal{R}^{abcd} + \alpha_5 \mathcal{R}_{abcd} \mathcal{R}^{acbd} + \alpha_6 \mathcal{R}_{abcd} \mathcal{R}^{cdab},$ $L_{\mathcal{T}^2} = \beta_1 \mathcal{T}_{abc} \mathcal{T}^{abc} + \beta_2 \mathcal{T}_{abc} \mathcal{T}^{bac} + \beta_3 \mathcal{T}_a \mathcal{T}^a,$
1510.06699_ E00064 (68b)	14	■ 0.998	$\begin{aligned} & \mathcal{D}_{\{c\}^*} \left(h_{s_{\{a\}b\}^*} \right) + h_{t_{\{a\}b\}^*} \mathcal{D}_{\{c\}^*} \left(h_{t^* \{c\}^*} \right) - h_{\left(s_{\{a\}b\}^* \right) \mathcal{R}^* \{a\}b\}^*} \\ & - h_{\left(t^* \{c\}^* \right) \mathcal{R}^* \{a\}b\}^*} = 0, \end{aligned}$	$(\mathcal{D}_c^* + \mathcal{T}_c^*) (hs_{ab}{}^c) + ht_{[ab]} = 0,$ $(\mathcal{D}_c^* + \mathcal{T}_c^*) (ht^c{}_d) - h(s_{ab}{}^c \mathcal{R}^{ab}{}_{cd} - t^c{}_b \mathcal{T}^{*b}{}_{cd} + j^c \mathcal{H}_{cd}) = 0,$ $(\mathcal{D}_c^* + \mathcal{T}_c^*) (hj^c) - ht^c{}_c = 0.$	$(\mathcal{D}_c^* + \mathcal{T}_c^*) (hs_{ab}{}^c) + ht_{[ab]} = 0,$ $(\mathcal{D}_c^* + \mathcal{T}_c^*) (ht^c{}_d) - h(s_{ab}{}^c \mathcal{R}^{ab}{}_{cd} - t^c{}_b \mathcal{T}^{*b}{}_{cd} + j^c \mathcal{H}_{cd}) = 0,$ $(\mathcal{D}_c^* + \mathcal{T}_c^*) (hj^c) - ht^c{}_c = 0.$
1510.06699_ E00079 (84)	17	■ 0.998	$\mathcal{D}_{\{a\}^*} \mathcal{F}^{ac} - \frac{1}{2} \mathcal{T}^{*c}{}_{ab} \mathcal{F}^{ab} = \mathcal{J}^c.$	$(\mathcal{D}_a^* + \mathcal{T}_a^*) \mathcal{F}^{ac} - \frac{1}{2} \mathcal{T}^{*c}{}_{ab} \mathcal{F}^{ab} = \mathcal{J}^c.$	$(\mathcal{D}_a^* + \mathcal{T}_a^*) \mathcal{F}^{ac} - \frac{1}{2} \mathcal{T}^{*c}{}_{ab} \mathcal{F}^{ab} = \mathcal{J}^c.$
1510.06699_ E00094 (102)	19	■ 0.998	$\phi v^b \mathcal{D}_b^* v_a = (\delta_a^b - v_a v^b) \mathcal{D}_b^* \phi.$	$\phi v^{b\,0} \mathcal{D}_b^* v_a = (\delta_a^b - v_a v^b)^0 \mathcal{D}_b^* \phi.$	$\phi v^{b\,0} \mathcal{D}_b^* v_a = (\delta_a^b - v_a v^b)^0 \mathcal{D}_b^* \phi.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00162 (178b)	30	■ 0.998	$\begin{aligned} & \mathcal{D}_c^\dagger(h\sigma_{ab}{}^c)+h\tau_{[ab]}^\dagger+\frac{1}{2}\frac{\delta L_{\mathrm{M}}}{\delta\varphi}\Sigma_{ab}\varphi=0, \\ & \mathcal{D}_c^\dagger(h\tau^{\dagger c}{}_d)-h(\sigma_{ab}{}^c\mathcal{R}^{\dagger ab}{}_{cd}-\tau^{\dagger c}{}_b\mathcal{T}^{\dagger b}{}_{cd}+\zeta^{\dagger c}\mathcal{H}_{cd})+\frac{\delta L_{\mathrm{M}}}{\delta\phi}\mathcal{D}_d^\dagger\phi+\frac{\delta L_{\mathrm{M}}}{\delta\varphi}\mathcal{D}_d^\dagger\varphi=0, \\ & \mathcal{D}_c^\dagger(h\zeta^{\dagger c})=0, \\ & h\tau^{\dagger c}{}_c+\frac{\delta L_{\mathrm{M}}}{\delta\phi}\phi-\frac{\delta L_{\mathrm{M}}}{\delta\varphi}w\varphi=0, \end{aligned}$	$\begin{aligned} & \mathcal{D}_c^\dagger(h\sigma_{ab}{}^c)+h\tau_{[ab]}^\dagger+\frac{1}{2}\frac{\delta L_{\mathrm{M}}}{\delta\varphi}\Sigma_{ab}\varphi=0, \\ & \mathcal{D}_c^\dagger(h\tau^{\dagger c}{}_d)-h(\sigma_{ab}{}^c\mathcal{R}^{\dagger ab}{}_{cd}-\tau^{\dagger c}{}_b\mathcal{T}^{\dagger b}{}_{cd}+\zeta^{\dagger c}\mathcal{H}_{cd})+\frac{\delta L_{\mathrm{M}}}{\delta\phi}\mathcal{D}_d^\dagger\phi+\frac{\delta L_{\mathrm{M}}}{\delta\varphi}\mathcal{D}_d^\dagger\varphi=0, \\ & \mathcal{D}_c^\dagger(h\zeta^{\dagger c})=0, \\ & h\tau^{\dagger c}{}_c+\frac{\delta L_{\mathrm{M}}}{\delta\phi}\phi-\frac{\delta L_{\mathrm{M}}}{\delta\varphi}w\varphi=0, \end{aligned}$	$\begin{aligned} & \mathcal{D}_c^\dagger(h\sigma_{ab}{}^c)+h\tau_{[ab]}^\dagger+\frac{1}{2}\frac{\delta L_{\mathrm{M}}}{\delta\varphi}\Sigma_{ab}\varphi=0, \\ & \mathcal{D}_c^\dagger(h\tau^{\dagger c}{}_d)-h(\sigma_{ab}{}^c\mathcal{R}^{\dagger ab}{}_{cd}-\tau^{\dagger c}{}_b\mathcal{T}^{\dagger b}{}_{cd}+\zeta^{\dagger c}\mathcal{H}_{cd})+\frac{\delta L_{\mathrm{M}}}{\delta\phi}\mathcal{D}_d^\dagger\phi+\frac{\delta L_{\mathrm{M}}}{\delta\varphi}\mathcal{D}_d^\dagger\varphi=0, \\ & \mathcal{D}_c^\dagger(h\zeta^{\dagger c})=0, \\ & h\tau^{\dagger c}{}_c+\frac{\delta L_{\mathrm{M}}}{\delta\phi}\phi-\frac{\delta L_{\mathrm{M}}}{\delta\varphi}w\varphi=0, \end{aligned}$
1510.06699_ E00251 (B6)	49	■ 0.998	$\begin{aligned} R=& {}^0R+\frac{1}{4}T^{\mu\nu\lambda}T_{\mu\nu\lambda}+\frac{1}{2}T^{\mu\nu\lambda}T_{\nu\mu\lambda}-T^\mu T_\mu \\ & -\frac{2}{\sqrt{-g}}\partial_\mu(\sqrt{-g}T^\mu), \end{aligned}$	$R = {}^0R + \frac{1}{4}T^{\mu\nu\lambda}T_{\mu\nu\lambda} + \frac{1}{2}T^{\mu\nu\lambda}T_{\nu\mu\lambda} - T^\mu T_\mu - \frac{2}{\sqrt{-g}}\partial_\mu(\sqrt{-g}T^\mu),$	$R = {}^0R + \frac{1}{4}T^{\mu\nu\lambda}T_{\mu\nu\lambda} + \frac{1}{2}T^{\mu\nu\lambda}T_{\nu\mu\lambda} - T^\mu T_\mu - \frac{2}{\sqrt{-g}}\partial_\mu(\sqrt{-g}T^\mu),$
1510.06699_E00104	21	■ 0.999	$\begin{array}{l} \mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2}i\bar{\psi}\gamma^{a0}\overset{\leftrightarrow}{\mathcal{D}}_a\psi-\mu\phi\bar{\psi}\psi+\frac{1}{2}\nu({}^0\mathcal{D}_a^*\phi)({}^0\mathcal{D}^{*a}\phi)-\lambda\phi^4\right. \\ \left.-a\phi^2{}^0\mathcal{R}^*\right],(112) \end{array}$	$\mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2}i\bar{\psi}\gamma^{a0}\overset{\leftrightarrow}{\mathcal{D}}_a\psi-\mu\phi\bar{\psi}\psi+\frac{1}{2}\nu({}^0\mathcal{D}_a^*\phi)({}^0\mathcal{D}^{*a}\phi)-\lambda\phi^4-a\phi^2{}^0\mathcal{R}^*\right],(112)$	$\mathcal{L}_{\mathrm{M}}=h^{-1}\left[\frac{1}{2}i\bar{\psi}\gamma^{a0}\overset{\leftrightarrow}{\mathcal{D}}_a\psi-\mu\phi\bar{\psi}\psi+\frac{1}{2}\nu({}^0\mathcal{D}_a^*\phi)({}^0\mathcal{D}^{*a}\phi)-\lambda\phi^4-a\phi^2{}^0\mathcal{R}^*\right],(112)$
1510.06699_ E00171 (187)	31	■ 0.999	$\mathcal{L}_{\mathrm{D}}=h^{-1}L_{\mathrm{D}}=h^{-1}\left(\frac{1}{2}i\bar{\psi}\gamma^a\overset{\leftrightarrow}{\mathcal{D}}_a^\dagger\psi-\mu\phi\bar{\psi}\psi\right),$	$\mathcal{L}_{\mathrm{D}}=h^{-1}L_{\mathrm{D}}=h^{-1}\left(\frac{1}{2}i\bar{\psi}\gamma^a\overset{\leftrightarrow}{\mathcal{D}}_a^\dagger\psi-\mu\phi\bar{\psi}\psi\right),$	$\mathcal{L}_{\mathrm{D}}=h^{-1}L_{\mathrm{D}}=h^{-1}(\frac{1}{2}i\bar{\psi}\gamma^a\overset{\leftrightarrow}{\mathcal{D}}_a^\dagger\psi-\mu\phi\bar{\psi}\psi),$
1510.06699_ E00253 (C2)	50	■ 0.999	$\begin{aligned} & \mathcal{R}^{ac}{}_{bc}-\frac{1}{2}\delta_b^a\mathcal{R}=\kappa h\tau^a{}_b, \\ & hb^c{}_\mu D_\nu\left[h^{-1}\left(h_a{}^\mu h_b{}^\nu-h_a{}^\nu h_b{}^\mu\right)\right]=2\kappa h\sigma_{ab}{}^c. \end{aligned}$	$\mathcal{R}^{ac}{}_{bc}-\frac{1}{2}\delta_b^a\mathcal{R}=\kappa h\tau^a{}_b, hb^c{}_\mu D_\nu\left[h^{-1}\left(h_a{}^\mu h_b{}^\nu-h_a{}^\nu h_b{}^\mu\right)\right]=2\kappa h\sigma_{ab}{}^c.$	$\mathcal{R}^{ac}{}_{bc}-\frac{1}{2}\delta_b^a\mathcal{R}=\kappa h\tau^a{}_b, hb^c{}_\mu D_\nu\left[h^{-1}\left(h_a{}^\mu h_b{}^\nu-h_a{}^\nu h_b{}^\mu\right)\right]=2\kappa h\sigma_{ab}{}^c.$
1510.06699_ E00144 (158)	27	■ 0.999	$\mathcal{A}_{abc}^\dagger={}^0\mathcal{A}_{abc}^\dagger(h,\partial h,A,V)+\mathcal{K}_{abc}^\dagger(h,\partial h,A),$	$\mathcal{A}_{abc}^\dagger={}^0\mathcal{A}_{abc}^\dagger(h,\partial h,A,V)+\mathcal{K}_{abc}^\dagger(h,\partial h,A),$	$\mathcal{A}_{abc}^\dagger={}^0\mathcal{A}_{abc}^\dagger(h,\partial h,A,V)+\mathcal{K}_{abc}^\dagger(h,\partial h,A),$
1510.06699_ E00170 (186)	31	■ 0.999	$j^a=2s^a{}_b.$	$j^a=2s^a{}_b.$	$j^a=2s^a{}_b.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0178 (194)	32	■ 1.000	$\backslash\mathrm{cal}\{D\}_{a}^{\backslash\dagger}\backslash\mathrm{cal}\{F\}^{\{a\ c\}}\cdot\frac{1}{2}\backslash\mathrm{cal}\{T\}^{\backslash\dagger\ c}\{ \}_{a\ b}\backslash\mathrm{cal}\{F\}^{\{a\ b\}}=\backslash\mathrm{cal}\{J\}^{\{c\}}$	$\mathcal{D}_a^\dagger \mathcal{F}^{ac} - \frac{1}{2} \mathcal{T}^{\dagger c}{}_{ab} \mathcal{F}^{ab} = \mathcal{J}^c.$	$\mathcal{D}_a^\dagger \mathcal{F}^{ac} - \frac{1}{2} \mathcal{T}^{\dagger c}{}_{ab} \mathcal{F}^{ab} = \mathcal{J}^c.$
1510.06699_ EQ0214 (244)	39	■ 1.000	$\backslash\mathrm{begin}\{\mathrm{aligned}\}\ h\backslash\mathrm{left}(\backslash\mathrm{zeta}_{\{\backslash\mathrm{phi}\}}\backslash\mathrm{right})_{\{a\}}\ \&=\backslash\mathrm{nu}\ \backslash\mathrm{phi}\ \backslash\mathrm{cal}\{D\}_{a}^{\backslash\dagger}\backslash\mathrm{phi}\ \backslash\backslash\ h\backslash\mathrm{left}(\backslash\mathrm{zeta}_{\{\backslash\mathrm{cal}\{R\}}\backslash\mathrm{right})_{\{a\}}\ \&=3\ a\ \backslash\mathrm{cal}\{D\}_{a}^{\backslash\dagger}\backslash\mathrm{phi}^{\{2\}}\ \backslash\backslash\ h\backslash\mathrm{left}(\backslash\mathrm{zeta}_{\{\backslash\mathrm{cal}\{T\}^{\{2\}}\}}\backslash\mathrm{right})_{\{a\}}\ \&=0\ \backslash\mathrm{end}\{\mathrm{aligned}\}$	$\begin{aligned} h(\zeta_\phi)_a &= \nu \phi \mathcal{D}_a^\dagger \phi \\ h(\zeta_{\mathcal{R}})_a &= 3a \mathcal{D}_a^\dagger \phi^2 \\ h(\zeta_{\mathcal{T}^2})_a &= 0 \end{aligned}$	$\begin{aligned} h(\zeta_\phi)_a &= \nu \phi \mathcal{D}_a^\dagger \phi, \\ h(\zeta_{\mathcal{R}})_a &= 3a \mathcal{D}_a^\dagger \phi^2, \\ h(\zeta_{\mathcal{T}^2})_a &= 0. \end{aligned}$
1510.06699_ EQ0223 (257b)	42	■ 1.000	$\backslash\mathrm{begin}\{\mathrm{aligned}\}\ \backslash\mathrm{cal}\{L\}_{\{\backslash\mathrm{phi}\}}^{\backslash\prime}\ \&=\backslash\mathrm{cal}\{L\}_{\{\backslash\mathrm{phi}\}}+\frac{1}{2}\ \backslash\mathrm{nu}\ h^{\{-1\}}\backslash\mathrm{left}(\backslash\mathrm{phi}^{\{2\}}\backslash\mathrm{cal}\{P\}^{\{2\}}-2\ \backslash\mathrm{phi}\ \backslash\mathrm{cal}\{P\}^{\{a\}}\ \backslash\mathrm{cal}\{D\}_{a}^{\backslash\dagger}\backslash\mathrm{phi}\backslash\mathrm{right})\ \backslash\backslash\ \backslash\mathrm{left}(\backslash\mathrm{phi}^{\{2\}}\ \backslash\mathrm{cal}\{L\}_{\{\backslash\mathrm{cal}\{R\}}\}}\backslash\mathrm{right})^{\backslash\prime}\ \&=\backslash\mathrm{phi}^{\{2\}}\ \backslash\mathrm{cal}\{L\}_{\{\backslash\mathrm{cal}\{R\}}\}}+a\ \backslash\mathrm{phi}^{\{2\}}\ h^{\{-1\}}\ \backslash\mathrm{theta}\backslash\mathrm{left}[6\backslash\mathrm{left}(\backslash\mathrm{cal}\{D\}_{a}^{\backslash\dagger}+\frac{1}{3}\ \backslash\mathrm{cal}\{T\}_{a}\backslash\mathrm{right})\ \backslash\mathrm{cal}\{P\}^{\{a\}}+6\ \backslash\mathrm{theta}\ \backslash\mathrm{cal}\{P\}^{\{2\}}\backslash\mathrm{right}]\ \backslash\backslash\ \backslash\mathrm{left}(\backslash\mathrm{phi}^{\{2\}}\backslash\mathrm{cal}\{L\}_{\{\backslash\mathrm{cal}\{T\}^{\{2\}}\}}\backslash\mathrm{right})^{\backslash\prime}\ \&=\backslash\mathrm{phi}^{\{2\}}\ \backslash\mathrm{cal}\{L\}_{\{\backslash\mathrm{cal}\{T\}^{\{2\}}\}}+\backslash\mathrm{left}(2\ \backslash\mathrm{beta}_{\{1\}}+\backslash\mathrm{beta}_{\{2\}}+3\ \backslash\mathrm{beta}_{\{3\}}\backslash\mathrm{right})\ \backslash\mathrm{phi}^{\{2\}}\ h^{\{-1\}}(1-\backslash\mathrm{theta})\ \backslash\mathrm{left}[2\ \backslash\mathrm{cal}\{P\}_{a}\ \backslash\mathrm{cal}\{T\}^{\{a\}}+3(1-\backslash\mathrm{theta})\ \backslash\mathrm{cal}\{P\}^{\{2\}}\backslash\mathrm{right}]\ \backslash\mathrm{end}\{\mathrm{aligned}\}$	$\begin{aligned} \mathcal{L}'_\phi &= \mathcal{L}_\phi + \frac{1}{2} \nu h^{-1} (\phi^2 \mathcal{P}^2 - 2\phi \mathcal{P}^a \mathcal{D}_a \phi) \\ (\phi^2 \mathcal{L}_{\mathcal{R}})' &= \phi^2 \mathcal{L}_{\mathcal{R}} + a \phi^2 h^{-1} \theta \left[6 \left(\mathcal{D}_a + \frac{1}{3} \mathcal{T}_a \right) \mathcal{P}^a + 6\theta \mathcal{P}^2 \right] \\ (\phi^2 \mathcal{L}_{\mathcal{T}^2})' &= \phi^2 \mathcal{L}_{\mathcal{T}^2} + (2\beta_1 + \beta_2 + 3\beta_3) \phi^2 h^{-1} (1 - \theta) [2\mathcal{P}_a \mathcal{T}^a + 3(1 - \theta) \mathcal{P}^2] \end{aligned}$	$\begin{aligned} \mathcal{L}'_\phi &= \mathcal{L}_\phi + \frac{1}{2} \nu h^{-1} (\phi^2 \mathcal{P}^2 - 2\phi \mathcal{P}^a \mathcal{D}_a \phi), \\ (\phi^2 \mathcal{L}_{\mathcal{R}})' &= \phi^2 \mathcal{L}_{\mathcal{R}} + a \phi^2 h^{-1} \theta [6(\mathcal{D}_a + \frac{1}{3} \mathcal{T}_a) \mathcal{P}^a + 6\theta \mathcal{P}^2], \\ (\phi^2 \mathcal{L}_{\mathcal{T}^2})' &= \phi^2 \mathcal{L}_{\mathcal{T}^2} + (2\beta_1 + \beta_2 + 3\beta_3) \phi^2 h^{-1} (1 - \theta) [2\mathcal{P}_a \mathcal{T}^a + 3(1 - \theta) \mathcal{P}^2]. \end{aligned}$
1510.06699_ EQ0231 (265)	43	■ 1.000	$L_{\{\backslash\mathrm{rm}\{G\}\}}=\backslash\mathrm{alpha}\backslash\mathrm{left}(\{ \ }^{\{ \ }\backslash\mathrm{cal}\{R\}_{\{a\ b\ c\ d\}}\{ \ }^{\{ \ }\backslash\mathrm{cal}\{R\}^{\{a\ b\ c\ d\}}-2\{ \ }^{\{ \ }\backslash\mathrm{cal}\{R\}_{\{a\ b\}}\{ \ }^{\{ \ }\backslash\mathrm{cal}\{R\}^{\{a\ b\}}+\frac{1}{3}\{ \ }^{\{ \ }\backslash\mathrm{cal}\{R\}^{\{2\}}\backslash\mathrm{right})$	$L_G = \alpha \left({}^0\mathcal{R}_{abcd} {}^0\mathcal{R}^{abcd} - 2 {}^0\mathcal{R}_{ab} {}^0\mathcal{R}^{ab} + \frac{1}{3} {}^0\mathcal{R}^2 \right),$	$L_G = \alpha ({}^0\mathcal{R}_{abcd} {}^0\mathcal{R}^{abcd} - 2 {}^0\mathcal{R}_{ab} {}^0\mathcal{R}^{ab} + \frac{1}{3} {}^0\mathcal{R}^2),$
1510.06699_ EQ0263 (D2)	51	■ 1.000	$\backslash\mathrm{begin}\{\mathrm{aligned}\}\ L_{\{\backslash\mathrm{rm}\{M\}\}}\ \&\ \backslash\mathrm{equiv}\ L_{\{\backslash\mathrm{varphi}\}}+L_{\{\backslash\mathrm{phi}\}}+\backslash\mathrm{phi}^{\{2\}}\ L_{\{\backslash\mathrm{cal}\{R\}\}}\ \backslash\backslash\ \&=L_{\{\backslash\mathrm{varphi}\}}+\frac{1}{2}\ \backslash\mathrm{nu}\ \backslash\mathrm{cal}\{D\}_{a}^{\backslash\dagger}\backslash\mathrm{phi}\ \backslash\mathrm{cal}\{D\}^{\{*a\}}\backslash\mathrm{phi}-\backslash\mathrm{lambda}\ \backslash\mathrm{phi}^{\{4\}}-\frac{1}{2}\ a\ \backslash\mathrm{phi}^{\{2\}}\ \backslash\mathrm{cal}\{R\},\ \backslash\mathrm{end}\{\mathrm{aligned}\}$	$\begin{aligned} L_{\mathrm{M}} &\equiv L_\varphi + L_\phi + \phi^2 L_{\mathcal{R}} \\ &= L_\varphi + \frac{1}{2} \nu \mathcal{D}_a^* \phi \mathcal{D}^{*a} \phi - \lambda \phi^4 - \frac{1}{2} a \phi^2 \mathcal{R}, \end{aligned}$	$\begin{aligned} L_{\mathrm{M}} &\equiv L_\varphi + L_\phi + \phi^2 L_{\mathcal{R}} \\ &= L_\varphi + \frac{1}{2} \nu \mathcal{D}_a^* \phi \mathcal{D}^{*a} \phi - \lambda \phi^4 - \frac{1}{2} a \phi^2 \mathcal{R}, \end{aligned}$
1510.06699_ EQ0265 (D4)	52	■ 1.000	$\backslash\mathrm{begin}\{\mathrm{aligned}\}\ a\ \backslash\mathrm{phi}^{\{2\}}\backslash\mathrm{left}(\backslash\mathrm{cal}\{R\}^{\{a\}}\{ \ }_{\{b\}}-\frac{1}{2}\ \backslash\mathrm{delta}_{\{b\}}^{\{a\}}\ \backslash\mathrm{cal}\{R\}\backslash\mathrm{right})=&\ h\ \backslash\mathrm{left}(\backslash\mathrm{tau}_{\{\backslash\mathrm{varphi}\}}\backslash\mathrm{right})^{\{a\}}\{ \ }_{\{b\}}+\backslash\mathrm{left}[\backslash\mathrm{nu}\backslash\mathrm{left}(\backslash\mathrm{cal}\{D\}^{\{*a\}}\ \backslash\mathrm{phi}\backslash\mathrm{right})\backslash\mathrm{left}(\backslash\mathrm{cal}\{D\}_{\{b\}}^{\{*a\}}\ \backslash\mathrm{phi}\backslash\mathrm{right})-\backslash\mathrm{delta}_{\{b\}}^{\{a\}}\ L_{\{\backslash\mathrm{phi}\}}\backslash\mathrm{right}]\ \backslash\backslash\ \&\ -\backslash\mathrm{xi}\ \backslash\mathrm{left}(\backslash\mathrm{cal}\{H\}^{\{a\ c\}}\ \backslash\mathrm{cal}\{H\}_{\{b\ c\}}-\frac{1}{4}\ \backslash\mathrm{delta}_{\{b\}}^{\{a\}}\ \backslash\mathrm{cal}\{H\}_{\{c\ d\}}\ \backslash\mathrm{cal}\{H\}^{\{c\ d\}}\backslash\mathrm{right}),\ \backslash\mathrm{end}\{\mathrm{aligned}\}$	$\begin{aligned} a\phi^2 \left(\mathcal{R}^a{}_b - \frac{1}{2} \delta_b^a \mathcal{R} \right) &= h(\tau_\varphi)^a{}_b + [\nu (\mathcal{D}^{*a} \phi) (\mathcal{D}_b^* \phi) - \delta_b^a L_\phi] \\ &\quad - \xi \left(\mathcal{H}^{ac} \mathcal{H}_{bc} - \frac{1}{4} \delta_b^a \mathcal{H}_{cd} \mathcal{H}^{cd} \right), \end{aligned}$	$\begin{aligned} a\phi^2 (\mathcal{R}^a{}_b - \tfrac{1}{2} \delta_b^a \mathcal{R}) &= h(\tau_\varphi)^a{}_b + [\nu (\mathcal{D}^{*a} \phi) (\mathcal{D}_b^* \phi) - \delta_b^a L_\phi] \\ &\quad - \xi (\mathcal{H}^{ac} \mathcal{H}_{bc} - \tfrac{1}{4} \delta_b^a \mathcal{H}_{cd} \mathcal{H}^{cd}), \quad (\mathrm{D4}) \end{aligned}$
1510.06699_ EQ0001 (1)	2	■ 1.000	$L_{\{\backslash\mathrm{rm}\{G\}\}}=-\backslash\mathrm{kappa}^{\{-1\}}(\backslash\mathrm{Lambda}+a\ \backslash\mathrm{cal}\{R\})+L_{\{\backslash\mathrm{cal}\{R\}^{\{2\}}\}}+\backslash\mathrm{kappa}^{\{-1\}}\ L_{\{\backslash\mathrm{cal}\{T\}^{\{2\}}\}}$	$L_G = -\kappa^{-1} (\Lambda + a \mathcal{R}) + L_{\mathcal{R}^2} + \kappa^{-1} L_{\mathcal{T}^2},$	$L_G = -\kappa^{-1} (\Lambda + a \mathcal{R}) + L_{\mathcal{R}^2} + \kappa^{-1} L_{\mathcal{T}^2},$
1510.06699_ EQ0003 (4)	5	■ 1.000	$L_{\{\backslash\mathrm{rm}\{G\}\}}=\backslash\mathrm{alpha}_{\{1\}}\ \backslash\mathrm{cal}\{R\}^{\{2\}}+\backslash\mathrm{alpha}_{\{2\}}\ \backslash\mathrm{cal}\{R\}_{\{a\ b\}}\ \backslash\mathrm{cal}\{R\}^{\{a\ b\}}+\backslash\mathrm{alpha}_{\{3\}}\ \backslash\mathrm{cal}\{R\}_{\{a\ b\}}\ \backslash\mathrm{cal}\{R\}^{\{b\ a\}}+\backslash\mathrm{alpha}_{\{4\}}\ \backslash\mathrm{cal}\{R\}_{\{a\ b\ c\ d\}}\ \backslash\mathrm{cal}\{R\}^{\{a\ b\ c\ d\}}+\backslash\mathrm{alpha}_{\{5\}}\ \backslash\mathrm{cal}\{R\}_{\{a\ b\ c\ d\}}\ \backslash\mathrm{cal}\{R\}^{\{a\ c\ b\ d\}}+\backslash\mathrm{alpha}_{\{6\}}\ \backslash\mathrm{cal}\{R\}_{\{a\ b\ c\ d\}}\ \backslash\mathrm{cal}\{R\}^{\{c\ d\ a\ b\}}+\backslash\mathrm{xi}\ \backslash\mathrm{cal}\{H\}_{\{a\ b\}}\ \backslash\mathrm{cal}\{H\}^{\{a\ b\}}\ \backslash\mathrm{equiv}\ L_{\{\backslash\mathrm{cal}\{R\}^{\{2\}}\}}+L_{\{\backslash\mathrm{cal}\{H\}^{\{2\}}\}}$	$L_{\mathrm{G}} = \alpha_1 \mathcal{R}^2 + \alpha_2 \mathcal{R}_{ab} \mathcal{R}^{ab} + \alpha_3 \mathcal{R}_{ab} \mathcal{R}^{ba} + \alpha_4 \mathcal{R}_{abcd} \mathcal{R}^{abcd} + \alpha_5 \mathcal{R}_{abcd} \mathcal{R}^{acbd} + \alpha_6 \mathcal{R}_{abcd} \mathcal{R}^{cdab} + \xi \mathcal{H}_{ab} \mathcal{H}^{ab} \equiv L_{\mathcal{R}^2} + L_{\mathcal{H}^2},$	$L_{\mathrm{G}} = \alpha_1 \mathcal{R}^2 + \alpha_2 \mathcal{R}_{ab} \mathcal{R}^{ab} + \alpha_3 \mathcal{R}_{ab} \mathcal{R}^{ba} + \alpha_4 \mathcal{R}_{abcd} \mathcal{R}^{abcd} + \alpha_5 \mathcal{R}_{abcd} \mathcal{R}^{acbd} + \alpha_6 \mathcal{R}_{abcd} \mathcal{R}^{cdab} + \xi \mathcal{H}_{ab} \mathcal{H}^{ab} \equiv L_{\mathcal{R}^2} + L_{\mathcal{H}^2},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00004 (5)	7	■ 1.000	$S_{\mathrm{M}}=\int L_{\mathrm{M}}(\varphi,\partial_{\mu}\varphi)\mathrm{d}^4x$	$S_{\mathrm{M}}=\int L_{\mathrm{M}}(\varphi,\partial_{\mu}\varphi)d^4x$	$S_{\mathrm{M}}=\int L_{\mathrm{M}}(\varphi,\partial_{\mu}\varphi)d^4x,$
1510.06699_ E00006 (7)	7	■ 1.000	$\varphi^{\prime}(\mathrm{x}^{\prime})=\mathrm{e}^{w\,\rho}\,S(\Lambda)\varphi(x),$	$\varphi'(x')=e^{w\rho}S(\Lambda)\varphi(x),$	$\varphi'(x')=e^{w\rho}S(\Lambda)\varphi(x),$
1510.06699_ E00007 (8)	8	■ 1.000	$\partial_{\mu}^{\prime}\varphi^{\prime}(x')=e^{(w-1)\rho}\Lambda_{\mu}^{\,\nu}S(\Lambda)\partial_{\nu}\varphi(x).$	$\partial_{\mu}'\varphi'(x')=e^{(w-1)\rho}\Lambda_{\mu}^{\nu}S(\Lambda)\partial_{\nu}\varphi(x).$	$\partial_{\mu}'\varphi'(x')=e^{(w-1)\rho}\Lambda_{\mu}^{\,\nu}S(\Lambda)\partial_{\nu}\varphi(x).$
1510.06699_ E00014 (15)	8	■ 1.000	$L_{\mathrm{EM}}=-\frac{1}{4}F_{\mu\nu}F^{\mu\nu}-J^{\mu}A_{\mu}$	$L_{\mathrm{EM}}=-\frac{1}{4}F_{\mu\nu}F^{\mu\nu}-J^{\mu}A_{\mu}$	$L_{\mathrm{EM}}=-\frac{1}{4}F_{\mu\nu}F^{\mu\nu}-J^{\mu}A_{\mu}$
1510.06699_ E00016 (17)	9	■ 1.000	$\varphi^{\prime}(\mathrm{x}^{\prime})=e^{w\rho(x)}S(\Lambda(x))\varphi(x).$	$\varphi'(x')=e^{w\rho(x)}S(\Lambda(x))\varphi(x).$	$\varphi'(x')=e^{w\rho(x)}S(\Lambda(x))\varphi(x).$
1510.06699_ E00017 (18)	9	■ 1.000	$\gamma_{\mu\nu}^{\prime}(x')=\frac{\partial x^{\lambda}}{\partial x'^{\mu}}\frac{\partial x^{\sigma}}{\partial x'^{\nu}}e^{2\rho(x)}\gamma_{\lambda\sigma}(x).$	$\gamma'_{\mu\nu}(x')=\frac{\partial x^{\lambda}}{\partial x'^{\mu}}\frac{\partial x^{\sigma}}{\partial x'^{\nu}}e^{2\rho(x)}\gamma_{\lambda\sigma}(x).$	$\gamma'_{\mu\nu}(x')=\frac{\partial x^{\lambda}}{\partial x'^{\mu}}\frac{\partial x^{\sigma}}{\partial x'^{\nu}}e^{2\rho(x)}\gamma_{\lambda\sigma}(x).$
1510.06699_ E00020 (21)	9	■ 1.000	$[\Sigma_{ab},\Sigma_{cd}]=\eta_{ad}\Sigma_{bc}-\eta_{bd}\Sigma_{ac}+\eta_{bc}\Sigma_{ad}-\eta_{ac}\Sigma_{bd}.$	$[\Sigma_{ab},\Sigma_{cd}]=\eta_{ad}\Sigma_{bc}-\eta_{bd}\Sigma_{ac}+\eta_{bc}\Sigma_{ad}-\eta_{ac}\Sigma_{bd}.$	$[\Sigma_{ab},\Sigma_{cd}]=\eta_{ad}\Sigma_{bc}-\eta_{bd}\Sigma_{ac}+\eta_{bc}\Sigma_{ad}-\eta_{ac}\Sigma_{bd}.$
1510.06699_ E00023 (24)	9	■ 1.000	$B_{\mu}^{\prime}(x')=\frac{\partial x^{\nu}}{\partial x'^{\mu}}[B_{\nu}(x)-\partial_{\nu}\rho(x)].$	$B_{\mu}'(x')=\frac{\partial x^{\nu}}{\partial x'^{\mu}}[B_{\nu}(x)-\partial_{\nu}\rho(x)].$	$B_{\mu}'(x')=\frac{\partial x^{\nu}}{\partial x'^{\mu}}[B_{\nu}(x)-\partial_{\nu}\rho(x)].$
1510.06699_ E00024 (25)	9	■ 1.000	$D_{\mu}^*\varphi(x)=\left[\partial_{\mu}^*+\frac{1}{2}A^{ab}{}_{\mu}(x)\Sigma_{ab}\right]\varphi(x),$	$D_{\mu}^*\varphi(x)=\left[\partial_{\mu}^*+\frac{1}{2}A^{ab}{}_{\mu}(x)\Sigma_{ab}\right]\varphi(x),$	$D_{\mu}^*\varphi(x)=[\partial_{\mu}^*+\frac{1}{2}A^{ab}{}_{\mu}(x)\Sigma_{ab}]\varphi(x),$
1510.06699_ E00025 (26)	9	■ 1.000	$\partial_{\mu}^*\equiv\partial_{\mu}+wB_{\mu}(x).$	$\partial_{\mu}^*\equiv\partial_{\mu}+wB_{\mu}(x).$	$\partial_{\mu}^*\equiv\partial_{\mu}+wB_{\mu}(x).$
1510.06699_ E00027 (28)	10	■ 1.000	$h_a{}^{\mu}b^a{}_{\nu}=\delta_{\nu}^{\mu}\quad\text{and}\quad h_a{}^{\mu}b^c{}_{\mu}=\delta_a^c.$	$h_a{}^{\mu}b^a{}_{\nu}=\delta_{\nu}^{\mu}\quad\text{and}\quad h_a{}^{\mu}b^c{}_{\mu}=\delta_a^c.$	$h_a{}^{\mu}b^a{}_{\nu}=\delta_{\nu}^{\mu}\quad\text{and}\quad h_a{}^{\mu}b^c{}_{\mu}=\delta_a^c.$
1510.06699_ E00028 (29)	10	■ 1.000	$\mathcal{D}_a^*\varphi(x)\equiv h_a{}^{\mu}(x)D_{\mu}^*\varphi(x)$ $=h_a{}^{\mu}(x)\left[\partial_{\mu}+\frac{1}{2}A^{cd}{}_{\mu}(x)\Sigma_{cd}+wB_{\mu}(x)\right]\varphi(x),$	$\mathcal{D}_a^*\varphi(x)\equiv h_a{}^{\mu}(x)D_{\mu}^*\varphi(x)$ $=h_a{}^{\mu}(x)\left[\partial_{\mu}+\frac{1}{2}A^{cd}{}_{\mu}(x)\Sigma_{cd}+wB_{\mu}(x)\right]\varphi(x),$	$\mathcal{D}_a^*\varphi(x)\equiv h_a{}^{\mu}(x)D_{\mu}^*\varphi(x)$ $=h_a{}^{\mu}(x)[\partial_{\mu}+\frac{1}{2}A^{cd}{}_{\mu}(x)\Sigma_{cd}+wB_{\mu}(x)]\varphi(x),$
1510.06699_ E00030 (31)	10	■ 1.000	$L_{\mathrm{M}}(\varphi'(\mathrm{x}');\mathcal{D}_a^{*\prime}\varphi'(\mathrm{x}'))=e^{-4\rho(x)}L_{\mathrm{M}}(\varphi(x);\mathcal{D}_a^*\varphi(x)).$	$L_{\mathrm{M}}(\varphi'(x');\mathcal{D}_a^{*\prime}\varphi'(x'))=e^{-4\rho(x)}L_{\mathrm{M}}(\varphi(x);\mathcal{D}_a^*\varphi(x)).$	$L_{\mathrm{M}}(\varphi'(x');\mathcal{D}_a^{*\prime}\varphi'(x'))=e^{-4\rho(x)}L_{\mathrm{M}}(\varphi(x);\mathcal{D}_a^*\varphi(x)).$
1510.06699_ E00031 (32)	10	■ 1.000	$S_{\mathrm{M}}=\int h^{-1}L_{\mathrm{M}}(\varphi,\mathcal{D}_a^*\varphi)d^4x$	$S_{\mathrm{M}}=\int h^{-1}L_{\mathrm{M}}(\varphi,\mathcal{D}_a^*\varphi)d^4x$	$S_{\mathrm{M}}=\int h^{-1}L_{\mathrm{M}}(\varphi,\mathcal{D}_a^*\varphi)d^4x,$
1510.06699_ E00034 (35)	10	■ 1.000	$D_{\mu}^*\equiv\partial_{\mu}^*+{}^0\Gamma^{\sigma}{}_{\rho\mu}X^{\rho}{}_{\sigma}+\frac{1}{2}A^{ab}{}_{\mu}\Sigma_{ab}={}^0\nabla_{\mu}^*+\frac{1}{2}A^{ab}{}_{\mu}\Sigma_{ab},$	$D_{\mu}^*\equiv\partial_{\mu}^*+{}^0\Gamma^{\sigma}{}_{\rho\mu}X^{\rho}{}_{\sigma}+\frac{1}{2}A^{ab}{}_{\mu}\Sigma_{ab}={}^0\nabla_{\mu}^*+\frac{1}{2}A^{ab}{}_{\mu}\Sigma_{ab},$	$D_{\mu}^*\equiv\partial_{\mu}^*+{}^0\Gamma^{\sigma}{}_{\rho\mu}X^{\rho}{}_{\sigma}+\frac{1}{2}A^{ab}{}_{\mu}\Sigma_{ab}={}^0\nabla_{\mu}^*+\frac{1}{2}A^{ab}{}_{\mu}\Sigma_{ab},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E09035 (36)	11	■ 1.000	$D_{\mu}h_a^{\nu}h_{\{a\}}^{\{\nu\}}=\partial_{\mu}h_a^{\nu}h_{\{a\}}^{\{\nu\}}h_{\{a\}}^{\{\nu\}}+h_{\{a\}}^{\{\nu\}}\Gamma_{\rho\mu}h_a^{\rho}h_{\{a\}}^{\{\nu\}}-A_{a\mu}^bh_b^{\nu}\rho h_{\{a\}}^{\{\nu\}}-A_{\{b\}}^{\{a\}}h_{\mu}h_{\{b\}}^{\{a\}}h_{\{a\}}^{\{\nu\}}$	$D_{\mu}^*h_a^{\nu}=\partial_{\mu}^*h_a^{\nu}+{}^0\Gamma_{\rho\mu}^{\nu}h_a^{\rho}-A_{a\mu}^bh_b^{\nu}.$	$D_{\mu}^*h_a^{\nu}=\partial_{\mu}^*h_a^{\nu}+{}^0\Gamma_{\rho\mu}^{\nu}h_a^{\rho}-A_{a\mu}^bh_b^{\nu}.$
1510.06699_ E09036 (37)	11	■ 1.000	$\left[\partial_{\mu}h_a^{\nu},\partial_{\nu}h_a^{\mu}\right]\varphi=0,$	$[{}^0\nabla_{\mu},{}^0\nabla_{\nu}]\varphi=0,$	$[{}^0\nabla_{\mu},{}^0\nabla_{\nu}]\varphi=0,$
1510.06699_ E09037 (38)	11	■ 1.000	$\left[D_{\mu}h_a^{\nu},D_{\nu}h_a^{\mu}\right]\varphi=\frac{1}{2}R_{\mu\nu}^{ab}\Sigma_{ab}\varphi+wH_{\mu\nu}\varphi,$	$[D_{\mu}^*,D_{\nu}^*]\varphi=\frac{1}{2}R_{\mu\nu}^{ab}\Sigma_{ab}\varphi+wH_{\mu\nu}\varphi,$	$[D_{\mu}^*,D_{\nu}^*]\varphi=\frac{1}{2}R_{\mu\nu}^{ab}\Sigma_{ab}\varphi+wH_{\mu\nu}\varphi,$
1510.06699_ E09039 (41)	12	■ 1.000	$\left[\mathcal{D}_{\mu}h_a^{\nu},\mathcal{D}_{\nu}h_a^{\mu}\right]\varphi=\frac{1}{2}\mathcal{R}_{\mu\nu}^{ab}\Sigma_{ab}\varphi+w\mathcal{H}_{\mu\nu}\varphi-\mathcal{T}_{\mu\nu}^{*a}\mathcal{D}_a^*\varphi,$	$[\mathcal{D}_c^*,\mathcal{D}_d^*]\varphi=\frac{1}{2}\mathcal{R}_{cd}^{ab}\Sigma_{ab}\varphi+w\mathcal{H}_{cd}\varphi-\mathcal{T}_{cd}^{*a}\mathcal{D}_a^*\varphi,$	$[\mathcal{D}_c^*,\mathcal{D}_d^*]\varphi=\frac{1}{2}\mathcal{R}_{cd}^{ab}\Sigma_{ab}\varphi+w\mathcal{H}_{cd}\varphi-\mathcal{T}_{cd}^{*a}\mathcal{D}_a^*\varphi,$
1510.06699_ E09040 (42)	12	■ 1.000	$\mathcal{T}_{bc}^{*a}\equiv h_b^{\mu}h_c^{\nu}T_{\mu\nu}^{*a}\equiv h_b^{\mu}h_c^{\nu}(D_{\mu}^*b_{\nu}^a-D_{\nu}^*b_{\mu}^a),$	$\mathcal{T}_{bc}^{*a}\equiv h_b^{\mu}h_c^{\nu}T_{\mu\nu}^{*a}\equiv h_b^{\mu}h_c^{\nu}(D_{\mu}^*b_{\nu}^a-D_{\nu}^*b_{\mu}^a),$	$\mathcal{T}_{bc}^{*a}\equiv h_b^{\mu}h_c^{\nu}T_{\mu\nu}^{*a}\equiv h_b^{\mu}h_c^{\nu}(D_{\mu}^*b_{\nu}^a-D_{\nu}^*b_{\mu}^a),$
1510.06699_ E09041 (43)	12	■ 1.000	$\mathcal{T}_{bc}^{*a}=-b_{\mu}^a(\mathcal{D}_b^*h_c^{\mu}-\mathcal{D}_c^*h_b^{\mu}).$	$\mathcal{T}_{bc}^{*a}=-b_{\mu}^a(\mathcal{D}_b^*h_c^{\mu}-\mathcal{D}_c^*h_b^{\mu}).$	$\mathcal{T}_{bc}^{*a}=-b_{\mu}^a(\mathcal{D}_b^*h_c^{\mu}-\mathcal{D}_c^*h_b^{\mu}).$
1510.06699_ E09042 (44)	12	■ 1.000	$\mathcal{T}_{bc}^{*a}=\mathcal{T}_{bc}^a+\delta_c^a\mathcal{B}_b-\delta_b^a\mathcal{B}_c,$	$\mathcal{T}_{bc}^{*a}=\mathcal{T}_{bc}^a+\delta_c^a\mathcal{B}_b-\delta_b^a\mathcal{B}_c,$	$\mathcal{T}_{bc}^{*a}=\mathcal{T}_{bc}^a+\delta_c^a\mathcal{B}_b-\delta_b^a\mathcal{B}_c,$
1510.06699_ E09043 (45)	12	■ 1.000	$c_{bc}^{*a}\equiv h_b^{\mu}h_c^{\nu}(\partial_{\mu}^*b_{\nu}^a-\partial_{\nu}^*b_{\mu}^a),$	$c_{bc}^{*a}\equiv h_b^{\mu}h_c^{\nu}(\partial_{\mu}^*b_{\nu}^a-\partial_{\nu}^*b_{\mu}^a),$	$c_{bc}^{*a}\equiv h_b^{\mu}h_c^{\nu}(\partial_{\mu}^*b_{\nu}^a-\partial_{\nu}^*b_{\mu}^a),$
1510.06699_ E09044 (46)	12	■ 1.000	$\mathcal{A}_{abc}=\frac{1}{2}(c_{abc}^*+c_{bca}^*-c_{cab}^*)-\frac{1}{2}(\mathcal{T}_{abc}^*+\mathcal{T}_{bca}^*-\mathcal{T}_{cab}^*).$	$\mathcal{A}_{abc}=\frac{1}{2}(c_{abc}^*+c_{bca}^*-c_{cab}^*)-\frac{1}{2}(\mathcal{T}_{abc}^*+\mathcal{T}_{bca}^*-\mathcal{T}_{cab}^*).$	$\mathcal{A}_{abc}=\frac{1}{2}(c_{abc}^*+c_{bca}^*-c_{cab}^*)-\frac{1}{2}(\mathcal{T}_{abc}^*+\mathcal{T}_{bca}^*-\mathcal{T}_{cab}^*).$
1510.06699_ E09045 (47)	12	■ 1.000	$\mathcal{A}_{abc}={}^0\mathcal{A}_{abc}^*(h,\partial h,B)+\mathcal{K}_{abc}^*(h,\partial h,A,B),$	$\mathcal{A}_{abc}={}^0\mathcal{A}_{abc}^*(h,\partial h,B)+\mathcal{K}_{abc}^*(h,\partial h,A,B),$	$\mathcal{A}_{abc}={}^0\mathcal{A}_{abc}^*(h,\partial h,B)+\mathcal{K}_{abc}^*(h,\partial h,A,B),$
1510.06699_ E09048 (50)	12	■ 1.000	$\left[\mathcal{D}_a^*,\mathcal{D}_b^*,\mathcal{D}_c^*\right]\varphi+\left[\mathcal{D}_c^*,\mathcal{D}_a^*,\mathcal{D}_b^*\right]\varphi+\left[\mathcal{D}_b^*,\mathcal{D}_c^*,\mathcal{D}_a^*\right]\varphi=0.$	$[\mathcal{D}_a^*,[\mathcal{D}_b^*,\mathcal{D}_c^*]]\varphi+[\mathcal{D}_c^*,[\mathcal{D}_a^*,\mathcal{D}_b^*]]\varphi+[\mathcal{D}_b^*,[\mathcal{D}_c^*,\mathcal{D}_a^*]]\varphi=0.$	$[\mathcal{D}_a^*,[\mathcal{D}_b^*,\mathcal{D}_c^*]]\varphi+[\mathcal{D}_c^*,[\mathcal{D}_a^*,\mathcal{D}_b^*]]\varphi+[\mathcal{D}_b^*,[\mathcal{D}_c^*,\mathcal{D}_a^*]]\varphi=0.$
1510.06699_ E09050 (54)	13	■ 1.000	$\mathcal{D}_a^*\mathcal{R}^{ae}_{bc}-2\mathcal{D}_{[b}^*\mathcal{R}^e_{c]}\mathcal{D}_a^*+2\mathcal{T}_{a[b}^f\mathcal{R}^{ae}_{c]f}-\mathcal{T}_{bc}^{*f}\mathcal{R}^e_{f}{}^a=0.$	$\mathcal{D}_a^*\mathcal{R}^{ae}_{bc}-2\mathcal{D}_{[b}^*\mathcal{R}^e_{c]}\mathcal{D}_a^*+2\mathcal{T}_{a[b}^f\mathcal{R}^{ae}_{c]f}-\mathcal{T}_{bc}^{*f}\mathcal{R}^e_{f}{}^a=0.$	$\mathcal{D}_a^*\mathcal{R}^{ae}_{bc}-2\mathcal{D}_{[b}^*\mathcal{R}^e_{c]}\mathcal{D}_a^*+2\mathcal{T}_{a[b}^f\mathcal{R}^{ae}_{c]f}-\mathcal{T}_{bc}^{*f}\mathcal{R}^e_{f}{}^a=0.$
1510.06699_ E09051 (55)	13	■ 1.000	$\mathcal{D}_a^*(\mathcal{R}^a_c-\frac{1}{2}\delta_c^a\mathcal{R})+\mathcal{T}_{bc}^{*f}\mathcal{R}^b_f+\frac{1}{2}\mathcal{T}_{ab}^{*f}\mathcal{R}^{ab}_{cf}=0.$	$\mathcal{D}_a^*\left(\mathcal{R}^a_c-\frac{1}{2}\delta_c^a\mathcal{R}\right)+\mathcal{T}_{bc}^{*f}\mathcal{R}^b_f+\frac{1}{2}\mathcal{T}_{ab}^{*f}\mathcal{R}^{ab}_{cf}=0.$	$\mathcal{D}_a^*(\mathcal{R}^a_c-\frac{1}{2}\delta_c^a\mathcal{R})+\mathcal{T}_{bc}^{*f}\mathcal{R}^b_f+\frac{1}{2}\mathcal{T}_{ab}^{*f}\mathcal{R}^{ab}_{cf}=0.$
1510.06699_ E09052 (56)	13	■ 1.000	$\mathcal{D}_a^*\mathcal{T}_{bc}^{*a}+2\mathcal{D}_{[b}^*\mathcal{T}_{c]}^*+\mathcal{T}_{bc}^{*e}\mathcal{T}_e^*+2\mathcal{R}_{[bc]}+2\mathcal{H}_{bc}=0.$	$\mathcal{D}_a^*\mathcal{T}_{bc}^{*a}+2\mathcal{D}_{[b}^*\mathcal{T}_{c]}^*+\mathcal{T}_{bc}^{*e}\mathcal{T}_e^*+2\mathcal{R}_{[bc]}+2\mathcal{H}_{bc}=0.$	$\mathcal{D}_a^*\mathcal{T}_{bc}^{*a}+2\mathcal{D}_{[b}^*\mathcal{T}_{c]}^*+\mathcal{T}_{bc}^{*e}\mathcal{T}_e^*+2\mathcal{R}_{[bc]}+2\mathcal{H}_{bc}=0.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0053 (57)	13	■ 1.000	$S_{\mathrm{G}}=\int h^{-1} L_{\mathrm{G}}(\mathcal{R}_{abcd},\mathcal{T}_{abc}^*,\mathcal{H}_{ab})\,d^4x$	$S_{\mathrm{G}}=\int h^{-1}L_{\mathrm{G}}(\mathcal{R}_{abcd},\mathcal{T}_{abc}^*,\mathcal{H}_{ab})\,d^4x,$	
1510.06699_ EQ0054 (58)	13	■ 1.000	$L_{\mathrm{G}}=L_{\mathcal{R}^2}+L_{\mathcal{H}^2},$	$L_{\mathrm{G}}=L_{\mathcal{R}^2}+L_{\mathcal{H}^2},$	
1510.06699_ EQ0055 (59)	13	■ 1.000	$\mathcal{R}^2-4\mathcal{R}_{ab}\mathcal{R}^{ba}+\mathcal{R}_{abcd}\mathcal{R}^{cdab}$	$\mathcal{R}^2-4\mathcal{R}_{ab}\mathcal{R}^{ba}+\mathcal{R}_{abcd}\mathcal{R}^{cdab}$	
1510.06699_ EQ0059 (63)	14	■ 1.000	$\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi} \equiv \frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial \varphi} - \partial_{\mu} \left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial (\partial_{\mu} \varphi)} \right) = 0.$	$\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi} \equiv \frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial \varphi} - \partial_{\mu} \left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial (\partial_{\mu} \varphi)} \right) = 0.$	
1510.06699_ EQ0060 (64)	14	■ 1.000	$\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi} \equiv \frac{\bar{\partial} \mathcal{L}_{\mathrm{M}}}{\partial \varphi} - D_{\mu}^* \left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial (D_{\mu}^* \varphi)} \right) = 0$	$\frac{\delta \mathcal{L}_{\mathrm{M}}}{\delta \varphi} \equiv \frac{\bar{\partial} \mathcal{L}_{\mathrm{M}}}{\partial \varphi} - D_{\mu}^* \left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial (D_{\mu}^* \varphi)} \right) = 0,$	
1510.06699_ EQ0061 (65)	14	■ 1.000	$\frac{\bar{\partial} \mathcal{L}_{\mathrm{M}}}{\partial \varphi} - \mathcal{D}_a^* \left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial (\mathcal{D}_a^* \varphi)} \right) = h D_{\mu}^* (h^{-1} h_a^{\mu}) \frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial (\mathcal{D}_a^* \varphi)},$	$\frac{\bar{\partial} \mathcal{L}_{\mathrm{M}}}{\partial \varphi} - \mathcal{D}_a^* \left(\frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial (\mathcal{D}_a^* \varphi)} \right) = h D_{\mu}^* (h^{-1} h_a^{\mu}) \frac{\partial \mathcal{L}_{\mathrm{M}}}{\partial (\mathcal{D}_a^* \varphi)},$	
1510.06699_ EQ0062 (66)	14	■ 1.000	$h D_{\mu}^* (h^{-1} h_a^{\mu}) = b^b_{\mu} (\mathcal{D}_b^* h_a^{\mu} - \mathcal{D}_a^* h_b^{\mu}) = \mathcal{T}^{*b}_{ab} \equiv \mathcal{T}_a^*,$	$h D_{\mu}^* (h^{-1} h_a^{\mu}) = b^b_{\mu} (\mathcal{D}_b^* h_a^{\mu} - \mathcal{D}_a^* h_b^{\mu}) = \mathcal{T}^{*b}_{ab} \equiv \mathcal{T}_a^*,$	
1510.06699_ EQ0069 (73)	15	■ 1.000	$i \gamma^a \left(\mathcal{D}_a^* + \frac{1}{2} \mathcal{T}_a^* \right) \psi - \mu \phi \psi = 0.$	$i \gamma^a \left(\mathcal{D}_a^* + \frac{1}{2} \mathcal{T}_a^* \right) \psi - \mu \phi \psi = 0.$	
1510.06699_ EQ0070 (74)	15	■ 1.000	$i \gamma^a \left(\mathcal{D}_a + \frac{1}{2} \mathcal{T}_a \right) \psi - \mu \phi \psi = 0.$	$i \gamma^a \left(\mathcal{D}_a + \frac{1}{2} \mathcal{T}_a \right) \psi - \mu \phi \psi = 0.$	
1510.06699_ EQ0071 (75)	16	■ 1.000	$i \gamma^a \left({}^0 \mathcal{D}_a^* - \frac{1}{4} \mathcal{T}_{[abc]}^* \Sigma^{bc} \right) \psi - \mu \phi \psi = 0.$	$i \gamma^a \left({}^0 \mathcal{D}_a^* - \frac{1}{4} \mathcal{T}_{[abc]}^* \Sigma^{bc} \right) \psi - \mu \phi \psi = 0.$	
1510.06699_ EQ0072 (76)	16	■ 1.000	$i \gamma^a \left({}^0 \mathcal{D}_a - \frac{1}{4} \mathcal{T}_{[abc]} \Sigma^{bc} \right) \psi - \mu \phi \psi = 0,$	$i \gamma^a \left({}^0 \mathcal{D}_a - \frac{1}{4} \mathcal{T}_{[abc]} \Sigma^{bc} \right) \psi - \mu \phi \psi = 0,$	
1510.06699_ EQ0078 (83)	17	■ 1.000	$\mathcal{L}_{\mathrm{M}} = h^{-1} L_{\mathrm{M}} = -h^{-1} \left(\frac{1}{4} \mathcal{F}_{ab} \mathcal{F}^{ab} + \mathcal{J}^a \mathcal{A}_a \right),$	$\mathcal{L}_{\mathrm{M}} = h^{-1} L_{\mathrm{M}} = -h^{-1} \left(\frac{1}{4} \mathcal{F}_{ab} \mathcal{F}^{ab} + \mathcal{J}^a \mathcal{A}_a \right),$	
1510.06699_ EQ0084 (90)	17	■ 1.000	$h \tau^a_b = \frac{1}{4} \delta_b^a \mathcal{F}^{cd} \mathcal{F}_{cd} - \mathcal{F}^{ac} \mathcal{F}_{bc},$	$h \tau^a_b = \frac{1}{4} \delta_b^a \mathcal{F}^{cd} \mathcal{F}_{cd} - \mathcal{F}^{ac} \mathcal{F}_{bc},$	
1510.06699_ EQ0087 (93)	18	■ 1.000	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(\widehat{h}, \widehat{A}, \partial \widehat{A}, \partial \widehat{B}) + \mathcal{L}_{\mathrm{M}}(\widehat{\varphi}, \partial \widehat{\varphi}, \phi_0, 0, \widehat{h}, \partial \widehat{h}, \widehat{A}, \partial \widehat{A}, \widehat{B}).$	$\mathcal{L}_{\mathrm{T}} = \mathcal{L}_{\mathrm{G}}(\widehat{h}, \widehat{A}, \partial \widehat{A}, \partial \widehat{B}) + \mathcal{L}_{\mathrm{M}}(\widehat{\varphi}, \partial \widehat{\varphi}, \phi_0, 0, \widehat{h}, \partial \widehat{h}, \widehat{A}, \partial \widehat{A}, \widehat{B}).$	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00088 (91d)	18	■ 1.000	$\left.\frac{\delta\mathcal{L}_\mathrm{M}}{\delta\phi}\right _{\phi=\phi_0}=\left.\frac{\delta\mathcal{L}_\mathrm{M}}{\delta h_a^\mu}\right _{\phi=\phi_0}+\partial_\mu\left(\frac{\delta\mathcal{L}_\mathrm{M}}{\delta B_\mu}\right)_{\phi=\phi_0},$	$\phi_0\left.\frac{\delta\mathcal{L}_\mathrm{M}}{\delta\phi}\right _{\phi=\phi_0}=-h_a^\mu\left.\frac{\delta\mathcal{L}_\mathrm{M}}{\delta h_a^\mu}\right _{\phi=\phi_0}+\partial_\mu\left(\frac{\delta\mathcal{L}_\mathrm{M}}{\delta B_\mu}\right)_{\phi=\phi_0},$	$\phi_0\left.\frac{\delta\mathcal{L}_\mathrm{M}}{\delta\phi}\right _{\phi=\phi_0}=-h_a^\mu\left.\frac{\delta\mathcal{L}_\mathrm{M}}{\delta h_a^\mu}\right _{\phi=\phi_0}+\partial_\mu\left(\frac{\delta\mathcal{L}_\mathrm{M}}{\delta B_\mu}\right)_{\phi=\phi_0},$
1510.06699_ E00090 (96)	19	■ 1.000	$S=-\int d\lambda\left[p_av^a-\frac{1}{2}e\left(p_ap^a-\mu^2\phi^2\right)\right]$	$S=-\int d\lambda\left[p_av^a-\frac{1}{2}e\left(p_ap^a-\mu^2\phi^2\right)\right]$	$S=-\int d\lambda\left[p_av^a-\frac{1}{2}e\left(p_ap^a-\mu^2\phi^2\right)\right],$
1510.06699_ E00092 (100)	19	■ 1.000	$v^c\left(\mathcal{D}_c^*p_a-\mathcal{T}_{cab}^*p^b\right)=e\mu^2\phi\mathcal{D}_a^*\phi.$	$v^c\left(\mathcal{D}_c^*p_a-\mathcal{T}_{cab}^*p^b\right)=e\mu^2\phi\mathcal{D}_a^*\phi.$	$v^c\left(\mathcal{D}_c^*p_a-\mathcal{T}_{cab}^*p^b\right)=e\mu^2\phi\mathcal{D}_a^*\phi.$
1510.06699_ E00096 (104)	19	■ 1.000	$v^{\{b\}\{ \}^{\{0\}}}\mathcal{D}_{\{b\}}v_{\{a\}}=0$	$v^{b0}\mathcal{D}_bv_a=0.$	$v^{b\,0}\mathcal{D}_bv_a=0.$
1510.06699_ E00098 (106)	20	■ 1.000	$S=-\int d\widehat{\lambda}\left[\widehat{p}_a\widehat{v}^a-\frac{1}{2}\widehat{\epsilon}\left(\widehat{p}_a\widehat{p}^a-\mu^2\phi_0^2\right)\right]$	$S=-\int d\widehat{\lambda}\left[\widehat{p}_a\widehat{v}^a-\frac{1}{2}\widehat{\epsilon}\left(\widehat{p}_a\widehat{p}^a-\mu^2\phi_0^2\right)\right]$	$S=-\int d\widehat{\lambda}\left[\widehat{p}_a\widehat{v}^a-\frac{1}{2}\widehat{\epsilon}\left(\widehat{p}_a\widehat{p}^a-\mu^2\phi_0^2\right)\right],$
1510.06699_ E00099 (107)	20	■ 1.000	$\widehat{v}^{b0}\widehat{\mathcal{D}}_b\widehat{v}_a=0,$	$\widehat{v}^{b0}\widehat{\mathcal{D}}_b\widehat{v}_a=0,$	$\widehat{v}^{b\,0}\widehat{\mathcal{D}}_b\widehat{v}_a=0,$
1510.06699_ E00100 (108)	20	■ 1.000	$\left[\left\{ \right\}^{\{0\}}D_{\{\mu\}}^*\right\{ \}^{\{0\}}D_{\{\nu\}}^*\right]\varphi=\frac{1}{2}{}^0R^{*ab}{}_{\mu\nu}\Sigma_{ab}\varphi+wH_{\mu\nu}\varphi,$	$\left[{}^0D_{\mu}^*,{}^0D_{\nu}^*\right]\varphi=\frac{1}{2}{}^0R^{*ab}{}_{\mu\nu}\Sigma_{ab}\varphi+wH_{\mu\nu}\varphi,$	$\left[{}^0D_{\mu}^*,{}^0D_{\nu}^*\right]\varphi=\frac{1}{2}{}^0R^{*ab}{}_{\mu\nu}\Sigma_{ab}\varphi+wH_{\mu\nu}\varphi,$
1510.06699_ E00101 (109)	20	■ 1.000	$\left[\left\{ \right\}^{\{0\}}\mathcal{D}_{\{d\}}^*\right\{ \}^{\{0\}}\mathcal{D}_{\{d\}}^*\right]\varphi=\frac{1}{2}{}^0\mathcal{R}^{*ab}{}_{cd}\Sigma_{ab}\varphi+w\mathcal{H}_{cd}\varphi,$	$\left[{}^0\mathcal{D}_c^*,{}^0\mathcal{D}_d^*\right]\varphi=\frac{1}{2}{}^0\mathcal{R}^{*ab}{}_{cd}\Sigma_{ab}\varphi+w\mathcal{H}_{cd}\varphi,$	$\left[{}^0\mathcal{D}_c^*,{}^0\mathcal{D}_d^*\right]\varphi=\frac{1}{2}{}^0\mathcal{R}^{*ab}{}_{cd}\Sigma_{ab}\varphi+w\mathcal{H}_{cd}\varphi,$
1510.06699_ E00107 (115)	21	■ 1.000	$\boldsymbol{e}_{\{\mu\}}\cdot\boldsymbol{e}_{\{\nu\}}=\eta_{ab}b^a{}_{\mu}b^b{}_{\nu}\equiv g_{\mu\nu}.$	$\boldsymbol{e}_{\mu}\cdot\boldsymbol{e}_{\nu}=\eta_{ab}b^a{}_{\mu}b^b{}_{\nu}\equiv g_{\mu\nu}.$	$\boldsymbol{e}_{\mu}\cdot\boldsymbol{e}_{\nu}=\eta_{ab}b^a{}_{\mu}b^b{}_{\nu}\equiv g_{\mu\nu}.$
1510.06699_ E00113 (121)	22	■ 1.000	$\Delta_{\mu}^*e^a{}_{\nu}\equiv\partial_{\mu}^*e^a{}_{\nu}-\Gamma^{\sigma}{}_{\nu\mu}e^a{}_{\sigma}+A^a{}_{b\mu}e^a{}_{\nu}=0,$	$\Delta_{\mu}^*e^a{}_{\nu}\equiv\partial_{\mu}^*e^a{}_{\nu}-\Gamma^{\sigma}{}_{\nu\mu}e^a{}_{\sigma}+A^a{}_{b\mu}e^a{}_{\nu}=0,$	$\Delta_{\mu}^*e^a{}_{\nu}\equiv\partial_{\mu}^*e^a{}_{\nu}-\Gamma^{\sigma}{}_{\nu\mu}e^a{}_{\sigma}+A^a{}_{b\mu}e^a{}_{\nu}=0,$
1510.06699_ E00119 (130)	23	■ 1.000	$\Gamma^{\lambda}{}_{\mu\nu}={}^0\Gamma^{*\lambda}{}_{\mu\nu}+K^{*\lambda}{}_{\mu\nu},$	$\Gamma^{\lambda}{}_{\mu\nu}={}^0\Gamma^{*\lambda}{}_{\mu\nu}+K^{*\lambda}{}_{\mu\nu},$	$\Gamma^{\lambda}{}_{\mu\nu}={}^0\Gamma^{*\lambda}{}_{\mu\nu}+K^{*\lambda}{}_{\mu\nu},$
1510.06699_ E00121 (132)	23	■ 1.000	$K^{*\lambda}{}_{\mu\nu}=-\frac{1}{2}\left(T^{*\lambda}{}_{\mu\nu}-T^{*}{}_{\nu}{}^{\lambda}{}_{\mu}+T^{*}{}_{\mu\nu}{}^{\lambda}\right),$	$K^{*\lambda}{}_{\mu\nu}=-\frac{1}{2}\left(T^{*\lambda}{}_{\mu\nu}-T^{*}{}_{\nu}{}^{\lambda}{}_{\mu}+T^{*}{}_{\mu\nu}{}^{\lambda}\right),$	$K^{*\lambda}{}_{\mu\nu}=-\frac{1}{2}\left(T^{*\lambda}{}_{\mu\nu}-T^{*}{}_{\nu}{}^{\lambda}{}_{\mu}+T^{*}{}_{\mu\nu}{}^{\lambda}\right),$
1510.06699_ E00122 (133)	23	■ 1.000	${}^0\Delta_{\mu}^*e^a{}_{\nu}\equiv\partial_{\mu}^*e^a{}_{\nu}-{}^0\Gamma^{*\sigma}{}_{\nu\mu}e^a{}_{\sigma}+{}^0A^{*a}{}_{b\mu}e^b{}_{\nu}=0.$	${}^0\Delta_{\mu}^*e^a{}_{\nu}\equiv\partial_{\mu}^*e^a{}_{\nu}-{}^0\Gamma^{*\sigma}{}_{\nu\mu}e^a{}_{\sigma}+{}^0A^{*a}{}_{b\mu}e^b{}_{\nu}=0.$	${}^0\Delta_{\mu}^*e^a{}_{\nu}\equiv\partial_{\mu}^*e^a{}_{\nu}-{}^0\Gamma^{*\sigma}{}_{\nu\mu}e^a{}_{\sigma}+{}^0A^{*a}{}_{b\mu}e^b{}_{\nu}=0.$
1510.06699_ E00127 (141)	24	■ 1.000	$A^{\prime ab}{}_{\mu}=A^{ab}{}_{\mu}+\left(b^a{}_{\mu}\mathcal{P}^b-b^b{}_{\mu}\mathcal{P}^a\right),$	$A^{\prime ab}{}_{\mu}=A^{ab}{}_{\mu}+\left(b^a{}_{\mu}\mathcal{P}^b-b^b{}_{\mu}\mathcal{P}^a\right),$	$A^{\prime ab}{}_{\mu}=A^{ab}{}_{\mu}+\left(b^a{}_{\mu}\mathcal{P}^b-b^b{}_{\mu}\mathcal{P}^a\right),$
1510.06699_ E00128 (142)	24	■ 1.000	$A^{\dagger ab}{}_{\mu}\equiv A^{ab}{}_{\mu}+\left(\mathcal{V}^ab^b{}_{\mu}-\mathcal{V}^bb^a{}_{\mu}\right),$	$A^{\dagger ab}{}_{\mu}\equiv A^{ab}{}_{\mu}+\left(\mathcal{V}^ab^b{}_{\mu}-\mathcal{V}^bb^a{}_{\mu}\right),$	$A^{\dagger ab}{}_{\mu}\equiv A^{ab}{}_{\mu}+\left(\mathcal{V}^ab^b{}_{\mu}-\mathcal{V}^bb^a{}_{\mu}\right),$
1510.06699_ E00129 (143)	24	■ 1.000	$D_{\mu}^{\dagger}\varphi\equiv\left(\partial_{\mu}+\frac{1}{2}A^{\dagger ab}{}_{\mu}\Sigma_{ab}-wV_{\mu}-\frac{1}{3}wT_{\mu}\right)\varphi,$	$D_{\mu}^{\dagger}\varphi\equiv\left(\partial_{\mu}+\frac{1}{2}A^{\dagger ab}{}_{\mu}\Sigma_{ab}-wV_{\mu}-\frac{1}{3}wT_{\mu}\right)\varphi,$	$D_{\mu}^{\dagger}\varphi\equiv\left(\partial_{\mu}+\frac{1}{2}A^{\dagger ab}{}_{\mu}\Sigma_{ab}-wV_{\mu}-\frac{1}{3}wT_{\mu}\right)\varphi,$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0130 (144)	24	■ 1.000	$V_{\{\mu\}}^{\wedge\{\prime\}}=V_{\{\mu\}}+\theta P_{\mu}$	$V_{\mu}' = V_{\mu} + \theta P_{\mu},$	$V_{\mu}' = V_{\mu} + \theta P_{\mu},$
1510.06699_ EQ0131 (145)	25	■ 1.000	$D_{\{\mu\}}^{\wedge\{\dag\}}\ \varphi=\left(\partial_{\{\mu\}}^{\wedge\{\dag\}}+\frac{1}{2}\ A^{\wedge\{\dag\}a\ b}\}_{\{\mu\}}\ \Sigma_{a\ b}\right)\ \varphi$	$D_{\mu}^{\dagger}\varphi=\left(\partial_{\mu}^{\dagger}+\frac{1}{2}A^{\dagger ab}{}_{\mu}\Sigma_{ab}\right)\varphi,$	$D_{\mu}^{\dagger}\varphi=(\partial_{\mu}^{\dagger}+\frac{1}{2}A^{\dagger ab}{}_{\mu}\Sigma_{ab})\varphi,$
1510.06699_ EQ0132 (146)	25	■ 1.000	$\partial_{\{\mu\}}^{\wedge\{\dag\}}\ \equiv\ \partial_{\{\mu\}}-\textcolor{black}{w}\left(V_{\{\mu\}}+\frac{1}{3}T_{\mu}\right)$	$\partial_{\mu}^{\dagger}\equiv\partial_{\mu}-w\left(V_{\mu}+\frac{1}{3}T_{\mu}\right).$	$\partial_{\mu}^{\dagger}\equiv\partial_{\mu}-w(V_{\mu}+\frac{1}{3}T_{\mu}).$
1510.06699_ EQ0133 (147)	25	■ 1.000	$\mathcal{D}_{\{a\}}^{\wedge\{\dag\}}\ \varphi\equiv h_{\{a\}}\ \}_{\{\mu\}}\ D_{\{\mu\}}^{\wedge\{\dag\}}\ \varphi$	$\mathcal{D}_a^{\dagger}\varphi\equiv h_a{}^{\mu}D_{\mu}^{\dagger}\varphi,$	$\mathcal{D}_a^{\dagger}\varphi\equiv h_a{}^{\mu}D_{\mu}^{\dagger}\varphi,$
1510.06699_ EQ0134 (148)	25	■ 1.000	$S_{\{\mathrm{M}\}}=\int h^{-1}\ L_{\{\mathrm{M}\}}\left(\varphi,\mathcal{D}_{\{a\}}^{\wedge\{\dag\}}\ \varphi\right)\ d^4\ x$	$S_{\mathrm{M}}=\int h^{-1}L_{\mathrm{M}}\left(\varphi,\mathcal{D}_a^{\dagger}\varphi\right)d^4x$	$S_{\mathrm{M}}=\int h^{-1}L_{\mathrm{M}}(\varphi,\mathcal{D}_a^{\dagger}\varphi)\,d^4x.$
1510.06699_ EQ0135 (149)	26	■ 1.000	$D_{\{\mu\}}^{\wedge\{\dag\}}=\partial_{\{\mu\}}^{\wedge\{\dag\}}+\{ \ }^{\{0\}}\ \Gamma^{\wedge\{\sigma\}}_{\{\rho\}\ \mu}\ \mathrm{X}^{\rho}_{\{\sigma\}}\ \}_{\{\mu\}}\ \Sigma_{a\ b}+\frac{1}{2}\ A^{\wedge\{\dag\}a\ b}\}_{\{\mu\}}\ \Sigma_{a\ b}=\{ \ }^{\{0\}}\ \nabla_{\{\mu\}}^{\wedge\{\dag\}}+\frac{1}{2}\ A^{\wedge\{\dag\}a\ b}\}_{\{\mu\}}\ \Sigma_{a\ b}$	$D_{\mu}^{\dagger}=\partial_{\mu}^{\dagger}+{}^0\Gamma^{\sigma}{}_{\rho\mu}X^{\rho}{}_{\sigma}+\frac{1}{2}A^{\dagger ab}{}_{\mu}\Sigma_{ab}={}^0\nabla_{\mu}^{\dagger}+\frac{1}{2}A^{\dagger ab}{}_{\mu}\Sigma_{ab},$	$D_{\mu}^{\dagger}=\partial_{\mu}^{\dagger}+{}^0\Gamma^{\sigma}{}_{\rho\mu}\mathbf{X}^{\rho}{}_{\sigma}+\frac{1}{2}A^{\dagger ab}{}_{\mu}\Sigma_{ab}={}^0\nabla_{\mu}^{\dagger}+\frac{1}{2}A^{\dagger ab}{}_{\mu}\Sigma_{ab},$
1510.06699_ EQ0136 (150)	26	■ 1.000	$\left[D_{\{\mu\}}^{\wedge\{\dag\}},\ D_{\{\nu\}}^{\wedge\{\dag\}}\right]\ \varphi=\frac{1}{2}R^{\dagger ab}{}_{\mu\nu}\Sigma_{ab}\varphi-wH_{\mu\nu}^{\dagger}\varphi,$	$[D_{\mu}^{\dagger},D_{\nu}^{\dagger}]\varphi=\frac{1}{2}R^{\dagger ab}{}_{\mu\nu}\Sigma_{ab}\varphi-wH_{\mu\nu}^{\dagger}\varphi,$	$[D_{\mu}^{\dagger},D_{\nu}^{\dagger}]\varphi=\frac{1}{2}R^{\dagger ab}{}_{\mu\nu}\Sigma_{ab}\varphi-wH_{\mu\nu}^{\dagger}\varphi,$
1510.06699_ EQ0138 (152)	26	■ 1.000	$H_{\{\mu\}\ \{\nu\}}^{\wedge\{\dag\}}=\partial_{\{\mu\}}\left(V_{\{\nu\}}+\frac{1}{3}T_{\nu}\right)-\partial_{\{\nu\}}\left(V_{\{\mu\}}+\frac{1}{3}T_{\mu}\right)$	$H_{\mu\nu}^{\dagger}=\partial_{\mu}\left(V_{\nu}+\frac{1}{3}T_{\nu}\right)-\partial_{\nu}\left(V_{\mu}+\frac{1}{3}T_{\mu}\right).$	$H_{\mu\nu}^{\dagger}=\partial_{\mu}(V_{\nu}+\frac{1}{3}T_{\nu})-\partial_{\nu}(V_{\mu}+\frac{1}{3}T_{\mu}).$
1510.06699_ EQ0139 (153)	26	■ 1.000	$\left[\mathcal{D}_{\{c\}}^{\wedge\{\dag\}},\ \mathcal{D}_{\{d\}}^{\wedge\{\dag\}}\right]\ \varphi=\frac{1}{2}\mathcal{R}^{\dagger ab}{}_{cd}\Sigma_{ab}\varphi-w\mathcal{H}_{cd}^{\dagger}\varphi-\mathcal{T}^{\dagger a}{}_{cd}\mathcal{D}_a^{\dagger}\varphi,$	$\left[\mathcal{D}_c^{\dagger},\mathcal{D}_d^{\dagger}\right]\varphi=\frac{1}{2}\mathcal{R}^{\dagger ab}{}_{cd}\Sigma_{ab}\varphi-w\mathcal{H}_{cd}^{\dagger}\varphi-\mathcal{T}^{\dagger a}{}_{cd}\mathcal{D}_a^{\dagger}\varphi,$	$[\mathcal{D}_c^{\dagger},\mathcal{D}_d^{\dagger}]\varphi=\frac{1}{2}\mathcal{R}^{\dagger ab}{}_{cd}\Sigma_{ab}\varphi-w\mathcal{H}_{cd}^{\dagger}\varphi-\mathcal{T}^{\dagger a}{}_{cd}\mathcal{D}_a^{\dagger}\varphi,$
1510.06699_ EQ0140 (154)	27	■ 1.000	$\mathcal{T}^{\wedge\{\dag\}a\ bc}\equiv h_b{}^{\mu}h_c{}^{\nu}\left(D_{\mu}^{\dagger}b^a{}_{\nu}-D_{\nu}^{\dagger}b^a{}_{\mu}\right)\equiv h_b{}^{\mu}h_c{}^{\nu}T^{\dagger a}{}_{\mu\nu}.$	$\mathcal{T}^{\dagger a}{}_{bc}\equiv h_b{}^{\mu}h_c{}^{\nu}\left(D_{\mu}^{\dagger}b^a{}_{\nu}-D_{\nu}^{\dagger}b^a{}_{\mu}\right)\equiv h_b{}^{\mu}h_c{}^{\nu}T^{\dagger a}{}_{\mu\nu}.$	$\mathcal{T}^{\dagger a}{}_{bc}\equiv h_b{}^{\mu}h_c{}^{\nu}(D_{\mu}^{\dagger}b^a{}_{\nu}-D_{\nu}^{\dagger}b^a{}_{\mu})\equiv h_b{}^{\mu}h_c{}^{\nu}T^{\dagger a}{}_{\mu\nu}.$
1510.06699_ EQ0142 (156)	27	■ 1.000	$\mathcal{T}^{\wedge\{\dag\}a\ bc}=\mathcal{T}^{\wedge\{\dag\}a\ bc}+\frac{1}{3}\left(\delta_b^a\mathcal{T}_c-\delta_c^a\mathcal{T}_b\right).$	$\mathcal{T}^{\dagger a}{}_{bc}=\mathcal{T}^a{}_{bc}+\frac{1}{3}\left(\delta_b^a\mathcal{T}_c-\delta_c^a\mathcal{T}_b\right).$	$\mathcal{T}^{\dagger a}{}_{bc}=\mathcal{T}^a{}_{bc}+\frac{1}{3}(\delta_b^a\mathcal{T}_c-\delta_c^a\mathcal{T}_b).$
1510.06699_ EQ0143 (157)	27	■ 1.000	$\mathcal{T}_{\{b\}}^{\wedge\{\dag\}}\equiv\mathcal{T}^{\wedge\{\dag\}a\ ba}=0,$	$\mathcal{T}_b^{\dagger}\equiv\mathcal{T}^{\dagger a}{}_{ba}=0,$	$\mathcal{T}_b^{\dagger}\equiv\mathcal{T}^{\dagger a}{}_{ba}=0,$
1510.06699_ EQ0146 (160)	27	■ 1.000	$\mathcal{D}_{\{a\}}^{\wedge\{\dag\}}\ \varphi=\left(\partial_{\{a\}}^{\wedge\{\dag\}}+\frac{1}{2}\ \mathcal{K}^{\dagger bc}{}_a\Sigma_{bc}\right)\ \varphi,$	$\mathcal{D}_a^{\dagger}\varphi=\left({}^0\mathcal{D}_a^{\dagger}+\frac{1}{2}\mathcal{K}^{\dagger bc}{}_a\Sigma_{bc}\right)\varphi,$	$\mathcal{D}_a^{\dagger}\varphi=({}^0\mathcal{D}_a^{\dagger}+\frac{1}{2}\mathcal{K}^{\dagger bc}{}_a\Sigma_{bc})\varphi,$
1510.06699_ EQ0148 (162)	28	■ 1.000	$\mathcal{D}_{\{a\}}^{\wedge\{\dag\}}\ \mathcal{R}^{\wedge\{\dag\}a\ e}\}_{\{b\}\ c}-2\ \mathcal{D}_{\{b\}}^{\wedge\{\dag\}}\ \mathcal{R}^{\wedge\{\dag\}a\ e}\}_{\{c\}}-2\ \mathcal{D}_{\{c\}}^{\wedge\{\dag\}}\ \mathcal{R}^{\wedge\{\dag\}a\ e}\}_{\{a\}\ b}-\mathcal{D}_{\{a\}}^{\wedge\{\dag\}}\ \mathcal{R}^{\wedge\{\dag\}a\ e}\}_{\{b\}\ c}=\mathcal{D}_{\{a\}}^{\wedge\{\dag\}}\ \mathcal{R}^{\wedge\{\dag\}a\ e}\}_{\{b\}\ c}=0$	$\mathcal{D}_a^{\dagger}\mathcal{R}^{\dagger ae}{}_{bc}-2\mathcal{D}_{[b}^{\dagger}\mathcal{R}^{\dagger e}{}_{c]}\textcolor{black}{-}2\mathcal{T}^{\dagger f}{}_{a[b}\mathcal{R}^{\dagger ae}{}_{c]f}-\mathcal{T}^{\dagger f}{}_{bc}\mathcal{R}^{\dagger e}{}_f=0.$	$\mathcal{D}_a^{\dagger}\mathcal{R}^{\dagger ae}{}_{bc}-2\mathcal{D}_{[b}^{\dagger}\mathcal{R}^{\dagger e}{}_{c]}\textcolor{black}{-}2\mathcal{T}^{\dagger f}{}_{a[b}\mathcal{R}^{\dagger ae}{}_{c]f}-\mathcal{T}^{\dagger f}{}_{bc}\mathcal{R}^{\dagger e}{}_f=0.$
1510.06699_ EQ0149 (163)	28	■ 1.000	$\mathcal{D}_{\{a\}}^{\wedge\{\dag\}}\left(\mathcal{R}^{\dagger a}{}_c-\frac{1}{2}\delta_c^a\mathcal{R}^{\dagger}\right)+\mathcal{T}^{\dagger f}{}_{bc}\mathcal{R}^{\dagger b}{}_f+\frac{1}{2}\mathcal{T}^{\dagger f}{}_{ab}\mathcal{R}^{\dagger ab}{}_{cf}=0.$	$\mathcal{D}_a^{\dagger}\left(\mathcal{R}^{\dagger a}{}_c-\frac{1}{2}\delta_c^a\mathcal{R}^{\dagger}\right)+\mathcal{T}^{\dagger f}{}_{bc}\mathcal{R}^{\dagger b}{}_f+\frac{1}{2}\mathcal{T}^{\dagger f}{}_{ab}\mathcal{R}^{\dagger ab}{}_{cf}=0.$	$\mathcal{D}_a^{\dagger}(\mathcal{R}^{\dagger a}{}_c-\frac{1}{2}\delta_c^a\mathcal{R}^{\dagger})+\mathcal{T}^{\dagger f}{}_{bc}\mathcal{R}^{\dagger b}{}_f+\frac{1}{2}\mathcal{T}^{\dagger f}{}_{ab}\mathcal{R}^{\dagger ab}{}_{cf}=0.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ E00150 (164)	28	■ 1.000	$\mathrm{D}_{\mathrm{a}}^{\dagger}\mathrm{R}^{\dagger}_{\mathrm{c}}+2\mathrm{H}_{\mathrm{c}}^{\dagger}\mathrm{D}_{\mathrm{c}}^{\dagger}=0$	$\mathcal{D}_a^\dagger \mathcal{T}^{\dagger a}_{bc} + 2\mathcal{R}^\dagger_{[bc]} + 2\mathcal{H}^\dagger_{bc} = 0.$	$\mathcal{D}_a^\dagger \mathcal{T}^{\dagger a}_{bc} + 2\mathcal{R}^\dagger_{[bc]} + 2\mathcal{H}^\dagger_{bc} = 0.$
1510.06699_ E00151 (165)	28	■ 1.000	$S_{\mathrm{G}}=\int h^{-1}L_{\mathrm{G}}\left(\mathcal{R}_{abcd}^{\dagger},\mathcal{T}_{abc}^{\dagger},\mathcal{H}_{ab}^{\dagger}\right)d^4x$	$S_{\mathrm{G}}=\int h^{-1}L_{\mathrm{G}}\left(\mathcal{R}_{abcd}^{\dagger},\mathcal{T}_{abc}^{\dagger},\mathcal{H}_{ab}^{\dagger}\right)d^4x$	$S_{\mathrm{G}}=\int h^{-1}L_{\mathrm{G}}(\mathcal{R}_{abcd}^{\dagger},\mathcal{T}_{abc}^{\dagger},\mathcal{H}_{ab}^{\dagger})d^4x,$
1510.06699_ E00156 (170)	29	■ 1.000	$\tau_{ab}^{\dagger}\equiv\tau_{ab}+2\sigma_{cba}\mathcal{V}^c-2\sigma_{ac}{}^c\mathcal{V}_b,$	$\tau_{ab}^{\dagger}\equiv\tau_{ab}+2\sigma_{cba}\mathcal{V}^c-2\sigma_{ac}{}^c\mathcal{V}_b,$	$\tau_{ab}^{\dagger}\equiv\tau_{ab}+2\sigma_{cba}\mathcal{V}^c-2\sigma_{ac}{}^c\mathcal{V}_b,$
1510.06699_ E00157 (171)	29	■ 1.000	$t^{\dagger a}{}_b+\tau^{\dagger a}{}_b=0$	$t^{\dagger a}{}_b+\tau^{\dagger a}{}_b=0.$	$t^{\dagger a}{}_b+\tau^{\dagger a}{}_b=0.$
1510.06699_ E00158 (168a)	29	■ 1.000	$\begin{aligned} & \frac{\delta L_{\mathrm{M}}}{\delta \varphi}=\frac{\bar{\delta} L_{\mathrm{M}}}{\bar{\delta} \varphi}-\mathcal{D}_a^{\dagger}\left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_a^{\dagger}\varphi\right)}\right)=0, \\ & \frac{\delta L_{\mathrm{M}}}{\delta \phi}=\frac{\bar{\delta} L_{\mathrm{M}}}{\bar{\delta} \phi}-\mathcal{D}_a^{\dagger}\left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_a^*\phi\right)}\right)=0, \end{aligned}$	$\frac{\delta L_{\mathrm{M}}}{\delta \varphi}=\frac{\bar{\delta} L_{\mathrm{M}}}{\bar{\delta} \varphi}-\mathcal{D}_a^{\dagger}\left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_a^{\dagger}\varphi\right)}\right)=0,$ $\frac{\delta L_{\mathrm{M}}}{\delta \phi}=\frac{\bar{\delta} L_{\mathrm{M}}}{\bar{\delta} \phi}-\mathcal{D}_a^{\dagger}\left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_a^*\phi\right)}\right)=0,$	$\frac{\delta L_{\mathrm{M}}}{\delta \varphi}=\frac{\bar{\delta} L_{\mathrm{M}}}{\bar{\delta} \varphi}-\mathcal{D}_a^{\dagger}\left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_a^{\dagger}\varphi\right)}\right)=0,$ $\frac{\delta L_{\mathrm{M}}}{\delta \phi}=\frac{\bar{\delta} L_{\mathrm{M}}}{\bar{\delta} \phi}-\mathcal{D}_a^{\dagger}\left(\frac{\partial L_{\mathrm{M}}}{\partial\left(\mathcal{D}_a^*\phi\right)}\right)=0,$
1510.06699_ E00160 (175)	29	■ 1.000	$j^{\dagger a}\equiv j^a-2s^{ab}{}_b.$	$j^{\dagger a}\equiv j^a-2s^{ab}{}_b.$	$j^{\dagger a}\equiv j^a-2s^{ab}{}_b.$
1510.06699_ E00164 (180)	30	■ 1.000	$\mathcal{D}_a^{\natural}\varphi\equiv h_a{}^{\mu}D_{\mu}^{\natural}\varphi\equiv h_a{}^{\mu}\left(\partial_{\mu}+\frac{1}{2}A^{\dagger bc}{}_{\mu}\Sigma_{bc}\right)\varphi.$	$\mathcal{D}_a^{\natural}\varphi\equiv h_a{}^{\mu}D_{\mu}^{\natural}\varphi\equiv h_a{}^{\mu}\left(\partial_{\mu}+\frac{1}{2}A^{\dagger bc}{}_{\mu}\Sigma_{bc}\right)\varphi.$	$\mathcal{D}_a^{\natural}\varphi\equiv h_a{}^{\mu}D_{\mu}^{\natural}\varphi\equiv h_a{}^{\mu}(\partial_{\mu}+\frac{1}{2}A^{\dagger bc}{}_{\mu}\Sigma_{bc})\varphi.$
1510.06699_ E00166 (182)	31	■ 1.000	$\mathcal{D}_a^{\dagger}\varphi=\left(\mathcal{D}_a^{\natural}-\frac{1}{3}w\mathcal{T}_a^{\natural}\right)\varphi,$	$\mathcal{D}_a^{\dagger}\varphi=\left(\mathcal{D}_a^{\natural}-\frac{1}{3}w\mathcal{T}_a^{\natural}\right)\varphi,$	$\mathcal{D}_a^{\dagger}\varphi=(\mathcal{D}_a^{\natural}-\frac{1}{3}w\mathcal{T}_a^{\natural})\varphi,$
1510.06699_ E00169 (185)	31	■ 1.000	$\zeta^a=2\sigma^{ab}{}_b,$	$\zeta^a=2\sigma^{ab}{}_b,$	$\zeta^a=2\sigma^{ab}{}_b,$
1510.06699_ E00172 (191)	32	■ 1.000	$i\gamma^a\mathcal{D}_a^{\dagger}\psi-\mu\phi\psi=0.$	$i\gamma^a\mathcal{D}_a^{\dagger}\psi-\mu\phi\psi=0.$	$i\gamma^a\mathcal{D}_a^{\dagger}\psi-\mu\phi\psi=0.$
1510.06699_ E00173 (189)	32	■ 1.000	$\tau^a{}_b=\frac{1}{2}ih^{-1}\bar{\psi}\gamma^a\overleftrightarrow{\mathcal{D}}_b\psi-\delta_b^a\mathcal{L}_{\mathrm{D}}-2\sigma_{cb}{}^a\mathcal{V}^c,$	$\tau^a{}_b=\frac{1}{2}ih^{-1}\bar{\psi}\gamma^a\overleftrightarrow{\mathcal{D}}_b\psi-\delta_b^a\mathcal{L}_{\mathrm{D}}-2\sigma_{cb}{}^a\mathcal{V}^c,$	$\tau^a{}_b=\frac{1}{2}ih^{-1}\bar{\psi}\gamma^a\overleftrightarrow{\mathcal{D}}_b^{\dagger}\psi-\delta_b^a\mathcal{L}_{\mathrm{D}}-2\sigma_{cb}{}^a\mathcal{V}^c,$
1510.06699_ E00174 (190)	32	■ 1.000	$\tau'^a{}_b=\tau^a{}_b-2\theta\sigma_{cd}{}^a\mathcal{P}^c\delta_b^d$	$\tau'^a{}_b=\tau^a{}_b-2\theta\sigma_{cd}{}^a\mathcal{P}^c\delta_b^d$	$\tau'^a{}_b=\tau^a{}_b-2\theta\sigma_{cd}{}^a\mathcal{P}^c\delta_b^d.$
1510.06699_ E00177 (193)	32	■ 1.000	$\mathcal{L}_{\mathrm{M}}=h^{-1}L_{\mathrm{M}}=-h^{-1}\left(\frac{1}{4}\mathcal{F}_{ab}\mathcal{F}^{ab}+\mathcal{J}^a\mathcal{A}_a\right),$	$\mathcal{L}_{\mathrm{M}}=h^{-1}L_{\mathrm{M}}=-h^{-1}\left(\frac{1}{4}\mathcal{F}_{ab}\mathcal{F}^{ab}+\mathcal{J}^a\mathcal{A}_a\right),$	$\mathcal{L}_{\mathrm{M}}=h^{-1}L_{\mathrm{M}}=-h^{-1}(\frac{1}{4}\mathcal{F}_{ab}\mathcal{F}^{ab}+\mathcal{J}^a\mathcal{A}_a),$
1510.06699_ E00179 (195)	33	■ 1.000	$\mathcal{D}_{[a}^{\dagger}\mathcal{F}_{bc]}-\mathcal{T}^{\dagger d}{}_{[ab}\mathcal{F}_{c]d}=0.$	$\mathcal{D}_{[a}^{\dagger}\mathcal{F}_{bc]}-\mathcal{T}^{\dagger d}{}_{[ab}\mathcal{F}_{c]d}=0.$	$\mathcal{D}_{[a}^{\dagger}\mathcal{F}_{bc]}-\mathcal{T}^{\dagger d}{}_{[ab}\mathcal{F}_{c]d}=0.$
1510.06699_ E00181 (197)	33	■ 1.000	$\mathcal{D}_{\mathrm{a}}^{\dagger}\chi=\left(\frac{\phi}{\phi_0}\right)^{1-w}\widehat{\mathcal{D}}_{\mathrm{a}}^{\dagger}\widehat{\chi},$	$\mathcal{D}_{\mathrm{a}}^{\dagger}\chi=\left(\frac{\phi}{\phi_0}\right)^{1-w}\widehat{\mathcal{D}}_{\mathrm{a}}^{\dagger}\widehat{\chi},$	$\mathcal{D}_{\mathrm{a}}^{\dagger}\chi=\left(\frac{\phi}{\phi_0}\right)^{1-w}\widehat{\mathcal{D}}_{\mathrm{a}}^{\dagger}\widehat{\chi},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0186 (202)	35	■ 1.000	$\left[{\ }^{\{0\}}\mathrm{D}_{\mathrm{c}}^{\dagger},{ }^{\{0\}}\mathrm{D}_{\mathrm{d}}^{\dagger}\right]\varphi=\frac{1}{2}\{^0\mathcal{R}^{\dagger ab}_{cd}\Sigma_{ab}\varphi+w\mathcal{H}^{\dagger}_{cd}\varphi,$	$\left[{}^0\mathcal{D}_c^\dagger,{}^0\mathcal{D}_d^\dagger\right]\varphi=\frac{1}{2}{}^0\mathcal{R}^{\dagger ab}{}_{cd}\Sigma_{ab}\varphi+w\mathcal{H}^{\dagger}_{cd}\varphi,$	
1510.06699_ EQ0193 (209)	36	■ 1.000	$\Delta_{\mu}^{\dagger}\equiv\partial_{\mu}^{\dagger}+\Gamma^{\sigma}{}_{\rho\mu}\mathrm{X}^{\rho}{}_{\sigma}+\frac{1}{2}A^{ab}{}_{\mu}\Sigma_{ab}=\nabla_{\mu}^{\dagger}+D_{\mu}^{\dagger}-\partial_{\mu}^{\dagger},$	$\Delta_{\mu}^{\dagger}\equiv\partial_{\mu}^{\dagger}+\Gamma^{\sigma}{}_{\rho\mu}\mathsf{X}^{\rho}{}_{\sigma}+\frac{1}{2}A^{ab}{}_{\mu}\Sigma_{ab}=\nabla_{\mu}^{\dagger}+D_{\mu}^{\dagger}-\partial_{\mu}^{\dagger},$	
1510.06699_ EQ0194 (210)	36	■ 1.000	$\Delta_{\mu}^{\dagger}\mathrm{e}^{\mathrm{a}}{}_{\{\ }\nu\}\equiv\partial_{\mu}^{\dagger}\mathrm{e}^{\mathrm{a}}{}_{\{\ }\nu\}-\Gamma^{\sigma}{}_{\nu\mu}e^a{}_{\sigma}+A^{\dagger a}{}_{b\mu}e^b{}_{\nu}=0,$	$\Delta_{\mu}^{\dagger}e^a{}_{\nu}\equiv\partial_{\mu}^{\dagger}e^a{}_{\nu}-\Gamma^{\sigma}{}_{\nu\mu}e^a{}_{\sigma}+A^{\dagger a}{}_{b\mu}e^b{}_{\nu}=0,$	
1510.06699_ EQ0195 (211)	36	■ 1.000	$\nabla_{\sigma}g_{\mu\nu}=2\left(V_{\sigma}+\frac{1}{3}T_{\sigma}\right)g_{\mu\nu}.$	$\nabla_{\sigma}g_{\mu\nu}=2(V_{\sigma}+\frac{1}{3}T_{\sigma})g_{\mu\nu}.$	
1510.06699_ EQ0197 (215)	37	■ 1.000	$\Gamma^{\lambda}{}_{\mu\lambda}=\Gamma^{\lambda}{}_{\lambda\mu}.$	$\Gamma^{\lambda}{}_{\mu\lambda}=\Gamma^{\lambda}{}_{\lambda\mu}.$	
1510.06699_ EQ0198 (216)	37	■ 1.000	$\widehat{R}^{\rho}{}_{\sigma\mu\nu}\equiv R^{\dagger\rho}{}_{\sigma\mu\nu}-H^{\dagger}_{\mu\nu}\delta^{\rho}_{\sigma}.$	$\widehat{R}^{\rho}{}_{\sigma\mu\nu}\equiv R^{\dagger\rho}{}_{\sigma\mu\nu}-H^{\dagger}_{\mu\nu}\delta^{\rho}_{\sigma}.$	
1510.06699_ EQ0199 (217)	37	■ 1.000	$\left[\nabla_{\mu}^{\dagger},\nabla_{\nu}^{\dagger}\right]J^{\rho}=\widehat{R}^{\rho}{}_{\sigma\mu\nu}J^{\sigma}-wH^{\dagger}_{\mu\nu}J^{\rho}-T^{\dagger\sigma}{}_{\mu\nu}\nabla_{\sigma}^{\dagger}V^{\rho}.$	$[\nabla_{\mu}^{\dagger},\nabla_{\nu}^{\dagger}]J^{\rho}=\widehat{R}^{\rho}{}_{\sigma\mu\nu}J^{\sigma}-wH^{\dagger}_{\mu\nu}J^{\rho}-T^{\dagger\sigma}{}_{\mu\nu}\nabla_{\sigma}^{\dagger}V^{\rho}.$	
1510.06699_ EQ0200 (218)	37	■ 1.000	$\Gamma^{\lambda}{}_{\mu\nu}={}^0\Gamma^{\dagger\lambda}{}_{\mu\nu}+K^{\dagger\lambda}{}_{\mu\nu},$	$\Gamma^{\lambda}{}_{\mu\nu}={}^0\Gamma^{\dagger\lambda}{}_{\mu\nu}+K^{\dagger\lambda}{}_{\mu\nu},$	
1510.06699_ EQ0202 (220)	37	■ 1.000	$K^{\dagger\lambda}{}_{\mu\nu}=-\frac{1}{2}\left(T^{\dagger\lambda}{}_{\mu\nu}-T^{\dagger}{}^{\lambda}{}_{\nu}{}_{\mu}+T^{\dagger}{}_{\mu\nu}{}^{\lambda}\right).$	$K^{\dagger\lambda}{}_{\mu\nu}=-\frac{1}{2}(T^{\dagger\lambda}{}_{\mu\nu}-T^{\dagger}{}^{\lambda}{}_{\nu}{}_{\mu}+T^{\dagger}{}_{\mu\nu}{}^{\lambda}).$	
1510.06699_ EQ0206 (228)	38	■ 1.000	$\left(t_{\mathcal{R}^2}^{\dagger}\right)^a{}_b+\left(t_{\mathcal{H}^2}^{\dagger}\right)^a{}_b+\left(\tau_{\varphi}^{\dagger}\right)^a{}_b+\left(\tau_{\phi}^{\dagger}\right)^a{}_b+\left(\tau_{\mathcal{R}}^{\dagger}\right)^a{}_b+\left(\tau_{\mathcal{T}^2}^{\dagger}\right)^a{}_b=0,$	$(t_{\mathcal{R}^2}^{\dagger})^a{}_b+(t_{\mathcal{H}^2}^{\dagger})^a{}_b+(\tau_{\varphi}^{\dagger})^a{}_b+(\tau_{\phi}^{\dagger})^a{}_b+(\tau_{\mathcal{R}}^{\dagger})^a{}_b+(\tau_{\mathcal{T}^2}^{\dagger})^a{}_b=0,$	
1510.06699_ EQ0212 (240)	39	■ 1.000	$(j_{\mathcal{R}^2})_a+(j_{\mathcal{H}^2})_a+(\zeta_{\varphi})_a+(\zeta_{\phi})_a+(\zeta_{\mathcal{R}})_a+(\zeta_{\mathcal{T}^2})_a=0,$	$(j_{\mathcal{R}^2})_a+(j_{\mathcal{H}^2})_a+(\zeta_{\varphi})_a+(\zeta_{\phi})_a+(\zeta_{\mathcal{R}})_a+(\zeta_{\mathcal{T}^2})_a=0,$	
1510.06699_ EQ0219 (253)	41	■ 1.000	$\mathcal{D}'_c\varphi'=e^{(w-1)\rho}\left[\mathcal{D}_c\varphi+w\mathcal{P}_c\varphi+\theta\mathcal{P}^{[b}\delta_c^{a]}\Sigma_{ab}\varphi\right],$	$\mathcal{D}'_c\varphi'=e^{(w-1)\rho}[\mathcal{D}_c\varphi+w\mathcal{P}_c\varphi+\theta\mathcal{P}^{[b}\delta_c^{a]}\Sigma_{ab}\varphi],$	
1510.06699_ EQ0224 (258)	42	■ 1.000	$\frac{1}{2}\nu=-6a\theta=3(\theta-1)(2\beta_1+\beta_2+3\beta_3),$	$\frac{1}{2}\nu=-6a\theta=3(\theta-1)(2\beta_1+\beta_2+3\beta_3),$	
1510.06699_ EQ0225 (259)	42	■ 1.000	$\mathcal{L}'_{\mathrm{M}}=\mathcal{L}_{\mathrm{M}}+6a\theta h^{-1}\left(\mathcal{D}_a+\mathcal{T}_a\right)(\phi^2\mathcal{P}^a).$	$\mathcal{L}'_{\mathrm{M}}=\mathcal{L}_{\mathrm{M}}+6a\theta h^{-1}(\mathcal{D}_a+\mathcal{T}_a)(\phi^2\mathcal{P}^a).$	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1510.06699_ EQ0270 (D9)	52	■ 1.000	$\mathcal{T}^{\{c\}}_{\{a\}+\delta_{\{a\}}^{\{c\}}\mathcal{T}_{\{b\}}-\delta_{\{b\}}^{\{c\}}\mathcal{T}_{\{a\}}=\left.2\kappa h\left(\sigma_{\varphi}\right)\right _{\phi=\phi_0}}$	$\mathcal{T}^c_{ab}+\delta^c_a\mathcal{T}_b-\delta^c_b\mathcal{T}_a=2\kappa h(\sigma_\varphi)_{ab}^c _{\phi=\phi_0},$	$\mathcal{T}^c_{ab}+\delta^c_a\mathcal{T}_b-\delta^c_b\mathcal{T}_a=2\kappa h(\sigma_\varphi)_{ab}^c _{\phi=\phi_0},$
1510.06699_ EQ0271 (D10)	52	■ 1.000	$\xi\left[\frac{1}{2}\mathcal{T}^c_{ab}\mathcal{H}^{ab}-\left(\mathcal{D}_a+\mathcal{T}_a\right)\mathcal{H}^{ac}\right]+\nu\phi_0^2\mathcal{B}^c=h(\zeta_\varphi)^c _{\phi=\phi_0},$	$\xi\left[\frac{1}{2}\mathcal{T}^c_{ab}\mathcal{H}^{ab}-\left(\mathcal{D}_a+\mathcal{T}_a\right)\mathcal{H}^{ac}\right]+\nu\phi_0^2\mathcal{B}^c=h(\zeta_\varphi)^c _{\phi=\phi_0},$	$\xi\left[\frac{1}{2}\mathcal{T}^c_{ab}\mathcal{H}^{ab}-\left(\mathcal{D}_a+\mathcal{T}_a\right)\mathcal{H}^{ac}\right]+\nu\phi_0^2\mathcal{B}^c=h(\zeta_\varphi)^c _{\phi=\phi_0},$
1510.06699_ EQ0272 (D11)	52	■ 1.000	$\mathcal{R}+4\Lambda=\kappa\left[\phi_0\partial_\phi L_\varphi\right _{\phi=\phi_0}+\nu\phi_0^2\left(\mathcal{D}_a+\mathcal{T}_a+\mathcal{B}_a\right)\mathcal{B}^a\right]$	$\mathcal{R}+4\Lambda=\kappa\left[\phi_0\partial_\phi L_\varphi\right _{\phi=\phi_0}+\nu\phi_0^2\left(\mathcal{D}_a+\mathcal{T}_a+\mathcal{B}_a\right)\mathcal{B}^a\right]$	$\mathcal{R}+4\Lambda=\kappa\left[\phi_0\partial_\phi L_\varphi\right _{\phi=\phi_0}+\nu\phi_0^2\left(\mathcal{D}_a+\mathcal{T}_a+\mathcal{B}_a\right)\mathcal{B}^a\right]$
1510.06699_ EQ0274 (D13)	53	■ 1.000	$i\gamma^a\mathcal{D}_a\psi-\mu\phi\psi=0,$	$i\gamma^a\mathcal{D}_a\psi-\mu\phi\psi=0,$	$i\gamma^a\mathcal{D}_a\psi-\mu\phi\psi=0,$
1510.06699_ EQ0276 (E1)	53	■ 1.000	$A^{\dagger a}_{\mu}A^b_{\mu}=\mathcal{V}^ab^b_{\mu}-\mathcal{V}^bb^a_{\mu},$	$A^{\dagger ab}_{\mu}=A^{ab}_{\mu}+(\mathcal{V}^ab^b_{\mu}-\mathcal{V}^bb^a_{\mu}),$	$A^{\dagger ab}_{\mu}=A^{ab}_{\mu}+(\mathcal{V}^ab^b_{\mu}-\mathcal{V}^bb^a_{\mu}),$
1510.06699_ EQ0277 (E2)	53	■ 1.000	$\mathcal{D}^{\natural}_a\varphi\equiv h_a{}^\mu D_\mu^{\natural}\varphi\equiv h_a{}^\mu\left(\partial_\mu+\frac{1}{2}A^{\dagger bc}{}_\mu\Sigma_{bc}\right)\varphi.$	$\mathcal{D}^{\natural}_a\varphi\equiv h_a{}^\mu D_\mu^{\natural}\varphi\equiv h_a{}^\mu\left(\partial_\mu+\frac{1}{2}A^{\dagger bc}{}_\mu\Sigma_{bc}\right)\varphi.$	$\mathcal{D}^{\natural}_a\varphi\equiv h_a{}^\mu D_\mu^{\natural}\varphi\equiv h_a{}^\mu(\partial_\mu+\frac{1}{2}A^{\dagger bc}{}_\mu\Sigma_{bc})\varphi.$
1510.06699_ EQ0278 (E3)	54	■ 1.000	$\left[D_\mu^{\natural},D_\nu^{\natural}\right]\varphi=\frac{1}{2}R^{\dagger ab}{}_{\mu\nu}\Sigma_{ab}\varphi,$	$\left[D_\mu^{\natural},D_\nu^{\natural}\right]\varphi=\frac{1}{2}R^{\dagger ab}{}_{\mu\nu}\Sigma_{ab}\varphi,$	$\left[D_\mu^{\natural},D_\nu^{\natural}\right]\varphi=\frac{1}{2}R^{\dagger ab}{}_{\mu\nu}\Sigma_{ab}\varphi,$
1510.06699_ EQ0279 (E4)	54	■ 1.000	$V_{\mu}^{\prime}=V_{\mu}+\theta P_{\mu},$	$V_{\mu}^{\prime}=V_{\mu}+\theta P_{\mu},$	$V_{\mu}^{\prime}=V_{\mu}+\theta P_{\mu},$