
















cardona-qft-methods: image evidence

Image regions

Identifier	Page	Conf.	LaTeX source	Rendered	Image
cardona-qft-methods_ DIA_0001	34	—	—	—	$\begin{array}{ccc} \mathrm{Spin}(TM) \times \mathrm{Spin}_d & \longrightarrow & \mathrm{Spin}(TM) \\ \eta \times \xi \downarrow & & \eta \downarrow \\ \mathrm{SO}(TM) \times \mathrm{SO}_d & \longrightarrow & \mathrm{SO}(TM) \end{array} \begin{array}{c} \xrightarrow{\pi} \\ \xrightarrow{\pi} \end{array} M$
cardona-qft-methods_ DIA_0002	84	—	—	—	$\begin{array}{ccc} & \sigma & \\ E & \longrightarrow & F \\ & \searrow \quad \swarrow & \\ & X & \end{array}$
cardona-qft-methods_ DIA_0003	86	—	—	—	$\begin{array}{ccc} K(T^*M) & \xrightarrow{j!} & K(\mathbb{C}^n) \\ & \uparrow i! & \\ & K(\{pt\}) & \end{array}$
cardona-qft-methods_ DIA_0004	119	—	—	—	
cardona-qft-methods_ DIA_0005	122	—	—	—	
cardona-qft-methods_ DIA_0006	122	—	—	—	
cardona-qft-methods_ DIA_0007	122	—	—	—	
cardona-qft-methods_ DIA_0008	122	—	—	—	
cardona-qft-methods_ DIA_0009	122	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
cardona-qft-methods_ DIA_0010	122	—	—	—	
cardona-qft-methods_ DIA_0011	122	—	—	—	
cardona-qft-methods_ DIA_0012	122	—	—	—	
cardona-qft-methods_ DIA_0013	122	—	—	—	
cardona-qft-methods_ DIA_0014	122	—	—	—	
cardona-qft-methods_ DIA_0015	126	—	—	—	
cardona-qft-methods_ DIA_0016	127	—	—	—	 ,
cardona-qft-methods_ DIA_0017	127	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
cardona-qft-methods_ DIA_0018	127	—	—	—	
cardona-qft-methods_ DIA_0019	127	—	—	—	
cardona-qft-methods_ DIA_0020	132	—	—	—	
cardona-qft-methods_ DIA_0021	133	—	—	—	$\text{loop} = \text{edge} + \text{self-loop} = x+y \text{ ,}$ $\text{double-loop} = \text{loop} + \text{self-loop}^2 = x+y+y^2$
cardona-qft-methods_ DIA_0022	133	—	—	—	$\text{triangle with loop} = \text{triangle} + \text{triangle with self-loop} =$ $\text{V} + \text{loop} + y \cdot \text{loop} = x^2 + (1+y)(x+y)$
cardona-qft-methods_ DIA_0023	133	—	—	—	$\text{triangle with two loops} = \text{triangle with one loop} + \text{triangle with two self-loops} =$ $x \cdot \text{loop} + \text{double-loop} = x(x+y) + (x+y+y^2)$
cardona-qft-methods_ DIA_0024	135	—	—	—	
cardona-qft-methods_ DIA_0025	136	—	—	—	
cardona-qft-methods_ DIA_0026	136	—	—	—	
cardona-qft-methods_ DIA_0027	138	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
cardona-qft-methods_ DIA_0028	270	—	—	—	
cardona-qft-methods_ DIA_0029	274	—	—	—	
cardona-qft-methods_ DIA_0030	274	—	—	—	
cardona-qft-methods_ DIA_0031	275	—	—	—	
cardona-qft-methods_ DIA_0032	275	—	—	—	
cardona-qft-methods_ DIA_0033	292	—	—	—	
cardona-qft-methods_ DIA_0034	296	—	—	—	
cardona-qft-methods_ DIA_0035	305	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
cardona-qft-methods_ DIA_0036	344	—	—	—	$ \begin{array}{ccc} H_p(M) \otimes H_q(M) & \xrightarrow{\quad \star \quad} & H_{p+q-n}(M) \\ \downarrow P.D \otimes P.D & & \uparrow P.D^{-1} \\ H^{n-p}(M) \otimes H^{n-q}(M) & \xrightarrow{\quad \sqcup \quad} & H^{2n-p-q}(M) \end{array} $
cardona-qft-methods_ DIA_0037	373	—	—	—	$ \begin{array}{ccc} \tilde{\mathcal{E}} & \dashrightarrow & \mathcal{C}^*(\tilde{\mathcal{F}}) \\ \vdots & & \downarrow \\ \mathcal{E} & \longrightarrow & \mathcal{L}^+(\mathcal{F}), \end{array} $
cardona-qft-methods_ DIA_0038	373	—	—	—	$ \begin{array}{ccc} \mathcal{E} & \xrightarrow{\Delta} & \mathcal{E} \otimes \mathcal{E} \\ \downarrow \Delta & & \downarrow \text{Id} \otimes \Delta \\ \mathcal{E} \otimes \mathcal{E} & \xrightarrow{\Delta \otimes \text{Id}} & \mathcal{E} \otimes \mathcal{E} \otimes \mathcal{E}. \end{array} $
cardona-qft-methods_ DIA_0039	374	—	—	—	$ \begin{array}{ccc} & & \mathcal{E} \otimes \mathcal{E} \\ & \nearrow \Delta & \downarrow \tau \\ \mathcal{E} & & \mathcal{E} \otimes \mathcal{E}, \\ & \searrow \Delta & \end{array} $
cardona-qft-methods_ PIC_0001	23	—	—	—	