










Image regions

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_25 DIA_0001	25	—	—	—	
mielke-geometrodynamics_31 DIA_0002	31	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_32 DIA_0003	32	—	—	—	
mielke-geometrodynamics_36 DIA_0004	36	—	—	—	
mielke-geometrodynamics_40 DIA_0005	40	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_57 DIA_0006	57	—	—	—	
mielke-geometrodynamics_73 DIA_0007	73	—	—	—	
mielke-geometrodynamics_84 DIA_0008	84	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_131 DIA_0009 131 — — —					 A diagram illustrating a spacetime foliation. It shows a curved, light-blue hypersurface representing a spatial slice Σ_t. Above it, another similar slice is labeled Σ_{t+dt}. A vertical arrow labeled n indicates the normal vector pointing from Σ_t to Σ_{t+dt}. The entire structure is enclosed within a larger, curved boundary.
mielke-geometrodynamics_200 DIA_0010 200 — — —					 A 3D visualization of a wormhole geometry. It consists of two large, flared, blue-colored regions (representing the mouths of the wormhole) connected by a narrow, central throat. The surface is covered with a grid of lines, and the color transitions from light blue at the edges to a darker purple/blue in the center of the throat.
mielke-geometrodynamics_226 DIA_0011 226 — — —					 A 3D visualization of a rectangular block, likely representing a discretized spacetime region. The block is composed of a grid of small cubes. A specific rectangular region on the top surface is highlighted with a blue outline, indicating a sub-region of interest.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_DIA_0012	227	—	—	—	
mielke-geometrodynamics_DIA_0013	288	—	—	—	
mielke-geometrodynamics_DIA_0014	290	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_DIA_0015	347	—	—	—	
mielke-geometrodynamics_PIC_0001	258	—	—	—	
mielke-geometrodynamics_PIC_0002	356	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics PIC_0003 359 — —					The figure is a plot of baryon masses M (in MeV) as a function of a parameter J. The y-axis ranges from 1000 to 2500 MeV, and the x-axis ranges from $\frac{1}{2}$ to 3. Data points are labeled with baryon symbols: Ω, Ξ, Σ, Λ, N, Δ, and their parity partners. A legend indicates 'Black soliton mass formula' and 'parity baryons'.