

Seven Sketches in Composability An invitation to applied category theory (Brendan Fong, David I. Spivak) (Z-Library) — formula report					
4029 inline formulas, 264 display equations, 63 tables, 503 unrecovered image regions.					
Display equations					
Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong_David_I._Spivak__Z-Library__EQ0061 (3.61) [conf 0.008]	110	0.008 C +6	$I=\left[\begin{array}{ccc} 1 & \underset{\bullet}{a} & \underset{\bullet}{b}d \\ & \downarrow & \\ & \downarrow & \\ & \downarrow & \bullet \end{array}\right].$		
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong_David_I._Spivak__Z-Library__EQ0063 [conf 0.014]	111	0.014 C +4	$G:=\stackrel{1}{\bullet}\stackrel{a}{\rightarrow}\stackrel{b}{\rightarrow}\stackrel{3}{\bullet}\quad H:=\stackrel{4}{\bullet}\stackrel{d}{\rightrightarrows}_c\stackrel{5}{\bullet}\stackrel{e}{\rightarrow}\text{Pe}$	$G:=\begin{array}{ccccc} 1 & & a & & 2 & & b & & 3 \\ \bullet & \xrightarrow{\quad} & & & \bullet & \xrightarrow{\quad} & & & \bullet \end{array}\qquad H:=\begin{array}{ccccc} 4 & & d & & 5 \\ \bullet & \xrightarrow[\quad]{\quad} & & & \bullet & \xrightarrow{\quad} & e & & \end{array}$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong_David_I._Spivak__Z-Library__EQ0133 [conf 0.025]	214	0.025 W +2	$\begin{aligned} \mu_X &:= \left(X + X \xrightarrow{\mathrm{id}_X, \mathrm{id}_X} X \xrightarrow{\mathrm{id}_X} X \right) \\ \eta_X &:= \left(\varnothing \xrightarrow{!_X} X \xleftarrow{\mathrm{id}_X} X \right) \\ \delta_X &:= \left(X \xrightarrow{\mathrm{id}_X} X \xleftarrow{[\mathrm{id}_X, \mathrm{id}_X]} X + X \right) \\ \epsilon_X &:= \left(X \xrightarrow{\mathrm{id}_X} X \xleftarrow{!_X} \varnothing \right) \end{aligned}$	$\begin{aligned} \mu_X &:= \left(X + X \xrightarrow{[\mathrm{id}_X, \mathrm{id}_X]} X \xleftarrow{\mathrm{id}_X} X \right) \\ \eta_X &:= \left(\varnothing \xrightarrow{!_X} X \xleftarrow{\mathrm{id}_X} X \right) \\ \delta_X &:= \left(X \xrightarrow{\mathrm{id}_X} X \xleftarrow{[\mathrm{id}_X, \mathrm{id}_X]} X + X \right) \\ \epsilon_X &:= \left(X \xrightarrow{\mathrm{id}_X} X \xleftarrow{!_X} \varnothing \right) \end{aligned}$	
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0188 [conf 0.038]	279	0.038 W +2	$g_{\{!\}\left(c_{\{3\}\right)=\{ \}^{\{12\}\{ \}_{\downarrow}\{ \}^{\{3\}}\stackrel{\{4\}}{\bullet}}$	$g_{!}\left(c_3\right)=\overset{12}{\downarrow} \overset{3}{\downarrow} \overset{4}{\bullet}$	$g_{!}(c_3) = \begin{array}{ccc} 12 & 3 & 4 \\ \downarrow & \downarrow & \downarrow \\ \bullet & & \bullet \end{array}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0181 [conf 0.044]	274	0.044 C +6	$G=\left \begin{array}{ccc} 1 & \underset{\bullet}{a} & \underset{\bullet}{2} \\ \downarrow & \downarrow & \downarrow \\ \downarrow & \downarrow & \downarrow \end{array}\right $	$G = \begin{array}{c} \begin{array}{ccc} 1 & a & 2 \\ \bullet & \bullet & \bullet \\ \downarrow & \downarrow & \downarrow \\ \downarrow & \downarrow & \downarrow \end{array} \end{array}$	$G = \begin{array}{c} \begin{array}{ccc} 1 & a & 2 \\ \bullet & \bullet & \bullet \\ \downarrow & \downarrow & \downarrow \\ \downarrow & \downarrow & \downarrow \end{array} \end{array}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0186 [conf 0.050]	279	0.050 W +2	$g_{!\left(c_{\{1\}\right)=\{ \}^{\{12\} \ 3\{ \}^{\{4\}}$	$g_{!}\left(c_1\right)=\overset{12}{\downarrow} \overset{3}{\downarrow} \overset{4}{\downarrow}$	$g_{!}(c_1) = \begin{array}{ccc} 12 & 3 & 4 \\ \downarrow & \downarrow & \downarrow \\ \bullet & & \bullet \end{array}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0189	279	0.108 W +0	$g_{\{!\}\left(c_{\{4\}\right)=\amalg_{\bullet}\{ \}^{\{12\} \ I^{\{3\}}\stackrel{\{4\}}{\downarrow}}$	$g_{!}\left(c_4\right)=\amalg_{\bullet}^{\{12\}} I^{\{3\}} \downarrow$	$g_{!}(c_4) = \begin{array}{ccc} 12 & 3 & 4 \\ \downarrow & \downarrow & \downarrow \\ \bullet & & \bullet \end{array}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0073 (3.77)	118	0.114 C +40	$\mathcal{G}:=\left \stackrel{\text { Email }}{\underset{\text { received_by }}{\stackrel{\text { sent_by }}{\rightleftharpoons}}}\text { Address }}\right $	$(not\ rendered)$	$\mathcal{G} := \begin{array}{c} \begin{array}{ccc} \text{Email} & \xrightarrow{\text{sent_by}} & \text{Address} \\ \bullet & & \bullet \\ \xleftrightarrow{\text{received_by}} & & \\ \text{no equations} & & \end{array} \end{array}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0245	311	■0.129 ●C -7	$a_{\{m\}} := (1 + \cdots + 1 + \cdots) \ ; \ \backslash cdots \ ; (1 + 1 + \backslash supset -) \ ; (1 + \backslash cdots) \ ; \backslash cdots : m \rightarrow 1$	$a_m := (1 + \cdots + 1 + \cdots); \cdots; (1 + 1 + \supset -); (1 + \cdots); \cdots : m \rightarrow 1$	$a_m := (1 + \cdots + 1 + \supset) \circ \cdots \circ (1 + 1 + \supset) \circ (1 + \supset) \circ \supset : m \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0083	136	■0.147 ●C +29	$\text{\texttt{\text{Chassis: }}} \backslash \text{\texttt{load}} \times \text{\texttt{velocity}} \backslash \rightarrow \text{\texttt{(torque}} \backslash \text{\texttt{ \times speed}} \backslash \times \text{\texttt{)}} \backslash$	<i>(not rendered)</i>	Chassis: (load × velocity) → (torque × speed × \$)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0205	290	■0.147 ●C -7	$A, \quad A \div f, \quad A \div g, \quad A \div f \div h, \quad A \div g \mathrel{i} i, \quad B, \quad B \div h, \quad C, \quad C : i, \quad D$	$A, \quad A \div f, \quad A \div g, \quad A \div f \div h, \quad A \div g \mathrel{i} i, \quad B, \quad B \div h, \quad C, \quad C : i, \quad D$	$A, \quad A \circ f, \quad A \circ g, \quad A \circ f \circ h, \quad A \circ g \circ i, \quad B, \quad B \circ h, \quad C, \quad C \circ i, \quad D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0064 (3.65)	112	■0.147 ●C +31	$\mathbf{Gr} := \stackrel{\text{Arrow}}{\underset{\text{target}}{\rightarrow}} \stackrel{\text{source}}{\underset{\text{target}}{\Rightarrow}} \stackrel{\text{Vertex}}{\text{no equations}}$	$\mathbf{Gr} := \stackrel{\text{Arrow}}{\rightarrow} \stackrel{\text{source}}{\Rightarrow} \stackrel{\text{Vertex}}{\text{no equations}}$	Arrow ● source target Vertex ● no equations DDS := State ● next ↻ no equations
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0214	294	■0.168 ●N +0	$H := \stackrel{4}{\rightarrow} \stackrel{d}{\rightarrow} \stackrel{5}{\rightarrow} \bullet \succ e$	$H := \stackrel{4}{\rightarrow} \stackrel{d}{\rightarrow} \stackrel{5}{\rightarrow} \bullet \succ e$	$H := \left \begin{array}{c} 4 \\ \bullet \end{array} \stackrel{d}{\rightarrow} \begin{array}{c} 5 \\ \bullet \end{array} \right \succ e$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0115	182	■0.203 ●C +4	$G_{\{R\}} := \{ \backslash supset -, \backslash circ -, \backslash subset, \backslash longrightarrow \} \cup \{ \backslash cup \{ - \backslash mathrm{a} \} - \mid a \in R \},$	$G_R := \{ \supset -, \circ -, \subset, \longrightarrow \} \cup \{ -a- \mid a \in R \},$	$G_R := \left\{ \supset -, \circ -, \subset, \longrightarrow \right\} \cup \left\{ -a- \mid a \in R \right\},$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0187	279	■ 0.215 ● W +0	$g_{\{\!\}\backslash\left(c_{\{2}\}\right)=\Psi_{\{\!\}\bullet}^{\{\!\}\bullet}\mathrm{\scriptstyle\sim J}^{\{3\}}4^{\{4\}}$	$g_{\{!}(c_2) = \Psi_{\bullet}^{1^2} J^3 4^4$	$g_{\{!(c_2) = \begin{array}{ccc} 12 & 3 & 4 \\ \downarrow & \downarrow & \downarrow \\ \bullet & & \bullet \end{array}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0094	148	■ 0.259 ● W +0	$\begin{array}{l} \& S \times (T \times U) := \{(s, (t, u)) \\ \mid s \in S, t \in T, u \in U\} \\ \& (S \times T) \times U := \{((s, t), u) \mid s \in S, t \in T, u \in U\}. \end{array}$	$\begin{array}{l} S \times (T \times U) := \{(s, (t, u)) \mid s \in S, t \in T, u \in U\} \\ \Rightarrow (S \times T) \times U := \{((s, t), u) \mid s \in S, t \in T, u \in U\}. \end{array}$	$\begin{array}{l} S \times (T \times U) := \{(s, (t, u)) \mid s \in S, t \in T, u \in U\} \\ \stackrel{=?}{=} (S \times T) \times U := \{((s, t), u) \mid s \in S, t \in T, u \in U\}. \end{array}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0072	118	■ 0.263 ● K +0	$\Sigma_{\{!\}: \mathcal{C} - \mathbf{Inst} \rightarrow \mathbf{Set}} \quad \text{and} \quad \Pi_{\{!\}: \mathcal{C} - \mathbf{Inst} \rightarrow \mathbf{Set}}.$	$\Sigma_{\{!} : \mathcal{C} - \mathcal{I} \backslash \sqcup \rightarrow \mathbf{Set} \quad \text{and} \quad \Pi_{\{!} : \mathcal{C} - \mathbf{Inst} \rightarrow \mathbf{Set}.$	$\Sigma_{\{!} : \mathcal{C} - \mathbf{Inst} \rightarrow \mathbf{Set} \quad \text{and} \quad \Pi_{\{!} : \mathcal{C} - \mathbf{Inst} \rightarrow \mathbf{Set}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0020 (2.10)	055	■ 0.266 ● W +2	$\begin{array}{l} h_{\{1\}} := \{2 \diamond, 3 \diamond, 10 \bullet, J \bullet, Q \bullet\} \\ i_{\{1\}} := \{4 \diamond, 6 \diamond, 6 \diamond, 10 \diamond\} \\ h_{\{2\}} := \{2 \diamond, 3 \diamond, 4 \diamond, K \star, A \diamond\} \\ i_{\{2\}} := \{5 \diamond, 5 \diamond, 7 \diamond, J \diamond, Q \diamond\}. \end{array}$	$\begin{array}{ll} h_1 := \{2 \diamond, 3 \diamond, 10 \bullet, J \bullet, Q \bullet\} & i_1 := \{4 \diamond, 4 \diamond, 6 \diamond, 6 \diamond, 10 \diamond\} \\ h_2 := \{2 \diamond, 3 \diamond, 4 \diamond, K \star, A \diamond\} & i_2 := \{5 \diamond, 5 \diamond, 7 \diamond, J \diamond, Q \diamond\}. \end{array}$	$\begin{array}{ll} h_1 := \{2 \heartsuit, 3 \heartsuit, 10 \spadesuit, J \spadesuit, Q \spadesuit\} & i_1 := \{4 \clubsuit, 4 \clubsuit, 6 \heartsuit, 6 \diamond, 10 \diamond\} \\ h_2 := \{2 \diamond, 3 \diamond, 4 \diamond, K \spadesuit, A \spadesuit\} & i_2 := \{5 \clubsuit, 5 \heartsuit, 7 \heartsuit, J \diamond, Q \diamond\}. \end{array}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0033	073	■ 0.268 ● N +0	$X := \operatorname{Ob}(\mathfrak{X}) \quad d(x, y) := \mathfrak{X}(x, y).$	$X := \mathbf{Ob}(\mathfrak{X}) \quad d(x, y) := \mathfrak{X}(x, y).$	$X := \mathbf{Ob}(\mathfrak{X}) \quad d(x, y) := \mathfrak{X}(x, y).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0175 (7.82)	268	■ 0.278 ● C +3	$\begin{array}{l} \& \forall (t : \mathbb{R}) \cdot \text{bad_pos}(D) \Rightarrow \\ \& \exists (r : \mathbb{R}) \cdot (0 < r < 1) \wedge \forall (r' : \mathbb{R}) \cdot 0 \leq r' \leq 5 \Rightarrow \text{engaged}(T). \end{array}$	$\forall (t : \mathbb{R}) \cdot \text{bad_pos}(D) \Rightarrow \exists (r : \mathbb{R}) \cdot (0 < r < 1) \wedge \forall (r' : \mathbb{R}) \cdot 0 \leq r' \leq 5 \Rightarrow \text{engaged}(T).$	$\forall (t : \mathbb{R}) \cdot \text{bad_pos}(D) \Rightarrow \exists (r : \mathbb{R}) \cdot (0 < r < 1) \wedge \forall (r' : \mathbb{R}) \cdot 0 \leq r' \leq 5 \Rightarrow \text{engaged}(T).$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0057	097	0.293 W -2	$\mathcal{D}:=\left[\begin{array}{c} s \\ \hat{L} \\ b \\ z \\ sisjs \text{ is } s = s \text{ is} \end{array}\right]$	$\mathcal{D} := \begin{array}{c} s \\ \downarrow \\ \bullet \\ z \\ s \circ s \circ s \circ s \circ s = s \circ s \end{array}$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0184	274	0.304 C +18	$\begin{array}{l} \begin{array}{l} \bullet(\circ)(*) \leq \bullet(\circ)(*) \\ \bullet(\circ)(*) \leq \bullet(\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \\ \bullet(\circ)(*) \leq (\bullet\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \end{array} \quad \begin{array}{l} \bullet(\circ)(*) \leq (\bullet\circ)(*) \\ \bullet(\circ)(*) \leq (\bullet\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \\ \bullet(\circ)(*) \leq (\bullet\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \end{array} \end{array}$	$\begin{array}{l} \bullet(\circ)(*) \leq \bullet(\circ)(*) \\ \bullet(\circ)(*) \leq \bullet(\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \\ \bullet(\circ)(*) \leq (\bullet\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \\ (\bullet\circ)(*) \leq (\bullet\circ)(*) \end{array}$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0056	097	0.330 N +1	$e:=\begin{array}{c} s \\ Q \\ z \\ s;z = z \end{array}$	$e := \begin{array}{c} s \\ Q \\ z \\ s; s = z \end{array}$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0109 (5.47)	175	0.331 N -2	$G_R:=\{\supset-, \circ-, \subset, \longrightarrow\} \cup \{-a \mid a \in R\},$	$G_R := \left\{ \supset-, \circ-, \subset, \longrightarrow \right\} \cup \left\{ -a \mid a \in R \right\},$	
Conf. MathPix confidence: ≥0.9 0.5-0.9 <0.5 no value Residual render vs scan (inkdrill): C component W weak S stable N noise K clean not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0059 (3.47)	106	■ 0.333 ● N +1	C:=\begin{array}{ c } \hline s \\ \mathcal{Q} \\ b \\ \hline s;s = s \end{array}	$C := \begin{array}{ c } \hline s \\ \mathcal{Q} \\ b \\ \hline s;s = s \end{array}$	C := s ↻ • z s ∘ s = s
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0113	178	■ 0.335 ● N -1	-\mapsto(1) \quad \text{ and } \quad \text{\quad} X \mapsto\left(\begin{array}{ll} 0 & 1 \\ 1 & 0 \end{array}\right) \quad \text{ and } \quad \text{\quad} -a-\mapsto(a)	$- \mapsto (1) \quad \text{ and } \quad X \mapsto \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \quad \text{ and } \quad -a- \mapsto (a)$	$\text{---} \mapsto \begin{pmatrix} 1 \end{pmatrix} \quad \text{ and } \quad \text{\quad} \times \mapsto \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \quad \text{ and } \quad \text{\quad} \text{---}\boxed{a}\text{---} \mapsto \begin{pmatrix} a \end{pmatrix}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0226	303	■ 0.335 ● N +1	\mathcal{X}(x,z)=\mathcal{X}(x,z) \otimes I \leq \mathcal{X}(x,z) \otimes \mathcal{X}(z,z) \leq \bigvee_{y \in \mathcal{X}} \mathcal{X}(x,y) \otimes \mathcal{X}(y,z),	$\mathcal{X}(x,z) = \mathcal{X}(x,z) \otimes I \leq \mathfrak{X}(x,z) \otimes \mathcal{X}(z,z) \leq \bigvee_{y \in \mathcal{X}} \mathcal{X}(x,y) \otimes \mathcal{X}(y,z),$	$\mathcal{X}(x,z) = \mathcal{X}(x,z) \otimes I \leq \mathcal{X}(x,z) \otimes \mathcal{X}(z,z) \leq \bigvee_{y \in \mathcal{X}} \mathcal{X}(x,y) \otimes \mathcal{X}(y,z),$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0068	115	■ 0.352 ● W +2	\mathcal{C} \underset{R}{\stackrel{L}{\longrightarrow}} \mathcal{D}	$\mathcal{C} \overset{L}{\underset{R}{\rightleftarrows}} \mathcal{D}$	L → ↔ ← R C D
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0206	290	■ 0.362 ● W +0	A, \quad A ; f, \quad A ; g, \quad A ; j, \quad B, \quad B ; h, \quad C, \quad C ; i, \quad D	$A, \quad A;f, \quad A;g, \quad A;j, \quad B, \quad B;h, \quad C, \quad C;i, \quad D$	$A, \quad A \circ f, \quad A \circ g, \quad A \circ j, \quad B, \quad B \circ h, \quad C, \quad C \circ i, \quad D$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0098	156	0.366 N +0	$(x \times y) \left((x, y), \left(x^{\{\text{prime}\}}, y^{\{\text{prime}\}} \right) \right) := x \left(x, x^{\{\text{prime}\}} \right) \otimes y \left(y, y^{\{\text{prime}\}} \right) .$	$(x \times y) \left((x, y), (x', y') \right) := x \left(x, x' \right) \otimes y \left(y, y' \right) .$	$(\mathcal{X} \times \mathcal{Y})((x, y), (x', y')) := \mathcal{X}(x, x') \otimes \mathcal{Y}(y, y').$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0036	077	0.376 W -2	$\begin{array}{lrl} \mathcal{C}_{\mathcal{f}}(c, d) \otimes_W \mathcal{C}_{\mathcal{f}}(d, e) & = f(\mathcal{C}(c, d)) \otimes_W f(\mathcal{C}(d, e)) & (f \text{ is monoidal monotone}) \\ & \leq f(\mathcal{C}(c, d) \otimes_V \mathcal{C}(d, e)) & (\mathcal{C} \text{ is } \mathcal{V}\text{-category}) \\ & \leq f(\mathcal{C}(c, e)) & (\text{definition of } \mathcal{C}_{\mathcal{f}}) \\ & = \mathcal{C}_{\mathcal{f}}(c, e) \end{array}$	$\begin{array}{lrl} \mathcal{C}_{\mathcal{f}}(c, d) \otimes_W \mathcal{C}_{\mathcal{f}}(d, e) & = f(\mathcal{C}(c, d)) \otimes_W f(\mathcal{C}(d, e)) & (\text{definition of } \mathcal{C}_{\mathcal{f}}) \\ & \leq f(\mathcal{C}(c, d) \otimes_V \mathcal{C}(d, e)) & (f \text{ is monoidal monotone}) \\ & \leq f(\mathcal{C}(c, e)) & (\mathcal{C} \text{ is } \mathcal{V}\text{-category}) \\ & = \mathcal{C}_{\mathcal{f}}(c, e) \end{array}$	$\mathcal{C}_{\mathcal{f}}(c, d) \otimes_W \mathcal{C}_{\mathcal{f}}(d, e) = f(\mathcal{C}(c, d)) \otimes_W f(\mathcal{C}(d, e))$ (definition of $\mathcal{C}_{\mathcal{f}}$) $\leq f(\mathcal{C}(c, d) \otimes_V \mathcal{C}(d, e))$ (f is monoidal monotone) $\leq f(\mathcal{C}(c, e))$ ($\mathcal{C}$ is $\mathcal{V}$ -category) $= \mathcal{C}_{\mathcal{f}}(c, e)$ (definition of $\mathcal{C}_{\mathcal{f}}$)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0142	227	0.424 N +2	$\begin{array}{l} (g \circ f) \left(x_1, \dots, x_{i-1}, w_1, \dots, w_m, x_{i+1}, \dots, x_n \right) \\ = g \left(x_1, \dots, x_{i-1}, f \left(w_1, \dots, w_m \right), x_{i+1}, \dots, x_n \right) \end{array}$	$(g \circ f) \left(x_1, \dots, x_{i-1}, w_1, \dots, w_m, x_{i+1}, \dots, x_n \right) \\ = g \left(x_1, \dots, x_{i-1}, f \left(w_1, \dots, w_m \right), x_{i+1}, \dots, x_n \right)$	$(g \circ_i f)(x_1, \dots, x_{i-1}, w_1, \dots, w_m, x_{i+1}, \dots, x_n) \\ = g(x_1, \dots, x_{i-1}, f(w_1, \dots, w_m), x_{i+1}, \dots, x_n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0228	303	0.461 N +0	$\left(\alpha^{-1} ; \alpha \right) (x, z) = \bigvee_{y \in \mathcal{X}} \alpha(x, (y, 1)) \otimes \alpha^{-1}((y, 1), z) = \bigvee_{y \in \mathcal{X}} \mathcal{X}(x, y) \otimes \mathcal{X}(y, z) = \mathcal{X}(x, z) .$	$(\alpha^{-1}; \alpha)(x, z) = \bigvee_{(y, 1) \in \mathcal{X} \times \mathbf{1}} \alpha(x, (y, 1)) \otimes \alpha^{-1}((y, 1), z) = \bigvee_{y \in \mathcal{X}} x(x, y) \otimes x(y, z) = x(x, z) .$	$(\alpha^{-1} \circ \alpha)(x, z) = \bigvee_{(y, 1) \in \mathcal{X} \times \mathbf{1}} \alpha(x, (y, 1)) \otimes \alpha^{-1}((y, 1), z) = \bigvee_{y \in \mathcal{X}} \mathcal{X}(x, y) \otimes \mathcal{X}(y, z) = \mathcal{X}(x, z) .$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0227	303	0.463 N +0	$\bigvee_{y \in \mathcal{X}} \mathcal{X}(x, y) \otimes \mathcal{X}(y, z) \leq \bigvee_{y \in \mathcal{X}} \mathcal{X}(x, z) = \mathcal{X}(x, z) .$	$\bigvee_{y \in \mathcal{X}} x(x, y) \otimes \mathcal{X}(y, z) \leq \bigvee_{y \in \mathcal{X}} x(x, z) = \mathcal{X}(x, z) .$	$\bigvee_{y \in \mathcal{X}} \mathcal{X}(x, y) \otimes \mathcal{X}(y, z) \leq \bigvee_{y \in \mathcal{X}} \mathcal{X}(x, z) = \mathcal{X}(x, z) .$
Conf. MathPix confidence: 0.9 0.5-0.9 <0.5 no value					
Residual render vs scan (inkdrill): C component W weak S stable N noise K clean not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__EQ0071 (3.75)	118	■0.470 ●K +0	$\boldsymbol{!}:\mathcal{C}\rightarrow\mathbf{1}.$	$\boldsymbol{!}:\mathcal{C}\rightarrow\mathbf{1}.$	$\boldsymbol{!}:\mathcal{C}\rightarrow\mathbf{1}.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__EQ0039 (2.77)	079	■0.472 ●N +0	$\left(\left(\left(x_1,y_1\right),\left(x_2,y_2\right)\right)\otimes\left(\left(x_2,y_2\right),\left(x_3,y_3\right)\right)\right)\leq\left(\left(x_1,y_1\right),\left(x_3,y_3\right)\right).$	$\left(\mathcal{X}\times\mathcal{Y}\right)\left(\left(x_1,y_1\right),\left(x_2,y_2\right)\right)\otimes\left(\mathcal{X}\times\mathcal{Y}\right)\left(\left(x_2,y_2\right),\left(x_3,y_3\right)\right)\leq\left(\mathcal{X}\times\mathcal{Y}\right)\left(\left(x_1,y_1\right),\left(x_3,y_3\right)\right).$	$\left(\mathcal{X}\times\mathcal{Y}\right)\left(\left(x_1,y_1\right),\left(x_2,y_2\right)\right)\otimes\left(\mathcal{X}\times\mathcal{Y}\right)\left(\left(x_2,y_2\right),\left(x_3,y_3\right)\right)\leq\left(\mathcal{X}\times\mathcal{Y}\right)\left(\left(x_1,y_1\right),\left(x_3,y_3\right)\right).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__EQ0163	257	■0.487 ●W +2	$\Omega_{\text{Grph}}=(0,0;0)\subset 0\overset{(0,V;0)}{\longleftarrow}V\overset{(V,0;0)}{\longrightarrow}V\overset{(V,V;A)}{\longrightarrow}V$	$\Omega_{\text{Grph}}=(0,0;0)\subset 0\overset{(0,V;0)}{\longleftarrow}V\overset{(V,0;0)}{\longrightarrow}V\overset{(V,V;A)}{\longrightarrow}V$	$\Omega_{\text{Grph}}=(0,0;0)\subset 0\overset{(0,V;0)}{\longleftarrow}V\overset{(V,0;0)}{\longrightarrow}V\overset{(V,V;A)}{\longrightarrow}V$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__EQ0258	317	■0.494 ●N -1	$\left[\mathrm{id}_A,!\right]\circ\iota_A=\left[\mathrm{id}_A,!\right]\circ\iota_A=\left[\iota_A,!\right]_{A+\emptyset}=\left[\iota_A,\iota_{\emptyset}\right]=\mathrm{id}_{A+\emptyset}.$	$\left[\mathrm{id}_A,!\right]\circ\iota_A=\left[\mathrm{id}_A,!\right]\circ\iota_A=\left[\iota_A,!\right]_{A+\emptyset}=\left[\iota_A,\iota_{\emptyset}\right]=\mathrm{id}_{A+\emptyset}.$	$\left[\mathrm{id}_A,!\right]\circ\iota_A=\left[\mathrm{id}_A,!\right]\circ\iota_A=\left[\iota_A,!\right]_{A+\emptyset}=\left[\iota_A,\iota_{\emptyset}\right]=\mathrm{id}_{A+\emptyset}.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__EQ0074	119	■0.500 ●W -1	$\begin{array}{c} 1 \\ \hline \text{Bob-Grace-Pat-Emmy} \\ \text{Sue-Doug} \end{array}$	$\begin{array}{c} 1 \\ \hline \text{Bob-Grace-Pat-Emmy} \\ \text{Sue-Doug} \end{array}$	$\begin{array}{c} 1 \\ \hline \text{Bob-Grace-Pat-Emmy} \\ \text{Sue-Doug} \end{array}$

Conf. MathPix confidence:

■≥0.9

■0.5-0.9

■<0.5

— no value

Residual render vs scan (inkdrill):

●C component

●W weak

●S stable

●N noise

●K clean

●not measured

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ00223	299	■ 0.512 ● W +0	$\begin{aligned} \Phi &= M_X^3 * M_\Phi * M_Y^2 = \\ &= \begin{pmatrix} 0 & 6 & 3 & 11 \\ 2 & 0 & 5 & 5 \\ 5 & 3 & 0 & 8 \\ 11 & 9 & 6 & 0 \end{pmatrix} \begin{pmatrix} \infty & \infty & \infty \\ 11 & \infty & \infty \\ \infty & \infty & \infty \\ \infty & 9 & \infty \end{pmatrix} \begin{pmatrix} 0 & 4 & 3 \\ 3 & 0 & 6 \\ 7 & 4 & 0 \end{pmatrix} \\ &= \begin{pmatrix} 17 & 20 & \infty \\ 11 & 14 & \infty \\ 14 & 17 & \infty \\ 20 & 9 & \infty \end{pmatrix} \begin{pmatrix} 0 & 4 & 3 \\ 3 & 0 & 6 \\ 7 & 4 & 0 \end{pmatrix} \\ &= \begin{pmatrix} 17 & 20 & 20 \\ 11 & 14 & 14 \\ 14 & 17 & 17 \\ 12 & 9 & 15 \end{pmatrix} \end{aligned}$	$\Phi = M_X^3 * M_\Phi * M_Y^2 = \begin{pmatrix} 0 & 6 & 3 & 11 \\ 2 & 0 & 5 & 5 \\ 5 & 3 & 0 & 8 \\ 11 & 9 & 6 & 0 \end{pmatrix} \begin{pmatrix} \infty & \infty & \infty \\ 11 & \infty & \infty \\ \infty & \infty & \infty \\ \infty & 9 & \infty \end{pmatrix} \begin{pmatrix} 0 & 4 & 3 \\ 3 & 0 & 6 \\ 7 & 4 & 0 \end{pmatrix}$ $= \begin{pmatrix} 17 & 20 & \infty \\ 11 & 14 & \infty \\ 14 & 17 & \infty \\ 20 & 9 & \infty \end{pmatrix} \begin{pmatrix} 0 & 4 & 3 \\ 3 & 0 & 6 \\ 7 & 4 & 0 \end{pmatrix}$ $= \begin{pmatrix} 17 & 20 & 20 \\ 11 & 14 & 14 \\ 14 & 17 & 17 \\ 12 & 9 & 15 \end{pmatrix}$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0021	058	■ 0.515 ● C +3	$\left.\left.\left.\frac{\bar{x}}{y}\right.\right.\right)=\frac{x\otimes y}{z}\Bigg\}=\left\{\frac{x}{y\otimes z}=\left\{\frac{y}{z}\right.\right.\right.$	$\left.\left.\left.\frac{\bar{x}}{y}\right.\right.\right)=\frac{x\otimes y}{z}\Bigg\}=\left\{\frac{x}{y\otimes z}=\left\{\frac{y}{z}\right.\right.\right.$	$\left.\left.\left.\frac{x}{y}\right.\right.\right)=\frac{x\otimes y}{z}\Bigg\}=\left\{\frac{x}{y\otimes z}=\left\{\frac{y}{z}\right.\right.\right.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0069	115	■ 0.520 ● W +2	$\text{Set} \underset{(-)^B}{\overset{-\times B}{\rightleftarrows}} \text{Set} \quad \text{Set}(A \times B, C) \cong \text{Set}(A, C^B)$	$\text{Set} \underset{(-)^B}{\overset{-\times B}{\rightleftarrows}} \text{Set} \quad \text{Set}(A \times B, C) \cong \text{Set}(A, C^B)$	$\text{Set} \underset{(-)^B}{\overset{-\times B}{\rightleftarrows}} \text{Set} \quad \text{Set}(A \times B, C) \cong \text{Set}(A, C^B)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0116	186	■ 0.520 ● N -1	$\mathrm{B}(-\mathrm{C})=\{(x,(x,x))\mid x\in R\}.$	$\mathrm{B}(-\mathrm{C})=\{(x,(x,x))\mid x\in R\}.$	$\mathrm{B}(-\lhd)=\{(x,(x,x))\mid x\in R\}.$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0257	317	■ 0.522 ● N +0	$\mathrm{id}_{A}+\mathrm{id}_{B}=\left[\mathrm{id}_{A}\stackrel{\circ}{\iota}_{A},\mathrm{id}_{B}\stackrel{\circ}{\iota}_{B}\right]=\left[\iota_{A},\iota_{B}\right]=\mathrm{id}_{A+B}.$	$\mathrm{id}_A + \mathrm{id}_B = \left[\mathrm{id}_A \stackrel{\circ}{\iota}_A, \mathrm{id}_B \stackrel{\circ}{\iota}_B \right] = [\iota_A, \iota_B] = \mathrm{id}_{A+B}.$	$\mathrm{id}_A + \mathrm{id}_B = [\mathrm{id}_A \stackrel{\circ}{\iota}_A, \mathrm{id}_B \stackrel{\circ}{\iota}_B] = [\iota_A, \iota_B] = \mathrm{id}_{A+B}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ054 (3.11)	095	■ 0.526 ● C +43	$\mathbf{3} := \operatorname{Free} \left(\begin{array}{c} \bullet \xrightarrow{f_1} \bullet \xrightarrow{f_2} \bullet \\ \bullet \xrightarrow{f_1} \bullet \xrightarrow{f_2} \bullet \end{array} \right)$	$\mathbf{3} := \operatorname{Free} \left(\begin{array}{c} \bullet \xrightarrow{f_1} \bullet \xrightarrow{f_2} \bullet \\ \bullet \xrightarrow{f_1} \bullet \xrightarrow{f_2} \bullet \end{array} \right)$	$\mathbf{3} := \operatorname{Free} \left(\begin{array}{c} \bullet \xrightarrow{f_1} \bullet \xrightarrow{f_2} \bullet \\ \bullet \xrightarrow{f_1} \bullet \xrightarrow{f_2} \bullet \end{array} \right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ005	033	■ 0.539 ● C +3	$p=g(f(p)) \quad \text{and} \quad q=f(g(q)) .$	$p = g(f(p)) \quad \text{and} \quad q = f(g(q)).$	$p = g(f(p)) \quad \text{and} \quad q = f(g(q)).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ078 (4.3)	132	■ 0.549 ● N +2	$\Phi: x^{\mathrm{op}} \times y \rightarrow \text{Bool.}$	$\Phi: x^{\mathrm{op}} \times y \rightarrow \text{Bool.}$	$\Phi: \mathcal{X}^{\mathrm{op}} \times \mathcal{Y} \rightarrow \mathbf{Bool}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ091	142	■ 0.550 ● N +2	$\widehat{F}(p, q) := Q(F(p), q) \quad \text{and} \quad \check{F}(q, p) := Q(q, F(p))$	$\widehat{F}(p, q) := Q(F(p), q) \quad \text{and} \quad \check{F}(q, p) := Q(q, F(p))$	$\widehat{F}(p, q) := Q(F(p), q) \quad \text{and} \quad \check{F}(q, p) := Q(q, F(p))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ104 (5.17)	165	■ 0.566 ● N +0	$G+G^{\prime}:=\left(\left(V\sqcup V^{\prime}\right),\left[\text{in},\text{in}^{\prime}\right],\left[\text{out},\text{out}^{\prime}\right],\left(\iota\sqcup\iota^{\prime}\right)\right).$	$G + G' := ((V \sqcup V'), [\text{in}, \text{in}'], [\text{out}, \text{out}'], (\iota \sqcup \iota')).$	$G + G' := ((V \sqcup V'), [in, in'], [out, out'], (\iota \sqcup \iota')).$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0221	298	0.568 ● N +0	$x^{\left(x^{\prime}, x\right)} \otimes y\left(y, y^{\prime}\right) \leq \Phi(x, y) \multimap \Phi\left(x^{\prime}, y^{\prime}\right)$	$x\left(x^{\prime}, x\right) \otimes y\left(y, y^{\prime}\right) \leq \Phi(x, y) \multimap \Phi\left(x^{\prime}, y^{\prime}\right)$	$\mathcal{X}\left(x^{\prime}, x\right) \otimes \mathcal{Y}\left(y, y^{\prime}\right) \leq \Phi(x, y) \multimap \Phi\left(x^{\prime}, y^{\prime}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0253	313	0.570 ● N +0	$\left\{\left(y, z\right) \mid \text { there exists } x \in R^m \text { such that } y=S(g)(x) \text { and } S(h)(x)=z\right\} .$	$\{(y, z) \mid \text { there exists } x \in R^m \text { such that } y=S(g)(x) \text { and } S(h)(x)=z\} .$	$\{(y, z) \mid \text { there exists } x \in R^m \text { such that } y=S(g)(x) \text { and } S(h)(x)=z\} .$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0043	082	0.593 ● N -1	$2 \mathrm{H}_{2} \mathrm{O} \rightarrow\left(2 \mathrm{Na} \rightarrow\left(2 \mathrm{NaOH}+\mathrm{H}_{2}\right)\right)$	$2 \mathrm{H}_{2} \mathrm{O} \rightarrow\left(2 \mathrm{Na} \rightarrow\left(2 \mathrm{NaOH}+\mathrm{H}_{2}\right)\right)$	$2 \mathrm{H}_{2} \mathrm{O} \rightarrow\left(2 \mathrm{Na} \multimap\left(2 \mathrm{NaOH}+\mathrm{H}_{2}\right)\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0179	272	0.598 ● N +0	$h, \quad 1, \quad 2, \quad 3 .$	$h, \quad 1, \quad 2, \quad 3 .$	$h, \quad 1, \quad 2, \quad 3 .$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0002 (1.15)	021	0.658 ● C +3	$A=\bigcup_{p \in P} A_p \quad \text { and } \quad \text { if } p \neq q \text { then } A_p \cap A_q=\varnothing .$	$A=\bigcup_{p \in P} A_p \quad \text { and } \quad \text { if } p \neq q \text { then } A_p \cap A_q=\varnothing .$	$A=\bigcup_{p \in P} A_p \quad \text { and } \quad \text { if } p \neq q \text { then } A_p \cap A_q=\varnothing .$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0158 (7.37)	250	0.658 ● N +0	$\operatorname{Sec}_{\{f\}}(U):=\{s: U \rightarrow X \mid(s ; f)(u)=u \text { for all } u \in U\} .$	$\operatorname{Sec}_f(U):=\{s: U \rightarrow X \mid(s ; f)(u)=u \text { for all } u \in U\} .$	$\operatorname{Sec}_f(U):=\{s: U \rightarrow X \mid(s \circ f)(u)=u \text { for all } u \in U\} .$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0147 (7.2)	235	0.661 N +1	$((A=\mathrm{go}) \rightarrow \ddot{S}>1) \wedge (A=\text{stop}) \rightarrow \ddot{S}=0) \text{ .}$	$((A = \text{go}) \Rightarrow \ddot{S} > 1) \wedge ((A = \text{stop}) \Rightarrow \ddot{S} = 0).$	$((A = \text{go}) \Rightarrow \ddot{S} > 1) \wedge ((A = \text{stop}) \Rightarrow \ddot{S} = 0) \text{ .}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0191	282	0.677 C -8	$\begin{array}{lrl} t+u & \leq (v+w)+u & (\text{monotonicity, } t \leq v+w, u \leq u) \\ & = v+(w+u) & (\text{associativity}) \\ & \leq v+(x+z) & (\text{monotonicity, } v \leq v, w+u \leq x+v) \\ & = (v+x)+z & (\text{associativity}) \\ & \leq y+z. & (\text{monotonicity, } v+x \leq y, z \leq z) \end{array}$	$ \begin{array}{lrl} t+u & \leq (v+w)+u & (\text{monotonicity, } t \leq v+w, u \leq u) \\ & = v+(w+u) & (\text{associativity}) \\ & \leq v+(x+z) & (\text{monotonicity, } v \leq v, w+u \leq x+v) \\ & = (v+x)+z & (\text{associativity}) \\ & \leq y+z. & (\text{monotonicity, } v+x \leq y, z \leq z) \end{array} $	$ \begin{array}{lrl} t+u \leq (v+w)+u & & (\text{monotonicity, } t \leq v+w, u \leq u) \\ = v+(w+u) & & (\text{associativity}) \\ \leq v+(x+z) & & (\text{monotonicity, } v \leq v, w+u \leq x+v) \\ = (v+x)+z & & (\text{associativity}) \\ \leq y+z. & & (\text{monotonicity, } v+x \leq y, z \leq z) \end{array} $
Conf. MathPix confidence: ≥0.9 0.5-0.9 <0.5 — no value Residual render vs scan (inkdrill): C component W weak S stable N noise K clean not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0224	300	0.683 W +0	$\begin{aligned} \Phi: \Psi &= \left(M_X^3 * M_\Phi * M_Y^2 \right) * \left(M_Y^2 * M_\Psi * M_Z^3 \right) \\ &= M_X^3 * M_\Phi * M_Y^4 * M_\Psi * M_Z^3 \\ &= \left(M_X^3 * M_\Phi * M_Y^2 \right) * M_\Psi * M_Z^3 \\ &= \Phi * M_\Psi * M_Z^3 \\ &= \begin{pmatrix} 17 & 20 & 20 \\ 11 & 14 & 14 \\ 14 & 17 & 17 \\ 12 & 9 & 15 \end{pmatrix} \begin{pmatrix} \infty & \infty & \infty & \infty \\ \infty & \infty & 0 & \infty \\ 4 & \infty & \infty & 4 \end{pmatrix} \begin{pmatrix} 0 & 2 & 4 & 5 \\ 4 & 0 & 2 & 3 \\ 2 & 4 & 0 & 1 \\ 1 & 3 & 5 & 0 \end{pmatrix} \\ &= \begin{pmatrix} 17 & 20 & 20 \\ 11 & 14 & 14 \\ 14 & 17 & 17 \\ 12 & 9 & 15 \end{pmatrix} \begin{pmatrix} \infty & \infty & \infty & \infty \\ 2 & 4 & 0 & 1 \\ 4 & 6 & 8 & 4 \end{pmatrix} \\ &= \begin{pmatrix} 22 & 24 & 20 & 21 \\ 16 & 18 & 14 & 15 \\ 19 & 21 & 17 & 18 \\ 11 & 13 & 9 & 10 \end{pmatrix} \end{aligned}$	$\begin{aligned} \Phi: \Psi &= \left(M_X^3 * M_\Phi * M_Y^2 \right) * \left(M_Y^2 * M_\Psi * M_Z^3 \right) \\ &= M_X^3 * M_\Phi * M_Y^4 * M_\Psi * M_Z^3 \\ &= \left(M_X^3 * M_\Phi * M_Y^2 \right) * M_\Psi * M_Z^3 \\ &= \Phi * M_\Psi * M_Z^3 \\ &= \begin{pmatrix} 17 & 20 & 20 \\ 11 & 14 & 14 \\ 14 & 17 & 17 \\ 12 & 9 & 15 \end{pmatrix} \begin{pmatrix} \infty & \infty & \infty & \infty \\ \infty & \infty & 0 & \infty \\ 4 & \infty & \infty & 4 \end{pmatrix} \begin{pmatrix} 0 & 2 & 4 & 5 \\ 4 & 0 & 2 & 3 \\ 2 & 4 & 0 & 1 \\ 1 & 3 & 5 & 0 \end{pmatrix} \\ &= \begin{pmatrix} 17 & 20 & 20 \\ 11 & 14 & 14 \\ 14 & 17 & 17 \\ 12 & 9 & 15 \end{pmatrix} \begin{pmatrix} \infty & \infty & \infty & \infty \\ 2 & 4 & 0 & 1 \\ 4 & 6 & 8 & 4 \end{pmatrix} \\ &= \begin{pmatrix} 22 & 24 & 20 & 21 \\ 16 & 18 & 14 & 15 \\ 19 & 21 & 17 & 18 \\ 11 & 13 & 9 & 10 \end{pmatrix} \end{aligned}$	$\begin{aligned} \Phi \circ \Psi &= (M_X^3 * M_\Phi * M_Y^2) * (M_Y^2 * M_\Psi * M_Z^3) \\ &= M_X^3 * M_\Phi * M_Y^4 * M_\Psi * M_Z^3 \\ &= (M_X^3 * M_\Phi * M_Y^2) * M_\Psi * M_Z^3 \\ &= \Phi * M_\Psi * M_Z^3 \\ &= \begin{pmatrix} 17 & 20 & 20 \\ 11 & 14 & 14 \\ 14 & 17 & 17 \\ 12 & 9 & 15 \end{pmatrix} \begin{pmatrix} \infty & \infty & \infty & \infty \\ \infty & \infty & 0 & \infty \\ 4 & \infty & \infty & 4 \end{pmatrix} \begin{pmatrix} 0 & 2 & 4 & 5 \\ 4 & 0 & 2 & 3 \\ 2 & 4 & 0 & 1 \\ 1 & 3 & 5 & 0 \end{pmatrix} \\ &= \begin{pmatrix} 17 & 20 & 20 \\ 11 & 14 & 14 \\ 14 & 17 & 17 \\ 12 & 9 & 15 \end{pmatrix} \begin{pmatrix} \infty & \infty & \infty & \infty \\ 2 & 4 & 0 & 1 \\ 4 & 6 & 8 & 4 \end{pmatrix} \\ &= \begin{pmatrix} 22 & 24 & 20 & 21 \\ 16 & 18 & 14 & 15 \\ 19 & 21 & 17 & 18 \\ 11 & 13 & 9 & 10 \end{pmatrix} \end{aligned}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0120 (5.81)	187	0.690 N +0	$\mathbf{SFG}_R^+ := \text{Free} \left(G_R \sqcup G_R^{\text{op}} \right).$	$\mathbf{SFG}_R^+ := \text{Free} \left(G_R \sqcup G_R^{\text{op}} \right).$	$\mathbf{SFG}_R^+ := \text{Free} \left(G_R \sqcup G_R^{\text{op}} \right).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0081 (0)	133	0.690 N +0	$x \left(x^{\prime}, x \right) \otimes \Phi(x, y) \otimes y \left(y, y^{\prime} \right) \leq \Phi(x^{\prime}, y^{\prime}).$	$x \left(x^{\prime}, x \right) \otimes \Phi(x, y) \otimes y \left(y, y^{\prime} \right) \leq \Phi(x^{\prime}, y^{\prime}).$	$\mathcal{X}(x', x) \otimes \Phi(x, y) \otimes \mathcal{Y}(y, y') \leq \Phi(x', y').$

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0140 (6.81)	220	0.725 W +0	$\begin{aligned} & \backslash\mathrm{begin}\{\mathrm{aligned}\} \backslash\mathrm{psi}_{\{V, V^{\{\mathrm{prime}\}}\}}: \\ & \backslash\mathrm{operatorname}\{\mathrm{Circ}\}(V) \backslash\mathrm{times} \backslash\mathrm{operatorname}\{\mathrm{Circ}\} \\ & \backslash\mathrm{left}(V^{\{\mathrm{prime}\}}\backslash\mathrm{right}\} \& \backslash\mathrm{longrightarrow} \\ & \backslash\mathrm{operatorname}\{\mathrm{Circ}\}\backslash\mathrm{left}(V+V^{\{\mathrm{prime}\}}\backslash\mathrm{right}\} ; \backslash\backslash \\ & \backslash\mathrm{left}((V, A, s, t, \ell), \backslash\mathrm{left}(V^{\{\mathrm{prime}\}}, A^{\{\mathrm{prime}\}}, s^{\{\mathrm{prime}\}}, t^{\{\mathrm{prime}\}}, \ell^{\{\mathrm{prime}\}}\backslash\mathrm{right}\}\backslash\mathrm{right}\} \\ & \& \backslash\mathrm{longmapsto}\backslash\mathrm{left}(V+V^{\{\mathrm{prime}\}}, A+A^{\{\mathrm{prime}\}}, s+s^{\{\mathrm{prime}\}}, t+t^{\{\mathrm{prime}\}}, \ell^{\{\mathrm{prime}\}}\backslash\mathrm{right}\} \backslash\mathrm{right}\} . \backslash\mathrm{end}\{\mathrm{aligned}\} \end{aligned}$	$\psi_{V,V'} : \mathrm{Circ}(V) \times \mathrm{Circ}(V') \longrightarrow \mathrm{Circ}(V + V') ;$ $((V, A, s, t, \ell), (V', A', s', t', \ell')) \longmapsto (V + V', A + A', s + s', t + t', [\ell, \ell']) .$	$\psi_{V,V'} : \mathrm{Circ}(V) \times \mathrm{Circ}(V') \longrightarrow \mathrm{Circ}(V + V') ;$ $((V, A, s, t, \ell), (V', A', s', t', \ell')) \longmapsto (V + V', A + A', s + s', t + t', [\ell, \ell']) .$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0222	298	0.731 N +0	$\backslash\mathrm{mathcal}\{X\}\backslash\mathrm{left}(x^{\{\mathrm{prime}\}}, x\backslash\mathrm{right}\} \backslash\mathrm{otimes} \backslash\mathrm{Phi}(x, y) \backslash\mathrm{otimes} y\backslash\mathrm{left}(y, y^{\{\mathrm{prime}\}}\backslash\mathrm{right}\} \backslash\mathrm{leq} \backslash\mathrm{Phi}\backslash\mathrm{left}(x^{\{\mathrm{prime}\}}, y^{\{\mathrm{prime}\}}\backslash\mathrm{right}\} .$	$\mathcal{X}(x', x) \otimes \Phi(x, y) \otimes y(y, y') \leq \Phi(x', y') .$	$\mathcal{X}(x', x) \otimes \Phi(x, y) \otimes \mathcal{Y}(y, y') \leq \Phi(x', y') .$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0132	212	0.742 C +7	$\begin{array}{l} \backslash\mathrm{begin}\{\mathrm{array}\}\{\mathrm{rrrr}\} \backslash\mathrm{operatorname}\{\mathrm{in}\}(\backslash\mu):=2, \& \\ \backslash\mathrm{operatorname}\{\mathrm{in}\}(\backslash\eta):=0, \& \backslash\mathrm{operatorname}\{\mathrm{in}\}(\backslash\delta):=1, \& \backslash\mathrm{operatorname}\{\mathrm{in}\}(\backslash\epsilon):=1, \backslash\backslash \\ \backslash\mathrm{operatorname}\{\mathrm{out}\}(\backslash\mu):=1, \& \backslash\mathrm{operatorname}\{\mathrm{out}\}(\backslash\eta):=1, \backslash\backslash \\ \backslash\mathrm{operatorname}\{\mathrm{out}\}(\backslash\delta):=2, \& \backslash\mathrm{operatorname}\{\mathrm{out}\}(\backslash\epsilon):=0. \backslash\mathrm{end}\{\mathrm{array}\} \end{array}$	$\begin{array}{llll} \mathrm{in}(\mu) := 2, & \mathrm{in}(\eta) := 0, & \mathrm{in}(\delta) := 1, & \mathrm{in}(\epsilon) := 1, \\ \mathrm{out}(\mu) := 1, & \mathrm{out}(\eta) := 1, & \mathrm{out}(\delta) := 2, & \mathrm{out}(\epsilon) := 0. \end{array}$	$\begin{array}{llll} \mathrm{in}(\mu) := 2, & \mathrm{in}(\eta) := 0, & \mathrm{in}(\delta) := 1, & \mathrm{in}(\epsilon) := 1, \\ \mathrm{out}(\mu) := 1, & \mathrm{out}(\eta) := 1, & \mathrm{out}(\delta) := 2, & \mathrm{out}(\epsilon) := 0. \end{array}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0097	155	0.755 C +26	$\backslash[\backslash\alpha: \backslash\beta:=\backslash\iota_{\{A \backslash\mathrm{sqcup} C\}^{\{\ast\}}}\backslash\mathrm{left}(\backslash\mathrm{left}(\backslash\iota_{\{A \backslash\mathrm{sqcup} B\}}\backslash\mathrm{right}\})!(\backslash\alpha) \backslash\mathrm{vee}\backslash\mathrm{left}(\backslash\iota_{\{B \backslash\mathrm{sqcup} C\}}\backslash\mathrm{right}\})!(\backslash\beta)\backslash\mathrm{right}\} . \backslash] \}$	(not rendered)	$\alpha \circ \beta := \iota_{A \sqcup C}^*((\iota_{A \sqcup B})!(\alpha) \vee (\iota_{B \sqcup C})!(\beta)).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0230	304	0.759 W +0	$\begin{aligned} & \& \backslash\mathrm{quad} \backslash\mathrm{bigvee}_{\{a, b, c, d, e \in X\}} \backslash\alpha^{\{-1\}}(x, (a, 1)) \backslash\mathrm{otimes}\backslash\mathrm{left}(\backslash\mathrm{mathrm}\{\mathrm{U}\}_{\{X\}} \\ & \backslash\mathrm{times} \backslash\mathrm{eta}_{\{X\}}\backslash\mathrm{right}\})((a, 1), (b, c, d)) \backslash\backslash \& = \\ & \backslash\mathrm{bigvee}_{\{a, b, c, d, e \in X\}} \backslash\alpha^{\{-1\}}(x, (a, 1)) \\ & \backslash\mathrm{otimes} \backslash\mathrm{mathrm}\{\mathrm{U}\}_{\{X\}}(a, b) \backslash\mathrm{otimes} \backslash\mathrm{eta}_{\{X\}}(1, c, d) \\ & \backslash\mathrm{quad} \backslash\mathrm{otimes}\backslash\mathrm{left}(\backslash\mathrm{epsilon}_{\{X\}} \backslash\mathrm{times} \backslash\mathrm{mathrm}\{\mathrm{U}\}_{\{X\}} \\ & \backslash\mathrm{right}\})((b, c, d), (1, e)) \backslash\mathrm{otimes} \backslash\alpha((1, e), y) \\ & \backslash\backslash \& = \backslash\mathrm{bigvee}_{\{a, b, c, d, e \in X\}} x(x, a) \backslash\mathrm{otimes} \\ & X(a, b) \backslash\mathrm{otimes} X(c, d) \backslash\mathrm{otimes} X(b, c) \backslash\mathrm{otimes} X(d, e) \backslash\mathrm{otimes} X(e, y) \backslash\backslash \& = X(x, y) \backslash\mathrm{end}\{\mathrm{aligned}\} \backslash\mathrm{quad} \\ & \backslash\mathrm{otimes} \backslash\mathrm{epsilon}_{\{X\}}(b, c, 1) \backslash\mathrm{otimes} \backslash\mathrm{mathrm}\{\mathrm{U}\}_{\{X\}}(d, e) \backslash\mathrm{otimes} \backslash\alpha((1, e), y) \end{aligned}$	$\begin{aligned} & \bigvee_{a,b,c,d,e \in X} \alpha^{-1}(x, (a, 1)) \otimes (\mathrm{U}_X \times \eta_X)((a, 1), (b, c, d)) \\ & \otimes (\epsilon_X \times \mathrm{U}_X)((b, c, d), (1, e)) \otimes \alpha((1, e), y) \\ & = \bigvee_{a,b,c,d,e \in X} \alpha^{-1}(x, (a, 1)) \otimes \mathrm{U}_X(a, b) \otimes \eta_X(1, c, d) \\ & \otimes \epsilon_X(b, c, 1) \otimes \mathrm{U}_X(d, e) \otimes \alpha((1, e), y) \\ & = \bigvee_{a,b,c,d,e \in X} X(x, a) \otimes X(a, b) \otimes X(c, d) \otimes X(b, c) \otimes X(d, e) \otimes X(e, y) \\ & = X(x, y) \end{aligned}$	$\begin{aligned} & \bigvee_{a,b,c,d,e \in X} \alpha^{-1}(x, (a, 1)) \otimes (\mathrm{U}_X \times \eta_X)((a, 1), (b, c, d)) \\ & \otimes (\epsilon_X \times \mathrm{U}_X)((b, c, d), (1, e)) \otimes \alpha((1, e), y) \\ & = \bigvee_{a,b,c,d,e \in X} \alpha^{-1}(x, (a, 1)) \otimes \mathrm{U}_X(a, b) \otimes \eta_X(1, c, d) \\ & \otimes \epsilon_X(b, c, 1) \otimes \mathrm{U}_X(d, e) \otimes \alpha((1, e), y) \\ & = \bigvee_{a,b,c,d,e \in X} X(x, a) \otimes X(a, b) \otimes X(c, d) \otimes X(b, c) \otimes X(d, e) \otimes X(e, y) \\ & = X(x, y) \end{aligned}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0242	310	0.775 C -4	$c_n := -c : (1 + -c) : (1 + 1 + -c) : \cdots : (1 + \cdots + 1 + -c) : 1 \rightarrow n$	$c_n := -c : (1 + -c) : (1 + 1 + -c) : \cdots : (1 + \cdots + 1 + -c) : 1 \rightarrow n$	$c_n := \neg \circ (1 + \neg) \circ (1 + 1 + \neg) \circ \cdots \circ (1 + \cdots + 1 + \neg) : 1 \rightarrow n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0156	248	0.780 N +0	$\mathbf{p}_1 := \{\varnothing, \{1\}, X\}$ and $\mathbf{p}_2 := \{\varnothing, \{2\}, X\}$	$\mathbf{Op}_1 := \{\varnothing, \{1\}, X\}$ and $\mathbf{Op}_2 := \{\varnothing, \{2\}, X\}$	$\mathbf{Op}_1 := \{\varnothing, \{1\}, X\}$ and $\mathbf{Op}_2 := \{\varnothing, \{2\}, X\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0219	298	0.795 C -7	$\begin{aligned} &\Lambda(\text{monoid}, \text{nothing}) = \Lambda(\text{monoid}, \text{this book}) \\ &\quad = \Lambda(\text{preorder}, \text{this book}) = \Lambda(\text{category}, \text{this book}) = \text{true} \\ &\Lambda(\text{preorder}, \text{nothing}) = \Lambda(\text{category}, \text{nothing}) = \text{false}. \end{aligned}$	$\begin{aligned} &\Lambda(\text{monoid}, \text{nothing}) = \Lambda(\text{monoid}, \text{this book}) \\ &\quad = \Lambda(\text{preorder}, \text{this book}) = \Lambda(\text{category}, \text{this book}) = \text{true} \\ &\Lambda(\text{preorder}, \text{nothing}) = \Lambda(\text{category}, \text{nothing}) = \text{false}. \end{aligned}$	$\Lambda(\text{monoid}, \text{nothing}) = \Lambda(\text{monoid}, \text{this book})$ $\quad = \Lambda(\text{preorder}, \text{this book}) = \Lambda(\text{category}, \text{this book}) = \text{true}$ $\Lambda(\text{preorder}, \text{nothing}) = \Lambda(\text{category}, \text{nothing}) = \text{false}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0077	124	0.797 W +1	$\begin{aligned} &\lim_{\mathcal{J}} D := \{(d_1, \dots, d_n) \mid d_i \in D(v_i) \text{ for all } 1 \leq i \leq n \text{ and} \\ &\quad \text{for all } a : v_i \rightarrow v_j \in A, \text{ we have } D(a)(d_i) = d_j\}. \end{aligned}$	$\lim_{\mathcal{J}} D := \{(d_1, \dots, d_n) \mid d_i \in D(v_i) \text{ for all } 1 \leq i \leq n \text{ and} \\ \text{for all } a : v_i \rightarrow v_j \in A, \text{ we have } D(a)(d_i) = d_j\}.$	$\lim_{\mathcal{J}} D := \{(d_1, \dots, d_n) \mid d_i \in D(v_i) \text{ for all } 1 \leq i \leq n \text{ and} \\ \text{for all } a : v_i \rightarrow v_j \in A, \text{ we have } D(a)(d_i) = d_j\}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0131	211	0.808 W -1	$m \text{ legs } \lesssim n \text{ legs}$	$m \text{ legs } \lesssim n \text{ legs}$	$m \text{ legs } \left\{ \begin{array}{c} \text{diagram} \end{array} \right\} n \text{ legs}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0193	286	■0.825 ●W +0	$\begin{aligned} &(x \times y) \left((x_1, y_1), (x_2, y_2) \right) \otimes (x \times y) \left((x_2, y_2), (x_3, y_3) \right) \\ &= x(x_1, x_2) \otimes y(y_1, y_2) \otimes x(x_2, x_3) \otimes y(y_2, y_3) \\ &= x(x_1, x_2) \otimes x(x_2, x_3) \otimes y(y_1, y_2) \otimes y(y_2, y_3) \\ &\leq x(x_1, x_3) \otimes y(y_1, y_3) \\ &= (x \times y) \left((x_1, y_1), (x_3, y_3) \right). \end{aligned}$	$\begin{aligned} &(x \times y) \left((x_1, y_1), (x_2, y_2) \right) \otimes (x \times y) \left((x_2, y_2), (x_3, y_3) \right) \\ &= x(x_1, x_2) \otimes y(y_1, y_2) \otimes x(x_2, x_3) \otimes y(y_2, y_3) \\ &= x(x_1, x_2) \otimes x(x_2, x_3) \otimes y(y_1, y_2) \otimes y(y_2, y_3) \\ &\leq x(x_1, x_3) \otimes y(y_1, y_3) \\ &= (x \times y) \left((x_1, y_1), (x_3, y_3) \right). \end{aligned}$	$\begin{aligned} &(\mathcal{X} \times \mathcal{Y})((x_1, y_1), (x_2, y_2)) \otimes (\mathcal{X} \times \mathcal{Y})((x_2, y_2), (x_3, y_3)) \\ &= \mathcal{X}(x_1, x_2) \otimes \mathcal{Y}(y_1, y_2) \otimes \mathcal{X}(x_2, x_3) \otimes \mathcal{Y}(y_2, y_3) \\ &= \mathcal{X}(x_1, x_2) \otimes \mathcal{X}(x_2, x_3) \otimes \mathcal{Y}(y_1, y_2) \otimes \mathcal{Y}(y_2, y_3) \\ &\leq \mathcal{X}(x_1, x_3) \otimes \mathcal{Y}(y_1, y_3) \\ &= (\mathcal{X} \times \mathcal{Y})((x_1, y_1), (x_3, y_3)). \end{aligned}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0172	264	■0.827 ●N +0	$\mathbb{I} \mid \mathbb{R} := \{[d, u] \subseteq \mathbb{I} \mid d \leq u\}.$	$\mathbb{I} \mid \mathbb{R} := \{[d, u] \subseteq \mathbb{R} \mid d \leq u\}.$	$\mathbb{I} \mid \mathbb{R} := \{[d, u] \subseteq \mathbb{R} \mid d \leq u\}.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0093	143	■0.828 ●C +8	$\operatorname{Col}(\Phi)(a, b) := \begin{cases} x(a, b) & \text{if } a, b \in X \\ \Phi(a, b) & \text{if } a \in X, b \in y \\ \emptyset & \text{if } a \in y, b \in X \\ y(a, b) & \text{if } a, b \in y \end{cases}$	$\operatorname{Col}(\Phi)(a, b) := \begin{cases} x(a, b) & \text{if } a, b \in X \\ \Phi(a, b) & \text{if } a \in X, b \in y \\ \emptyset & \text{if } a \in y, b \in X \\ y(a, b) & \text{if } a, b \in y \end{cases}$	$\operatorname{Col}(\Phi)(a, b) := \begin{cases} \mathcal{X}(a, b) & \text{if } a, b \in \mathcal{X} \\ \Phi(a, b) & \text{if } a \in \mathcal{X}, b \in \mathcal{Y} \\ \emptyset & \text{if } a \in \mathcal{Y}, b \in \mathcal{X} \\ \mathcal{Y}(a, b) & \text{if } a, b \in \mathcal{Y} \end{cases}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0022	058	■0.830 ●W +0	$\frac{\frac{\frac{x}{y}}{z}}{\frac{z}{z}} \quad \quad \quad \frac{\frac{x}{y}}{z} \quad \quad \quad \frac{\frac{x}{y}}{\frac{z}{z}}$	$\frac{\frac{x}{y}}{z} = \frac{\frac{x}{y}}{\frac{z}{z}}$	$\frac{\frac{x}{y}}{z} = \frac{\frac{x}{y}}{\frac{z}{z}}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0146	229	0.839 N +1	$\operatorname{Circ}(\varphi): \operatorname{Circ}(2) \times \operatorname{Circ}(2) \times \operatorname{Circ}(2) \rightarrow \operatorname{Circ}(0).$		$\operatorname{Circ}(\varphi): \operatorname{Circ}(2) \times \operatorname{Circ}(2) \times \operatorname{Circ}(2) \rightarrow \operatorname{Circ}(0).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0086 (4.25)	140	0.842 K +0	$\mathrm{U}_{\{x\}}(x, y) := \mathcal{X}(x, y) .$	$\mathrm{U}_x(x, y) := \mathcal{X}(x, y).$	$\mathrm{U}_x(x, y) := \mathcal{X}(x, y).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0136	219	0.843 N +1	$\mathcal{C} := \{\text{light}, \text{switch, battery}\} \sqcup \{x\Omega \mid x \in \mathbb{R}^+\} .$	$C := \{\text{light}, \text{switch, battery}\} \sqcup \{x\Omega \mid x \in \mathbb{R}^+\} .$	$C := \{\text{light}, \text{switch, battery}\} \sqcup \{x\Omega \mid x \in \mathbb{R}^+\} .$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0125	197	0.843 N +1	$\mathcal{C} := \stackrel{A}{\bullet} \stackrel{f}{\rightrightarrows} \stackrel{B}{\bullet}$	$\mathcal{C} := \stackrel{A}{\bullet} \stackrel{f}{\rightrightarrows} \stackrel{B}{\bullet}$	$\mathcal{C} := \stackrel{A}{\bullet} \stackrel{f}{\rightrightarrows} \stackrel{B}{\bullet}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0003	024	0.849 C +8	$S := \begin{array}{ ccc } \hline 11 & 12 & 13 \\ \bullet & & \\ 21 & 22 & 23 \\ \bullet & \bullet & \bullet \\ \hline \end{array}$	$S := \begin{array}{ ccc } \hline 11 & 12 & 13 \\ \bullet & & \\ 21 & 22 & 23 \\ \bullet & \bullet & \bullet \\ \hline \end{array}$	$S := \begin{array}{ ccc } \hline 11 & 12 & 13 \\ \bullet & & \\ 21 & 22 & 23 \\ \bullet & \bullet & \bullet \\ \hline \end{array}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0121	188	0.868 N +1	$\mathrm{B}(g \circ (h^{\mathrm{op}})) = \{(x, y) \mid S(g)(x) = S(h)(y)\} .$	$\mathrm{B}(g \circ (h^{\mathrm{op}})) = \{(x, y) \mid S(g)(x) = S(h)(y)\} .$	$\mathrm{B}(g \circ (h^{\mathrm{op}})) = \{(x, y) \mid S(g)(x) = S(h)(y)\} .$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0107	174	0.873 W +1	$\begin{array}{r} \dot{x}+3\ddot{y}-2z=0 \\ \ddot{y}+5\dot{z}=0 \end{array}$	$\begin{array}{l} \dot{x} + 3\ddot{y} - 2z = 0 \\ \ddot{y} + 5\dot{z} = 0 \end{array}$	$\begin{array}{l} \dot{x} + 3\ddot{y} - 2z = 0 \\ \ddot{y} + 5\dot{z} = 0 \end{array}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0010 (1.108)	042	0.877 C +4	$p \leq g(f(p)) \quad \text{and} \quad f(g(q)) \leq q$	$p \leq g(f(p)) \quad \text{and} \quad f(g(q)) \leq q.$	$p \leq g(f(p)) \quad \text{and} \quad f(g(q)) \leq q.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0079 (4.5)	132	0.881 K +0	$b \wedge c \leq d \quad \text{iff} \quad b \leq (c \Rightarrow d)$	$b \wedge c \leq d \quad \text{iff} \quad b \leq (c \Rightarrow d).$	$b \wedge c \leq d \quad \text{iff} \quad b \leq (c \Rightarrow d).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0217	296	0.890 C -4	$\lim_{J} \frac{D}{d_i} := \left\{ \left(d_1, \dots, d_n \right) \mid d_i \in D(v_i) \text{ for all } 1 \leq i \leq n \text{ and } \right. \\ \left. \text{for all } a : v_i \rightarrow v_j \in A, \text{ we have } D(a)(d_i) = d_j \right\}.$	$\lim_{J} D := \{ (d_1, \dots, d_n) \mid d_i \in D(v_i) \text{ for all } 1 \leq i \leq n \text{ and } \text{for all } a : v_i \rightarrow v_j \in A, \text{ we have } D(a)(d_i) = d_j \}.$	$\lim_{J} D := \{ (d_1, \dots, d_n) \mid d_i \in D(v_i) \text{ for all } 1 \leq i \leq n \text{ and } \text{for all } a : v_i \rightarrow v_j \in A, \text{ we have } D(a)(d_i) = d_j \}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0153 (7.18)	242	0.894 C +3	$X = \{ (\text{true}, \text{true}), (\text{true}, \text{false}), (\text{false}, \text{true}), (\text{false}, \text{false}) \} \subseteq \mathbb{B} \times \mathbb{B}$	$X = \{ (\text{true}, \text{true}), (\text{true}, \text{false}), (\text{false}, \text{true}) \} \subseteq \mathbb{B} \times \mathbb{B}.$	$X = \{ (\text{true}, \text{true}), (\text{true}, \text{false}), (\text{false}, \text{true}) \} \subseteq \mathbb{B} \times \mathbb{B}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0105	167	0.897 N +0	$a \subset b$	$a \subset b$	$a \subset b$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0143 (6.95)	227	■ 0.902 ● K +0	$\left(g \circ \text{circ}\{ \}_{i} f\right): X_{\{1\}} \times \cdots \times X_{\{i-1\}} \times W_{\{1\}} \times \cdots \times W_{\{m\}} \times X_{\{i+1\}} \times \cdots \times X_{\{n\}} \longrightarrow Y$	$(g \circ_i f): X_1 \times \cdots \times X_{i-1} \times W_1 \times \cdots \times W_m \times X_{i+1} \times \cdots \times X_n \longrightarrow Y$	$(g \circ_i f): X_1 \times \cdots \times X_{i-1} \times W_1 \times \cdots \times W_m \times X_{i+1} \times \cdots \times X_n \longrightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0129	205	■ 0.913 ● N +0	$\left\{ (v, d) \mid d \in D(v), \text{ where } v=v_{\{1\}} \text{ or } v=v_{\{2\}} \right\}.$	$\{(v, d) \mid d \in D(v), \text{ where } v = v_1 \text{ or } v = v_2\}.$	$\{(v, d) \mid d \in D(v), \text{ where } v = v_1 \text{ or } v = v_2\}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0164	257	■ 0.917 ● C +22	$\stackrel{\text{A}}{\longrightarrow} \bullet \quad \bullet \stackrel{\text{C}}{\longrightarrow} \bullet \quad \bullet$	$\stackrel{\text{A}}{\longrightarrow} \bullet \quad \bullet \stackrel{\text{C}}{\longrightarrow} \bullet$	$\begin{array}{c} \boxed{\begin{array}{ccc} \text{A} & \longrightarrow & \text{B} \end{array}} \quad \text{C} \\ \bullet & & \bullet \end{array} \subseteq \left \begin{array}{ccccc} \text{A} & \xrightleftharpoons[f]{g} & \text{B} & \xrightarrow{h} & \text{C} & \xrightarrow{i} & \text{D} \\ \bullet & & \bullet & & \bullet & & \bullet \end{array} \right $
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0256	315	■ 0.919 ● C -10	$\begin{aligned} & \text{\texttt{\begin{aligned} f(m) *_R f(n) \&= (\underbrace{1_R+\cdots+1_R}_{m \text{ summands}}) * (\underbrace{1_R+\cdots+1_R}_{n \text{ summands}}) * \\ & \underbrace{1_R * (\underbrace{1_R+\cdots+1_R}_{n \text{ summands}}) + \cdots + 1_R * (\underbrace{1_R+\cdots+1_R}_{n \text{ summands}})}_{m \text{ summands}} \\ &= \underbrace{1_R + \cdots + 1_R}_{mn \text{ summands}} = f(m * n). \end{aligned}} \\ & \text{\texttt{\begin{aligned} f(m) *_R f(n) \&= (\underbrace{1_R+\cdots+1_R}_{m \text{ summands}}) * (\underbrace{1_R+\cdots+1_R}_{n \text{ summands}}) * \\ & \underbrace{1_R * (\underbrace{1_R+\cdots+1_R}_{n \text{ summands}}) + \cdots + 1_R * (\underbrace{1_R+\cdots+1_R}_{n \text{ summands}})}_{m \text{ summands}} \\ &= \underbrace{1_R + \cdots + 1_R}_{mn \text{ summands}} = f(m * n). \end{aligned}} \end{aligned}}$	$\begin{aligned} f(m) *_R f(n) &= (\underbrace{1_R + \cdots + 1_R}_{m \text{ summands}}) * (\underbrace{1_R + \cdots + 1_R}_{n \text{ summands}}) \\ &= 1_R * (\underbrace{1_R + \cdots + 1_R}_{n \text{ summands}}) + \cdots + 1_R * (\underbrace{1_R + \cdots + 1_R}_{n \text{ summands}}) \\ &= \underbrace{1_R + \cdots + 1_R}_{mn \text{ summands}} = f(m * n). \end{aligned}$	$\begin{aligned} f(m) *_R f(n) &= (\underbrace{1_R + \cdots + 1_R}_{m \text{ summands}}) * (\underbrace{1_R + \cdots + 1_R}_{n \text{ summands}}) \\ &= 1_R * (\underbrace{1_R + \cdots + 1_R}_{n \text{ summands}}) + \cdots + 1_R * (\underbrace{1_R + \cdots + 1_R}_{n \text{ summands}}) \\ &= \underbrace{1_R + \cdots + 1_R}_{mn \text{ summands}} = f(m * n). \end{aligned}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0096	149	■ 0.919 ● W +0	$(f \times g); \left(f^{\prime} \times g^{\prime}\right)=(f ; g) \times\left(f^{\prime} ; g^{\prime}\right) .$	$(f \times g); (f' \times g') = (f; g) \times (f'; g').$	$(f \times g) \circ (f' \times g') = (f \circ g) \times (f' \circ g').$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0128	205	■ 0.939 ● W +1	$\operatorname{colim}_{\mathcal{J}} D := \{(v, d) \mid v \in V \text{ and } d \in D(v)\} / \sim$	$\operatorname{colim}_{\mathcal{J}} D := \{(v, d) \mid v \in V \text{ and } d \in D(v)\} / \sim$	$\operatorname{colim}_{\mathcal{J}} D := \{(v, d) \mid v \in V \text{ and } d \in D(v)\} / \sim$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0053 (3.8)	094	■ 0.941 ● W +1	$\mathbf{2} := \operatorname{Free} \left(\begin{array}{ ccc } \hline v_1 & f_1 & v_2 \\ \bullet & & \bullet \\ \hline \end{array} \right)$	$\mathbf{2} := \operatorname{Free} \left(\begin{array}{ ccc } \hline v_1 & f_1 & v_2 \\ \bullet & & \bullet \\ \hline \end{array} \right)$	$\mathbf{2} := \operatorname{Free} \left(\begin{array}{ ccc } \hline v_1 & f_1 & v_2 \\ \bullet & & \bullet \\ \hline \end{array} \right)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0075	119	■ 0.943 ● C -7	$\frac{1}{\text{Em}_6}$	(not rendered)	1 Em_6
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0026	060	■ 0.948 ● N -1	$\mathrm{H}_2 \mathrm{O}, \quad \mathrm{NaCl}, \quad 2 \mathrm{NaOH}, \quad \mathrm{CH}_4 + 3 \mathrm{O}_2$	$\mathrm{H}_2\mathrm{O}, \quad \mathrm{NaCl}, \quad 2\mathrm{NaOH}, \quad \mathrm{CH}_4 + 3\mathrm{O}_2$	$\mathrm{H}_2\mathrm{O}, \quad \mathrm{NaCl}, \quad 2\mathrm{NaOH}, \quad \mathrm{CH}_4 + 3\mathrm{O}_2$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0111	176	■ 0.950 ● K +0	$\left(\begin{array}{cc} A & 0 \\ 0 & B \end{array} \right)$	$\left(\begin{array}{cc} A & 0 \\ 0 & B \end{array} \right)$	$\left(\begin{array}{cc} A & 0 \\ 0 & B \end{array} \right)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0159 (7.43)	252	■ 0.951 ● N +1	$\operatorname{Sec}_f(U) := \{g: U \rightarrow X \mid g \text{ is continuous and } (g \circ f)(u) = u \text{ for all } u \in U\},$	$\operatorname{Sec}_f(U) := \{g: U \rightarrow X \mid g \text{ is continuous and } (g \circ f)(u) = u \text{ for all } u \in U\},$	$\operatorname{Sec}_f(U) := \{g: U \rightarrow X \mid g \text{ is continuous and } (g \circ f)(u) = u \text{ for all } u \in U\},$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0007	038	■ 0.952 ● N +1	$f(a) \vee f(b) \not\equiv f(a \vee b) \text{ .}$	$f(a) \vee f(b) \not\equiv f(a \vee b).$	$f(a) \vee f(b) \not\equiv f(a \vee b).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0030 (2.25)	062	■ 0.954 ● N +0	$\mathrm{H}_{\{2\}} \mathrm{H}_{\{0\}} + \mathrm{NaCl} \rightarrow^{\{?\}} \mathrm{H}_{\{2\}} \mathrm{H}_{\{0\}}$	$\text{H}_2\text{O} + \text{NaCl} \rightarrow^? \text{H}_2\text{O}$	$\text{H}_2\text{O} + \text{NaCl} \rightarrow^? \text{H}_2\text{O}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0194	287	■ 0.955 ● K +0	$A = (A \cap \bar{B}) \cup (A \cap B) \subseteq \bar{B} \cup C \text{ .}$	$A = (A \cap \bar{B}) \cup (A \cap B) \subseteq \bar{B} \cup C.$	$A = (A \cap \bar{B}) \cup (A \cap B) \subseteq \bar{B} \cup C.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0171 (7.73)	263	■ 0.958 ● K +0	$\text{forall}(t: T) \text{ . } \text{exists}(s: S) \text{ . } f(s)=t$	$\forall(t : T).\exists(s : S).f(s) = t$	$\forall(t : T).\exists(s : S).f(s) = t$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0040 (2.80)	081	■ 0.960 ● K +0	$(a \otimes v) \leq w \quad \text{iff} \quad a \leq (v \multimap w) \text{ .}$	$(a \otimes v) \leq w \quad \text{iff} \quad a \leq (v \multimap w).$	$(a \otimes v) \leq w \quad \text{iff} \quad a \leq (v \multimap w).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0262	328	■ 0.963 ● K +0	$\bigcup_{i \in I} A_i = \bigcup_{i \in I} A_i \setminus \left(B_i \cap Y \right) \cap Y \text{ .}$	$\bigcup_{i \in I} A_i = \bigcup_{i \in I} (B_i \cap Y) = \left(\bigcup_{i \in I} B_i \right) \cap Y \in \mathbf{Op}_{? \cap Y}.$	$\bigcup_{i \in I} A_i = \bigcup_{i \in I} (B_i \cap Y) = \left(\bigcup_{i \in I} B_i \right) \cap Y \in \mathbf{Op}_{? \cap Y}.$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0092 (4.40)	143	0.967 N +0	$\mathcal{P}(p, G(q)) \cong \mathcal{Q}(F(p), q)$	$\mathcal{P}(p, G(q)) \cong \mathcal{Q}(F(p), q)$	$\mathcal{P}(p, G(q)) \cong \mathcal{Q}(F(p), q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0218	297	0.967 C -3	$\lim_{\mathcal{J}} D := \left\{ \left(d_1, d_2 \right) \mid d_1 \in A \text{ and } d_2 \in B \right\}.$	$\lim_{\mathcal{J}} D := \{ (d_1, d_2) \mid d_1 \in A \text{ and } d_2 \in B \}.$	$\lim_{\mathcal{J}} D := \{ (d_1, d_2) \mid d_1 \in A \text{ and } d_2 \in B \}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0168	260	0.967 K +0	$s : S \mid p(s) \vdash q(s) \quad \text{or} \quad p(s) \vdash q(s)$	$s : S \mid p(s) \vdash q(s) \quad \text{or} \quad p(s) \vdash_{s:S} q(s).$	$s : S \mid p(s) \vdash q(s) \quad \text{or} \quad p(s) \vdash_{s:S} q(s).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0066 (3.69)	114	0.968 N +0	$f(p) \leq q \text{ if and only if } p \leq g(q).$	$f(p) \leq q \text{ if and only if } p \leq g(q).$	$f(p) \leq q \text{ if and only if } p \leq g(q).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0119 (5.78)	187	0.969 N +0	$B_1; B_2 := \{ (x, z) \mid \text{there exists } y \in R^n \text{ such that } (x, y) \in B_1 \text{ and } (y, z) \in B_2 \}.$	$B_1; B_2 := \{ (x, z) \mid \text{there exists } y \in R^n \text{ such that } (x, y) \in B_1 \text{ and } (y, z) \in B_2 \}.$	$B_1 \circ B_2 := \{ (x, z) \mid \text{there exists } y \in R^n \text{ such that } (x, y) \in B_1 \text{ and } (y, z) \in B_2 \}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0157	249	0.969 N +1	$s_i _{U_i \cap U_j} = s_j _{U_i \cap U_j}.$	$s_i _{U_i \cap U_j} = s_j _{U_i \cap U_j}.$	$s_i _{U_i \cap U_j} = s_j _{U_i \cap U_j}.$
Conf. MathPix confidence: ≥0.9 0.5-0.9 <0.5 — no value Residual render vs scan (inkdrill): C component W weak S stable N noise K clean not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0100	157	■ 0.973 ● N +0	$\eta_x: \mathbf{1} \times \mathcal{X}^{\mathrm{op}} \times \mathcal{X} \rightarrow \mathcal{V};$ $\eta_x: \mathbf{1} \times \mathcal{X}^{\mathrm{op}} \times \mathcal{X} \rightarrow \mathcal{V};$		
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0045	085	■ 0.974 ● W -1	$d(U, V) := \sup_{u \in U} \inf_{v \in V} d(u, v) \quad X(U, V) := \bigwedge_{u \in U} \bigvee_{v \in V} x(u, v).$	$d(U, V) := \sup_{u \in U} \inf_{v \in V} d(u, v) \quad X(U, V) := \bigwedge_{u \in U} \bigvee_{v \in V} x(u, v).$	$d(U, V) := \sup_{u \in U} \inf_{v \in V} d(u, v) \quad X(U, V) := \bigwedge_{u \in U} \bigvee_{v \in V} x(u, v).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0046	085	■ 0.974 ● N +1	$v \rightarrow w := \bigvee_{\{a \in V \mid a \otimes v \leq w\}} a.$	$v \rightarrow w := \bigvee_{\{a \in V \mid a \otimes v \leq w\}} a.$	$v \multimap w := \bigvee_{\{a \in V \mid a \otimes v \leq w\}} a.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0085	139	■ 0.976 ● C +5	$(\Phi; \Psi)(p, r) = \bigvee_{q \in Q} (\Phi(p, q) \otimes \Psi(q, r)).$	$(\Phi; \Psi)(p, r) = \bigvee_{q \in Q} (\Phi(p, q) \otimes \Psi(q, r)).$	$(\Phi; \Psi)(p, r) = \bigvee_{q \in Q} (\Phi(p, q) \otimes \Psi(q, r)).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0195	287	■ 0.979 ● K +0	$A \cap B \subseteq (\bar{B} \cup C) \cap B = (\bar{B} \cap B) \cup (C \cap B) = C \cap B \subseteq C.$	$A \cap B \subseteq (\bar{B} \cup C) \cap B = (\bar{B} \cap B) \cup (C \cap B) = C \cap B \subseteq C.$	$A \cap B \subseteq (\bar{B} \cup C) \cap B = (\bar{B} \cap B) \cup (C \cap B) = C \cap B \subseteq C.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0173	265	■ 0.979 ● W +0	$\mathbb{R} \cong \{[d, u] \in \mathbb{IR} \mid d = u\}.$	$\mathbb{R} \cong \{[d, u] \in \mathbb{IR} \mid d = u\}.$	$\mathbb{R} \cong \{[d, u] \in \mathbb{IR} \mid d = u\}.$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0137	220	0.982 K +0	$\text{\text{Circ: }}(\text{\text{FinSet}},+)\rightarrow(\text{\text{Set}},\times)$	Circ: (FinSet ,+) $\longrightarrow$ (Set , $\times$)	Circ: (FinSet , +) $\longrightarrow$ (Set , $\times$)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0169	260	0.983 N +1	$\forall (t:T).p(s,t).$	$\forall (t:T).p(s,t).$	$\forall (t:T).p(s,t).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0018	046	0.985 N -1	$\operatorname{fix}_j:=\{p\in P\mid j(p)\cong p\}.$	$\operatorname{fix}_j:=\{p\in P\mid j(p)\cong p\}.$	$\operatorname{fix}_j:=\{p\in P\mid j(p)\cong p\}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0103	165	0.985 N +0	$\iota^{\prime\prime}(x)=\begin{cases}\iota(x)&\text{if }\iota(x)\in I\\ \iota'(\iota(x))&\text{if }\iota(x)\in \underline{n}\\ \iota'(x)&\text{if }x\in O.\end{cases}$	$\iota^{\prime\prime}(x)=\begin{cases}\iota(x)&\text{if }\iota(x)\in I\\ \iota'(\iota(x))&\text{if }\iota(x)\in \underline{n}\\ \iota'(x)&\text{if }x\in O.\end{cases}$	$\iota^{\prime\prime}(x)=\begin{cases}\iota(x)&\text{if }\iota(x)\in I\\ \iota'(\iota(x))&\text{if }\iota(x)\in \underline{n}\\ \iota'(x)&\text{if }x\in O.\end{cases}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0210	292	0.986 N +1	$F(a):=a^{\prime},\quad G(a):=a^{\prime},\quad F(b):=b^{\prime},\quad G(b):=b^{\prime},\quad F(f):=f_1,\text{ and }G(f):=f_2.$	$F(a):=a',\quad G(a):=a',\quad F(b):=b',\quad G(b):=b',\quad F(f):=f_1,\text{ and }G(f):=f_2.$	$F(a):=a',\quad G(a):=a',\quad F(b):=b',\quad G(b):=b',\quad F(f):=f_1,\text{ and }G(f):=f_2.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0117 (5.75)	186	0.988 N +0	$\mathrm{B}(g)=\left\{(x,S(g)(x))\mid x\in R^m\right\}\subseteq R^m\times R^n.$	$\mathrm{B}(g)=\{(x,S(g)(x))\mid x\in R^m\}\subseteq R^m\times R^n.$	$\mathrm{B}(g)=\{(x,S(g)(x))\mid x\in R^m\}\subseteq R^m\times R^n.$
Conf. MathPix confidence: 0.982 0.5–0.9 <0.5 — no value Residual render vs scan (inkdrill): C component W weak S stable N noise K clean not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0031	067	■ 0.989 ● K +0	$\text{Cost} := ([0, \infty], \geq, 0, +),$	$\text{Cost} := ([0, \infty], \geq, 0, +),$	$\text{Cost} := ([0, \infty], \geq, 0, +),$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0204	289	■ 0.989 ● N +0	$\stackrel{\text{v}_{\{1\}}}{\bullet} \xrightarrow{\hspace{1.5cm}} \stackrel{\text{v}_{\{2\}}}{\bullet} \xrightarrow{\hspace{1.5cm}} \stackrel{\text{v}_{\{n\}}}{\bullet}$	$\stackrel{v_1}{\bullet} \xrightarrow{f_1} \stackrel{v_2}{\bullet} \xrightarrow{f_2} \dots \xrightarrow{f_{n-1}} \stackrel{v_n}{\bullet}$	$\stackrel{v_1}{\bullet} \xrightarrow{f_1} \stackrel{v_2}{\bullet} \xrightarrow{f_2} \dots \xrightarrow{f_{n-1}} \stackrel{v_n}{\bullet}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0213	294	■ 0.989 ● N +1	$G := \stackrel{1}{\bullet} \xrightarrow{a} \stackrel{2}{\bullet} \xrightarrow{b} \stackrel{3}{\bullet}$	$G := \stackrel{1}{\bullet} \xrightarrow{a} \stackrel{2}{\bullet} \xrightarrow{b} \stackrel{3}{\bullet}$	$G := \stackrel{1}{\bullet} \xrightarrow{a} \stackrel{2}{\bullet} \xrightarrow{b} \stackrel{3}{\bullet}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0250	313	■ 0.990 ● N -1	$\{(x, y) \mid \text{there exists } z \in R^n \text{ such that } S(g)(x) = z \text{ and } z = S(h)(y)\}.$	$\{(x, y) \mid \text{there exists } z \in R^n \text{ such that } S(g)(x) = z \text{ and } z = S(h)(y)\}.$	$\{(x, y) \mid \text{there exists } z \in R^n \text{ such that } S(g)(x) = z \text{ and } z = S(h)(y)\}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0038	078	■ 0.990 ● N +1	$\mathcal{X}(x_1, x_2) \leq y(F(x_1), F(x_2)),$	$\mathcal{X}(x_1, x_2) \leq y(F(x_1), F(x_2)),$	$\mathcal{X}(x_1, x_2) \leq y(F(x_1), F(x_2)),$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0102	162	■ 0.991 ● N +0	$R; S := \{(i, k) \in \underline{m} \times \underline{p} \mid \exists (j \in \underline{n}). (i, j) \in R \text{ and } (j, k) \in S\}.$	$R; S := \{(i, k) \in \underline{m} \times \underline{p} \mid \exists (j \in \underline{n}). (i, j) \in R \text{ and } (j, k) \in S\}.$	$R \circ S := \{(i, k) \in \underline{m} \times \underline{p} \mid \exists (j \in \underline{n}). (i, j) \in R \text{ and } (j, k) \in S\}.$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0080 (4.6)	133	■ 0.991 ● N +1	$\Phi: x^{\mathrm{op}} \times y \rightarrow \mathcal{V}.$	$\Phi: x^{\mathrm{op}} \times y \rightarrow \mathcal{V}.$	$\Phi: \mathcal{X}^{\mathrm{op}} \times \mathcal{Y} \rightarrow \mathcal{V}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0134	216	■ 0.992 ● N +0	$\varphi_{c_1, c_2}: F(c_1) \otimes_{\mathcal{D}} F(c_2) \rightarrow F(c_1 \otimes_{\mathcal{C}} c_2),$	$\varphi_{c_1, c_2}: F(c_1) \otimes_{\mathcal{D}} F(c_2) \rightarrow F(c_1 \otimes_{\mathcal{C}} c_2),$	$\varphi_{c_1, c_2}: F(c_1) \otimes_{\mathcal{D}} F(c_2) \rightarrow F(c_1 \otimes_{\mathcal{C}} c_2),$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0148	236	■ 0.992 ● C +8	$\{p \in P \mid \text{likes_cats}(p)\}.$	<i>(not rendered)</i>	$\{p \in P \mid \text{likes_cats}(p)\}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0144	228	■ 0.992 ● K +0	$(f \circ g) := f \circ (\mathrm{id}, \dots, \mathrm{id}, g, \mathrm{id}, \dots, \mathrm{id})$	$(f \circ g) := f \circ (\mathrm{id}, \dots, \mathrm{id}, g, \mathrm{id}, \dots, \mathrm{id})$	$(f \circ_i g) := f \circ (\mathrm{id}, \dots, \mathrm{id}, g, \mathrm{id}, \dots, \mathrm{id})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0123 (5.86)	189	■ 0.993 ● N -1	$\{(0, (x, x)) \mid x \in R\} \subseteq R^0 \times R^2 \quad \text{and} \quad \{((x, x), 0) \mid x \in R\} \subseteq R^2 \times R^0.$	$\{(0, (x, x)) \mid x \in R\} \subseteq R^0 \times R^2 \quad \text{and} \quad \{((x, x), 0) \mid x \in R\} \subseteq R^2 \times R^0.$	$\{(0, (x, x)) \mid x \in R\} \subseteq R^0 \times R^2 \quad \text{and} \quad \{((x, x), 0) \mid x \in R\} \subseteq R^2 \times R^0.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0229	304	■ 0.993 ● N +0	$x \xrightarrow{\alpha^{-1}} x \times \mathbf{1} \xrightarrow{U_x \times \eta_x} x \times x^{\mathrm{op}} \times x \xrightarrow{\epsilon_x \times U_x} \mathbf{1} \times x \xrightarrow{\alpha} x$	$x \xrightarrow{\alpha^{-1}} x \times \mathbf{1} \xrightarrow{U_x \times \eta_x} x \times x^{\mathrm{op}} \times x \xrightarrow{\epsilon_x \times U_x} \mathbf{1} \times x \xrightarrow{\alpha} x$	$\mathcal{X} \xrightarrow{\alpha^{-1}} \mathcal{X} \times \mathbf{1} \xrightarrow{U_{\mathcal{X}} \times \eta_{\mathcal{X}}} \mathcal{X} \times \mathcal{X}^{\mathrm{op}} \times \mathcal{X} \xrightarrow{\epsilon_{\mathcal{X}} \times U_{\mathcal{X}}} \mathbf{1} \times \mathcal{X} \xrightarrow{\alpha} \mathcal{X}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__EQ0225	301	■0.993 ●W +0	$\begin{aligned} & ((\Phi ; \Psi) ; \Upsilon)(p, s) \ \& \\ & = \bigvee_{r \in \mathcal{R}} \left(\bigvee_{q \in \mathcal{Q}} \Phi(p, q) \otimes \Psi(q, r) \right) \otimes \Upsilon(r, s) \\ & = \bigvee_{r \in \mathcal{R}, q \in \mathcal{Q}} \Phi(p, q) \otimes \Psi(q, r) \otimes \Upsilon(r, s) \\ & = \bigvee_{q \in \mathcal{Q}} \Phi(p, q) \otimes \bigvee_{r \in \mathcal{R}} (\Psi(q, r) \otimes \Upsilon(r, s)) \\ & = (\Phi ; (\Psi ; \Upsilon))(p, s) \end{aligned}$	$\begin{aligned} ((\Phi ; \Psi) ; \Upsilon)(p, s) &= \bigvee_{r \in \mathcal{R}} \left(\bigvee_{q \in \mathcal{Q}} \Phi(p, q) \otimes \Psi(q, r) \right) \otimes \Upsilon(r, s) \\ &= \bigvee_{r \in \mathcal{R}, q \in \mathcal{Q}} \Phi(p, q) \otimes \Psi(q, r) \otimes \Upsilon(r, s) \\ &= \bigvee_{q \in \mathcal{Q}} \Phi(p, q) \otimes \bigvee_{r \in \mathcal{R}} (\Psi(q, r) \otimes \Upsilon(r, s)) \\ &= (\Phi ; (\Psi ; \Upsilon))(p, s) \end{aligned}$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__EQ0089 (4.29)	140	■0.994 ●N +0	$\mathcal{P} \left(p, p_1 \right) \otimes \Phi \left(p_1, q \right) = \mathcal{P} \left(p, p_1 \right) \otimes \Phi \left(p_1, q \right) \otimes I \leq \mathcal{P} \left(p, p_1 \right) \otimes \Phi \left(p_1, q \right) \otimes \mathcal{Q} \left(q, q \right) \leq \Phi \left(p, q \right).$	$\mathcal{P}(p, p_1) \otimes \Phi(p_1, q) = \mathcal{P}(p, p_1) \otimes \Phi(p_1, q) \otimes I \leq \mathcal{P}(p, p_1) \otimes \Phi(p_1, q) \otimes \mathcal{Q}(q, q) \leq \Phi(p, q).$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__EQ0165 (7.56)	257	■0.995 ●K +0	$(U \wedge V) := U \cap V \quad \text{and} \quad (U \vee V) := U \cup V.$	$(U \wedge V) := U \cap V \quad \text{and} \quad (U \vee V) := U \cup V.$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__EQ0150 (7.14)	241	■0.995 ●N +0	$\Omega_{\text{Set}} := \mathbb{B} = \{ \text{true}, \text{false} \}.$	$\Omega_{\text{Set}} := \mathbb{B} = \{ \text{true}, \text{false} \}.$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__EQ0160 (7.50)	255	■0.996 ●N +0	$\Omega(U) := \{ U' \in \mathbf{Op} \mid U' \subseteq U \}.$	$\Omega(U) := \{ U' \in \mathbf{Op} \mid U' \subseteq U \}.$	
Conf. MathPix confidence: ■≥0.9 ■0.5-0.9 ■<0.5 —no value Residual render vs scan (inkdrill): ●C component ●W weak ●S stable ●N noise ●K clean ●not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0260	324	■ 0.996 ● W +0	$p ; h_{\{3\}}=r ; g ; h_{\{3\}}=r ; h_{\{2\}} ; g^{\{\prime\}}$	$p;h_3=r;g;h_3=r;h_2;g'=q;f';g'$	$p \circ h_3 = r \circ g \circ h_3 = r \circ h_2 \circ g' = q \circ f' \circ g'$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0088 (4.28)	140	■ 0.996 ● W +1	$\Phi(p, q)=I \otimes \Phi(p, q) \leq \mathcal{P}(p, p) \otimes \Phi(p, q) \leq \bigvee_{p_1 \in P} (\mathcal{P}(p, p_1) \otimes \Phi(p_1, q)) = (U_P; \Phi)(p, q).$	$\Phi(p, q) = I \otimes \Phi(p, q) \leq \mathcal{P}(p, p) \otimes \Phi(p, q) \leq \bigvee_{p_1 \in P} (\mathcal{P}(p, p_1) \otimes \Phi(p_1, q)) = (U_P; \Phi)(p, q).$	$\Phi(p, q) = I \otimes \Phi(p, q) \leq \mathcal{P}(p, p) \otimes \Phi(p, q) \leq \bigvee_{p_1 \in P} (\mathcal{P}(p, p_1) \otimes \Phi(p_1, q)) = (U_P; \Phi)(p, q).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0185	276	■ 0.996 ● N -1	$f^*(P)=\{\{x \in \mathbb{Z} \mid x \leq 0\}, \{x \in \mathbb{Z} \mid x \geq 1\}\} \quad \text{and} \quad f^*(Q)=\{\{0\}, \{x \in \mathbb{Z} \mid x \neq 0\}\}.$	$f^*(P) = \{\{x \in \mathbb{Z} \mid x \leq 0\}, \{x \in \mathbb{Z} \mid x \geq 1\}\} \quad \text{and} \quad f^*(Q) = \{\{0\}, \{x \in \mathbb{Z} \mid x \neq 0\}\}.$	$f^*(P) = \{\{x \in \mathbb{Z} \mid x \leq 0\}, \{x \in \mathbb{Z} \mid x \geq 1\}\} \quad \text{and} \quad f^*(Q) = \{\{0\}, \{x \in \mathbb{Z} \mid x \neq 0\}\}.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0166 (7.57)	257	■ 0.996 ● N +0	$(U \Rightarrow V) := \bigcup_{\{R \in \mathbf{Op} \mid R \cap U \subseteq V\}} R.$	$(U \Rightarrow V) := \bigcup_{\{R \in \mathbf{Op} \mid R \cap U \subseteq V\}} R.$	$(U \Rightarrow V) := \bigcup_{\{R \in \mathbf{Op} \mid R \cap U \subseteq V\}} R.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0013 (1.116)	044	■ 0.997 ● K +0	$f(p):=\bigwedge\{q \in Q \mid p \leq g(q)\} ;$	$f(p) := \bigwedge\{q \in Q \mid p \leq g(q)\};$	$f(p) := \bigwedge\{q \in Q \mid p \leq g(q)\};$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0154	243	■ 0.997 ● W +2	$\begin{array}{cc c} P & Q & P \wedge Q \\ \text{true} & \text{true} & \text{true} \\ \text{true} & \text{false} & \text{false} \\ \text{false} & \text{true} & \text{false} \\ \text{false} & \text{false} & \text{false} \end{array}$	$\begin{array}{cc c} P & Q & P \wedge Q \\ \text{true} & \text{true} & \text{true} \\ \text{true} & \text{false} & \text{false} \\ \text{false} & \text{true} & \text{false} \\ \text{false} & \text{false} & \text{false} \end{array}$	$\begin{array}{cc c} P & Q & P \wedge Q \\ \text{true} & \text{true} & \text{true} \\ \text{true} & \text{false} & \text{false} \\ \text{false} & \text{true} & \text{false} \\ \text{false} & \text{false} & \text{false} \end{array}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0041	081	■ 0.998 ● N -1	$a+x \geq y \quad \text{iff} \quad a \geq y-x \quad \text{iff} \quad \max(0, a) \geq \max(0, y-x) \quad \text{iff} \quad a \geq (x \multimap y)$	$a+x \geq y \quad \text{iff} \quad a \geq y-x \quad \text{iff} \quad \max(0, a) \geq \max(0, y-x) \quad \text{iff} \quad a \geq (x \multimap y)$	$a+x \geq y \quad \text{iff} \quad a \geq y-x \quad \text{iff} \quad \max(0, a) \geq \max(0, y-x) \quad \text{iff} \quad a \geq (x \multimap y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0082 (4.14)	135	■ 0.998 ● N +0	$\Phi(B, x)=11, \quad \Phi(A, z)=20, \quad \Phi(C, y)=17.$	$\Phi(B, x)=11, \quad \Phi(A, z)=20, \quad \Phi(C, y)=17.$	$\Phi(B, x)=11, \quad \Phi(A, z)=20, \quad \Phi(C, y)=17.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0124	190	■ 0.998 ● W +0	$v=\int \frac{1}{m} F(t) dt + u(t) + p \int a u(t) + b v(t) dt$	$v=\int \frac{1}{m} F(t) dt + u(t) + p \int a u(t) + b v(t) dt$	$v=\int \frac{1}{m} F(t) dt + u(t) + p \int a u(t) + b v(t) dt$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0198	288	■ 0.998 ● N +0	$\begin{aligned} I_X * M(x, y) &= \bigvee_{x' \in X} I_X(x, x') \otimes M(x', y) \\ &= (I_X(x, x) \otimes M(x, y)) \vee \left(\bigvee_{x' \in X, x' \neq x} I_X(x, x') \otimes M(x', y) \right) \\ &= (I \otimes M(x, y)) \vee \left(\bigvee_{x' \in X, x' \neq x} 0 \otimes M(x', y) \right) \\ &= M(x, y) \vee 0 = M(x, y). \end{aligned}$	$I_X * M(x, y) = \bigvee_{x' \in X} I_X(x, x') \otimes M(x', y)$ $= (I_X(x, x) \otimes M(x, y)) \vee \left(\bigvee_{x' \in X, x' \neq x} I_X(x, x') \otimes M(x', y) \right)$ $= (I \otimes M(x, y)) \vee \left(\bigvee_{x' \in X, x' \neq x} 0 \otimes M(x', y) \right)$ $= M(x, y) \vee 0 = M(x, y).$	$I_X * M(x, y) = \bigvee_{x' \in X} I_X(x, x') \otimes M(x', y)$ $= (I_X(x, x) \otimes M(x, y)) \vee \left(\bigvee_{x' \in X, x' \neq x} I_X(x, x') \otimes M(x', y) \right)$ $= (I \otimes M(x, y)) \vee \left(\bigvee_{x' \in X, x' \neq x} 0 \otimes M(x', y) \right)$ $= M(x, y) \vee 0 = M(x, y).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0070	117	■ 0.999 ● N -2	$\Sigma_F(I)(\text{Airline Seat}) = I(\text{Economy}) \sqcup I(\text{First Class}).$	$\Sigma_F(I)(\text{Airline Seat}) = I(\text{Economy}) \sqcup I(\text{First Class}).$	$\Sigma_F(I)(\text{Airline Seat}) = I(\text{Economy}) \sqcup I(\text{First Class}).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0084 (4.20)	138	■ 0.999 ● N +0	$(\Phi; \Psi)(p, r) := \bigvee_{q \in Q} \Phi(p, q) \wedge \Psi(q, r).$	$(\Phi; \Psi)(p, r) := \bigvee_{q \in Q} \Phi(p, q) \wedge \Psi(q, r).$	$(\Phi \circ \Psi)(p, r) := \bigvee_{q \in Q} \Phi(p, q) \wedge \Psi(q, r).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0008 (1.96)	039	■ 0.999 ● N +0	$f(p) \leq q \quad \text{if and only if} \quad p \leq g(q).$	$f(p) \leq q \quad \text{if and only if} \quad p \leq g(q).$	$f(p) \leq q \quad \text{if and only if} \quad p \leq g(q).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0035	076	■ 0.999 ● W +1	$\begin{array}{l} I_W \leq f(I_V) \\ \leq f(\mathcal{C}(c, c)) \\ = \mathcal{C}_f(c, c) \end{array} \quad \begin{array}{l} (f \text{ is monoidal monotone}) \\ (\mathcal{C} \text{ is } \mathcal{V}\text{-category}) \\ (\text{definition of } \mathcal{C}_f) \end{array}$	$\begin{array}{l} I_W \leq f(I_V) \\ \leq f(\mathcal{C}(c, c)) \\ = \mathcal{C}_f(c, c) \end{array} \quad \begin{array}{l} (f \text{ is monoidal monotone}) \\ (\mathcal{C} \text{ is } \mathcal{V}\text{-category}) \\ (\text{definition of } \mathcal{C}_f) \end{array}$	$\begin{array}{l} I_W \leq f(I_V) \\ \leq f(\mathcal{C}(c, c)) \\ = \mathcal{C}_f(c, c) \end{array} \quad \begin{array}{l} (f \text{ is monoidal monotone}) \\ (\mathcal{C} \text{ is } \mathcal{V}\text{-category}) \\ (\text{definition of } \mathcal{C}_f) \end{array}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0042	082	0.999 ● N -1	$a+c \rightarrow d \quad \text{if and only if} \quad a \rightarrow (c \rightarrow d) .$	$a + c \rightarrow d \quad \text{if and only if} \quad a \rightarrow (c \rightarrow d).$	$a + c \rightarrow d \quad \text{if and only if} \quad a \rightarrow (c \rightarrow d).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0065 (3.66)	113	0.999 ● N +0	$\text{Gr} \xrightarrow{F} \text{DDS} \xrightarrow{I} \text{Set} .$	$\text{Gr} \xrightarrow{F} \text{DDS} \xrightarrow{I} \text{Set} .$	$\text{Gr} \xrightarrow{F} \text{DDS} \xrightarrow{I} \text{Set} .$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0126 (6.15)	199	0.999 ● W +0	$[f, g](x) = \begin{cases} f(x) & \text{if } x = \iota_A(a) \text{ for some } a \in A; \\ g(x) & \text{if } x = \iota_B(b) \text{ for some } b \in B . \end{cases}$	$[f, g](x) = \begin{cases} f(x) & \text{if } x = \iota_A(a) \text{ for some } a \in A; \\ g(x) & \text{if } x = \iota_B(b) \text{ for some } b \in B. \end{cases}$	$[f, g](x) = \begin{cases} f(x) & \text{if } x = \iota_A(a) \text{ for some } a \in A; \\ g(x) & \text{if } x = \iota_B(b) \text{ for some } b \in B. \end{cases}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0139	220	0.999 ● W +0	$\begin{aligned} &\operatorname{Circ}(f): \\ &\operatorname{Circ}(V) \rightarrow \operatorname{Circ}(V^{\prime}) \\ &\left(V, A, s, t, \ell\right) \mapsto\left(V^{\prime}, A,\left(s ; f\right),\left(t ; f\right), \ell\right) . \end{aligned}$	$\operatorname{Circ}(f): \operatorname{Circ}(V) \rightarrow \operatorname{Circ}\left(V^{\prime}\right) ;$ $(V, A, s, t, \ell) \mapsto\left(V^{\prime}, A,\left(s ; f\right),\left(t ; f\right), \ell\right) .$	$\operatorname{Circ}(f): \operatorname{Circ}(V) \rightarrow \operatorname{Circ}\left(V^{\prime}\right) ;$ $(V, A, s, t, \ell) \mapsto\left(V^{\prime}, A,\left(s \circ f\right),\left(t \circ f\right), \ell\right) .$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0032	068	1.000 ● W -1	$d(x):=\begin{cases} \text{false} & \text{if } x>0 \\ \text{true} & \text{if } x=0 \end{cases}$ $u(x):=\begin{cases} \text{false} & \text{if } x=\infty \\ \text{true} & \text{if } x<\infty \end{cases}$	$d(x) := \begin{cases} \text{false} & \text{if } x > 0 \\ \text{true} & \text{if } x = 0 \end{cases} \quad u(x) := \begin{cases} \text{false} & \text{if } x = \infty \\ \text{true} & \text{if } x < \infty \end{cases}$	$d(x) := \begin{cases} \text{false} & \text{if } x > 0 \\ \text{true} & \text{if } x = 0 \end{cases} \quad u(x) := \begin{cases} \text{false} & \text{if } x = \infty \\ \text{true} & \text{if } x < \infty \end{cases}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0176	272	1.000 ● K +0	$\varnothing, \{1\}, \{2\}, \{3\}, \{1,2\}, \{1,3\}, \{2,3\}, \{1,2,3\} .$	$\varnothing, \{1\}, \{2\}, \{3\}, \{1,2\}, \{1,3\}, \{2,3\}, \{1,2,3\} .$	$\varnothing, \{1\}, \{2\}, \{3\}, \{1,2\}, \{1,3\}, \{2,3\}, \{1,2,3\} .$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0252	313	■ 1.000 ● W +0	$\begin{aligned} \mathrm{B} &\left(g^{\mathrm{op}}\right) \\ &= \left\{ (y, x) \in R^n \times R^m \mid y = S(g)(x) \right\} \\ \mathrm{B}(h) &= \left\{ (x, z) \in R^m \times R^p \mid S(h)(x) = z \right\} \end{aligned}$	$\begin{aligned} \mathrm{B}\left(g^{\mathrm{op}}\right) &= \left\{ (y, x) \in R^n \times R^m \mid y = S(g)(x) \right\} \\ \mathrm{B}(h) &= \left\{ (x, z) \in R^m \times R^p \mid S(h)(x) = z \right\} \end{aligned}$	$\begin{aligned} \mathrm{B}\left(g^{\mathrm{op}}\right) &= \left\{ (y, x) \in R^n \times R^m \mid y = S(g)(x) \right\} \\ \mathrm{B}(h) &= \left\{ (x, z) \in R^m \times R^p \mid S(h)(x) = z \right\} \end{aligned}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0001 (1.8)	018	■ 1.000 ● K +0	$\Phi(A) \vee \Phi(B) \leq \Phi(A \vee B) \text{ .}$	$\Phi(A) \vee \Phi(B) \leq \Phi(A \vee B).$	$\Phi(A) \vee \Phi(B) \leq \Phi(A \vee B).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0004	024	■ 1.000 ● N +0	$\begin{aligned} f(11) &= a, \quad f(12) = a, \quad f(13) = b, \quad f(21) = c, \\ f(22) &= d, \quad f(23) = d \end{aligned}$	$f(11) = a, \quad f(12) = a, \quad f(13) = b, \quad f(21) = c, \quad f(22) = d, \quad f(23) = d$	$f(11) = a, \quad f(12) = a, \quad f(13) = b, \quad f(21) = c, \quad f(22) = d, \quad f(23) = d$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0006	035	■ 1.000 ● N +0	$\left\{ \left. \left. \left. \frac{1}{n+1} \right. \right. \right n \in \mathbb{N} \right\} = \left\{ 1, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \dots \right\} \subseteq \mathbb{R}$	$\left\{ \left. \frac{1}{n+1} \right n \in \mathbb{N} \right\} = \left\{ 1, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \dots \right\} \subseteq \mathbb{R}$	$\left\{ \left. \frac{1}{n+1} \right n \in \mathbb{N} \right\} = \left\{ 1, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \dots \right\} \subseteq \mathbb{R}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0009	039	■ 1.000 ● K +0	$\lceil x / 3 \rceil \leq y \text{ if and only if } x \leq 3 y \text{ .}$	$\lceil x/3 \rceil \leq y \text{ if and only if } x \leq 3y.$	$\lceil x/3 \rceil \leq y \text{ if and only if } x \leq 3y.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0011	043	■ 1.000 ● C +4	$g(\bigwedge A) \cong \bigwedge g(A) \text{ .}$	$g(\bigwedge A) \cong \bigwedge g(A).$	$g\left(\bigwedge A\right) \cong \bigwedge g(A).$

Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value
Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0012	043	■ 1.000 ● N +2	$f(\bigvee A) \cong \bigvee f(A)$	$f(\bigvee A) \cong \bigvee f(A)$	$f\left(\bigvee A\right) \cong \bigvee f(A).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0014	044	■ 1.000 ● N +0	$p_{\{0\}} \leq \bigwedge \left\{ g(q) \mid p \mid p_{\{0\}} \leq g(q) \right\} \cong g \left(\bigwedge \left\{ q \in Q \mid p_{\{0\}} \leq g(q) \right\} \right) = g \left(f \left(p_{\{0\}} \right) \right),$	$p_0 \leq \bigwedge \{g(q) \in P \mid p_0 \leq g(q)\} \cong g \left(\bigwedge \{q \in Q \mid p_0 \leq g(q)\} \right) = g(f(p_0)),$	$p_0 \leq \bigwedge \{g(q) \in P \mid p_0 \leq g(q)\} \cong g \left(\bigwedge \{q \in Q \mid p_0 \leq g(q)\} \right) = g(f(p_0)),$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0015	044	■ 1.000 ● N +0	$f \left(g \left(q_{\{0\}} \right) \right) = \bigwedge \left\{ q \in Q \mid g \left(q_{\{0\}} \right) \leq g(q) \right\} \leq \bigwedge \left\{ q_{\{0\}} \right\} = q_{\{0\}},$	$f(g(q_0)) = \bigwedge \{q \in Q \mid g(q_0) \leq g(q)\} \leq \bigwedge \{q_0\} = q_0,$	$f(g(q_0)) = \bigwedge \{q \in Q \mid g(q_0) \leq g(q)\} \leq \bigwedge \{q_0\} = q_0,$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0016	045	■ 1.000 ● N -1	$f_{!} \left(A^{\{ \text{prime} \}} \right) := \left\{ b \in B \mid \text{there exists } a \in A^{\{ \text{prime} \}} \text{ such that } f(a) = b \right\}$	$f_{!}(A') := \{b \in B \mid \text{ there exists } a \in A' \text{ such that } f(a) = b\}$	$f_{!}(A') := \{b \in B \mid \text{there exists } a \in A' \text{ such that } f(a) = b\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0017	045	■ 1.000 ● N -1	$f_{*} \left(A^{\{ \text{prime} \}} \right) := \left\{ b \in B \mid \text{for all } a \in A^{\{ \text{prime} \}} \text{ such that } f(a) = b, \text{ we have } a \in A^{\{ \text{prime} \}} \right\}$	$f_{*}(A') := \{b \in B \mid \text{ for all } a \text{ such that } f(a) = b, \text{ we have } a \in A'\}$	$f_{*}(A') := \{b \in B \mid \text{for all } a \text{ such that } f(a) = b, \text{ we have } a \in A'\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0019 (2.7)	054	■ 1.000 ● N +0	$m * e = m, \quad e * m = m, \quad (m * n) * p = m * (n * p)$	$m * e = m, \quad e * m = m, \quad (m * n) * p = m * (n * p)$	$m * e = m, \quad e * m = m, \quad (m * n) * p = m * (n * p)$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0023 (2.16)	059	■ 1.000 ● K +0	$t \leq v+w \quad w+u \leq x+z \quad v+x \leq y$	$t \leq v + w \quad w + u \leq x + z \quad v + x \leq y$	$t \leq v + w \quad w + u \leq x + z \quad v + x \leq y$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0024 (2.17)	059	■ 1.000 ● K +0	$t+u \leq y+z$.	$t + u \leq y + z.$	$t + u \leq y + z.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0025 (2.18)	059	■ 1.000 ● N +0	$t+u \leq v+w+u \leq v+x+z \leq y+z$.	$t + u \leq v + w + u \leq v + x + z \leq y + z.$	$t + u \leq v + w + u \leq v + x + z \leq y + z.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0027 (2.24)	061	■ 1.000 ● N +0	$2 \mathrm{H}_{2} \mathrm{O}+2 \mathrm{Na} \rightarrow 2 \mathrm{NaOH}+\mathrm{H}_{2}$.	$2\mathrm{H}_2\mathrm{O} + 2\mathrm{Na} \rightarrow 2\mathrm{NaOH} + \mathrm{H}_2.$	$2\mathrm{H}_2\mathrm{O} + 2\mathrm{Na} \rightarrow 2\mathrm{NaOH} + \mathrm{H}_2.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0028 (2.22)	061	■ 1.000 ● N +0	$y+k \rightarrow y^{\prime}+k^{\prime} \quad x+y^{\prime} \rightarrow z^{\prime} \quad z^{\prime}+k^{\prime} \rightarrow z+k$	$y + k \rightarrow y' + k' \quad x + y' \rightarrow z' \quad z' + k' \rightarrow z + k$	$y + k \rightarrow y' + k' \quad x + y' \rightarrow z' \quad z' + k' \rightarrow z + k$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0029 (2.23)	061	■ 1.000 ● N +0	$x+y+k \rightarrow x+y^{\prime}+k^{\prime} \rightarrow z^{\prime}+k^{\prime} \rightarrow z+k$.	$x + y + k \rightarrow x + y' + k' \rightarrow z' + k' \rightarrow z + k.$	$x + y + k \rightarrow x + y' + k' \rightarrow z' + k' \rightarrow z + k.$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0037 (2.66)	077	1.000 W +0	f(x):= \begin{cases}\text{ true } & \& \text{ if } x=0 \\ \text{ false } & \& \text{ if } x>0\end{cases}	$f(x) := \begin{cases} \text{true} & \text{if } x = 0 \\ \text{false} & \text{if } x > 0 \end{cases}$	$f(x) := \begin{cases} \text{true} & \text{if } x = 0 \\ \text{false} & \text{if } x > 0 \end{cases}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0044 (2.88)	082	1.000 C +8	\left(v \otimes \bigvee_{a \in A} a\right) \cong \bigvee_{a \in A}(v \otimes a) .	$\left(v \otimes \bigvee_{a \in A} a\right) \cong \bigvee_{a \in A}(v \otimes a).$	$\left(v \otimes \bigvee_{a \in A} a\right) \cong \bigvee_{a \in A}(v \otimes a).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0047 (2.99)	085	1.000 N +0	(M * N)(i, k)=\sum_{j} M(i, j) * N(j, k) .	$(M * N)(i, k) = \sum_j M(i, j) * N(j, k).$	$(M * N)(i, k) = \sum_j M(i, j) * N(j, k).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0048 (2.101)	086	1.000 N +1	(M * N)(x, z):=\bigvee_{y \in Y} M(x, y) \otimes N(y, z) .	$(M * N)(x, z) := \bigvee_{y \in Y} M(x, y) \otimes N(y, z).$	$(M * N)(x, z) := \bigvee_{y \in Y} M(x, y) \otimes N(y, z).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0049	086	1.000 C +6	\left(\begin{array}{cc} \text{ false } & \& \text{ false } \\ \text{ false } & \& \text{ true } \end{array}\right) \& \& \begin{array}{ccc} \text{ true } & \& \text{ true } \\ \text{ true } & \& \text{ false } \end{array} \& \& \begin{array}{ccc} \text{ true } & \& \text{ true } \\ \text{ false } & \& \text{ true } \end{array} = \begin{array}{ccc} \text{ false } & \& \text{ false } \\ \text{ true } & \& \text{ false } \\ \text{ true } & \& \text{ true } \end{array} \& \& \begin{array}{ccc} \text{ true } & \& \text{ true } \\ \text{ true } & \& \text{ false } \end{array} \& \& \begin{array}{ccc} \text{ true } & \& \text{ true } \\ \text{ true } & \& \text{ true } \end{array}	$\left(\begin{array}{cc} \text{ false } & \text{ false } \\ \text{ false } & \text{ true } \\ \text{ true } & \text{ true } \end{array}\right) * \left(\begin{array}{ccc} \text{ true } & \text{ true } & \text{ false } \\ \text{ true } & \text{ false } & \text{ true } \end{array}\right) = \left(\begin{array}{ccc} \text{ false } & \text{ false } & \text{ false } \\ \text{ true } & \text{ false } & \text{ true } \\ \text{ true } & \text{ true } & \text{ true } \end{array}\right)$	
Conf. MathPix confidence: ≥0.9 0.5-0.9 <0.5 — no value Residual render vs scan (inkdrill): C component W weak S stable N noise K clean not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0050	086	1.000 N +0	$I_{\{X\}}(x, y) := \begin{cases} I & \text{if } x=y \text{ \& 0 \& } \\ 0 & \text{if } x \neq y \text{ .\end{cases}$	$I_X(x,y) := \begin{cases} I & \text{if } x = y \\ 0 & \text{if } x \neq y. \end{cases}$	$I_X(x,y) := \begin{cases} I & \text{if } x = y \\ 0 & \text{if } x \neq y. \end{cases}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0051	087	1.000 N +0	$M_{\{Y\}^{\wedge 2}} = \begin{array}{c ccc} \nearrow & x & y & z \\ \hline x & 0 & 4 & 3 \\ y & 3 & 0 & 6 \\ z & 7 & 4 & 0 \end{array}$	$M_Y^2 = \begin{array}{c ccc} \nearrow & x & y & z \\ \hline x & 0 & 4 & 3 \\ y & 3 & 0 & 6 \\ z & 7 & 4 & 0 \end{array}$	$M_Y^2 = \begin{array}{c ccc} \nearrow & x & y & z \\ \hline x & 0 & 4 & 3 \\ y & 3 & 0 & 6 \\ z & 7 & 4 & 0 \end{array}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0052	087	1.000 N +0	$M_{\{Y\}^{\wedge 3}} = \begin{array}{c ccc} \nearrow & x & y & z \\ \hline x & 0 & 4 & 3 \\ y & 3 & 0 & 6 \\ z & 7 & 4 & 0 \end{array}$	$M_Y^3 = \begin{array}{c ccc} \nearrow & x & y & z \\ \hline x & 0 & 4 & 3 \\ y & 3 & 0 & 6 \\ z & 7 & 4 & 0 \end{array}$	$M_Y^3 = \begin{array}{c ccc} \nearrow & x & y & z \\ \hline x & 0 & 4 & 3 \\ y & 3 & 0 & 6 \\ z & 7 & 4 & 0 \end{array}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0055	096	1.000 N +0	$\{A, B, C, D, f, g, h, i, f ; h\}$	$\{A, B, C, D, f, g, h, i, f ; h\}$	$\{A, B, C, D, f, g, h, i, f \circ h\}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0058	104	1.000 W +0	$f^{\wedge \{\prime\}} ; h^{\wedge \{\prime\}} = F(f) ; F(h) = F(f ; h) = F(g ; i) = F(g) ; F(i) = g^{\wedge \{\prime\}} ; i^{\wedge \{\prime\}}$	$f';h' = F(f);F(h) = F(f;h) = F(g;i) = F(g);F(i) = g';i'$	$f' \circ h' = F(f) \circ F(h) = F(f \circ h) = F(g \circ i) = F(g) \circ F(i) = g' \circ i'$
Conf. MathPix confidence: ≥0.9 0.5–0.9 <0.5 — no value Residual render vs scan (inkdrill): C component W weak S stable N noise K clean not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0060 (3.50)	107	■ 1.000 ● N +1	$F(f) \ ; \ \alpha_d=\alpha_c \ ; \ G(f) \ .$	$F(f); \alpha_d = \alpha_c; G(f).$	$F(f) \circ \alpha_d = \alpha_c \circ G(f).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0062	110	■ 1.000 ● C +4	$\alpha_{\text{\text{Vertex}}}: G(\text{\text{Vertex}}) \rightarrow H(\text{\text{Vertex}}) \quad \text{\text{and}} \quad \alpha_{\text{\text{Arrow}}}: G(\text{\text{Arrow}}) \rightarrow H(\text{\text{Arrow}}),$	$\alpha_{\text{Vertex}} : G(\text{Vertex}) \rightarrow H(\text{Vertex}) \quad \text{and} \quad \alpha_{\text{Arrow}} : G(\text{Arrow}) \rightarrow H(\text{Arrow}),$	$\alpha_{\text{Vertex}}: G(\text{Vertex}) \rightarrow H(\text{Vertex}) \quad \text{and} \quad \alpha_{\text{Arrow}}: G(\text{Arrow}) \rightarrow H(\text{Arrow}),$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0067	114	■ 1.000 ● C +3	$\alpha_{c,d}: \mathcal{C}(c, R(d)) \xrightarrow{\cong} \mathcal{D}(L(c), d)$	$\alpha_{c,d}: \mathcal{C}(c, R(d)) \xrightarrow{\cong} \mathcal{D}(L(c), d)$	$\alpha_{c,d}: \mathcal{C}(c, R(d)) \xrightarrow{\cong} \mathcal{D}(L(c), d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0076	121	■ 1.000 ● K +0	$X \times Y := \{(x, y) \mid x \in X, y \in Y\},$	$X \times Y := \{(x, y) \mid x \in X, y \in Y\},$	$X \times Y := \{(x, y) \mid x \in X, y \in Y\},$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0090	141	■ 1.000 ● C +3	$(\Phi \ ; \ \Psi) \ ; \ \Upsilon=\Phi \ ; (\Psi \ ; \ \Upsilon) \ .$	$(\Phi; \Psi); \Upsilon = \Phi; (\Psi; \Upsilon).$	$(\Phi \circ \Psi) \circ \Upsilon = \Phi \circ (\Psi \circ \Upsilon).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0095	148	■ 1.000 ● N +0	$\alpha_{s,t,u}: \{(s,(t,u)) \mid s \in S, t \in T, u \in U\} \xrightarrow{\cong} \{((s,t),u) \mid s \in S, t \in T, u \in U\} \ .$	$\alpha_{s,t,u}: \{(s,(t,u)) \mid s \in S, t \in T, u \in U\} \xrightarrow{\cong} \{((s,t),u) \mid s \in S, t \in T, u \in U\}.$	$\alpha_{s,t,u}: \{(s,(t,u)) \mid s \in S, t \in T, u \in U\} \xrightarrow{\cong} \{((s,t),u) \mid s \in S, t \in T, u \in U\}.$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0099	156	■ 1.000 ● N +1	$(\Phi \times \Psi) \left(\left(x_1, y_1 \right), \left(x_2, y_2 \right) \right) := \Phi \left(x_1, x_2 \right) \otimes \Psi \left(y_1, y_2 \right) .$	$(\Phi \times \Psi) \left((x_1, y_1), (x_2, y_2) \right) := \Phi(x_1, x_2) \otimes \Psi(y_1, y_2) .$	$(\Phi \times \Psi) \left((x_1, y_1), (x_2, y_2) \right) := \Phi(x_1, x_2) \otimes \Psi(y_1, y_2) .$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0101 (5.4)	162	■ 1.000 ● W -1	$i \longmapsto \begin{cases} f(i) & \text{if } 1 \leq i \leq m; \\ m' + g(i) & \text{if } m+1 \leq i \leq m+n \end{cases}$	$i \longmapsto \begin{cases} f(i) & \text{if } 1 \leq i \leq m; \\ m' + g(i) & \text{if } m+1 \leq i \leq m+n. \end{cases}$	$i \longmapsto \begin{cases} f(i) & \text{if } 1 \leq i \leq m; \\ m' + g(i) & \text{if } m+1 \leq i \leq m+n. \end{cases}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0106 (5.26)	168	■ 1.000 ● W +0	$G := \left\{ \rho_{m,n} \mid m, n \in \mathbb{N} \right\}, \quad s \left(\rho_{m,n} \right) := m, \quad t \left(\rho_{m,n} \right) := n,$	$G := \{ \rho_{m,n} \mid m, n \in \mathbb{N} \}, \quad s(\rho_{m,n}) := m, \quad t(\rho_{m,n}) := n,$	$G := \{ \rho_{m,n} \mid m, n \in \mathbb{N} \}, \quad s(\rho_{m,n}) := m, \quad t(\rho_{m,n}) := n,$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0108	174	■ 1.000 ● W +0	$\begin{array}{r} D \ x + 3 \ D^2 \ y - 2 \ z = 0 \\ D^2 \ y + 5 \ D \ z = 0 \end{array}$	$\begin{array}{l} Dx + 3D^2y - 2z = 0 \\ D^2y + 5Dz = 0 \end{array}$	$\begin{array}{l} Dx + 3D^2y - 2z = 0 \\ D^2y + 5Dz = 0 \end{array}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0110 (5.48)	176	■ 1.000 ● N +1	$M ; N(a, c) := \sum_{b \in \underline{n}} M(a, b) \times N(b, c),$	$M; N(a, c) := \sum_{b \in \underline{n}} M(a, b) \times N(b, c),$	$M \circ N(a, c) := \sum_{b \in \underline{n}} M(a, b) \times N(b, c),$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _EQ0112	176	■ 1.000 ● K +0	$A = \begin{pmatrix} 3 & 3 & 1 \\ 2 & 0 & 4 \end{pmatrix} \quad B = \begin{pmatrix} 2 & 5 & 6 & 1 \end{pmatrix} .$	$A = \begin{pmatrix} 3 & 3 & 1 \\ 2 & 0 & 4 \end{pmatrix} \quad B = \begin{pmatrix} 2 & 5 & 6 & 1 \end{pmatrix} .$	$A = \begin{pmatrix} 3 & 3 & 1 \\ 2 & 0 & 4 \end{pmatrix} \quad B = \begin{pmatrix} 2 & 5 & 6 & 1 \end{pmatrix} .$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0114	179	■ 1.000 ● N +0	$\sum_{j \in \underline{n}} \alpha(i, j) * \beta(j, k) .$	$\sum_{j \in \underline{n}} \alpha(i, j) * \beta(j, k).$	$\sum_{j \in \underline{n}} \alpha(i, j) * \beta(j, k).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0118 (5.76)	186	■ 1.000 ● K +0	$\mathrm{B} \backslash \left(g^{\mathrm{op}} \right) := \left\{ (S(g)(x), x) \mid x \in R^{\{m\}} \right\} \subseteq R^{\{n\}} \times R^{\{m\}} .$	$B(g^{\mathrm{op}}) := \{(S(g)(x), x) \mid x \in R^m\} \subseteq R^n \times R^m.$	$B(g^{\mathrm{op}}) := \{(S(g)(x), x) \mid x \in R^m\} \subseteq R^n \times R^m.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0122	188	■ 1.000 ● N +0	$\mathrm{B} \backslash \left(\left(g^{\mathrm{op}} \right) ; h \right) = \left\{ (S(g)(x), S(h)(x)) \mid x \in R^{\{m\}} \right\} .$	$B((g^{\mathrm{op}}); h) = \{(S(g)(x), S(h)(x)) \mid x \in R^m\}.$	$B((g^{\mathrm{op}}); h) = \{(S(g)(x), S(h)(x)) \mid x \in R^m\}.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0127	203	■ 1.000 ● N +1	$y(\theta) = y(g(\theta)) = x(f(\theta)) = x(0) .$	$y(0) = y(g(0)) = x(f(0)) = x(0).$	$y(0) = y(g(0)) = x(f(0)) = x(0).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0130	206	■ 1.000 ● K +0	$\{(v, d) \mid d \in D(v)\}$	$\{(v, d) \mid d \in D(v)\}$	$\{(v, d) \mid d \in D(v)\}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0135 (6.76)	219	■ 1.000 ● N +0	$F \backslash \left(\left([\iota_{\{N\}}, \iota_{\{P\}}] \right) \right) \backslash \left(\varphi_{\{N, P\}}(s, t) \right)$	$F([\iota_N, \iota_P])(\varphi_{N,P}(s, t))$	$F([\iota_N, \iota_P])(\varphi_{N,P}(s, t))$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak_Z-Library_ _EQ0138	220	■ 1.000 ● N +0	$\operatorname{Circ}(V) := \{(V, A, s, t, \ell) \mid \text{where } s, t: A \rightarrow V, \ell: E \rightarrow C\}.$	$\operatorname{Circ}(V) := \{(V, A, s, t, \ell) \mid \text{where } s, t: A \rightarrow V, \ell: E \rightarrow C\}.$	$\operatorname{Circ}(V) := \{(V, A, s, t, \ell) \mid \text{where } s, t: A \rightarrow V, \ell: E \rightarrow C\}.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak_Z-Library_ _EQ0141	225	■ 1.000 ● C +4	$\operatorname{circ}_{\mathbf{i}}: \mathcal{O}(s_1, \dots, s_m; t_i) \times \mathcal{O}(t_1, \dots, t_n; t) \rightarrow \mathcal{O}(t_1, \dots, t_{i-1}, s_1, \dots, s_m, t_{i+1}, \dots, t_n; t);$ $\operatorname{circ}_{\mathbf{i}}(s_1, \dots, s_m; t_i) \times \mathcal{O}(t_1, \dots, t_n; t) \rightarrow \mathcal{O}(t_1, \dots, t_{i-1}, s_1, \dots, s_m, t_{i+1}, \dots, t_n; t);$	$\circ_i: \mathcal{O}(s_1, \dots, s_m; t_i) \times \mathcal{O}(t_1, \dots, t_n; t) \rightarrow \mathcal{O}(t_1, \dots, t_{i-1}, s_1, \dots, s_m, t_{i+1}, \dots, t_n; t);$	$\circ_i: \mathcal{O}(s_1, \dots, s_m; t_i) \times \mathcal{O}(t_1, \dots, t_n; t) \rightarrow \mathcal{O}(t_1, \dots, t_{i-1}, s_1, \dots, s_m, t_{i+1}, \dots, t_n; t);$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak_Z-Library_ _EQ0145	229	■ 1.000 ● N +2	$F: \mathcal{O}(t_1, \dots, t_n; t) \rightarrow \mathcal{P}(f(t_1), \dots, f(t_n); f(t))$	$F: \mathcal{O}(t_1, \dots, t_n; t) \rightarrow \mathcal{P}(f(t_1), \dots, f(t_n); f(t))$	$F: \mathcal{O}(t_1, \dots, t_n; t) \rightarrow \mathcal{P}(f(t_1), \dots, f(t_n); f(t))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak_Z-Library_ _EQ0149 (7.10)	239	■ 1.000 ● N +0	$\mathcal{C}(A \times C, D) \cong \mathcal{C}(A, D^C)$	$\mathcal{C}(A \times C, D) \cong \mathcal{C}(A, D^C)$	$\mathcal{C}(A \times C, D) \cong \mathcal{C}(A, D^C)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak_Z-Library_ _EQ0151	241	■ 1.000 ● W +1	$\ulcorner m \urcorner(y) := \begin{cases} \text{true} & \text{if } m(x) = y \text{ for some } x \in X \\ \text{false} & \text{otherwise} \end{cases}$	$\ulcorner m \urcorner(y) := \begin{cases} \text{true} & \text{if } m(x) = y \text{ for some } x \in X \\ \text{false} & \text{otherwise} \end{cases}$	$\ulcorner m \urcorner(y) := \begin{cases} \text{true} & \text{if } m(x) = y \text{ for some } x \in X \\ \text{false} & \text{otherwise} \end{cases}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak_Z-Library_ _EQ0152 (7.15)	241	■ 1.000 ● N +0	$X = \{y \in Y \mid p(y) = \text{true}\}.$	$X = \{y \in Y \mid p(y) = \text{true}\}.$	$X = \{y \in Y \mid p(y) = \text{true}\}.$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0155	246	■1.000 ● N +0	$B(p;\epsilon):=\left\{p^{\prime}\in\mathbb{R}^2\mid d\left(p,p^{\prime}\right)<\epsilon\right\}^7$	$B(p;\epsilon):=\left\{p^{\prime}\in\mathbb{R}^2\mid d(p,p^{\prime})<\epsilon\right\}^7$	$B(p;\epsilon):=\left\{p^{\prime}\in\mathbb{R}^2\mid d(p,p^{\prime})<\epsilon\right\}^7$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0161 (7.51)	255	■1.000 ● N +0	$\begin{aligned}\Omega(U) &\rightarrow \Omega(V) \\ U^{\prime} &\mapsto U^{\prime}\cap V.\end{aligned}$	$\Omega(U)\rightarrow\Omega(V)\\U'\mapsto U'\cap V.$	$\Omega(U)\rightarrow\Omega(V)\\U'\mapsto U'\cap V.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0162	256	■1.000 ● W +0	$V\cap U_j=\left(\bigcup_{i\in I}V_i\right)\cap U_j=\bigcup_{i\in I}(V_i\cap U_j)=\bigcup_{i\in I}(V_j\cap U_i)=\left(\bigcup_{i\in I}U_i\right)\cap V_j=V_j$	$V\cap U_j=\left(\bigcup_{i\in I}V_i\right)\cap U_j=\bigcup_{i\in I}(V_i\cap U_j)=\bigcup_{i\in I}(V_j\cap U_i)=\left(\bigcup_{i\in I}U_i\right)\cap V_j=V_j$	$V\cap U_j=\left(\bigcup_{i\in I}V_i\right)\cap U_j=\bigcup_{i\in I}(V_i\cap U_j)=\bigcup_{i\in I}(V_j\cap U_i)=\left(\bigcup_{i\in I}U_i\right)\cap V_j=V_j$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0167 (7.63)	259	■1.000 ● K +0	$\left(\left \Omega^S\right ,\leq^S\right)$	$\left(\left \Omega^S\right ,\leq^S\right)$	$\left(\left \Omega^S\right ,\leq^S\right)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0170	261	■1.000 ● W +2	$p(n,z)=\begin{cases}\text{true}&\&\text{if }n\leq z \\ \text{false}&\&\text{if }n> z .\end{cases}$	$p(n,z)=\begin{cases}\text{true}&\&\text{if }n\leq z \\ \text{false}&\&\text{if }n> z .\end{cases}$	$p(n,z)=\begin{cases}\text{true}&\&\text{if }n\leq z \\ \text{false}&\&\text{if }n> z .\end{cases}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0174	265	■1.000 ● N -2	$S\left(o_{\left[a,b\right]}\right)\cong\lim_{\epsilon>0}_{\epsilon>0}S\left(o_{\left[a-\epsilon,b+\epsilon\right]}\right).$	$S\left(o_{\left[a,b\right]}\right)\cong\lim_{\epsilon>0}S\left(o_{\left[a-\epsilon,b+\epsilon\right]}\right).$	$S(o_{[a,b]})\cong\lim_{\epsilon>0}S(o_{[a-\epsilon,b+\epsilon]}).$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0177	272	■ 1.000 ● N +0	$(h, 1), \quad \text{\quad}(h, 2), \quad \text{\quad}(h, 3), \quad \text{\quad}(1,1), \quad \text{\quad}(1,2), \quad \text{\quad}(1,3) \text{ .}$	$(h,1), \quad (h,2), \quad (h,3), \quad (1,1), \quad (1,2), \quad (1,3).$	$(h,1), \quad (h,2), \quad (h,3), \quad (1,1), \quad (1,2), \quad (1,3).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0178	272	■ 1.000 ● N +0	$(h, 1), \quad \text{\quad}(1,1), \quad \text{\quad}(1,2), \quad \text{\quad}(2,2), \quad \text{\quad}(3,2) \text{ .}$	$(h,1), \quad (1,1), \quad (1,2), \quad (2,2), \quad (3,2).$	$(h,1), \quad (1,1), \quad (1,2), \quad (2,2), \quad (3,2).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0180	273	■ 1.000 ● W +0	$\begin{array}{lllll} (11,11) & \& (11,12) & \& (12,11) & \& (12,12) & \& (13,13) \\ (12,12) & \& (13,13) & \backslash\backslash & (21,21) & \& (22,22) & \& (12,23) & \& (23,22) & \& (23,23) \end{array}$	$(11,11) \quad (11,12) \quad (12,11) \quad (12,12) \quad (13,13)$ $(21,21) \quad (22,22) \quad (12,23) \quad (23,22) \quad (23,23)$	$(11,11) \quad (11,12) \quad (12,11) \quad (12,12) \quad (13,13)$ $(21,21) \quad (22,22) \quad (12,23) \quad (23,22) \quad (23,23)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0182	274	■ 1.000 ● K +0	$1 \leq 1, \quad \text{\quad}1 \leq 2, \quad \text{\quad}1 \leq 3, \quad \text{\quad}2 \leq 2, \quad \text{\quad}2 \leq 3, \quad \text{\quad}3 \leq 3, \quad \text{\quad}4 \leq 4$	$1 \leq 1, \quad 1 \leq 2, \quad 1 \leq 3, \quad 2 \leq 2, \quad 2 \leq 3, \quad 3 \leq 3, \quad 4 \leq 4$	$1 \leq 1, \quad 1 \leq 2, \quad 1 \leq 3, \quad 2 \leq 2, \quad 2 \leq 3, \quad 3 \leq 3, \quad 4 \leq 4$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0183	274	■ 1.000 ● W +0	$(\bullet)(\circ)(*), \quad \text{\quad}(\bullet\circ)(*), \quad \text{\quad}(\bullet*)(\circ), \quad \text{\quad}(\bullet)(\circ*), \quad \text{\quad}(\bullet\circ*)$	$(\bullet)(\circ)(*), \quad (\bullet\circ)(*), \quad (\bullet*)(\circ), \quad (\bullet)(\circ*), \quad (\bullet\circ*)$	$(\bullet)(\circ)(*), \quad (\bullet\circ)(*), \quad (\bullet*)(\circ), \quad (\bullet)(\circ*), \quad (\bullet\circ*)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0190	280	■ 1.000 ● N +0	$g(q) \leq g^{\prime}(f(g(q))) \leq g^{\prime}(q) \text{ .}$	$g(q) \leq g'(f(g(q))) \leq g'(q).$	$g(q) \leq g'(f(g(q))) \leq g'(q).$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0192	283	■1.000 ●C +4	$\begin{gathered} g(\text{ false })+g(\text{ false })=\infty+\infty\geq\infty=g(\text{ false }\wedge\text{ false })\\ g(\text{ false })+g(\text{ true })=\infty+0\geq\infty=g(\text{ false }\wedge\text{ true })\\ g(\text{ true })+g(\text{ false })=0+\infty\geq\infty=g(\text{ true }\wedge\text{ false })\\ g(\text{ true })+g(\text{ true })=0+0\geq0=g(\text{ true }\wedge\text{ true }) \end{gathered}$	$g(\text{ false })+g(\text{ false })=\infty+\infty\geq\infty=g(\text{ false }\wedge\text{ false })$ $g(\text{ false })+g(\text{ true })=\infty+0\geq\infty=g(\text{ false }\wedge\text{ true })$ $g(\text{ true })+g(\text{ false })=0+\infty\geq\infty=g(\text{ true }\wedge\text{ false })$ $g(\text{ true })+g(\text{ true })=0+0\geq0=g(\text{ true }\wedge\text{ true })$	$g(\text{false})+g(\text{false})=\infty+\infty\geq\infty=g(\text{false}\wedge\text{false})$ $g(\text{false})+g(\text{true})=\infty+0\geq\infty=g(\text{false}\wedge\text{true})$ $g(\text{true})+g(\text{false})=0+\infty\geq\infty=g(\text{true}\wedge\text{false})$ $g(\text{true})+g(\text{true})=0+0\geq0=g(\text{true}\wedge\text{true}).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0196	287	■1.000 ●W +1	$\left(\begin{array}{ll} 1&0\\ 0&1 \end{array}\right),\quad\left(\begin{array}{cc} \text{ true }&\text{ false }\\ \text{ false }&\text{ true } \end{array}\right),\quad\text{and}\quad\left(\begin{array}{rr} 0&\infty\\ \infty&0 \end{array}\right).$	$\left(\begin{array}{cc} 1 & 0 \\ 0 & 1 \end{array}\right),\quad\left(\begin{array}{cc} \text{ true } & \text{ false } \\ \text{ false } & \text{ true } \end{array}\right),\quad\text{and}\quad\left(\begin{array}{cc} 0 & \infty \\ \infty & 0 \end{array}\right).$	$\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix},\quad\begin{pmatrix} \text{true} & \text{false} \\ \text{false} & \text{true} \end{pmatrix},\quad\text{and}\quad\begin{pmatrix} 0 & \infty \\ \infty & 0 \end{pmatrix}.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0197	287	■1.000 ●N +0	$\emptyset\otimes v\cong v\otimes\emptyset\cong\left(v\otimes\bigvee_{a\in\emptyset}a\right)=\bigvee_{a\in\emptyset}(v\otimes a)=0.$	$0\otimes v\cong v\otimes 0\cong\left(v\otimes\bigvee_{a\in\emptyset}a\right)=\bigvee_{a\in\emptyset}(v\otimes a)=0.$	$0\otimes v\cong v\otimes 0\cong\left(v\otimes\bigvee_{a\in\emptyset}a\right)=\bigvee_{a\in\emptyset}(v\otimes a)=0.$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0200	288	■1.000 ●N +0	$M_{\{X\}}=\left(\begin{array}{cccc} 0&\infty&3&\infty\\ 2&0&\infty&5\\ \infty&3&0&\infty\\ \infty&\infty&6&0 \end{array}\right)\quad M_{\{X\}}^2=\left(\begin{array}{cccc} 0&6&3&\infty\\ 2&0&5&5\\ 5&3&0&8\\ \infty&9&6&0 \end{array}\right)\quad M_{\{X\}}^3=M_{\{X\}}^4=\left(\begin{array}{cccc} 0&6&3&11\\ 2&0&5&5\\ 5&3&0&8\\ 11&9&6&0 \end{array}\right)$	$M_X=\left(\begin{array}{cccc} 0 & \infty & 3 & \infty \\ 2 & 0 & \infty & 5 \\ \infty & 3 & 0 & \infty \\ \infty & \infty & 6 & 0 \end{array}\right)\quad M_X^2=\left(\begin{array}{cccc} 0 & 6 & 3 & \infty \\ 2 & 0 & 5 & 5 \\ 5 & 3 & 0 & 8 \\ \infty & 9 & 6 & 0 \end{array}\right)\quad M_X^3=M_X^4=\left(\begin{array}{cccc} 0 & 6 & 3 & 11 \\ 2 & 0 & 5 & 5 \\ 5 & 3 & 0 & 8 \\ 11 & 9 & 6 & 0 \end{array}\right)$	$M_X=\left(\begin{array}{cccc} 0 & \infty & 3 & \infty \\ 2 & 0 & \infty & 5 \\ \infty & 3 & 0 & \infty \\ \infty & \infty & 6 & 0 \end{array}\right)\quad M_X^2=\left(\begin{array}{cccc} 0 & 6 & 3 & \infty \\ 2 & 0 & 5 & 5 \\ 5 & 3 & 0 & 8 \\ \infty & 9 & 6 & 0 \end{array}\right)\quad M_X^3=M_X^4=\left(\begin{array}{cccc} 0 & 6 & 3 & 11 \\ 2 & 0 & 5 & 5 \\ 5 & 3 & 0 & 8 \\ 11 & 9 & 6 & 0 \end{array}\right)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0201	289	■1.000 ●W -1	$t(p):=\left(\begin{array}{l} v\\ \text{ if } n=0\\ t(a_n) \end{array}\right)\text{ if } n\geq 1$	$t(p):=\begin{cases} v & \text{ if } n=0 \\ t(a_n) & \text{ if } n\geq 1 \end{cases}$	$t(p):=\begin{cases} v & \text{ if } n=0 \\ t(a_n) & \text{ if } n\geq 1 \end{cases}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0202	289	■ 1.000 ● N +0	$(p ; q) := \left(v, a_1, \ldots, a_m, b_1, \ldots, b_n \right) .$	$(p; q) := (v, a_1, \ldots, a_m, b_1, \ldots, b_n) .$	$(p \circ q) := (v, a_1, \ldots, a_m, b_1, \ldots, b_n) .$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0203	289	■ 1.000 ● N +0	$\left(v, a_1, \ldots, a_m, b_1, \ldots, b_n, c_1, \ldots, c_o \right) .$	$(v, a_1, \ldots, a_m, b_1, \ldots, b_n, c_1, \ldots, c_o) .$	$(v, a_1, \ldots, a_m, b_1, \ldots, b_n, c_1, \ldots, c_o) .$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0207	291	■ 1.000 ● K +0	$\begin{array}{lll} (1,1) & \& (1,2) & \& (1,3) \\ & \& (2,1) & \& (2,2) \\ & \& (2,3) & \& (3,1) & \& (3,2) & \& (3,3) \end{array}$	$\begin{array}{lll} (1,1) & (1,2) & (1,3) \\ (2,1) & (2,2) & (2,3) \\ (3,1) & (3,2) & (3,3) \end{array}$	$\begin{array}{lll} (1,1) & (1,2) & (1,3) \\ (2,1) & (2,2) & (2,3) \\ (3,1) & (3,2) & (3,3) \end{array}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0208	291	■ 1.000 ● N +0	$f^{-1}(1)=b, \quad f^{-1}(2)=a, \quad f^{-1}(3)=c .$	$f^{-1}(1) = b, \quad f^{-1}(2) = a, \quad f^{-1}(3) = c .$	$f^{-1}(1) = b, \quad f^{-1}(2) = a, \quad f^{-1}(3) = c .$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0209	291	■ 1.000 ● W +0	$\begin{gathered} A^{\prime} \mapsto A, \quad f^{\prime} \mapsto f, \quad g^{\prime} \mapsto g, \quad h^{\prime} \mapsto h, \quad i^{\prime} \mapsto i, \quad D^{\prime} \mapsto D . \\ B^{\prime} \mapsto B, \quad h^{\prime} \mapsto h, \quad C^{\prime} \mapsto C, \quad i^{\prime} \mapsto i, \quad D^{\prime} \mapsto D . \end{gathered}$	$A' \mapsto A, \quad f' \mapsto f, \quad g' \mapsto g, \quad f'; h' \mapsto f; h, \quad g'; i' \mapsto f; h, \\ B' \mapsto B, \quad h' \mapsto h, \quad C' \mapsto C, \quad i' \mapsto i, \quad D' \mapsto D .$	$A' \mapsto A, \quad f' \mapsto f, \quad g' \mapsto g, \quad f' \circ h' \mapsto f \circ h, \quad g' \circ i' \mapsto f \circ h, \\ B' \mapsto B, \quad h' \mapsto h, \quad C' \mapsto C, \quad i' \mapsto i, \quad D' \mapsto D .$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0211	292	■ 1.000 ● W +0	$(F ; G)(f ; g)=G(F(f) ; F(g))=G(F(f)) ; G(F(g))$	$(F; G)(f; g) = G(F(f); F(g)) = G(F(f)); G(F(g))$	$(F \circ G)(f \circ g) = G(F(f) \circ F(g)) = G(F(f)) \circ G(F(g))$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0212	292	■ 1.000 ● W +0	$((F \ ; \ G) \ ; \ H)(c) = H((F \ ; \ G)(c)) = H(G(F(c))) = (G \ ; \ H)(F(c)) = (F \ ; \ (G \ ; \ H))(c) \ .$	$((F;G);H)(c) = H((F;G)(c)) = H(G(F(c))) = (G;H)(F(c)) = (F;(G;H))(c).$	$((F \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} G) \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} H)(c) = H((F \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} G)(c)) = H(G(F(c))) = (G \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} H)(F(c)) = (F \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} (G \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} H))(c).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0215	295	■ 1.000 ● W +0	$\left(f_{\{1\}} \ ; \ f_{\{2\}}\right)^{\{B\}}(g) = g \ ; \left(f_{\{1\}} \ ; \ f_{\{2\}}\right) = \left(g \ ; \ f_{\{1\}}\right) \ ; \ f_{\{2\}} = \left(f_{\{1\}}^{\{B\}} \ ; \ f_{\{2\}}^{\{B\}}\right)(g)$	$(f_1;f_2)^B(g) = g; (f_1;f_2) = (g;f_1); f_2 = (f_1^B;f_2^B)(g)$	$(f_1 \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} f_2)^B(g) = g \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} (f_1 \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} f_2) = (g \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} f_1) \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} f_2 = (f_1^B \mathbin{\mathchoice{\circ}{\circ}{\circ}{\circ}} f_2^B)(g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0216	296	■ 1.000 ● W +0	$\left(c_{\{1\}}, d_{\{1\}}\right) \xrightarrow{\left(f_{\{1\}}, g_{\{1\}}\right)} \left(c_{\{2\}}, d_{\{2\}}\right) \xrightarrow{\left(f_{\{2\}}, g_{\{2\}}\right)} \left(c_{\{3\}}, d_{\{3\}}\right) \xrightarrow{\left(f_{\{3\}}, g_{\{3\}}\right)} \left(c_{\{4\}}, d_{\{4\}}\right) \ .$	$(c_1, d_1) \xrightarrow{(f_1, g_1)} (c_2, d_2) \xrightarrow{(f_2, g_2)} (c_3, d_3) \xrightarrow{(f_3, g_3)} (c_4, d_4) \ .$	$(c_1, d_1) \xrightarrow{(f_1, g_1)} (c_2, d_2) \xrightarrow{(f_2, g_2)} (c_3, d_3) \xrightarrow{(f_3, g_3)} (c_4, d_4).$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0220	298	■ 1.000 ● N +1	$\left(\mathrm{x}^{\mathrm{op}} \times y\right) \left((x, y), (x', y')\right) \leq \mathcal{V} \left(\Phi(x, y), \Phi(x', y')\right) \ .$	$(\mathcal{X}^{\mathrm{op}} \times y) \left((x, y), (x', y')\right) \leq \mathcal{V} \left(\Phi(x, y), \Phi(x', y')\right) \ .$	$(\mathcal{X}^{\mathrm{op}} \times \mathcal{Y}) \left((x, y), (x', y')\right) \leq \mathcal{V} \left(\Phi(x, y), \Phi(x', y')\right) \ .$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0231	306	■ 1.000 ● W -2	$\sigma_{m,n}(i) := \begin{cases} i+n & \text{if } i \leq m \\ i-m & \text{if } m+1 \leq i \end{cases}$	$\sigma_{m,n}(i) := \begin{cases} i+n & \text{if } i \leq m \\ i-m & \text{if } m+1 \leq i \end{cases}$	$\sigma_{m,n}(i) := \begin{cases} i+n & \text{if } i \leq m \\ i-m & \text{if } m+1 \leq i \end{cases}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0232	306	■ 1.000 ● N +0	$(f+g)(i) := \begin{cases} f(i) & \text{if } i \leq m \\ g(i-m) & \text{if } m+1 \leq i \end{cases}$	$(f+g)(i) := \begin{cases} f(i) & \text{if } i \leq m \\ g(i-m) & \text{if } m+1 \leq i \end{cases}$	$(f+g)(i) := \begin{cases} f(i) & \text{if } i \leq m \\ g(i-m) & \text{if } m+1 \leq i \end{cases}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0233	308	1.000 N +0	$a^{\{0\}}, a^{\{1\}}, a^{\{2\}}, a^{\{3\}}, \ldots, a^{\{2019\}}, \ldots$	$a^0, a^1, a^2, a^3, \dots, a^{2019}, \dots$	$a^0, a^1, a^2, a^3, \dots, a^{2019}, \dots$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0234	308	1.000 N +0	$[], \quad [a], \quad [b], \quad [a, a], \quad [a, b], \quad [a, \quad [b, a, b, b, a, b, a, a, a, a], \quad \dots, \quad [b, a, b, b, a, b, a, a, a, a], \quad \dots$	$[], \quad [a], \quad [b], \quad [a, a], \quad [a, b], \quad \dots, \quad [b, a, b, b, a, b, a, a, a, a], \quad \dots$	$[], \quad [a], \quad [b], \quad [a, a], \quad [a, b], \quad \dots, \quad [b, a, b, b, a, b, a, a, a, a], \quad \dots$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0235	308	1.000 W +0	$G := \left\{ \rho_{m,n} : m \rightarrow n \mid m, n \in \mathbb{N} \right\}, \quad s(\rho_{m,n}) := m, \quad t(\rho_{m,n}) := n;$	$G := \{ \rho_{m,n} : m \rightarrow n \mid m, n \in \mathbb{N} \}, \quad s(\rho_{m,n}) := m, \quad t(\rho_{m,n}) := n;$	$G := \{ \rho_{m,n} : m \rightarrow n \mid m, n \in \mathbb{N} \}, \quad s(\rho_{m,n}) := m, \quad t(\rho_{m,n}) := n;$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0236	309	1.000 K +0	$\left(\begin{array}{llll} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{array} \right).$	$\left(\begin{array}{cccc} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{array} \right).$	$\left(\begin{array}{cccc} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \end{array} \right).$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0237	309	1.000 N +0	$A * B = \left(\begin{array}{ll} 0 & 1 \\ 0 & 0 \end{array} \right) * \left(\begin{array}{ll} 0 & 1 \\ 1 & 0 \end{array} \right) \neq \left(\begin{array}{ll} 0 & 1 \\ 1 & 0 \end{array} \right) * \left(\begin{array}{ll} 0 & 1 \\ 0 & 0 \end{array} \right) = B * A$	$A * B = \left(\begin{array}{cc} 0 & 1 \\ 0 & 0 \end{array} \right) * \left(\begin{array}{cc} 0 & 1 \\ 1 & 0 \end{array} \right) \neq \left(\begin{array}{cc} 0 & 1 \\ 1 & 0 \end{array} \right) * \left(\begin{array}{cc} 0 & 1 \\ 0 & 0 \end{array} \right) = B * A$	$A * B = \left(\begin{array}{cc} 0 & 1 \\ 0 & 0 \end{array} \right) * \left(\begin{array}{cc} 0 & 1 \\ 1 & 0 \end{array} \right) \neq \left(\begin{array}{cc} 0 & 1 \\ 1 & 0 \end{array} \right) * \left(\begin{array}{cc} 0 & 1 \\ 0 & 0 \end{array} \right) = B * A$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0238	309	1.000 K +0	$A+B = \left(\begin{array}{lllllll} 3 & 3 & 1 & 0 & 0 & 0 & 0 \\ 2 & 0 & 4 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 2 & 5 & 6 & 1 \end{array} \right)$	$A + B = \left(\begin{array}{cccccc} 3 & 3 & 1 & 0 & 0 & 0 \\ 2 & 0 & 4 & 0 & 0 & 0 \\ 0 & 0 & 0 & 2 & 5 & 6 \end{array} \right)$	$A + B = \left(\begin{array}{cccccc} 3 & 3 & 1 & 0 & 0 & 0 \\ 2 & 0 & 4 & 0 & 0 & 0 \\ 0 & 0 & 0 & 2 & 5 & 6 \end{array} \right)$
Conf. MathPix confidence: 1.000 0.5-0.9 <0.5 — no value Residual render vs scan (inkdrill): C component W weak S stable N noise K clean not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0239	310	1.000 K +0	$\left(\begin{array}{lll} 1 & 1 & 1 \end{array}\right)$	$\left(\begin{array}{lll} 1 & 1 & 1 \end{array}\right)$	$\left(\begin{array}{lll} 1 & 1 & 1 \end{array}\right)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0240	310	1.000 K +0	$\left(\begin{array}{lll} 1 & 1 & 1 \end{array}\right)$	$\left(\begin{array}{lll} 1 & 1 & 1 \end{array}\right)$	$\left(\begin{array}{lll} 1 & 1 & 1 \end{array}\right)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0241	310	1.000 N +0	$g_{\{1\}}:=c_{\{n\}}+\cdots+c_{\{n\}}: m \rightarrow (m \times n),$	$g_1 := c_n + \cdots + c_n : m \rightarrow (m \times n),$	$g_1 := c_n + \cdots + c_n : m \rightarrow (m \times n),$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0243	310	1.000 N +0	$\begin{aligned} g_{\{2\}}:= & \ s_{M(1,1)}+\cdots+s_{M(1, n)} \\ & \ \& \ +s_{M(2,1)}+\cdots+s_{M(2, n)} \\ & \ \& \ +\cdots \\ & \ \& \ +s_{M(m, 1)}+\cdots+s_{M(m, n)}:(m \times n) \\ & \ \rightarrow(m \times n), \end{aligned}$	$g_2 :=s_{M(1,1)} + \cdots + s_{M(1,n)} \\ \quad + s_{M(2,1)} + \cdots + s_{M(2,n)} \\ \quad + \cdots \\ \quad + s_{M(m,1)} + \cdots + s_{M(m,n)} : (m \times n) \rightarrow (m \times n),$	$g_2 := \quad s_{M(1,1)} + \cdots + s_{M(1,n)} \\ \quad + s_{M(2,1)} + \cdots + s_{M(2,n)} \\ \quad + \cdots \\ \quad + s_{M(m,1)} + \cdots + s_{M(m,n)} : (m \times n) \rightarrow (m \times n),$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library_EQ0244	310	1.000 N +1	$g_{\{4\}}:=a_{\{m\}}+\cdots+a_{\{m\}}:(m \times n) \rightarrow n,$	$g_4 := a_m + \cdots + a_m : (m \times n) \rightarrow n,$	$g_4 := a_m + \cdots + a_m : (m \times n) \rightarrow n,$
Conf. MathPix confidence: 1.000 0.5-0.9 <0.5 — no value Residual render vs scan (inkdrill): C component W weak S stable N noise K clean not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0246	312	■ 1.000 ● K +0	$\mu := \left(\begin{array}{ll} 1 & 0 \\ 0 & 1 \\ 1 & 0 \\ 0 & 1 \end{array} \right)$	$\mu := \begin{pmatrix} 1 & 0 \\ 0 & 1 \\ 1 & 0 \\ 0 & 1 \end{pmatrix}$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0247	313	■ 1.000 ● N +0	$U(\mu) \left(\left(a_1, \dots, a_m \right), \left(b_1, \dots, b_m \right) \right) := \left(a_1 + b_1, \dots, a_m + b_m \right).$	$U(\mu) \left((a_1, \dots, a_m), (b_1, \dots, b_m) \right) := (a_1 + b_1, \dots, a_m + b_m).$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0248	313	■ 1.000 ● N -1	$B + C := \left\{ (w, y, x, z) \in R^{m+p} \times R^{n+q} \mid (w, x) \in B \text{ and } (y, z) \in C \right\}.$	$B + C := \left\{ (w, y, x, z) \in R^{m+p} \times R^{n+q} \mid (w, x) \in B \text{ and } (y, z) \in C \right\}.$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0249	313	■ 1.000 ● W +0	$\begin{aligned} \mathrm{B}(g) &= \left\{ (x, z) \in R^m \times R^n \mid S(g)(x) = z \right\} \\ \mathrm{B}(h^{\mathrm{op}}) &= \left\{ (z, y) \in R^n \times R^\ell \mid z = S(h)(y) \right\} \end{aligned}$	$\begin{aligned} \mathrm{B}(g) &= \left\{ (x, z) \in R^m \times R^n \mid S(g)(x) = z \right\} \\ \mathrm{B}(h^{\mathrm{op}}) &= \left\{ (z, y) \in R^n \times R^\ell \mid z = S(h)(y) \right\} \end{aligned}$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0254	313	■ 1.000 ● N +0	$\mathrm{B} \left(\left(g^{\mathrm{op}} \right); h \right) = \left\{ (S(g)(x), S(h)(x)) \mid x \in R^m \right\}.$	$\mathrm{B} \left((g^{\mathrm{op}}); h \right) = \left\{ (S(g)(x), S(h)(x)) \mid x \in R^m \right\}.$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _EQ0255	315	■ 1.000 ● C -14	$f(m) = \underbrace{f(1) + f(1) + \dots + f(1)}_{m \text{ summands}} = \underbrace{f(1) + f(1) + \dots + f(1)}_{m \text{ summands}} = \underbrace{1_R + 1_R + \dots + 1_R}_{m \text{ summands}}.$	$f(m) = \underbrace{f(1 + 1 + \dots + 1)}_{m \text{ summands}} = \underbrace{f(1) + f(1) + \dots + f(1)}_{m \text{ summands}} = \underbrace{1_R + 1_R + \dots + 1_R}_{m \text{ summands}}.$	
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0261 (A.3)	327	■1.000 ●C +4	$\begin{array}{cc c c} P & Q & P \wedge Q & P=(P \wedge Q) \\ \hline \text{true} & \text{true} & \text{true} & \text{true} \\ \text{true} & \text{false} & \text{false} & \text{false} \\ \text{false} & \text{true} & \text{false} & \text{true} \\ \text{false} & \text{false} & \text{false} & \text{true} \end{array}$	$\begin{array}{cc c c} P & Q & P \wedge Q & P=(P \wedge Q) \\ \hline \text{true} & \text{true} & \text{true} & \text{true} \\ \text{true} & \text{false} & \text{false} & \text{false} \\ \text{false} & \text{true} & \text{false} & \text{true} \\ \text{false} & \text{false} & \text{false} & \text{true} \end{array}$	$\begin{array}{cc c c} P & Q & P \wedge Q & P=(P \wedge Q) \\ \hline \text{true} & \text{true} & \text{true} & \text{true} \\ \text{true} & \text{false} & \text{false} & \text{false} \\ \text{false} & \text{true} & \text{false} & \text{true} \\ \text{false} & \text{false} & \text{false} & \text{true} \end{array}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0263	333	■1.000 ●N +0	$U=\bigcup_{i \in I}\left\{x \in \mathbb{R} \mid a_{\{i\}}<x<b_{\{i\}}\right\}$	$U = \bigcup_{i \in I} \{x \in \mathbb{R} \mid a_i < x < b_i\}$	$U = \bigcup_{i \in I} \{x \in \mathbb{R} \mid a_i < x < b_i\}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__EQ0264	333	■1.000 ●N +1	$U=\bigcup_{j \in J}\left\{x \in \mathbb{R} \mid a_{\{j\}}<x<b_{\{j\}}\right\}=\bigcup_{j \in J}\left(o_{\left\{\left[a_{\{j\}}, b_{\{j\}}\right]\right\}} \cap \mathbb{R}\right)=\left(\bigcup_{j \in J} o_{\left\{\left[a_{\{j\}}, b_{\{j\}}\right]\right\}}\right) \cap \mathbb{R}$	$U = \bigcup_{j \in J} \{x \in \mathbb{R} \mid a_j < x < b_j\} = \bigcup_{j \in J} (o_{[a_j, b_j]} \cap \mathbb{R}) = \left(\bigcup_{j \in J} o_{[a_j, b_j]} \right) \cap \mathbb{R}$	$U = \bigcup_{j \in J} \{x \in \mathbb{R} \mid a_j < x < b_j\} = \bigcup_{j \in J} (o_{[a_j, b_j]} \cap \mathbb{R}) = \left(\bigcup_{j \in J} o_{[a_j, b_j]} \right) \cap \mathbb{R}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ●C component ●W weak ●S stable ●N noise ●K clean ●not measured					

Inline formulas (first occurrence)

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00001		—	a	a
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00002		—	b	b
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00003		—	$\mathcal{V}$	$\mathcal{V}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00004		—	Σ	Σ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00005		—	Π	Π
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00006		—	$\mathbf{Mat}(R)$	$\mathbf{Mat}(R)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00007		—	$\backslash\Omega$	Ω
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00008		—	$\backslash\mathrm{I\,R}$	$\mathbb{I}\mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00009		—	$f: X \rightarrowtail Y$	$f: X \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00010		—	X	X
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00011		—	Y	Y
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00012		—	f	f
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00013		—	$\backslash\mathrm{R}$	$\mathbb{R}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00014		—	x	x
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00015		—	$f(x)$	$f(x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00016		—	$f: \mathbb{R} \rightarrow \mathbb{R}$	$f: \mathbb{R} \rightarrow \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00017		—	$x \leq y$	$x \leq y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00018		—	$f(x) \leq f(y)$	$f(x) \leq f(y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00019		—	$x, y \in \mathbb{R}$	$x, y \in \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00020		—	$ x-y = f(x)-f(y) $	$ x-y = f(x)-f(y) $
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00021		—	$f(x+y)=f(x)+f(y)$	$f(x+y)=f(x)+f(y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00022		—	$\square$	$\square$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00023		—	x, y	x,y
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00024		—	y	y
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00025		—	$f(x)=x^2$	$f(x)=x^2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00026		—	$x^2 \leq y^2$	$x^2 \leq y^2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00027		—	c	c
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00028		—	a, b	a, b
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00029		—	Φ	Φ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00030		—	A	A
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00031		—	B	B
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00032		—	$A \vee B$	$A \vee B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00033		—	$z_{\{1\}}, \ldots, z_{\{n\}}$	$z_1, \dots, z_n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00034		—	$z_{\{1\}}$	z_1
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00035		—	$z_{\{i\}}$	z_i
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00036		—	$z_{\{i+1\}}$	z_{i+1}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00037		—	$z_{\{n\}}$	z_n
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00038		—	$\Phi\left(\odot^{\odot}\right)=\Phi\left(\{ \ }^{\odot}\ \mathscr{C}\right)=$	$\Phi\left(\odot^{\odot}\right)=\Phi\left(\odot^{\odot}\mathscr{C}\right)=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00039		—	$\Phi\left(\odot^{\odot}\vee\right)=\Phi(\odot\ \sigma)=$	$\Phi\left(\odot^{\odot}\vee\right)=\Phi(\cdot\sigma)=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00040		—	$\bullet$	$\bullet$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00041		—	$A\leq B$	$A\leq B$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00042		—	$\leq$	$\leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00043		—	$A \leq (A \vee B)$	$A \leq (A \vee B)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00044		—	$B \leq (A \vee B)$	$B \leq (A \vee B)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00045		—	C	C
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00046		—	$A \leq C$	$A \leq C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00047		—	$B \leq C$	$B \leq C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00048		—	$(A \vee B) \leq C$	$(A \vee B) \leq C$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00049		—	$\{\bullet, *\}$	$\{\bullet, *\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00050		—	$\mathbb{B} = \{$	$\mathbb{B} = \{$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00051		—	$\}$	$\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00052		—	$\not \leq$	$\not \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00053		—	$B.^{2}$	$B.^{2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00054		—	A, B	A, B
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00055		—	$\mathbb{B}$	$\mathbb{B}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00056		—	$\vee$	$\vee$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00057		—	$\Phi(A)=\Phi(B)=$	$\Phi(A) = \Phi(B) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00058		—	$\Phi(A) \vee \Phi(B)=$	$\Phi(A) \vee \Phi(B) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00059		—	$\Phi(A \vee B)=$	$\Phi(A \vee B) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00060		—	P	P
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00061		—	Q	Q
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00062		—	a, b, c	a, b, c
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00063		—	$A=\{h, 1\}$	$A = \{h, 1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00064		—	h	h
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00065		—	$\{h, h, 1, h, 1\}$	$\{h, h, 1, h, 1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00066		—	$x \in X$	$x \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00067		—	$h \in A$	$h \in A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00068		—	$1 \in A$	$1 \in A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00069		—	$0 \notin A$	$0 \notin A$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00070		—	<code>\varnothing</code>	$\varnothing$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00071		—	<code>\mathbb{N}</code>	$\mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00072		—	<code>0,1,2,3, \ldots, 90^{717}, \ldots</code>	$0, 1, 2, 3, \dots, 90^{717}, \dots$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00073		—	<code>\underline{n}</code>	$\underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00074		—	<code>n \in \mathbb{N}</code>	$n \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00075		—	<code>n^{\text{th}}</code>	n^{th}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00076		—	<code>n</code>	n
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00077		—	$1, 2, \ldots, n$	$1, 2, \dots, n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00078		—	$\underline{0}=\varnothing, \underline{1}=\{1\}$	$\underline{0} = \varnothing, \underline{1} = \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00079		—	$\underline{5}=\{1, 2, 3, 4, 5\}$	$\underline{5} = \{1, 2, 3, 4, 5\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00080		—	$\mathbb{Z}$	$\mathbb{Z}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00081		—	$90^{717}, \ldots$	$90^{717}, \dots$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00082		—	$\pi, 3.14, 5 * \sqrt{2}, e, e^2, -1457, 90^{717}$	$\pi, 3.14, 5 * \sqrt{2}, e, e^2, -1457, 90^{717}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00083		—	$X \subseteq Y$	$X \subseteq Y$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00084		—	$\{h\} \subseteq A$	$\{h\} \subseteq A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00085		—	$\varnothing := \{\}$	$\emptyset := \{\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00086		—	$\{y \in Y \mid P(y)\}$	$\{y \in Y \mid P(y)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00087		—	$y^{\{\prime\}}$	y'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00088		—	$\mathbb{N} = \{n \in \mathbb{Z} \mid n \geq 0\}$	$\mathbb{N} = \{n \in \mathbb{Z} \mid n \geq 0\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00089		—	$\mathbb{N} = \{n \in \mathbb{Z} \mid n \geq 1\}$	$\mathbb{N} = \{n \in \mathbb{Z} \mid n \geq 1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00090		—	$\varnothing = \{n \in \mathbb{Z} \mid 1 < n < 2\}$	$\emptyset = \{n \in \mathbb{Z} \mid 1 < n < 2\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00091		—	$X_{\{1\}}$	X_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00092		—	$X_{\{2\}}$	X_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00093		—	$X_{\{1\}} \cup X_{\{2\}}$	$X_1 \cup X_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00094		—	$h, 1$	$h, 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00095		—	$h, h, 1, h, 1$	$h, h, 1, h, 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00096		—	$Z :=$	$Z :=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00097		—	Z	Z
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00098		—	$Z=$	$Z =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00099		—	$3+2:=5$	$3 + 2 := 5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00100		—	$\backslash}:=\backslash\mathrm{varnothing}$	$\} := \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00101		—	$Y=\{1,2,3,4\}$	$Y = \{1, 2, 3, 4\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00102		—	$X_{\{1\}}=\{1,2\}$	$X_1 = \{1, 2\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00103		—	$X_{\{2\}}=\{2,4\}$	$X_2 = \{2, 4\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00104		—	$X_{\{1\}} \cup X_{\{2\}}=\{1,2,4\}$	$X_1 \cup X_2 = \{1, 2, 4\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00105		—	$\varnothing \cup X = X$	$\emptyset \cup X = X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00106		—	$X_{\{1\}} \cap X_{\{2\}}$	$X_1 \cap X_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00107		—	$\{1, 2, 3\} \cap \{2, 5\} = \{2\}$	$\{1, 2, 3\} \cap \{2, 5\} = \{2\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00108		—	$X_{\{0\}} = \varnothing, X_{\{1\}} = \{1\}, X_{\{2\}} = \{1, 2\}$	$X_0 = \emptyset, X_1 = \{1\}, X_2 = \{1, 2\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00109		—	$\bigcup_{n \in \mathbb{N}} X_n$	$\bigcup_{n \in \mathbb{N}} X_n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00110		—	$X_{\{n\}}$	X_n
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00111		—	$\bigcup_{n \in \mathbb{N}} X_n = \{n \in \mathbb{N} \mid n \geq 1\}$	$\bigcup_{n \in \mathbb{N}} X_n = \{n \in \mathbb{N} \mid n \geq 1\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00112		—	$\bigcap_{n \in \mathbb{N}} X_n$	$\bigcap_{n \in \mathbb{N}} X_n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00113		—	$X \times Y$	$X \times Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00114		—	$y \in Y$	$y \in Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00115		—	$X \sqcup Y$	$X \sqcup Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00116		—	$(x, 1)$	$(x, 1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00117		—	$(y, 2)$	$(y, 2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00118		—	$A := \{h, 1\}$	$A := \{h, 1\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00119		—	$B:=\{1,2,3\}$	$B := \{1, 2, 3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00120		—	$A \times B$	$A \times B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00121		—	$A \sqcup B$	$A \sqcup B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00122		—	$A \cup B$	$A \cup B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00123		—	$R \subseteq X \times Y$	$R \subseteq X \times Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00124		—	$R \subseteq X \times X$	$R \subseteq X \times X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00125		—	$R \subseteq A \times A$	$R \subseteq A \times A$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00126		—	$a \star b$	$a \star b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00127		—	$(a, b) \in R$	$(a, b) \in R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00128		—	$(5, 6) \in R$	$(5, 6) \in R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00129		—	$5 \leq 6$	$5 \leq 6$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00130		—	$=, \approx, <, >$	$=, \approx, <, >$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00131		—	$p \in P$	$p \in P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00132		—	$A_{\{p\}} \subseteq A$	$A_p \subseteq A$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00133		—	$\left\{A_p\right\}_{p \in P}$	$\{A_p\}_{p \in P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00134		—	A_p	A_p
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00135		—	p^{th}	p^{th}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00136		—	$a \in A$	$a \in A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00137		—	$\left\{A_{p^{\prime}}\right\}^{\prime}_{p^{\prime} \in P^{\prime}}$	$\{A_{p'}\}_{p' \in P'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00138		—	$p^{\prime} \in P^{\prime}$	$p' \in P'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00139		—	$A_p=A_{p^{\prime}}^{\prime}$	$A_p = A_{p'}'$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00140		—	$a, b \in \{11, 12, 13, 21, 22, 23\}$	$a, b \in \{11, 12, 13, 21, 22, 23\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00141		—	$a \sim b$	$a \sim b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00142		—	(a, b)	(a, b)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00143		—	$\sim$	$\sim$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00144		—	$a \sim a$	$a \sim a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00145		—	$\{ \}^{\{a\}} b \sim a$	${}^a b \sim a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00146		—	$a, b \in A$	$a, b \in A$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00147		—	$b \sim c$	$b \sim c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00148		—	$a \sim c$	$a \sim c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00149		—	$a, b, c \in A$	$a, b, c \in A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00150		—	$\{ \}^{\{a\}}$	a
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00151		—	$a \in A_{\{p\}}$	$a \in A_p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00152		—	$b \in A_{\{p\}}$	$b \in A_p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00153		—	$X \subseteq A$	$X \subseteq A$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00154		—	$x^{\{\prime\}}$ $\sim x$	$x' \sim x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00155		—	$x^{\{\prime\}}$ $\in X$	$x' \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00156		—	$(\sim)$	$(\sim)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00157		—	$x \sim y$	$x \sim y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00158		—	$x, y \in X$	$x, y \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00159		—	$p \neq q$	$p \neq q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00160		—	$A_{\{q\}}$	A_q
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00161		—	$A_{\{p\}} \cap A_{\{q\}} = \varnothing$	$A_p \cap A_q = \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00162		—	$A = \bigcup_{p \in P} A_{\{p\}}$	$A = \bigcup_{p \in P} A_p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00163		—	$A \sim$	$A / \sim$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00164		—	S	S
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00165		—	T	T
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00166		—	$F \subseteq S \times T$	$F \subseteq S \times T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00167		—	$s \in S$	$s \in S$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00168		—	$t \in T$	$t \in T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00169		—	$(s, t) \in F$	$(s, t) \in F$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00170		—	F	F
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00171		—	$F: S \rightarrow T$	$F: S \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00172		—	$F(s)=t$	$F(s) = t$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00173		—	$s \mapsto t$	$s \mapsto t$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00174		—	t	t
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00175		—	$\{s \in S \mid F(s)=t\}$	$\{s \in S \mid F(s) = t\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00176		—	$s_{\{1\}}, s_{\{2\}} \in S$	$s_1, s_2 \in S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00177		—	$F\left(s_{\{1\}}\right)=t$	$F\left(s_1\right)=t$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00178		—	$F\left(s_{\{2\}}\right)=t$	$F\left(s_2\right)=t$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00179		—	$s_{\{1\}}=s_{\{2\}}$	$s_1=s_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00180		—	$\rightarrow, \rightarrowtail, \rhd, \stackrel{\text{rel}}{\rightarrow}$	$\rightarrow, \rightarrowtail, \rhd, \overset{\text{rel}}{\rightarrow}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00181		—	$\mathrm{id}_{\{X\}}$	id_X
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00182		—	$\operatorname{id}_{X}(x)=x$	$\operatorname{id}_X(x) = x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00183		—	$f:A\rightarrow B$	$f:A\rightarrow B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00184		—	$f:A\rightarrow \varnothing$	$f:A\rightarrow \varnothing$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00185		—	$f:A\rightarrow P$	$f:A\rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00186		—	$f^{-1}(p)\subseteq A$	$f^{-1}(p)\subseteq A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00187		—	$S:=\{11,12,13,21,22,23\}$	$S:=\{11,12,13,21,22,23\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00188		—	$P=\{a,b,c,d\}$	$P=\{a,b,c,d\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00189		—	f: S \rightarrow P	$f : S \rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00190		—	F: X \rightarrow Y	$F : X \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00191		—	G: Y \rightarrow Z	$G : Y \rightarrow Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00192		—	X \rightarrow Z	$X \rightarrow Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00193		—	G(F(x))	$G(F(x))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00194		—	G \circ F	$G \circ F$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00195		—	F ; G	$F ; G$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00196		—	$F(x) \in Y$	$F(x) \in Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00197		—	G	G
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00198		—	$\{1\} \rightarrow X$	$\{1\} \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00199		—	$\{1\} \rightarrow \{1,2,3\}$	$\{1\} \rightarrow \{1,2,3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00200		—	$\{1,2,3\}$	$\{1,2,3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00201		—	$x:\{1\} \rightarrow X$	$x:\{1\} \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00202		—	$F(x)=x ; F$	$F(x) = x; F$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00203		—	$x \leq x$	$x \leq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00204		—	$y \leq z$	$y \leq z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00205		—	$x \leq z$	$x \leq z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00206		—	$y \leq x$	$y \leq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00207		—	$x \cong y$	$x \cong y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00208		—	$(X, \leq)$	$(X, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00209		—	$(X, =)$	$(X, =)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00210		—	$x \neq y$	$x \neq y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00211		—	$X, \leq$	$X, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00212		—	$X \times X \subseteq X \times X$	$X \times X \subseteq X \times X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00213		—	$x=y$	$x = y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00214		—	$G=(V, A, s, t)$	$G = (V, A, s, t)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00215		—	V	V
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00216		—	$s, t: A \rightarrow V$	$s, t: A \rightarrow V$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00217		—	$s(a)=v$	$s(a) = v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00218		—	$t(a)=w$	$t(a) = w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00219		—	v	v
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00220		—	w	w
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00221		—	$V=\{1,2,3,4\}$	$V = \{1, 2, 3, 4\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00222		—	$A=\{a, b, c, d, e\}$	$A = \{a, b, c, d, e\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00223		—	$s, t: A \rightarrow$	$s, t: A \rightarrow$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00224		—	$s(a) \in V$	$s(a) \in V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00225		—	$t(a) \in V$	$t(a) \in V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00226		—	d	d
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00227		—	e	e
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00228		—	$1 \rightarrow 2$	$1 \rightarrow 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00229		—	$(P, \leq)$	$(P, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00230		—	$v \leq w$	$v \leq w$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00231		—	$\wedge\{6\}$	6
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00232		—	$v \rightarrowtail w$	$v \rightarrow w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00233		—	$v \rightarrowtail v$	$v \rightarrow v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00234		—	$u \rightarrowtail v$	$u \rightarrow v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00235		—	$u \rightarrowtail w$	$u \rightarrow w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00236		—	$\left(p_{\{1\}}, p_{\{2\}}\right)$	(p_1, p_2)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00237		—	$p_{\{1\}} \leq p_{\{2\}}$	$p_1 \leq p_2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00238		—	$\{\bullet, \circ, *\}$	$\{\bullet, \circ, *\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00239		—	(x, y)	(x, y)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00240		—	$\mathbb{N} := \{0, 1, 2, 3, \ldots\}$	$\mathbb{N} := \{0, 1, 2, 3, \dots\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00241		—	$0 \leq 1$	$0 \leq 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00242		—	$5 \leq 100$	$5 \leq 100$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00243		—	$m \leq n$	$m \leq n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00244		—	$n \leq m$	$n \leq m$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00245		—	m, n	m, n
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00246		—	$a \leq b$	$a \leq b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00247		—	$b \leq a$	$b \leq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00248		—	$n=m$	$n = m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00249		—	$5 \leq 3$	$5 \leq 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00250		—	$3 \leq 2$	$3 \leq 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00251		—	m	m
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00252		—	$2 \leq 4$	$2 \leq 4$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00253		—	$2 \not\leq 3$	$2 \not\leq 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00254		—	$1, 2, \ldots, 10$	$1, 2, \ldots, 10$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00255		—	$a \rightarrow b$	$a \rightarrow b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00256		—	$-500 \leq -499 \leq 0 \leq \sqrt{2} \leq 100 / 3$	$-500 \leq -499 \leq 0 \leq \sqrt{2} \leq 100/3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00257		—	$\mathrm{P}(X)$	$P(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00258		—	$X=\{0,1,2\}$	$X = \{0, 1, 2\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00259		—	$\mathrm{P}\backslash\{1,2,\ldots,n\},\{ \}^{\mathrm{a}}$	$P\{1,2,\ldots,n\},^a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00260		—	$\mathrm{P}\} X$	PX
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00261		—	$\mathrm{P}(\varnothing),\mathrm{P}\backslash\{1\}$	$P(\varnothing),P\{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00262		—	$\mathrm{P}\backslash\{1,2\}$	$P\{1,2\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00263		—	$\operatorname{Prt}\{A\}$	$\operatorname{Prt}(A)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00264		—	$q \in Q$	$q \in Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00265		—	$A_{\{p\}} \subseteq A_{\{q\}}$	$A_p \subseteq A_q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00266		—	$g: A \rightarrowtail Q$	$g: A \rightarrow Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00267		—	$h: P \rightarrowtail Q$	$h: P \rightarrow Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00268		—	$f \ ; \ h=g$	$f; h = g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00269		—	$P, \leq$	$P, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00270		—	U	U
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00271		—	$p \in U$	$p \in U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00272		—	$p \leq q$	$p \leq q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00273		—	$q \in U$	$q \in U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00274		—	p	p
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00275		—	$\mathrm{U}(P)$	$U(P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00276		—	$U \leq V$	$U \leq V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00277		—	$(\mathbb{B}, \leq)$	$(\mathbb{B}, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00278		—	$\mathrm{U}(\mathbb{B})$	$U(\mathbb{B})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00279		—	$\subseteq \mathbb{B}$	$\subseteq \mathbb{B}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00280		—	$\notin\{$	$\notin \{$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00281		—	$(Q, \leq)$	$(Q, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00282		—	$P \times Q$	$P \times Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00283		—	$(p, q) \leq (p^{\prime}, q^{\prime})$	$(p, q) \leq (p', q')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00284		—	$p \leq p^{\prime}$	$p \leq p'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00285		—	$q \leq q^{\prime}$	$q \leq q'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00286		—	$(P, \leq \mathrm{op})$	$(P, \leq \mathbf{op})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00287		—	$p \leq^{\mathrm{op}} q$	$p \leq^{\mathrm{op}} q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00288		—	$q \leq p$	$q \leq p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00289		—	$A, \leq_A$	$A, \leq_A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00290		—	$B, \leq_B$	$B, \leq_B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00291		—	$x, y \in A$	$x, y \in A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00292		—	$x \leq_A y$	$x \leq_A y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00293		—	$f(x) \leq_B f(y)$	$f(x) \leq_B f(y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00294		—	$A \rightarrow B$	$A \rightarrow B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00295		—	$x \in A$	$x \in A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00296		—	$f(x) \in B$	$f(x) \in B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00297		—	$f(y)$	$f(y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00298		—	$\mathbb{B} \rightarrow \mathbb{N}$	$\mathbb{B} \rightarrow \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00299		—	$x \rightarrow y$	$x \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00300		—	$F(x) \rightarrow F(y)$	$F(x) \rightarrow F(y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00301		—	$ \cdot : \mathrm{P}(X) \rightarrow \mathbb{N}$	$ \cdot : \mathrm{P}(X) \rightarrow \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00302		—	$ S $	$ S $
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00303		—	$0 \leq 1 \leq 2 \leq 3$	$0 \leq 1 \leq 2 \leq 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00304		—	$ \cdot $	$ \cdot $
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00305		—	$\mathrm{U}(P) \rightarrow \mathrm{P}(P)$	$\mathrm{U}(P) \rightarrow \mathrm{P}(P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00306		—	$\mathrm{P}(\mathbb{B})$	$\mathrm{P}(\mathbb{B})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00307		—	$\uparrow p := \left\{ p^{\prime} \in P \mid p \leq p^{\prime} \right\}$	$\uparrow p := \{ p^{\prime} \in P \mid p \leq p^{\prime} \}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00308		—	$\uparrow: P^{\{\text{op}\}} \rightarrow \mathrm{U}(P)$	$\uparrow: P^{\text{op}} \rightarrow \mathrm{U}(P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00309		—	$\uparrow\left(p^{\{\text{prime}\}}\right) \subseteq \uparrow(p)$	$\uparrow(p') \subseteq \uparrow(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00310		—	$b \geq a \leq c$	$b \geq a \leq c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00311		—	$f:\left(P, \leq_{\{P\}}\right) \rightarrow \left(Q, \leq_{\{Q\}}\right)$	$f:(P, \leq_P) \rightarrow (Q, \leq_Q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00312		—	$f: P \rightarrow Q$	$f:P \rightarrow Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00313		—	$\left(P, \leq_{\{P\}}\right)$	$(P, \leq_P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00314		—	$P \rightarrow Q$	$P \rightarrow Q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00315		—	$\leq_Q$	$\leq_Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00316		—	$\operatorname{Prt}(X)$	$\operatorname{Prt}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00317		—	$s: X \rightarrowtail P$	$s: X \rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00318		—	$f^{\{*\}}: \operatorname{Prt}(Y) \rightarrowtail \operatorname{Prt}(X)$	$f^*: \operatorname{Prt}(Y) \rightarrow \operatorname{Prt}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00319		—	$s: Y \rightarrowtail P$	$s: Y \rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00320		—	s	s
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00321		—	$X \rightarrowtail P.^{\{7\}}$	$X \rightarrow P.^{\prime}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00322		—	$f^{\{*\}}(P)$	$f^*(P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00323		—	$f^{\{*\}}(Q)$	$f^*(Q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00324		—	$\left(Q, \leq_Q\right)$	$(Q, \leq_Q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00325		—	$\left(R, \leq_R\right)$	$(R, \leq_R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00326		—	$g: Q \rightarrow R$	$g: Q \rightarrow R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00327		—	$(f; g): P \rightarrow R$	$(f; g): P \rightarrow R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00328		—	$\operatorname{id}_P: P \rightarrow P$	$\operatorname{id}_P: P \rightarrow P$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00329		—	$(P, \leq) \rightarrow \left(P, \leq^{\mathrm{op}}\right)$	$(P, \leq) \rightarrow (P, \leq^{\mathrm{op}})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00330		—	$p, q \in P$	$p, q \in P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00331		—	$p_{\{1\}}=p_{\{2\}}$	$p_1 = p_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00332		—	$g\colon Q \rightarrow P$	$g\colon Q \rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00333		—	$f\ ;\ g=\operatorname{id}_{\{P\}}$	$f;g = \operatorname{id}_P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00334		—	$g \circ f=\operatorname{id}_{\{Q\}}$	$g \circ f = \operatorname{id}_Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00335		—	g	g
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00336		—	P, Q	P, Q
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00337		—	R	R
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00338		—	$f(a)=v, f(b)=w, f(c)=x, f(d)=y$	$f(a) = v, f(b) = w, f(c) = x, f(d) = y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00339		—	$f(e)=z$	$f(e) = z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00340		—	$x \rightarrow z$	$x \rightarrow z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00341		—	$v \rightarrow y$	$v \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00342		—	$\operatorname{Prt}(\{*, \bullet, \circ\}) \rightarrow \mathbb{B}$	$\operatorname{Prt}(\{*, \bullet, \circ\}) \rightarrow \mathbb{B}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00343		—	$P \rightarrow \mathbb{B}$	$P \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00344		—	$f: P \rightarrow \mathbb{B}$	$f: P \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00345		—	$f^{-1} ($	$f^{-1} ($
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00346		—	$) \subseteq P$	$) \subseteq P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00347		—	$p \in f^{-1}$	$p \in f^{-1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00348		—	$=f(p) \leq f(q)$	$= f(p) \leq f(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00349		—	$\leq f(q)$	$\leq f(q)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00350		—	$=f(q)$	$=f(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00351		—	$q \in f^{-1}$	$q \in f^{-1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00352		—	f^{-1}	f^{-1}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00353		—	$f_{\{U\}}: P \rightarrow \mathbb{B}$	$f_U : P \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00354		—	$f_{\{U\}}(p)=$	$f_U(p) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00355		—	$p \notin U$	$p \notin U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00356		—	$f(p)=$	$f(p) =$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00357		—	$f^{\{*\}}: \mathrm{U}(Q) \rightarrow \mathrm{U}(P)$	$f^*: \mathrm{U}(Q) \rightarrow \mathrm{U}(P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00358		—	$U \subseteq Q$	$U \subseteq Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00359		—	$f^{-1}(U) \subseteq P$	$f^{-1}(U) \subseteq P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00360		—	$f^{\{*\}}$	f^*
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00361		—	$u: Q \rightarrow \mathbb{B}$	$u: Q \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00362		—	$(f; u): P \rightarrow \mathbb{B}$	$(f; u): P \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00363		—	$(\mathbb{R}, \leq)$	$(\mathbb{R}, \leq)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00364		—	$\mathbb{N} \subseteq \mathbb{R}$	$\mathbb{N} \subseteq \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00365		—	$\left\{\left.\left.\left.\frac{1}{n+1}\right.\right.\right.\right\} \subseteq \mathbb{R}$	$\left\{\left.\left.\left.\frac{1}{n+1}\right.\right.\right.\right\} \subseteq \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00366		—	$A \subseteq P$	$A \subseteq P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00367		—	$p \leq a$	$p \leq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00368		—	q	q
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00369		—	$q \leq a$	$q \leq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00370		—	$p=\wedge A, p=\wedge_{a \in A} a$	$p = \wedge A, p = \wedge_{a \in A} a$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00371		—	$p=\wedge_{A} a$	$p = \wedge_A a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00372		—	$A=\{a, b\}$	$A = \{a, b\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00373		—	$\wedge A$	$\wedge A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00374		—	$a \wedge b$	$a \wedge b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00375		—	$a \leq p$	$a \leq p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00376		—	$a \leq q$	$a \leq q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00377		—	$p=\vee A$	$p = \vee A$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00378		—	$p=\bigvee_{a \in A} a$	$p = \bigvee_{a \in A} a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00379		—	$p=a \vee b$	$p = a \vee b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00380		—	$p=\wedge A$	$p = \wedge A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00381		—	$q=\wedge A$	$q = \wedge A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00382		—	$p \neq q!$	$p \neq q!$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00383		—	p, q	p, q
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00384		—	$p \cong q$	$p \cong q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00385		—	$x \in P$	$x \in P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00386		—	$p \leq x$	$p \leq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00387		—	$q \leq x$	$q \leq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00388		—	$x \leq p$	$x \leq p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00389		—	$x \leq q$	$x \leq q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00390		—	$P=\{p, q, r\}$	$P = \{p, q, r\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00391		—	$A=\{p, q\}$	$A = \{p, q\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00392		—	$\{a, b\}$	$\{a, b\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00393		—	$c \leq d$	$c \leq d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00394		—	$d \leq c$	$d \leq c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00395		—	$c \cong d$	$c \cong d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00396		—	$A=\{p\}$	$A = \{p\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00397		—	$\wedge A \cong p$	$\wedge A \cong p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00398		—	$\wedge A=p$	$\wedge A = p$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00399		—	$\wedge$	$\wedge$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00400		—	$p \vee p = p \wedge p = p$	$p \vee p = p \wedge p = p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00401		—	$p \vee p$	$p \vee p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00402		—	$\vee\{p, p\}$	$\vee\{p, p\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00403		—	$\{p, p\}=\{p\}$	$\{p, p\} = \{p\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00404		—	$p \vee p = p$	$p \vee p = p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00405		—	$A, B \subseteq X$	$A, B \subseteq X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00406		—	$A \wedge B = A \cap B$	$A \wedge B = A \cap B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00407		—	$A \vee B = A \cup B$	$A \vee B = A \cup B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00408		—	$n \mid m$	$n \mid m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00409		—	$A \subseteq B \subseteq P$	$A \subseteq B \subseteq P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00410		—	$\wedge B \leq \wedge A$	$\wedge B \leq \wedge A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00411		—	$\bigvee A \leq \bigvee B$	$\bigvee A \leq \bigvee B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00412		—	$m = \wedge A$	$m = \wedge A$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00413		—	$n=\wedge B$	$n = \wedge B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00414		—	$a \in B$	$a \in B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00415		—	$n \leq a$	$n \leq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00416		—	$A^{\{\prime\}}$	A'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00417		—	$\Phi: P \rightarrow Q$	$\Phi: P \rightarrow Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00418		—	$f(a \wedge b) \cong$	$f(a \wedge b) \cong$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00419		—	$f(a) \wedge f(b)$	$f(a) \wedge f(b)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00420		—	$a, b \in P$	$a, b \in P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00421		—	$f(a \vee b) \cong f(a) \vee f(b)$	$f(a \vee b) \cong f(a) \vee f(b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00422		—	$f(a) \vee f(b)$	$f(a) \vee f(b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00423		—	$f(a \vee b)$	$f(a \vee b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00424		—	$a \vee b$	$a \vee b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00425		—	$f(a \vee b) \not\cong f(a) \vee f(b)$	$f(a \vee b) \neq f(a) \vee f(b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00426		—	$f(a), f(b) \in Q$	$f(a), f(b) \in Q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00427		—	$f(a) \vee f(b) \leq f(a \vee b)$	$f(a) \vee f(b) \leq f(a \vee b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00428		—	$(3 \times -): \mathbb{Z} \rightarrow \mathbb{R}$	$(3 \times -): \mathbb{Z} \rightarrow \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00429		—	$x \in \mathbb{Z}$	$x \in \mathbb{Z}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00430		—	$3 \ x$	$3x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00431		—	$3 \ x \in \mathbb{Z} \subseteq \mathbb{R}$	$3x \in \mathbb{Z} \subseteq \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00432		—	$3 \times -$	$3 \times -$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00433		—	$\lceil z \rceil$	$\lceil z \rceil$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00434		—	$z \in \mathbb{R}$	$z \in \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00435		—	$\lfloor z \rfloor$	$\lfloor z \rfloor$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00436		—	$\lceil 3.14 \rceil = 4$	$\lceil 3.14 \rceil = 4$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00437		—	$\lfloor 3.14 \rfloor = 3^a$	$\lfloor 3.14 \rfloor = 3^a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00438		—	$\mathbb{R} \rightarrow \mathbb{Z}$	$\mathbb{R} \rightarrow \mathbb{Z}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00439		—	$\lceil -/3 \rceil$	$\lceil -/3 \rceil$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00440		—	$(3 \times -)$	$(3 \times -)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00441		—	$\lfloor 3 \rfloor \rfloor = 3 = \lceil 3 \rceil$	$\lfloor 3 \rfloor = 3 = \lceil 3 \rceil$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00442		—	$3 \times$	$3 \times$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00443		—	$-): \mathbb{Z} \rightarrow \mathbb{R}$	$-): \mathbb{Z} \rightarrow \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00444		—	$P=Q=\underline{3}$	$P = Q = \underline{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00445		—	f, g	f, g
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00446		—	$1 \leq p, q \leq 3$	$1 \leq p, q \leq 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00447		—	$f(p) \leq q$	$f(p) \leq q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00448		—	$p \leq g(q)$	$p \leq g(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00449		—	$L: \mathbb{Z} \rightarrow \mathbb{R}$	$L: \mathbb{Z} \rightarrow \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00450		—	$\operatorname{Prt}(S)$	$\operatorname{Prt}(S)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00451		—	$g: S \rightarrow T$	$g: S \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00452		—	$g_{!}: \operatorname{Prt}(S) \leftrightsquigarrow \operatorname{Prt}(T): g^{*}$	$g_{!}: \operatorname{Prt}(S) \leftrightsquigarrow \operatorname{Prt}(T): g^{*}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00453		—	$g_{!}: \operatorname{Prt}(S) \rightarrow \operatorname{Prt}(T)$	$g_{!}: \operatorname{Prt}(S) \rightarrow \operatorname{Prt}(T)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00454		—	$\sim_S$	$\sim_S$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00455		—	$\sim_{\{T\}}$	$\sim_T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00456		—	$t_{\{1\}}, t_{\{2\}} \in T$	$t_1, t_2 \in T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00457		—	$t_{\{1\}} \sim_{\{T\}} t_{\{2\}}$	$t_1 \sim_T t_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00458		—	$s_{\{1\}} \sim_{\{S\}} s_{\{2\}}$	$s_1 \sim_S s_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00459		—	$g\left(s_{\{1\}}\right)=t_{\{1\}}$	$g\left(s_1\right)=t_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00460		—	$g\left(s_{\{2\}}\right)=t_{\{2\}}$	$g\left(s_2\right)=t_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00461		—	$t_{\{2\}} \sim_{\{T\}} t_{\{3\}}$	$t_2 \sim_T t_3$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00462		—	$t_{\{1\}} \sim_{\{T\}^{\{?\}} t_{\{3\}}$	$t_1 \sim_T^? t_3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00463		—	$g_{\{!\}}(\sim S) := \sim T$	$g!(\sim S) := \sim T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00464		—	$g^{\{*\}}: \operatorname{Prt}(T) \rightarrow \operatorname{Prt}(S)$	$g^*: \operatorname{Prt}(T) \rightarrow \operatorname{Prt}(S)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00465		—	$g\left(s_{\{1\}}\right) \sim_{\{T\}} g\left(s_{\{2\}}\right)$	$g\left(s_1\right) \sim_T g\left(s_2\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00466		—	$g^{\{*\}}\backslash\left(\sim_{\{T\}}\right):=\sim_{\{S\}}$	$g^*\left(\sim_T\right):=\sim_S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00467		—	$S=\backslash\{1,2,3,4\}, \quad T=\backslash\{12,3,4\}$	$S=\{1,2,3,4\}, T=\{12,3,4\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00468		—	$g(1):=g(2):=12$	$g(1):=g(2):=12$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00469		—	$g(3) := 3$	$g(3) := 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00470		—	$g(4) := 4$	$g(4) := 4$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00471		—	$g_{\{!\}}$	$g!$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00472		—	$c: S \rightarrowtail P$	$c: S \rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00473		—	$g_{\{!\}}(c)$	$g!(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00474		—	S, T	S, T
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00475		—	$g^{\{*\}}$	g^*
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00476		—	$T=\{12,3,4\}$	$T = \{12, 3, 4\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00477		—	$g^{\{*\}}(c)$	$g^*(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00478		—	$c: T \rightarrowtail P$	$c : T \rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00479		—	$d: T \rightarrowtail P^{\{\prime\}}$	$d : T \rightarrow P'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00480		—	$g_{\{!\}}(c) \leq d$	$g_!(c) \leq d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00481		—	$e: T \rightarrowtail Q$	$e : T \rightarrow Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00482		—	$g_{\{!\}}(c) \not\leq e$	$g_!(c) \not\leq e$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00483		—	$g^{\{*\}}(d)$	$g^*(d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00484		—	$g^{\{*\}}(e)$	$g^*(e)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00485		—	$c \leq g^{\{*\}}(d)$	$c \leq g^*(d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00486		—	$c \not\leq g^{\{*\}}(e)$	$c \not\leq g^*(e)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00487		—	$q:=f(p)$	$q := f(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00488		—	$p \leq g(f(p))$	$p \leq g(f(p))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00489		—	$f(g(q)) \leq q$	$f(g(q)) \leq q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00490		—	$g(f(p)) \leq g(q)$	$g(f(p)) \leq g(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00491		—	$g^{\{\prime\}}$	g'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00492		—	$g(q) \cong g^{\{\prime\}}(q)$	$g(q) \cong g'(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00493		—	$A \subseteq Q$	$A \subseteq Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00494		—	$g(A) := \{g(a) \mid a \in A\}$	$g(A) := \{g(a) \mid a \in A\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00495		—	$\wedge A \in Q$	$\wedge A \in Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00496		—	$g(A)$	$g(A)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00497		—	$\wedge g(A)$	$\wedge g(A)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00498		—	$\bigvee A \in P$	$\bigvee A \in P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00499		—	$f(A)$	$f(A)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00500		—	$\bigvee f(A)$	$\bigvee f(A)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00501		—	$m := \wedge A$	$m := \wedge A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00502		—	$g(m) \leq g(a)$	$g(m) \leq g(a)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00503		—	$g(m)$	$g(m)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00504		—	$b \leq g(a)$	$b \leq g(a)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00505		—	$b \leq g(m)$	$b \leq g(m)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00506		—	$f(b) \leq a$	$f(b) \leq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00507		—	$f(b)$	$f(b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00508		—	$f(b) \leq m$	$f(b) \leq m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00509		—	$f(3.9) := 4$	$f(3.9) := 4$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00510		—	$1 \vee 2 = 4$	$1 \vee 2 = 4$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00511		—	$g(1) \vee g(2)=1 \vee 2=3.9 \neq 4=g(4)$	$g(1) \vee g(2) = 1 \vee 2 = 3.9 \neq 4 = g(4)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00512		—	$\left\{q^{\{\prime\}} \in Q \mid p^{\{\prime\}} \leq g\left(q^{\{\prime\}}\right)\right\} \subseteq\{q \in$	$\left\{q^{\prime} \in Q \mid p^{\prime} \leq g\left(q^{\prime}\right)\right\} \subseteq\{q \in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00513		—	$Q \mid p \leq g(q)\}$	$Q \mid p \leq g(q)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00514		—	$f(p) \leq f\left(p^{\{\prime\}}\right)$	$f(p) \leq f\left(p^{\prime}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00515		—	$p_{\{0\}} \leq g\left(f\left(p_{\{0\}}\right)\right)$	$p_0 \leq g\left(f\left(p_0\right)\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00516		—	$f\left(g\left(q_{\{0\}}\right)\right) \leq q_{\{0\}}$	$f\left(g\left(q_0\right)\right) \leq q_0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00517		—	$p_{\{0\}} \in P$	$p_0 \in P$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00518		—	$q_{\{0\}} \in Q$	$q_0 \in Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00519		—	$p_{\{0\}}$	p_0
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00520		—	$\left\{q_{\{0\}}\right\} \subseteq \left\{q \in Q \mid g\left(q_{\{0\}}\right) \leq\right\}.$	$\left\{q_0\right\} \subseteq\left\{q \in Q \mid g\left(q_0\right) \leq\right\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00521		—	$g(q)\}$	$g(q)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00522		—	$\wedge\left\{q_{\{0\}}\right\}=q_{\{0\}}$	$\wedge\left\{q_0\right\}=q_0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00523		—	$f^{*}: \mathrm{P}(Y) \rightarrow \mathrm{P}(X)$	$f^{*}: \mathrm{P}(Y) \rightarrow \mathrm{P}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00524		—	$B^{\{\prime\}} \subseteq B$	$B^{\prime} \subseteq B$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00532		—	$f^{\{*\}}\!\left(B_{\{1\}}\right)$	$f^* (B_1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00533		—	$f^{\{*\}}\!\left(B_{\{2\}}\right)$	$f^* (B_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00534		—	$A_{\{1\}},\ A_{\{2\}}\ \subseteq X$	$A_1,A_2\subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00535		—	$f_{\{!\}}\!\left(A_{\{1\}}\right)$	$f_! (A_1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00536		—	$f_{\{!\}}\!\left(A_{\{2\}}\right)$	$f_! (A_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00537		—	$f_{\{*\}}\!\left(A_{\{1\}}\right)$	$f_* (A_1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00538		—	$f_{\{*\}}\!\left(A_{\{2\}}\right)$	$f_* (A_2)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00539		—	$f ; g: P \rightarrowtail P$	$f;g : P \rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00540		—	$p \leq (f ; g)(p)$	$p \leq (f;g)(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00541		—	$(f ; g ; f ; g)(p) \cong (f ; g)(p)$	$(f;g;f;g)(p) \cong (f;g)(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00542		—	$\geq$	$\geq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00543		—	$j: P \rightarrowtail P$	$j : P \rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00544		—	$g \circ f$	$g \circ f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00545		—	$(g \circ f)(q) \leq q$	$(g \circ f)(q) \leq q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00546		—	$(g \circ f \circ g \circ f)(q) \cong (g \circ f)(q)$	$(g \circ f \circ g \circ f)(q) \cong (g \circ f)(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00547		—	$p \leq j(p)$	$p \leq j(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00548		—	$j(j(p)) \cong j(p)$	$j(j(p)) \cong j(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00549		—	$7+2+3$	$7 + 2 + 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00550		—	$j: \exp \rightarrow \exp$	$j: \exp \rightarrow \exp$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00551		—	$j(x)$	$j(x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00552		—	$j(y)$	$j(y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00553		—	$x \leq j(x)$	$x \leq j(x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00554		—	j	j
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00555		—	$j(j(x))=j(x)$	$j(j(x)) = j(x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00556		—	$\{ \}_{j}$	j
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00557		—	$j(p)$	$j(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00558		—	$j: P \rightarrow$	$j: P \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00559		—	$_{j}$	j
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00560		—	$_{{j}} \rightarrow P$	$j \rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00561		—	$q \in \operatorname{fix}_{j}$	$q \in \mathbf{fix}_j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00562		—	$j(p) \leq q$	$j(p) \leq q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00563		—	$j(p) \leq j(q) \cong q$	$j(p) \leq j(q) \cong q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00564		—	$p \rightarrowtail q$	$p \Rightarrow q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00565		—	$p \rightarrowtail p$	$p \Rightarrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00566		—	$q \rightarrowtail r$	$q \Rightarrow r$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00567		—	$p \rightarrow r$	$p \Rightarrow r$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00568		—	$p \rightarrow j(p)$	$p \Rightarrow j(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00569		—	$j(j(p))=j(p)$	$j(j(p)) = j(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00570		—	$p^{\{\prime \prime \}}$	p''
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00571		—	$B \rightarrow p$	$B \Rightarrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00572		—	$B \rightarrow -$	$B \Rightarrow -$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00573		—	$p^{\{\prime \}}$	p'
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00574		—	$\boldsymbol{\operatorname{Rel}}(S)$	$\mathbf{Rel}(S)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00575		—	$R \in \boldsymbol{\operatorname{Rel}}(S)$	$R \in \mathbf{Rel}(S)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00576		—	$R \subseteq S \times S$	$R \subseteq S \times S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00577		—	$R \subseteq R^{\prime}$	$R \subseteq R'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00578		—	$R(s_1, s_2)$	$R(s_1, s_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00579		—	$R^{\prime}(s_1, s_2)$	$R'(s_1, s_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00580		—	$\boldsymbol{\operatorname{Rel}}(\{1\})$	$\mathbf{Rel}(\{1\})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00581		—	$\boldsymbol{\operatorname{Rel}}(\{1,2\})$	Rel ({1,2})
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00582		—	$\{1,2\}$	{1,2}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00583		—	$\boldsymbol{\operatorname{Pos}}(S)$	Pos (<i>S</i>)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00584		—	$\sqsubseteq$	$\sqsubseteq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00585		—	$\leq^{\prime}$	$\leq^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00586		—	$\leq \underline{\leq} \leq^{\prime}$	$\leq \underline{\leq} \leq^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00587		—	$a \leq^{\prime} b$	$a \leq^{\prime} b$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00588		—	$a, b \in S$	$a, b \in S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00589		—	$\mathbf{Pos}(S) \rightarrow \mathbf{Rel}(S)$	$\mathbf{Pos}(S) \rightarrow \mathbf{Rel}(S)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00590		—	$\mathrm{Cl}: \mathbf{Rel}(S) \rightarrow \mathbf{Pos}(S)$	$\mathrm{Cl}: \mathbf{Rel}(S) \rightarrow \mathbf{Pos}(S)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00591		—	$s \leq s$	$s \leq s$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00592		—	$s \leq u$	$s \leq u$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00593		—	$s \leq t$	$s \leq t$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00594		—	$t \leq u$	$t \leq u$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00595		—	$S=\{1,2,3\}$	$S = \{1, 2, 3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00596		—	$U(\leq)$	$U(\leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00597		—	$U(\leq):=\left\{\left(s_1, s_2\right) \mid s_1 \leq s_2\right\} \subseteq S \times S$	$U(\leq):=\left\{\left(s_1, s_2\right) \mid s_1 \leq s_2\right\} \subseteq S \times S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00598		—	$Q \subseteq S \times S$	$Q \subseteq S \times S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00599		—	$Q^{\{\prime\}}$ $\subseteq S \times S$	$Q' \subseteq S \times S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00600		—	$Q \subseteq U(\leq)$	$Q \subseteq U(\leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00601		—	$Q^{\{\prime\}}$ $\nsubseteq U(\leq)$	$Q' \not\subseteq U(\leq)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00602		—	$Q, Q^{\prime}$	Q, Q'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00603		—	$\mathrm{Cl}(Q) \sqsubseteq \leq$	$\mathrm{Cl}(Q) \sqsubseteq \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00604		—	$\operatorname{Pos}(S)$	$\operatorname{Pos}(S)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00605		—	$\mathrm{Cl}\left(Q^{\prime}\right) \nsubseteq \leq$	$\mathrm{Cl}(Q') \not\subseteq \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00606		—	$a \otimes b$	$a \otimes b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00607		—	$\boldsymbol{a}$	$\boldsymbol{a}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00608		—	$\boldsymbol{b}$	$\boldsymbol{b}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00609		—	$d \in [0, \infty]$	$d \in [0, \infty]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00610		—	$I \in X$	$I \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00611		—	$\otimes: X \times X \rightarrow X$	$\otimes: X \times X \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00612		—	$\otimes \left(x_1, x_2 \right) =$	$\otimes (x_1, x_2) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00613		—	$x_1 \otimes x_2$	$x_1 \otimes x_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00614		—	$x_1, x_2, y_1, y_2 \in X$	$x_1, x_2, y_1, y_2 \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00615		—	$x_1 \leq y_1$	$x_1 \leq y_1$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00616		—	$x_{\{2\}} \leq y_{\{2\}}$	$x_2 \leq y_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00617		—	$x_{\{1\}} \otimes x_{\{2\}} \leq y_{\{1\}} \otimes y_{\{2\}}$	$x_1 \otimes x_2 \leq y_1 \otimes y_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00618		—	$I \otimes x = x$	$I \otimes x = x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00619		—	$x \otimes I = x$	$x \otimes I = x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00620		—	$x, y, z \in X$	$x, y, z \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00621		—	$(x \otimes y) \otimes z = x \otimes (y \otimes z)$	$(x \otimes y) \otimes z = x \otimes (y \otimes z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00622		—	$x \otimes y = y \otimes x$	$x \otimes y = y \otimes x$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00623		—	$(X, \leq, I, \otimes)$	$(X, \leq, I, \otimes)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00624		—	I	I
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00625		—	$\cong$	$\cong$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00626		—	$\{*\}$	$\{*\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00627		—	$-5 \leq \sqrt{2}$	$-5 \leq \sqrt{2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00628		—	$+: \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}$	$+: \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00629		—	$(\mathbb{R}, \leq, 0, +)$	$(\mathbb{R}, \leq, 0, +)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00630		—	$x_{\{1\}}+x_{\{2\}} \leq y_{\{1\}}+y_{\{2\}}$	$x_1 + x_2 \leq y_1 + y_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00631		—	$0+x=x$	$0 + x = x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00632		—	$x+0=x$	$x + 0 = x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00633		—	$(x+y)+z=x+(y+z)$	$(x + y) + z = x + (y + z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00634		—	$x+y=y+x$	$x + y = y + x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00635		—	M	M
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00636		—	$M \times M \rightarrowtail M$	$M \times M \rightarrow M$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00637		—	$e \in M$	$e \in M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00638		—	$*(m, n)$	$*(m, n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00639		—	$m * n$	$m * n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00640		—	$m, n, p \in M$	$m, n, p \in M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00641		—	$m * n = n * m$	$m * n = n * m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00642		—	$\mathbf{Disc}_S$	$\mathbf{Disc}_S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00643		—	$m = n$	$m = n$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00644		—	$(M, e, *)$	$(M, e, *)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00645		—	$\left(\right.$	$($
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00646		—	$\left._{M}, =, e, *\right)$	$M, =, e, *)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00647		—	$(M, *, e)$	$(M, *, e)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00648		—	$\left._{M}, =, *, e\right)$	$M, =, *, e)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00649		—	H	H
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00650		—	$h \leq h^{\prime}$	$h \leq h'$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00651		—	$h^{\{\backslashprime\}}$	h'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00652		—	$\backslashotimes: H \backslashtimes H \backslashrightarrow H$	$\otimes: H \times H \rightarrow H$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00653		—	$h_{\{1\}} \backslashotimes h_{\{2\}}$	$h_1 \otimes h_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00654		—	$h_{\{1\}}$	h_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00655		—	$h_{\{2\}}$	h_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00656		—	$\backslash{2 \backslashodot, 5 \backslashdiamond, 6 \backslashdiamond, 6 \backslashstar, 7 \backslashstar\}=\backslash{2 \backslashdiamond, 3 \backslashdiamond, 4 \backslashdiamond, 5 \backslashdiamond, 6 \backslashcirclearrowright\}$	$\{2\odot, 5\diamond, 6\diamond, 6\star, 7\star\} = \{2\diamond, 3\diamond, 4\diamond, 5\diamond, 6\circlearrowright\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00657		—	$h_{\{1\}} \backslashleq i_{\{1\}}$	$h_1 \leq i_1$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00658		—	$h_{\{2\}} \leq i_{\{2\}}$	$h_2 \leq i_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00659		—	$h_{\{1\}} \otimes h_{\{2\}} \leq i_{\{1\}} \otimes i_{\{2\}}$	$h_1 \otimes h_2 \leq i_1 \otimes i_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00660		—	$h_{\{1\}} \otimes h_{\{2\}} = \{10 \star, \mathrm{~J} \star, \mathrm{~Q} \star, \mathrm{~K} \star, \mathrm{~A} \star \}$	$h_1 \otimes h_2 = \{10\star, J\star, Q\star, K\star, A\star\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00661		—	$i_{\{1\}} \otimes i_{\{2\}} = \{5 \bullet, 5 \diamond, 6 \diamond, 6 \diamond, Q \diamond \}$	$i_1 \otimes i_2 = \{5\bullet, 5\diamond, 6\diamond, 6\diamond, Q\diamond\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00662		—	$0, 1, 2$	$0, 1, 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00663		—	$(x \in X)$	$(x \in X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00664		—	$(\leq)$	$(\leq)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00665		—	$x \otimes y$	$x \otimes y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00666		—	$x_{\{1\}} \otimes x_{\{2\}} \leq y_{\{1\}} \otimes y_{\{2\}} \otimes y_{\{3\}}$	$x_1 \otimes x_2 \leq y_1 \otimes y_2 \otimes y_3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00667		—	$4 \leq 7$	$4 \leq 7$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00668		—	$2+5 \leq -1+5+3$	$2 + 5 \leq -1 + 5 + 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00669		—	$x_{\{1\}} \otimes x_{\{2\}} \leq$	$x_1 \otimes x_2 \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00670		—	$y_{\{1\}} \otimes y_{\{2\}}$	$y_1 \otimes y_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00671		—	$\mathcal{X}=(X, \leq I, \otimes)$	$\mathcal{X} = (X, \leq I, \otimes)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00672		—	$\mathcal{X}$	$\mathcal{X}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00673		—	$v+w+u$	$v + w + u$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00674		—	$(v+w)+u$	$(v + w) + u$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00675		—	$v+(w+u)$	$v + (w + u)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00676		—	$2 \mathrm{H}_{\{2\}} \mathrm{O} + 2 \mathrm{Na}$	$2\mathrm{H}_2\mathrm{O} + 2\mathrm{Na}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00677		—	$2 \mathrm{NaOH} + \mathrm{H}_{\{2\}}$	$2\mathrm{NaOH} + \mathrm{H}_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00678		—	$\in$	$\in$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00686		—	$x \leq x+x$	$x \leq x + x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00687		—	$=0$	$= 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00688		—	$=1$	$= 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00689		—	$=(\mathbb{B}, \leq$	$= (\mathbb{B}, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00690		—	$\Lambda)$	$\Lambda)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00691		—	$\mathcal{V}=(V, \leq, I, \otimes)$	$\mathcal{V} = (V, \leq, I, \otimes)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00692		—	$\otimes$	$\otimes$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00693		—	$(\mathbb{B}, \leq$	$(\mathbb{B}, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00694		—	$\wedge)$	$\wedge)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00695		—	$\mathbb{B}\}, \leq$	$\mathbb{B}, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00696		—	$(\mathbb{N}\}, \leq)$	$(\mathbb{N}, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00697		—	$5 \leq 16$	$5 \leq 16$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00698		—	$6+4=10$	$6 + 4 = 10$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00699		—	$*$	$*$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00700		—	$6 * 4=24$	$6 * 4 = 24$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00701		—	$m \mid n$	$m \mid n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00702		—	$1 \mid m$	$1 \mid m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00703		—	$4 \mid 12$	$4 \mid 12$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00704		—	$(\mathbb{N}, \mid)$	$(\mathbb{N}, \mid)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00705		—	$x_{\{1\}} \mid y_{\{1\}}$	$x_1 \mid y_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00706		—	$x_{\{2\}} \mid y_{\{2\}}$	$x_2 \mid y_2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00707		—	$\left(x_{\{1\}} * x_{\{2\}}\right) \mid \left(y_{\{1\}} * y_{\{2\}}\right)$	$(x_1 * x_2) \mid (y_1 * y_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00708		—	$p_{\{1\}}, p_{\{2\}} \in \mathbb{N}$	$p_1, p_2 \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00709		—	$x_{\{1\}} * p_{\{1\}} = y_{\{1\}}$	$x_1 * p_1 = y_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00710		—	$x_{\{2\}} * p_{\{2\}} = y_{\{2\}}$	$x_2 * p_2 = y_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00711		—	$\left(p_{\{1\}} * p_{\{2\}}\right) * \left(x_{\{1\}} * x_{\{2\}}\right) = y_{\{1\}} * y_{\{2\}}$	$(p_1 * p_2) * (x_1 * x_2) = y_1 * y_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00712		—	$\mathrm{P}(S)$	$P(S)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00713		—	$\varnothing \subseteq S$	$\emptyset \subseteq S$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00714		—	$S \subseteq S$	$S \subseteq S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00715		—	$A \subseteq B$	$A \subseteq B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00716		—	$A \cap B$	$A \cap B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00717		—	$\{ \ }^{\mathbb{N}}$	$^{\mathbb{N}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00718		—	$\operatorname{Prop}^{\mathbb{N}}$	$\operatorname{Prop}^{\mathbb{N}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00719		—	$n=2$	$n = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00720		—	$n \geq 11$	$n \geq 11$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00721		—	$n+2=5$	$n + 2 = 5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00722		—	$P, Q \in \operatorname{Prop}^{\mathbb{N}}$	$P, Q \in \operatorname{Prop}^{\mathbb{N}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00723		—	$P \leq Q$	$P \leq Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00724		—	$P(n)$	$P(n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00725		—	$Q(n)$	$Q(n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00726		—	$[0, \infty]$	$[0, \infty]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00727		—	$\overline{0,1,15.33}$	$0,1,15.33\overline{3}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00728		—	2π	2π
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00729		—	∞	∞
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00730		—	$([0, \infty], \geq)$	$([0, \infty], \geq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00731		—	$\infty \geq x$	$\infty \geq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00732		—	$x \in [0, \infty]$	$x \in [0, \infty]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00733		—	$x+\infty=\infty$	$x + \infty = \infty$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00734		—	$(X, \leq)^{\mathrm{op}} := (X, \geq)$	$(X, \leq)^{\mathrm{op}} := (X, \geq)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00735		—	$\mathcal{X}=(X, \leq)$	$\mathcal{X}=(X, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00736		—	$\mathcal{X}^{\mathrm{op}}=(X, \geq)$	$\mathcal{X}^{\mathrm{op}}=(X, \geq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00737		—	$(X, \leq I, \otimes)$	$(X, \leq I, \otimes)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00738		—	$(X, \geq, I, \otimes)$	$(X, \geq, I, \otimes)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00739		—	$x_{\{1\}} \geq y_{\{1\}}$	$x_1 \geq y_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00740		—	$x_{\{2\}} \geq y_{\{2\}}$	$x_2 \geq y_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00741		—	$X^{\{\text{op}\}}$	X^{op}
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00742		—	$x_{\{1\}} \otimes x_{\{2\}} \geq y_{\{1\}} \otimes y_{\{2\}}$	$x_1 \otimes x_2 \geq y_1 \otimes y_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00743		—	$y_{\{1\}} \leq x_{\{1\}}$	$y_1 \leq x_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00744		—	$y_{\{2\}} \leq x_{\{2\}}$	$y_2 \leq x_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00745		—	$y_{\{1\}} \otimes y_{\{2\}} \leq x_{\{1\}} \otimes x_{\{2\}}$	$y_1 \otimes y_2 \leq x_1 \otimes x_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00746		—	$\{ \ }^{\mathrm{op}}$	op
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00747		—	$x \cong x^{\mathrm{\prime}}$	$x \cong x'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00748		—	$x \leq x^{\mathrm{\prime}}$	$x \leq x'$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00749		—	$x^{\{\prime\}}$ $\leq x$	$x' \leq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00750		—	$\mathcal{P}=\left(P, \leq_P, I_P, \otimes_P\right)$	$\mathcal{P} = (P, \leq_P, I_P, \otimes_P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00751		—	$Q=\left(Q, \leq_Q, I_Q, \otimes_Q\right)$	$Q = (Q, \leq_Q, I_Q, \otimes_Q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00752		—	$\mathcal{P}$	$\mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00753		—	$I_Q \leq_Q f\left(I_P\right)$	$I_Q \leq_Q f(I_P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00754		—	$f\left(p_{\{1\}}\right) \otimes_Q f\left(p_{\{2\}}\right) \leq_Q f\left(p_{\{1\}} \otimes_P p_{\{2\}}\right)$	$f(p_1) \otimes_Q f(p_2) \leq_Q f(p_1 \otimes_P p_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00755		—	$p_{\{1\}}, p_{\{2\}} \in P$	$p_1, p_2 \in P$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00756		—	$I_{\{Q\}} \cong f \left(I_{\{P\}} \right)$	$I_Q \cong f(I_P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00757		—	$f \left(p_{\{1\}} \right) \otimes_{\{Q\}} f \left(p_{\{2\}} \right) \cong f \left(p_{\{1\}} \otimes_{\{P\}} p_{\{2\}} \right)$	$f(p_1) \otimes_Q f(p_2) \cong f(p_1 \otimes_P p_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00758		—	$I_{\{Q\}} = f \left(I_{\{P\}} \right)$	$I_Q = f(I_P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00759		—	$f \left(p_{\{1\}} \right) \otimes_{\{Q\}} f \left(p_{\{2\}} \right) = f \left(p_{\{1\}} \otimes_{\{P\}} p_{\{2\}} \right)$	$f(p_1) \otimes_Q f(p_2) = f(p_1 \otimes_P p_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00760		—	$i : (\mathbb{N}, \leq, 0, +) \rightarrow (\mathbb{R}, \leq, 0, +)$	$i : (\mathbb{N}, \leq, 0, +) \rightarrow (\mathbb{R}, \leq, 0, +)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00761		—	$i(n) =$	$i(n) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00762		—	$i(m) \leq i(n)$	$i(m) \leq i(n)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00763		—	$i(0)=0$	$i(0) = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00764		—	$i(m+n)=i(m)+i(n)$	$i(m + n) = i(m) + i(n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00765		—	$f:(\mathbb{R}, \leq, 0,+) \rightarrow (\mathbb{N}, \leq, 0,+)$	$f : (\mathbb{R}, \leq, 0, +) \rightarrow (\mathbb{N}, \leq, 0, +)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00766		—	$f(x):=\lfloor x \rfloor$	$f(x) := \lfloor x \rfloor$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00767		—	$f(3.14)=3$	$f(3.14) = 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00768		—	$f(0)=0$	$f(0) = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00769		—	$f(x)+f(y) \leq f(x+y)$	$f(x) + f(y) \leq f(x + y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00770		—	$f(0.5)+f(0.5) \not\leq f(0.5+0.5)$	$f(0.5) + f(0.5) \neq f(0.5 + 0.5)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00771		—	$=([0, \infty], \geq, 0,+)$	$= ([0, \infty], \geq, 0, +)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00772		—	$:=\infty$	$:= \infty$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00773		—	$:=0$	$:= 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00774		—	$g:(\mathbb{B}, \leq$	$g : (\mathbb{B}, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00775		—	$\wedge) \rightarrow ([0, \infty], \geq, 0,+)$	$\wedge) \rightarrow ([0, \infty], \geq, 0, +)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00776		—	$d, u:[0, \infty] \rightarrow \mathbb{B}$	$d, u : [0, \infty] \rightarrow \mathbb{B}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00777		—	u	u
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00778		—	$(\mathbb{N}, \leq, 1, *)$	$(\mathbb{N}, \leq, 1, *)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00779		—	$(\mathbb{N}, \leq, 0, +) \rightarrow (\mathbb{N}, \leq$	$(\mathbb{N}, \leq, 0, +) \rightarrow (\mathbb{N}, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00780		—	$, 1, *)$	$, 1, *)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00781		—	$(\mathbb{Z}, \leq, *, 1)$	$(\mathbb{Z}, \leq, *, 1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00782		—	$\operatorname{Ob}(\mathcal{X})$	$\operatorname{Ob}(\mathcal{X})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00783		—	$\mathcal{X}(x, y) \in V$	$\mathcal{X}(x, y) \in V$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00784		—	$x \in \operatorname{Ob}(X)$	$x \in \operatorname{Ob}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00785		—	$I \leq X(x, x)$	$I \leq X(x, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00786		—	$x, y, z \in \operatorname{Ob}(X)$	$x, y, z \in \operatorname{Ob}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00787		—	$\mathcal{X}(x, y) \otimes \mathcal{X}(y, z) \leq \mathfrak{X}(x, z)$	$\mathcal{X}(x, y) \otimes \mathcal{X}(y, z) \leq \mathfrak{X}(x, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00788		—	$\mathcal{X}(x, y)$	$\mathcal{X}(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00789		—	$\operatorname{Ob}(\mathcal{X}) = \{p, q, r, s, t\}$	$\operatorname{Ob}(\mathcal{X}) = \{p, q, r, s, t\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00790		—	$t \not\leq s$	$t \not\leq s$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00791		—	$\mathcal{X}(s, t)=$	$\mathcal{X}(s, t) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00792		—	$X(t, s)=$	$X(t, s) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00793		—	$x(x, y)$	$x(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00794		—	r	r
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00795		—	$x, y \in \mathrm{Ob}(X)$	$x, y \in \mathrm{Ob}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00796		—	$\mathcal{X}(x, y) \in \mathbb{B}$	$\mathcal{X}(x, y) \in \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00797		—	$\mathcal{X}(x, y)=$	$\mathcal{X}(x, y) =$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00798		—	$X(x, y) =$	$X(x, y) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00799		—	$X := \operatorname{Ob}(X)$	$X := \operatorname{Ob}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00800		—	$\leq \mathcal{X}(x, x)$	$\leq \mathcal{X}(x, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00801		—	$\mathcal{X}(x, y) \wedge \mathcal{X}(y, z) \leq \mathcal{X}(x, z)$	$\mathcal{X}(x, y) \wedge \mathcal{X}(y, z) \leq \mathcal{X}(x, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00802		—	$b \in$	$b \in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00803		—	$\leq b$	$\leq b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00804		—	$b =$	$b =$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00805		—	$\mathcal{X}(x, x)=$	$\mathcal{X}(x, x) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00806		—	$b \in \mathbb{B}$	$b \in \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00807		—	$\mathcal{X}(y, z)=$	$\mathcal{X}(y, z) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00808		—	$\mathcal{X}(x, z)=$	$\mathcal{X}(x, z) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00809		—	(X, d)	(X, d)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00810		—	$d: X \times X \rightarrow \mathbb{R}_{\geq 0}$	$d: X \times X \rightarrow \mathbb{R}_{\geq 0}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00811		—	$d(x, y)$	$d(x, y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00812		—	$d(x, x)=0$	$d(x, x) = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00813		—	$d(x, y)=0$	$d(x, y) = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00814		—	$d(x, y)=d(y, x)$	$d(x, y) = d(y, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00815		—	$d(x, y)+d(y, z) \geq d(x, z)$	$d(x, y) + d(y, z) \geq d(x, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00816		—	$d: X \times X \rightarrow [0, \infty]=\mathbb{R}_{\geq 0} \cup \{\infty\}$	$d: X \times X \rightarrow [0, \infty] = \mathbb{R}_{\geq 0} \cup \{\infty\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00817		—	X, d	X, d
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00818		—	z	z
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00819		—	$x \rightarrow y \rightarrow z$	$x \rightarrow y \rightarrow z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00820		—	$3+5 \geq 7.2$	$3 + 5 \geq 7.2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00821		—	$5+7.2 \geq 3$	$5 + 7.2 \geq 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00822		—	$3+7.2 \geq 5$	$3 + 7.2 \geq 5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00823		—	$5+3 \geq 7.2, 7.2+5 \geq 3$	$5 + 3 \geq 7.2, 7.2 + 5 \geq 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00824		—	$7.2+3 \geq 5$	$7.2 + 3 \geq 5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00825		—	$d(x, y)=? d(y, x)$	$d(x, y)=?d(y, x)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00826		—	$d(\mathrm{US})$	$d(\mathrm{US}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00827		—	)	)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00828		—	$d($	$d($
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00829		—	$)=0$	$) = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00830		—	$U \subseteq X$	$U \subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00831		—	$) \neq \emptyset$	$) \neq 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00832		—	$\{r \in \mathbb{R} \mid r < 0\}$	$\{r \in \mathbb{R} \mid r < 0\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00833		—	$(\mathbb{R}, d)$	$(\mathbb{R}, d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00834		—	$x, y \in \operatorname{Ob}(\mathcal{X})$	$x, y \in \operatorname{Ob}(\mathcal{X})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00835		—	$\mathcal{X}(x, y) \in [0, \infty]$	$\mathcal{X}(x, y) \in [0, \infty]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00836		—	$0 \geq d(x, x)$	$0 \geq d(x, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00837		—	$d(x, x) \in [0, \infty]$	$d(x, x) \in [0, \infty]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00838		—	$d(x, y) := y - x $	$d(x, y) := y - x $
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00839		—	$d(3, 7) = 4$	$d(3, 7) = 4$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00840		—	$\mathbb{R}_{\geq 0, \geq 0, +}$	$\mathbb{R}_{\geq 0, \geq 0, +}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00841		—	$\left(\mathbb{R}_{\geq 0,} \geq 0, +\right)$	$(\mathbb{R}_{\geq 0,} \geq 0, +)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00842		—	$d(U, V) := \max \left(d_L(U, V), d_L(V, U)\right)$	$d(U, V) := \max (d_L(U, V), d_L(V, U))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00843		—	$w \geq 0$	$w \geq 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00844		—	$d_{\{X\}}$	d_X
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00845		—	$d(p, q)$	$d(p, q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00846		—	$d\left(\nearrow^{\prime}\right)$	$d(\nearrow')$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00847		—	$M_{\{G\}}$	M_G
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00848		—	$M_{\{Y\}}:=$	$M_Y :=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00849		—	$d_{\{Y\}}$	d_Y
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00850		—	$M_{\{Y\}}$	M_Y
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00851		—	$M_{\{X\}}$	M_X
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00852		—	D	D
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00853		—	$M_{\{X\}}=$	$M_X =$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00854		—	$\mathcal{M} := (\mathrm{P}(M), \subseteq, M, \cap)$	$\mathcal{M} := (\mathcal{P}(M), \subseteq, M, \cap)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00855		—	$\mathcal{M}$	$\mathcal{M}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00856		—	$a, b \in \operatorname{Ob}(\mathcal{X})$	$a, b \in \operatorname{Ob}(\mathcal{X})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00857		—	$M = \{$	$M = \{$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00858		—	$\mathcal{W} := (\mathbb{N} \cup \{\infty\}, \leq, \infty, \min)$	$\mathcal{W} := (\mathbb{N} \cup \{\infty\}, \leq, \infty, \min)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00859		—	$\mathbb{N} \cup \{\infty\}$	$\mathbb{N} \cup \{\infty\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00860		—	$\mathcal{W}$	$\mathcal{W}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00861		—	f: \mathcal{V} \rightarrow \mathcal{W}	$f : \mathcal{V} \rightarrow \mathcal{W}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00862		—	\mathcal{V} \rightarrow \mathcal{W}	$\mathcal{V} \rightarrow \mathcal{W}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00863		—	\mathcal{C}	$\mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00864		—	\mathcal{C}_{\mathcal{f}}	$\mathcal{C}_f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00865		—	\operatorname{Ob}\left(\mathcal{C}_{\mathcal{f}}\right)=\operatorname{Ob}\left(\mathcal{C}\right)	$\operatorname{Ob}(\mathcal{C}_f) := \operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00866		—	c, d \in \operatorname{Ob}\left(\mathcal{C}\right)	$c, d \in \operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00867		—	\mathcal{C}_{\mathcal{f}}(c, d):=f\left(\mathcal{C}(c, d)\right)	$\mathcal{C}_f(c, d) := f(\mathcal{C}(c, d))$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00868		—	$c \in \mathcal{C}$	$c \in \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00869		—	$c, d, e \in \mathrm{Ob}(\mathcal{C})$	$c, d, e \in \mathrm{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00870		—	$f:[0, \infty] \rightarrow \{$	$f : [0, \infty] \rightarrow \{$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00871		—	$x_{\{f\}} \neq x_{\{g\}}$	$x_f \neq x_g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00872		—	$F: \mathcal{X} \rightarrow y$	$F : \mathcal{X} \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00873		—	$F: \mathrm{Ob}(\mathcal{X}) \rightarrow \mathrm{Ob}(\mathcal{Y})$	$F : \mathrm{Ob}(\mathcal{X}) \rightarrow \mathrm{Ob}(\mathcal{Y})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00874		—	$x_{\{1\}}, x_{\{2\}} \in \mathrm{Ob}(\mathcal{X})$	$x_1, x_2 \in \mathrm{Ob}(\mathcal{X})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00875		—	$\mathcal{X} \left(x_1, x_2 \right) \leq y \left(F \left(x_1 \right), F \left(x_2 \right) \right)$	$\mathcal{X} \left(x_1, x_2 \right) \leq y \left(F \left(x_1 \right), F \left(x_2 \right) \right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00876		—	$X \left(x_1, x_2 \right) =$	$X \left(x_1, x_2 \right) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00877		—	$x_1 \leq x_2$	$x_1 \leq x_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00878		—	$\left(X, \leq_X \right) \rightarrow \left(Y, \leq_Y \right)$	$\left(X, \leq_X \right) \rightarrow \left(Y, \leq_Y \right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00879		—	$x_1, x_2 \in X$	$x_1, x_2 \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00880		—	$x_1 \leq_X x_2$	$x_1 \leq_X x_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00881		—	$F \left(x_1 \right) \leq_Y F \left(x_2 \right)$	$F \left(x_1 \right) \leq_Y F \left(x_2 \right)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00882		—	$\mathcal{V} =$	$\mathcal{V} =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00883		—	$\left(X, d_X\right)$	(X, d_X)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00884		—	$\left(Y, d_Y\right)$	(Y, d_Y)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00885		—	$d_X\left(x_1, x_2\right) \geq d_Y\left(F\left(x_1\right), F\left(x_2\right)\right)$	$d_X\left(x_1, x_2\right) \geq d_Y\left(F\left(x_1\right), F\left(x_2\right)\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00886		—	$\mathcal{X}^{\mathrm{op}}$	$\mathcal{X}^{\mathrm{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00887		—	$\operatorname{Ob}\left(\mathcal{X}^{\text {op }}\right):=\operatorname{Ob}(\mathcal{X})$	$\operatorname{Ob}\left(\mathcal{X}^{\mathrm{op}}\right):=\operatorname{Ob}(\mathcal{X})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00888		—	$x, y \in \mathcal{X}$	$x, y \in \mathcal{X}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00889		—	$\mathrm{X}^{\mathrm{op}}(x, y) := \mathrm{X}(y, x)$	$\mathcal{X}^{\mathrm{op}}(x, y) := \mathcal{X}(y, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00890		—	$\mathrm{t}: \mathfrak{X} \rightarrow X^{\mathrm{op}}$	$\mathbf{t}: \mathfrak{X} \rightarrow X^{\mathrm{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00891		—	$I \leq X(x, y)$	$I \leq X(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00892		—	$I \leq X(y, x)$	$I \leq X(y, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00893		—	$\mathcal{Y}$	$\mathcal{Y}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00894		—	$\mathcal{X} \times \mathcal{Y}$	$\mathcal{X} \times \mathcal{Y}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00895		—	$\mathrm{Ob}(\mathcal{X} \times \mathcal{Y}) := \mathrm{Ob}(\mathcal{X}) \times \mathrm{Ob}(\mathcal{Y})$	$\mathrm{Ob}(\mathcal{X} \times \mathcal{Y}) := \mathrm{Ob}(\mathcal{X}) \times \mathrm{Ob}(\mathcal{Y})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00896		—	$(\mathcal{X} \times \mathcal{Y}) \left((x, y), \left(x^{\prime}, y^{\prime} \right) \right) := \mathcal{X} \left(x, x^{\prime} \right) \otimes y \left(y, y^{\prime} \right)$	$(\mathcal{X} \times \mathcal{Y}) \left((x, y), (x', y') \right) := \mathcal{X} (x, x') \otimes y (y, y')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00897		—	$\left(x^{\prime}, y^{\prime} \right)$	(x', y')
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00898		—	$\operatorname{Ob}(\mathcal{X} \times y)$	$\operatorname{Ob}(\mathcal{X} \times y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00899		—	$(x, y) \in \operatorname{Ob}(x \times y)$	$(x, y) \in \operatorname{Ob}(x \times y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00900		—	$I \leq (x \times y) \left((x, y), (x, y) \right)$	$I \leq (x \times y) \left((x, y), (x, y) \right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00901		—	$\left(x_{1}, y_{1} \right), \left(x_{2}, y_{2} \right)$	$(x_1, y_1), (x_2, y_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00902		—	$\left(x_{3}, y_{3} \right)$	(x_3, y_3)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00903		—	$\left(P, \leq_P\right) \times \left(Q, \leq_Q\right)$	$(P, \leq_P) \times (Q, \leq_Q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00904		—	$\left(p_{\{1\}}, q_{\{1\}}\right) \leq \left(p_{\{2\}}, q_{\{2\}}\right)$	$(p_1, q_1) \leq (p_2, q_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00905		—	$q_{\{1\}} \leq q_{\{2\}}$	$q_1 \leq q_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00906		—	$x \times y$	$x \times y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00907		—	$d_{\{X \times Y\}}\left((x, y), \left(x^{\{\prime\}}, y^{\{\prime\}}\right)\right)$	$d_{X \times Y}\left((x, y), (x', y')\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00908		—	$d_{\{X\}}\left(x, x^{\{\prime\}}\right)+d_{\{Y\}}\left(y, y^{\{\prime\}}\right)$	$d_X\left(x, x'\right)+d_Y\left(y, y'\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00909		—	$\mathbb{R} \times \mathbb{R}$	$\mathbb{R} \times \mathbb{R}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00910		—	$(5,6)$	$(5,6)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00911		—	$(-1,4)$	$(-1,4)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00912		—	$\sqrt{40}$	$\sqrt{40}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00913		—	A, p	A, p
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00914		—	(B, p)	(B, p)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00915		—	(C, p)	(C, p)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00916		—	(A, q)	(A, q)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00917		—	(B, q)	(B, q)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00918		—	(C, q)	(C, q)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00919		—	(A, p)	(A, p)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00920		—	$\mathfrak{y}$	$\mathfrak{y}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00921		—	$v, w \in V$	$v, w \in V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00922		—	$a, v, w \in V$	$a, v, w \in V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00923		—	$v \in V$	$v \in V$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00924		—	$(-\otimes v): V \rightarrowtail V$	$(-\otimes v): V \rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00925		—	$(v\text{-}\circ-): V \rightarrowtail V$	$(v - \circ -): V \rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00926		—	$(-\otimes v)$	$(-\otimes v)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00927		—	$((v\text{-}o\ w)\otimes v)\leq w$	$((v - ow)\otimes v)\leq w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00928		—	$(v\text{-}o\text{-})$	$(v - o\text{-})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00929		—	$x, y \in [0, \infty]$	$x, y \in [0, \infty]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00930		—	$x \multimap y := \max(\emptyset, y - x)$	$x \multimap y := \max(0, y - x)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00931		—	$a, x, y \in [0, \infty]$	$a, x, y \in [0, \infty]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00932		—	$\leq p \multimap q$	$\leq p \multimap q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00933		—	$\rightarrow$	$\rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00934		—	$a =$	$a =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00935		—	$p =$	$p =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00936		—	$q =$	$q =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00937		—	$(a \vee p) \not\leq q$	$(a \vee p) \not\leq q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00938		—	$a \leq (p \multimap q)$	$a \leq (p \multimap q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00939		—	c, d	c, d
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00940		—	$c \rightarrow d$	$c \rightarrow d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00941		—	$2 \mathrm{H}_{\{2\}} \mathrm{H}_{\{0\}} + 2 \mathrm{Na} \rightarrow 2 \mathrm{NaOH} + \mathrm{H}_{\{2\}}$	$2\mathrm{H}_2\mathrm{O} + 2\mathrm{Na} \rightarrow 2\mathrm{NaOH} + \mathrm{H}_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00942		—	$2 \mathrm{Na} \rightarrow \left(2 \mathrm{NaOH} + \mathrm{H}_{\{2\}} \right)$	$2\mathrm{Na} \rightarrow (2\mathrm{NaOH} + \mathrm{H}_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00943		—	$\mathcal{V} = (V, \leq, I, \otimes, -\infty)$	$\mathcal{V} = (V, \leq, I, \otimes, -\infty)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00944		—	$-\otimes v : (V, \leq) \rightarrow (V, \leq)$	$-\otimes v : (V, \leq) \rightarrow (V, \leq)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00945		—	$v \rightarrowtail (V, \leq) \rightarrowtail (V, \leq)$	$v \rightarrow - : (V, \leq) \rightarrow (V, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00946		—	$A \subseteq V$	$A \subseteq V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00947		—	$\bigvee_{a \in A} a$	$\bigvee_{a \in A} a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00948		—	$\bigvee_{a \in A} v \otimes a$	$\bigvee_{a \in A} v \otimes a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00949		—	$v \otimes (v \multimap w) \leq w$	$v \otimes (v \multimap w) \leq w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00950		—	$v \cong (I \multimap v)$	$v \cong (I \multimap v)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00951		—	$u, v, w \in V$	$u, v, w \in V$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00952		—	$(u \multimap v) \multimap (v \multimap w) \leq (u \multimap w)$	$(u \multimap v) \otimes (v \multimap w) \leq (u \multimap w)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00953		—	$(v \multimap \circ -)$	$(v \multimap \circ -)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00954		—	$(v \multimap w) \leq (v \multimap w)$	$(v \multimap w) \leq (v \multimap w)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00955		—	$(v \multimap w) \multimap v \leq w$	$(v \multimap w) \otimes v \leq w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00956		—	$v \multimap (v \multimap w) = (v \multimap w) \multimap v$	$v \otimes (v \multimap w) = (v \multimap w) \otimes v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00957		—	$v \multimap I = v \leq v$	$v \otimes I = v \leq v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00958		—	$v \leq (I \multimap v)$	$v \leq (I \multimap v)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00959		—	$(I \multimap v) = I \otimes (I \multimap v) \leq v$	$(I \multimap v) = I \otimes (I \multimap v) \leq v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00960		—	$u \otimes (u \multimap v) \otimes (v \multimap w) \leq w$	$u \otimes (u \multimap v) \otimes (v \multimap w) \leq w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00961		—	$v, w \in \mathrm{Ob}(\mathcal{V})$	$v, w \in \mathbf{Ob}(\mathcal{V})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00962		—	$\mathcal{V}(v, w) := (v \multimap w) \in \mathcal{V}$	$\mathcal{V}(v, w) := (v \multimap w) \in \mathcal{V}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00963		—	$I \leq \mathcal{X}(x, x) = (x \multimap x)$	$I \leq \mathcal{X}(x, x) = (x \multimap x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00964		—	$I \otimes x \leq x$	$I \otimes x \leq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00965		—	$\mathcal{V} = (V, \leq, I, \otimes, \multimap)$	$\mathcal{V} = (V, \leq, I, \otimes, \multimap)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00966		—	$\bigvee A$	$\bigvee A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00967		—	$\emptyset := \vee \varnothing$	$0 := \bigvee \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00968		—	$A \subseteq [0, \infty]$	$A \subseteq [0, \infty]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00969		—	$\vee A$	$\bigvee A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00970		—	$a \geq \bigvee A$	$a \geq \bigvee A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00971		—	$b \in [0, \infty]$	$b \in [0, \infty]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00972		—	$a \geq b$	$a \geq b$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00973		—	$\bigvee A \geq b$	$\bigvee A \geq b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00974		—	$A.^{\{ \}^5}$	$A.^5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00975		—	$A=\{2,3\}$	$A = \{2,3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00976		—	$\bigvee A=2$	$\bigvee A = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00977		—	$B=\{2.5,2.05,2.005, \ldots\}$	$B = \{2.5, 2.05, 2.005, \dots\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00978		—	$A=\varnothing$	$A = \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00979		—	$\bigvee \varnothing \geq b$	$\bigvee \emptyset \geq b$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00980		—	<code>\bigvee \varnothing=\infty</code>	$\bigvee \emptyset = \infty$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00981		—	<code>\vee \varnothing</code>	$\vee \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00982		—	<code>\mathcal{V}=\mathbf{B\ o\ l}=(\mathbb{B}, \leq</code>	$\mathcal{V} = \mathbf{Bool} = (\mathbb{B}, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00983		—	<code>\mathcal{V}=\boldsymbol{\operatorname{C\ o\ s\ t}}=[0, \infty], \geq, 0,+)</code>	$\mathcal{V} = \mathbf{Cost} = ([0, \infty], \geq, 0, +)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00984		—	<code>x \vee y</code>	$x \vee y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00985		—	<code>\mathcal{V}=\mathbf{B\ 0\ 0\ l}</code>	$\mathcal{V} = \mathbf{BOOL}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00986		—	<code>x, y \in \mathbb{B}</code>	$x, y \in \mathbb{B}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00987		—	$\mathbf{B} = (\mathbb{B}, \leq)$	Bool = $(\mathbb{B}, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00988		—	$\mathcal{P}(S), \subseteq, \cap$	$\mathcal{P}(S), \subseteq, \cap$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00989		—	$\mathcal{P} = (P, \leq)$	$\mathcal{P} = (P, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00990		—	$A \subseteq \mathcal{P}$	$A \subseteq \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00991		—	$M_A := \{p \in P \mid p \leq a\}$	$M_A := \{p \in P \mid p \leq a\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00992		—	$a \in A$	$a \in A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F00993		—	$m_A := \bigvee_{p \in M_A} p$	$m_A := \bigvee_{p \in M_A} p$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00994		—	$m_{\{A\}}$	m_A
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00995		—	$m_{\{A\}} \leq a$	$m_A \leq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00996		—	$p \in M_{\{A\}}$	$p \in M_A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00997		—	$m^{\{\backslash prime\}} \in P$	$m' \in P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00998		—	$m^{\{\backslash prime\}} \leq a$	$m' \leq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F00999		—	$m^{\{\backslash prime\}} \leq m$	$m' \leq m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01000		—	$m^{\{\backslash prime\}}$	m'
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01001		—	$M_{\{A\}}$	M_A
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01002		—	$\{3.1, 3.01, 3.001, \ldots\}$	$\{3.1, 3.01, 3.001, \dots\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01003		—	$V \subseteq X$	$V \subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01004		—	$u \in U$	$u \in U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01005		—	$\forall u \in U. \exists v \in V. u \leq v$	$\forall u \in U. \exists v \in V. u \leq v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01006		—	$\mathcal{V} = \mathrm{P}(M)$	$\mathcal{V} = \mathrm{P}(M)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01007		—	$d(U, V) \in \mathrm{P}(M)$	$d(U, V) \in \mathrm{P}(M)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01008		—	$-\backslash\otimes\mathrm{v}:V\rightarrowtail V$	$-\otimes v:V\rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01009		—	$\mathrm{v}\backslash\multimap-$	$v\multimap -$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01010		—	$\mathrm{v}\backslash\multimap w$	$v\multimap w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01011		—	$\backslash\sum$	Σ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01012		—	$\backslash\mathrm{mathcal}\{V\}=(V,\backslash\leq,\backslash\otimes,I)$	$\mathcal{V}=(V,\leq,\otimes,I)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01013		—	$\mathrm{M}:X\backslash\times Y\rightarrowtail V$	$M:X\times Y\rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01014		—	$\mathrm{M}(\mathrm{x},\mathrm{y})$	$M(x,y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01015		—	$N: Y \times Z \rightarrow V$	$N: Y \times Z \rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01016		—	$(M * N): X \times Z \rightarrow V$	$(M * N): X \times Z \rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01017		—	$\mathcal{V}=\mathbf{Bool}$	$\mathcal{V} = \mathbf{Bool}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01018		—	$M * N$	$M * N$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01019		—	$X=\{1,2,3\}, Y=\{1,2\}$	$X = \{1,2,3\}, Y = \{1,2\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01020		—	$Z=\{1,2,3\}$	$Z = \{1,2,3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01021		—	$M: X \times Y \rightarrow \mathbb{B}$	$M: X \times Y \rightarrow \mathbb{B}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01022		—	$N: Y \times Z \rightarrow \mathbb{B}$	$N: Y \times Z \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01023		—	$I_{\{X\}}: X \times X \rightarrow V$	$I_X: X \times X \rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01024		—	2×2	2×2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01025		—	$([0, \infty], \geq, 0, +)$	$([0, \infty], \geq, 0, +)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01026		—	$I_{\{X\}} * M=M$	$I_X * M = M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01027		—	$M: W \times X \rightarrow V, N: X \times Y \rightarrow V$	$M: W \times X \rightarrow V, N: X \times Y \rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01028		—	$P: Y \times Z \rightarrow V$	$P: Y \times Z \rightarrow V$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01029		—	$(M * N) * P = M * (N * P)$	$(M * N) * P = M * (N * P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01030		—	M_Y^2	M_Y^2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01031		—	M_Y^3	M_Y^3
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01032		—	$M_Y^2 = M_Y^3$	$M_Y^2 = M_Y^3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01033		—	M_Y^n	M_Y^n
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01034		—	M_X^2, M_X^3	M_X^2, M_X^3
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01035		—	M_X^4	M_X^4
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01036		—	<code>\\$ 2.5</code>	<i>(not rendered)</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01037		—	<code>8 \%</code>	8%
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01038		—	<code>\mathcal{C} \rightarrow</code>	$\mathcal{C} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01039		—	<code>\mathcal{C} \rightarrow \mathcal{D}</code>	$\mathcal{C} \rightarrow \mathcal{D}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01040		—	<code>{ } ^{2} \mathrm{Ob}(\mathcal{C})</code>	${}^2\mathrm{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01041		—	<code>\mathcal{C}(c, d),{ } ^{3}</code>	$\mathcal{C}(c, d), {}^3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01042		—	<code>c \in \mathrm{Ob}(\mathcal{C})</code>	$c \in \mathrm{Ob}(\mathcal{C})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01043		—	$\mathrm{id}_{\{c\}} \in \mathcal{C}(c, c)$	$\mathrm{id}_c \in \mathcal{C}(c, c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01044		—	$f \in \mathcal{C}(c, d)$	$f \in \mathcal{C}(c, d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01045		—	$g \in \mathcal{C}(d, e)$	$g \in \mathcal{C}(d, e)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01046		—	$f ; g \in \mathcal{C}(c, e)$	$f; g \in \mathcal{C}(c, e)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01047		—	$f: c \rightarrow d$	$f: c \rightarrow d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01048		—	$\operatorname{id}_{\{c\}} ; f=f$	$\mathrm{id}_c; f = f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01049		—	$f ; \operatorname{id}_{\{d\}}=f$	$f; \mathrm{id}_d = f$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01050		—	$f: c_{\{0\}} \rightarrow c_{\{1\}}, g: c_{\{1\}} \rightarrow c_{\{2\}}$	$f: c_0 \rightarrow c_1, g: c_1 \rightarrow c_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01051		—	$h: c_{\{2\}} \rightarrow c_{\{3\}}$	$h: c_2 \rightarrow c_3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01052		—	$(f \ ; \ g) \ ; \ h=f \ ; (g \ ; \ h)$	$(f;g);h = f;(g;h)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01053		—	$f \ ; \ g \ ; \ h$	$f;g;h$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01054		—	$\mathcal{C}(c, d)$	$\mathcal{C}(c, d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01055		—	$\operatorname{Hom}_{\mathcal{C}}(c, d)$	$\operatorname{Hom}_{\mathcal{C}}(c, d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01056		—	$p: v \rightarrow w$	$p: v \rightarrow w$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01057		—	$\mathrm{id}_{\{v\}}$	id_v
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01058		—	$q: w \rightarrow x$	$q : w \rightarrow x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01059		—	$p \ ; \ q$	$p; q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01060		—	$v \rightarrow x$	$v \rightarrow x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01061		—	$(V, \leq)$	$(V, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01062		—	$\operatorname{Free}(G)$	$\operatorname{Free}(G)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01063		—	$v_{\{1\}}$	v_1
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01064		—	$v_{\{2\}}$	v_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01065		—	$\mathrm{id}_{v_{\{1\}}}: v_{\{1\}} \rightarrow v_{\{1\}}, f_{\{1\}}: v_{\{1\}} \rightarrow v_{\{2\}}$	$\mathrm{id}_{v_1}: v_1 \rightarrow v_1, f_1: v_1 \rightarrow v_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01066		—	$\mathrm{id}_{v_{\{2\}}}: v_{\{2\}} \rightarrow v_{\{2\}}$	$\mathrm{id}_{v_2}: v_2 \rightarrow v_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01067		—	$\mathrm{id}_{v_{\{1\}}}$	id_{v_1}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01068		—	$v_{\{1\}}, f_{\{1\}}$	v_1, f_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01069		—	$f_{\{1\}}$	f_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01070		—	$\mathrm{id}_{v_{\{2\}}}$	id_{v_2}
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01071		—	$f_{\{1\}}=f_{\{1\}}$	$f_1 = f_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01072		—	$\mathrm{id}_{\{v_{\{2\}}\}\{ \}_{\{9\}}} \mathrm{id}_{\{v_{\{2\}}\}}=\mathrm{id}_{\{v_{\{2\}}\}}$	$\mathrm{id}_{v_2} \mathrm{id}_{v_2} = \mathrm{id}_{v_2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01073		—	$\mathbf{0}$	0
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01074		—	$\mathbf{n}$	n
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01075		—	$\{z, s, (s ; s), (s ; s ; s), \ldots\}$	$\{z, s, (s; s), (s; s; s), \dots\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01076		—	$\mathrm{id}_{\{z\}}$	id_z
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01077		—	$\mathbb{N}=\{0,1,2,3, \ldots\}$	$\mathbb{N} = \{0, 1, 2, 3, \dots\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01078		—	*: M \times M \rightarrow M	$* : M \times M \rightarrow M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01079		—	m * 1=m=1 * m	$m * 1 = m = 1 * m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01080		—	(m * n) * p=m *(n * p)	$(m * n) * p = m * (n * p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01081		—	M:=\mathcal{C}(\bullet, \bullet)	$M := \mathcal{C}(\bullet, \bullet)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01082		—	e=\mathrm{i} \ \mathrm{d}_{\bullet}	$e = \mathrm{id}_{\bullet}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01083		—	*: \mathcal{C}(\bullet, \bullet) \times \mathcal{C}(\bullet, \bullet) \rightarrow \mathcal{C}(\bullet, \bullet)	$* : \mathcal{C}(\bullet, \bullet) \times \mathcal{C}(\bullet, \bullet) \rightarrow \mathcal{C}(\bullet, \bullet)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01084		—	*=9	$* = 9$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01085		—	$m, n \in \mathbb{N}$	$m, n \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01086		—	$f \circ h$	$f \circ h$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01087		—	$g \circ i$	$g \circ i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01088		—	$g_{\{9\}} i$	$g_9 i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01089		—	$f ; h$	$f ; h$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01090		—	$\operatorname{id}_{\{A\}}$	id_A
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01091		—	$s ; S=Z$	$s ; s = z$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01092		—	$S \ ; \ S \ ; \ S=Z \ ; \ S=S$	$s; s; s = z; s = s$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01093		—	$\ ; \ S=Z$	$; s = z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01094		—	$=Z$	$= z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01095		—	$\{z, s\}$	$\{z, s\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01096		—	$Z=Z$	$z = z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01097		—	$Z \ ; \ S=S \ ; \ Z=S$	$z; s = s; z = s$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01098		—	$\mathbb{Z} / 2 \mathbb{Z}$	$\mathbb{Z}/2\mathbb{Z}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01099		—	$\mathcal{D}$	$\mathcal{D}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01100		—	$\operatorname{Ob}(\mathcal{P})=P$	$\operatorname{Ob}(\mathcal{P}) = P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01101		—	$p \rightarrow q$	$p \rightarrow q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01102		—	$p \not\leq q$	$p \not\leq q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01103		—	$(C, \leq)$	$(C, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01104		—	$C:=\operatorname{Ob}(\mathcal{C})$	$C := \operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01105		—	$c_{\{1\}} \leq c_{\{2\}}$	$c_1 \leq c_2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01106		—	$\mathcal{C}\left(c_{\{1\}}, c_{\{2\}}\right) \neq \varnothing$	$\mathcal{C}(c_1, c_2) \neq \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01107		—	$c_{\{1\}} \rightarrow c_{\{2\}}$	$c_1 \rightarrow c_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01108		—	$\mathrm{Ob}(\$	$\mathrm{Ob}(\$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01109		—	$\boldsymbol{\operatorname{Set}}(S, T)=\{f: S \rightarrow T \mid f$	$\mathbf{Set}(S, T) = \{f : S \rightarrow T \mid f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01110		—	$\mathrm{id}_{\{S\}}: S \rightarrow S$	$\mathrm{id}_S : S \rightarrow S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01111		—	$\operatorname{id}_{\{S\}}(s) := s$	$\mathrm{id}_S(s) := s$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01112		—	$f: S \rightarrow T$	$f : S \rightarrow T$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01113		—	$g: T \rightarrow U$	$g: T \rightarrow U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01114		—	$f; g: S \rightarrow U$	$f; g: S \rightarrow U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01115		—	$(f; g)(s) := g(f(s))$	$(f; g)(s) := g(f(s))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01116		—	$\underline{2} = \{1, 2\}$	$\underline{2} = \{1, 2\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01117		—	$\underline{3} = \{1, 2, 3\}$	$\underline{3} = \{1, 2, 3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01118		—	$\boldsymbol{\operatorname{Set}}(\mathbf{2}, \mathbf{3})$	Set(2, 3)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01119		—	$\mathcal{C}^{\operatorname{op}}$	$\mathcal{C}^{\operatorname{op}}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01120		—	$\operatorname{Ob}\left(\operatorname{cal}{C}^{\text{op}}\right):=\operatorname{Ob}(\operatorname{cal}{C})$	$\operatorname{Ob}(\mathcal{C}^{\text{op}}) := \operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01121		—	$\operatorname{cal}{C}^{\operatorname{op}}(c,d):=\operatorname{cal}{C}(d,c)$	$\mathcal{C}^{\text{op}}(c,d) := \mathcal{C}(d,c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01122		—	$\{\mathbf{m}, \square\}$	$\{\mathbf{m}, \square\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01123		—	$\{0,1\}$	$\{0,1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01124		—	$a \cong b$	$a \cong b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01125		—	$c \leq a$	$c \leq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01126		—	$c \leq b$	$c \leq b$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01127		—	$c \geq a$	$c \geq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01128		—	$c \geq b$	$c \geq b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01129		—	$g: B \rightarrow A$	$g: B \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01130		—	$f ; g=\operatorname{id}_{\{A\}}$	$f;g = \operatorname{id}_A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01131		—	$g ; f=\operatorname{id}_{\{B\}}$	$g;f = \operatorname{id}_B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01132		—	$g=f^{-1}$	$g = f^{-1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01133		—	$f=g^{-1}$	$f = g^{-1}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01134		—	$A:=\{a, b, c\}$	$A := \{a, b, c\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01135		—	$f: A \rightarrow \underline{3}$	$f : A \rightarrow \underline{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01136		—	$f(a)=2, f(b)=1, f(c)=3$	$f(a) = 2, f(b) = 1, f(c) = 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01137		—	$A \in$	$A \in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01138		—	$A \cong \underline{n}$	$A \cong \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01139		—	$f^{-1}: \underline{3} \rightarrow A$	$f^{-1} : \underline{3} \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01140		—	$A \rightarrow \underline{3}$	$A \rightarrow \underline{3}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01141		—	$\mathrm{id}_{\{c\}}$	id_c
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01142		—	$\boldsymbol{\operatorname{Free}}(G)$	$\mathbf{Free}(G)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01143		—	$f: \underline{2} \rightarrow \underline{3}$	$f: \underline{2} \rightarrow \underline{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01144		—	$g: \underline{3} \rightarrow \underline{2}$	$g: \underline{3} \rightarrow \underline{2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01145		—	$f ; g=\operatorname{id}_{\underline{2}}$	$f;g = \mathrm{id}_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01146		—	$g{ }_{\{9\}} f \neq \operatorname{id}_{\underline{3}}$	$g_9f \neq \mathrm{id}_3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01147		—	$F: \mathcal{C} \rightarrow \mathcal{D}$	$F: \mathcal{C} \rightarrow \mathcal{D}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01148		—	$F(c) \in \mathrm{Ob}(\mathcal{D})$	$F(c) \in \mathrm{Ob}(\mathcal{D})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01149		—	$f: c_{\{1\}} \rightarrow c_{\{2\}}$	$f: c_1 \rightarrow c_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01150		—	$\mathcal{C}_{\{\text{, one }\}}$	$\mathcal{C}, \text{ one}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01151		—	$F(f): F(\mathrm{left}(c_{\{1\}}\mathrm{right})) \rightarrow$	$F(f): F(c_1) \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01152		—	$F(\mathrm{left}(c_{\{2\}}\mathrm{right}))$	$F(c_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01153		—	$F(\mathrm{left}(\mathrm{id}_{\{c\}}\mathrm{right})=\mathrm{id}_{\{F(c)\}})$	$F(\mathrm{id}_c) = \mathrm{id}_{F(c)}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01154		—	$c_{\{1\}}, c_{\{2\}}, c_{\{3\}} \in \operatorname{Ob}(\mathcal{C})$	$c_1, c_2, c_3 \in \mathrm{Ob}(\mathcal{C})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01155		—	$f \in \mathcal{C}(c_1, c_2), g \in$	$f \in \mathcal{C}(c_1, c_2), g \in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01156		—	$\mathcal{C}(c_2, c_3)$	$\mathcal{C}(c_2, c_3)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01157		—	$F(f; g) = F(f); F(g)$	$F(f; g) = F(f); F(g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01158		—	$F: 2 \rightarrow 3$	$F: 2 \rightarrow 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01159		—	$n_{\{0\}}$	n_0
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01160		—	$F(m_{\{0\}}) = n_{\{0\}}$	$F(m_0) = n_0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01161		—	$F(f_{\{1\}}) = g_{\{1\}}$	$F(f_1) = g_1$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01162		—	$F\left(m_{1}\right)=n_{1}$	$F\left(m_{1}\right)=n_{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01163		—	$F\left(m_{0}\right)=n_{0}, F\left(m_{1}\right)=n_{2}$	$F\left(m_{0}\right)=n_{0}, F\left(m_{1}\right)=n_{2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01164		—	$F\left(f_{1}\right)=g_{1} ; g_{2}$	$F\left(f_{1}\right)=g_{1} ; g_{2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01165		—	$2 \rightarrow 3$	$2 \rightarrow 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01166		—	$\mathcal{F}$	$\mathcal{F}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01167		—	$F: \mathcal{F} \rightarrow \mathcal{C}$	$F: \mathcal{F} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01168		—	$A, B^{\prime}$	$A, B^{\prime}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01169		—	$B, C^{\{\prime\}}$	B, C'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01170		—	$D^{\{\prime\}}$	D'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01171		—	$\mathcal{C}=\bullet \rightarrow \bullet$	$\mathcal{C} = \bullet \rightarrow \bullet$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01172		—	$\mathcal{D}=\bullet \rightarrowtail \bullet$	$\mathcal{D} = \bullet \rightrightarrows \bullet$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01173		—	$F, G: \mathcal{C} \rightarrowtail \mathcal{D}$	$F, G: \mathcal{C} \rightarrow \mathcal{D}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01174		—	$A^{\{\prime\}}, B$	A', B
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01175		—	$B^{\{\prime\}}, C$	B', C
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01176		—	$C^{\{\prime\}}$	C'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01177		—	$f^{\circ} ; h = g^{\circ} i$	$f^{\circ}; h = g^{\circ} i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01178		—	$F(f ; h) = F(g ; i)$	$F(f; h) = F(g; i)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01179		—	$f^{\{\prime\}} ; h^{\{\prime\}} = g^{\{\prime\}} ; i^{\{\prime\}}$	$f'; h' = g'; i'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01180		—	$\mathcal{N}$	$\mathcal{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01181		—	$\operatorname{Ob}(\mathcal{N}) = \mathbb{N}$	$\operatorname{Ob}(\mathcal{N}) = \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01182		—	$m \rightarrowtail n$	$m \rightarrowtail n$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01183		—	$F: \mathcal{N} \rightarrow \mathcal{N}$	$F: \mathcal{N} \rightarrow \mathcal{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01184		—	$F(n) \in \mathbb{N}$	$F(n) \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01185		—	$F(m) \rightarrow F(n)$	$F(m) \rightarrow F(n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01186		—	$F(m) \leq F(n)$	$F(m) \leq F(n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01187		—	$\mathbb{N} \rightarrow \mathbb{N}$	$\mathbb{N} \rightarrow \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01188		—	$\mathrm{id}_{\mathcal{C}}: \mathcal{C} \rightarrow \mathcal{C}$	$\mathrm{id}_{\mathcal{C}}: \mathcal{C} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01189		—	$\mathrm{Ob}(\mathcal{C})$	$\mathrm{Ob}(\mathcal{C})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01190		—	$\operatorname{Ob}(\mathcal{D})$	$\operatorname{Ob}(\mathcal{D})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01191		—	$c_{\{1\}}, c_{\{2\}} \in \mathcal{C}$	$c_1, c_2 \in \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01192		—	$\mathcal{C}(\left(c_{\{1\}}, c_{\{2\}}\right))$	$\mathcal{C}(c_1, c_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01193		—	$\mathcal{D}(\left(F(\left(c_{\{1\}}\right)), F(\left(c_{\{2\}}\right))\right))$	$\mathcal{D}(F(c_1), F(c_2))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01194		—	$G: \mathcal{D} \rightarrow \mathcal{E}$	$G: \mathcal{D} \rightarrow \mathcal{E}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01195		—	$G): \mathcal{C} \rightarrow \mathcal{E}$	$G): \mathcal{C} \rightarrow \mathcal{E}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01196		—	$F: \mathcal{C} \rightarrow$	$F: \mathcal{C} \rightarrow$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01197		—	I: \mathcal{C} \rightarrow	$I : \mathcal{C} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01198		—	c=\stackrel{\text { string }}{\circ}	$c = \overset{\text{string}}{\circ}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01199		—	^{5}	5
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01200		—	\mathrm{id}_{1}	id_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01201		—	F: \mathbf{1} \rightarrow	$F : \mathbf{1} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01202		—	F(1)	$F(1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01203		—	F_{S}: \mathbf{1} \rightarrow	$F_S : \mathbf{1} \rightarrow$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01204		—	$F_{\{S\}}(1)=S$	$F_S(1) = S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01205		—	$r \in I(c)$	$r \in I(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01206		—	$Z:=F(z)$	$Z := F(z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01207		—	$S:=F(s): Z \rightarrowtail Z$	$S := F(s) : Z \rightarrow Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01208		—	$S \ ; \ S=S$	$S; S = S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01209		—	$Z=\mathbb{N}$	$Z = \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01210		—	$13+(2 * 4)$	$13 + (2 * 4)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01211		—	$Z=\mathbb{N}_{\geq 2}$	$Z = \mathbb{N}_{\geq 2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01212		—	$\mathbb{N}_{\geq 2}$	$\mathbb{N}_{\geq 2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01213		—	$\alpha: F \rightarrowtail G$	$\alpha : F \Rightarrow G$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01214		—	$\alpha_{\mathsf{c}}: F(\mathsf{c}) \rightarrowtail G(\mathsf{c})$	$\alpha_c : F(c) \rightarrow G(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01215		—	α	α
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01216		—	$\alpha: F \rightarrowtail G$	$\alpha : F \rightarrow G$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01217		—	α_{c}	α_c
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01218		—	$D: \mathcal{J} \rightarrow \mathcal{C}$	$D: \mathcal{J} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01219		—	$\mathcal{J}$	$\mathcal{J}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01220		—	$D(f)=D(\text{f}^{\prime})$	$D(f) = D(f')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01221		—	$f, \text{f}^{\prime}: a \rightarrow b$	$f, f': a \rightarrow b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01222		—	$\mathcal{J}^7$	$\mathcal{J}^7$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01223		—	$F(c) \rightarrowtail G(d)$	$F(c) \rightrightarrows G(d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01224		—	$F(f) \stackrel{\circ}{\circlearrowleft} \alpha_d = \alpha_c \stackrel{\circ}{\circlearrowleft} G(f)$	$F(f) \stackrel{\circ}{\circlearrowleft} \alpha_d = \alpha_c \stackrel{\circ}{\circlearrowleft} G(f)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01225		—	$\backslash\alpha_{1}$: $v \rightarrow x$	$\alpha_1 : v \rightarrow x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01226		—	$\backslash\alpha_{2}$: $w \rightarrow y$	$\alpha_2 : w \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01227		—	$\backslash\alpha_{1}$ = c	$\alpha_1 = c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01228		—	$\backslash\alpha_{2}$ = g	$\alpha_2 = g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01229		—	$\backslash\mathrm{cal}\{C\} \rightarrowtail[G]{F} \stackrel{\mathrm{rel}}{\underset{G}{\lefttriarrows}} D$	$C \xrightarrow[G]{F} D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01230		—	$A, B: \mathbf{1} \rightarrow$	$A, B : \mathbf{1} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01231		—	$\backslash\mathrm{cal}\{D\}^{\backslash\mathrm{cal}\{C\}}$	$\mathcal{D}^c$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01232		—	$\mathcal{D}^{\mathcal{P}}(F, G)$	$\mathcal{D}^{\mathcal{P}}(F, G)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01233		—	$\mathcal{D}^{\mathrm{e}}$	$\mathcal{D}^{\mathrm{e}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01234		—	$F \in \mathcal{D}^{\mathcal{C}}$	$F \in \mathcal{D}^{\mathcal{C}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01235		—	$\mathbf{S\ e\ t}^{\mathbf{1}}$	Set¹
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01236		—	$\left(F_{\{0\}}, F_{\{1\}}, F_{\{2\}}, \ldots\right)$	$(F_0, F_1, F_2, \dots)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01237		—	$F_{\{0\}} \leq F_{\{1\}} \leq F_{\{2\}} \leq \cdots$	$F_0 \leq F_1 \leq F_2 \leq \cdots$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01238		—	$\alpha_{\{n\}}: F_{\{n\}} \rightarrow G_{\{n\}}$	$\alpha_n: F_n \rightarrow G_n$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01239		—	$F_{\{n\}} \leq G_{\{n\}}$	$F_n \leq G_n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01240		—	$F \rightarrowtail G$	$F \Rightarrow G$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01241		—	$\mathcal{N}^{\mathcal{N}}$	$\mathcal{N}^{\mathcal{N}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01242		—	$F, G: \mathcal{C} \rightarrowtail \mathcal{P}$	$F, G: \mathcal{C} \rightarrow \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01243		—	$F \rightarrowtail G$	$F \rightarrow G$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01244		—	$F, G: \mathcal{P} \rightarrowtail \mathcal{C}$	$F, G: \mathcal{P} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01245		—	$F ; G \cong \operatorname{id}_{\text{Pro}}$	$F; G \cong \operatorname{id}_{\text{Pro}}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01246		—	$G ; F \operatorname{\cong} \operatorname{\operatorname{Bool-Cat}}$	$G; F \cong \operatorname{id}_{\operatorname{Bool-Cat}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01247		—	$I, J: \operatorname{\mathcal{C}} \rightarrow$	$I, J: \mathcal{C} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01248		—	$\alpha: I \rightarrow$	$\alpha: I \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01249		—	$:=$	$:=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01250		—	$^{\operatorname{\mathcal{C}}}$	$\mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01251		—	$I($	$I($
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01252		—	$)=\{a, b, c, d, e\}$	$) = \{a, b, c, d, e\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01253		—	$)=\{1,2,3,4\}$	$) = \{1, 2, 3, 4\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01254		—	$G, H: \mathbf{Gr} \rightarrow$	$G, H : \mathbf{Gr} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01255		—	$G, H \in \mathbf{Gr}$	$G, H \in \mathbf{Gr}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01256		—	$G \rightarrow H$	$G \rightarrow H$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01257		—	$\alpha: G \rightarrow H$	$\alpha : G \rightarrow H$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01258		—	α_{Vertex}	α_{Vertex}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01259		—	α_{Arrow}	α_{Arrow}
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01260		—	$G :=$	$G :=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01261		—	$H :=$	$H :=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01262		—	G, H	G, H
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01263		—	$\alpha_{\text{Arrow}}(a)=d$	$\alpha_{\text{Arrow}}(a)=d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01264		—	$F: \mathbf{Gr} \rightarrow \mathbf{DDS}$	$F: \mathbf{Gr} \rightarrow \mathbf{DDS}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01265		—	$F_{9}^{\circ}I: \mathbf{Gr} \rightarrow$	$F_{9}^{\circ}I: \mathbf{Gr} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01266		—	$F_{9}^{\circ}I$	$F_{9}^{\circ}I$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01267		—	I: \mathcal{D} \rightarrow	$I : \mathcal{D} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01268		—	F: I: \mathcal{C} \rightarrow	$F : I : \mathcal{C} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01269		—	\alpha: I \rightarrow J	$\alpha : I \Rightarrow J$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01270		—	\alpha_F: F_9^{\circ} I \rightarrow	$\alpha_F : F_9^{\circ} I \Rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01271		—	F_9^{\circ} J	$F_9^{\circ} J$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01272		—	\left(F_9^{\circ} I\right)(c) \rightarrow\left(F_9^{\circ} J\right)(c)	$\left(F_9^{\circ} I\right)(c) \rightarrow\left(F_9^{\circ} J\right)(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01273		—	c \in \operatorname{Ob}(\mathcal{C})	$c \in \operatorname{Ob}(\mathcal{C})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01274		—	$\left(\alpha_{\mathrm{F}}\right)_{\mathrm{c}}:=\alpha_{\mathrm{F}\mathrm{~c}}$	$(\alpha_F)_c := \alpha_{Fc}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01275		—	$\Delta_{\mathrm{F}}\colon \mathcal{D}$	$\Delta_F : \mathcal{D}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01276		—	Δ	Δ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01277		—	$P(\mathfrak{a},\mathfrak{b})$	$P(a,b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01278		—	$Q(\mathfrak{f}(\mathfrak{p}),\mathfrak{q})\cong P(\mathfrak{p},\mathfrak{g}(\mathfrak{q}))$	$Q(f(p),q)\cong P(p,g(q))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01279		—	$L\colon \mathcal{C}\rightarrow \mathcal{D}$	$L : \mathcal{C} \rightarrow \mathcal{D}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01280		—	$R\colon \mathcal{D}\rightarrow \mathcal{C}$	$R : \mathcal{D} \rightarrow \mathcal{C}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01281		—	L	L
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01282		—	$d \in \mathcal{D}$	$d \in \mathcal{D}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01283		—	$d.^{\{8\}}$	$d.^8$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01284		—	$f: c \rightarrow R(d)$	$f: c \rightarrow R(d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01285		—	$g:=\alpha_{\{c, d\}}(f)$	$g := \alpha_{c,d}(f)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01286		—	$g: L(c) \rightarrow d$	$g: L(c) \rightarrow d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01287		—	$L \dashv R$	$L \dashv R$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01288		—	$B \in \mathrm{Ob}(\mathbf{Set})$	$B \in \mathrm{Ob}(\mathbf{Set})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01289		—	A, C	A, C
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01290		—	$B \rightarrowtail C$	$B \rightarrow C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01291		—	$C^{\{B\}}$	C^B
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01292		—	$10^{\{3\}}$	10^3
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01293		—	$ \left C^{\{B\}}\right = C ^{ B }$	$ C^B = C ^{ B }$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01294		—	$(A \times B) \rightarrowtail C$	$(A \times B) \rightarrow C$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01295		—	$A \rightarrow C^B$	$A \rightarrow C^B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01296		—	$b \multimap c$	$b \multimap c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01297		—	$- \times B$	$- \times B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01298		—	$(-)^B$	$(-)^B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01299		—	$X \times B$	$X \times B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01300		—	X^B	X^B
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01301		—	$\mathcal{C}^{\mathrm{op}} \times \mathcal{D} \rightarrow$	$\mathcal{C}^{\mathrm{op}} \times \mathcal{D} \rightarrow$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01302		—	f: c^{\prime} \rightarrow c	$f : c' \rightarrow c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01303		—	g: d \rightarrow d^{\prime}	$g : d \rightarrow d'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01304		—	-\times B: X \times B \rightarrow Y \times B	$- \times B : X \times B \rightarrow Y \times B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01305		—	(-)^{B}: X^{B} \rightarrow Y^{B}	$(-)^B : X^B \rightarrow Y^B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01306		—	+: \mathbb{N} \times \mathbb{N} \rightarrow \mathbb{N}	$+ : \mathbb{N} \times \mathbb{N} \rightarrow \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01307		—	(a, b) \mapsto a+b	$(a, b) \mapsto a + b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01308		—	p: \mathbb{N} \rightarrow \mathbb{N}^{\mathbb{N}}	$p : \mathbb{N} \rightarrow \mathbb{N}^{\mathbb{N}}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01309		—	p(3)	$p(3)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01310		—	Δ_F	Δ_F
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01311		—	Σ_F	Σ_F
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01312		—	Π_F	Π_F
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01313		—	$J: \mathbf{Gr} \rightarrow$	$J: \mathbf{Gr} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01314		—	$\Sigma_F(J)$	$\Sigma_F(J)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01315		—	$\Pi_F(J)$	$\Pi_F(J)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01316		—	(e, f)	(e, f)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01317		—	$\Pi_{\{F\}}(I)$	$\Pi_F(I)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01318		—	$\Delta_{\{F\}}, \Sigma_{\{F\}}$	Δ_F, Σ_F
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01319		—	$\mathbf{1}$	1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01320		—	$\mathcal{C} \rightarrow \mathbf{1}$	$\mathcal{C} \rightarrow \mathbf{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01321		—	$\mathcal{C} \rightarrow \mathbf{1}$	$\mathcal{C} \rightarrow \mathbf{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01322		—	$\Sigma_{!}$	$\Sigma_{!}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01323		—	$\Pi_{!}:\mathcal{C}$	$\Pi_{!}:$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01324		—	$\Sigma_{!}(I)$	$\Sigma_{!}(I)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01325		—	$\Pi_{!}(I)$	$\Pi_{!}(I)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01326		—	$I:\mathcal{C}\rightarrow$	$I:\mathcal{G}\rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01327		—	$\mathcal{C}$	$\mathcal{G}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01328		—	$!:\mathcal{C}\rightarrow\mathbf{1}$	$!:\mathcal{G}\rightarrow\mathbf{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01329		—	$\Pi_{!}$	$\Pi_{!}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01330		—	$\mathbf{1}, \Sigma$	$\mathbf{1}, \Sigma$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01331		—	$C \rightarrow Z$	$C \rightarrow Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01332		—	$\{\bullet\}$	$\{\bullet\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01333		—	$C \rightarrow \{\bullet\}$	$C \rightarrow \{\bullet\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01334		—	$c \in C$	$c \in C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01335		—	$\bullet \in \{\bullet\}$	$\bullet \in \{\bullet\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01336		—	$z \in P$	$z \in P$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01337		—	$c \in P$	$c \in P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01338		—	$c \leq z$	$c \leq z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01339		—	$Z^{\{\prime\}}$	Z'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01340		—	$a: Z \rightarrow Z^{\{\prime\}}$	$a: Z \rightarrow Z'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01341		—	$b: Z^{\{\prime\}} \rightarrow Z$	$b: Z' \rightarrow Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01342		—	$a; b: Z \rightarrow Z$	$a; b: Z \rightarrow Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01343		—	$Z \rightarrow Z$	$Z \rightarrow Z$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01344		—	$\mathrm{id}_{\{Z\}}$	id_Z
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01345		—	$a \ ; \ b=\mathrm{id}_{\{Z\}}$	$a; b = \mathrm{id}_Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01346		—	$b \ ; \ a=\mathrm{id}_{\{\mathrm{Z}^{\prime}\}}$	$b; a = \mathrm{id}_{Z'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01347		—	$X, \ Y$	X, Y
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01348		—	$p_{\{X\}}\colon X \times Y \rightarrowtail X$	$p_X : X \times Y \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01349		—	$p_{\{Y\}}\colon X \times Y \rightarrowtail Y$	$p_Y : X \times Y \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01350		—	$f\colon C \rightarrowtail X$	$f : C \rightarrow X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01351		—	$g: C \rightarrowtail Y$	$g: C \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01352		—	$C \rightarrowtail X \times Y$	$C \rightarrow X \times Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01353		—	$\langle f, g \rangle$	$\langle f, g \rangle$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01354		—	$p_X(x, y) := x$	$p_X(x, y) := x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01355		—	$p_Y(x, y) := y$	$p_Y(x, y) := y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01356		—	$\langle f, g \rangle(c) := (f(c), g(c))$	$\langle f, g \rangle(c) := (f(c), g(c))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01357		—	$\underline{6} \times \underline{4}$	$\underline{6} \times \underline{4}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01358		—	$\underline{\{6\}}$	$\underline{6}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01359		—	$\underline{\{4\}}$	$\underline{4}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01360		—	$x, y \in P$	$x, y \in P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01361		—	$x \wedge y$	$x \wedge y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01362		—	$\mathcal{C} \times \mathcal{D}$	$\mathcal{C} \times \mathcal{D}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01363		—	(c, d)	(c, d)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01364		—	$(c, d) \rightarrow (c^{\prime}, d^{\prime})$	$(c, d) \rightarrow (c', d')$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01365		—	(f, g)	(f, g)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01366		—	$f: c \rightarrow c^{\prime}$	$f: c \rightarrow c'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01367		—	$(f, g), \backslash \mathrm{left}(f^{\prime}, g^{\prime} \backslash \mathrm{right}) = \backslash \mathrm{left}(f ; f^{\prime}, g ; g^{\prime} \backslash \mathrm{right})$	$(f, g), (f', g') = (f; f', g; g')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01368		—	$\mathbf{1} \times \mathbf{2}$	$\mathbf{1} \times \mathbf{2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01369		—	$\mathcal{P} \times Q$	$\mathcal{P} \times Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01370		—	$X \stackrel{f}{\leftarrow} C \stackrel{g}{\rightarrow} Y$	$X \stackrel{f}{\leftarrow} C \stackrel{g}{\rightarrow} Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01371		—	(X, Y)	(X, Y)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__F01372		—	$X \stackrel{\text{p}_X}{\hookrightarrow} X \times Y \stackrel{\text{p}_Y}{\rightarrow} Y$	$X \stackrel{p_X}{\hookrightarrow} X \times Y \stackrel{p_Y}{\rightarrow} Y$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__F01373		—	$\boldsymbol{\operatorname{Cone}}(X, Y)$	Cone (X, Y)
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__F01374		—	$X \stackrel{f'}{\leftarrow} C' \stackrel{g'}{\rightarrow} Y$	$X \stackrel{f'}{\leftarrow} C' \stackrel{g'}{\rightarrow} Y$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__F01375		—	$a: C \rightarrow C'$	$a: C \rightarrow C'$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__F01376		—	$X \stackrel{\text{p}_X}{\longleftrightarrow} X \times Y \stackrel{\text{p}_Y}{\rightarrow} Y$	$X \stackrel{p_X}{\longleftrightarrow} X \times Y \stackrel{p_Y}{\rightarrow} Y$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__F01377		—	$\mathfrak{J}$	$\mathfrak{J}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory__Brendan_Fong__David_I._Spivak__Z-Library__F01378		—	$\left(C, c_{*}\right)$	(C, c_{*})
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01379		—	$C \in \mathcal{C}$	$C \in \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01380		—	$j \in \mathcal{J}$	$j \in \mathcal{J}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01381		—	$c_{\{j\}}: C \rightarrowtail D(j)$	$c_j : C \rightarrow D(j)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01382		—	$f: j \rightarrowtail k$	$f : j \rightarrowtail k$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01383		—	$c_{\{k\}}=c_{\{j\}} \ ; \ D(f)$	$c_k = c_j; \overline{D}(f)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01384		—	$\left(C, c_{\{*\}}\right) \rightarrowtail \left(C^{\prime}, c_{\{*\}}^{\prime}\right)$	$(C, c_*) \rightarrow (C', c'_*)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01385		—	$c_{\{j\}}=a$	$c_j = a$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01386		—	$c_{j}^{\prime}$	c_j
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01387		—	$\operatorname{Cone}(D)$	$\operatorname{Cone}(D)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01388		—	$\lim (D)$	$\lim(D)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01389		—	$\lim (D)=\left(C, c_{*}\right)$	$\lim(D)=\left(C, c_{*}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01390		—	$c_{\{j\}}$	c_j
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01391		—	$j^{\{\text {th }\}}$	j^{th}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01392		—	$\mathcal{J}=\varnothing$	$\mathcal{J}=\emptyset$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01393		—	V, W	v, w
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01394		—	$\mathcal{J} =$	$\mathcal{J} =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01395		—	$\cdot$	$\cdot$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01396		—	V, A, s, t	V, A, s, t
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01397		—	$D: \mathcal{J} \rightarrow$	$D: \mathcal{J} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01398		—	$V = \left\{ v_1, \ldots, v_n \right\}$	$V = \{v_1, \dots, v_n\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01399		—	$p_i: \left(\lim_{\mathcal{J}} D \right) \rightarrow D \left(v_i \right)$	$p_i: \left(\lim_{\mathcal{J}} D \right) \rightarrow D(v_i)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01400		—	$p_{\{i\}\left(d_{\{1\}}, \ldots, d_{\{n\}\right)}:=d_{\{i\}}$	$p_i(d_1, \dots, d_n) := d_i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01401		—	J	J
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01402		—	n=0	$n = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01403		—	D: $\mathbf{1} \rightarrow$	$D : \mathbf{1} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01404		—	$\left(d_{\{1\}}, \ldots, d_{\{n\}\right)}$	$(d_1, \dots, d_n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01405		—	$D(a)\left(d_{\{i\}\right)}=d_{\{j\}}$	$D(a)(d_i) = d_j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01406		—	a: $i \rightarrow j$	$a : i \rightarrow j$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01407		—	$\stackrel{\bullet}{x} \rightarrow^f \stackrel{\bullet}{a} \rightarrow^g \stackrel{\bullet}{g}$	$\bullet \xrightarrow{f} \bullet \xrightarrow{g} \bullet$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01408		—	$X \rightarrow A \leftarrow Y$	$X \xrightarrow{f} A \xleftarrow{g} Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01409		—	c_a	c_a
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01410		—	$X \times_A Y$	$X \times_A Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01411		—	$X=\underline{6}, Y=\underline{4}$	$X = \underline{6}, Y = \underline{4}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01412		—	$f: \underline{6} \rightarrow A$	$f: \underline{6} \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01413		—	$g: \underline{4} \rightarrow A$	$g: \underline{4} \rightarrow A$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01414		—	$g(2)=g(4)=$	$g(2) = g(4) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01415		—	$f(5)=$	$f(5) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01416		—	$(i, j) \in \underline{6} \times \underline{4}$	$(i, j) \in \underline{6} \times \underline{4}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01417		—	$f(i)$	$f(i)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01418		—	$g(j)$	$g(j)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01419		—	$F^{\text{\text{op}}} : \mathcal{C}^{\text{\text{op}}} \rightarrow \mathcal{D}^{\text{\text{op}}}$	$F^{\text{op}} : \mathcal{C}^{\text{op}} \rightarrow \mathcal{D}^{\text{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01420		—	$F^{\text{\text{op}}}$	F^{op}
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01421		—	$D^{\mathrm{op}}: \mathcal{J}^{\mathrm{op}} \rightarrow \mathcal{C}^{\mathrm{op}}$	$D^{\mathrm{op}}: \mathcal{J}^{\mathrm{op}} \rightarrow \mathcal{C}^{\mathrm{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01422		—	Δ, Σ, Π	Δ, Σ, Π
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01423		—	$\$ 10 \leq \$ 20,5 \mathrm{~W} \leq 6 \mathrm{~W}$	<i>(not rendered)</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01424		—	$(p, r) \in P \times R$	$(p, r) \in P \times R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01425		—	$\Phi: P \times R \rightarrow$	$\Phi: P \times R \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01426		—	$\Phi(p, r) =$	$\Phi(p, r) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01427		—	$p^{\mathrm{prime}} \leq p$	$p' \leq p$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01428		—	$\Phi\!\left(p^{\prime}, r\right)=$	$\Phi\left(p^{\prime}, r\right)=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01429		—	$r \leq r^{\prime}$	$r \leq r^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01430		—	$\Phi\!\left(p, r^{\prime}\right)=$	$\Phi\left(p, r^{\prime}\right)=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01431		—	$r^{\prime} \geq r$	$r^{\prime} \geq r$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01432		—	$P^{\mathrm{op}} \times R \rightarrow$	$P^{\mathrm{op}} \times R \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01433		—	$5 \mathrm{~W} \leq 10 \mathrm{~W}$	$5 \mathrm{~W} \leq 10 \mathrm{~W}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01434		—	$X=(X, \leq)$	$X=(X, \leq)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01435		—	$X^{\mathrm{op}}=(X, \geq)$	$X^{\mathrm{op}}=(X, \geq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01436		—	$x \geq y$	$x \geq y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01437		—	$X=\left(X, \leq_X\right)$	$X=(X, \leq_X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01438		—	$y=\left(Y, \leq_Y\right)$	$y=(Y, \leq_Y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01439		—	$\mathfrak{X}$	$\mathfrak{X}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01440		—	$\Phi: \mathcal{X} \rightarrow y$	$\Phi: \mathcal{X} \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01441		—	$\Phi(x, y)=$	$\Phi(x, y)=$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01442		—	$x^{\{\prime\}}$ $\leq_X x$	$x' \leq_X x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01443		—	$y \leq_Y y^{\{\prime\}}$	$y \leq_Y y'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01444		—	$\Phi(x, y) \leq_{\text{Bool}} \Phi(x^{\{\prime\}}, y^{\{\prime\}})$	$\Phi(x, y) \leq_{\text{Bool}} \Phi(x', y')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01445		—	$x^{\{\prime\}}$	x'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01446		—	$\mathcal{X}^{\mathrm{op}} \times \mathcal{Y}$	$\mathcal{X}^{\mathrm{op}} \times \mathcal{Y}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01447		—	$\Lambda: \mathcal{X} \rightarrow y$	$\Lambda: \mathcal{X} \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01448		—	$\Lambda(x, y) =$	$\Lambda(x, y) =$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01449		—	$X^{\mathrm{op}} \times y$	$X^{\mathrm{op}} \times y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01450		—	$\text{\Rightarrow: } \mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}$	$\Rightarrow: \mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01451		—	$b, c, d \in \mathbb{B}$	$b, c, d \in \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01452		—	$c \rightarrow d$	$c \Rightarrow d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01453		—	$\Phi: \operatorname{Ob}(\mathcal{X}) \times \operatorname{Ob}(\mathcal{Y}) \rightarrow V$	$\Phi: \operatorname{Ob}(\mathcal{X}) \times \operatorname{Ob}(\mathcal{Y}) \rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01454		—	$x, x^{\mathrm{prime}} \in \mathcal{X}$	$x, x' \in \mathcal{X}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01455		—	$y, y^{\mathrm{prime}} \in y$	$y, y' \in y$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01456		—	$\backslash\mathrm{Phi}: X \rightarrowtail Y$	$\Phi: X \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01457		—	$W \leq N$	$W \leq N$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01458		—	N	N
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01459		—	E	E
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01460		—	$\backslash\mathrm{Phi}(N, e)=$	$\Phi(N, e) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01461		—	$\backslash\mathrm{Phi}(E, a)=$	$\Phi(E, a) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01462		—	W	W
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01463		—	$\Phi(W, d) =$	$\Phi(W, d) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01464		—	$W \leq N \leq c \leq a$	$W \leq N \leq c \leq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01465		—	$\Phi(m, n) \in \mathbb{B}$	$\Phi(m, n) \in \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01466		—	M_{Φ}	M_{Φ}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01467		—	$d_X * M_{\Phi} * d_Y$	$d_X * M_{\Phi} * d_Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01468		—	$\Phi = M_X^3 * M_{\Phi} * M_Y^2$	$\Phi = M_X^3 * M_{\Phi} * M_Y^2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01469		—	$M_X^3 * M_{\Phi} * M_Y^2$	$M_X^3 * M_{\Phi} * M_Y^2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01470		—	$([0, \infty], \leq)$	$([0, \infty], \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01471		—	100, more_than_\	<i>(not rendered)</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01472		—	$\Phi:(T \times E) \mapsto \mathbb{R}$	<i>(not rendered)</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01473		—	T, E	T, E
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01474		—	$\mathbb{R}$	<i>(not rendered)</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01475		—	$500 \operatorname{~K}$	<i>(not rendered)</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01476		—	500K given \	<i>(not rendered)</i>
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01477		—	$\$ 500$	<i>(not rendered)</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01478		—	IM indicates also that "I can provide a mean and boring movie given \	<i>(not rendered)</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01479		—	P, Q	$\mathcal{P}, Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01480		—	R	$\mathcal{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01481		—	$\Phi: \mathrm{P} \mapsto Q$	$\Phi: \mathcal{P} \mapsto Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01482		—	$\Psi: \mathrm{Q} \rightarrow \mathrm{R}$	$\Psi: \mathcal{Q} \rightarrow \mathcal{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01483		—	Ψ	Ψ
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01484		—	$\Phi_{9}^9 \Psi$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01485		—	$p \in \mathcal{P}$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01486		—	$r \in \mathcal{R}$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01487		—	$\mathcal{Q}$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01488		—	$\Phi \circ \Psi$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01489		—	$\mathcal{X}, \mathcal{Y}$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01490		—	$\mathcal{Z}$	
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01491		—	$\Phi: \mathfrak{X} \rightarrow y$	$\Phi: \mathfrak{X} \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01492		—	$\Psi: y \rightarrow z$	$\Psi: y \rightarrow z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01493		—	$\Phi; \Psi: \mathcal{X} \rightarrow z$	$\Phi; \Psi: \mathcal{X} \rightarrow z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01494		—	$\Phi: X \rightarrow y$	$\Phi: X \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01495		—	$\Phi_{\mathfrak{g}}^{\circ} \Psi$	$\Phi_{\mathfrak{g}}^{\circ} \Psi$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01496		—	$\mathcal{V}$	$\mathcal{V}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01497		—	$\mathcal{X} \rightarrow y$	$\mathcal{X} \rightarrow y$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01498		—	$_{{\text{Bool}}}$	Bool
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01499		—	$\mathrm{U}_\mathrm{x} \colon \mathcal{X} \rightarrow \mathcal{X}$	$\mathrm{U}_x \colon \mathcal{X} \rightarrow \mathcal{X}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01500		—	$\mathcal{X}(x,y) \in \mathcal{V}$	$\mathcal{X}(x,y) \in \mathcal{V}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01501		—	U_x	U_x
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01502		—	$\mathrm{U}_\mathrm{X} \colon \mathcal{X} \rightarrow \mathcal{X}$	$U_X \colon \mathcal{X} \rightarrow \mathcal{X}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01503		—	$\Phi \colon \mathcal{P} \rightarrow Q$	$\Phi \colon \mathcal{P} \rightarrow Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01504		—	$\mathrm{U}_{\mathcal{P}}$	$U_{\mathcal{P}}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01505		—	U_{Q}	U_Q
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01506		—	$\mathrm{U}_{\mathrm{P}} ; \Phi = \Phi$	$\mathsf{U}_{\mathcal{P}}; \Phi = \Phi$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01507		—	$\Phi = \Phi$	$\Phi = \Phi$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01508		—	$\Phi \leq \mathrm{U}_{\mathrm{P}} ; \Phi$	$\Phi \leq \mathsf{U}_{\mathcal{P}}; \Phi$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01509		—	$\mathrm{U}_{\mathrm{P}} ; \Phi \leq \Phi$	$\mathsf{U}_{\mathcal{P}}; \Phi \leq \Phi$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01510		—	$\bigvee_{p_1 \in P} (\mathcal{P}(p, p_1) \otimes \Phi(p_1, q)) \leq \Phi(p, q)$	$\bigvee_{p_1 \in P} (\mathcal{P}(p, p_1) \otimes \Phi(p_1, q)) \leq \Phi(p, q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01511		—	$\mathcal{P}(p, p_1) \otimes \Phi(p_1, q) \leq \Phi(p, q)$	$\mathcal{P}(p, p_1) \otimes \Phi(p_1, q) \leq \Phi(p, q)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01512		—	$p_{\{1\}} \in \mathcal{P}$	$p_1 \in \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01513		—	$(=, \leq, \leq, =)$	$(=, \leq, \leq, =)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01514		—	$\leq, \leq$	$\leq, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01515		—	$\Phi: \mathcal{P} \rightarrow Q, \Psi: \mathcal{Q} \rightarrow \mathcal{R}$	$\Phi: \mathcal{P} \rightarrow Q, \Psi: \mathcal{Q} \rightarrow \mathcal{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01516		—	$\Upsilon: \mathcal{R} \rightarrow S$	$\Upsilon: \mathcal{R} \rightarrow S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01517		—	$\{ \}_{{\mathrm{C}}}$	C
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01518		—	$F: \mathcal{P} \rightarrow Q$	$F: \mathcal{P} \rightarrow Q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01519		—	$\widehat{F}: \mathcal{P} \rightarrow Q$	$\widehat{F} : \mathcal{P} \rightarrow Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01520		—	$\check{F}: Q \mapsto \mathcal{P}$	$\check{F} : Q \mapsto \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01521		—	$F(p) \in Q$	$F(p) \in Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01522		—	$\widehat{F}$	$\widehat{F}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01523		—	$Q \rightarrow \mathcal{P}$	$Q \rightarrow \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01524		—	$\check{F}$	$\check{F}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01525		—	$\mathrm{id}: \mathcal{P} \rightarrow \mathcal{P}$	$\mathrm{id} : \mathcal{P} \rightarrow \mathcal{P}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01526		—	$\widehat{\mathrm{id}}=\mathrm{check}\{\mathrm{id}\}: \mathcal{P} \mapsto \mathcal{P}$	$\widehat{\mathrm{id}} = \mathrm{id} : \mathcal{P} \mapsto \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01527		—	$\mathrm{U}_{\mathcal{P}}$	$\mathrm{U}_{\mathcal{P}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01528		—	$\widehat{\mathrm{id}}$	$\widehat{\mathrm{id}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01529		—	$\mathcal{P} \rightarrow \mathcal{P}$	$\mathcal{P} \rightarrow \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01530		—	$+: \mathbb{R} \times \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}$	$+: \mathbb{R} \times \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01531		—	$a+b+c \in \mathbb{R}$	$a + b + c \in \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01532		—	$(a, b, c) \leq (a^{\prime}, b^{\prime}, c^{\prime})$	$(a, b, c) \leq (a', b', c')$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01533		—	$a \leq a^{\prime}$	$a \leq a'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01534		—	$b \leq b^{\prime}$	$b \leq b'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01535		—	$c \leq c^{\prime}$	$c \leq c'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01536		—	$a+b+c \leq a^{\prime}+b^{\prime}+c^{\prime}$	$a + b + c \leq a' + b' + c'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01537		—	$\widehat{+}:(\mathbb{R} \times \mathbb{R} \times \mathbb{R}) \rightarrow \mathbb{R}$	$\hat{+} : (\mathbb{R} \times \mathbb{R} \times \mathbb{R}) \rightarrow \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01538		—	(a, b, c, d)	(a, b, c, d)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01539		—	$a+b+c \leq d$	$a + b + c \leq d$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01540		—	$\check{+}$	$\dagger$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01541		—	$G: Q \rightarrow \mathcal{P}$	$G: Q \rightarrow \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01542		—	$\widehat{F}=\widetilde{G}$	$\widehat{F} = \widetilde{G}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01543		—	$\widehat{\mathrm{id}}=\widetilde{\mathrm{id}}$	$\widehat{\mathrm{id}} = \widetilde{\mathrm{id}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01544		—	$\boldsymbol{\operatorname{Col}}(\Phi)$	$\mathbf{Col}(\Phi)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01545		—	$\operatorname{Ob}(\operatorname{Col}(\Phi)):=\operatorname{Ob}(\mathcal{X}) \sqcup \operatorname{Ob}(\mathcal{Y})$	$\operatorname{Ob}(\operatorname{Col}(\Phi)) := \operatorname{Ob}(\mathcal{X}) \sqcup \operatorname{Ob}(\mathcal{Y})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01546		—	$a, b \in \operatorname{Ob}(\operatorname{Col}(\Phi))$	$a, b \in \operatorname{Ob}(\operatorname{Col}(\Phi))$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01547		—	$\operatorname{Col}(\Phi)(a, b) \in \mathcal{V}$	$\operatorname{Col}(\Phi)(a, b) \in \mathcal{V}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01548		—	$i_{\{x\}}: \mathcal{X} \rightarrow \operatorname{Col}(\Phi)$	$i_x: \mathcal{X} \rightarrow \mathbf{Col}(\Phi)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01549		—	$i_{\{y\}}: y \rightarrow \operatorname{Col}(\Phi)$	$i_y: y \rightarrow \mathbf{Col}(\Phi)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01550		—	$\Phi: x \rightarrow y$	$\Phi: x \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01551		—	$5+3=8$	$5 + 3 = 8$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01552		—	$\overline{5}=\{$	$\overline{5} = \{$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01553		—	$\overline{3}=\{$	$\overline{3} = \{$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01554		—	$\overline{8}=\{$	$\overline{8} = \{$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01555		—	$\sqcup$	$\sqcup$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01556		—	$\overline{5} \sqcup \overline{3} \cong \overline{8}$	$\overline{5} \sqcup \overline{3} \cong \overline{8}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01557		—	$\overline{5} \sqcup \overline{3}$	$\overline{5} \sqcup \overline{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01558		—	$\overline{8}$	$\overline{8}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01559		—	$\mathcal{P}(a, b)=$	$\mathcal{P}(a, b) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01560		—	$x_{\{0\}} \leq x_{\{1\}}$	$x_0 \leq x_1$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01561		—	$x_{\{0\}} \leq x_{\{3\}}$	$x_0 \leq x_3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01562		—	$x_{\{0\}} \leq x_{\{1\}}, x_{\{1\}} \leq x_{\{2\}}$	$x_0 \leq x_1, x_1 \leq x_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01563		—	$x_{\{2\}} \leq x_{\{3\}}$	$x_2 \leq x_3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01564		—	$g: B \rightarrow C$	$g: B \rightarrow C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01565		—	$h: C \rightarrow D$	$h: C \rightarrow D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01566		—	$f;(g;h)$	$f;(g;h)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01567		—	$(f;g);h$	$(f;g);h$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01568		—	$f;(g;h)=(f;g);h$	$f;(g;h)=(f;g);h$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01569		—	$\mathrm{id}_{\{x\}}$	id_x
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01570		—	$f=f=f$	$f=f=f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01571		—	$\mathrm{id}_{\{y\}}$	id_y
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01572		—	$f: x \rightarrow y$	$f: x \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01573		—	$\{1\}, \times$	$\{1\}, \times$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01574		—	$S \times T = \{(s, t) \mid s \in S, t \in T\}$	$S \times T = \{(s, t) \mid s \in S, t \in T\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01575		—	$(p \otimes q) \otimes r = p \otimes (q \otimes r)$	$(p \otimes q) \otimes r = p \otimes (q \otimes r)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01576		—	$T \times U$	$T \times U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01577		—	$S \times T$	$S \times T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01578		—	$\alpha_{s, t, u}$	$\alpha_{s, t, u}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01579		—	$I \in \operatorname{Ob}(\mathcal{C})$	$I \in \operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01580		—	$\otimes: \mathcal{C} \times \mathcal{C} \rightarrow \mathcal{C}$	$\otimes: \mathcal{C} \times \mathcal{C} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01581		—	$\lambda_c: I \otimes c \cong c$	$\lambda_c: I \otimes c \cong c$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01582		—	$\rho_{\{c\}}: c \otimes I \cong c$	$\rho_c : c \otimes I \cong c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01583		—	$\alpha_{\{c, d, e\}}:(c \otimes d) \otimes e \cong c \otimes (d \otimes e)$	$\alpha_{c,d,e} : (c \otimes d) \otimes e \cong c \otimes (d \otimes e)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01584		—	$\sigma_{\{\mathrm{mathcal{C}}, d\}}: c \otimes d \cong d \otimes c$	$\sigma_{\mathcal{C},d} : c \otimes d \cong d \otimes c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01585		—	$c, d \in \mathrm{Ob}(\mathrm{mathcal{C}})$	$c, d \in \mathrm{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01586		—	$\sigma \circ \sigma = \mathrm{id}$	$\sigma \circ \sigma = \mathrm{id}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01587		—	$(\mathrm{mathcal{P}}, I, \otimes)$	$(\mathcal{P}, I, \otimes)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01588		—	$p, q \in \mathrm{mathcal{P}}$	$p, q \in \mathcal{P}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01589		—	$\mathcal{P}(p, q)$	$\mathcal{P}(p, q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01590		—	$I := \{1\}$	$I := \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01591		—	$\otimes := \times$	$\otimes := \times$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01592		—	$\times$	$\times$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01593		—	$(S, T) \in \operatorname{Ob}()$	$(S, T) \in \operatorname{Ob}()$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01594		—	$(S \times T) \in$	$(S \times T) \in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01595		—	$\{(s, t) \mid s \in S, t \in T\}$	$\{(s, t) \mid s \in S, t \in T\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01596		—	$f: S \rightarrow S^{\prime}$	$f: S \rightarrow S'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01597		—	$g: T \rightarrow T^{\prime}$	$g: T \rightarrow T'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01598		—	$(f \times g): (S \times T) \rightarrow (S^{\prime} \times T^{\prime})$	$(f \times g): (S \times T) \rightarrow (S' \times T')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01599		—	$(f \times g)(s, t) := (f(s), g(t))$	$(f \times g)(s, t) := (f(s), g(t))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01600		—	$\mathrm{idencies}^{\{:\}} \mathrm{id}_{\{S\}} \times \mathrm{id}_{\{T\}} = \mathrm{id}_{\{S \times T\}}$	identities $\mathrm{id}_S \times \mathrm{id}_T = \mathrm{id}_{S \times T}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01601		—	$S \rightarrow \{ S^{\prime} \} \rightarrow \{ S^{\prime \prime} \}$	$S \xrightarrow{f} S' \xrightarrow{f'} S''$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01602		—	$T \rightarrow \{ g \}$	$T \xrightarrow{g}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01603		—	$T^{\{\prime\}} \xrightarrow{g^{\{\prime\}}} T^{\{\prime\prime\}}$	$T' \xrightarrow{g'} T''$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01604		—	$\{1\} \times S \cong S$	$\{1\} \times S \cong S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01605		—	$\{(1, s) \mid s \in S\} \rightarrow S$	$\{(1, s) \mid s \in S\} \rightarrow S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01606		—	$1, s$	$1, s$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01607		—	$1, \times$	$1, \times$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01608		—	$A=B=C=D=F=G=\mathbb{Z}$	$A = B = C = D = F = G = \mathbb{Z}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F01609		—	$E=\mathbb{B}=$	$E = \mathbb{B} =$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01610		—	$f_{\{C\}}(a)= a $, $f_{\{D\}}(a)=a * 5$, $g_{\{E\}}(d, b)=$	$f_C(a) = a , f_D(a) = a * 5, g_E(d, b) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01611		—	$d \leq b$	$d \leq b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01612		—	$g_{\{F\}}(d, b)=d-b$	$g_F(d, b) = d - b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01613		—	$h(c, e)=$	$h(c, e) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01614		—	$1-c$	$1 - c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01615		—	$g_{\{E\}}(5,3)$	$g_E(5,3)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01616		—	$g_{\{F\}}(5,3)$	$g_F(5,3)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01617		—	$g_{\{E\}}(3,5)$	$g_E(3,5)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01618		—	$g_{\{F\}}(3,5)$	$g_F(3,5)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01619		—	$h(5)$	$h(5)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01620		—	$h(-5)$	$h(-5)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01621		—	$A \times B \rightarrowtail G \times F$	$A \times B \rightarrow G \times F$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01622		—	$q_{\{G\}}(-2,3)$	$q_G(-2,3)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01623		—	$q_{\{F\}}(-2,3)$	$q_F(-2,3)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01624		—	$q_{\{G\}}(2,3)$	$q_G(2,3)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01625		—	$q_{\{F\}}(2,3)$	$q_F(2,3)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01626		—	$X(x, y) \in \mathcal{V}$	$X(x,y) \in \mathcal{V}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01627		—	$x \in \mathrm{Ob}(X)$	$x \in \mathrm{Ob}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01628		—	$\mathrm{id}_{\{x\}}: I \rightarrowtail X(x, x)$	$\mathrm{id}_x: I \rightarrow X(x,x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01629		—	$x, y, z \in \mathrm{Ob}(X)$	$x,y,z \in \mathrm{Ob}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01630		—	$9: \mathcal{X}(x,y) \otimes \mathcal{X}(y,z) \rightarrowtail \mathcal{X}(x,z)$	$9: \mathcal{X}(x,y) \otimes \mathcal{X}(y,z) \rightarrow \mathfrak{X}(x,z)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01631		—	$\mathcal{V}=($	$\mathcal{V} = ($
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01632		—	$,\{1\}, \times)$	$,\{1\}, \times)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01633		—	$\operatorname{id}_x: I \rightarrow \mathcal{X}(x, x)$	$\operatorname{id}_x : I \rightarrow \mathcal{X}(x, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01634		—	$I \leq \mathcal{X}(x, x)$	$I \leq \mathcal{X}(x, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01635		—	$(\mathcal{C}, I, \otimes)$	$(\mathcal{C}, I, \otimes)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01636		—	$c^* \in \operatorname{Ob}(\mathcal{C})$	$c^* \in \operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01637		—	$\eta_c: I \rightarrow c^* \otimes c$	$\eta_c : I \rightarrow c^* \otimes c$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01638		—	<code>\epsilon_{c}: c \otimes c^* \rightarrow I</code>	$\epsilon_c : c \otimes c^* \rightarrow I$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01639		—	<code>c^{\ast}</code>	c^*
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01640		—	<code>\xrightarrow{c}</code>	$\xrightarrow{c}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01641		—	<code>\stackrel{c^*}{\leftarrow}</code>	$\stackrel{c^*}{\leftarrow}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01642		—	<code>\epsilon_{\text{sound }}</code>	ϵ_{sound}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01643		—	<code>\eta_{\text{sound* }}</code>	$\eta_{\text{sound*}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01644		—	<code>\mathcal{C}(b \otimes c, d) \cong \mathcal{C}(b, c \multimap d)</code>	$\mathcal{C}(b \otimes c, d) \cong \mathcal{C}(b, c \multimap d)$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01645		—	$c^{\{\prime\}}$	c'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01646		—	$c^{\{*\}} \cong c^{\{\prime\}}$	$c^* \cong c'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01647		—	$c \cong c^{\{*\}}^*$	$c \cong c^{**}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01648		—	$c^{\{*\}} \otimes d$	$c^* \otimes d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01649		—	$\mathcal{C}(b \otimes c, d) \cong \mathcal{C}(b, c \rightarrow d)$	$\mathcal{C}(b \otimes c, d) \cong \mathcal{C}(b, c \rightarrow d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01650		—	$\mathrm{id}_{\{b\}} \otimes \eta_{\{c\}}$	$\mathrm{id}_b \otimes \eta_c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01651		—	$\alpha: A \rightarrow B$	$\alpha: A \rightarrow B$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01652		—	<code>\beta: B \rightarrow C</code>	$\beta : B \rightarrow C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01653		—	<code>\beta \circ \alpha</code>	$\beta \circ \alpha$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01654		—	<code>\beta</code>	β
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01655		—	<code>(\varnothing, \sqcup)</code>	$(\emptyset, \sqcup)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01656		—	<code>A \sqcup A := \{(a, 1), (a, 2) \mid a \in A\}</code>	$A \sqcup A := \{(a, 1), (a, 2) \mid a \in A\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01657		—	<code>(a, 1)</code>	$(a, 1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01658		—	<code>(a, 2)</code>	$(a, 2)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01659		—	<code>\eta_{A}: \varnothing \rightarrowtail A \sqcup A</code>	$\eta_A : \emptyset \rightarrow A \sqcup A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01660		—	<code>\epsilon_{A}: A \sqcup A \rightarrowtail \varnothing</code>	$\epsilon_A : A \sqcup A \rightarrow \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01661		—	<code>\varnothing \rightarrowtail \underline{3} \sqcup \underline{3}</code>	$\emptyset \rightarrow \underline{3} \sqcup \underline{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01662		—	<code>\underline{3} \sqcup \underline{3} \rightarrowtail \varnothing</code>	$\underline{3} \sqcup \underline{3} \rightarrow \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01663		—	<code>(\mathcal{V}, I, \otimes)</code>	$(\mathcal{V}, I, \otimes)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01664		—	<code>\operatorname{Prof}_{\mathcal{V}}</code>	$\operatorname{Prof}_{\mathcal{V}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01665		—	<code>\alpha ; \beta</code>	$\alpha ; \beta$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01666		—	$A \sqcup C$	$A \sqcup C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01667		—	$A \sqcup B \sqcup C$	$A \sqcup B \sqcup C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01668		—	$\alpha \subseteq (A \sqcup B) \times (A \sqcup B)$	$\alpha \subseteq (A \sqcup B) \times (A \sqcup B)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01669		—	$\beta \subseteq (B \sqcup C) \times (B \sqcup C)$	$\beta \subseteq (B \sqcup C) \times (B \sqcup C)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01670		—	$\iota_{A \sqcup B}: A \sqcup B \rightarrow A \sqcup B \sqcup C, \iota_{B \sqcup C}: B \sqcup C \rightarrow A \sqcup B \sqcup C$	$\iota_{A \sqcup B}: A \sqcup B \rightarrow A \sqcup B \sqcup C, \iota_{B \sqcup C}: B \sqcup C \rightarrow A \sqcup B \sqcup C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01671		—	$\iota_{A \sqcup C}: A \sqcup C \rightarrow$	$\iota_{A \sqcup C}: A \sqcup C \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01672		—	$\{ \}_{\mathcal{V}}$	$\mathcal{V}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01673		—	$\Phi: X_{\{1\}} \mapsto X_{\{2\}}$	$\Phi: X_1 \mapsto X_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01674		—	$\Psi: y_{\{1\}} \rightarrow y_{\{2\}}$	$\Psi: y_1 \rightarrow y_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01675		—	$(\Phi \times \Psi): \mathfrak{X}_{\{1\}} \times y_{\{1\}} \rightarrow x_{\{2\}} \times y_{\{2\}}$	$(\Phi \times \Psi): \mathfrak{X}_1 \times y_1 \rightarrow x_2 \times y_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01676		—	$\mathbf{Prof}_{\{\text{Bool}\}}$	$\mathbf{Prof}_{\text{Bool}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01677		—	$\Phi \times \Psi$	$\Phi \times \Psi$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01678		—	$(1,1)=I$	$(1,1) = I$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01679		—	$X \times \mathbf{1} \rightarrow X$	$X \times \mathbf{1} \rightarrow X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01680		—	$\mathbf{1} \times X \rightarrow X$	$\mathbf{1} \times X \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01681		—	$\mathcal{X}^{\text{op}}$	$\mathcal{X}^{\text{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01682		—	$\eta_x: \mathbf{1} \rightarrow \mathcal{X}^{\mathrm{op}} \times \mathcal{X}$	$\eta_x: \mathbf{1} \rightarrow \mathcal{X}^{\text{op}} \times \mathcal{X}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01683		—	$\eta_x(1, x, x') := \mathcal{X}(x, x')$	$\eta_x(1, x, x') := \mathcal{X}(x, x')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01684		—	$\epsilon_x: (\mathcal{X} \times$	$\epsilon_x: (\mathcal{X} \times$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01685		—	$\left. \mathcal{X}^{\mathrm{op}} \right) \rightarrow \mathbf{1}$	$\mathcal{X}^{\text{op}}) \rightarrow \mathbf{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01686		—	$\epsilon_{\mathcal{X}}(x, x', 1) := \mathcal{X}(x, x')$	$\epsilon_{\mathcal{X}}(x, x', 1) := \mathcal{X}(x, x')$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01687		—	$u=15\ x$	$u = 15x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01688		—	$v=3\ x+21\ y$	$v = 3x + 21y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01689		—	$x+7\ y$	$x + 7y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01690		—	$(\mathcal{C},\ 0,+)$	$(\mathcal{C}, 0, +)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01691		—	$\operatorname{Ob}(\mathcal{C})=\mathbb{N}$	$\operatorname{Ob}(\mathcal{C}) = \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01692		—	$0\ \text{in}\ \mathbb{N}$	$0 \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01693		—	$\mathcal{C}(m,\ n)$	$\mathcal{C}(m, n)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01694		—	$\operatorname{id}_{\{n\}}: n \rightarrow n$	$\operatorname{id}_n: n \rightarrow n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01695		—	$\sigma_{\{m, n\}}: m+n \rightarrow n+m$	$\sigma_{m,n}: m + n \rightarrow n + m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01696		—	$f: m \rightarrow n$	$f: m \rightarrow n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01697		—	$g: n \rightarrow p$	$g: n \rightarrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01698		—	$(f; g): m \rightarrow p$	$(f;g): m \rightarrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01699		—	$f: m \rightarrow m^{\prime}$	$f: m \rightarrow m'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01700		—	$g: n \rightarrow n^{\prime}$	$g: n \rightarrow n'$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F01701		—	$(f+g): m+n \rightarrow m^{\prime}+n^{\prime}$	$(f+g): m+n \rightarrow m^{\prime}+n^{\prime}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F01702		—	$\underline{m}=\{1, \ldots m\}$	$\underline{m}=\{1,\ldots m\}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F01703		—	$\underline{n}=\{1, \ldots, n\}$	$\underline{n}=\{1,\ldots,n\}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F01704		—	$f+g: m+n \longrightarrow m^{\prime}+n^{\prime}$	$f+g: m+n \longrightarrow m^{\prime}+n^{\prime}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F01705		—	$f: 3 \rightarrow 2$	$f: 3 \rightarrow 2$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F01706		—	$g: 2 \rightarrow 4$	$g: 2 \rightarrow 4$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F01707		—	$f+g$	$f+g$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01708		—	$\sigma_{m, n}$	$\sigma_{m,n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01709		—	$\underline{m} \rightarrow \underline{n}$	$\underline{m} \rightarrow \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01710		—	$m \neq n$	$m \neq n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01711		—	$\mathbf{B_{i\ j}}(m, n)$	$\mathbf{Bij}(m,n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01712		—	$\mathbf{B_{i\ j}}$	$\mathbf{Bij}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01713		—	$\underline{m} \sqcup \underline{n}$	$\underline{m} \sqcup \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01714		—	$R \subseteq \underline{m} \times \underline{n}$	$R \subseteq \underline{m} \times \underline{n}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01715		—	$S \subseteq \underline{n} \times \underline{p}$	$S \subseteq \underline{n} \times \underline{p}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01716		—	$F(n)=n$	$F(n) = n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01717		—	$n \in \operatorname{Ob}(\operatorname{\mathcal{C}})=\operatorname{Ob}(\operatorname{\mathcal{D}})=\operatorname{\mathbb{N}}$	$n \in \operatorname{Ob}(\mathcal{C}) = \operatorname{Ob}(\mathcal{D}) = \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01718		—	$f\colon m_{\{1\}} \rightarrow m_{\{2\}}$	$f : m_1 \rightarrow m_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01719		—	$g\colon n_{\{1\}} \rightarrow n_{\{2\}}$	$g : n_1 \rightarrow n_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01720		—	$F(f)+F(g)=F(f+g)$	$F(f) + F(g) = F(f + g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01721		—	i	i
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01722		—	F:	$F:$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01723		—	$\mathbf{Rel}_{\text{Fin}}$	$\mathbf{Rel}_{\text{Fin}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01724		—	$f: \underline{m} \rightarrow \underline{n}$	$f: \underline{m} \rightarrow \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01725		—	$F(f) := \{(i, j) \mid f(i) = j\} \subseteq \underline{m} \times \underline{n}$	$F(f) := \{(i, j) \mid f(i) = j\} \subseteq \underline{m} \times \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01726		—	ι	ι
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01727		—	$V \rightarrow \mathbb{N}$	$V \rightarrow \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01728		—	$\text{in}(v)$	$\text{in}(v)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01729		—	$\operatorname{out}(v)$	$\operatorname{out}(v)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01730		—	$\iota: \underline{m} \sqcup 0 \xrightarrow{\cong} I \sqcup \underline{n}$	$\iota: \underline{m} \sqcup O \xrightarrow{\cong} I \sqcup \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01731		—	$I=\{(v, i) \mid v \in V, 1 \leq i \leq \operatorname{in}(v)\}$	$I = \{(v, i) \mid v \in V, 1 \leq i \leq \operatorname{in}(v)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01732		—	$O=\{(v, i) \mid v \in V, 1 \leq i \leq \operatorname{out}(v)\}$	$O = \{(v, i) \mid v \in V, 1 \leq i \leq \operatorname{out}(v)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01733		—	$e_{\{v, j\}^{\{u, i\}}}: u \rightarrow v$	$e_{v,j}^{u,i}: u \rightarrow v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01734		—	$i, j \in \mathbb{N}$	$i, j \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01735		—	$\iota(u, i)=(v, j)$	$\iota(u, i) = (v, j)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01736		—	$R_{\{1\}}+R_{\{2\}}$	$R_1 + R_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01737		—	$R_{\{1\}} \subseteq \underline{m_{\{1\}}} \times \underline{n_{\{1\}}}$	$R_1 \subseteq \underline{m_1} \times \underline{n_1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01738		—	$R_{\{2\}} \subseteq \underline{m_{\{2\}}} \times \underline{n_{\{2\}}}$	$R_2 \subseteq \underline{m_2} \times \underline{n_2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01739		—	$R_{\{1\}} \sqcup R_{\{2\}} \subseteq$	$R_1 \sqcup R_2 \subseteq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01740		—	$\left(\underline{m_{\{1\}}} \times \underline{n_{\{1\}}}\right) \sqcup \left(\underline{m_{\{2\}}} \times \underline{n_{\{2\}}}\right) \subseteq \left(\underline{m_{\{1\}}} \sqcup \underline{m_{\{2\}}}\right) \times \left(\underline{n_{\{1\}}} \sqcup \underline{n_{\{2\}}}\right)$	$\left(\underline{m_1} \times \underline{n_1}\right) \sqcup \left(\underline{m_2} \times \underline{n_2}\right) \subseteq \left(\underline{m_1} \sqcup \underline{m_2}\right) \times \left(\underline{n_1} \sqcup \underline{n_2}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01741		—	$m=2$	$m = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01742		—	$n=3$	$n = 3$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01743		—	$V=\{a, b, c\}$	$V = \{a, b, c\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01744		—	$\operatorname{in}(a)=1$	$\operatorname{in}(a) = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01745		—	$\operatorname{out}(a)=3$	$\operatorname{out}(a) = 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01746		—	(m, n)	(m, n)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01747		—	$(V$	$(V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01748		—	$\iota)$	$\iota)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01749		—	(n, p)	(n, p)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01750		—	$V^{\{\prime\}}$	V'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01751		—	$\iota^{\{\prime\}}$	ι'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01752		—	(m, p)	(m, p)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01753		—	$\left(V \sqcup V^{\{\prime\}}, [\right.$	$(V \sqcup V', [$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01754		—	$], [$	$], [$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01755		—	$\left.], \iota^{\{\prime\prime\}} \right)$	$], \iota'')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01756		—	$V \sqcup V^{\{\prime\}} \rightarrow \mathbb{N}$	$V \sqcup V' \rightarrow \mathbb{N}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01757		—	$i^{n^{\prime}}$	in'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01758		—	$\iota^{\prime \prime}: \underline{m} \sqcup 0 \sqcup 0^{\prime} \rightarrow I \sqcup I^{\prime} \sqcup \underline{p}$	$\iota'' : \underline{m} \sqcup O \sqcup O' \rightarrow I \sqcup I' \sqcup \underline{p}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01759		—	$\operatorname{Ob}(\mathbf{P}\ G)=\mathbb{N}$	$\operatorname{Ob}(\mathbf{P}\mathbf{G})=\mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01760		—	$\mathbf{P}\ G(m,n)=\{(V,i\,n,\,o\,u\,t,\,\iota)\mid$	$\mathbf{P}\mathbf{G}(m,n)=\{(V,in,out,\iota)\mid$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01761		—	$(n,\,n)$	(n,n)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01762		—	$\left(\varnothing,!,!,\,\mathrm{id}_{\underline{n}}\right)$	$(\varnothing,!,!,\mathbf{id}_{\underline{n}})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01763		—	$\varnothing \rightarrow \mathbb{N}$	$\varnothing \rightarrow \mathbb{N}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01764		—	$G:=(V$	$G := (V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01765		—	$G^{\{\prime\}}:=\left(V^{\{\prime\}},\,i\,n^{\{\prime\}},\,o\,u\,t^{\{\prime\}},\,\iota^{\{\prime\}}\right)$	$G' := (V',in',out',\iota')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01766		—	$(\varnothing,!,!,!)$	$(\emptyset,!,!,!)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01767		—	$R\,\text{\texttt{\textbackslash}subse\text{\texttt{t}e\text{\texttt{q}}}\,P\,\text{\texttt{\textbackslash}times}\,P}$	$R \subseteq P \times P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01768		—	$(V,\,A,\,s,\,t)$	(V,A,s,t)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01769		—	$\{(s(a),\,t(a))\,\text{\texttt{\textbackslash}mid}\,a\,\text{\texttt{\textbackslash}in}\,A\}\,\text{\texttt{\textbackslash}subse\text{\texttt{t}e\text{\texttt{q}}}\,V\,\text{\texttt{\textbackslash}times}\,V}$	$\{(s(a),t(a))\, \,a\in A\}\subseteq V\times V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01770		—	$P,\,\text{\texttt{\textbackslash}leq_{\{P\}}}$	$P,\leq_P$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01771		—	$R(x, y)$	$R(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01772		—	$f(x) \leq_Q f(y)$	$f(x) \leq_Q f(y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01773		—	P, Q, R	P, Q, R
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01774		—	$a, b \in Q$	$a, b \in Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01775		—	$(g(a), g(b)) \in R$	$(g(a), g(b)) \in R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01776		—	$g:\left(0, \leq_Q\right) \rightarrow\left(P, \leq_P\right)$	$g:(Q, \leq_Q) \rightarrow (P, \leq_P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01777		—	$\operatorname{Mor}(\mathcal{C})$	$\operatorname{Mor}(\mathcal{C})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01778		—	$\operatorname{Mor}(\mathcal{C}) \rightarrow$	$\operatorname{Mor}(\mathcal{C}) \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01779		—	$\operatorname{Ob}(\mathcal{C})$	$\operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01780		—	$\mathcal{G} \rightarrow \mathcal{C}$	$\mathcal{G} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01781		—	$f: V \rightarrow \operatorname{Ob}(\mathcal{C})$	$f: V \rightarrow \operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01782		—	$g: A \rightarrow \operatorname{Mor}(\mathcal{C})$	$g: A \rightarrow \operatorname{Mor}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01783		—	$\operatorname{dom}(g(a))=f(s(a))$	$\operatorname{dom}(g(a)) = f(s(a))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01784		—	$\operatorname{cod}(g(a))=f(t(a))$	$\operatorname{cod}(g(a)) = f(t(a))$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01785		—	$\boldsymbol{\operatorname{Loop}}(A)$	Loop (A)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01786		—	$A=\{a\}$	$A = \{a\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01787		—	$\{a\}$	$\{a\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01788		—	G, s, t	G, s, t
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01789		—	$s, t: G \rightarrow \mathbb{N}$	$s, t: G \rightarrow \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01790		—	$g \in G$	$g \in G$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01791		—	$s(g), t(g) \in \mathbb{N}$	$s(g), t(g) \in \mathbb{N}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01792		—	s, t	s, t
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01793		—	$\Gamma = (V$	$\Gamma = (V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01794		—	$\ell: V \rightarrow G$	$\ell: V \rightarrow G$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01795		—	$s(\ell(v))=\operatorname{in}(v)$	$s(\ell(v)) = \operatorname{in}(v)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01796		—	$t(\ell(v))=\operatorname{out}(v)$	$t(\ell(v)) = \operatorname{out}(v)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01797		—	$(m, n) \in \mathbb{N} \times \mathbb{N}$	$(m, n) \in \mathbb{N} \times \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01798		—	$\ell^{\prime}$	ℓ'
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01799		—	ℓ	ℓ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01800		—	$G=\{f: 1 \rightarrow 1, g: 2 \rightarrow 2, h: 2 \rightarrow 1\}$	$G = \{f : 1 \rightarrow 1, g : 2 \rightarrow 2, h : 2 \rightarrow 1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01801		—	$3 \rightarrow 2$	$3 \rightarrow 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01802		—	$V \rightarrow \varnothing$	$V \rightarrow \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01803		—	$V=\varnothing$	$V = \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01804		—	(n, m)	(n, m)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01805		—	$(\varnothing,!,!, \sigma)$	$(\emptyset,!,!, \sigma)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01806		—	$\sigma: n \rightarrow m$	$\sigma : n \rightarrow m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01807		—	$(m, n) \in \mathbb{N}^2$	$(m, n) \in \mathbb{N}^2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01808		—	$\operatorname{prop} \mathcal{C}$	$\operatorname{prop} \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01809		—	$\operatorname{Free}(G) \rightarrow \mathcal{C}$	$\operatorname{Free}(G) \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01810		—	$G \rightarrow \mathcal{C}$	$G \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01811		—	$s(g) \rightarrow t(g)$	$s(g) \rightarrow t(g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01812		—	$e: m \rightarrow n$	$e : m \rightarrow n$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01813		—	$\mathrm{id}_{\{0\}}: 0 \rightarrow 0$	$\mathrm{id}_0 : 0 \rightarrow 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01814		—	$\mathrm{id}_{\{1\}}: 1 \rightarrow 1$	$\mathrm{id}_1 : 1 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01815		—	$\sigma: 2 \rightarrow 2$	$\sigma : 2 \rightarrow 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01816		—	$g: s(g) \rightarrow t(g)$	$g : s(g) \rightarrow t(g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01817		—	$\alpha: m \rightarrow n$	$\alpha : m \rightarrow n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01818		—	$\beta: p \rightarrow q$	$\beta : p \rightarrow q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01819		—	$\alpha+\beta: m+p \rightarrow n+q$	$\alpha + \beta : m + p \rightarrow n + q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01820		—	$\backslash\mathrm{beta}: n \rightarrow p$	$\beta : n \rightarrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01821		—	$\backslash\mathrm{alpha} ; \backslash\mathrm{beta}: m \rightarrow p$	$\alpha; \beta : m \rightarrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01822		—	$\backslash\mathrm{operatorname{Expr}}(G)$	$\mathrm{Expr}(G)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01823		—	$\mathrm{f}: 1 \rightarrow 1$	$f : 1 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01824		—	$\mathrm{f}: \mathrm{id}_1: 1 \rightarrow 1$	$f : \mathrm{id}_1 : 1 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01825		—	$\mathrm{h}+\mathrm{id}_1: 3 \rightarrow 2$	$h + \mathrm{id}_1 : 3 \rightarrow 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01826		—	$\backslash\mathrm{left}(\mathrm{h}+\mathrm{id}_1\backslash\mathrm{right}) ; \backslash\mathrm{sigma} ; g ; \backslash\mathrm{sigma}: 3 \rightarrow 2$	$(h + \mathrm{id}_1); \sigma; g; \sigma : 3 \rightarrow 2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01827		—	$f ; \mathrm{id}_{\{1\}}$	$f; \mathrm{id}_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01828		—	$f ; \mathrm{id}_{\{1\}}=f$	$f; \mathrm{id}_1 = f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01829		—	σ	σ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01830		—	$\mathrm{X}: 2 \rightarrow 2$	$\mathbf{X}: 2 \rightarrow 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01831		—	$\left(g+\mathrm{id}_{\{1\}}\right) \stackrel{\circ}{\circ}\left(\mathrm{id}_{\{1\}}+\sigma\right) \stackrel{\circ}{\circ}\left(\mathrm{id}_{\{1\}}+g\right) \stackrel{\circ}{\circ}\left(h+\mathrm{id}_{\{1\}}\right)$	$(g + \mathrm{id}_1) \overset{\circ}{\circ} (\mathrm{id}_1 + \sigma) \overset{\circ}{\circ} (\mathrm{id}_1 + g) \overset{\circ}{\circ} (h + \mathrm{id}_1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01832		—	$G=\{f: 1 \rightarrow 1, g: 2 \rightarrow$	$G = \{f : 1 \rightarrow 1, g : 2 \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01833		—	$2, h: 2 \rightarrow 1\}$	$2, h : 2 \rightarrow 1\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak___Z-Library_ _F01834		—	$\left(f+\mathrm{id}_{\{1\}}+\mathrm{id}_{\{1\}}\right)\stackrel{\circ}{\circ}\left(\sigma+\mathrm{id}_{\{1\}}\right)\stackrel{\circ}{\circ}\left(\mathrm{id}_{\{1\}}+h\right)\stackrel{\circ}{\circ}\sigma\stackrel{\circ}{\circ}g$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak___Z-Library_ _F01835		—	G, s, t, E	G, s, t, E
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak___Z-Library_ _F01836		—	$E\subseteq\operatorname{Expr}(G)\times\operatorname{Expr}(G)$	$E\subseteq\operatorname{Expr}(G)\times\operatorname{Expr}(G)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak___Z-Library_ _F01837		—	$e_{\{1\}}$	e_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak___Z-Library_ _F01838		—	$e_{\{2\}}$	e_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak___Z-Library_ _F01839		—	$\left(e_{\{1\}}, e_{\{2\}}\right)\in E$	$(e_1, e_2)\in E$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak___Z-Library_ _F01840		—	(G, s, t, E)	(G, s, t, E)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01841		—	$e_{\{1\}}=e_{\{2\}}$	$e_1 = e_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01842		—	$g \in G, f(g)$	$g \in G, f(g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01843		—	$f\left(e_{\{1\}}\right)=f\left(e_{\{2\}}\right)$	$f(e_1) = f(e_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01844		—	$f(e)$	$f(e)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01845		—	(G, s, t)	(G, s, t)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01846		—	$G, s, t, \varnothing$	$G, s, t, \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01847		—	$R, 0, +, 1, *$	$R, 0, +, 1, *$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01848		—	$\emptyset, 1 \in R$	$0, 1 \in R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01849		—	$R \times R \rightarrowtail R$	$R \times R \rightarrow R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01850		—	$R, +, \emptyset$	$R, +, 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01851		—	$R, *, 1$	$R, *, 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01852		—	$a * (b+c) = a * b + a * c$	$a * (b + c) = a * b + a * c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01853		—	$(a+b) * c = a * c + b * c$	$(a + b) * c = a * c + b * c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01854		—	$a, b, c \in R$	$a, b, c \in R$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01855		—	$a * 0=0 * a$	$a * 0 = 0 = 0 * a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01856		—	$a \in R$	$a \in R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01857		—	$(\mathbb{N}, 0, +, 1, *)$	$(\mathbb{N}, 0, +, 1, *)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01858		—	$(R, *, 1)$	$(R, *, 1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01859		—	$V, 0, \vee, I, \otimes$	$V, 0, \vee, I, \otimes$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01860		—	$\emptyset =$	$\emptyset =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01861		—	$\bigvee \varnothing$	$\bigvee \emptyset$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01862		—	$\operatorname{Mat}_{\{n\}}(R)$	$\operatorname{Mat}_n(R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01863		—	$(n \times n)$	$(n \times n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01864		—	$M \in \operatorname{Mat}_{\{n\}}(R)$	$M \in \operatorname{Mat}_n(R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01865		—	$M: \underline{n} \times \underline{n} \rightarrow$	$M: \underline{n} \times \underline{n} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01866		—	$M+N$	$M + N$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01867		—	$(M+N)(i, j) := M(i, j) + N(i, j)$	$(M + N)(i, j) := M(i, j) + N(i, j)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01868		—	$(M * N)(i, j) := \sum_{k \in \underline{n}} M(i, k) * N(k, j)$	$(M * N)(i, j) := \sum_{k \in \underline{n}} M(i, k) * N(k, j)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01869		—	$\theta(i, j) := 0$	$0(i, j) := 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01870		—	$i, j \in \underline{n}$	$i, j \in \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01871		—	$1 \in \operatorname{Mat}_{\{n\}}(R)$	$1 \in \operatorname{Mat}_n(R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01872		—	$\operatorname{Mat}_{\{n\}}(\mathbb{N})$	$\operatorname{Mat}_n(\mathbb{N})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01873		—	$\mathbb{R}, 0, +, 1, *$	$\mathbb{R}, 0, +, 1, *$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01874		—	$M=R$	$M = R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01875		—	$R=\mathbb{N}$	$R = \mathbb{N}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01876		—	a=15 x	$a = 15x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01877		—	b=3 x+21 y	$b = 3x + 21y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01878		—	15 x	$15x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01879		—	3 x=x+2 x	$3x = x + 2x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01880		—	21 y	$21y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01881		—	(x, y, z)	(x, y, z)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01882		—	s, t: G_{\mathbb{R}} \rightarrow \mathbb{N}	$s, t : G_R \rightarrow \mathbb{N}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01883		—	$\boldsymbol{\operatorname{Free}}(G_R)$	$\mathbf{Free}(G_R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01884		—	G_R	G_R
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01885		—	$\mathbf{SFG}_R := \boldsymbol{\operatorname{Free}}(G_R)$	$\mathbf{SFG}_R := \mathbf{Free}(G_R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01886		—	$\operatorname{Free}(G_R)$	$\mathbf{Free}(G_R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01887		—	$(m \times n)$	$(m \times n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01888		—	$M: (\underline{m} \times \underline{n}) \rightarrow R$	$M: (\underline{m} \times \underline{n}) \rightarrow R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01889		—	$(n \times p)$	$(n \times p)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01890		—	$(m \times p)$	$(m \times p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01891		—	$M ; N$	$M;N$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01892		—	$a \in \underline{m}$	$a \in \underline{m}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01893		—	$c \in \underline{p}$	$c \in \underline{p}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01894		—	$\sum_{b \in \underline{n}}$	$\sum_{b \in \underline{n}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01895		—	$A \ v$	Av
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01896		—	$v ; A$	$v;A$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01897		—	A: m \rightarrow n	$A : m \rightarrow n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01898		—	b: p \rightarrow q	$b : p \rightarrow q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01899		—	A+B: m+p \rightarrow n+q	$A + B : m + p \rightarrow n + q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01900		—	m \times q	$m \times q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01901		—	n \times p	$n \times p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01902		—	A+B	$A + B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01903		—	1 \times 1	1×1
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01904		—	(a): 1 \rightarrow 1	$(a): 1 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01905		—	$x \in R$	$x \in R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01906		—	$a * x$	$a * x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01907		—	$\supset$	$\supset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01908		—	2×1	2×1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01909		—	$\binom{1}{1}$	$\binom{1}{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F01910		—	$x+y$	$x + y$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01911		—	$1 \rightarrow 1$	$1 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01912		—	$2 \rightarrow 1$	$2 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01913		—	$0 \rightarrow 1$	$0 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01914		—	$1 \rightarrow 0$	$1 \rightarrow 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01915		—	$0 \times n$	$0 \times n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01916		—	$n \times 0$	$n \times 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01917		—	0×3	0×3
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01918		—	$3 \times n$	$3 \times n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01919		—	$2 \times n$	$2 \times n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01920		—	$S: \mathbf{SFG}_R \rightarrow \mathbf{Mat}(R)$	$S: \mathbf{SFG}_R \rightarrow \mathbf{Mat}(R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01921		—	$S(g)$	$S(g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01922		—	$m \times n$	$m \times n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01923		—	(i, j)	(i, j)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01924		—	$\mathrm{id}_0: 0 \rightarrow 0, \mathrm{id}_1: 1 \rightarrow 1, \sigma: 2 \rightarrow 2$	$\mathrm{id}_0: 0 \rightarrow 0, \mathrm{id}_1: 1 \rightarrow 1, \sigma: 2 \rightarrow 2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01925		—	$(\alpha+\beta):(m+p) \rightarrow (n+q)$	$(\alpha + \beta) : (m + p) \rightarrow (n + q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01926		—	$\mathrm{id}_{\{0\}}, \mathrm{id}_{\{1\}}$	$\mathrm{id}_0, \mathrm{id}_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01927		—	$0 \rightarrow 0$	$0 \rightarrow 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01928		—	$\mathrm{id}_{\{1\}}, \sigma$	id_1, σ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01929		—	(a)	(a)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01930		—	$n=p$	$n = p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01931		—	$\alpha+\beta$	$\alpha + \beta$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01932		—	$\backslash\mathrm{beta}: n \rightarrow q$	$\beta : n \rightarrow q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01933		—	$j \in \underline{n}$	$j \in \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01934		—	$\alpha /$	$\alpha /$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01935		—	$S(\alpha) ; S(\beta)$	$S(\alpha); S(\beta)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01936		—	$\operatorname{Mat}(R)$	$\operatorname{Mat}(R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01937		—	$m+i$	$m + i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01938		—	$(n+j)$	$(n + j)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01939		—	$S(\backslash\alpha)+S(\backslash\beta)=S(\backslash\alpha+\backslash\beta)$	$S(\alpha)+S(\beta)=S(\alpha+\beta)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01940		—	$M\in\operatorname{Mat}(R)$	$M\in\operatorname{Mat}(R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01941		—	$g\in\mathbf{SFG}_{\{R\}}$	$g\in\mathbf{SFG}_R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01942		—	$S(g)=M$	$S(g)=M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01943		—	$M\in\mathbf{Mat}(R)$	$M\in\mathbf{Mat}(R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01944		—	$S(g)(i,j)$	$S(g)(i,j)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01945		—	$M(i,j)$	$M(i,j)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01946		—	$\left(\begin{array}{cc}a & b \\ c & d\end{array}\right)$	$\begin{pmatrix} a & b \\ c & d \end{pmatrix}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01947		—	$\left(\begin{array}{l}0 \\ 1 \\ 2\end{array}\right)$	$\begin{pmatrix} 0 \\ 1 \\ 2 \end{pmatrix}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01948		—	$\left(\begin{array}{ll}0 & 0 \\ 0 & 0\end{array}\right)$	$\begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01949		—	$\left(\begin{array}{lll}1 & 2 & 3 \\ 4 & 5 & 6\end{array}\right)$	$\begin{pmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \end{pmatrix}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01950		—	$\mathbf{SFG}_{\mathbf{R}}$	$\mathbf{SFG}_R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01951		—	$a, b \in \mathbb{R}$	$a, b \in R$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01952		—	$\backslash\mathrm{binom}\{0\}\{6\}$	$\binom{0}{6}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01953		—	$R=(\mathbb{N}, 0, +, 1, *)$	$R = (\mathbb{N}, 0, +, 1, *)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01954		—	$R=\mathbb{N} \ / \ 3 \ \mathbb{N}$	$R = \mathbb{N}/3\mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01955		—	M, μ, η	M, μ, η
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01956		—	$\mathcal{C}, I, \otimes$	$\mathcal{C}, I, \otimes$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01957		—	$\mu: M \otimes M \rightarrowtail M$	$\mu : M \otimes M \rightarrow M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01958		—	$\eta: I \rightarrowtail M$	$\eta : I \rightarrow M$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01959		—	$(\mu \otimes \mathrm{id}) ; \mu = (\mathrm{id} \otimes \mu) ; \mu$	$(\mu \otimes \mathrm{id}); \mu = (\mathrm{id} \otimes \mu); \mu$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01960		—	$(\eta \otimes \mathrm{id}) ; \mu = \mathrm{id} = (\mathrm{id} \otimes \eta) ; \mu$	$(\eta \otimes \mathrm{id}); \mu = \mathrm{id} = (\mathrm{id} \otimes \eta); \mu$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01961		—	$\sigma_{M, M} ; \mu = \mu$	$\sigma_{M, M}; \mu = \mu$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01962		—	$\sigma_{M, M}$	$\sigma_{M, M}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01963		—	$\mu: M \times M \rightarrow M$	$\mu: M \times M \rightarrow M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01964		—	$\eta(1) \in M$	$\eta(1) \in M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01965		—	$(a * b) * c = a * (b * c)$	$(a * b) * c = a * (b * c)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01966		—	$a * e = a * e$	$a * e = a = e * a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01967		—	$\mu: \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}$	$\mu: \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01968		—	$\mu(a, b) = a * b$	$\mu(a, b) = a * b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01969		—	$\eta \in \mathbb{R}$	$\eta \in \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01970		—	$\eta = 1$	$\eta = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01971		—	$(\mathbb{R}, *, 1)$	$(\mathbb{R}, *, 1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01972		—	$\mu(a, b) = a + b$	$\mu(a, b) = a + b$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01973		—	$\eta=0$	$\eta = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01974		—	$(\mathbb{R}, +, 0)$	$(\mathbb{R}, +, 0)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01975		—	$\mu=>-$	$\mu => -$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01976		—	$\eta=\sigma$	$\eta = \sigma$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01977		—	(R)	(R)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01978		—	$U: \operatorname{Mat}(R) \rightarrow$	$U : \operatorname{Mat}(R) \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01979		—	$R^{\{n\}}$	R^n
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01980		—	$M: m \rightarrow n$	$M : m \rightarrow n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01981		—	$R^{\{m\}} \rightarrow R^{\{n\}}$	$R^m \rightarrow R^n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01982		—	$\{1\}$	$\{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01983		—	(M, μ, η)	(M, μ, η)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01984		—	$(U(M), U(\mu), U(\eta))$	$(U(M), U(\mu), U(\eta))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01985		—	$\operatorname{prop} \operatorname{Mat}(R)$	$\operatorname{prop} \operatorname{Mat}(R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01986		—	$R=\mathbb{R}$	$R = \mathbb{R}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01987		—	$\mathbf{Mat}(R)$	$\mathbf{Mat}(R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01988		—	$\operatorname{Mat}(R)^{\mathrm{op}}$	$\operatorname{Mat}(R)^{\mathrm{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01989		—	$\varnothing, \mathbb{N}$	$\varnothing, \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01990		—	$\mu: 2 \rightarrow 1$	$\mu: 2 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01991		—	$\eta: 0 \rightarrow 1$	$\eta: 0 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01992		—	$\mathcal{M} \rightarrow \mathcal{C}$	$\mathcal{M} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01993		—	$g: m \rightarrow n$	$g: m \rightarrow n$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01994		—	$x \in R^m$	$x \in R^m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01995		—	$y \in R^n$	$y \in R^n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01996		—	$\mathrm{B}(g) \subseteq R^m \times R^n$	$B(g) \subseteq R^m \times R^n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01997		—	$(x, (x, x))$	$(x, (x, x))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01998		—	$g^{\{\text{op}\}}$	g^{op}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F01999		—	$g^{\{\text{op}\}}: n \rightarrow m$	$g^{\text{op}}: n \rightarrow m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02000		—	$\mathrm{B}(\left(g^{\{\text{op}\}}\right) \subseteq R^n \times R^m$	$B(g^{\text{op}}) \subseteq R^n \times R^m$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02001		—	(b, a)	(b, a)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02002		—	$\mathrm{B}(-\mathrm{C})$	$B(-C)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02003		—	$-\mathrm{C}: 1 \rightarrow 2$	$-C: 1 \rightarrow 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02004		—	$\mathrm{B}(>-)$	$B(>-)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02005		—	$>: 2 \rightarrow 1$	$>: 2 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02006		—	$B \subseteq R^m \times R^n$	$B \subseteq R^m \times R^n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02007		—	$N: n \rightarrow p$	$N: n \rightarrow p$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02008		—	$B_{\{1\}} := \left\{ (x, Mx) \mid x \in R^{\{m\}} \right\}$	$B_1 := \{(x, Mx) \mid x \in R^m\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02009		—	$B_{\{2\}} := \left\{ (y, Ny) \mid y \in R^{\{n\}} \right\}$	$B_2 := \{(y, Ny) \mid y \in R^n\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02010		—	$\left\{ (x, x ; M ; N) \mid x \in R^{\{m\}} \right\}$	$\{(x, x; M; N) \mid x \in R^m\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02011		—	$B_{\{1\}} \subseteq R^{\{m\}} \times R^{\{n\}}$	$B_1 \subseteq R^m \times R^n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02012		—	$B_{\{2\}} \subseteq R^{\{n\}} \times R^{\{p\}}$	$B_2 \subseteq R^n \times R^p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02013		—	$B_{\{1\}} ; B_{\{2\}} \subseteq R^{\{m\}} \times R^{\{p\}}$	$B_1; B_2 \subseteq R^m \times R^p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02014		—	$\mathbf{Rel}_R$	$\mathbf{Rel}_R$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02015		—	$C \subseteq R^p \times R^q$	$C \subseteq R^p \times R^q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02016		—	$B+C$	$B + C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02017		—	$g \in G_R$	$g \in G_R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02018		—	$G_R^{\text{op}} := \{g^{\text{op}} \mid g \in G_R\}$	$G_R^{\text{op}} := \{g^{\text{op}} \mid g \in G_R\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02019		—	$\mathbf{SFG}_R^+$	$\mathbf{SFG}_R^+$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02020		—	$g: m \rightarrow n, h: \ell \rightarrow n$	$g: m \rightarrow n, h: \ell \rightarrow n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02021		—	$h^{\mathrm{op}}: n \rightarrow \ell$	$h^{\text{op}}: n \rightarrow \ell$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02022		—	$g_{\{9\}^{\circ}}\left(h^{\mathrm{op}}\right)$	$g_9^{\circ}(h^{\mathrm{op}})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02023		—	$g_{\{ \}^{\circ}}\left(h^{\mathrm{op}}\right) \subseteq R^m \times R^{\ell}$	$g^{\circ}(h^{\mathrm{op}}) \subseteq R^m \times R^{\ell}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02024		—	$g: m \rightarrow n, h: m \rightarrow p$	$g: m \rightarrow n, h: m \rightarrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02025		—	$\left(g^{\mathrm{op}}\right): n \rightarrow m$	$(g^{\mathrm{op}}): n \rightarrow m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02026		—	$g^{\mathrm{op}}; h$	$g^{\mathrm{op}}; h$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02027		—	$S(g) \in \operatorname{Mat}(R)$	$S(g) \in \mathbf{Mat}(R)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02028		—	$b_{\{1\}}, b_{\{2\}} \in \mathrm{-B}(g)$	$b_1, b_2 \in \mathbf{B}(g)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02029		—	$b_{\{1\}}+b_{\{2\}}$	$b_1 + b_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02030		—	$r * b_{\{1\}}$	$r * b_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02031		—	$r \in R$	$r \in R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02032		—	$\mathbf{L \ i \ n \ R \ e \ l}_{\{R\}}$	$\mathbf{LinRel}_R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02033		—	$(x, y) \in B$	$(x, y) \in B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02034		—	$(r * x, r * y) \in R^{\{m\}} \times R^{\{n\}}$	$(r * x, r * y) \in R^m \times R^n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02035		—	$\left(x^{\{\prime\}}, y^{\{\prime\prime\}}\right) \in B$	$(x', y') \in B$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02036		—	$\left(x+x^{\mathrm{\prime}},\,y+y^{\mathrm{\prime}}\right)$	$(x+x',y+y')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02037		—	$G_{\mathrm{R}}\sqcup G_{\mathrm{R}}^{\mathrm{\mathrm{op}}}$	$G_R\sqcup G_R^{\mathrm{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02038		—	η_{1}	η_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02039		—	ϵ_{1}	ϵ_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02040		—	$n=n^{\mathrm{*}}$	$n=n^*$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02041		—	$\mathbb{R}\left[s,\,s^{-1}\right]$	$\mathbb{R}\left[s,s^{-1}\right]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02042		—	s^{-1}	s^{-1}
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02043		—	$s^{-1}s=1$	$ss^{-1} = s^{-1}s = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02044		—	$a * u + b * v$	$a * u + b * v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02045		—	$\{(F, u, v) \mid u=v\}$	$\{(F, u, v) \mid u = v\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02046		—	$\mathcal{C}^{\prime}$	$\mathcal{C}'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02047		—	$\operatorname{Cospan}_{\mathsf{C}}$	$\operatorname{Cospan}_{\mathsf{C}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02048		—	$s_{\{m, n\}}: m \rightarrow n$	$s_{m,n} : m \rightarrow n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02049		—	$\varnothing \in \mathcal{C}$	$\emptyset \in \mathcal{C}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02050		—	$!_{\{T\}}: \varnothing \rightarrow T$	$!_T: \varnothing \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02051		—	$A, \leq$	$A, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02052		—	$(A, \leq)$	$(A, \leq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02053		—	$\varnothing \rightarrow T$	$\varnothing \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02054		—	$T \in \mathrm{Ob}(\mathcal{C})$	$T \in \mathrm{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02055		—	$T=A$	$T = A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02056		—	$T=B$	$T = B$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02057		—	$\varnothing = \{ \}^{\{ ? \}} A$	$\varnothing = ? A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02058		—	$\varnothing = \{ \}^{\{ ? \}} B$	$\varnothing = ? B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02059		—	$B \rightarrow A$	$B \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02060		—	$\boxed{\bullet}$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02061		—	$\stackrel{a}{\bullet} \rightarrow \stackrel{b}{\bullet} \rightarrow \stackrel{c}{\bullet}$	$\stackrel{a}{\bullet} \rightarrow \stackrel{b}{\bullet} \rightarrow \stackrel{c}{\bullet}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02062		—	$\stackrel{a}{\bullet} \stackrel{b}{\bullet}$	$\stackrel{a}{\bullet} \stackrel{b}{\bullet}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02063		—	$(R, 0_R, +_R, 1_R, *_R)$	$(R, 0_R, +_R, 1_R, *_R)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02064		—	$\left(S, 0_S, +_S, 1_S, *_S\right)$	$(S, 0_S, +_S, 1_S, *_S)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02065		—	$f: R \rightarrowtail S$	$f: R \rightarrow S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02066		—	$f\left(0_R\right)=0_S$	$f\left(0_R\right)=0_S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02067		—	$f\left(r_1+\left\{ \right\} _Rr_2\right)=f\left(r_1\right)+sf\left(r_2\right)$	$f\left(r_1+{}_Rr_2\right)=f\left(r_1\right)+sf\left(r_2\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02068		—	$c_{\{1\}}$	c_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02069		—	$c_{\{2\}}$	c_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02070		—	$\iota_A\colon A \rightarrowtail$	$\iota_A: A \rightarrow$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02071		—	$A+B, \iota_B: B \rightarrowtail A+B$	$A+B, \iota_B: B \rightarrow A+B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02072		—	$(f: A \rightarrowtail$	$(f: A \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02073		—	$T, g: B \rightarrowtail T$	$T, g: B \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02074		—	$[f, g]: A+B \rightarrowtail T$	$[f, g]: A+B \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02075		—	$[f, g]$	$[f, g]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02076		—	$\iota_A: A \rightarrowtail A \sqcup B$	$\iota_A: A \longrightarrow A \sqcup B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02077		—	$\iota_B: B \rightarrowtail A \sqcup B$	$\iota_B: B \rightarrow A \sqcup B$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02078		—	f: A \rightarrow T	$f : A \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02079		—	g: B \rightarrow T	$g : B \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02080		—	[f, g]: A \sqcup B \rightarrow T	$[f, g] : A \sqcup B \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02081		—	\iota_{A}	ι_A
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02082		—	[f, g]=f	$[f, g] = f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02083		—	\iota_{B}	ι_B
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02084		—	[f, g]=g	$[f, g] = g$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02085		—	$x \in A \sqcup B$	$x \in A \sqcup B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02086		—	$x=\iota_A(a)$	$x = \iota_A(a)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02087		—	$b \in B$	$b \in B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02088		—	$x=\iota_B(b)$	$x = \iota_B(b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02089		—	$T=\{a, b, c, \ldots, z\}$	$T = \{a, b, c, \ldots, z\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02090		—	$f($	$f($
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02091		—	$)=a$	$) = a$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02092		—	$g($	$g($
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02093		—	$)=e$	$) = e$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02094		—	$[f, g](x)$	$[f, g](x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02095		—	$f: A \rightarrow C, g: B \rightarrow C$	$f: A \rightarrow C, g: B \rightarrow C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02096		—	$\iota_A \sim: [f, g]=f$	$\iota_A : [f, g] = f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02097		—	$\iota_B: [f, g]=g$	$\iota_B : [f, g] = g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02098		—	$[f, g] ; h=[f ; h, g ; h]$	$[f, g]; h = [f; h, g; h]$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02099		—	$\left[\iota_{\{A\}}, \iota_{\{B\}}\right]=\mathrm{id}_{\{A+B\}}$	$[\iota_A, \iota_B] = \mathrm{id}_{A+B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02100		—	$(\mathcal{C}, +, \varnothing)$	$(\mathcal{C}, +, \varnothing)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02101		—	$\mathcal{C} \times \mathcal{C} \rightarrow \mathcal{C}$	$\mathcal{C} \times \mathcal{C} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02102		—	$\mathcal{C} \times \mathcal{C}$	$\mathcal{C} \times \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02103		—	$A+\varnothing \rightarrow A$	$A + \varnothing \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02104		—	$\varnothing+A \rightarrow A$	$\varnothing + A \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02105		—	$(A+B)+C \rightarrow A+(B+C)$	$(A + B) + C \rightarrow A + (B + C)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02106		—	$A+B \rightarrow B+A$	$A + B \rightarrow B + A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02107		—	$f: A \rightarrow X$	$f : A \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02108		—	$g: A \rightarrow Y$	$g : A \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02109		—	$X+{ }_{A} Y$	$X + {}_A Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02110		—	$X+_{A} Y$	$X +_A Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02111		—	$\iota_X\{X\}: X \rightarrow$	$\iota_X : X \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02112		—	$\iota_Y\{Y\}: Y \rightarrow X+{ }_{A} Y$	$\iota_Y : Y \rightarrow X + {}_A Y$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02113		—	$\ulcorner$	$\lcorner$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02114		—	$x: X \rightarrow T, y: Y \rightarrow T$	$x: X \rightarrow T, y: Y \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02115		—	$t: X + \{ \}_{A} Y \rightarrow T$	$t: X + {}_A Y \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02116		—	ι_X	ι_X
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02117		—	ι_Y	ι_Y
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02118		—	$B \leftarrow A \rightarrow C$	$B \leftarrow A \rightarrow C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02119		—	$B \sqcup C$	$B \sqcup C$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02120		—	$B \vee C$	$B \vee C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02121		—	$i: A \rightarrow A^{\prime}$	$i: A \rightarrow A'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02122		—	$j: X \rightarrow X^{\prime}$	$j: X \rightarrow X'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02123		—	$X^{\prime}$	X'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02124		—	$X+{ \ }_{A} A^{\prime}$	$X+{}_AA'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02125		—	$f^{\prime}:=i^{\{-1\}}:f:j$	$f' := i^{-1} : f : j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02126		—	$f \text{ ; } x=i \text{ ; } a$	$f; x = i; a$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02134		—	f: \underline{4} \rightarrow \underline{5}	$f : \underline{4} \rightarrow \underline{5}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02135		—	g: \underline{4} \rightarrow \underline{3}	$g : \underline{4} \rightarrow \underline{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02136		—	X, Y \in	$X, Y \in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02137		—	f: \varnothing \rightarrow X	$f : \varnothing \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02138		—	g: \varnothing \rightarrow Y	$g : \varnothing \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02139		—	X \stackrel{f}{\leftarrow} \varnothing \stackrel{g}{\rightarrow} Y	$X \stackrel{f}{\leftarrow} \varnothing \stackrel{g}{\rightarrow} Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02140		—	X+Y	$X + Y$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02141		—	$X+Y \rightarrow T$	$X + Y \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02142		—	$X+\varnothing Y \cong X+Y$	$X + \varnothing Y \cong X + Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02143		—	$X+\varnothing Y$	$X + \varnothing Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02144		—	$A=X=Y=\mathbb{N}$	$A = X = Y = \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02145		—	$f(a):=\lfloor a / 2\rfloor$	$f(a) := \lfloor a/2 \rfloor$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02146		—	$g(a):=\lfloor (a+1) / 2\rfloor$	$g(a) := \lfloor (a + 1)/2 \rfloor$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02147		—	$x: X \rightarrow T$	$x : X \rightarrow T$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02148		—	$y: Y \rightarrow T$	$y: Y \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02149		—	$f \cong x = g \cong y$	$f \cong x = g \cong y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02150		—	$f(1)=0$	$f(1) = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02151		—	$g(1)=1$	$g(1) = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02152		—	$t=x(0)=x(f(1))=y(g(1))=y(1)$	$t = x(0) = x(f(1)) = y(g(1)) = y(1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02153		—	$g(2)=1$	$g(2) = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02154		—	$f(2)=1$	$f(2) = 1$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02155		—	$t=g(1)=y(g(2))=$	$t = g(1) = y(g(2)) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02156		—	$x(f(2))=x(1)$	$x(f(2)) = x(1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02157		—	$X \sqcup_{\mathcal{A}} Y \cong \{1\}$	$X \sqcup_A Y \cong \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02158		—	$j \in \operatorname{Ob} \mathcal{J}$	$j \in \operatorname{Ob} \mathcal{J}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02159		—	$\operatorname{id}_{\mathcal{J}}$	$\operatorname{id}_{\mathcal{J}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02160		—	$\operatorname{colim}_{\mathcal{J}} D$	$\operatorname{colim}_{\mathcal{J}} D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02161		—	$\mathbf{0} \rightarrow \mathcal{C}$	$\mathbf{0} \rightarrow \mathcal{C}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02162		—	$(v, d) \sim (w, e)$	$(v, d) \sim (w, e)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02163		—	$a: v \rightarrowtail w$	$a: v \rightarrow w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02164		—	$D(a)(d)=e$	$D(a)(d) = e$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02165		—	$\iota_v: D(v) \rightarrowtail \operatorname{colim}_{\mathcal{J}} D$	$\iota_v: D(v) \rightarrow \operatorname{colim}_{\mathcal{J}} D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02166		—	$d \in D(v)$	$d \in D(v)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02167		—	$\mathfrak{J} =$	$\mathfrak{J} =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02168		—	$D: \mathfrak{J} \rightarrowtail$	$D: \mathfrak{J} \rightarrow$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02169		—	$X:=D\left(v_{1}\right)$	$X:=D\left(v_1\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02170		—	$Y:=D\left(v_{2}\right)$	$Y:=D\left(v_2\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02171		—	$\mathbf{1}=\boxed{\bullet}$	$\mathbf{1}=\boxed{\bullet}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02172		—	$D(v)$	$D(v)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02173		—	$X: \mathbf{1} \rightarrow$	$X: \mathbf{1} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02174		—	$X \stackrel{f}{\leftarrow} N \xrightarrow{g} Y$	$X \stackrel{f}{\leftarrow} N \xrightarrow{g} Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02175		—	$X \xrightarrow[g]{f} Y$	$X \xrightarrow[g]{f} Y$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02176		—	$y \sim y^{\prime}$	$y \sim y'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02177		—	$f(x)=y$	$f(x) = y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02178		—	$g(x)=y^{\prime}$	$g(x) = y'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02179		—	$f, g: X \rightarrowtail Y$	$f, g: X \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02180		—	$A \rightarrowtail N \leftarrowtail B$	$A \rightarrow N \leftarrow B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02181		—	$N \stackrel{g}{\leftarrowtail} B \xrightarrow{h} P$	$N \stackrel{g}{\leftarrow} B \xrightarrow{h} P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02182		—	$C \in \mathrm{Ob} \mathcal{C}$	$C \in \mathrm{Ob} \mathcal{C}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02183		—	$C \rightarrowtail C \leftarrowtail C$	$C \rightarrow C \leftarrow C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02184		—	$A \rightarrowtail B \rightarrowtail C$	$A \rightarrow B \rightarrow C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02185		—	$A \rightarrowtail P \leftarrowtail B$	$A \rightarrow P \leftarrow B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02186		—	$A \rightarrowtail P^{\prime} \leftarrowtail B$	$A \rightarrow P' \leftarrow B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02187		—	$P \cong P^{\prime}$	$P \cong P'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02188		—	$\{ \ }_{\text{C}}$	C
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02189		—	$\operatorname{Cospan}_{\mathcal{C}}$	$\operatorname{Cospan}_{\mathcal{C}}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02190		—	$\mathcal{C}$	$\mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02191		—	$\operatorname{Ob}(\left(\right.$	$\operatorname{Ob}(\left(\right.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02192		—	$\left.\mathcal{C}\right)=\operatorname{Ob}(\mathcal{C})$	$\mathcal{C})=\operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02193		—	$\mathcal{C}, \varnothing, +$	$\mathcal{C}, \varnothing, +$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02194		—	$A+\varnothing \cong A$	$A+\varnothing \cong A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02195		—	$\mathcal{C}, \varnothing, +$	$\mathcal{C}, \varnothing, +$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02196		—	FinSet	FinSet
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02197		—	$\{ \}_{{\text{FinSet}} }$	FinSet
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02198		—	$A \xrightarrow{f} N \stackrel{g}{\leftarrow} B$	$A \xrightarrow{f} N \xleftarrow{g} B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02199		—	$g(b)$	$g(b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02200		—	$A+B \rightarrow B+C$	$A + B \rightarrow B + C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02201		—	$\operatorname{Cospan}_{{\text{FinSet}} }$	$\operatorname{Cospan}_{\operatorname{FinSet}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02202		—	(X, μ, η)	(X, μ, η)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02203		—	$\mu\colon X \otimes X \rightarrow X$	$\mu : X \otimes X \rightarrow X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02204		—	$\eta: I \rightarrow X$	$\eta: I \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02205		—	$X \otimes X$	$X \otimes X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02206		—	(X, δ, ϵ)	(X, δ, ϵ)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02207		—	$\delta: X \rightarrow X \otimes X, \epsilon: X \rightarrow I$	$\delta: X \rightarrow X \otimes X, \epsilon: X \rightarrow I$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02208		—	μ, η, δ	μ, η, δ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02209		—	ϵ	ϵ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02210		—	μ	μ
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02211		—	δ	δ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02212		—	$(\mathcal{C}, \otimes, I)$	$(\mathcal{C}, \otimes, I)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02213		—	$(\mu, \eta, \delta, \epsilon)$	$(\mu, \eta, \delta, \epsilon)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02214		—	$X^{\otimes m} \rightarrow X^{\otimes n}$	$X^{\otimes m} \rightarrow X^{\otimes n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02215		—	μ, δ	μ, δ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02216		—	$X, \mu, \eta, \delta, \epsilon$	$X, \mu, \eta, \delta, \epsilon$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02217		—	$s_{\{m, n\}}: X^{\otimes m} \rightarrow X^{\otimes n}$	$s_{m,n}: X^{\otimes m} \rightarrow X^{\otimes n}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02218		—	$(m-1) \ \mu$	$(m-1)\mu$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02219		—	$(n-1) \ \delta$	$(n-1)\delta$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02220		—	$m=0$	$m=0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02221		—	$s_{\{m, \ n\}}$	$s_{m,n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02222		—	$\mu, \ \eta, \ \delta, \ \epsilon, \ \sigma$	$\mu, \eta, \delta, \epsilon, \sigma$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02223		—	$(X, \ \mu, \ \eta, \ \delta, \ \epsilon)$	$(X, \mu, \eta, \delta, \epsilon)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02224		—	$f: X^{\otimes m} \rightarrow X^{\otimes n}$	$f: X^{\otimes m} \rightarrow X^{\otimes n}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02225		—	$\sigma: X^{\otimes 2} \rightarrow X^{\otimes 2}$	$\sigma : X^{\otimes 2} \rightarrow X^{\otimes 2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02226		—	$f=s_{\{m, n\}}$	$f = s_{m,n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02227		—	$X \otimes X \rightarrow X \otimes X \otimes X$	$X \otimes X \rightarrow X \otimes X \otimes X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02228		—	$G:=\{\mu, \eta, \delta, \epsilon\}$	$G := \{\mu, \eta, \delta, \epsilon\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02229		—	$G \rightarrow$	$G \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02230		—	(G, E)	(G, E)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02231		—	$X, \mu_X, \delta_X, \eta_X, \epsilon_X$	$X, \mu_X, \delta_X, \eta_X, \epsilon_X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02232		—	$\mathrm{id}_I = \epsilon_I$	$\eta_I = \mathrm{id}_I = \epsilon_I$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02233		—	$\mu_X, \delta_X, \eta_X, \epsilon_X$	$\mu_X, \delta_X, \eta_X, \epsilon_X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02234		—	$\underline{1}$	$\underline{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02235		—	$\varnothing, \sqcup$	$\varnothing, \sqcup$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02236		—	$\mu_X: X \sqcup X \rightarrow X$	$\mu_X: X \sqcup X \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02237		—	$X \sqcup X \sqcup X$	$X \sqcup X \sqcup X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02238		—	$\delta_X: X \rightarrow X \sqcup X$	$\delta_X: X \rightarrow X \sqcup X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02239		—	$\eta_X: \varnothing \rightarrow X$	$\eta_X : \emptyset \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02240		—	$\epsilon_X: X \rightarrow \varnothing$	$\epsilon_X : X \rightarrow \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02241		—	$X=\varnothing \sqcup X=X \sqcup \varnothing$	$X = \emptyset \sqcup X = X \sqcup \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02242		—	$\left(X, \mu_X, \eta_X, \delta_X, \epsilon_X\right)$	$(X, \mu_X, \eta_X, \delta_X, \epsilon_X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02243		—	$\left(\mathcal{C}, I_{\mathcal{C}}, \otimes_{\mathcal{C}}\right)$	$(\mathcal{C}, I_{\mathcal{C}}, \otimes_{\mathcal{C}})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02244		—	$\left(\mathcal{D}, I_{\mathcal{D}}, \otimes_{\mathcal{D}}\right)$	$(\mathcal{D}, I_{\mathcal{D}}, \otimes_{\mathcal{D}})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02245		—	(F, φ)	(F, φ)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02246		—	$\varphi_I: I_{\mathcal{D}} \rightarrow F(I_C)$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02247		—	$c_1, c_2 \in \operatorname{Ob}(\mathcal{C})$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02248		—	φ	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02249		—	φ_I	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02250		—	φ_{c_1, c_2}	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02251		—	c_1, c_2	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02252		—	$S \in$	
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02253		—	$\mathrm{P}(S) := \{R \subseteq S\}$	$P(S) := \{R \subseteq S\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02254		—	$\operatorname{im}_f: \mathrm{P}(S) \rightarrow \mathrm{P}(T)$	$\operatorname{im}_f: P(S) \rightarrow P(T)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02255		—	$R \subseteq S$	$R \subseteq S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02256		—	$\{f(r) \mid r \in R\} \subseteq T$	$\{f(r) \mid r \in R\} \subseteq T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02257		—	$(\{1\}, \times)$	$(\{1\}, \times)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02258		—	$\varphi_I: \{1\} \rightarrow$	$\varphi_I: \{1\} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02259		—	$\mathrm{P}(\{1\})$	$P(\{1\})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02260		—	$\mathrm{varphi}_{\{S, T\}}: \mathrm{P}(S) \times \mathrm{P}(T) \rightarrow \mathrm{P}(S \times T)$	$\varphi_{S,T}: \mathrm{P}(S) \times \mathrm{P}(T) \rightarrow \mathrm{P}(S \times T)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02261		—	$\mathrm{varphi}_{\{I\}}(1)$	$\varphi_I(1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02262		—	$\{1\} \subseteq \{1\}$	$\{1\} \subseteq \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02263		—	$A \subseteq S$	$A \subseteq S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02264		—	$B \subseteq T$	$B \subseteq T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02265		—	$\mathrm{varphi}_{\{S, T\}}(A, B)$	$\varphi_{S,T}(A, B)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02266		—	$A \times B \subseteq S \times T$	$A \times B \subseteq S \times T$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02267		—	(P, φ)	(P, φ)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02268		—	$\varphi_{S, T}$	$\varphi_{S, T}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02269		—	$2 \ \Omega$	2Ω
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02270		—	$A \rightarrowtail N$	$A \rightarrow N$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02271		—	$B \rightarrowtail N$	$B \rightarrow N$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02272		—	$(F, \varphi) : (\mathcal{C}, +) \rightarrowtail ($	$(F, \varphi) : (\mathcal{C}, +) \longrightarrow ($
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02273		—	$\times)$	$\times)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02274		—	$A \xrightarrow{i} N \stackrel{o}{\leftarrow} B$	$A \xrightarrow{i} N \xleftarrow{o} B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02275		—	$s \in F(N) . \{ \} ^{5}$	$s \in F(N) .^5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02276		—	$\mathcal{C} =$	$\mathcal{C} =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02277		—	$N \in$	$N \in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02278		—	$F(N)$	$F(N)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02279		—	$(A \xrightarrow{f} N \stackrel{g}{\leftarrow} B, s)$	$(A \xrightarrow{f} N \xleftarrow{g} B, s)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02280		—	$(B \xrightarrow{h} P \stackrel{k}{\leftarrow} C, t)$	$(B \xrightarrow{h} P \xleftarrow{k} C, t)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02281		—	$B \xrightarrow{h} P \stackrel{k}{\leftarrow} C$	$B \xrightarrow{h} P \xleftarrow{k} C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02282		—	$F\left(N+\{ \}_B P\right)$	$F\left(N+_BP\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02283		—	$_F\{$	F
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02284		—	$_{\text{C}}$	C
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02285		—	$_{\mathrm{e}}$	e
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02286		—	$\operatorname{Cospan}_F\{$	Cospan_F
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02287		—	$F(c):=\{*\}$	$F(c):=\{*\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02288		—	$\mathbb{R}^+$	$\mathbb{R}^+$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02289		—	$\ell: A \rightarrow C$	$\ell: A \rightarrow C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02290		—	$V=\{1,2\}, A=\{e\}, s(e)=1$	$V = \{1,2\}, A = \{e\}, s(e) = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02291		—	$t(e)=2$	$t(e) = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02292		—	$\ell(e)=3 \ \Omega$	$\ell(e) = 3\Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02293		—	$3 \ \Omega$	3Ω
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02294		—	$V=\{1,2\}, A=\{e\}$	$V = \{1,2\}, A = \{e\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02295		—	$s(e)=2, \ t(e)=1$	$s(e) = 2, t(e) = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02296		—	$\ell(e)=3 \ F$	$\ell(e) = 3F$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02297		—	V, A, s, t, ℓ	V, A, s, t, ℓ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02298		—	ψ	ψ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02299		—	$f: V \rightarrow V^{\prime}$	$f: V \rightarrow V'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02300		—	$c \in \operatorname{Circ}(\underline{4})$	$c \in \mathbf{Circ}(\underline{4})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02301		—	$f: \underline{4} \rightarrow \underline{3}$	$f: \underline{4} \rightarrow \underline{3}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02302		—	$\operatorname{Circ}(f)(c)$	$\operatorname{Circ}(f)(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02303		—	$\psi_{V, V^{\prime}}$	$\psi_{V, V'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02304		—	$V, V^{\prime}$	V, V'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02305		—	$V+V^{\prime}$	$V + V'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02306		—	$\psi_{\underline{2}, \underline{2}}(b, s) \in \operatorname{Circ}(\underline{2}+\underline{2}) = \operatorname{Circ}(\underline{4})$	$\psi_{\underline{2}, \underline{2}}(b, s) \in \operatorname{Circ}(\underline{2} + \underline{2}) = \operatorname{Circ}(\underline{4})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02307		—	(	(
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02308		—	$\psi): ($	$\psi): ($
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02309		—	) \rightarrow (	) → (
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02310		—	{ }_{\text {Circ }}	Circ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02311		—	\underline{2}	<u>2</u>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02312		—	_{\text {Circ }}	Circ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02313		—	\underline{m} \rightarrow \underline{p} \leftarrow \underline{n}	$\underline{m} \rightarrow \underline{p} \leftarrow \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02314		—	\operatorname{Circ}(\underline{p})	Circ(<u>p</u>)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02315		—	\underline{1} \xrightarrow{i_1} \underline{2} \stackrel{i_2}{\leftarrow} \underline{1}	$\underline{1} \xrightarrow{i_1} \underline{2} \stackrel{i_2}{\leftarrow} \underline{1}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02316		—	$i_{\{1\}}(1)=1$	$i_1(1) = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02317		—	$i_{\{2\}}(1)=2$	$i_2(1) = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02318		—	$(V, A, s, t, \ell) \in \operatorname{Circ}(\underline{2})$	$(V, A, s, t, \ell) \in \operatorname{Circ}(\underline{2})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02319		—	$\underline{1} \rightarrow \underline{1}$	$\underline{1} \rightarrow \underline{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02320		—	$\operatorname{Circ}(\left(\left[\iota_{\{N\}}, \iota_{\{P\}}\right]\right)\left(\psi_{N, P}(s, t)\right)$	$\operatorname{Circ}([\iota_N, \iota_P])(\psi_{N, P}(s, t))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02321		—	$\underline{1}=\{\circ\}$	$\underline{1} = \{\circ\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02322		—	$\psi_{\{2, \underline{2}\}}$	$\psi_{2, \underline{2}}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02323		—	$\operatorname{Circ}(\underline{4})$	$\operatorname{Circ}(\underline{4})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02324		—	$\psi_{N,P}(s,t)$	$\psi_{N,P}(s,t)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02325		—	$\left[\iota_N, \iota_P\right]$	$[\iota_N, \iota_P]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02326		—	$\operatorname{Cospan}_{\operatorname{Circ}}$	$\operatorname{Cospan}_{\operatorname{Circ}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02327		—	$A \rightarrowtail M \leftarrowtail B$	$A \rightarrowtail M \leftarrowtail B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02328		—	$C \rightarrowtail N \leftarrowtail D$	$C \rightarrowtail N \leftarrowtail D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02329		—	$A+C \rightarrowtail M+N \leftarrowtail B+D$	$A+C \rightarrowtail M+N \leftarrowtail B+D$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02330		—	$\psi_{\{M, N\}}: \operatorname{Circ}(M) \times \operatorname{Circ}(N) \rightarrow \operatorname{Circ}(M+N)$	$\psi_{M,N} : \operatorname{Circ}(M) \times \operatorname{Circ}(N) \rightarrow \operatorname{Circ}(M + N)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02331		—	$\eta: 0 \rightarrow 2$	$\eta : 0 \rightarrow 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02332		—	$\eta: 2 \rightarrow 0$	$\eta : 2 \rightarrow 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02333		—	$(\underline{1}, \operatorname{varnothing}, !, !, !) \in \operatorname{Circ}(\underline{1}) \cdot \{ \}^6$	$(\underline{1}, \varnothing, !, !, !) \in \operatorname{Circ}(\underline{1})$. ⁶
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02334		—	$\eta \ ; \ x \ ; \ \epsilon$	$\eta; x; \epsilon$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02335		—	$\underline{0} \rightarrow \underline{0}$	$\underline{0} \rightarrow \underline{0}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02336		—	$\mathcal{0}$	$\mathcal{O}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02337		—	f, g, h, k	f, g, h, k
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02338		—	$\mathcal{M} \rightarrow$	$\mathcal{M} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02339		—	$\text{_}\{\text{FinSet}\} \rightarrow$	$\text{FinSet} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02340		—	$t_1, \ldots, t_n, t$	$t_1, \ldots, t_n, t$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02341		—	$\mathcal{O}\left(t_1, \ldots, t_n; t\right)$	$\mathcal{O}\left(t_1, \ldots, t_n; t\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02342		—	$\left(t_1, \ldots, t_n; t\right)$	$\left(t_1, \ldots, t_n; t\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02343		—	$\left(s_1, \ldots, s_m, t_i\right)$	$\left(s_1, \ldots, s_m, t_i\right)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02344		—	$\left(t_{\{1\}}, \ldots, t_{\{n\}}, t\right)$	$(t_1, \dots, t_n, t)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02345		—	$\mathrm{id}_{\{t\}} \in O(t ; t)$	$\mathrm{id}_t \in O(t; t)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02346		—	$m+n-1$	$m+n-1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02347		—	$n-1$	$n-1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02348		—	$\circ_{\{i\}}$	$\circ_i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02349		—	$f \circ_{\{i\}} g \in \mathcal{O}(m+n-1)$	$f \circ_i g \in \mathcal{O}(m+n-1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02350		—	$X_{\{1\}} \times \cdots \times X_{\{n\}} \rightarrowtail Y$	$X_1 \times \cdots \times X_n \rightarrowtail Y$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02351		—	$X_{\{1\}}, \ldots, X_{\{n\}} ; Y$	$X_1, \dots, X_n; Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02352		—	$f \in \operatorname{Set} \backslash \left(W_{\{1\}}, \ldots, W_{\{m\}} ; X_{\{i\}} \right), g \in \operatorname{Set} \backslash \left(X_{\{1\}}, \ldots, X_{\{n\}} ; Y \right)$	$f \in \operatorname{Set} (W_1, \dots, W_m; X_i), g \in \operatorname{Set} (X_1, \dots, X_n; Y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02353		—	$g \circ_{\{i\}} f$	$g \circ_i f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02354		—	$\operatorname{id}_{\{X\}} \in \operatorname{Set} (X ; X)$	$\operatorname{id}_X \in \operatorname{Set} (X; X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02355		—	$\operatorname{id}_{\{X\}}: X \rightarrowtail X$	$\operatorname{id}_X : X \rightarrowtail X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02356		—	$a \in \mathbb{N}$	$a \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02357		—	$\underline{a_{\{1\}}} + \cdots + \underline{a_{\{n\}}} \rightarrowtail \underline{p} \leftarrowtail \underline{b}$	$\underline{a_1} + \cdots + \underline{a_n} \rightarrowtail \underline{p} \leftarrowtail \underline{b}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02358		—	$\left(a_{\{1\}}, \ldots, a_{\{n\}} ; b\right)$	$(a_1, \ldots, a_n; b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02359		—	$\operatorname{id}_{\{a\}} \in \operatorname{Set}(a ; a)$	$\operatorname{id}_a \in \operatorname{Set}(a; a)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02360		—	$\operatorname{cospan} \underline{a} \xrightarrow{\operatorname{id}_{\underline{a}}} \underline{a} \stackrel{\operatorname{id}_{\underline{a}}}{\underset{\underline{a}}{\rhd}} \underline{a}$	$\operatorname{cospan} \underline{a} \xrightarrow{\operatorname{id}_{\underline{a}}} \underline{a} \stackrel{\operatorname{id}_{\underline{a}}}{\underset{\underline{a}}{\rhd}} \underline{a}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02361		—	$\text{FinSet}, 0, +$	$\operatorname{FinSet}, 0, +$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02362		—	$\underline{3}, \underline{3}, \underline{4}, \underline{2} ; \underline{3}$	$\underline{3}, \underline{3}, \underline{4}, \underline{2}; \underline{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02363		—	$3, 3, 4, 2$	$3, 3, 4, 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02364		—	$\underline{3} + \underline{3} + \underline{4} + \underline{2} \xrightarrow{a} \underline{p} \stackrel{b}{\leftarrow} \underline{3}$	$\underline{3} + \underline{3} + \underline{4} + \underline{2} \xrightarrow{a} \underline{p} \stackrel{b}{\leftarrow} \underline{3}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02365		—	$\underline{p}$	$\underline{p}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02366		—	$\underline{7}$	$\underline{7}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02367		—	$f \in \operatorname{Cospan}(2,2 ; 2)$	$f \in \operatorname{Cospan}(2, 2; 2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02368		—	$g \in \operatorname{Cospan}(2,2,2 ; \emptyset)$	$g \in \operatorname{Cospan}(2, 2, 2; \emptyset)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02369		—	$g \circ_{\{1\}} f$	$g \circ_1 f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02370		—	$\mathcal{O}_{\{\mathcal{C}\}}$	$\mathcal{O}_{\mathcal{C}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02371		—	$C_{\{1\}} \otimes \cdots \otimes C_{\{n\}} \rightarrowtail D$	$C_1 \otimes \cdots \otimes C_n \rightarrow D$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02372		—	$C_{\{1\}}, \ldots, C_{\{n\}} ; D$	$C_1, \dots, C_n; D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02373		—	$\operatorname{id}_{\{a\}} \in \mathcal{C}_{\{\mathcal{C}\}}(a ; a)$	$\operatorname{id}_a \in \mathcal{C}(a; a)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02374		—	$\operatorname{id}_{\{a\}}$	id_a
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02375		—	$F: \mathcal{C} \rightarrow \mathcal{P}$	$F: \mathcal{O} \rightarrow \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02376		—	$f: T \rightarrow U$	$f: T \rightarrow U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02377		—	$F: \mathcal{C} \rightarrow$	$F: \mathcal{O} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02378		—	$F(t)$	$F(t)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02379		—	$f \in \mathcal{O}(\left(t_1, \ldots, t_n\right) ; t)$	$f \in \mathcal{O}(t_1, \ldots, t_n; t)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02380		—	$F(f)$	$F(f)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02381		—	$F\left(t_i\right)$	$F\left(t_i\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02382		—	$t_1, \ldots, t_n$	$t_1, \ldots, t_n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02383		—	$T=\operatorname{Ob}(\$	$T = \operatorname{Ob}(\$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02384		—	$\operatorname{Circ}(t)$	$\operatorname{Circ}(t)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02385		—	$\operatorname{Circ}(\varphi) \in \operatorname{Set}(\operatorname{Circ}(2), \operatorname{Circ}(2), \operatorname{Circ}(2) ; \operatorname{Circ}(\emptyset))$	$\operatorname{Circ}(\varphi) \in \operatorname{Set}(\operatorname{Circ}(2), \operatorname{Circ}(2), \operatorname{Circ}(2); \operatorname{Circ}(\emptyset))$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02386		—	$\in \mathbb{R}$	$\in \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02387		—	$S^{\{\prime\}}$	S'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02388		—	$S \geq$	$S \geq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02389		—	$S<$	$S <$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02390		—	$A=$	$A =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02391		—	$[a, b]$	$[a, b]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02392		—	$[a, b] \rightarrow \mathbb{R}$	$[a, b] \rightarrow \mathbb{R}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02393		—	$\left\{\left(\left(S^{\prime}\right), A\right) \mid E q\right\}.$	$\left\{\left(S^{\prime}, A\right) \mid E q\right\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02394		—	$\left(S^{\prime}\right), A\right)$	$\left(S^{\prime}, A\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02395		—	$\in P$	$\in P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02396		—	$\mathcal{E}$	$\mathcal{E}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02397		—	$1 \rightarrow \Omega$	$1 \stackrel{\text { true }}{\rightarrow} \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02398		—	$\mathcal{E} =$	$\mathcal{E} =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02399		—	(B, C, E, F)	(B, C, E, F)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02400		—	(A, B, D, E)	(A, B, D, E)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02401		—	(A, C, D, F)	(A, C, D, F)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02402		—	$\left(B, C, B^{\prime}, C^{\prime}\right)$	(B, C, B', C')
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02403		—	$\left(A, B, A^{\prime}, B^{\prime}\right)$	(A, B, A', B')
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02404		—	$\left(A, C, A^{\prime}, C^{\prime}\right)$	(A, C, A', C')
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02405		—	$i: B^{\prime} \rightarrow B$	$i: B' \rightarrow B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02406		—	$i^{\prime}$	i'
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02407		—	$f^{\prime}$	f'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02408		—	$f: C \rightarrowtail D$	$f: C \rightarrow D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02409		—	$\operatorname{im}(f)$	$\operatorname{im}(f)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02410		—	$C \rightarrowtail \operatorname{im}(f)$	$C \rightarrow \operatorname{im}(f)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02411		—	$\operatorname{im}(f) \rightarrowtail D$	$\operatorname{im}(f) \succ D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02412		—	$\operatorname{im}(f) =$	$\operatorname{im}(f) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02413		—	$\{f(c) \mid c \in C\}$	$\{f(c) \mid c \in C\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02414		—	$f: \underline{3} \rightarrow \underline{3}$	$f: \underline{3} \rightarrow \underline{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02415		—	$f=(e \ ; \ m)$	$f = (e; m)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02416		—	$C, D \in \mathcal{C}$	$C, D \in \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02417		—	$D^C \in \mathcal{C}$	$D^C \in \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02418		—	$A \in \mathcal{C}$	$A \in \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02419		—	$f(-,-): A \times C \rightarrow D$	$f(-,-): A \times C \rightarrow D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02420		—	$f(a, \ c)$	$f(a, c)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02421		—	$f(a,-): C \rightarrow D$	$f(a,-): C \rightarrow D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02422		—	$D^{\{C\}}$	D^C
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02423		—	$v, w, x \in V$	$v, w, x \in V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02424		—	$v \leq I$	$v \leq I$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02425		—	$v \otimes w \leq v$	$v \otimes w \leq v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02426		—	$v \otimes w \leq w$	$v \otimes w \leq w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02427		—	$x \leq v$	$x \leq v$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02428		—	$x \leq w$	$x \leq w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02429		—	$x \leq v \otimes w$	$x \leq v \otimes w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02430		—	$X \mapsto Y$	$X \mapsto Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02431		—	$\Omega \in \mathcal{E}$	$\Omega \in \mathcal{E}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02432		—	$1 \rightarrow \Omega$	$1 \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02433		—	$m: X \succ Y$	$m: X \succ Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02434		—	$\ulcorner m \urcorner: Y \rightarrow \Omega$	$\ulcorner m \urcorner: Y \rightarrow \Omega$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02435		—	$\ulcorner m \urcorner$	$\ulcorner m \urcorner$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02436		—	$p: Y \rightarrow \Omega$	$p: Y \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02437		—	$Y \rightarrow \Omega$	$Y \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02438		—	$1 \rightarrow$	$1 \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02439		—	$m: X \hookrightarrow Y$	$m: X \hookrightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02440		—	$\ulcorner m \urcorner: Y \rightarrow \{$	$\ulcorner m \urcorner: Y \rightarrow \{$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02441		—	$\ulcorner m \urcorner(y)$	$\ulcorner m \urcorner(y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02442		—	$y \in X$	$y \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02443		—	$p: Y \rightarrow \mathbb{B}$	$p: Y \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02444		—	$\{Y \mid p\}$	$\{Y \mid p\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02445		—	$X=\mathbb{N}=\{0,1,2, \ldots\}$	$X = \mathbb{N} = \{0,1,2,\dots\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02446		—	$Y=\mathbb{Z}=\{\ldots,-1,0,1,2, \ldots\}$	$Y = \mathbb{Z} = \{\dots, -1, 0, 1, 2, \dots\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02447		—	$\ulcorner m \urcorner: Y \rightarrow \mathbb{B}$	$\ulcorner m \urcorner: Y \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02448		—	$\ulcorner m \urcorner(-5) \in \mathbb{B}$	$\ulcorner m \urcorner(-5) \in \mathbb{B}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02449		—	$\ulcorner m\urcorner(\theta) \in \mathbb{B}$	$\ulcorner m \urcorner(0) \in \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02450		—	$\operatorname{id}_{\mathbb{N}}: \mathbb{N} \rightarrow \mathbb{N}$	$\operatorname{id}_{\mathbb{N}}: \mathbb{N} \rightarrow \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02451		—	$\left\lceil \ulcorner \operatorname{id}_{\mathbb{N}} \urcorner \right\rceil: \mathbb{N} \rightarrow \mathbb{B}$	$\ulcorner \operatorname{id}_{\mathbb{N}} \urceil: \mathbb{N} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02452		—	$\left\lceil \ulcorner \operatorname{id}_{\mathbb{N}} \urcorner \right\rceil$	$\ulcorner \operatorname{id}_{\mathbb{N}} \urceil$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02453		—	$!_{\mathbb{N}}: \varnothing \rightarrow \mathbb{N}$	$!_{\mathbb{N}}: \emptyset \rightarrow \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02454		—	$\ulcorner !\sqrt{\ } \urcorner: \mathbb{N} \rightarrow \mathbb{B}$	$\ulcorner !\sqrt{\ } \urceil: \mathbb{N} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02455		—	$1 \rightarrow \mathbb{B} \times \mathbb{B}$	$1 \rightarrow \mathbb{B} \times \mathbb{B}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02456		—	$\{ \}^{\urcorner}$	$\top$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02457		—	$\mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}$	$\mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02458		—	$\mathbb{B} \times \mathbb{B}$	$\mathbb{B} \times \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02459		—	$\ulcorner$	$\ulcorner$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02460		—	$\urcorner(P, Q) \in \mathbb{B}$	$\urcorner(P, Q) \in \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02461		—	$\urcorner(P, Q)$	$\urcorner(P, Q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02462		—	$P \wedge Q$	$P \wedge Q$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02463		—	)\urcorner=\wedge	) [⊔] = ∧
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02464		—	\wedge: \mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}	$\wedge : \mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02465		—	x \wedge y:=\wedge(x, y)	$x \wedge y := \wedge(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02466		—	\vee: \mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}	$\vee : \mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02467		—	P \vee Q	$P \vee Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02468		—	m: X \subteq \mathbb{B} \times \mathbb{B}	$m : X \subseteq \mathbb{B} \times \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02469		—	\mathbb{B} \times \{	$\mathbb{B} \times \{$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02470		—	$\Omega \times \Omega$	$\Omega \times \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02471		—	$\Omega \times \Omega \rightarrow \Omega$	$\Omega \times \Omega \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02472		—	$\neg: \mathbb{B} \rightarrow \mathbb{B}$	$\neg: \mathbb{B} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02473		—	$P \rightarrow Q$	$P \Rightarrow Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02474		—	$P=(P \wedge Q)$	$P = (P \wedge Q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02475		—	$m: \mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}$	$m: \mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02476		—	$E:=\{n \in \mathbb{N} \mid n$	$E := \{n \in \mathbb{N} \mid n$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02477		—	$\setminus\}, P:=\set{n\in\mathbb{N}}\mid n$	$\set{P}:=\set{n\in\mathbb{N}\mid n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02478		—	$T:=\set{n\in\mathbb{N}}\mid n\geq 10\set{}$	$T:=\set{n\in\mathbb{N}\mid n\geq 10}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02479		—	$\mathbb{N}\rightarrow\mathbb{B}$	$\mathbb{N}\rightarrow\mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02480		—	$\ulcorner E\urcorner(17)$	$\ulcorner E\urcorner(17)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02481		—	$\ulcorner P\urcorner(17)$	$\ulcorner P\urcorner(17)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02482		—	$\ulcorner T\urcorner(17)$	$\ulcorner T\urcorner(17)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02483		—	$(\ulcorner E\urcorner\wedge\ulcorner P\urcorner)\vee\ulcorner T\urcorner$	$(\ulcorner E\urcorner\wedge\ulcorner P\urcorner)\vee\ulcorner T\urcorner$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02484		—	$\wedge, \vee, \rightarrow: \Omega \times \Omega \rightarrow \Omega$	$\wedge, \vee, \Rightarrow: \Omega \times \Omega \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02485		—	$\neg: \Omega \rightarrow \Omega$	$\neg: \Omega \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02486		—	$\mathbb{R}^2$	$\mathbb{R}^2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02487		—	$\mathcal{C}^{\mathrm{op}} \rightarrow$	$\mathcal{C}^{\mathrm{op}} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02488		—	$P(c)$	$P(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02489		—	$P(f): P(c) \rightarrow P(c')$	$P(f): P(c) \rightarrow P(c')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02490		—	$s \in P(c)$	$s \in P(c)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02491		—	$P(f)(s) \in P(\text{c}^{\prime})$	$P(f)(s) \in P(c')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02492		—	$\left.s\right _f$	$s _f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02493		—	$\alpha: P \rightarrow Q$	$\alpha: P \rightarrow Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02494		—	$\{ \}^{\text{op}} \rightarrow$	$\text{op} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02495		—	$\mathbf{A\,r\,S\,h\,p}^{\text{op}}$	ArShp ^{op}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02496		—	$\{ \}^{\text{op}}$	op
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02497		—	$\mathrm{P}(X)=\{U \subseteq X\}$	$P(X) = \{U \subseteq X\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02498		—	$\mathbf{0\ p} \subseteq \mathbf{P}(X)$	$\mathbf{Op} \subseteq \mathbf{P}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02499		—	$X \subseteq X$	$X \subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02500		—	$X \in \mathbf{0\ p}$	$X \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02501		—	$U, V \in \mathbf{0\ p}$	$U, V \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02502		—	$(U \cap V) \in \mathbf{0\ p}$	$(U \cap V) \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02503		—	$U_{\{i\}} \in \mathbf{0} \ \mathbf{p}$	$U_i \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02504		—	$\left(\bigcup_{i \in I} U_{\{i\}}\right) \in \mathbf{0\ p}$	$\left(\bigcup_{i \in I} U_i\right) \in \mathbf{Op}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02505		—	$I=\varnothing$	$I = \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02506		—	$\varnothing \in \mathbf{Op}$	$\emptyset \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02507		—	$U=\bigcup_{i \in I} U_i$	$U = \bigcup_{i \in I} U_i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02508		—	$\left(U_i\right)_{i \in I}$	$(U_i)_{i \in I}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02509		—	$(X, \mathbf{Op})$	$(X, \mathbf{Op})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02510		—	$\mathbf{Op}$	$\mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02511		—	$X, \mathbf{Op}_X$	$X, \mathbf{Op}_X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02512		—	$Y, \mathbf{0} \ \mathbf{p}_{\{Y\}}$	$Y, \mathbf{Op}_Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02513		—	$U \in \mathbf{0} \ \mathbf{p}_{\{Y\}}$	$U \in \mathbf{Op}_Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02514		—	$f^{-1}(U)$	$f^{-1}(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02515		—	$\mathbf{0} \ \mathbf{p}_{\{X\}}$	$\mathbf{Op}_X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02516		—	$\epsilon \in \mathbb{R}$	$\epsilon \in \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02517		—	$\epsilon > 0$	$\epsilon > 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02518		—	$p=(x, y) \in \mathbb{R}^2$	$p = (x, y) \in \mathbb{R}^2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02519		—	$U \in \mathbf{Op}$	$U \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02520		—	$B(x, y ; \epsilon)$	$B(x, y; \epsilon)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02521		—	$U \subseteq \mathbb{R}^2$	$U \subseteq \mathbb{R}^2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02522		—	$\in U$	$\in U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02523		—	$B(x, y ; \epsilon) \subseteq U$	$B(x, y; \epsilon) \subseteq U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02524		—	$p=(x, y) \in U$	$p = (x, y) \in U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02525		—	$d\left(x_{\{1\}}, x_{\{2\}}\right):=\left x_{\{1\}}-x_{\{2\}}\right $	$d\left(x_1, x_2\right):=\left x_1-x_2\right $
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02526		—	$x \in \mathbb{R}$	$x \in \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02527		—	$B(x, \epsilon)$	$B(x, \epsilon)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02528		—	$U \subseteq \mathbb{R}$	$U \subseteq \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02529		—	$U_{\{1\}}, U_{\{2\}}$	U_1, U_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02530		—	$\left(U_i\right)_{i \in\{1,2\}}$	$(U_i)_{i \in\{1,2\}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02531		—	$\mathbf{0\ p}_{\text {crse }}=(\varnothing, X)$	$\mathbf{Op}_{\text {crse }}=(\varnothing, X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02532		—	$\mathbf{0\ p}_{\text {fine }}=\mathrm{P}(X)$	$\mathbf{Op}_{\text {fine }}=\mathrm{P}(X)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02533		—	$(X, \mathrm{P}(X))$	$(X, P(X))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02534		—	$\mathbf{0\ p}_{\text{crse}}$	$\mathbf{Op}_{\text{crse}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02535		—	$\mathbf{0\ p}_{\text{fine}}$	$\mathbf{Op}_{\text{fine}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02536		—	$\left(Y, \mathbf{0\ p}_Y\right)$	$(Y, \mathbf{Op}_Y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02537		—	$X \rightarrowtail Y$	$X \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02538		—	$X=\{1,2\}$	$X = \{1,2\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02539		—	$d\left((x, y),\left(x^{\prime}, y^{\prime}\right)\right):=\sqrt{\left(x-x^{\prime}\right)^2+\left(y-y^{\prime}\right)^2}$	$d((x,y),(x',y')) := \sqrt{(x-x')^2 + (y-y')^2}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02540		—	$\mathbf{0} \ \mathbf{p}_{\text{\tiny{fine}}}$	$\mathbf{Op}_{\text{\tiny{fine}}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02541		—	$\{1,2\}, \ \mathbf{0} \ \mathbf{p}_1$	$\{1,2\}, \mathbf{Op}_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02542		—	$\{1,2\}, \ \mathbf{0} \ \mathbf{p}_2$	$\{1,2\}, \mathbf{Op}_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02543		—	$(\mathbf{0} \ p, \subseteq)$	$(\mathbf{Op}, \subseteq)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02544		—	$U \subseteq U$	$U \subseteq U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02545		—	$U \subseteq V$	$U \subseteq V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02546		—	$V \subseteq W$	$V \subseteq W$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02547		—	$U \subseteq W$	$U \subseteq W$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02548		—	U, V	U, V
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02549		—	$\mathbf{0}_p(U, V)$	$\mathbf{Op}(U, V)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02550		—	$U \nsubseteq V$	$U \not\subseteq V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02551		—	$X, \mathbf{0}_{p_1}$	$X, \mathbf{Op}_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02552		—	$X, \mathbf{0}_p$	$X, \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02553		—	$Y \subseteq X$	$Y \subseteq X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02554		—	$\mathbf{0\ p}_{\{?\ \cap\ \gamma\}}$	Op _{?nγ}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02555		—	$A\ \subseteq\ Y$	$A\subseteq Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02556		—	$A\ \in\ \mathbf{0\ p}_{\{?\ \cap\ Y\}}$	$A\in\mathbf{Op}$ _{?nY}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02557		—	$B\ \in\ \mathbf{0\ p}$	$B\in\mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02558		—	$A=B\ \cap\ Y$	$A=B\cap Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02559		—	$Y\ \in\ \mathbf{0\ p}_{\{?\ \cap\ Y\}}$	$Y\in\mathbf{Op}$ _{?nY}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02560		—	$\mathbf{0\ p}_{\{?\ \cap\ Y\}}$	Op _{?nY}
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02561		—	$Y \hookrightarrow X$	$Y \hookrightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02562		—	$\mathbf{0} \, p, \subseteq$	$\mathbf{Op}, \subseteq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02563		—	$(\mathbf{0} \, p, \subseteq, X, \cap)$	$(\mathbf{Op}, \subseteq, X, \cap)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02564		—	(X, Op)	$(X, \mathbf{Op})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02565		—	$U_i \subseteq X$	$U_i \subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02566		—	$\left(\bigcup_{i \in I} U_i\right) \cap V =$	$\left(\bigcup_{i \in I} U_i\right) \cap V =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02567		—	$\bigcup_{i \in I} \left(U_i \cap V\right)$	$\bigcup_{i \in I} (U_i \cap V)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02568		—	$U, V, W \subseteq X$	$U, V, W \subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02569		—	$(U \cap W) \cap (V \cap W) = (U \cap V) \cap W$	$(U \cap W) \cap (V \cap W) = (U \cap V) \cap W$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02570		—	$P: \mathbf{0}^{\text{op}} \rightarrow$	$P: \mathbf{Op}^{\text{op}} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02571		—	$P(U)$	$P(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02572		—	$V \subseteq U$	$V \subseteq U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02573		—	$P(U) \rightarrow P(V)$	$P(U) \rightarrow P(V)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02574		—	$s \in P(U)$	$s \in P(U)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02575		—	$\left.s\right _V$	$s _V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02576		—	$P: \mathbf{0\ p}^{\mathrm{op}} \rightarrow$	$P: \mathbf{Op}^{\mathrm{op}} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02577		—	$U_i \in \mathbf{0\ p}$	$U_i \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02578		—	$\left(s_i\right)_{i \in I}$	$(s_i)_{i \in I}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02579		—	$s_i \in P\left(U_i\right)$	$s_i \in P\left(U_i\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02580		—	$i \in I$	$i \in I$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02581		—	$i, j \in I$	$i, j \in I$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02582		—	$\left.s\right _{U_i}=s_i$	$s _{U_i} = s_i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02583		—	$\boldsymbol{\operatorname{Shv}}(X, \mathbf{0p})$	$\mathbf{Shv}(X, \mathbf{Op})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02584		—	$U=\varnothing \subseteq X$	$U = \varnothing \subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02585		—	$P(\varnothing) \cong \{()\}$	$P(\varnothing) \cong \{()\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02586		—	$P(\varnothing)$	$P(\varnothing)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02587		—	$f\left(a_{1}\right)=f\left(a_{2}\right)=a, f\left(b_{1}\right)=b$	$f\left(a_1\right)=f\left(a_2\right)=a, f\left(b_1\right)=b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02588		—	$f^{-1}(y) \subseteq X$	$f^{-1}(y) \subseteq X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02589		—	$f^{\{\prime\}}: X \rightarrowtail Y$	$f' : X \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02590		—	$\operatorname{Sec}_{\{f\}}: \mathbf{0\ p}(Y)^{\{\text{op}\}} \rightarrowtail$	$\operatorname{Sec}_f : \mathbf{Op}(Y)^{\operatorname{op}} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02591		—	$\operatorname{Sec}_{\{f\}}$	Sec_f
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02592		—	$U \subseteq Y$	$U \subseteq Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02593		—	$\operatorname{Sec}_{\{f\}}(U)$	$\operatorname{Sec}_f(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02594		—	$s \in \operatorname{Sec}_{\{f\}}(U)$	$s \in \mathbf{Sec}_f(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02595		—	$U=\{a, \ b\}$	$U = \{a, b\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02596		—	$V_{\{1\}}=\{a, b, c\}$	$V_1 = \{a, b, c\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02597		—	$\operatorname{Sec}_{\{f\}}\left(V_{\{1\}}\right)$	$\operatorname{Sec}_f(V_1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02598		—	$V_{\{2\}}=\{a, b, c, d\}$	$V_2 = \{a, b, c, d\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02599		—	$\operatorname{Sec}_{\{f\}}\left(V_{\{2\}}\right)$	$\operatorname{Sec}_f(V_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02600		—	$V_{\{3\}}=\{a, b, d, e\}$	$V_3 = \{a, b, d, e\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02601		—	$\operatorname{Sec}_{\{f\}}\left(V_{\{3\}}\right)$	$\operatorname{Sec}_f(V_3)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02602		—	$\mathrm{Sec}_{\{f\}}$	Sec_f
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02603		—	$V=\{a\}$	$V = \{a\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02604		—	$\operatorname{Sec}_f(\{a, b, c\})$	$\operatorname{Sec}_f(\{a, b, c\})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02605		—	$\operatorname{Sec}_f(\{a, c\})$	$\operatorname{Sec}_f(\{a, c\})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02606		—	$U_{\{1\}}=\{a, b\}$	$U_1 = \{a, b\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02607		—	$U_{\{2\}}=\{b, e\}$	$U_2 = \{b, e\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02608		—	$U=\{a, b, e\}=U_{\{1\}} \cup U_{\{2\}}$	$U = \{a, b, e\} = U_1 \cup U_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02609		—	$U_{\{1\}}$	U_1
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02610		—	$U_{\{2\}}$	U_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02611		—	$U_{\{1\}} \cap U_{\{2\}} = \{b\}$	$U_1 \cap U_2 = \{b\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02612		—	$s_{\{1\}} \in \operatorname{Sec}_{\{f\}} \left(U_{\{1\}} \right)$	$s_1 \in \operatorname{Sec}_f (U_1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02613		—	$s_{\{2\}} \in \operatorname{Sec}_{\{f\}} \left(U_{\{2\}} \right)$	$s_2 \in \operatorname{Sec}_f (U_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02614		—	$g_{\{1\}}$	g_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02615		—	$g_{\{2\}}$	g_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02616		—	$b_{\{2\}}$	b_2
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5 - 0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02617		—	$U=\{a, b, e\}$	$U = \{a, b, e\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02618		—	$\left(s_{1}, s_{2}\right)$	$\left(s_{1}, s_{2}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02619		—	$s \in \operatorname{Sec}_{f}\left(U_{1} \cup U_{2}\right)$	$s \in \operatorname{Sec}_{f}\left(U_{1} \cup U_{2}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02620		—	$\left.s\right _{U_{1}}=s_{1}$	$s _{U_1} = s_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02621		—	$\left.s\right _{U_{2}}=s_{2}$	$s _{U_2} = s_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02622		—	$h_{1} \in \operatorname{Sec}_{f}\left(U_{1}\right)$	$h_{1} \in \operatorname{Sec}_{f}\left(U_{1}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02623		—	$h_{2} \in \operatorname{Sec}_{f}\left(U_{2}\right)$	$h_{2} \in \operatorname{Sec}_{f}\left(U_{2}\right)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02624		—	d o	<i>do</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02625		—	$h \in \operatorname{Sec}_{\mathbf{f}}(\mathcal{U}_1 \cup \mathcal{U}_2)$	$h \in \mathbf{Sec}_f(U_1 \cup U_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02626		—	$\left.h\right _{\mathcal{U}_1} = h_1$	$h _{U_1} = h_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02627		—	$\left.h\right _{\mathcal{U}_2} = h_2$	$h _{U_2} = h_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02628		—	$\mathbf{f} : \left(X, \mathbf{p}_X\right) \rightarrow \left(Y, \mathbf{p}_Y\right)$	$f : (X, \mathbf{Op}_X) \rightarrow (Y, \mathbf{Op}_Y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02629		—	$\operatorname{Sec}_{\mathbf{f}} : \mathbf{p}_Y^{\text{op}} \rightarrow$	$\mathbf{Sec}_f : \mathbf{Op}_Y^{\text{op}} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02630		—	$\mathbf{p}_Y$	$\mathbf{Op}_Y$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02631		—	$g: U \rightarrowtail X$	$g: U \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02632		—	$T\ M$	TM
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02633		—	(m, v)	(m, v)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02634		—	$m \in M$	$m \in M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02635		—	$\pi: T\ M \rightarrowtail$	$\pi: TM \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02636		—	$(m, v) \mapsto m$	$(m, v) \mapsto m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02637		—	π	π
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02638		—	Sec_{π}	Sec_{π}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02639		—	$M^{\prime}$	M'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02640		—	$U \subseteq M$	$U \subseteq M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02641		—	$v \in \operatorname{Sec}_{\pi}(U)$	$v \in \mathrm{Sec}_{\pi}(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02642		—	$v(u)$	$v(u)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02643		—	$U \neq M$	$U \neq M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02644		—	$U \neq X$	$U \neq X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02645		—	$U=X$	$U = X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02646		—	$\operatorname{\mathbf{Shv}}(M)$	$\mathbf{Shv}(M)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02647		—	$X, \operatorname{\mathbf{Op}}$	$X, \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02648		—	$\{1,2\}, \operatorname{\mathbf{0\,p}}_1$	$\{1,2\}, \mathbf{Op}_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02649		—	$X=\operatorname{\mathbf{1}}$	$X = \mathbf{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02650		—	$\wedge, \vee, \neg, \rightarrow, \exists, \forall$	$\wedge, \vee, \neg, \Rightarrow, \exists, \forall$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02651		—	$\Omega=\operatorname{\mathbf{B}}$	$\Omega = \mathbb{B}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02652		—	$\mathrm{mathcal{E}}=\mathrm{mathbf{S\ h\ v}}(X,\ \mathrm{mathbf{0\ p}})$	$\mathcal{E} = \mathbf{Shv}(X, \mathbf{Op})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02653		—	$\Omega: \mathrm{mathbf{0\ p}}^{\mathrm{mathrm{op}}} \rightarrow$	$\Omega : \mathbf{Op}^{\mathrm{op}} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02654		—	$\Omega(U)$	$\Omega(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02655		—	$\Omega(U) \rightarrow \Omega(V)$	$\Omega(U) \rightarrow \Omega(V)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02656		—	$X=\{1\}$	$X = \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02657		—	$W \subseteq V \subseteq U$	$W \subseteq V \subseteq U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02658		—	$\Omega(V) \rightarrow \Omega(W)$	$\Omega(V) \rightarrow \Omega(W)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02659		—	$\Omega(U) \rightarrow \Omega(W)$	$\Omega(U) \rightarrow \Omega(W)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02660		—	$V_{\{i\}} \in \Omega(U_{\{i\}})$	$V_i \in \Omega(U_i)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02661		—	$V_{\{i\}} \subseteq U_{\{i\}}$	$V_i \subseteq U_i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02662		—	$V_{\{i\}} \cap U_{\{j\}} = V_{\{j\}} \cap U_{\{i\}}$	$V_i \cap U_j = V_j \cap U_i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02663		—	$V := \bigcup_{i \in I} V_{\{i\}}$	$V := \bigcup_{i \in I} V_i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02664		—	$\left(V_{\{i\}}\right)_{\{i \in I\}}$	$(V_i)_{i \in I}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02665		—	$V \cap U_{\{j\}} = V_{\{j\}}$	$V \cap U_j = V_j$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02666		—	$j \in I$	$j \in I$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02667		—	$\{1\} \rightarrow \Omega$	$\{1\} \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02668		—	$\{1\}: \mathbf{0}^{\text{op}} \rightarrow$	$\{1\}: \mathbf{Op}^{\text{op}} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02669		—	$\{1\}=\{1\}(U) \rightarrow \Omega(U)$	$\{1\} = \{1\}(U) \rightarrow \Omega(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02670		—	$1 \mapsto U$	$1 \mapsto U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02671		—	$U=\varnothing$	$U = \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02672		—	$(V, V ; A)$	$(V, V; A)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02673		—	$i: H \subseteq G$	$i: H \subseteq G$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02674		—	$\ulcorner H \urcorner$	$\lceil H \rceil$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02675		—	$G \rightarrowtail \Omega$	$G \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02676		—	$G^{\{\prime \prime \}}$	G''
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02677		—	$(V, \emptyset ; \emptyset), (\emptyset, V ; \emptyset), (V, V ; \emptyset)$	$(V, 0; 0), (0, V; 0), (V, V; 0)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02678		—	$\emptyset ; \emptyset$	$0; 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02679		—	$H \subseteq G$	$H \subseteq G$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02680		—	$\ulcorner H \urcorner : G \rightarrow \Omega$	$\ulcorner H \urcorner : G \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02681		—	$U, V \in \Omega(X)$	$U, V \in \Omega(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02682		—	$\cap$	$\cap$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02683		—	$\cup$	$\cup$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02684		—	$U \rightarrowtail V$	$U \Rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02685		—	$R \cap U \subseteq V$	$R \cap U \subseteq V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02686		—	$\neg U :=$	$\neg U :=$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02687		—	$U \rightarrow$	$U \Rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02688		—	$R \cap U = \varnothing$	$R \cap U = \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02689		—	$\neg U$	$\neg U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02690		—	$X = \mathbb{R}$	$X = \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02691		—	$U = \{x \in \mathbb{R} \mid x < 3\}$	$U = \{x \in \mathbb{R} \mid x < 3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02692		—	$V = \{x \in \mathbb{R} \mid -4 < x < 4\}$	$V = \{x \in \mathbb{R} \mid -4 < x < 4\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02693		—	$U = (-\infty, 3)$	$U = (-\infty, 3)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02694		—	$V=(-4,4)$	$V = (-4, 4)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02695		—	$U \wedge V=(-4,3)$	$U \wedge V = (-4, 3)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02696		—	$U \vee V=(-\infty, 4)$	$U \vee V = (-\infty, 4)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02697		—	$\neg U=(3, \infty)$	$\neg U = (3, \infty)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02698		—	$\neg V=(-\infty, -4) \cup (4, \infty)$	$\neg V = (-\infty, -4) \cup (4, \infty)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02699		—	$(U \rightarrow V)=(-4, \infty)$	$(U \Rightarrow V) = (-4, \infty)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02700		—	$(V \rightarrow U)=U$	$(V \Rightarrow U) = U$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02701		—	$U=\mathbb{R}-\{0\}$	$U = \mathbb{R} - \{0\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02702		—	$\neg \neg U$	$\neg\neg U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02703		—	$U \subseteq \neg \neg U$	$U \subseteq \neg\neg U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02704		—	$\neg \neg U \subseteq U$	$\neg\neg U \subseteq U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02705		—	$\wedge U)=U$	$\wedge U) = U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02706		—	$\vee U)=$	$\vee U) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02707		—	$(U \rightarrow$	$(U \Rightarrow$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02708		—	)=	) =
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02709		—	\Rightarrow U)=U	$\Rightarrow U) = U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02710		—	\vee U)=U	$\vee U) = U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02711		—	\wedge U	$\wedge U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02712		—	\pi: E \rightarrow X	$\pi : E \rightarrow X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02713		—	\operatorname{Sec}_{\pi}	Sec_{π}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02714		—	i_{\mathcal{U}}: \mathcal{U} \subseteq X	$i_U : U \subseteq X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02715		—	s: U \rightarrow E	$s : U \rightarrow E$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02716		—	s ; \pi=i_{U}	$s; \pi = i_U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02717		—	\pi: T M \rightarrow M	$\pi : TM \rightarrow M$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02718		—	\operatorname{VF}(U)	$\mathbf{VF}(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02719		—	\mathrm{VF} \rightarrow \Omega	$\mathbf{VF} \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02720		—	\operatorname{Grad}(v)	$\mathbf{Grad}(v)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02721		—	p: S \rightarrow \Omega	$p : S \rightarrow \Omega$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02722		—	$S \in \mathcal{E}$	$S \in \mathcal{E}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02723		—	$p(U) \colon S(U) \rightarrow \Omega(U)$	$p(U) \colon S(U) \rightarrow \Omega(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02724		—	$\operatorname{Bob} \in S(U)$	$\operatorname{Bob} \in S(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02725		—	$p(\mathrm{Bob})$	$p(\operatorname{Bob})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02726		—	$s \in S(U)$	$s \in S(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02727		—	$S =$	$S =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02728		—	$\{S \mid p\} \subseteq S$	$\{S \mid p\} \subseteq S$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02729		—	$\left \Omega^E\right =\mathcal{E}(S,\Omega)$	$\left \Omega^E\right =\mathcal{E}(S,\Omega)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02730		—	$p,q:S\rightarrow\Omega$	$p,q:S\rightarrow\Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02731		—	$p\leq^S q$	$p\leq^S q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02732		—	$p(s)\subseteq U$	$p(s)\subseteq U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02733		—	$q(s)\subseteq U$	$q(s)\subseteq U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02734		—	$p(s)\subseteq q(s)$	$p(s)\subseteq q(s)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02735		—	$\leq^S$	$\leq^S$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02736		—	$S=1$	$S = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02737		—	$\left \Omega^S\right $	$ \Omega^S $
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02738		—	$ \Omega $	$ \Omega $
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02739		—	$p \in \Omega $	$p \in \Omega $
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02740		—	$p: 1 \rightarrow \Omega$	$p: 1 \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02741		—	$p=q$	$p = q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02742		—	$U, V \subseteq X$	$U, V \subseteq X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02743		—	$U=V$	$U = V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02744		—	$S \in \mathbf{Shv}(X)$	$S \in \mathbf{Shv}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02745		—	$p(s) \vdash_{s:S} q(s)$	$p(s) \vdash_{s:S} q(s)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02746		—	$\wedge, \vee, \rightarrow, \neg$	$\wedge, \vee, \Rightarrow, \neg$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02747		—	$(p \wedge q) : S \rightarrow \Omega$	$(p \wedge q) : S \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02748		—	$(p \wedge q)(s) := p(s) \wedge q(s)$	$(p \wedge q)(s) := p(s) \wedge q(s)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02749		—	$n+1$	$n + 1$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02757		—	$\exists (t: T) . p(s, t)$	$\exists (t: T).p(s, t)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02758		—	$p: \mathbb{N} \times \mathbb{Z} \rightarrow \mathbb{B}$	$p: \mathbb{N} \times \mathbb{Z} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02759		—	$\forall (z: \mathbb{Z}) . p(n, z)$	$\forall (z: \mathbb{Z}).p(n, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02760		—	$\exists (z: \mathbb{Z}) . p(n, z)$	$\exists (z: \mathbb{Z}).p(n, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02761		—	$z \in \mathbb{Z}$	$z \in \mathbb{Z}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02762		—	$\forall (n: \mathbb{N}) . p(n, z)$	$\forall (n: \mathbb{N}).p(n, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02763		—	$\exists (n: \mathbb{N}) . p(n, z)$	$\exists (n: \mathbb{N}).p(n, z)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02764		—	$\forall t$	$\forall(t$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02765		—	$S \rightarrow \Omega$	$S \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02766		—	$p: S \times T \rightarrow \Omega$	$p: S \times T \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02767		—	$\forall(t: T) . p(s, t)$	$\forall(t: T).p(s, t)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02768		—	$V \in \Omega(U)$	$V \in \Omega(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02769		—	$p(\text{\texttt{\textbackslash left\textbackslash left.s\textbackslash right _{\{V\}}, t\textbackslash right})=V$	$p(s _V, t) = V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02770		—	$t \in T(V)$	$t \in T(V)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02771		—	$p(s, t)=$	$p(s, t) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02772		—	$T(V)$	$T(V)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02773		—	$p^{\{\backslashprime\}}: S \rightarrowtail \Omega^{\{T\}}$	$p' : S \rightarrow \Omega^T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02774		—	$S \times T \rightarrowtail \Omega$	$S \times T \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02775		—	$\{ \}^{\{T\}}$	T
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02776		—	$1 \times T \xrightarrow{!} 1 \rightarrowtail \text{\texttt{\{ true \}} } \Omega$	$1 \times T \stackrel{!}{\rightarrow} 1 \xrightarrow{\text{true}} \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02777		—	$V=\bigcup_{i} V_{\{i\}}$	$V = \bigcup_i V_i$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02778		—	$V_{\{i\}}$	V_i
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02779		—	$t_{\{i\}} \in T(V_{\{i\}})$	$t_i \in T(V_i)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02780		—	$p(\text{left}(\text{left.s}\text{right} _{V_{\{i\}}}, t_{\{i\}}) = V_{\{i\}}$	$p(s _{V_i}, t_i) = V_i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02781		—	$p(t)$	$p(t)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02782		—	$U = U_{\{i\}}$	$U = UU_i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02783		—	$t_{\{i\}} \in T(U_{\{i\}})$	$t_i \in T(U_i)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02784		—	$t^{\{\prime\}}$	t'
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02785		—	$\{(s, t) \in S \times T \mid p(s, t)\} \subseteq S \times T$	$\{(s, t) \in S \times T \mid p(s, t)\} \subseteq S \times T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02786		—	$\pi_S: S \times T \rightarrow S$	$\pi_S: S \times T \rightarrow S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02787		—	$\left(\left \Omega^S\right , \leq^S\right)$	$(\Omega^S , \leq^S)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02788		—	$\left \Omega^S\right =\mathcal{E}(S, \Omega)$	$ \Omega^S = \mathcal{E}(S, \Omega)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02789		—	$\boldsymbol{\operatorname{Shv}}(X)$	$\mathbf{Shv}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02790		—	$j: \Omega \rightarrow \Omega$	$j: \Omega \rightarrow \Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02791		—	$p, q \in \Omega(U)$	$p, q \in \Omega(U)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02792		—	$(j \ ; \ j)(p) \leq j(p)$	$(j;j)(p) \leq j(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02793		—	$j(p \wedge q)=j(p) \wedge j(q)$	$j(p \wedge q) = j(p) \wedge j(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02794		—	$p \in \Omega(U)$	$p \in \Omega(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02795		—	$q \in \Omega(U)$	$q \in \Omega(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02796		—	$j(j(q)) \leq j(q)$	$j(j(q)) \leq j(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02797		—	$j(j(q))=j(q)$	$j(j(q)) = j(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02798		—	$\Omega \rightarrow \Omega$	$\Omega \rightarrow \Omega$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02799		—	$p \vee q$	$p \vee q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02800		—	$(q \rightarrow p) \rightarrow p$	$(q \Rightarrow p) \Rightarrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02801		—	$p(s)$	$p(s)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02802		—	$j(p(s))$	$j(p(s))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02803		—	$p(s) \leq j(p(s))$	$p(s) \leq j(p(s))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02804		—	$j(j(p(s)))=j(p(s))$	$j(j(p(s))) = j(p(s))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02805		—	$q: S \rightarrow \Omega$	$q: S \rightarrow \Omega$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02806		—	$s \in S(c)$	$s \in S(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02807		—	$t \in T(c)$	$t \in T(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02808		—	$f(s)=t$	$f(s) = t$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02809		—	$\left(U_{\{i\}} \subseteq U\right)_{i \in I}$	$(U_i \subseteq U)_{i \in I}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02810		—	$f\left(t_{\{i\}}\right)=\left.s\right _{U_{\{i\}}}$	$f\left(t_i\right)=s _{U_i}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02811		—	$U_{\{i\}}$	U_i
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02812		—	$\boldsymbol{\operatorname{Shv}}(\llbracket \mathbb{R} \rrbracket)$	$\mathbf{Shv}(\llbracket \mathbb{R} \rrbracket)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02813		—	$\mathbb{I} \ \mathbb{R}$	$\mathbb{I} \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02814		—	$a < b$	$a < b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02815		—	$\mathcal{O}_{[a, \ b]}$	$\mathcal{O}_{[a, b]}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02816		—	$\mathcal{O}_{[a, \ b]} := \{[d, \ u] \in \mathbb{R} \mid a < d \leq u < b\}$	$\mathcal{O}_{[a, b]} := \{[d, u] \in \mathbb{R} \mid a < d \leq u < b\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02817		—	$\mathcal{O}_{[0, 5]}$	$\mathcal{O}_{[0, 5]}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02818		—	$[d, \ u]$	$[d, u]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02819		—	$\{x \in \mathbb{R} \mid 0 < x < 5\}$	$\{x \in \mathbb{R} \mid 0 < x < 5\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02820		—	$\mathcal{O}_{\{4,8\}}$	$\mathcal{O}_{[4,8]}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02821		—	$\mathcal{O}_{\{0,5\}} \cup \mathcal{O}_{\{4,8\}} \neq \mathcal{O}_{\{0,8\}}$	$\mathcal{O}_{[0,5]} \cup \mathcal{O}_{[4,8]} \neq \mathcal{O}_{[0,8]}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02822		—	$[2,6] \in \mathcal{O}_{\{0,8\}}$	$[2,6] \in \mathcal{O}_{[0,8]}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02823		—	$[2,6] \notin \mathcal{O}_{\{0,5\}} \cup \mathcal{O}_{\{4,8\}}$	$[2,6] \notin \mathcal{O}_{[0,5]} \cup \mathcal{O}_{[4,8]}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02824		—	$\mathbb{R} \subseteq \mathbb{I} \subseteq \mathbb{R}$	$\mathbb{R} \subseteq \mathbb{I}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02825		—	$U \cap \mathbb{R}$	$U \cap \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02826		—	$\mathbf{B}T = \mathbf{S}h\mathbf{v}(\mathbb{I} \subseteq \mathbb{R}, \mathbf{0}p)$	$\mathbf{B}T = \mathbf{Shv}(\mathbb{I}, \mathbf{Op})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02827		—	$\mathbb{I}R, \mathbf{Op}$	$\mathbb{I}R, \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02828		—	$S: \mathbf{Op}^{\text{op}} \rightarrow$	$S: \mathbf{Op}^{\text{op}} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02829		—	$S(U)$	$S(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02830		—	$\left(s_i\right)$	(s_i)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02831		—	$U \subseteq \mathbb{I}R$	$U \subseteq \mathbb{I}R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02832		—	$S\left(o_{[a, b]}\right)$	$S\left(o_{[a, b]}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02833		—	$\mathrm{A} \in \mathbf{Shv}(\mathbb{I}R)$	$A \in \mathbf{Shv}(\mathbb{I}R)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02834		—	$\mathrm{A}(U) := A$	$A(U) := A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02835		—	$7 \in \mathbb{N}$	$7 \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02836		—	$\left(X, \mathbf{0}_{p_X}\right)$	$(X, \mathbf{Op}_X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02837		—	$F_{\{X\}}$	F_X
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02838		—	$U \in \mathbf{0}_{p_{\mathbb{R}}}$	$U \in \mathbf{Op}_{\mathbb{R}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02839		—	$F_{\{X\}}(U) :=$	$F_X(U) :=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F02840		—	$\{f: U \rightarrowtail X \mid f$	$\{f: U \rightarrow X \mid f$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02841		—	$G_{\{X\}}$	G_X
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02842		—	$\mathbb{R} \subseteq \mathbb{R}$	$\mathbb{R} \subseteq \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02843		—	$G_{\{X\}}(U) :=$	$G_X(U) :=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02844		—	$\{f: U \cap \mathbb{R} \rightarrow X \mid f$	$\{f: U \cap \mathbb{R} \rightarrow X \mid f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02845		—	$R \subseteq \mathbb{R}$	$R \subseteq \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02846		—	$H_{\{X\}}(U) := \{f: U \cap R \rightarrow$	$H_X(U) := \{f: U \cap R \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02847		—	$X \mid f$	$X \mid f$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F02848		—	$H_{\{X\}}$	H_X
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F02849		—	$(d, d+3)$	$(d, d + 3)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F02850		—	$L(d, d+3)$	$L(d, d + 3)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F02851		—	$(\mathbb{I}, \mathbb{R}, \mathbf{0} \text{ p})$	$(\mathbb{I}, \mathbf{Op})$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F02852		—	$(0, 5)$	$(0, 5)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F02853		—	$(0, 8)$	$(0, 8)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F02854		—	$(4, 8)$	$(4, 8)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02855		—	$\backslash\theta\eta\in\mathbb{R}_{\geq 0}$	$\theta\in\mathbb{R}_{\geq 0}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02856		—	$\rightarrow\Omega$	$\rightarrow\Omega$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02857		—	$p(D,\ T)$	$p(D,T)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02858		—	$@_{\{t\}}$	$@_t$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02859		—	$@_{\{t\}}(q)$	$@_t(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02860		—	$D\in$	$D\in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02861		—	(U)	(U)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02862		—	$T \in$	$T \in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02863		—	$f(x)=x+5$	$f(x) = x + 5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02864		—	$x+5 \leq y+5$	$x + 5 \leq y + 5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02865		—	$g(x) := -x$	$g(x) := -x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02866		—	$1 \leq 2$	$1 \leq 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02867		—	$-1 \leq -2$	$-1 \leq -2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02868		—	$f(x) := x+5$	$f(x) := x + 5$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02869		—	$ x-y = (x+5)-(y+5) $	$ x-y = (x+5)-(y+5) $
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02870		—	$g(x):=2 * x$	$g(x) := 2 * x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02871		—	$x=1$	$x = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02872		—	$y=2$	$y = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02873		—	$ x-y =1$	$ x-y = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02874		—	$ 2 x-2 y =2$	$ 2x-2y = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02875		—	$f(x):=3 * x$	$f(x) := 3 * x$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02876		—	$3*(x+y)=(3*x)+(3*y)$	$3*(x+y)=(3*x)+(3*y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02877		—	$g(x):=x+1$	$g(x):=x+1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02878		—	$x=0$	$x=0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02879		—	$y=0$	$y=0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02880		—	$g(x+y)=1$	$g(x+y)=1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02881		—	$g(x)+g(y)=2$	$g(x)+g(y)=2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02882		—	$A=(12)(3)(4)$	$A=(12)(3)(4)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02883		—	$B=(13)(2)(4)$	$B=(13)(2)(4)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02884		—	$A\vee B=(123)(4)$	$A\vee B=(123)(4)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02885		—	$\{1,2,3\}\cup\{1\}=\{1,2,3\}$	$\{1,2,3\}\cup\{1\}=\{1,2,3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02886		—	$\{h,1\}\times\{1,2,3\}$	$\{h,1\}\times\{1,2,3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02887		—	$\{h,1\}\sqcup\{1,2,3\}$	$\{h,1\}\sqcup\{1,2,3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02888		—	$\{h,1\}\cup\{1,2,3\}$	$\{h,1\}\cup\{1,2,3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02889		—	$0\notin\{n\in\mathbb{Z}\mid n\geq 1\}$	$0\notin\{n\in\mathbb{Z}\mid n\geq 1\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02890		—	$p_{1}^{\prime}, p_{2}^{\prime} \in P^{\prime}$	$p_{1}^{\prime}, p_{2}^{\prime} \in P^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02891		—	$A_{\{p\}}=A_{\{p_{1}^{\prime}\}^{\prime}}^{\prime}$	$A_p = A_{p_1'}^{'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02892		—	$A_{\{p\}}=A_{\{p_{2}^{\prime}\}^{\prime}}^{\prime}$	$A_p = A_{p_2'}^{'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02893		—	$A_{\{p_{1}^{\prime}\}^{\prime}}=A_{\{p_{2}^{\prime}\}^{\prime}}$	$A_{p_1'} = A_{p_2'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02894		—	$A_{\{p_{1}^{\prime}\}^{\prime}} \cap A_{\{p_{2}^{\prime}\}^{\prime}}=A_{\{p_{1}^{\prime}\}^{\prime}}$	$A_{p_1'} \cap A_{p_2'} = A_{p_1'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02895		—	$A_{\{p_{1}^{\prime}\}^{\prime}} \not= \varnothing$	$A_{p_1'} \neq \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02896		—	$p_{1} \not= p_{2}$	$p_1 \neq p_2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02897		—	$A_{p_{1}^{\prime}} \cap A_{p_{2}^{\prime}} = \varnothing$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02898		—	$p_{1}^{\prime} = p_{2}^{\prime}$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02899		—	$A_{p^{\prime}}^{\prime} \neq \varnothing$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02900		—	$a \in A_{p^{\prime}}^{\prime}$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02901		—	$A_{p^{\prime}}^{\prime} \subseteq A$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02902		—	$p^{\prime \prime} \in P^{\prime}$	
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02903		—	$A_p = A_{p^{\prime \prime}}^{\prime}$	
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02904		—	$a \in A_{p^{\{\text{prime } \text{prime}\}}^{\{\text{prime}\}}}$	$a \in A'_{p''}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02905		—	$a \in A_{p^{\{\text{prime}\}}^{\{\text{prime}\}} \cap A_{p^{\{\text{prime } \text{prime}\}}^{\{\text{prime}\}}}$	$a \in A'_{p'} \cap A'_{p''}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02906		—	$p^{\{\text{prime}\}}=p^{\{\text{prime } \text{prime}\}}$	$p' = p''$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02907		—	$A_{\{p\}}=A_{\{p^{\{\text{prime}\}}\}}$	$A_p = A_{p'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02908		—	$a \in A_{\{p\}} \cap A_{\{q\}}$	$a \in A_p \cap A_q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02909		—	$A_{\{p\}}=A_{\{q\}}$	$A_p = A_q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02910		—	$a^{\{\text{prime}\}} \in A_{\{p\}}$	$a' \in A_p$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02911		—	$a^{\{\backslashprime\}} \backslashin A_{\{q\}}$	$a' \in A_q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02912		—	$a^{\{\backslashprime\}} \backslashin A$	$a' \in A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02913		—	$a \backslashsim a^{\{\backslashprime\}}$	$a \sim a'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02914		—	$X:=\backslashleft\{a^{\{\backslashprime\}} \backslashin A \backslashmid a^{\{\backslashprime\}} \backslashsim a\backslashright\}$	$X := \{a' \in A \mid a' \sim a\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02915		—	$a^{\{\backslashprime\}} \backslashin X$	$a' \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02916		—	$b \backslashsim a^{\{\backslashprime\}}$	$b \sim a'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02917		—	$b \backslashsim a$	$b \sim a$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02918		—	$b \in X$	$b \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02919		—	$b, c \in X$	$b, c \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02920		—	$c \sim a$	$c \sim a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02921		—	$a \in X$	$a \in X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02922		—	$\varnothing \rightarrow \{1\}$	$\emptyset \rightarrow \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02923		—	$\{a, b\} \rightarrow \{1\}$	$\{a, b\} \rightarrow \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02924		—	$F \subseteq A \times \varnothing$	$F \subseteq A \times \emptyset$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02925		—	$b \notin \varnothing$	$b \in \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02926		—	$(a, b) \in F$	$(a, b) \in F$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02927		—	$b \in^{?} \varnothing$	$b \in^{?} \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02928		—	$\{\bullet, *, \circ\}$	$\{\bullet, *, \circ\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02929		—	$P := V = \{1, 2, 3, 4\}$	$P := V = \{1, 2, 3, 4\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02930		—	$4 \not\leq 6$	$4 \not\leq 6$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02931		—	$6 \not\leq 4$	$6 \not\leq 4$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02932		—	$a, b \in \mathbb{R}$	$a, b \in \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02933		—	$! : S \rightarrow \{1\}$	$! : S \rightarrow \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02934		—	$\operatorname{id}_S : S \rightarrow S$	$\operatorname{id}_S : S \rightarrow S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02935		—	$\operatorname{U}(X)$	$\operatorname{U}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02936		—	$\operatorname{U}(X) = \operatorname{P}(X)$	$\operatorname{U}(X) = \operatorname{P}(X)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02937		—	$0 \leq \cdots \leq 3$	$0 \leq \cdots \leq 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02938		—	$q \in \uparrow p$	$q \in \uparrow p$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02939		—	$p \leq q^{\prime}$	$p \leq q'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02940		—	$q^{\prime} \in \uparrow p$	$q' \in \uparrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02941		—	$q \leq^{\mathrm{op}} p$	$q \leq^{\mathrm{op}} p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02942		—	$\uparrow q \subseteq \uparrow p$	$\uparrow q \subseteq \uparrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02943		—	$q^{\prime} \in \uparrow q$	$q' \in \uparrow q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02944		—	$p \not\leq p^{\prime}$	$p \not\leq p'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02945		—	$\uparrow \left(p^{\prime} \right) \nsubseteq \uparrow (p)$	$\uparrow (p') \not\subseteq \uparrow (p)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02946		—	$p^{\{\prime\}}$ $\in \uparrow(p^{\prime})$	$p' \in \uparrow(p')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02947		—	$p^{\{\prime\}}$ $\notin \uparrow(p)$	$p' \notin \uparrow(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02948		—	$\uparrow: P^{\mathrm{op}} \rightarrow \mathrm{U}(P)$	$\uparrow: P^{\mathrm{op}} \rightarrow \mathrm{U}(P)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02949		—	$p_{\{1\}} \leq_P p_{\{2\}}$	$p_1 \leq_P p_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02950		—	$f\left(p_{\{1\}}\right) \leq_Q f\left(p_{\{2\}}\right)$	$f\left(p_1\right) \leq_Q f\left(p_2\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02951		—	$f\left(p_{\{1\}}\right)=f\left(p_{\{2\}}\right)$	$f\left(p_1\right)=f\left(p_2\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02952		—	$f\left(p_{\{1\}}\right) \leq f\left(p_{\{2\}}\right)$	$f\left(p_1\right) \leq f\left(p_2\right)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02953		—	$X=\mathbb{Z}=\{\ldots,-2,-1,0,1,\ldots\}$	$X = \mathbb{Z} = \{\dots, -2, -1, 0, 1, \dots\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02954		—	$Y=\{n, z, p\}$	$Y = \{n, z, p\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02955		—	$P:=(n\ z)(p)$	$P := (nz)(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02956		—	$Q:=(n\ p)(z)$	$Q := (np)(z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02957		—	$\{\{n, z\}, \{p\}\}$	$\{\{n, z\}, \{p\}\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02958		—	$\{\{n, p\}, \{z\}\}$	$\{\{n, p\}, \{z\}\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02959		—	$f^{\{*\}}P=(\ldots,-2,-1,0)(1,2,\ldots)$	$f^*P = (\dots, -2, -1, 0)(1, 2, \dots)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02960		—	$f^{\{*\}} Q=(0)(\ldots,-2,-1,1,2,\ldots)$	$f^*Q=(0)(\ldots,-2,-1,1,2,\ldots)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02961		—	$\left(P,\leq_P\right),\left(Q,\leq_Q\right)$	$(P,\leq_P),(Q,\leq_Q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02962		—	id_P	id_P
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02963		—	$\operatorname{id}_P\left(p_1\right)\leq\operatorname{id}_P\left(p_2\right)$	$\mathrm{id}_P\left(p_1\right)\leq\mathrm{id}_P\left(p_2\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02964		—	$\operatorname{id}_P(p)=p$	$\mathrm{id}_P(p)=p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02965		—	$q_1\leq_Qq_2$	$q_1\leq_Qq_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02966		—	$g\left(q_1\right)\leq_Rg\left(q_2\right)$	$g\left(q_1\right)\leq_Rg\left(q_2\right)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02967		—	$g\left(f\left(p_{1}\right)\right)\leq_{R} g\left(f\left(p_{2}\right)\right)$	$g\left(f\left(p_{1}\right)\right)\leq_{R} g\left(f\left(p_{2}\right)\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02968		—	$\left(f\ ;\ g\right)$	$\left(f;g\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02969		—	$p_{2}\leq p_{1}$	$p_2\leq p_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02970		—	$\operatorname{map}\Phi:\operatorname{Prt}(\{\bullet,*,\circ\})\rightarrow$	$\operatorname{map}\Phi:\operatorname{Prt}(\{\bullet,*,\circ\})\rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02971		—	$\Phi(P)=$	$\Phi(P)=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02972		—	$\Phi(Q)=$	$\Phi(Q)=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02973		—	$x\sim_{P}y$	$x\sim_Py$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02974		—	$x \sim_Q y$	$x \sim_Q y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02975		—	$x, y \in \{\bullet, *, \circ\}$	$x, y \in \{\bullet, *, \circ\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02976		—	$\bullet, *$	$\bullet, *$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02977		—	$U \mapsto f^{-1}(U)$	$U \mapsto f^{-1}(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02978		—	$f^*(U)$	$f^*(U)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02979		—	$q \mapsto$	$q \mapsto$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02980		—	$p \mapsto$	$p \mapsto$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02981		—	$f(p) \in U$	$f(p) \in U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02982		—	$\{p \in P \mid f(p) \in U\}$	$\{p \in P \mid f(p) \in U\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02983		—	$S=\left\{\left.\left.\frac{1}{n+1}\right.\right.\right\} \right\}$, $n \in \mathbb{N}$	$S = \left\{ \frac{1}{n+1} \mid n \in \mathbb{N} \right\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02984		—	$0 \leq \frac{1}{n+1}$	$0 \leq \frac{1}{n+1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02985		—	$b \leq 0$	$b \leq 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02986		—	$0<b$	$0 < b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02987		—	$1 / b$	$1/b$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02988		—	$1 / b < n < n + 1$	$1/b < n < n + 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02989		—	$1 < b(n + 1)$	$1 < b(n + 1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02990		—	$\frac{1}{n + 1} < b$	$\frac{1}{n + 1} < b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02991		—	$a = p$	$a = p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02992		—	$4 \wedge 6 = 2$	$4 \wedge 6 = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02993		—	$4 \vee 6 = 12$	$4 \vee 6 = 12$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F02994		—	$a \leq a \vee b$	$a \leq a \vee b$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02995		—	$b \leq a \vee b$	$b \leq a \vee b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02996		—	$f(a) \leq f(a \vee b)$	$f(a) \leq f(a \vee b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02997		—	$f(b) \leq f(a \vee b)$	$f(b) \leq f(a \vee b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02998		—	$\lfloor -/3 \rfloor$	$\lfloor -/3 \rfloor$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F02999		—	$r \in \mathbb{R}$	$r \in \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03000		—	$z \leq \lfloor r / 3 \rfloor$	$z \leq \lfloor r / 3 \rfloor$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03001		—	$3 * z \leq r$	$3 * z \leq r$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03009		—	$1 \leq q \leq 3$	$1 \leq q \leq 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03010		—	$p=q=1$	$p = q = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03011		—	$f(p)=1$	$f(p) = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03012		—	$g(q)=2$	$g(q) = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03013		—	$f(p)=1 \leq 1=q$	$f(p) = 1 \leq 1 = q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03014		—	$p=1 \leq g(q)$	$p = 1 \leq g(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03015		—	(p, q)	(p, q)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03016		—	$(1,2),(1,3),(2,1),(2,2),(2,3)$	$(1,2),(1,3),(2,1),(2,2),(2,3)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03017		—	$(3,3)$	$(3,3)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03018		—	$p=3, q=1$	$p = 3, q = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03019		—	$p=3, q=2$	$p = 3, q = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03020		—	$f(p)=3$	$f(p) = 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03021		—	$f(p) \not\leq q$	$f(p) \not\leq q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03022		—	$p \not\leq g(q)$	$p \not\leq g(q)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03023		—	$f(2) \not\leq 1$	$f(2) \not\leq 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03024		—	$2 \leq g(1)$	$2 \leq g(1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03025		—	$C(r) := \lceil r / 3 \rceil$	$C(r) := \lceil r/3 \rceil$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03026		—	$L(z) \leq r$	$L(z) \leq r$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03027		—	$z \leq C(r)$	$z \leq C(r)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03028		—	$z=1$	$z = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03029		—	$r=.01$	$r = .01$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03030		—	$\lceil r / 3 \rceil = 1$	$\lceil r/3 \rceil = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03031		—	$L(1) \leq 0.01$	$L(1) \leq 0.01$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03032		—	$L(1) \leq r$	$L(1) \leq r$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03033		—	$r > 0$	$r > 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03034		—	$L(1) \leq 0$	$L(1) \leq 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03035		—	$1 \leq C(0) = \lceil 0 / 3 \rceil = 0$	$1 \leq C(0) = \lceil 0/3 \rceil = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03036		—	$c_{\{1\}}, c_{\{2\}}, c_{\{3\}}, c_{\{4\}}$	c_1, c_2, c_3, c_4
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03037		—	$g_{\{!\}}\backslash\left(c_{\{1\}}\backslash\right),\ g_{\{!\}}\backslash\left(c_{\{2\}}\backslash\right),\ g_{\{!\}}\backslash\left(c_{\{3\}}\backslash\right)$	$g_{!}\left(c_1\right),g_{!}\left(c_2\right),g_{!}\left(c_3\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03038		—	$g_{\{!\}}\backslash\left(c_{\{4\}}\backslash\right)$	$g_{!}\left(c_4\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03039		—	$S=\{1,2,3,4\}$	$S=\{1,2,3,4\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03040		—	$f\colon P\ \leftrightsquigarrow Q\colon g$	$f\colon P\leftrightsquigarrow Q\colon g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03041		—	$g(q)\ \leq g(q)$	$g(q)\leq g(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03042		—	$p:=g(q)$	$p:=g(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03043		—	$f(p)\ \leq f(g(q))$	$f(p)\leq f(g(q))$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03044		—	$g, g^{\{\prime\}}$: $Q \rightarrow P$	$g, g^{\prime} : Q \rightarrow P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03045		—	$g(q) \leq g^{\{\prime\}}(q)$	$g(q) \leq g^{\prime}(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03046		—	$g^{\{\prime\}}(q) \leq g(q)$	$g^{\prime}(q) \leq g(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03047		—	$p \leq g^{\{\prime\}}(f(p))$	$p \leq g^{\prime}(f(p))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03048		—	$j := \vee A$	$j := \vee A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03049		—	$f(a) \leq f(j)$	$f(a) \leq f(j)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03050		—	$f(j)$	$f(j)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03051		—	$f(a) \leq b$	$f(a) \leq b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03052		—	$a \leq g(b)$	$a \leq g(b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03053		—	$j \leq g(b)$	$j \leq g(b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03054		—	$f(j) \leq b$	$f(j) \leq b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03055		—	$f(p)$	$f(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03056		—	$g(q)$	$g(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03057		—	$p \leq ? g(q)$	$p \leq ? g(q)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03058		—	$B_{\{1\}} := \{a, b\}$	$B_1 := \{a, b\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03059		—	$B_{\{2\}} := \{c\}$	$B_2 := \{c\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03060		—	$f^{\{*\}} \backslash \text{left}(B_{\{1\}} \backslash \text{right}) = \backslash \text{left}\{a_{\{1\}} \backslash \text{right}\}$	$f^*(B_1) = \{a_1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03061		—	$f^{\{*\}} \backslash \text{left}(B_{\{2\}} \backslash \text{right}) = \backslash \text{left}\{c_{\{1\}}, c_{\{2\}} \backslash \text{right}\}$	$f^*(B_2) = \{c_1, c_2\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03062		—	$A_{\{1\}} := \backslash \text{varnothing}$	$A_1 := \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03063		—	$A_{\{2\}} := \backslash \text{left}\{a_{\{1\}}, c_{\{1\}} \backslash \text{right}\}$	$A_2 := \{a_1, c_1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03064		—	$f_{\{!\}} \backslash \text{left}(A_{\{1\}} \backslash \text{right}) = \backslash \text{varnothing}$	$f_!(A_1) = \emptyset$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03065		—	$f_{\{!\}}\left(A_{\{2\}}\right)=\{a, c\}$	$f_{!}\left(A_2\right)=\{a, c\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03066		—	$A_{\{1\}}$	A_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03067		—	$A_{\{2\}}$	A_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03068		—	$f_{\{*\}}\left(A_{\{1\}}\right)=\{b\}$	$f_{*}\left(A_1\right)=\{b\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03069		—	$f_{\{*\}}\left(A_{\{2\}}\right)=\{a, b\}$	$f_{*}\left(A_2\right)=\{a, b\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03070		—	$g(f(p))$	$g(f(p))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03071		—	$(f \ ; \ g)(p)$	$(f;g)(p)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03072		—	$g(f(g(f(p)))) \leq g(f(p))$	$g(f(g(f(p)))) \leq g(f(p))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03073		—	$g(f(p)) \leq g(f(g(f(p))))$	$g(f(p)) \leq g(f(g(f(p))))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03074		—	$p^{\{\backslashprime\}} \leq g\left(f\left(f\left(p^{\{\backslashprime\}}\right)\right)\right)$	$p' \leq g\left(f\left(p'\right)\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03075		—	$f(g(f(p))) \leq f(p)$	$f(g(f(p))) \leq f(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03076		—	$a \ b$	ab
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03077		—	$\{(1,1),(1,2),(2,1)\}$	$\{(1,1),(1,2),(2,1)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03078		—	$S:=\{1,2,3\}$	$S := \{1,2,3\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03079		—	$1 \leq 1, 2 \leq 2$	$1 \leq 1, 2 \leq 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03080		—	$3 \leq 3$	$3 \leq 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03081		—	$U(\leq) =$	$U(\leq) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03082		—	$\{(1, 1), (1, 2), (2, 2), (3, 3)\}$	$\{(1, 1), (1, 2), (2, 2), (3, 3)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03083		—	$Q := \{(1, 1)\}$	$Q := \{(1, 1)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03084		—	$Q^{\{\text{prime}\}} := \{(2, 1)\}$	$Q' := \{(2, 1)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03085		—	$\mathrm{Cl}(Q)$	$\mathrm{Cl}(Q)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03086		—	$(1,1)$	$(1,1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03087		—	$\mathrm{Cl}(Q)=\{(1,1),(2,2),(3,3)\}$	$\mathrm{Cl}(Q) = \{(1,1),(2,2),(3,3)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03088		—	$\mathrm{Cl}\left(Q^{\mathrm{\prime}}\right)=\{(1,1),(2,1),(2,2),(3,3)\}$	$\mathrm{Cl}(Q') = \{(1,1),(2,1),(2,2),(3,3)\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03089		—	$(2,1)$	$(2,1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03090		—	$\mathrm{Cl}\left(Q^{\mathrm{\prime}}\right)$	$\mathrm{Cl}(Q')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03091		—	$x_{\{1\}}=-1, \ x_{\{2\}}=0, \ y_{\{1\}}=-1$	$x_1 = -1, x_2 = 0, y_1 = -1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03092		—	$y_{\{2\}}=1$	$y_2 = 1$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03093		—	$-1 \leq -1$	$-1 \leq -1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03094		—	$-1 * 0=0 \not\leq -1 = -1 * 1$	$-1 * 0 = 0 \not\leq -1 = -1 * 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03095		—	$(\operatorname{Disc}(M),=,*,e)$	$(\operatorname{Disc}(M),=,*,e)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03096		—	$x_{\{1\}} \otimes x_{\{2\}}=x_{\{1\}} \otimes x_{\{2\}}$	$x_1 \otimes x_2 = x_1 \otimes x_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03097		—	$u \leq u, v \leq v$	$u \leq u, v \leq v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03098		—	$z \leq z$	$z \leq z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03099		—	$t+u \leq y+z$	$t + u \leq y + z$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03100		—	$z \rightarrow w$	$z \rightarrow w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03101		—	$x+z \rightarrow y+w$	$x + z \rightarrow y + w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03102		—	$1 \mid 1$	$1 \mid 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03103		—	$1 \mid 2$	$1 \mid 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03104		—	$(1+1) \nmid (1+2)$	$(1 + 1) \nmid (1 + 2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03105		—	$z \leq w$	$z \leq w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03106		—	$\min (x, z) \leq \min (y, w)$	$\min(x, z) \leq \min(y, w)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03107		—	$\min (x$	$\min(x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03108		—	$=X=$	$= x =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03109		—	$\min ($	$\min($
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03110		—	$x)$	$x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03111		—	$\min (\min (x, y), z)=\min (x, \min (y, z))$	$\min(\min(x, y), z) = \min(x, \min(y, z))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03112		—	$\min (x, y)=\min (y, z)$	$\min(x, y) = \min(y, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03113		—	$(\mathrm{P}\{S\}, \leq, S, \cap)$	$(\mathcal{P}(S), \leq, S, \cap)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03114		—	$(P \wedge Q)(n)$	$(P \wedge Q)(n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03115		—	$\{ \}^{\mathbb{N}}, \leq$	$\mathbb{N}, \leq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03116		—	$n+10 \leq 1$	$n + 10 \leq 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03117		—	$(P \vee Q)(n)$	$(P \vee Q)(n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03118		—	$\left(\operatorname{Prop}^{\mathbb{N}}, \leq\right).$	$\left(\operatorname{Prop}^{\mathbb{N}}, \leq\right.$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03119		—	$\left.\vee\right)$	$\vee)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03120		—	X^{op}	X^{op}
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03121		—	$I \otimes x =$	$I \otimes x =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03122		—	$x = x \otimes I$	$x = x \otimes I$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03123		—	$y \otimes x$	$y \otimes x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03124		—	x^{op}	x^{op}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03125		—	$(x \otimes y) \cong (y \otimes x)$	$(x \otimes y) \cong (y \otimes x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03126		—	$(x \otimes y) \leq (y \otimes x)$	$(x \otimes y) \leq (y \otimes x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03127		—	$(y \otimes x) \leq (x \otimes y)$	$(y \otimes x) \leq (x \otimes y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03128		—	$\operatorname{Cost}^{\mathrm{op}}$	$\operatorname{Cost}^{\mathrm{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03129		—	$=\infty \ \geq \theta=g$	$=\infty \geq 0 = g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03130		—	$\theta \ \geq \theta=$	$0 \geq 0 =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03131		—	$f(n)=1$	$f(n) = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03132		—	$f:(\mathbb{N}, \leq, 0,+) \rightarrow (\mathbb{N}, \leq 1, *)$	$f : (\mathbb{N}, \leq, 0, +) \rightarrow (\mathbb{N}, \leq 1, *)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03133		—	$\mathbb{Z}, \leq, *, 1$	$\mathbb{Z}, \leq, *, 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03134		—	$-1 \leq 0$	$-1 \leq 0$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03135		—	$-1 * -1$	$-1 * -1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03136		—	$\nsubseteq$	$\not\subseteq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03137		—	$(0 * 0)$	$(0 * 0)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03138		—	$X_{\{P\}}$	X_P
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03139		—	$X_{\{P\}}(p, q) :=$	$X_P(p, q) :=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03140		—	$\operatorname{left}(X_{\{P\}}\operatorname{right})=P$	$\operatorname{Ob}(X_P) = P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03141		—	$X_{\{P\}}(p, q) =$	$X_P(p, q) =$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03149		—	$\min(\mathcal{X}(x, y), \mathcal{X}(y, z)) \leq \mathcal{X}(x, z)$	$\min(\mathcal{X}(x, y), \mathcal{X}(y, z)) \leq \mathcal{X}(x, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03150		—	x, y, z	x, y, z
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03151		—	$X(C, D)$	$X(C, D)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03152		—	$C \rightarrowtail A \rightarrowtail$	$C \rightarrow A \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03153		—	$B \rightarrowtail D$	$B \rightarrow D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03154		—	$C \rightarrowtail D$	$C \rightarrow D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03155		—	$\mathcal{X}(x, y) \cap \mathcal{X}(y, z) \subseteq \mathcal{X}(x, z)$	$\mathcal{X}(x, y) \cap \mathcal{X}(y, z) \subseteq \mathcal{X}(x, z)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03156		—	$(x, y)^{\text{th}}$	$(x, y)^{\text{th}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03157		—	$M(/)$	$M(/)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03158		—	$\min (M(x, y), M(y, z)) \leq M(x, y)$	$\min(M(x, y), M(y, z)) \leq M(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03159		—	$x, y, z \in \{A, B, C\}$	$x, y, z \in \{A, B, C\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03160		—	$d(A, B)=d(B, A)=5$	$d(A, B) = d(B, A) = 5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03161		—	$x_{\{f\}}=$	$x_f =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03162		—	$x_{\{g\}}=\stackrel{A}{\bullet} \longrightarrow$	$x_g = \overset{A}{\bullet} \longrightarrow$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03163		—	$d(x, y) \leq d(y, x)$	$d(x, y) \leq d(y, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03164		—	$d(y, x) \leq d(x, y)$	$d(y, x) \leq d(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03165		—	$d(y, x)=0$	$d(y, x) = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03166		—	$(x, y) \in \mathcal{X} \times \mathcal{Y}$	$(x, y) \in \mathcal{X} \times \mathcal{Y}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03167		—	$I \leq \mathfrak{X}(x, x)$	$I \leq \mathfrak{X}(x, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03168		—	$I \leq y(y, y)$	$I \leq y(y, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03169		—	$I=I \otimes I \leq X(x, x) \otimes y(y, y)=(\mathcal{X} \times y)((x, y),(x, y))$	$I = I \otimes I \leq X(x, x) \otimes y(y, y) = (\mathcal{X} \times y)((x, y), (x, y))$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03170		—	$y\left(y_{\{1\}}, y_{\{2\}}\right) \otimes \mathcal{X}\left(x_{\{2\}}, x_{\{3\}}\right)=\mathcal{X}\left(x_{\{2\}}, x_{\{3\}}\right) \otimes y\left(y_{\{1\}}, y_{\{2\}}\right)$	$y\left(y_1, y_2\right) \otimes \mathcal{X}\left(x_2, x_3\right)=\mathcal{X}\left(x_2, x_3\right) \otimes y\left(y_1, y_2\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03171		—	$(\mathbb{R} \times \mathbb{R})((5,6),(-1,4))=\mathbb{R}(5,-1)+\mathbb{R}(6,4)=6+2=8$	$(\mathbb{R} \times \mathbb{R})((5,6),(-1,4))=\mathbb{R}(5,-1)+\mathbb{R}(6,4)=6+2=8$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03172		—	$u \leq u^{\prime}$	$u \leq u^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03173		—	$u \otimes v \leq u^{\prime} \otimes v$	$u \otimes v \leq u^{\prime} \otimes v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03174		—	$a:=(v \multimap w)$	$a:=(v \multimap w)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03175		—	$(v \multimap u) \otimes v \leq u \leq u^{\prime}$	$(v \multimap u) \otimes v \leq u \leq u^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03176		—	$(v \multimap u) \leq \left(v \multimap u^{\prime}\right)$	$(v \multimap u) \leq \left(v \multimap u^{\prime}\right)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03177		—	$(v \multimap -) : V \rightarrow V$	$(v \multimap -) : V \rightarrow V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03178		—	$(v \dashv \vdash)$	$(v \dashv \vdash)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03179		—	$x \Rightarrow y$	$x \Rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03180		—	$(a \wedge v) \leq w$	$(a \wedge v) \leq w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03181		—	$a \leq (v \Rightarrow w)$	$a \leq (v \Rightarrow w)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03182		—	$v =$	$v =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03183		—	$a \wedge$	$a \wedge$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03184		—	=a	$= a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03185		—	a \leq w	$a \leq w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03186		—	\Rightarrow w)=w	$\Rightarrow w) = w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03187		—	(\mathrm{P}\{P\}(S), \subseteq, S, \cap)	$(\mathcal{P}(S), \subseteq, S, \cap)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03188		—	B \multimap C	$B \multimap C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03189		—	\bar{B} \cup C	$\bar{B} \cup C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03190		—	\bar{B}	$\bar{B}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03191		—	$(A \cap B) \subseteq C$	$(A \cap B) \subseteq C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03192		—	$A \subseteq (\bar{B} \cup C)$	$A \subseteq (B \cup C)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03193		—	$(\bigvee \varnothing) =$	$(\bigvee \emptyset) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03194		—	$(\vee \varnothing) = \infty$	$(\vee \emptyset) = \infty$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03195		—	$(\vee \varnothing) = 0$	$(\vee \emptyset) = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03196		—	$\min(x, y)$	$\min(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03197		—	$v \in V, \ 0 \otimes v = 0$	$v \in V, 0 \otimes v = 0$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03198		—	$\left(v, a_1, \ldots, a_n\right)$	$\left(v, a_1, \ldots, a_n\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03199		—	$s\left(a_1\right)=v$	$s\left(a_1\right)=v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03200		—	$t\left(a_i\right)=s\left(a_{i+1}\right)$	$t\left(a_i\right)=s\left(a_{i+1}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03201		—	$i \in\{1, \ldots, n-1\}$	$i \in\{1, \ldots, n-1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03202		—	$s(p):=v$	$s(p):=v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03203		—	$p=\left(v, a_1, \ldots, a_m\right)$	$p=\left(v, a_1, \ldots, a_m\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03204		—	$q=\left(w, b_1, \ldots, b_n\right)$	$q=\left(w, b_1, \ldots, b_n\right)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03205		—	$t(p)=s(q)$	$t(p) = s(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03206		—	$p=(v)$	$p = (v)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03207		—	(v)	(v)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03208		—	$\left(w, b_1, \ldots, b_n\right)$	$(w, b_1, \ldots, b_n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03209		—	$v=w$	$v = w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03210		—	$\left(v, a_1, \ldots, a_m\right)$	$(v, a_1, \ldots, a_m)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03211		—	(w)	(w)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03212		—	$w=t\left(a_{m}\right)$	$w = t\left(a_m\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03213		—	$r=\left(x,\ c_{\{1\}},\ \ldots,\ c_{\{o\}}\right)$	$r = \left(x,c_1,\ldots,c_o\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03214		—	$\left(p\ ;\ q\right)\ ;\ r$	$\left(p;q\right);r$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03215		—	$p\ ;\left(q\ ;\ r\right)$	$p;\left(q;r\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03216		—	$\backslash\mathrm{boxtimes}$	$\boxtimes$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03217		—	$f_{\{1\}}\ ;\ f_{\{2\}}$	$f_1;f_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03218		—	$f_{\{2\}}$	f_2
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03219		—	$v_{\{3\}}$	v_3
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03220		—	$f_{\{1\}} \stackrel{\circ}{\stackrel{\circ}{\stackrel{\circ}{\circ}}{\circ}} f_{\{2\}}$	$f_1 \overset{\circ}{9} f_2$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03221		—	$1+2+\cdots+n$	$1 + 2 + \cdots + n$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03222		—	$n-i$	$n - i$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03223		—	$0 \leq i \leq n$	$0 \leq i \leq n$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03224		—	$m+n$	$m + n$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03225		—	$h=j=A$	$h = j = A$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03226		—	Z, S, S	z, s, s
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03227		—	$S ; S$	$s; s$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03228		—	$(f(1), f(2))$	$(f(1), f(2))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03229		—	$n!$	$n!$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03230		—	$5 * 4 * 3 * 2 * 1=120$	$5 * 4 * 3 * 2 * 1 = 120$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03231		—	$\{1,2,3,4,5\}$	$\{1, 2, 3, 4, 5\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03232		—	$\{a, b, c, d, e\}$	$\{a, b, c, d, e\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03233		—	f: c \rightarrow c	$f : c \rightarrow c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03234		—	$\mathrm{id}_{c}=\mathrm{id}_{c}$	$\mathrm{id}_c = \mathrm{id}_c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03235		—	$f=\mathrm{id}_{c}$	$f = \mathrm{id}_c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03236		—	$s^{\{n\}}$	s^n
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03237		—	$s^{\{n+1\}}$	s^{n+1}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03238		—	$s^{\{0\}} \cdot p$	$s^0.p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03239		—	$p \ ; \ q=\mathrm{id}$	$p; q = \mathrm{id}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03240		—	$q ; p=\mathrm{id}$	$q; p = \mathrm{id}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03241		—	$\mathbf{2} \rightarrow \mathbf{3}$	$\mathbf{2} \rightarrow \mathbf{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03242		—	$g^{\prime} ; i^{\prime} \mapsto f ; h$	$g'; i' \mapsto f; h$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03243		—	$g^{\prime} ; i^{\prime} \mapsto g ; i$	$g'; i' \mapsto g; i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03244		—	$g ; i=f ; h$	$g; i = f; h$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03245		—	F, G	F, G
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03246		—	$\stackrel{a}{\rightarrow} \stackrel{b}{\rightarrow}$	$\stackrel{a}{\rightarrow} \stackrel{b}{\rightarrow}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03247		—	$\stackrel{a^{\prime}}{\underset{f_2}{f_1}}\stackrel{b^{\prime}}{\bullet}\bullet$	$\stackrel{a^{\prime}}{f_1}\stackrel{b^{\prime}}{f_2}\bullet$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03248		—	$\operatorname{id}_{\mathcal{C}}: \mathcal{C} \rightarrow \mathcal{C}$	$\operatorname{id}_{\mathcal{C}}: \mathcal{C} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03249		—	$\operatorname{id}_{\mathcal{C}}(x)=x$	$\operatorname{id}_{\mathcal{C}}(x)=x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03250		—	$\operatorname{id}_{\mathcal{C}}(\operatorname{id}_{\mathcal{C}})=\operatorname{id}_{\mathcal{C}}$	$\operatorname{id}_{\mathcal{C}}(\operatorname{id}_{\mathcal{C}})=\operatorname{id}_{\mathcal{C}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03251		—	$\operatorname{id}_{\mathcal{C}}(f;g)=f;g=\operatorname{id}_{\mathcal{C}}(f); \operatorname{id}_{\mathcal{C}}(g)$	$\operatorname{id}_{\mathcal{C}}(f;g)=f;g=\operatorname{id}_{\mathcal{C}}(f); \operatorname{id}_{\mathcal{C}}(g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03252		—	$(F;G)\left(\operatorname{id}_{\mathcal{C}}\right)=$	$(F;G)\left(\operatorname{id}_{\mathcal{C}}\right)=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03253		—	$G\left(F\left(\operatorname{id}_{\mathcal{C}}\right)\right)=G\left(\operatorname{id}_{G\left(F\left(\mathcal{C}\right)}\right)\right)=$	$G\left(F\left(\operatorname{id}_{\mathcal{C}}\right)\right)=G\left(\operatorname{id}_{G\left(F\left(\mathcal{C}\right)}\right)\right)=$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03254		—	$\operatorname{id}_{\mathcal{C}}$	$\operatorname{id}_{\mathcal{C}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03255		—	$\operatorname{id}_{\mathcal{D}}$	$\operatorname{id}_{\mathcal{D}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03256		—	$H: \mathcal{E} \rightarrow \mathcal{F}$	$H: \mathcal{E} \rightarrow \mathcal{F}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03257		—	$(F; G); H = F; (G; H)$	$(F; G); H = F; (G; H)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03258		—	$x \in \mathcal{C}$	$x \in \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03259		—	$F_S(\operatorname{id}_1) = \operatorname{id}_S$	$F_S(\operatorname{id}_1) = \operatorname{id}_S$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03260		—	F_S	F_S
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03261		—	$D(z)$	$D(z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03262		—	$D(s) \colon D(z) \rightarrowtail D(z)$	$D(s) \colon D(z) \rightarrow D(z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03263		—	$D_{\{z\}}$	D_z
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03264		—	$D(c)$	$D(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03265		—	$D(b)$	$D(b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03266		—	$D(a)$	$D(a)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03267		—	$d(f) \colon D(a) \rightarrowtail D(b)$	$d(f) \colon D(a) \rightarrow D(b)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03268		—	$F, G, H \in \mathcal{D}^{\mathcal{C}}$	$F, G, H \in \mathcal{D}^{\mathcal{C}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03269		—	$F, G, H: \mathcal{C} \rightarrow \mathcal{D}$	$F, G, H: \mathcal{C} \rightarrow \mathcal{D}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03270		—	$\beta: G \rightarrow H$	$\beta: G \rightarrow H$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03271		—	$c \in \mathcal{C}, \alpha$	$c \in \mathcal{C}, \alpha$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03272		—	$\beta_c: G(c) \rightarrow H(c)$	$\beta_c: G(c) \rightarrow H(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03273		—	$(\alpha; \beta)_{\mathcal{C}} := \left(\alpha_{\mathcal{C}}; \beta_{\mathcal{C}} \right)$	$(\alpha; \beta)_{\mathcal{C}} := (\alpha_{\mathcal{C}}; \beta_{\mathcal{C}})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03274		—	$F(c) \rightarrow H(c)$	$F(c) \rightarrow H(c)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03275		—	id_{F}	id_F
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03276		—	$\left(\operatorname{id}_{F}\right)_{c}:=\operatorname{id}_{F(c)}$	$(\operatorname{id}_F)_c := \operatorname{id}_{F(c)}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03277		—	$\beta: F \rightarrow G$	$\beta: F \rightarrow G$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03278		—	$\alpha: E \rightarrow F$	$\alpha: E \rightarrow F$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03279		—	id_{F} ; β	$\operatorname{id}_F; \beta$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03280		—	$\left(\operatorname{id}_{F}\right)_{c}$; $\beta_{c}=\left(\operatorname{id}_{F(c)}\right)_{c}$; $\beta_{c}\right)=\beta_{c}$	$(\operatorname{id}_F)_c; \beta_c = (\operatorname{id}_{F(c)})_c = \beta_c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03281		—	$\alpha, \beta: F \rightarrow G$	$\alpha, \beta: F \rightarrow G$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03282		—	$\alpha=\beta$	$\alpha = \beta$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03283		—	$\alpha_{\mathrm{c}}=\beta_{\mathrm{c}}$	$\alpha_c = \beta_c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03284		—	β_{c}	β_c
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03285		—	$F(c) \rightarrowtail G(c)$	$F(c) \rightarrow G(c)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03286		—	$\mathcal{P}:=\mathbf{1}$	$\mathcal{P} := \mathbf{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03287		—	$\mathcal{C}:=\vec{\bullet} \xrightarrow[f_2]{f_1} \bullet$	$\mathcal{C} := \vec{\bullet} \xrightarrow[f_2]{f_1} \bullet$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03288		—	$F(1):=\mathbf{a}$	$F(1) := a$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03289		—	$G(1) := b$	$G(1) := b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03290		—	$\alpha_1 := f_1$	$\alpha_1 := f_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03291		—	$\beta_1 := g_2$	$\beta_1 := g_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03292		—	$\alpha_{\text{Arrow}}(b) = e$	$\alpha_{\text{Arrow}}(b) = e$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03293		—	$\alpha_{\text{Vertex}}(1) = 4, \alpha_{\text{Vertex}}(2) = 5$	$\alpha_{\text{Vertex}}(1) = 4, \alpha_{\text{Vertex}}(2) = 5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03294		—	$\alpha_{\text{Vertex}}(3) = 5$	$\alpha_{\text{Vertex}}(3) = 5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03295		—	$X \times B \rightarrowtail Y \times B$	$X \times B \rightarrow Y \times B$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03296		—	$f \times B$	$f \times B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03297		—	(x, b)	(x, b)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03298		—	$(f(x), b)$	$(f(x), b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03299		—	$\mathrm{id}_{X \times B}$	$\mathrm{id}_{X \times B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03300		—	$X^B \rightarrowtail Y^B$	$X^B \rightarrow Y^B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03301		—	f^B	f^B
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03302		—	$g: B \rightarrowtail X$	$g: B \rightarrow X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03303		—	$(g \circ f) : B \rightarrow X \rightarrow Y$	$(g \circ f) : B \rightarrow X \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03304		—	$f^B(\mathrm{id}_X) = \mathrm{id}_{X^B}$	$f^B(\mathrm{id}_X) = \mathrm{id}_{X^B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03305		—	$\left(f_1 ; f_2\right) : X \rightarrow Y \rightarrow Z$	$(f_1; f_2) : X \rightarrow Y \rightarrow Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03306		—	$g \in X^B$	$g \in X^B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03307		—	$\mathbb{N}^{\mathbb{N}}$	$\mathbb{N}^{\mathbb{N}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03308		—	$p(3) : \mathbb{N} \rightarrow \mathbb{N}$	$p(3) : \mathbb{N} \rightarrow \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03309		—	$p(3)(n) := n + 3$	$p(3)(n) := n + 3$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03310		—	$!:\mathcal{C}\rightarrow\mathbf{1}$	$!:\mathcal{C}\rightarrow\mathbf{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03311		—	$1\in\mathbf{1}$	$1\in\mathbf{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03312		—	$\mathrm{B}=\mathrm{Bob},\ 3=\mathrm{Em}_3$	$B = \mathrm{Bob}, 3 = \mathrm{Em}_3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03313		—	$c\rightarrow z$	$c\rightarrow z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03314		—	$\mathcal{C}\in$	$\mathcal{C}\in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03315		—	$2\,V:=\bullet\bullet$	$2V:=\bullet\bullet$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03316		—	$\mathcal{C}=\operatorname{Free}(2\,V)$	$\mathcal{C}=\operatorname{Free}(2V)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03317		—	$z \in \mathcal{P}$	$z \in \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03318		—	$z \rightarrow x$	$z \rightarrow x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03319		—	$z \rightarrow y$	$z \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03320		—	$z^{\prime}$	$z^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03321		—	$z^{\prime} \rightarrow x$	$z^{\prime} \rightarrow x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03322		—	$z^{\prime} \rightarrow y$	$z^{\prime} \rightarrow y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03323		—	$z^{\prime} \rightarrow z$	$z^{\prime} \rightarrow z$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03324		—	$z \leq x$	$z \leq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03325		—	$z \leq y$	$z \leq y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03326		—	$z^{\prime} \leq x$	$z' \leq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03327		—	$z^{\prime} \leq y$	$z' \leq y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03328		—	$z^{\prime} \leq z$	$z' \leq z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03329		—	$z=x \wedge y$	$z = x \wedge y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03330		—	$\left(\mathrm{id}_{\mathrm{c}}, \mathrm{id}_{\mathrm{d}}\right)$	$(\mathrm{id}_c, \mathrm{id}_d)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03331		—	$\left(\left(\left(f_1, g_1\right) \stackrel{\circ}{\circ} \left(f_2, g_2\right)\right) \stackrel{\circ}{\circ} \left(f_3, g_3\right)\right) = \left(f_1, g_1\right) \stackrel{\circ}{\circ} \left(\left(f_2, g_2\right) \stackrel{\circ}{\circ} \left(f_3, g_3\right)\right)$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03332		—	$\left(f_1\right)$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03333		—	$\left(f_2\right)$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03334		—	$\left(f_3\right)$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03335		—	$\left(g_2\right) \stackrel{\circ}{\circ} g_3$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03336		—	$\left(f_1; \left(f_2; f_3\right), g_1\right)$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03337		—	$\left(g_2; g_3\right)$	
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03338		—	$(1,2)$	$(1,2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03339		—	$(1,1) \rightarrow (1,2)$	$(1,1) \rightarrow (1,2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03340		—	$\mathbf{1} \times \mathcal{C} \cong \mathcal{C}$	$\mathbf{1} \times \mathcal{C} \cong \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03341		—	$X=P \times Q$	$X = P \times Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03342		—	$\mathcal{X}=\mathcal{P} \times Q$	$\mathcal{X} = \mathcal{P} \times Q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03343		—	$X \stackrel{p_X}{\longrightarrow} Z \stackrel{p_Y}{\longrightarrow} Y$	$X \stackrel{p_X}{\leftarrow} Z \stackrel{p_Y}{\rightarrow} Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03344		—	$X \stackrel{p_X}{\longrightarrow} Z^{\prime} \stackrel{p_Y}{\longrightarrow} Y^{\prime} \Upsilon$	$X \stackrel{p_X}{\leftarrow} Z^{\prime} \stackrel{p_Y}{\rightarrow} Y^{\prime} \Upsilon$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03345		—	$f: Z^{\{\prime\}}$ $\rightarrow$ Z	$f: Z' \rightarrow Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03346		—	f ; $p_{\{X\}}=p_{\{X\}}^{\{\prime\}}$	$f;p_X = p_X'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03347		—	f ; $p_{\{Y\}}=p_{\{Y\}}^{\{\prime\}}$	$f;p_Y = p_Y'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03348		—	$Y^{\{\prime\prime\}}$	Y''
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03349		—	$Z \in \operatorname{Cone}(X, Y)$	$Z \in \operatorname{Cone}(X, Y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03350		—	$Z^{\{\prime\}}$ $\rightarrow$ Z	$Z' \rightarrow Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03351		—	$\stackrel{\{v_1\}}{\bullet} v_2$	$\overset{v_1}{\bullet} v_2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03352		—	$D\left(v_{1}\right)=A$	$D\left(v_{1}\right)=A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03353		—	$D\left(v_{2}\right)=B$	$D\left(v_{2}\right)=B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03354		—	$F^{\mathrm{op}}:\mathcal{C}^{\mathrm{op}}\rightarrow\mathcal{D}^{\mathrm{op}}$	$F^{\mathrm{op}}:\mathcal{C}^{\mathrm{op}}\rightarrow\mathcal{D}^{\mathrm{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03355		—	$c\in$	$c\in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03356		—	$\mathrm{Ob}\left(\mathcal{C}^{\mathrm{op}}\right)=\mathrm{Ob}\left(\mathcal{C}\right)$	$\mathrm{Ob}\left(\mathcal{C}^{\mathrm{op}}\right)=\mathrm{Ob}\left(\mathcal{C}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03357		—	$F^{\mathrm{op}}\left(c\right):=F\left(c\right)$	$F^{\mathrm{op}}\left(c\right):=F\left(c\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03358		—	$f^{\mathrm{prime}}:c_{2}\rightarrow c_{1}$	$f^{\prime}:c_{2}\rightarrow c_{1}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03359		—	$F\left(f^{\{\backslash\mathrm{prime}\}}\right): F\left(c_{2}\right) \rightarrow F\left(c_{1}\right)$	$F\left(f'\right): F\left(c_{2}\right) \rightarrow F\left(c_{1}\right)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03360		—	$F\left(f^{\{\backslash\mathrm{prime}\}}\right)^{\{\backslash\mathrm{prime}\}}: F^{\{\mathrm{op}\}}\left(c_{1}\right) \rightarrow F^{\{\mathrm{op}\}}\left(c_{2}\right)$	$F\left(f'\right)': F^{\mathrm{op}}\left(c_{1}\right) \rightarrow F^{\mathrm{op}}\left(c_{2}\right)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03361		—	$F^{\{\mathrm{op}\}}(f):=F\left(f^{\{\backslash\mathrm{prime}\}}\right)^{\{\backslash\mathrm{prime}\}}$	$F^{\mathrm{op}}(f):=F\left(f'\right)'$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03362		—	$\left(-^{\{\backslash\mathrm{prime}\}}\right)$	$\left(-'\right)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03363		—	$F^{\{\mathrm{op}\}}$	F^{op}
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03364		—	$\mathcal{X}^{\{\mathrm{op}\}} \times \dagger$	$\mathcal{X}^{\mathrm{op}} \times \dagger$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03365		—	$\Lambda: \mathcal{X} \mapsto y$	$\Lambda: \mathcal{X} \mapsto y$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03366		—	$\mathrm{mathcal{X}}^{\mathrm{op}} \times y \rightarrow \mathbb{B}$	$\mathcal{X}^{\mathrm{op}} \times y \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03367		—	$x^{\mathrm{op}} \times y$	$x^{\mathrm{op}} \times y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03368		—	Λ	Λ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03369		—	$\Phi: \mathrm{mathcal{X}}^{\mathrm{op}} \times \mathrm{mathcal{Y}} \rightarrow \mathrm{mathcal{V}}$	$\Phi: \mathcal{X}^{\mathrm{op}} \times \mathcal{Y} \rightarrow \mathcal{V}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03370		—	$\Phi: \operatorname{Ob} \left(\mathrm{mathcal{X}}^{\mathrm{op}} \times \mathrm{mathcal{Y}} \right) \rightarrow \operatorname{Ob} \left(\mathrm{mathcal{V}} \right)$	$\Phi: \operatorname{Ob} (\mathcal{X}^{\mathrm{op}} \times \mathcal{Y}) \rightarrow \operatorname{Ob} (\mathcal{V})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03371		—	$x^{\text{op}} \times y$	$x^{\mathrm{op}} \times y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03372		—	$\Phi: (T \times E) \rightarrow \$$	<i>(not rendered)</i>
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03373		—	$\Phi(($	$\Phi(($
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03374		—	$), p) =$	$), p) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03375		—	$p \in \{\mathrm{100~K}, \mathrm{500~K}, \mathrm{1~M}\}$	<i>(not rendered)</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03376		—	$(\Phi; \Psi)(-, -) = \mathcal{X}(-, D) + 9 + z(r, -)$	$(\Phi; \Psi)(-, -) = \mathcal{X}(-, D) + 9 + z(r, -)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03377		—	$U_{\{X\}}$	U_X
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03378		—	$I \leq \mathcal{P}(p, p)$	$I \leq \mathcal{P}(p, p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03379		—	$\Phi(p, q) \leq \Phi(p, q)$	$\Phi(p, q) \leq \Phi(p, q)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03380		—	$x \leq x \vee y$	$x \leq x \vee y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03381		—	$I =$	$I =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03382		—	$\leq \mathcal{P}(p, p)$	$\leq \mathcal{P}(p, p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03383		—	$\mathcal{P}(p, p) =$	$\mathcal{P}(p, p) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03384		—	$\Phi(p, q)$	$\Phi(p, q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03385		—	$\Phi(p, q) =$	$\Phi(p, q) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03386		—	$\mathcal{P}^{\text{op}} \times \mathcal{Q} \rightarrow$	$\mathcal{P}^{\text{op}} \times \mathcal{Q} \rightarrow$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03387		—	$p \leq p_{\{1\}}$	$p \leq p_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03388		—	$\Phi\left(p_{\{1\}}, q\right) \leq \Phi(p, q)$	$\Phi\left(p_1, q\right) \leq \Phi(p, q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03389		—	$\mathcal{P}\left(p, p_{\{1\}}\right)=$	$\mathcal{P}\left(p, p_1\right)=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03390		—	$\Phi\left(p_{\{1\}}, q\right)=\Phi(p, q)=$	$\Phi\left(p_1, q\right)=\Phi(p, q)=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03391		—	$\Phi\left(p_{\{1\}}, q\right)=$	$\Phi\left(p_1, q\right)=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03392		—	$\bigvee_{p_{\{1\}} \in \mathcal{P}} \mathcal{P}\left(p, p_{\{1\}}\right) \wedge \Phi\left(p_{\{1\}}, q\right)=$ $\bigvee_{p_{\{1\}} \in \mathcal{P}}$	$\bigvee_{p_1 \in \mathcal{P}} \mathcal{P}\left(p, p_1\right) \wedge \Phi\left(p_1, q\right)= \bigvee_{p_1 \in \mathcal{P}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03393		—	$\Phi(p, q)=\bigvee_{p_{\{1\}} \in \mathcal{P}} \mathcal{P}\left(p, p_{\{1\}}\right) \wedge \Phi\left(p_{\{1\}}, q\right)$	$\Phi(p, q)= \bigvee_{p_1 \in \mathcal{P}} \mathcal{P}\left(p, p_1\right) \wedge \Phi\left(p_1, q\right)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03394		—	$v \otimes I = v$	$v \otimes I = v$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03395		—	$I \leq Q(q, q)$	$I \leq Q(q, q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03396		—	$v_{\{1\}} \leq v_{\{2\}}$	$v_1 \leq v_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03397		—	$v \otimes v_{\{1\}} \leq v \otimes v_{\{2\}}$	$v \otimes v_1 \leq v \otimes v_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03398		—	$\widehat{\mathrm{id}}: \mathcal{P} \mapsto \mathcal{P}$	$\widehat{\mathrm{id}}: \mathcal{P} \mapsto \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03399		—	$\widehat{\mathrm{id}}(p, q) = \mathcal{P}(p, q)$	$\widehat{\mathrm{id}}(p, q) = \mathcal{P}(p, q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03400		—	$\widehat{\operatorname{id}}(p, q) := \mathcal{P}(\operatorname{id}(p), q) = \mathcal{P}(p, q)$	$\widehat{\mathrm{id}}(p, q) := \mathcal{P}(\mathrm{id}(p), q) = \mathcal{P}(p, q)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03401		—	$\check{+}: \mathbb{R} \rightarrow \mathbb{R} \times \mathbb{R} \times \mathbb{R}$	$\dot{+}: \mathbb{R} \rightarrow \mathbb{R} \times \mathbb{R} \times \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03402		—	$\mathbb{R}(a, b+c+d)$	$\mathbb{R}(a, b+c+d)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03403		—	$a \leq b+c+d$	$a \leq b+c+d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03404		—	$\widehat{F}(p, q)=Q(F(p), q)$	$\widehat{F}(p, q) = Q(F(p), q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03405		—	$\check{G}(p, q)=Q(p, G(q))$	$\check{G}(p, q) = Q(p, G(q))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03406		—	$Q(F(p), q)=Q(p, G(q))$	$Q(F(p), q) = Q(p, G(q))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03407		—	$\widehat{F}=\check{G}$	$\widehat{F} = \check{G}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03408		—	$\widehat{\mathrm{id}}=\widehat{\mathrm{id}}$	$\mathsf{id} = \mathsf{id}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03409		—	$\otimes\colon \mathcal{P} \times \mathcal{P} \rightarrow \mathcal{P}$	$\otimes\colon \mathcal{P} \times \mathcal{P} \rightarrow \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03410		—	$\left(x_1, x_2\right) \leq \left(y_1, y_2\right)$	$(x_1, x_2) \leq (y_1, y_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03411		—	$\mathcal{P} \otimes \mathcal{P}$	$\mathcal{P} \otimes \mathcal{P}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03412		—	$g_{\{E\}}(5,3)=$	$g_E(5,3) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03413		—	$g_{\{F\}}(5,3)=2$	$g_F(5,3) = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03414		—	$g_{\{E\}}(3,5)=$	$g_E(3,5) =$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03415		—	$g_{\{F\}}(3,5)=-2$	$g_F(3,5) = -2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03416		—	$)=5$	$) = 5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03417		—	$)=-5$	$) = -5$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03418		—	$)=6$	$) = 6$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03419		—	$q_{\{G\}}(-2,3)=2, \ q_{\{F\}}(-2,3)=-13$	$q_G(-2,3) = 2, q_F(-2,3) = -13$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03420		—	$q_{\{G\}}(2,3)=-1, \ q_{\{F\}}(2,3)=7$	$q_G(2,3) = -1, q_F(2,3) = 7$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03421		—	$\mathrm{mathcal{C}}(x, y)$	$\mathcal{C}(x, y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03422		—	$\mathrm{id}_{\{x\}}: I \rightarrow \mathcal{C}(x, x)$	$\mathrm{id}_x: I \rightarrow \mathcal{C}(x, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03423		—	$\mathrm{id}_{\{x\}:\{1\}} \rightarrow \mathcal{C}(x, x)$	$\mathrm{id}_x: \{1\} \rightarrow \mathcal{C}(x, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03424		—	$\mathrm{id}_{\{x\}}=\mathrm{id}_{\{x\}}(1) \in \mathcal{C}(x, x)$	$\mathrm{id}_x = \mathrm{id}_x(1) \in \mathcal{C}(x, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03425		—	$\{ \}_{9}: \mathcal{C}(x, y) \otimes \mathcal{C}(y, z) \rightarrow \mathcal{C}(x, z)$	${}_9: \mathcal{C}(x, y) \otimes \mathcal{C}(y, z) \rightarrow \mathcal{C}(x, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03426		—	$\mathcal{C}(x, y) \times \mathcal{C}(y, z) \rightarrow \mathcal{C}(x, z)$	$\mathcal{C}(x, y) \times \mathcal{C}(y, z) \rightarrow \mathcal{C}(x, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03427		—	$I \rightarrow \mathcal{X}(x, x)$	$I \rightarrow \mathcal{X}(x, x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03428		—	$0 \geq \mathcal{X}(x, x)$	$0 \geq \mathcal{X}(x, x)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03429		—	$\mathrm{X}(x, x)=0$	$\mathcal{X}(x, x) = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03430		—	$\underline{3} \sqcup \underline{3}$	$\underline{3} \sqcup \underline{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03431		—	$x \in \mathrm{X}$	$x \in \mathcal{X}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03432		—	$y \in y$	$y \in y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03433		—	$(x, y) \leq (x^{\mathrm{prime}}, y^{\mathrm{prime}})$	$(x, y) \leq (x', y')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03434		—	$y \leq y^{\mathrm{prime}}$	$y \leq y'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03435		—	$\Phi: x_1 \rightarrow x_2$	$\Phi: x_1 \rightarrow x_2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03436		—	$y_{\{1\}}$	y_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03437		—	$x_{\{1\}}$	x_1
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03438		—	$y_{\{2\}}$	y_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03439		—	$x_{\{2\}}$	x_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03440		—	$\left(y_{\{1\}}, y_{\{2\}}\right)$	(y_1, y_2)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03441		—	$\left(x_{\{1\}}, x_{\{2\}}\right)$	(x_1, x_2)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03442		—	$\mathcal{X} \times \mathbf{1} \rightarrow \mathcal{X}$	$\mathcal{X} \times \mathbf{1} \rightarrow \mathcal{X}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03443		—	$\backslash alpha:(\backslash mathcal{X} \times \backslash mathbf{1})^{\backslash mathrm{op}} \times \backslash mathcal{X} \rightarrow \backslash mathcal{V}$	$\alpha : (\mathcal{X} \times \mathbf{1})^{\mathrm{op}} \times \mathcal{X} \rightarrow \mathcal{V}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03444		—	$\backslash alpha((x, 1), y):=\backslash mathcal{X}(x, y)$	$\alpha((x, 1), y) := \mathcal{X}(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03445		—	$\backslash alpha^{-1}: x \mapsto x \times \backslash mathbf{1}$	$\alpha^{-1} : x \mapsto x \times \mathbf{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03446		—	$\backslash alpha^{-1}(x,(y, 1)):=x(x, y)$	$\alpha^{-1}(x, (y, 1)) := x(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03447		—	$\backslash alpha^{-1} \ ; \ \backslash alpha=\backslash mathrm{U}_{\backslash X}$	$\alpha^{-1}; \alpha = \mathrm{U}_X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03448		—	$\backslash mathcal{X}(x, y) \ \backslash otimes \backslash mathcal{X}(y, z) \ \backslash leq \backslash mathcal{X}(x, z)$	$\mathcal{X}(x, y) \otimes \mathcal{X}(y, z) \leq \mathcal{X}(x, z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03449		—	$\backslash alpha^{-1}=\backslash mathrm{U}_{\backslash X \times 1}$	$\alpha^{-1} = \mathrm{U}_{X \times 1}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03450		—	$\backslash\mathrm{beta}((1, x), y) := \mathcal{X}(x, y)$	$\beta((1, x), y) := \mathcal{X}(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03451		—	$\backslash\mathrm{beta}: \mathbf{1} \times \mathcal{X} \mapsto X$	$\beta: \mathbf{1} \times \mathcal{X} \mapsto X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03452		—	$\backslash\alpha^{-1}$	α^{-1}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03453		—	$\backslash\Phi(x, y)$	$\Phi(x, y)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03454		—	$(x, y) \in \mathcal{X}^{\mathrm{op}} \times \mathcal{X}$	$(x, y) \in \mathcal{X}^{\mathrm{op}} \times \mathcal{X}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03455		—	$\backslash\mathrm{U}_{\mathcal{X}}(a, b) = \mathcal{X}(a, b)$	$\mathcal{U}_{\mathcal{X}}(a, b) = \mathcal{X}(a, b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03456		—	$(f ; g)(i) = g(f(i))$	$(f; g)(i) = g(f(i))$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03457		—	$1 \leq i \leq m$	$1 \leq i \leq m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03458		—	$\operatorname{id}_m: m \rightarrow m$	$\operatorname{id}_m: m \rightarrow m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03459		—	$\operatorname{id}_m(i)=i$	$\operatorname{id}_m(i)=i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03460		—	id_2	id_2
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03461		—	id_8	id_8
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03462		—	$\sigma_{3,5}: 8 \rightarrow 8$	$\sigma_{3,5}: 8 \rightarrow 8$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03463		—	$m_1 \leq n_1$	$m_1 \leq n_1$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03464		—	$m_{\{2\}} \leq n_{\{2\}}$	$m_2 \leq n_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03465		—	$m_{\{1\}+m_{\{2\}}} \leq n_{\{1\}+n_{\{2\}}}$	$m_1 + m_2 \leq n_1 + n_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03466		—	$d \in \mathbb{N}$	$d \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03467		—	$d+m=n$	$d + m = n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03468		—	$m=n+d$	$m = n + d$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03469		—	$q \in \mathbb{N}$	$q \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03470		—	$m * q=d$	$m * q = d$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03471		—	$3 \preceq 3$	$3 \preceq 3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03472		—	$5 \leq ? 7$	$5 \leq ? 7$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03473		—	$\mathbf{Bij}(m, n) := \{f: \underline{m} \rightarrow \underline{n} \mid f$	$\mathbf{Bij}(m, n) := \{f: \underline{m} \rightarrow \underline{n} \mid f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03474		—	$\mathbf{Bij}(m, n) = \varnothing$	$\mathbf{Bij}(m, n) = \varnothing$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03475		—	$n \rightarrow n$	$n \rightarrow n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03476		—	$\underline{n} \rightarrow \underline{n}$	$\underline{n} \rightarrow \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03477		—	$i \mapsto i$	$i \mapsto i$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03478		—	$m+n \rightarrow n+m$	$m + n \rightarrow n + m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03479		—	$\sigma_{m,n} : \underline{m+n} \rightarrow \underline{n+m}$	$\sigma_{m,n} : \underline{m + n} \rightarrow \underline{n + m}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03480		—	$n \rightarrow p$	$n \rightarrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03481		—	$(f+g):(m+n) \rightarrow$	$(f + g) : (m + n) \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03482		—	$\left(m^{\prime}+n^{\prime}\right)$	$(m' + n')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03483		—	$\operatorname{Corel}(m,n)$	$\operatorname{Corel}(m,n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03484		—	$\underline{m+n}$	$\underline{m + n}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03485		—	$i \sim j$	$i \sim j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03486		—	$i=j$	$i = j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03487		—	$m+n+n+m$	$m + n + n + m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03488		—	$ i-j =m+n+n$	$ i-j = m + n + n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03489		—	$m+1 \leq i \leq m+n+n$	$m + 1 \leq i \leq m + n + n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03490		—	$m+1 \leq j \leq m+n+n$	$m + 1 \leq j \leq m + n + n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03491		—	$ i-j =n$	$ i-j = n$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03492		—	$\dot{\sim}$	$\sim$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03493		—	$n+p$	$n + p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03494		—	$\simeq$	$\simeq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03495		—	$m+p$	$m + p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03496		—	$i \simeq k$	$i \simeq k$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03497		—	$\bar{j} \dot{\sim} k$	$j \sim k$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03498		—	$\overline{m+n}$	$\overline{m + n}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03499		—	$\sim^{\prime}$	$\sim^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03500		—	$m^{\prime}+n^{\prime}$	$m^{\prime}+n^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03501		—	$(\sim+\sim^{\prime})$	$(\sim+\sim^{\prime})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03502		—	$m+n+m^{\prime}+n^{\prime}$	$m+n+m^{\prime}+n^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03503		—	$i\leq m+n$	$i\leq m+n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03504		—	$j\leq m+n$	$j\leq m+n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03505		—	$m+n+1\leq i$	$m+n+1\leq i$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03506		—	$m+n+1 \leq j$	$m + n + 1 \leq j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03507		—	$i \sim^{\prime} j$	$i \sim' j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03508		—	$\boldsymbol{\operatorname{Rel}}(m, n)$	Rel (m, n)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03509		—	$\underline{m} \times \underline{n}$	$\underline{m} \times \underline{n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03510		—	$\{(i, j) \in \underline{n} \times \underline{n} \mid i=j\}$	$\{(i, j) \in \underline{n} \times \underline{n} \mid i = j\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03511		—	$(i, j) \in (\underline{m+n}) \times (\underline{n+m})$	$(i, j) \in (\underline{m+n}) \times (\underline{n+m})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03512		—	$i \leq m$	$i \leq m$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03520		—	$\underline{m+m^{\prime}} \times \underline{n+n^{\prime}}$	$\underline{m+m'} \times \underline{n+n'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03521		—	$R_{\{1\}} \sqcup R_{\{2\}} \subseteq \left(\underline{m_{\{1\}}} \times \underline{n_{\{1\}}} \right) \sqcup \left(\underline{m_{\{2\}}} \times \underline{n_{\{2\}}} \right) \subseteq \left(\underline{m_{\{1\}} \sqcup m_{\{2\}}} \right) \times \left(\underline{n_{\{1\}} \sqcup n_{\{2\}}} \right)$	$R_1 \sqcup R_2 \subseteq (\underline{m_1} \times \underline{n_1}) \sqcup (\underline{m_2} \times \underline{n_2}) \subseteq (\underline{m_1 \sqcup m_2}) \times (\underline{n_1 \sqcup n_2})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03522		—	$\leq_P$	$\leq_P$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03523		—	$x \leq_P y$	$x \leq_P y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03524		—	$x_{\{0\}}, \ldots, x_{\{n\}}$	$x_0, \dots, x_n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03525		—	$x_{\{0\}}=x$	$x_0 = x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03526		—	$x_{\{n\}}=y$	$x_n = y$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03527		—	$R\left(x_{\{i\}},\ x_{\{i+1\}}\right)$	$R\left(x_i,x_{i+1}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03528		—	$0\ \leq i\ \leq n-1$	$0\leq i\leq n-1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03529		—	$f\left(x_{\{i\}}\right)\ \leq_{\{Q\}}\ f\left(x_{\{i+1\}}\right)$	$f\left(x_i\right)\leq_Qf\left(x_{i+1}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03530		—	$f\left(x_{\{0\}}\right)\ \leq_{\{Q\}}\ f\left(x_{\{i\}}\right)$	$f\left(x_0\right)\leq_Qf\left(x_i\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03531		—	$n=1,\ x_{\{0\}}=x$	$n=1,x_0=x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03532		—	$R(g(a),\ g(b))$	$R(g(a),g(b))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03533		—	$a\ \leq_{\{Q\}}\ b$	$a\leq_Qb$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03534		—	$(g(a), g(b)) \notin R$	$(g(a), g(b)) \notin R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03535		—	$Q := \{1\}$	$Q := \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03536		—	$P := \{1\}$	$P := \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03537		—	$R = \varnothing$	$R = \varnothing$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03538		—	$(g(1), g(1)) \notin R$	$(g(1), g(1)) \notin R$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03539		—	$\operatorname{Mor}(\mathcal{C}) \rightarrow \operatorname{Ob}(\mathcal{C})$	$\operatorname{Mor}(\mathcal{C}) \rightarrow \operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03540		—	$q \in \operatorname{Mor}(\mathcal{C})$	$q \in \operatorname{Mor}(\mathcal{C})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03541		—	$q: y \rightarrow z$	$q: y \rightarrow z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03542		—	$\operatorname{cod}(q) := z$	$\operatorname{cod}(q) := z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03543		—	$F: \mathcal{G} \rightarrow \mathcal{C}$	$F: \mathcal{G} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03544		—	$\operatorname{Ob}(\mathcal{G}) \rightarrow \operatorname{Ob}(\mathcal{C})$	$\operatorname{Ob}(\mathcal{G}) \rightarrow \operatorname{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03545		—	$\operatorname{Ob}(\mathcal{G}) = V$	$\operatorname{Ob}(\mathcal{G}) = V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03546		—	$\operatorname{Mor}(\mathcal{G})$	$\operatorname{Mor}(\mathcal{G})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03547		—	$A \subseteq \operatorname{Mor}(\mathcal{G})$	$A \subseteq \operatorname{Mor}(\mathcal{G})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03548		—	$\operatorname{Mor}(\mathcal{G}) \rightarrow \operatorname{Mor}(\mathcal{C})$	$\operatorname{Mor}(\mathcal{G}) \rightarrow \operatorname{Mor}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03549		—	$\operatorname{dom}(F(r)) = F(\operatorname{dom}(r))$	$\operatorname{dom}(F(r)) = F(\operatorname{dom}(r))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03550		—	$\operatorname{cod}(F(r)) = F(\operatorname{cod}(r))$	$\operatorname{cod}(F(r)) = F(\operatorname{cod}(r))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03551		—	$r: w \rightarrow x$	$r: w \rightarrow x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03552		—	$r \in A$	$r \in A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03553		—	$\operatorname{dom}(r) = s(r)$	$\operatorname{dom}(r) = s(r)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03554		—	$\operatorname{cod}(r) = t(r)$	$\operatorname{cod}(r) = t(r)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03555		—	$f: V \rightarrow \mathrm{Ob}(\mathcal{C})$	$f: V \rightarrow \mathrm{Ob}(\mathcal{C})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03556		—	$g: A \rightarrow$	$g: A \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03557		—	$p:=\left(v_{\{0\}}, a_{\{1\}}, a_{\{2\}}, \ldots, a_{\{n\}}\right)$	$p := (v_0, a_1, a_2, \dots, a_n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03558		—	$v_{\{0\}} \in V$	$v_0 \in V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03559		—	$a_{\{i\}} \in A, v_{\{0\}}=s\left(a_{\{1\}}\right)$	$a_i \in A, v_0 = s(a_1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03560		—	$1 \leq i \leq n-1$	$1 \leq i \leq n-1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03561		—	$g\left(a_{\{i\}}\right)$	$g(a_i)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03562		—	$f\left(v_{0}\right)$	$f\left(v_{0}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03563		—	$g\left(a_{i+1}\right)$	$g\left(a_{i+1}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03564		—	$F(p):=\operatorname{id}_{f\left(v_{0}\right)} ; g\left(a_{1}\right) ; \ldots ; g\left(a_{n}\right)$	$F(p):=\operatorname{id}_{f\left(v_{0}\right)} ; g\left(a_{1}\right) ; \ldots ; g\left(a_{n}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03565		—	$\left(f^{\prime}, g^{\prime}\right)$	$\left(f^{\prime}, g^{\prime}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03566		—	$f=f^{\prime}$	$f=f^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03567		—	$g=g^{\prime}$	$g=g^{\prime}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03568		—	$F^{\prime}: \mathcal{G} \rightarrow \mathcal{C}$	$F^{\prime}: \mathcal{G} \rightarrow \mathcal{C}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03569		—	$F^{\{\prime\}}$	F'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03570		—	$U(\mathcal{C}) \in$	$U(\mathcal{C}) \in$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03571		—	$a^{\{i\}} * a^{\{j\}} = a^{\{i+j\}}$	$a^i * a^j = a^{i+j}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03572		—	$a^{\{i\}} \mapsto i$	$a^i \mapsto i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03573		—	$\operatorname{prop} \operatorname{Free}(G, s, t)$	$\operatorname{prop} \operatorname{Free}(G, s, t)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03574		—	(Γ, ℓ)	(Γ, ℓ)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03575		—	$\ell(v) \in G$	$\ell(v) \in G$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03576		—	$s(\ell(v))=i\ n(v)$	$s(\ell(v)) = in(v)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03577		—	Γ	Γ
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03578		—	$\left(f+\mathrm{id}_{\{1\}}+\mathrm{id}_{\{1\}}\right)\stackrel{\circ}{\circ}\left(\sigma+\mathrm{id}_{\{1\}}\right)\stackrel{\circ}{\circ}\left(\mathrm{id}_{\{1\}}+h\right)\stackrel{\circ}{\circ}\sigma\stackrel{\circ}{\circ}g$	$(f + \mathrm{id}_1 + \mathrm{id}_1) \overset{\circ}{\circ} (\sigma + \mathrm{id}_1) \overset{\circ}{\circ} (\mathrm{id}_1 + h) \overset{\circ}{\circ} \sigma \overset{\circ}{\circ} g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03579		—	$G=\{f: 1 \rightarrow$	$G = \{f : 1 \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03580		—	$1, g: 2 \rightarrow 2, h: 2 \rightarrow 1\}$:	$1, g : 2 \rightarrow 2, h : 2 \rightarrow 1\} :$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03581		—	$\{\{1\},\{2\},\{3\}\}$	$\{\{1\}, \{2\}, \{3\}\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03582		—	$(R, \ 0,+, \ 1, \ *)$	$(R, 0, +, 1, *)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03583		—	$n=4$	$n = 4$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03584		—	$A, B \in \operatorname{Mat}_2(\mathbb{N})$	$A, B \in \mathbf{Mat}_2(\mathbb{N})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03585		—	$A * B \neq B * A$	$A * B \neq B * A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03586		—	$(A * B)(1,1)=$	$(A * B)(1,1) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03587		—	$0 * 0+1 * 1=1$	$0 * 0 + 1 * 1 = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03588		—	$(B * A)(1,1)=0 * 0+0 * 0=0$	$(B * A)(1,1) = 0 * 0 + 0 * 0 = 0$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03589		—	$(16 \ x+4 \ y, \ x+4 \ y)$	$(16x + 4y, x + 4y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03590		—	$A=\left(\begin{array}{lll}3 & 3 & 1 \\ 2 & 0 & 4\end{array}\right)$	$A = \begin{pmatrix} 3 & 3 & 1 \\ 2 & 0 & 4 \end{pmatrix}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03591		—	$B=\left(\begin{array}{llll}2 & 5 & 6 & 1\end{array}\right)$	$B = \begin{pmatrix} 2 & 5 & 6 & 1 \end{pmatrix}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03592		—	$c_{\{n\}}$	c_n
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03593		—	$s_{\{a\}}: 1 \rightarrow 1$	$s_a : 1 \rightarrow 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03594		—	$g_{\{3\}}: m \times n \rightarrow m \times n$	$g_3 : m \times n \rightarrow m \times n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03595		—	$(i-1) \ m+j$	$(i-1)m + j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03596		—	$(j-1) \ n+i$	$(j-1)n + i$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03597		—	$1 \leq i \leq n$	$1 \leq i \leq n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03598		—	$1 \leq j \leq m$	$1 \leq j \leq m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03599		—	a_m	a_m
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03600		—	$g=g_{\{1\}}\ g_{\{2\}}\ g_{\{3\}}\ g_{\{4\}}: m \rightarrow$	$g = g_1 g_2 g_3 g_4 : m \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03601		—	$\sigma_{\{M, M\}}: \mu=\mu$	$\sigma_{M,M} : \mu = \mu$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03602		—	$R^{\{0\}}=\{()\}$	$R^0 = \{()\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03603		—	$\operatorname{prop}(\operatorname{Mat}(R))$	$\operatorname{prop}(\operatorname{Mat}(R))$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03604		—	$R^{\{0\}}$	R^0
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03605		—	$\{1\} . \mathbb{U}$	$\{1\}.U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03606		—	$R^{\{m\}} \times R^{\{n\}} \cong R^{\{m+n\}}$	$R^m \times R^n \cong R^{m+n}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03607		—	(m, μ, η)	(m, μ, η)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03608		—	$m \in \mathbb{N}, \mu: m+m \rightarrow m$	$m \in \mathbb{N}, \mu: m + m \rightarrow m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03609		—	$\eta: 0 \rightarrow m$	$\eta: 0 \rightarrow m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03610		—	$\mu(\eta, x)=x=\mu(x, \eta)$	$\mu(\eta, x) = x = \mu(x, \eta)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03611		—	$\mu(x, \mu(y, z)) = \mu(\mu(x, y), z)$	$\mu(x, \mu(y, z)) = \mu(\mu(x, y), z)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03612		—	$\emptyset \rightarrow m$	$0 \rightarrow m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03613		—	$m \in \mathbb{N}$	$m \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03614		—	$m=2, \mu$	$m = 2, \mu$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03615		—	$U(\eta): R^{\{0\}} \rightarrow R^{\{m\}}$	$U(\eta): R^0 \rightarrow R^m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03616		—	$U(\eta)(1) :=$	$U(\eta)(1) :=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03617		—	$(\emptyset, \ldots, \emptyset)$	$(0, \dots, 0)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03618		—	$U(\mu): R^{\{m\}} \times R^{\{m\}} \rightarrow R^{\{m\}}$	$U(\mu): R^m \times R^m \rightarrow R^m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03619		—	$R^{\{m\}}$	R^m
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03620		—	$(1, \supset-, \sim)$	$(1, \supset -, \sim)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03621		—	$(5,3) \mapsto 8$	$(5,3) \mapsto 8$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03622		—	$\left\{(x, y, z) \in R^{\{3\}} \mid x=\right.$	$\left.\{(x, y, z) \in R^3 \mid x =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03623		—	$y+z\}$	$y + z\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03624		—	$\left\{(x, y, z) \in R^{\{3\}} \mid x=y=\right.$	$\left.\{(x, y, z) \in R^3 \mid x = y =$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03625		—	$z\}$	$z\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03626		—	$B+C \subseteq R^{\{m+p\}} \times R^{\{n+q\}}$	$B + C \subseteq R^{m+p} \times R^{n+q}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03627		—	$\mathrm{B}\backslash\left(g\{ \}^{\circ}\backslash\left(h^{\{\mathrm{op}\}}\right)\backslash\right)=\mathrm{B}\{g\} \ ; \ \mathrm{B}\backslash\left(h^{\{\mathrm{op}\}}\backslash\right)$	$\mathbf{B}\left(g^{\circ}\left(h^{\mathrm{op}}\right)\right)=\mathbf{B}(g); \mathbf{B}\left(h^{\mathrm{op}}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03628		—	$S(h)$	$S(h)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03629		—	$g^{\{\mathrm{op}\}}: n \rightarrow m$	$g^{\mathrm{op}}: n \rightarrow m$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03630		—	$h: m \rightarrow p$	$h: m \rightarrow p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03631		—	$\mathrm{B}\backslash\left(\backslash\left(g^{\{\mathrm{op}\}}\right) \ ; \ h\right)=\mathrm{B}\backslash\left(g^{\{\mathrm{op}\}}\right) \ ; \ \mathrm{B}\{h\}$	$\mathbf{B}\left(\left(g^{\mathrm{op}}\right); h\right)=\mathbf{B}\left(g^{\mathrm{op}}\right); \mathbf{B}(h)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03632		—	$\{y \in \mathbb{R} \mid y=0\}$	$\{y \in \mathbb{R} \mid y = 0\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03633		—	$\left\{y \in \mathbb{R}^n \mid y=0\right\}$	$\{y \in \mathbb{R}^n \mid y = 0\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03634		—	$S(g) \subseteq \mathbb{R}^m \times \mathbb{R}^n$	$S(g) \subseteq \mathbb{R}^m \times \mathbb{R}^n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03635		—	$\left\{x \in \mathbb{R}^m \mid S(g)=0\right\}$	$\{x \in \mathbb{R}^m \mid S(g) = 0\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03636		—	$\{x \in \mathbb{R}\}$	$\{x \in \mathbb{R}\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03637		—	$\mathbb{R}^n \subseteq \mathbb{R}^n$	$\mathbb{R}^n \subseteq \mathbb{R}^n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03638		—	$\left\{y \in \mathbb{R}^n \mid \right.$	$\{y \in \mathbb{R}^n \mid$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03639		—	$\left.S(g)(x)=y\right\}$	$S(g)(x) = y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03640		—	$\mathrm{B}(g)=\{(x, y) \mid S(g)(x)=y\}$	$\mathbf{B}(g) = \{(x, y) \mid S(g)(x) = y\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03641		—	$S(g)(x)=y$	$S(g)(x) = y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03642		—	$S(g)(rx)=r y$	$S(g)(rx) = ry$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03643		—	$S(g)\left(x_1+x_2\right)=S(g)\left(x_1\right)+S(g)\left(x_2\right)$	$S(g)\left(x_1+x_2\right)=S(g)\left(x_1\right)+S(g)\left(x_2\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03644		—	$(x, y) \in \mathrm{B}(g)$	$(x, y) \in \mathbf{B}(g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03645		—	$(rx, ry) \in \mathrm{B}(g)$	$(rx, ry) \in \mathbf{B}(g)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03646		—	$\left(x_{\{1\}}, y_{\{1\}}\right), \left(x_{\{2\}}, y_{\{2\}}\right) \in \mathrm{B}(g)$	$\left(x_1, y_1\right), \left(x_2, y_2\right) \in \mathbf{B}(g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03647		—	$\left(x_{\{1\}}+x_{\{2\}}, y_{\{1\}}+y_{\{2\}}\right) \in \mathrm{B}(g)$	$\left(x_1+x_2, y_1+y_2\right) \in \mathbf{B}(g)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03648		—	$\mathrm{B} \left(g^{\mathrm{op}}\right)$	$\mathbf{B}\left(g^{\mathrm{op}}\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03649		—	$C \subseteq R^{\{n\}} \times R^{\{p\}}$	$C \subseteq R^n \times R^p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03650		—	$\left(x_{\{1\}}, z_{\{1\}}\right), \left(x_{\{2\}}, z_{\{2\}}\right) \in B ; C$	$\left(x_1, z_1\right), \left(x_2, z_2\right) \in B ; C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03651		—	$y_{\{1\}}, y_{\{2\}} \in R^{\{n\}}$	$y_1, y_2 \in R^n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03652		—	$\left(x_{\{1\}}, y_{\{1\}}\right), \left(x_{\{2\}}, y_{\{2\}}\right) \in B$	$\left(x_1, y_1\right), \left(x_2, y_2\right) \in B$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03653		—	$\left(y_{\{1\}}, z_{\{1\}}\right), \left(y_{\{2\}}, z_{\{2\}}\right) \in C$	$\left(y_1, z_1\right), \left(y_2, z_2\right) \in C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03654		—	$\left(r x_{\{1\}}, r y_{\{1\}}\right) \in B$	$\left(r x_1, r y_1\right) \in B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03655		—	$\left(r y_{\{1\}}, r z_{\{1\}}\right) \in C$	$\left(r y_1, r z_1\right) \in C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03656		—	$\left(x_{\{1\}}+x_{\{2\}}, y_{\{1\}}+y_{\{2\}}\right) \in B$	$\left(x_1+x_2, y_1+y_2\right) \in B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03657		—	$\left(y_{\{1\}}+y_{\{2\}}, z_{\{1\}}+z_{\{2\}}\right) \in C$	$\left(y_1+y_2, z_1+z_2\right) \in C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03658		—	$\left(r x_{\{1\}}, r z_{\{1\}}\right) \in(B ; C)$	$\left(r x_1, r z_1\right) \in(B ; C)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03659		—	$\left(x_{\{1\}}+x_{\{2\}}, z_{\{1\}}+z_{\{2\}}\right) \in(B ; C)$	$\left(x_1+x_2, z_1+z_2\right) \in(B ; C)$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03660		—	$(B \ ; \ C) \ \backslash \mathrm{subse} \mathrm{teq} \ R^{\mathrm{m}} \ \backslash \mathrm{times} \ R^{\mathrm{p}}$	$(B;C) \subseteq R^m \times R^p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03661		—	$(x, \ z)$	(x, z)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03662		—	$(y, \ z) \ \backslash \mathrm{in} \ C$	$(y, z) \in C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03663		—	$(B \ ; \ C)$	$(B;C)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03664		—	$(x, \ z) \ \backslash \mathrm{in}(B \ ; \ C)$	$(x, z) \in (B;C)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03665		—	$(r \ * \ x, \ r \ * \ y) \ \backslash \mathrm{in} \ B$	$(r * x, r * y) \in B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak___Z-Library_ _F03666		—	$(r \ * \ y, \ r \ * \ z) \ \backslash \mathrm{in} \ C$	$(r * y, r * z) \in C$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03667		—	$(r * x, r * z) \in (B ; C)$	$(r * x, r * z) \in (B; C)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03668		—	$\left(x^{\prime}, z^{\prime}\right) \in (B ; C)$	$(x', z') \in (B; C)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03669		—	$y^{\prime} \in R^{\mathrm{n}}$	$y' \in R^n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03670		—	$\left(y^{\prime}, z^{\prime}\right) \in C$	$(y', z') \in C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03671		—	$\left(x+x^{\prime}, y+y^{\prime}\right) \in B$	$(x+x', y+y') \in B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03672		—	$\left(y+y^{\prime}, z+z^{\prime}\right) \in C$	$(y+y', z+z') \in C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03673		—	$\left(x+x^{\prime}, z+z^{\prime}\right) \in (B ; C)$	$(x+x', z+z') \in (B; C)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03674		—	$\stackrel{\text{a}}{\bullet} \bullet, \quad \bullet \stackrel{\text{b}}{\rightarrow} \bullet, \quad \bullet \stackrel{\text{a}}{\leftarrow} \bullet$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03675		—	$a \not\leq b$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03676		—	$b \not\leq a$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03677		—	$f(1_R)=1_S$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03678		—	$f(r_1 *_R r_2)=f(r_1) *_S f(r_2)$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03679		—	$R=(R, 0_R, +_R, 1_R, \{ \}^* R)$	
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03680		—	$f: \mathbb{N} \rightarrow R$	
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03681		—	$0_{\{R\}}, 1$	$0_R, 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03682		—	$1_{\{R\}}$	1_R
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03683		—	$f(m+n)=f(m)+R\ f(n)$	$f(m+n) = f(m) + Rf(n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03684		—	$f(m * n)=f(m) *_{\{R\}} f(n)$	$f(m * n) = f(m) *_R f(n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03685		—	$f(m * n)$	$f(m * n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03686		—	$m\ n$	mn
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03687		—	$\varnothing \rightarrow c$	$\emptyset \rightarrow c$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03688		—	$c_{\{1\}} \rightarrow c$	$c_1 \rightarrow c$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03689		—	$c_{\{2\}} \rightarrow c_{\{1\}}$	$c_2 \rightarrow c_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03690		—	$c_{\{1\}} \rightarrow c_{\{1\}}$	$c_1 \rightarrow c_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03691		—	$\mathrm{id}_{c_{\{1\}}}$	id_{c_1}
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03692		—	$f ; g$	$f;g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03693		—	$f ; g=\operatorname{id}_{c_{\{1\}}}$	$f;g = \mathrm{id}_{c_1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03694		—	$g ; f=\operatorname{id}_{c_{\{2\}}}$	$g;f = \mathrm{id}_{c_2}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03695		—	$p+q$	$p + q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03696		—	$p \leq p+q$	$p \leq p + q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03697		—	$q \leq p+q$	$q \leq p + q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03698		—	$p+q \leq x$	$p + q \leq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03699		—	$[f, g]: A \sqcup B \longrightarrow T$	$[f,g]: A \sqcup B \longrightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03700		—	0	o
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03701		—	$\iota_{\{A\}}; [f, g]=f$	$\iota_A; [f, g] = f$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03702		—	$\iota_{\mathcal{B}} \stackrel{\circ}{\circlearrowleft} \{f, g\} = g$	$\iota_B \overset{\circ}{9} [f, g] = g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03703		—	$[f, g]: h = [f ; h, g ; h]$	$[f, g] : h = [f; h, g; h]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03704		—	$[f ; h, g ; h]: A+B \rightarrow D$	$[f; h, g; h] : A + B \rightarrow D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03705		—	$+: \mathcal{C} \times \mathcal{C} \rightarrow \mathcal{C}$	$+ : \mathcal{C} \times \mathcal{C} \rightarrow \mathcal{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03706		—	(A, B)	(A, B)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03707		—	$(f, g): (A, B) \rightarrow (C, D)$	$(f, g) : (A, B) \rightarrow (C, D)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03708		—	$f+g=\left[f\right].$	$f + g = [f$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03709		—	$\iota_{\{C\}}, g$	ι_C, g
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03710		—	$\left.\iota_{\{D\}}\right]: A+B \rightarrow C+D$	$\iota_D]: A + B \rightarrow C + D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03711		—	$\iota_{\{C\}}: C \rightarrow C+D$	$\iota_C : C \rightarrow C + D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03712		—	$\iota_{\{D\}}: D \rightarrow C+D$	$\iota_D : D \rightarrow C + D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03713		—	$(h, k):(C, D) \rightarrow (E, F)$	$(h, k) : (C, D) \rightarrow (E, F)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03714		—	$(f+g) ;(h+k)=(f ; h)+(g ; k)$	$(f + g);(h + k) = (f;h) + (g;k)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03715		—	$(f \circ h)+(g \circ k)=$	$(f \circ h) + (g \circ k) =$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03716		—	$\left[f ; h ; \iota_{\{E\}}, g \circ k ; \iota_{\{F\}}\right]=(f+g) \boxplus \boxminus - [\mathbf{U+27C28}](h+k)$	<i>(not rendered)</i>
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03717		—	$!_{\{A\}}: \varnothing \rightarrow A$	$!_A: \emptyset \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03718		—	$\left[\operatorname{id}_{\{A\}}, !_{\{A\}}\right]$	$[\operatorname{id}_A, !_A]$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03719		—	$A+\varnothing$	$A + \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03720		—	$\iota_{\{A\}} \sim: \sim\left[\operatorname{id}_{\{A\}}, !_{\{A\}}\right]=\operatorname{id}_{\{A\}}$	$\iota_A : [\operatorname{id}_A, !_A] = \operatorname{id}_A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03721		—	$\left[!_{\{A\}}, \operatorname{id}_{\{A\}}\right]: \varnothing+A \rightarrow A$	$[_A, \operatorname{id}_A]: \emptyset + A \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03722		—	$\left[\iota_{\{A\}}, \iota_{\{B\}}+\operatorname{id}_{\{C\}}\right]: A+(B+C) \rightarrow(A+B)+C$	$[\iota_A, \iota_B + \operatorname{id}_C]: A + (B + C) \rightarrow (A + B) + C$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03723		—	$\left[\iota_A, \iota_B\right]: A+B \rightarrow B+A$	$[\iota_A, \iota_B]: A + B \rightarrow B + A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03724		—	$\iota_A: A \rightarrow A+B$	$\iota_A: A \rightarrow A + B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03725		—	$\iota_A: A \rightarrow B+A$	$\iota_A: A \rightarrow B + A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03726		—	$\left[\iota_A, \iota_B\right]: B+A \rightarrow A+B$	$[\iota_A, \iota_B]: B + A \rightarrow A + B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03727		—	Disc_S	Disc_S
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03728		—	$A=B=C$	$A = B = C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03729		—	$s^{\prime}$	s'
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03730		—	$s \rightarrow s^{\prime}$	$s \rightarrow s'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03731		—	$s=s^{\prime}$	$s = s'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03732		—	$\underline{5} \sqcup \underline{3}$	$\underline{5} \sqcup \underline{3}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03733		—	$\{f(a) \sim g(a) \mid a \in \underline{4}\}$	$\{f(a) \sim g(a) \mid a \in \underline{4}\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03734		—	$\underline{5}$	$\underline{5}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03735		—	$\{1, \ldots, 5\}$	$\{1, \dots, 5\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03736		—	$\underline{3}$	$\underline{3}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03737		—	$\left\{1^{\{\prime\}}, 2^{\{\prime\}}, 3^{\{\prime\}}\right\}$	$\{1', 2', 3'\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03738		—	$\left\{1, 1^{\{\prime\}}, 3\right\}, \{2\}, \{4\}$	$\{1, 1', 3\}, \{2\}, \{4\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03739		—	$\left\{5, 2^{\{\prime\}}, 3^{\{\prime\}}\right\}$	$\{5, 2', 3'\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03740		—	$\varnothing \rightarrow X + \Upsilon$	$\emptyset \rightarrow X + \Upsilon$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03741		—	$f \ ; \ \iota_{\{X\}} = g^{\{\circ\}} \ \iota_{\{Y\}}$	$f; \iota_X = g^\circ \iota_Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03742		—	$t\colon X + \varnothing Y \rightarrow T$	$t\colon X + \emptyset Y \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03743		—	$\iota_{\{X\}}\colon t = x$	$\iota_X\colon t = x$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03744		—	$\iota_{\{Y\}}: t=y$	$\iota_Y : t = y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03745		—	A, B, X, Y	A, B, X, Y
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03746		—	$S \rightarrowtail T$	$S \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03747		—	$X \leftarrowtail A \rightarrowtail Y$	$X \leftarrow A \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03748		—	$Q \rightarrowtail T$	$Q \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03749		—	$Y \leftarrowtail B \rightarrowtail Z$	$Y \leftarrow B \rightarrow Z$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03750		—	$R \rightarrowtail T$	$R \rightarrow T$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03751		—	(Y, Q, R, T)	(Y, Q, R, T)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03752		—	$X+\{ \}_{_N} Y$	$X+_NY$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03753		—	$X\sqcup N\sqcup Y$	$X\sqcup N\sqcup Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03754		—	$x\sim n$	$x\sim n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03755		—	$x=f(n)$	$x=f(n)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03756		—	$y\sim n$	$y\sim n$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03757		—	$y=g(n)$	$y=g(n)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03758		—	$x \in X, y \in Y, n \in \mathbb{N}$	$x \in X, y \in Y, n \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03759		—	$n \in \mathbb{N}$	$n \in \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03760		—	$B \rightarrowtail D \otimes D$	$B \rightarrow D \otimes D$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03761		—	$g: X \rightarrowtail Y$	$g: X \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03762		—	$\iota_1: X \rightarrowtail X+X$	$\iota_1: X \rightarrow X + X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03763		—	$X+X$	$X + X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03764		—	ι_1	ι_1
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03765		—	$[\mathrm{id}, \mathrm{id}] = \mathrm{id}$	$[\mathrm{id}, \mathrm{id}] = \mathrm{id}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03766		—	$f = \iota_1 ; [\mathrm{id}, \mathrm{id}] ; f = \iota_1 ; [\mathrm{id}, \mathrm{id}] ; g = g$	$f = \iota_1; [\mathrm{id}, \mathrm{id}]; f = \iota_1; [\mathrm{id}, \mathrm{id}]; g = g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03767		—	$f: X \rightarrow T$	$f: X \rightarrow T$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03768		—	$\mathbb{C}$	$\mathbb{C}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03769		—	$X \leftarrow N \rightarrow Y$	$X \leftarrow N \rightarrow Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03770		—	$F N = \{*\}$	$FN = \{*\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03771		—	$F N$	FN
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03772		—	$\operatorname{Cospan}_{\mathcal{F}}=\operatorname{Cospan}_{\mathcal{C}}$	$\operatorname{Cospan}_F = \operatorname{Cospan}_C$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03773		—	$\operatorname{Cospan}_{\mathcal{C}} \rightarrow \operatorname{Cospan}_{\mathcal{F}}$	$\operatorname{Cospan}_C \rightarrow \operatorname{Cospan}_F$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03774		—	$V=\{\mathrm{ul}, \mathrm{ur}, \mathrm{dl}, \mathrm{dr}\}, A=$	$V = \{\mathrm{ul}, \mathrm{ur}, \mathrm{dl}, \mathrm{dr}\}, A =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03775		—	$s(-)$	$s(-)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03776		—	$t(-)$	$t(-)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03777		—	$\ell(-)$	$\ell(-)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03778		—	$1 \ \Omega$	1Ω
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03779		—	3 F	$3F$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03780		—	1 H	$1H$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03781		—	$\psi_{\underline{2}, \underline{2}}(b, s)$	$\psi_{\underline{2}, \underline{2}}(b, s)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03782		—	1 $\xrightarrow{f}$ $\underline{2}$ $\stackrel{g}{\leftarrow}$ $\underline{1}$	$1 \xrightarrow{f} \underline{2} \stackrel{g}{\leftarrow} \underline{1}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03783		—	$f(1)=1$	$f(1) = 1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03784		—	$g(1)=2$	$g(1) = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03785		—	$(\underline{2}, \{a\}, s, t, \ell)$	$(\underline{2}, \{a\}, s, t, \ell)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03786		—	$s(a)=1, \ t(a)=2$	$s(a) = 1, t(a) = 2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03787		—	$\ell(a)=$	$\ell(a) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03788		—	$C:=(V, \ A, \ s, \ t, \ \ell)$	$C := (V, A, s, t, \ell)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03789		—	$\underline{1} \xrightarrow{f} V \stackrel{g}{\leftarrow} \underline{2}, \ f(1)=\mathrm{ul}, \ g(1)=\mathrm{ur}$	$\underline{1} \xrightarrow{f} V \xleftarrow{g} \underline{2}, f(1) = \mathrm{ul}, g(1) = \mathrm{ur}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03790		—	$g(2)=$	$g(2) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03791		—	$\underline{2} \xrightarrow{f^{\prime}} V^{\prime} \stackrel{g^{\prime}}{\leftarrow} \underline{2}$	$\underline{2} \xrightarrow{f'} V' \xleftarrow{g'} \underline{2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03792		—	$C^{\prime}:=\left(V^{\prime}, A^{\prime}, s^{\prime}, t^{\prime}, \ell^{\prime}\right)$	$C' := (V', A', s', t', \ell')$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03793		—	$V^{\{\prime\}}=\{\mathrm{l},\mathrm{r},\mathrm{d}\},\ A^{\{\prime\}}=\left\{\mathrm{r}\ 1^{\{\prime\}},\ \mathrm{r}\ 2^{\{\prime\}}\right\}$	$V'=\{l,r,d\},A'=\{r1',r2'\}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03794		—	$f^{\{\prime\}}(-)$	$f'(-)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03795		—	$g^{\{\prime\}}(-)$	$g'(-)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03796		—	$5\ \Omega$	5Ω
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03797		—	$8\ \Omega$	8Ω
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03798		—	$V\stackrel{g}{\leftarrow}\underline{2}\stackrel{f'}{\rightarrow}V^{\{\prime\}}$	$V\stackrel{g}{\leftarrow}\underline{2}\stackrel{f'}{\rightarrow}V'$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library_F03799		—	$V^{\{\prime\prime\}}=$	$V''=$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03800		—	$\underline{1} \xrightarrow{h} V^{\prime} \stackrel{k}{\leftarrow} \underline{2}$	$\underline{1} \xrightarrow{h} V'' \xleftarrow{k} \underline{2}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03801		—	$h(1)=\mathrm{ul},\; k(1)=\mathrm{r}$	$h(1) = \mathbf{ul}, k(1) = \mathbf{r}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03802		—	$k(2)=\mathrm{m}$	$k(2) = \mathbf{m}$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03803		—	$\left(V^{\prime}A+A^{\prime},\; s^{\prime}t^{\prime}\ell^{\prime}\right)$	$(V''A + A', s,{}''t''\ell'')$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03804		—	$s^{\prime}(-)$	$s''(-)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03805		—	$t^{\prime}(-)$	$t''(-)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F03806		—	$\ell^{\prime}(-)$	$\ell''(-)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03807		—	$\backslash eta$	η
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03808		—	$(X, \text{ p}, \text{ q})$	(X, p, q)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03809		—	$q: f^{\backslash prime} ; g^{\backslash prime}=p ; h_{\{3\}}$	$q : f'; g' = p; h_3$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03810		—	$r ; h_{\{2\}}=g$	$r; h_2 = g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03811		—	$r ; g=p$	$r; g = p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03812		—	$r^{\backslash prime}: X \rightarrowtail A$	$r' : X \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03813		—	$r^{\backslash prime} ; f=r$	$r'; f = r$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03814		—	$r^{\{\backslashprime\}} ; h_{\{1\}}=q$	$r'; h_1 = q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03815		—	$r^{\{\backslashprime\}} ; f ; g=r ; g=p$	$r'; f; g = r; g = p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03816		—	$r_{\{0\}}$	r_0
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03817		—	$f ; g=p$	$f; g = p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03818		—	$r_{\{0\}} ; h_{\{1\}}=q$	$r_0; h_1 = q$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03819		—	$r_{\{0\}}: f=r$	$r_0 : f = r$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03820		—	$r^{\{\backslashprime\}}$	r'
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03821		—	$r_{\{0\}}=r^{\{\backslash prime\}}$	$r_0 = r'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03822		—	$r \ ; \ h_{\{2\}}=q \ ; \ f^{\{\backslash prime\}}$	$r; h_2 = q; f'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03823		—	$p:=r \ ; \ g$	$p := r; g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03824		—	$r^{\{\backslash prime\}} \ ; \ f \ ; \ g=p$	$r'; f; g = p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03825		—	$r_{\{0\}}:=r^{\{\backslash prime\}} \ ; \ f$	$r_0 := r'; f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03826		—	$r_{\{0\}} \ ; \ g=p$	$r_0; g = p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03827		—	$r_{\{0\}} \ ; \ h_{\{2\}}=q \ ; \ f^{\{\backslash prime\}}$	$r_0; h_2 = q; f'$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03828		—	$A, B, A^{\prime}, B^{\prime}$	A, B, A', B'
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03829		—	$a_{\{1\}}, a_{\{2\}} \in A$	$a_1, a_2 \in A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03830		—	$f\left(a_{\{1\}}\right)=f\left(a_{\{2\}}\right)$	$f\left(a_1\right)=f\left(a_2\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03831		—	$a_{\{1\}}=a_{\{2\}}$	$a_1=a_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03832		—	$g_{\{1\}}, g_{\{2\}}: X \rightarrowtail A$	$g_1, g_2: X \rightarrowtail A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03833		—	$f=g_{\{2\}}$	$f=g_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03834		—	$g_{\{1\}}=g_{\{2\}}$	$g_1=g_2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03835		—	$X=\{*\}$	$X = \{*\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03836		—	$g_{\{1\}}(*) := a_{\{1\}}$	$g_1(*) := a_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03837		—	$g_{\{2\}}(*) := a_{\{2\}}$	$g_2(*) := a_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03838		—	$=g_{\{2\}}$	$= g_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03839		—	$g_{\{1\}}(x)=g_{\{2\}}(x)$	$g_1(x) = g_2(x)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03840		—	$f\left(g_{\{1\}}(x)\right)=f\left(g_{\{2\}}(x)\right)$	$f\left(g_1(x)\right) = f\left(g_2(x)\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03841		—	$j:=i^{\{-1\}}$	$j := i^{-1}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03842		—	$g := (f : j) : A \rightarrow B^{\prime}$	$g := (f : j) : A \rightarrow B'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03843		—	$g \circ i = f$	$g \circ i = f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03844		—	$j^{\prime} : A \rightarrow A^{\prime}$	$j' : A \rightarrow A'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03845		—	$j^{\prime} ; i^{\prime} = \operatorname{id}_{A}$	$j'; i' = \operatorname{id}_A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03846		—	$j^{\prime} ; f^{\prime} = f ; j$	$j'; f' = f; j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03847		—	$i^{\prime} ; j^{\prime} = \operatorname{id}_{A^{\prime}}$	$i'; j' = \operatorname{id}_{A'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03848		—	$\left(i^{\prime} ; j^{\prime}\right) ; i^{\prime} = i^{\prime}$	$(i'; j'); i' = i'$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03849		—	$\left(i^{\prime\prime}\right) j^{\prime\prime}\right), f^{\prime\prime}=i^{\prime\prime} ; f ; j=f^{\prime\prime}: i, j=f^{\prime\prime}$	$(i'j'), f' = i'; f; j = f': i, j = f'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03850		—	$\mathrm{id}_{A^{\prime\prime}}$	$\mathrm{id}_{A'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03851		—	$\mathrm{id}_{A^{\prime\prime}}\circ i^{\prime\prime}=i^{\prime\prime}$	$\mathrm{id}_{A'}\circ i' = i'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03852		—	$f^{\prime\prime}=f^{\prime\prime}$	$f' = f'$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03853		—	$\left(i^{\prime\prime} ; j^{\prime\prime}\right)=\mathrm{id}_{A^{\prime\prime}}$	$(i'; j') = \mathrm{id}_{A'}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03854		—	$g: X \rightarrowtail A$	$g: X \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03855		—	$h: X \rightarrowtail B$	$h: X \rightarrow B$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03856		—	$g \circ f = h \circ \mathrm{id}_B$	$g \circ f = h \circ \mathrm{id}_B$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03857		—	$r: X \rightarrowtail A$	$r: X \rightarrow A$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03858		—	$r; \operatorname{id}_A = g$	$r; \mathrm{id}_A = g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03859		—	$r; f = h$	$r; f = h$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03860		—	$r = g$	$r = g$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03861		—	$v \otimes w$	$v \otimes w$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03862		—	$v \leq (w \multimap x)$	$v \leq (w \multimap x)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03863		—	$v \otimes W \leq x$	$v \otimes W \leq x$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03864		—	$\mathbb{N}^{\mathrm{op}} \times \mathbb{N}^{\mathrm{op}}$	$\mathbb{N}^{\mathrm{op}} \times \mathbb{N}^{\mathrm{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03865		—	$(a, b) \in \mathbb{N} \times \mathbb{N}$	$(a, b) \in \mathbb{N} \times \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03866		—	$(a, b) \leq (a^{\mathrm{prime}}, b^{\mathrm{prime}})$	$(a, b) \leq (a', b')$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03867		—	$a^{\mathrm{prime}} \leq a$	$a' \leq a$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03868		—	$b^{\mathrm{prime}} \leq b$	$b' \leq b$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03869		—	$(0, 0)$	$(0, 0)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03870		—	$(a, b) \wedge \left(a^{\{\text{prime}\}}, b^{\{\text{prime}\}} \right) = \left(\max \left(a, a^{\{\text{prime}\}} \right), \max \left(b, b^{\{\text{prime}\}} \right) \right)$	$(a, b) \wedge (a', b') = (\max(a, a'), \max(b, b'))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03871		—	$x \multimap y$	$x \multimap y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03872		—	$x \multimap y = \vee \{ w \mid w \wedge x \leq y \}$	$x \multimap y = \vee \{ w \mid w \wedge x \leq y \}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03873		—	$y \wedge x \leq y$	$y \wedge x \leq y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03874		—	$y \leq x \multimap y$	$y \leq x \multimap y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03875		—	$x \multimap y = \vee \{ w \mid y \leq w \}$	$x \multimap y = \vee \{ w \mid y \leq w \}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03876		—	$w \wedge x \leq y \}$	$w \wedge x \leq y \}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03877		—	$\mathbb{N}^{\text{op}} \times \mathbb{N}^{\text{op}}$	$\mathbb{N}^{\text{op}} \times \mathbb{N}^{\text{op}}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03878		—	$m: \mathbb{Z} \rightarrow \mathbb{B}$	$m: \mathbb{Z} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03879		—	$\mathbb{N} \subseteq \mathbb{Z}$	$\mathbb{N} \subseteq \mathbb{Z}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03880		—	$\ulcorner m \urcorner(-5) =$	$\ulcorner m \urcorner(-5) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03881		—	$\ulcorner m \urcorner(0) =$	$\ulcorner m \urcorner(0) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03882		—	$A \subseteq \mathbb{B}$	$A \subseteq \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03883		—	$\ulcorner \Rightarrow \urcorner: \mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}$	$\ulcorner \Rightarrow \urcorner: \mathbb{B} \times \mathbb{B} \rightarrow \mathbb{B}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03884		—	$\subseteq \mathbb{B} \times \mathbb{B}$	$\subseteq \mathbb{B} \times \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03885		—	$\ulcorner E\urcorner, \ulcorner P\urcorner, \ulcorner T\urcorner: \mathbb{N} \rightarrow \mathbb{B}$	$\ulcorner E\urcorner, \ulcorner P\urcorner, \ulcorner T\urcorner: \mathbb{N} \rightarrow \mathbb{B}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03886		—	$\}, P := \{n \in \mathbb{N} \mid$	$\}, P := \{n \in \mathbb{N} \mid$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03887		—	$\ulcorner E\urcorner(17) =$	$\ulcorner E\urcorner(17) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03888		—	$\ulcorner P\urcorner(17) =$	$\ulcorner P\urcorner(17) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03889		—	$\ulcorner T\urcorner(17) =$	$\ulcorner T\urcorner(17) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03890		—	$17 \geq 10$	$17 \geq 10$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03891		—	$B(x, \epsilon) := \{x^{\prime} \in \mathbb{R} \mid x - x^{\prime} < \epsilon\}$	$B(x, \epsilon) := \{x' \in \mathbb{R} \mid x - x' < \epsilon\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03892		—	$x \in U$	$x \in U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03893		—	$B(x, \epsilon) \subseteq U$	$B(x, \epsilon) \subseteq U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03894		—	$U_{\{1\}} := \{x \in \mathbb{R} \mid 0 < x < 2\}$	$U_1 := \{x \in \mathbb{R} \mid 0 < x < 2\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03895		—	$U_{\{2\}} := \{x \in \mathbb{R} \mid 1 < x < 3\}$	$U_2 := \{x \in \mathbb{R} \mid 1 < x < 3\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03896		—	$U := U_{\{1\}} \cup U_{\{2\}} = \{x \in \mathbb{R} \mid 0 <$	$U := U_1 \cup U_2 = \{x \in \mathbb{R} \mid 0 <$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03897		—	$x < 3\}$	$x < 3\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5 - 0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03898		—	$y=(a, \ b)$	$y = (a, b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03899		—	$(a+1) \ *(b+1)$	$(a + 1) * (b + 1)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03900		—	$I=\{1,2,3,4, \ \ldots\}$	$I = \{1, 2, 3, 4, \dots\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03901		—	$U_{\{i\}}:=\left\{x \in \mathbb{R} \ \left \right. \frac{1}{i}<x<1\right\}.$	$U_i := \left\{x \in \mathbb{R} \left \frac{1}{i} < x < 1 \right. \right\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03902		—	$U_{\{1\}} \ \subseteq U_{\{2\}} \ \subseteq$	$U_1 \subseteq U_2 \subseteq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03903		—	$U_{\{3\}} \ \subseteq \cdots$	$U_3 \subseteq \cdots$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03904		—	$U:=\bigcup_{i \in I} U_{\{i\}}=\{x \in \mathbb{R} \ \mid \ 0<x<1\}$	$U := \bigcup_{i \in I} U_i = \{x \in \mathbb{R} \mid 0 < x < 1\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03905		—	$\varnothing \subseteq X$	$\emptyset \subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03906		—	$\bigcup_{i \in I} A_i$	$\bigcup_{i \in I} A_i$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03907		—	$A_i = X$	$A_i = X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03908		—	$A \subseteq X$	$A \subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03909		—	$(X, \mathbf{P}(X))$	$(X, \mathbf{P}(X))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03910		—	$f^{-1}(U) \subseteq X$	$f^{-1}(U) \subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03911		—	$\varnothing \rightarrow \{1\} \rightarrow \{1, 2\}$	$\emptyset \rightarrow \{1\} \rightarrow \{1, 2\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03912		—	$U_{\{i\}}=U$	$U_i = U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03913		—	$Y=B \ \cap Y$	$Y = B \cap Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03914		—	$B=Y$	$B = Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03915		—	$B=X$	$B = X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03916		—	$\varnothing=\varnothing \ \cap Y$	$\varnothing = \varnothing \cap Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03917		—	$\varnothing \in \mathbf{Op}_{?nY}$	$\varnothing \in \mathbf{Op}_{?nY}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03918		—	$A_{\{1\}}, A_{\{2\}} \in \mathbf{Op}_{?nY}$	$A_1, A_2 \in \mathbf{Op}_{?nY}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03919		—	$B_{\{1\}}, B_{\{2\}} \in \mathbf{Op}$	$B_1, B_2 \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03920		—	$A_{\{1\}} = B_{\{1\}} \cap Y$	$A_1 = B_1 \cap Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03921		—	$A_{\{2\}} = B_{\{2\}} \cap Y$	$A_2 = B_2 \cap Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03922		—	$A_{\{1\}} \cap A_{\{2\}} = \left(B_{\{1\}} \cap Y \right) \cap \left(B_{\{2\}} \cap Y \right) =$	$A_1 \cap A_2 = (B_1 \cap Y) \cap (B_2 \cap Y) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03923		—	$\left(B_{\{1\}} \cap B_{\{2\}} \right) \cap Y$	$(B_1 \cap B_2) \cap Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03924		—	$B_{\{1\}} \cap B_{\{2\}} \in \mathbf{Op}$	$B_1 \cap B_2 \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03925		—	$A_{\{i\}}$	A_i
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03926		—	$A_{\{i\}}=B_{\{i\}} \ \cap \ Y$	$A_i = B_i \cap Y$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03927		—	$B_{\{i\}} \ \in \ \mathbf{0 \ p}$	$B_i \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03928		—	$U \ \subseteq_{\mathrm{eq}} \ \mathbf{0 \ p}$	$U \subseteq \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03929		—	$\mathcal{C}(B, \ C)=$	$\mathcal{C}(B, C) =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03930		—	$\left(U_{\{3\}} \ \wedge \ U_{\{1\}} \right) \ \vee \left(U_{\{4\}} \ \wedge \ U_{\{2\}} \right)$	$(U_3 \wedge U_1) \vee (U_4 \wedge U_2)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03931		—	$\mathcal{C}(a, \ b)$	$\mathcal{C}(a, b)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03932		—	$\left\{ a_{\{1\}}, \ a_{\{2\}} \right\}$	$\{a_1, a_2\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03933		—	$\left\{c_1\right\}$	$\{c_1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03934		—	$\operatorname{Sec}_{\mathrm{f}}\left(V_2\right)=\varnothing$	$\operatorname{Sec}_f\left(V_2\right)=\varnothing$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03935		—	$\left.\operatorname{Sec}_{\mathrm{f}}\left(V_3\right)\right)$	$\operatorname{Sec}_f\left(V_3\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03936		—	$2 * 3 * 1 * 2=12$	$2 * 3 * 1 * 2 = 12$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03937		—	$g_{\mathrm{1}}:=\left(a_{\mathrm{1}}, b_{\mathrm{1}}\right)$	$g_1:=\left(a_1, b_1\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03938		—	$g_{\mathrm{2}}:=\left(b_{\mathrm{2}}, e_{\mathrm{1}}\right)$	$g_2:=\left(b_2, e_1\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03939		—	$g \in \operatorname{Sec}_{\mathrm{f}}\left(U_1 \cup U_2\right)$	$g \in \operatorname{Sec}_f\left(U_1 \cup U_2\right)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03940		—	$\left.g\right _{U_1}=g_1$	$g _{U_1} = g_1$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03941		—	$\left.g\right _{U_2}=g_2$	$g _{U_2} = g_2$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03942		—	$F(\{1,2\}) \rightarrowtail F(\{1\}) \rightarrowtail F(\varnothing)$	$F(\{1,2\}) \rightarrow F(\{1\}) \rightarrow F(\varnothing)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03943		—	$F(\varnothing) \cong \{1\}$	$F(\varnothing) \cong \{1\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03944		—	$F(\{1,2\}) \rightarrowtail F(\{1\})$	$F(\{1,2\}) \rightarrow F(\{1\})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03945		—	$S(\varnothing)=\{()\}$	$S(\varnothing) = \{()\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03946		—	$S(\{1\})$	$S(\{1\})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03947		—	$\Omega: \mathbf{0\,p}(X)^{\mathrm{op}} \rightarrow$	$\Omega: \mathbf{Op}(X)^{\mathrm{op}} \rightarrow$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03948		—	$\Omega(\{1\})$	$\Omega(\{1\})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03949		—	$\mathbf{0\,p}(\{1\})$	$\mathbf{Op}(\{1\})$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03950		—	$\Omega(U) := \left\{ U^{\prime} \in \mathbf{0\,p} \mid U^{\prime} \subseteq U \right\}$	$\Omega(U) := \{U' \in \mathbf{Op} \mid U' \subseteq U\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03951		—	$U^{\prime} \mapsto U^{\prime} \cap V$	$U' \mapsto U' \cap V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03952		—	$U^{\prime} \subseteq U$	$U' \subseteq U$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03953		—	$\left(U^{\prime} \cap V \right) \cap W = U^{\prime} \cap W$	$(U' \cap V) \cap W = U' \cap W$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03961		—	$\gamma(i)=(V, \emptyset ; \emptyset)$	$\gamma(i) = (V, \emptyset; \emptyset)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03962		—	$\gamma(f)=(V, V ; A)$	$\gamma(f) = (V, V; A)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03963		—	$\gamma(g)=\gamma(h)=(V, V ; \emptyset)$	$\gamma(g) = \gamma(h) = (V, V; \emptyset)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03964		—	$U=\mathbb{R}-\{\emptyset\} \subseteq \mathbb{R}$	$U = \mathbb{R} - \{0\} \subseteq \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03965		—	$\mathbb{R}-U=\{\emptyset\}$	$\mathbb{R} - U = \{0\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03966		—	$\neg U=\varnothing$	$\neg U = \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03967		—	$\mathbb{R}-\varnothing=\mathbb{R}$	$\mathbb{R} - \emptyset = \mathbb{R}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03968		—	$\neg \neg U = \mathbb{R}$	$\neg \neg U = \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03969		—	$\neg \neg U \subseteq$	$\neg \neg U \subseteq$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03970		—	$V \in \mathbf{Op}$	$V \in \mathbf{Op}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03971		—	$\top \wedge V = V$	$\top \wedge V = V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03972		—	$V = X$	$V = X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03973		—	$\top \wedge X := \top \cap X = X$	$\top \wedge X := \top \cap X = X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F03974		—	$\top = \top \cap X = X$	$\top = \top \cap X = X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03975		—	$(\top \vee V) := (X \cup V) = X$	$(\top \vee V) := (X \cup V) = X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03976		—	$(V \rightarrowtail X) = \bigcup_{\{R \in \mathbf{Op} \mid R \cap V \subseteq X\}} R = X$	$(V \Rightarrow X) = \bigcup_{\{R \in \mathbf{Op} \mid R \cap V \subseteq X\}} R = X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03977		—	$(X \cap V) \subseteq X$	$(X \cap V) \subseteq X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03978		—	$(\perp \vee V) = V$	$(\perp \vee V) = V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03979		—	$V = \emptyset$	$V = \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03980		—	$(\perp \vee \text{varnothing}) = (\perp \cup \text{varnothing}) = \text{varnothing}$	$(\perp \vee \emptyset) = (\perp \cup \emptyset) = \emptyset$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03981		—	$(\perp \wedge V) = (\text{varnothing} \cap V) = \text{varnothing}$	$(\perp \wedge V) = (\emptyset \cap V) = \emptyset$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03982		—	$(\perp \Rightarrow V) = \cup_{\{R \in \mathbf{Op} \mid R \cap \emptyset \subseteq V\}} R = X$	$(\perp \Rightarrow V) = \cup_{\{R \in \mathbf{Op} \mid R \cap \emptyset \subseteq V\}} R = X$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03983		—	$(X \cap \varnothing) \subseteq V$	$(X \cap \emptyset) \subseteq V$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03984		—	$\{S \mid p\}$	$\{S \mid p\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03985		—	$S = \mathbb{N}$	$S = \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03986		—	$24 \leq s \leq 28$	$24 \leq s \leq 28$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03987		—	$q(s)$	$q(s)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03988		—	$p(n, z)$	$p(n, z)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03989		—	$n \leq z $	$n \leq z $
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03990		—	$\{\emptyset\} \subseteq \mathbb{N}$	$\{0\} \subseteq \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03991		—	$\mathbb{N} \subseteq \mathbb{N}$	$\mathbb{N} \subseteq \mathbb{N}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03992		—	$\varnothing \subseteq \mathbb{Z}$	$\emptyset \subseteq \mathbb{Z}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03993		—	$\mathbb{Z} \subseteq \mathbb{Z}$	$\mathbb{Z} \subseteq \mathbb{Z}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03994		—	$\forall (t: T)$	$\forall (t: T)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03995		—	$t_{\{i\}}$	t_i
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03996		—	$V=$	$V =$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03997		—	$s^{\{\backslashprime \backslashprime\}}$	s''
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03998		—	$p:=j\left(q\right)$	$p:=j(q)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F03999		—	$j(p)\ \backslash leq\ p$	$j(p)\leq p$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04000		—	$p\ \backslash cong\ j\left(p\right)$	$p\cong j(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04001		—	$p=j\left(p\right)$	$p=j(p)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04002		—	$s\ \backslash in\ S(U),\ p(s)$	$s\in S(U),p(s)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04003		—	$j(j(p(s))=j(p(s))$	$j(j(p(s)) = j(p(s))$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04004		—	$0 \leq 2 \leq 6 \leq 8$	$0 \leq 2 \leq 6 \leq 8$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04005		—	$[2,6] \setminus \text{in}^{\{?\}} o_{\{[0,5]\}} \cup o_{[4,8]}$	$[2,6] \in^? o_{[0,5]} \cup o_{[4,8]}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04006		—	$[2,6] \setminus \text{in}^{\{?\}} o_{\{[0,5]\}}$	$[2,6] \in^? o_{[0,5]}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04007		—	$[2,6] \setminus \text{in}^{\{?\}} o_{[4,8]}$	$[2,6] \in^? o_{[4,8]}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04008		—	$U^{\{\prime\}}$ \subteq \mathbb{R}	$U' \subseteq \mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04009		—	$U=U^{\{\prime\}}$ \cap \mathbb{R}	$U = U' \cap \mathbb{R}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F04010		—	$U^{\{\prime\}}=\bigcup_{i\in I}o_{\left[a_i,b_i\right]}$	$U'=\bigcup_{i\in I}o_{[a_i,b_i]}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F04011		—	$o_{\left[a_i,b_i\right]}=\left\{\left[d,u\right]\in\mathbb{R}\mid a_i<d<u<b_i\right\}$	$o_{[a_i,b_i]}=\left\{\left[d,u\right]\in\mathbb{R}\mid a_i<d<u<b_i\right\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F04012		—	$\mathbb{R}=\left\{\left[x,x\right]\in\mathbb{R}\right\}$	$\mathbb{R}=\left\{\left[x,x\right]\in\mathbb{R}\right\}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F04013		—	$U^{\{\prime\}}\cap\mathbb{R}$	$U'\cap\mathbb{R}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F04014		—	$B\left(m_i,r_i\right)$	$B\left(m_i,r_i\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F04015		—	$m_i:=\frac{a_i+b_i}{2}$	$m_i:=\frac{a_i+b_i}{2}$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory__Brendan_ Fong__David_I._ Spivak__Z-Library_ _F04016		—	$r_i:=\frac{b_i-a_i}{2}$	$r_i:=\frac{b_i-a_i}{2}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04017		—	$\left(a_i, b_i\right)$	(a_i, b_i)
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04018		—	$U=\bigcup_{j \in J} B\left(m_j, \epsilon_j\right)$	$U=\bigcup_{j \in J} B\left(m_j, \epsilon_j\right)$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04019		—	$a_j:=m_j-\epsilon_j$	$a_j:=m_j-\epsilon_j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04020		—	$b_j:=m_j+\epsilon_j$	$b_j:=m_j+\epsilon_j$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04021		—	$H_X(U):=$	$H_X(U):=$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04022		—	$\{f: U \cap R \rightarrowtail X \mid f$	$\{f: U \cap R \rightarrow X \mid f$
Seven_Sketches_ in_Composability_ An_invitation_to_ applied_category_ theory_Brendan_ Fong_David_I._ Spivak__Z-Library_ _F04023		—	$f: U \cap R \rightarrowtail X$	$f: U \cap R \rightarrow X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F04024		—	$V \cap R \subseteq U \cap R$	$V \cap R \subseteq U \cap R$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F04025		—	$U=\bigcup_{i} U_{i}$	$U = \bigcup_i U_i$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F04026		—	$f_{\{i\}}: U_{\{i\}} \cap R \rightarrow X$	$f_i : U_i \cap R \rightarrow X$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F04027		—	$U \cap R$	$U \cap R$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__F04028		—	$U \cap R=\left(\bigcup_{i} U_{i}\right) \cap R=\bigcup_{i}\left(U_{i} \cap R\right)$	$U \cap R = \left(\bigcup_i U_i\right) \cap R = \bigcup_i (U_i \cap R)$
Seven_Sketches_in_Composability_An_invitation_to_applied_category_theory_Brendan_Fong_David_I._Spivak__Z-Library__FOX_16c02935be		—	-and these are the resources that the chassis requires. Each of these resources is to be taken as a preorder. For example, load might be the preorder {{Seven Sketches in Composability An invitation to applied category theory (Brendan Fong, David I. Spivak) (Z-Library)_F01470 F0}}, where an element {{Seven Sketches in Composability An invitation to applied category theory (Brendan Fong, David I. Spivak) (Z-Library)_F00732 F0}} represents the idea "I can handle any load up to {{Seven Sketches in Composability An invitation to applied category theory (Brendan Fong, David I. Spivak) (Z-Library)_F00014 F0}}.", while \	<i>(not rendered)</i>
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				







Tables

Identifier	Page	Content (LaTeX source if any)	Scan image
Seven_Sketches_in_Composability	026	(no LaTeX source: 760×335 px region)	—
Seven_Sketches_in_Composability	064	(no LaTeX source: 824×172 px region)	—
Seven_Sketches_in_Composability	065	(no LaTeX source: 391×172 px region)	—
Seven_Sketches_in_Composability	065	(no LaTeX source: 226×172 px region)	—
Seven_Sketches_in_Composability	066	(no LaTeX source: 443×222 px region)	—
Seven_Sketches_in_Composability	070	(no LaTeX source: 731×335 px region)	—
Seven_Sketches_in_Composability	074	(no LaTeX source: 305×229 px region)	—
Seven_Sketches_in_Composability	074	(no LaTeX source: 387×281 px region)	—
Seven_Sketches_in_Composability	075	(no LaTeX source: 400×226 px region)	—
Seven_Sketches_in_Composability	075	(no LaTeX source: 452×278 px region)	—
Seven_Sketches_in_Composability	080	(no LaTeX source: 693×224 px region)	—
Seven_Sketches_in_Composability	080	(no LaTeX source: 905×400 px region)	—
Seven_Sketches_in_Composability	086	(no LaTeX source: 301×224 px region)	—
Seven_Sketches_in_Composability	086	(no LaTeX source: 258×226 px region)	—
Seven_Sketches_in_Composability	089	(no LaTeX source: 710×222 px region)	—
Seven_Sketches_in_Composability	089	(no LaTeX source: 548×222 px region)	—
Seven_Sketches_in_Composability	101	(no LaTeX source: 1136×507 px region)	—
Seven_Sketches_in_Composability	102	(no LaTeX source: 455×279 px region)	—
Seven_Sketches_in_Composability	102	(no LaTeX source: 458×336 px region)	—
Seven_Sketches_in_Composability	102	(no LaTeX source: 492×333 px region)	—
Seven_Sketches_in_Composability	106	(no LaTeX source: 475×523 px region)	—
Seven_Sketches_in_Composability	110	(no LaTeX source: 860×335 px region)	—
Seven_Sketches_in_Composability	111	(no LaTeX source: 1376×446 px region)	—
Seven_Sketches_in_Composability	112	(no LaTeX source: 238×441 px region)	—
Seven_Sketches_in_Composability	113	(no LaTeX source: 860×443 px region)	—
Seven_Sketches_in_Composability	117	(no LaTeX source: 1342×335 px region)	—
Seven_Sketches_in_Composability	118	(no LaTeX source: 1011×389 px region)	—
Seven_Sketches_in_Composability	132	(no LaTeX source: 633×167 px region)	—
Seven_Sketches_in_Composability	133	(no LaTeX source: 416×283 px region)	—
Seven_Sketches_in_Composability	134	(no LaTeX source: 552×278 px region)	—
Seven_Sketches_in_Composability	135	(no LaTeX source: 290×278 px region)	—
Seven_Sketches_in_Composability	135	(no LaTeX source: 380×278 px region)	—
Seven_Sketches_in_Composability	135	(no LaTeX source: 314×276 px region)	—
Seven_Sketches_in_Composability	135	(no LaTeX source: 301×224 px region)	—
Seven_Sketches_in_Composability	138	(no LaTeX source: 715×281 px region)	—
Seven_Sketches_in_Composability	138	(no LaTeX source: 344×335 px region)	—
Seven_Sketches_in_Composability	138	(no LaTeX source: 382×283 px region)	—
Seven_Sketches_in_Composability	139	(no LaTeX source: 369×278 px region)	—
Seven_Sketches_in_Composability	144	(no LaTeX source: 828×172 px region)	—
Seven_Sketches_in_Composability	177	(no LaTeX source: 771×484 px region)	—
Seven_Sketches_in_Composability	242	(no LaTeX source: 663×281 px region)	—
Seven_Sketches_in_Composability	242	(no LaTeX source: 423×281 px region)	—
Seven_Sketches_in_Composability	274	(no LaTeX source: 645×271 px region)	—
Seven_Sketches_in_Composability	280	(no LaTeX source: 771×579 px region)	—
Seven_Sketches_in_Composability	282	(no LaTeX source: 423×180 px region)	—
Seven_Sketches_in_Composability	284	(no LaTeX source: 362×224 px region)	—
Seven_Sketches_in_Composability	284	(no LaTeX source: 419×231 px region)	—
Seven_Sketches_in_Composability	285	(no LaTeX source: 738×226 px region)	—
Seven_Sketches_in_Composability	285	(no LaTeX source: 324×181 px region)	—
Seven_Sketches_in_Composability	287	(no LaTeX source: 339×142 px region)	—
Seven_Sketches_in_Composability	289	(no LaTeX source: 676×317 px region)	—
Seven_Sketches_in_Composability	294	(no LaTeX source: 581×269 px region)	—
Seven_Sketches_in_Composability	294	(no LaTeX source: 217×269 px region)	—
Seven_Sketches_in_Composability	295	(no LaTeX source: 376×357 px region)	—
Seven_Sketches_in_Composability	295	(no LaTeX source: 136×357 px region)	—
Seven_Sketches_in_Composability	295	(no LaTeX source: 905×314 px region)	—

Identifier	Page	Content (LaTeX source if any)	Scan image
Seven_Sketches_in_Composability_Invitation_2018	298	(no LaTeX source; 606 × 228 px region)	—
Seven_Sketches_in_Composability_Invitation_2018	299	(no LaTeX source; 269 × 231 px region)	—
Seven_Sketches_in_Composability_Invitation_2018	299	(no LaTeX source; 380 × 229 px region)	—
Seven_Sketches_in_Composability_Invitation_2018	321	(no LaTeX source; 516 × 183 px region)	—
Seven_Sketches_in_Composability_Invitation_2018	322	(no LaTeX source; 240 × 145 px region)	—
Seven_Sketches_in_Composability_Invitation_2018	322	(no LaTeX source; 276 × 186 px region)	—
Seven_Sketches_in_Composability_Invitation_2018	322	(no LaTeX source; 697 × 181 px region)	—












Unrecovered image regions — TikZ / table / failed-math candidates







Regions MathPix left as images (no LaTeX). Reconstruct with pdfdrill vision (LLM classify + transcribe to TikZ/tabular/math); verify an LLM result against the real ink with inkdrill.









Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Analysis	005		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	005		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	029		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	317		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	001		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	004		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	015		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composition_15_Annotation	015		tex.zip (local)
Seven_Sketches_in_Composition_15_Annotation	015		tex.zip (local)
Seven_Sketches_in_Composition_15_Annotation	015		tex.zip (local)
Seven_Sketches_in_Composition_15_Annotation	015		tex.zip (local)
Seven_Sketches_in_Composition_15_Annotation	015		tex.zip (local)
Seven_Sketches_in_Composition_15_Annotation	015		tex.zip (local)
Seven_Sketches_in_Composition_15_Annotation	015		tex.zip (local)
Seven_Sketches_in_Composition_16_Annotation	016		tex.zip (local)
Seven_Sketches_in_Composition_16_Annotation	016		tex.zip (local)
Seven_Sketches_in_Composition_16_Annotation	016		tex.zip (local)
Seven_Sketches_in_Composition_17_Annotation	017		tex.zip (local)












Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An_j	017		tex.zip (local)
Seven_Sketches_in_Composability_An_j	018	(image not on disk — pass texzip or download the CDN crop)	CDN only
Seven_Sketches_in_Composability_An_j	021		tex.zip (local)
Seven_Sketches_in_Composability_An_j	023		tex.zip (local)
Seven_Sketches_in_Composability_An_j	023	surjective func 	tex.zip (local)
Seven_Sketches_in_Composability_An_j	023	injective function 	tex.zip (local)
Seven_Sketches_in_Composability_An_j	023		tex.zip (local)
Seven_Sketches_in_Composability_An_j	023	bijjective funct 	tex.zip (local)












Identifier	Page	Image	Source
Seven_Sketches_in_Compositional_Analysis	023		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	023		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	023		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	023		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	023		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	024		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	024		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	024		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	025		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	025		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	026		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	027		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	028		tex.zip (local)








Identifier	Page	Image	Source
Seven_Sketches_in_Composabi...	028		tex.zip (local)
Seven_Sketches_in_Composabi...	028		tex.zip (local)
Seven_Sketches_in_Composabi...	029	(image not on disk - pass tex.zip or download the CDN crop)	CDN only
Seven_Sketches_in_Composabi...	030		tex.zip (local)
Seven_Sketches_in_Composabi...	030		tex.zip (local)
Seven_Sketches_in_Composabi...	031		tex.zip (local)
Seven_Sketches_in_Composabi...	031		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composabi...	034		tex.zip (local)
Seven_Sketches_in_Composabi...	034		tex.zip (local)
Seven_Sketches_in_Composabi...	034		tex.zip (local)
Seven_Sketches_in_Composabi...	036		tex.zip (local)
Seven_Sketches_in_Composabi...	037		tex.zip (local)
Seven_Sketches_in_Composabi...	039		tex.zip (local)
Seven_Sketches_in_Composabi...	040		tex.zip (local)
Seven_Sketches_in_Composabi...	040		tex.zip (local)










Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Analysis	040	$ \begin{array}{ccc} S & \xrightarrow{g} & T \\ \downarrow & \searrow^{g \circ c} & \downarrow c \\ \text{im}(g \circ c) & \longrightarrow & P \end{array} $	tex.zip (local)
Seven_Sketches_in_Composability_Analysis	041		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	041		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	043		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	047		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	052		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	052		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	055		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Analysis	055		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	055		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	055		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	055		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	056		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	057		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	057		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	057		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	057		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	057		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	057		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	057		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	058		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	058		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composi...	058		tex.zip (local)
Seven_Sketches_in_Composi...	058		tex.zip (local)
Seven_Sketches_in_Composi...	058		tex.zip (local)
Seven_Sketches_in_Composi...	059		tex.zip (local)
Seven_Sketches_in_Composi...	059		tex.zip (local)
Seven_Sketches_in_Composi...	061		tex.zip (local)
Seven_Sketches_in_Composi...	062		tex.zip (local)
Seven_Sketches_in_Composi...	062		tex.zip (local)
Seven_Sketches_in_Composi...	063		tex.zip (local)
Seven_Sketches_in_Composi...	063		tex.zip (local)
Seven_Sketches_in_Composi...	063		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composabi...	064		tex.zip (local)
Seven_Sketches_in_Composabi...	070		tex.zip (local)
Seven_Sketches_in_Composabi...	072		tex.zip (local)
Seven_Sketches_in_Composabi...	074		tex.zip (local)
Seven_Sketches_in_Composabi...	074		tex.zip (local)
Seven_Sketches_in_Composabi...	079		tex.zip (local)
Seven_Sketches_in_Composabi...	080		tex.zip (local)







Identifier	Page	Image	Source
	086	$Y :=$	tex.zip (local)
	090	easySchema :=	tex.zip (local)
	091	mySchema := Department.Secr.WorksIn = Department Employee.Mngr.WorksIn = Employee.WorksIn	tex.zip (local)
	091	(image not on disk - pass tex.zip or download the CDN crop)	CDN only
	092	$A :=$ $=: B$	tex.zip (local)
	095		tex.zip (local)
	096	Free_square := no equations	tex.zip (local)
	096	Comm_square := $f \circ h = g \circ i$	tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Analysis	096		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	097		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	097		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	097		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	098		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	101		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	101		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	102		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	102		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	102		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Analysis	102		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	103		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	103		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	103		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	104	Free_square :=	tex.zip (local)
Seven_Sketches_in_Composability_Analysis	104	Comm_square :=	tex.zip (local)
Seven_Sketches_in_Composability_Analysis	106	1.	tex.zip (local)
Seven_Sketches_in_Composability_Analysis	106		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	106	$f \circ g = f \circ h$	tex.zip (local)
Seven_Sketches_in_Composability_Analysis	107		tex.zip (local)










Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Annotation	107	$ \begin{array}{ccc} F(c) & \xrightarrow{\alpha_c} & G(c) \\ F(f) \downarrow & & \downarrow G(f) \\ F(d) & \xrightarrow{\alpha_d} & G(d) \end{array} $	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	108		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	109	$ \begin{array}{ccc} \text{Arrow} & \xrightleftharpoons[\text{target}]{\text{source}} & \text{Vertex} \\ \text{no equations} & & \end{array} $	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	110	$ \begin{array}{ccc} G(\text{Arrow}) & \xrightarrow{\alpha_{\text{Arrow}}} & H(\text{Arrow}) \\ G(\text{source}) \downarrow & & \downarrow H(\text{source}) \\ G(\text{Vertex}) & \xrightarrow{\alpha_{\text{Vertex}}} & H(\text{Vertex}) \end{array} $	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	110	$ \begin{array}{ccc} G(\text{Arrow}) & \xrightarrow{\alpha_{\text{Arrow}}} & H(\text{Arrow}) \\ G(\text{target}) \downarrow & & \downarrow H(\text{target}) \\ G(\text{Vertex}) & \xrightarrow{\alpha_{\text{Vertex}}} & H(\text{Vertex}) \end{array} $	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	112		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	113		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	114	$ \mathcal{C} \xrightarrow{F} \mathcal{D} \begin{array}{c} \xrightarrow{I} \\ \Downarrow \alpha \\ \xrightarrow{J} \end{array} \mathbf{Set} \quad \rightsquigarrow \quad \mathcal{C} \begin{array}{c} \xrightarrow{F \circ I} \\ \Downarrow \alpha_F \\ \xrightarrow{F \circ J} \end{array} \mathbf{Set} $	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	115	$ \begin{array}{ccc} \mathcal{C}(c, Rd) & \xrightarrow{\alpha_{c,d}} & \mathcal{D}(Lc, d) \\ \mathcal{C}(f, Rg) \downarrow & & \downarrow \mathcal{D}(Lf, g) \\ \mathcal{C}(c', Rd') & \xrightarrow{\alpha_{c',d'}} & \mathcal{D}(Lc', d') \end{array} $	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	116	$ \begin{array}{ccc} & \xrightarrow{\Sigma_F} & \\ \mathcal{C}\text{-Inst} & \xleftarrow{\Delta_F} & \mathcal{D}\text{-Inst} \\ & \xrightarrow{\Pi_F} & \end{array} $	tex.zip (local)










Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An_j	117		tex.zip (local)
Seven_Sketches_in_Composability_An_j	121		tex.zip (local)
Seven_Sketches_in_Composability_An_j	121		tex.zip (local)
Seven_Sketches_in_Composability_An_j	122		tex.zip (local)
Seven_Sketches_in_Composability_An_j	123		tex.zip (local)
Seven_Sketches_in_Composability_An_j	123		tex.zip (local)
Seven_Sketches_in_Composability_An_j	123		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Analysis	125		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	125		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	125		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	130		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	132		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	134		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Analysis	135		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	136		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	136		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	136		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	136		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	136		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	137		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An_1	138		tex.zip (local)
Seven_Sketches_in_Composability_An_1	139		tex.zip (local)
Seven_Sketches_in_Composability_An_1	140		tex.zip (local)
Seven_Sketches_in_Composability_An_1	141		tex.zip (local)
Seven_Sketches_in_Composability_An_1	141		tex.zip (local)
Seven_Sketches_in_Composability_An_1	142		tex.zip (local)
















Identifier	Page	Image	Source																									
Seven_Sketches_in_Composability_Annotation	144		tex.zip (local)																									
Seven_Sketches_in_Composability_Annotation	144	 <table><tr><th>$\text{Col}(\Phi)$</th><th>A</th><th>B</th><th>x</th><th>y</th></tr><tr><td>A</td><td>0</td><td>2</td><td>5</td><td>8</td></tr><tr><td>B</td><td>∞</td><td>0</td><td>∞</td><td>∞</td></tr><tr><td>x</td><td>0</td><td>0</td><td>0</td><td>3</td></tr><tr><td>y</td><td>0</td><td>0</td><td>4</td><td>0</td></tr></table>	$\text{Col}(\Phi)$	A	B	x	y	A	0	2	5	8	B	∞	0	∞	∞	x	0	0	0	3	y	0	0	4	0	tex.zip (local)
$\text{Col}(\Phi)$	A	B	x	y																								
A	0	2	5	8																								
B	∞	0	∞	∞																								
x	0	0	0	3																								
y	0	0	4	0																								
Seven_Sketches_in_Composability_Annotation	144		tex.zip (local)																									
Seven_Sketches_in_Composability_Annotation	145		tex.zip (local)																									
Seven_Sketches_in_Composability_Annotation	146		tex.zip (local)																									
Seven_Sketches_in_Composability_Annotation	146		tex.zip (local)																									
Seven_Sketches_in_Composability_Annotation	146		tex.zip (local)																									
Seven_Sketches_in_Composability_Annotation	146		tex.zip (local)																									
Seven_Sketches_in_Composability_Annotation	147		tex.zip (local)																									
Seven_Sketches_in_Composability_Annotation	147		tex.zip (local)																									
Seven_Sketches_in_Composability_Annotation	147		tex.zip (local)																									










Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Analysis	147		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	147		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	147		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	150		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	152		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	152		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	152		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	152		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	153		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Annotation	153	A commutative diagram with c^* at the top. Below it are $I \otimes c^*$ and $c^* \otimes I$. Below those are $(c^* \otimes c) \otimes c^*$ and $c^* \otimes (c \otimes c^*)$. Arrows include $\cong$, $\eta_c \otimes c^*$, $c^* \otimes \epsilon_c$, and $\cong$.	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	153	A diagram showing a cup morphism η_c with two horizontal lines labeled c and a curved arrow pointing from the bottom line to the top line.	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	153	A diagram showing a cap morphism ϵ_c with two horizontal lines labeled c and a curved arrow pointing from the top line to the bottom line.	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	153	A diagram showing the composition of a horizontal line c with a cup morphism η_c and a cap morphism ϵ_c with a horizontal line c.	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	153	A diagram showing the composition of a horizontal line c with a cup morphism η_c and a cap morphism ϵ_c with a horizontal line c.	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	154	A diagram showing two boxes, A and B, each containing four dots. They are connected by dashed lines.	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	154	A diagram showing two boxes, B and C, each containing four dots. They are connected by dashed lines.	tex.zip (local)
Seven_Sketches_in_Composability_Annotation	155	A diagram showing three boxes, A, B, and C, each containing four dots. They are connected by dashed lines.	tex.zip (local)










Identifier	Page	Image	Source
Seven_Sketches_in_Composabi...	156		tex.zip (local)
Seven_Sketches_in_Composabi...	160		tex.zip (local)
Seven_Sketches_in_Composabi...	160		tex.zip (local)
Seven_Sketches_in_Composabi...	162		tex.zip (local)
Seven_Sketches_in_Composabi...	162		tex.zip (local)
Seven_Sketches_in_Composabi...	164		tex.zip (local)
Seven_Sketches_in_Composabi...	164		tex.zip (local)
Seven_Sketches_in_Composabi...	164		tex.zip (local)
Seven_Sketches_in_Composabi...	165		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Annotation	177		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	179		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	179		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	179		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	180		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	181		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	182		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	183		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	183		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	183		tex.zip (local)











Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Anal	183		tex.zip (local)
Seven_Sketches_in_Composability_Anal	183		tex.zip (local)
Seven_Sketches_in_Composability_Anal	184		tex.zip (local)
Seven_Sketches_in_Composability_Anal	184		tex.zip (local)
Seven_Sketches_in_Composability_Anal	184		tex.zip (local)
Seven_Sketches_in_Composability_Anal	186		tex.zip (local)
Seven_Sketches_in_Composability_Anal	187		tex.zip (local)
Seven_Sketches_in_Composability_Anal	188		tex.zip (local)
Seven_Sketches_in_Composability_Anal	188		tex.zip (local)
Seven_Sketches_in_Composability_Anal	188		tex.zip (local)
Seven_Sketches_in_Composability_Anal	188		tex.zip (local)
Seven_Sketches_in_Composability_Anal	189		tex.zip (local)
Seven_Sketches_in_Composability_Anal	189		tex.zip (local)
Seven_Sketches_in_Composability_Anal	189		tex.zip (local)
Seven_Sketches_in_Composability_Anal	189		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An_j	189		tex.zip (local)
Seven_Sketches_in_Composability_An_j	190		tex.zip (local)
Seven_Sketches_in_Composability_An_j	190		tex.zip (local)
Seven_Sketches_in_Composability_An_j	190		tex.zip (local)
Seven_Sketches_in_Composability_An_j	193		tex.zip (local)
Seven_Sketches_in_Composability_An_j	194		tex.zip (local)
Seven_Sketches_in_Composability_An_j	194		tex.zip (local)
Seven_Sketches_in_Composability_An_j	194		tex.zip (local)
Seven_Sketches_in_Composability_An_j	194		tex.zip (local)
Seven_Sketches_in_Composability_An_j	195		tex.zip (local)
Seven_Sketches_in_Composability_An_j	195		tex.zip (local)
Seven_Sketches_in_Composability_An_j	196		tex.zip (local)
Seven_Sketches_in_Composability_An_j	196		tex.zip (local)
Seven_Sketches_in_Composability_An_j	198		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An_j	199		tex.zip (local)
Seven_Sketches_in_Composability_An_j	200		tex.zip (local)
Seven_Sketches_in_Composability_An_j	200		tex.zip (local)
Seven_Sketches_in_Composability_An_j	200		tex.zip (local)
Seven_Sketches_in_Composability_An_j	200		tex.zip (local)
Seven_Sketches_in_Composability_An_j	201		tex.zip (local)
Seven_Sketches_in_Composability_An_j	201		tex.zip (local)
Seven_Sketches_in_Composability_An_j	201		tex.zip (local)
Seven_Sketches_in_Composability_An_j	202		tex.zip (local)










Identifier	Page	Image	Source
Seven_Sketches_in_Compositional_Theory_Annotation	202	 $g: \underline{4} \rightarrow \underline{3}$	tex.zip (local)
Seven_Sketches_in_Compositional_Theory_Annotation	202	 $\emptyset \xrightarrow{f} X$ $g \downarrow \quad \downarrow l_X$ $Y \xrightarrow{l_Y} X + Y$	tex.zip (local)
Seven_Sketches_in_Compositional_Theory_Annotation	202	 $\emptyset \xrightarrow{f} X$ $g \downarrow \quad \downarrow x$ $Y \xrightarrow{y} T$	tex.zip (local)
Seven_Sketches_in_Compositional_Theory_Annotation	203		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_Annotation	203		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_Annotation	203		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_Annotation	204	 $B \longrightarrow Z$ $\downarrow$ $A \longrightarrow C$ $\downarrow$ $D \longrightarrow C$	tex.zip (local)
Seven_Sketches_in_Compositional_Theory_Annotation	204	 $B \longrightarrow Z$ $\downarrow \quad \downarrow$ $A \longrightarrow Y \longrightarrow R$ $\downarrow \quad \downarrow$ $X \longrightarrow Q \longrightarrow R$	tex.zip (local)
Seven_Sketches_in_Compositional_Theory_Annotation	204	 $B \longrightarrow Z$ $\downarrow \quad \downarrow$ $A \longrightarrow Y \longrightarrow R$ $\downarrow \quad \downarrow$ $X \longrightarrow Q \longrightarrow S$	tex.zip (local)







Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An.j	206		tex.zip (local)
Seven_Sketches_in_Composability_An.j	207		tex.zip (local)
Seven_Sketches_in_Composability_An.j	207		tex.zip (local)
Seven_Sketches_in_Composability_An.j	207		tex.zip (local)
Seven_Sketches_in_Composability_An.j	207		tex.zip (local)
Seven_Sketches_in_Composability_An.j	207		tex.zip (local)
Seven_Sketches_in_Composability_An.j	207		tex.zip (local)
Seven_Sketches_in_Composability_An.j	208		tex.zip (local)
Seven_Sketches_in_Composability_An.j	208		tex.zip (local)
Seven_Sketches_in_Composability_An.j	208		tex.zip (local)
Seven_Sketches_in_Composability_An.j	209		tex.zip (local)
Seven_Sketches_in_Composability_An.j	209		tex.zip (local)
Seven_Sketches_in_Composability_An.j	210		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Annotation	210		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	210		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	210		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	210		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	210		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	210		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	211		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	211		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	211		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	212		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	212		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	212		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	212		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	212		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	212		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	213		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	214		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An_j	215		tex.zip (local)
Seven_Sketches_in_Composability_An_j	215		tex.zip (local)
Seven_Sketches_in_Composability_An_j	216	$ \begin{array}{ccc} P(S) \times P(T) & \xrightarrow{\varphi_{S,T}} & P(S \times T) \\ \text{im}_f \times \text{im}_g \downarrow & & \downarrow \text{im}_f \times g \\ P(S') \times P(T') & \xrightarrow{\varphi_{S',T'}} & P(S' \times T') \end{array} $	tex.zip (local)
Seven_Sketches_in_Composability_An_j	217		tex.zip (local)
Seven_Sketches_in_Composability_An_j	217		tex.zip (local)
Seven_Sketches_in_Composability_An_j	217		tex.zip (local)
Seven_Sketches_in_Composability_An_j	218		tex.zip (local)






Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An_j	218		tex.zip (local)
Seven_Sketches_in_Composability_An_j	219		tex.zip (local)
Seven_Sketches_in_Composability_An_j	220		tex.zip (local)
Seven_Sketches_in_Composability_An_j	220		tex.zip (local)
Seven_Sketches_in_Composability_An_j	220		tex.zip (local)
Seven_Sketches_in_Composability_An_j	220		tex.zip (local)
Seven_Sketches_in_Composability_An_j	220		tex.zip (local)
Seven_Sketches_in_Composability_An_j	220	$b :=$ and $s :=$	tex.zip (local)
Seven_Sketches_in_Composability_An_j	221		tex.zip (local)
Seven_Sketches_in_Composability_An_j	221		tex.zip (local)
Seven_Sketches_in_Composability_An_j	221		tex.zip (local)
Seven_Sketches_in_Composability_An_j	221		tex.zip (local)
Seven_Sketches_in_Composability_An_j	222		tex.zip (local)
Seven_Sketches_in_Composability_An_j	222		tex.zip (local)
Seven_Sketches_in_Composability_An_j	222	$b :=$ $s :=$	tex.zip (local)
Seven_Sketches_in_Composability_An_j	222	$b :=$ $s :=$	tex.zip (local)








Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An_j	222		tex.zip (local)
Seven_Sketches_in_Composability_An_j	222		tex.zip (local)
Seven_Sketches_in_Composability_An_j	223		tex.zip (local)
Seven_Sketches_in_Composability_An_j	223		tex.zip (local)
Seven_Sketches_in_Composability_An_j	223		tex.zip (local)
Seven_Sketches_in_Composability_An_j	223		tex.zip (local)
Seven_Sketches_in_Composability_An_j	224		tex.zip (local)
Seven_Sketches_in_Composability_An_j	224		tex.zip (local)
Seven_Sketches_in_Composability_An_j	226		tex.zip (local)
Seven_Sketches_in_Composability_An_j	227		tex.zip (local)
Seven_Sketches_in_Composability_An_j	228		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Compositionality_An_	228		tex.zip (local)
Seven_Sketches_in_Compositionality_An_	229	$\varphi :=$ 	tex.zip (local)
Seven_Sketches_in_Compositionality_An_	229		tex.zip (local)
Seven_Sketches_in_Compositionality_An_	230		tex.zip (local)
Seven_Sketches_in_Compositionality_An_	234		tex.zip (local)
Seven_Sketches_in_Compositionality_An_	234		tex.zip (local)
Seven_Sketches_in_Compositionality_An_	236		tex.zip (local)
Seven_Sketches_in_Compositionality_An_	237	$\begin{array}{ccccc} A & \longrightarrow & B & \longrightarrow & C \\ \downarrow & & \downarrow & \lrcorner & \downarrow \\ D & \longrightarrow & E & \longrightarrow & F \end{array}$	tex.zip (local)
Seven_Sketches_in_Compositionality_An_	237	$\begin{array}{ccccc} A & \longrightarrow & B & \longrightarrow & C \\ \downarrow & \lrcorner & \downarrow & & \downarrow \\ D & \longrightarrow & E & \longrightarrow & F \end{array}$	tex.zip (local)
Seven_Sketches_in_Compositionality_An_	237	$\begin{array}{ccccc} A & \longrightarrow & B & \longrightarrow & C \\ \downarrow & \lrcorner & \downarrow & \lrcorner & \downarrow \\ A' & \longrightarrow & B' & \longrightarrow & C' \end{array}$	tex.zip (local)
Seven_Sketches_in_Compositionality_An_	238	$\begin{array}{ccc} A & \xrightarrow{\text{id}_A} & A \\ \text{id}_A \downarrow & \lrcorner & \downarrow f \\ A & \xrightarrow{f} & B \end{array} \quad \begin{array}{ccc} A & \xrightarrow{f} & B \\ f \downarrow & \lrcorner & \downarrow \text{id}_B \\ B & \xrightarrow{\text{id}_B} & B \end{array}$	tex.zip (local)
Seven_Sketches_in_Compositionality_An_	238	$\begin{array}{ccc} A' & \xrightarrow{f'} & B' \\ i' \downarrow \cong & \lrcorner & \cong \downarrow i \\ A & \xrightarrow{f} & B \end{array}$	tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Compositional_Analysis	238		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	238		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	239		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	240		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	240		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	245		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	245		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	245		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	245		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	247		tex.zip (local)

Identifier	Page	Image	Source
	250		tex.zip (local)
	251		tex.zip (local)
	251		tex.zip (local)
	252		tex.zip (local)
	252		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Analysis	253		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	261	$\begin{array}{ccc} \forall_t p & \xrightarrow{\quad} & 1 \\ \downarrow & \lrcorner & \downarrow \text{true}^T \\ S & \xrightarrow{\quad} & \Omega^T \\ & p' & \end{array}$	tex.zip (local)
Seven_Sketches_in_Composability_Analysis	262	$\begin{array}{ccc} \{S \times T \mid p\} & \xrightarrow{\quad} & S \times T \\ \downarrow & & \downarrow \pi_S \\ \exists_t p & \xrightarrow{\quad} & S \end{array}$	tex.zip (local)
Seven_Sketches_in_Composability_Analysis	271		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	271	$(12) = \begin{array}{ c } \bullet \\ * \end{array}$ $(1)(2) = \begin{array}{ c } \bullet \end{array} \begin{array}{ c } * \end{array}$	tex.zip (local)
Seven_Sketches_in_Composability_Analysis	272		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	273		tex.zip (local)
Seven_Sketches_in_Composability_Analysis	273		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Compositional_Theory_An_3	273		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_3	273		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_3	274		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_3	275		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_3	275		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_3	275		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_3	276		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Compositional_Analysis	276		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	276		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	278		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	278		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	278		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	278		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	278		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	278		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	279		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	279		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	279		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	279		tex.zip (local)
Seven_Sketches_in_Compositional_Analysis	279		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Compositional_Theory_An_j	279		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_j	279		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_j	279		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_j	279		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_j	279		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_j	280		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_j	280		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_j	281		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_j	285		tex.zip (local)
Seven_Sketches_in_Compositional_Theory_An_j	285		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Analogy	285		tex.zip (local)
Seven_Sketches_in_Composability_Analogy	290	Free_square :=	tex.zip (local)
Seven_Sketches_in_Composability_Analogy	290	$\mathcal{D} :=$	tex.zip (local)
Seven_Sketches_in_Composability_Analogy	290	$G_1 =$ $G_2 =$ $G_3 =$ $G_4 =$	tex.zip (local)
Seven_Sketches_in_Composability_Analogy	291		tex.zip (local)
Seven_Sketches_in_Composability_Analogy	291		tex.zip (local)
Seven_Sketches_in_Composability_Analogy	291		tex.zip (local)
Seven_Sketches_in_Composability_Analogy	292		tex.zip (local)
Seven_Sketches_in_Composability_Analogy	292		tex.zip (local)
Seven_Sketches_in_Composability_Analogy	292		tex.zip (local)

Identifier	Page	Image	Source																
Seven_Sketches_in_Compositional_Analysis	293	$\begin{array}{ccccc} F(c) & \xrightarrow{\alpha_c} & G(c) & \xrightarrow{\beta_c} & H(c) \\ F(f) \downarrow & & G(f) \downarrow & & H(f) \downarrow \\ F(c') & \xrightarrow{\alpha_{c'}} & G(c') & \xrightarrow{\beta_{c'}} & H(c') \end{array}$	tex.zip (local)																
Seven_Sketches_in_Compositional_Analysis	293	$\begin{array}{ccc} F(c) & \xrightarrow{id_{F(c)}} & F(c) \\ F(f) \downarrow & & \downarrow F(f) \\ F(c') & \xrightarrow{id_{F(c')}} & F(c') \end{array}$	tex.zip (local)																
Seven_Sketches_in_Compositional_Analysis	294	<pre>classDiagram class Mngr class Employee class Department Mngr --> Employee Employee --> Department : WorksIn Employee --> Department : Secr Employee --> string : FName Department --> string : DName</pre>	tex.zip (local)																
Seven_Sketches_in_Compositional_Analysis	294		tex.zip (local)																
Seven_Sketches_in_Compositional_Analysis	294	Arrow source target Vertex Gr State next DDS <table><thead><tr><th>State</th><th>next</th></tr></thead><tbody><tr><td>1</td><td>4</td></tr><tr><td>2</td><td>4</td></tr><tr><td>3</td><td>5</td></tr><tr><td>4</td><td>5</td></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>7</td></tr><tr><td>7</td><td>6</td></tr></tbody></table> Set	State	next	1	4	2	4	3	5	4	5	5	5	6	7	7	6	tex.zip (local)
State	next																		
1	4																		
2	4																		
3	5																		
4	5																		
5	5																		
6	7																		
7	6																		
Seven_Sketches_in_Compositional_Analysis	295		tex.zip (local)																
Seven_Sketches_in_Compositional_Analysis	295	$E \xleftarrow{3} B \xrightarrow{1} G \xrightarrow{2} P \quad S \xrightarrow{4} D \xleftarrow{5} S$	tex.zip (local)																
Seven_Sketches_in_Compositional_Analysis	298		tex.zip (local)																

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An_j	300		tex.zip (local)
Seven_Sketches_in_Composability_An_j	301		tex.zip (local)
Seven_Sketches_in_Composability_An_j	302		tex.zip (local)
Seven_Sketches_in_Composability_An_j	302		tex.zip (local)
Seven_Sketches_in_Composability_An_j	303		tex.zip (local)
Seven_Sketches_in_Composability_An_j	303		tex.zip (local)
Seven_Sketches_in_Composability_An_j	305		tex.zip (local)
Seven_Sketches_in_Composability_An_j	305		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An_j	305		tex.zip (local)
Seven_Sketches_in_Composability_An_j	305		tex.zip (local)
Seven_Sketches_in_Composability_An_j	306		tex.zip (local)
Seven_Sketches_in_Composability_An_j	306		tex.zip (local)
Seven_Sketches_in_Composability_An_j	307		tex.zip (local)
Seven_Sketches_in_Composability_An_j	307		tex.zip (local)
Seven_Sketches_in_Composability_An_j	307		tex.zip (local)
Seven_Sketches_in_Composability_An_j	309		tex.zip (local)
Seven_Sketches_in_Composability_An_j	309		tex.zip (local)
Seven_Sketches_in_Composability_An_j	310		tex.zip (local)
Seven_Sketches_in_Composability_An_j	310		tex.zip (local)
Seven_Sketches_in_Composability_An_j	310		tex.zip (local)
Seven_Sketches_in_Composability_An_j	310		tex.zip (local)
Seven_Sketches_in_Composability_An_j	310		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_Annotation	312		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	312		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	312		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	312		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	316		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	316		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	316		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	317		tex.zip (local)
Seven_Sketches_in_Composability_Annotation	318		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composabi...	318		tex.zip (local)
Seven_Sketches_in_Composabi...	318		tex.zip (local)
Seven_Sketches_in_Composabi...	318		tex.zip (local)
Seven_Sketches_in_Composabi...	318		tex.zip (local)
Seven_Sketches_in_Composabi...	319		tex.zip (local)
Seven_Sketches_in_Composabi...	319		tex.zip (local)
Seven_Sketches_in_Composabi...	320		tex.zip (local)
Seven_Sketches_in_Composabi...	320		tex.zip (local)
Seven_Sketches_in_Composabi...	320		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An.j	320		tex.zip (local)
Seven_Sketches_in_Composability_An.j	320		tex.zip (local)
Seven_Sketches_in_Composability_An.j	320		tex.zip (local)
Seven_Sketches_in_Composability_An.j	321		tex.zip (local)
Seven_Sketches_in_Composability_An.j	321		tex.zip (local)
Seven_Sketches_in_Composability_An.j	322		tex.zip (local)
Seven_Sketches_in_Composability_An.j	322		tex.zip (local)
Seven_Sketches_in_Composability_An.j	322		tex.zip (local)
Seven_Sketches_in_Composability_An.j	323		tex.zip (local)
Seven_Sketches_in_Composability_An.j	323		tex.zip (local)
Seven_Sketches_in_Composability_An.j	323		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composabi...	323		tex.zip (local)
Seven_Sketches_in_Composabi...	324	$\begin{array}{ccccc} A & \xrightarrow{f} & B & \xrightarrow{g} & C \\ \downarrow h_1 & & \downarrow h_2 & \lrcorner & \downarrow h_3 \\ A' & \xrightarrow{f'} & B' & \xrightarrow{g'} & C' \end{array}$	tex.zip (local)
Seven_Sketches_in_Composabi...	324	$\begin{array}{c} X \xrightarrow{p} C \\ \downarrow q \quad \downarrow h_1 \quad \downarrow h_2 \quad \downarrow h_3 \\ \begin{array}{ccccc} A & \xrightarrow{f} & B & \xrightarrow{g} & C \\ \downarrow h_1 & & \downarrow h_2 & \lrcorner & \downarrow h_3 \\ A' & \xrightarrow{f'} & B' & \xrightarrow{g'} & C' \end{array} \end{array}$	tex.zip (local)
Seven_Sketches_in_Composabi...	324	$\begin{array}{c} X \xrightarrow{p} C \\ \downarrow q \quad \downarrow h_2 \quad \downarrow h_3 \\ \begin{array}{ccccc} B & \xrightarrow{g} & C \\ \downarrow h_2 & \lrcorner & \downarrow h_3 \\ B' & \xrightarrow{g'} & C' \end{array} \end{array}$	tex.zip (local)
Seven_Sketches_in_Composabi...	324	$\begin{array}{c} X \xrightarrow{r} B \\ \downarrow q \quad \downarrow h_1 \quad \downarrow h_2 \quad \downarrow h_3 \\ \begin{array}{ccccc} A & \xrightarrow{f} & B & \xrightarrow{g} & C \\ \downarrow h_1 & & \downarrow h_2 & \lrcorner & \downarrow h_3 \\ A' & \xrightarrow{f'} & B' & \xrightarrow{g'} & C' \end{array} \end{array}$	tex.zip (local)
Seven_Sketches_in_Composabi...	324	$\begin{array}{c} X \xrightarrow{p} C \\ \downarrow q \quad \downarrow h_1 \quad \downarrow h_2 \quad \downarrow h_3 \\ \begin{array}{ccccc} A & \xrightarrow{f} & B & \xrightarrow{g} & C \\ \downarrow h_1 & & \downarrow h_2 & \lrcorner & \downarrow h_3 \\ A' & \xrightarrow{f'} & B' & \xrightarrow{g'} & C' \end{array} \end{array}$	tex.zip (local)
Seven_Sketches_in_Composabi...	324	$\begin{array}{c} X \xrightarrow{p} C \\ \downarrow q \quad \downarrow h_1 \quad \downarrow h_2 \quad \downarrow h_3 \\ \begin{array}{ccccc} A & \xrightarrow{f} & B & \xrightarrow{g} & C \\ \downarrow h_1 & & \downarrow h_2 & \lrcorner & \downarrow h_3 \\ A' & \xrightarrow{f'} & B' & \xrightarrow{g'} & C' \end{array} \end{array}$	tex.zip (local)
Seven_Sketches_in_Composabi...	324	$\begin{array}{c} X \xrightarrow{p} C \\ \downarrow q \quad \downarrow h_1 \quad \downarrow h_2 \quad \downarrow h_3 \\ \begin{array}{ccccc} A & \xrightarrow{f} & B & \xrightarrow{g} & C \\ \downarrow h_1 & & \downarrow h_2 & \lrcorner & \downarrow h_3 \\ A' & \xrightarrow{f'} & B' & \xrightarrow{g'} & C' \end{array} \end{array}$	tex.zip (local)
Seven_Sketches_in_Composabi...	325	$\begin{array}{c} X \xrightarrow{p} C \\ \downarrow q \quad \downarrow h_1 \quad \downarrow h_2 \quad \downarrow h_3 \\ \begin{array}{ccccc} A & \xrightarrow{f} & B & \xrightarrow{g} & C \\ \downarrow h_1 & & \downarrow h_2 & \lrcorner & \downarrow h_3 \\ A' & \xrightarrow{f'} & B' & \xrightarrow{g'} & C' \end{array} \end{array}$	tex.zip (local)
Seven_Sketches_in_Composabi...	325	$\begin{array}{c} X \xrightarrow{g_2} A \\ \downarrow g_1 \quad \downarrow \text{id}_A \quad \downarrow f \\ \begin{array}{ccc} A & \xrightarrow{\text{id}_A} & A \\ \downarrow \text{id}_A & \lrcorner & \downarrow f \\ A & \xrightarrow{f} & B \end{array} \end{array}$	tex.zip (local)
Seven_Sketches_in_Composabi...	325	$\begin{array}{ccc} A' & \xrightarrow{f'} & B' \\ \downarrow i' \quad \downarrow \cong \quad \downarrow i \\ A & \xrightarrow{f} & B \end{array}$	tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composabi...	325		tex.zip (local)
Seven_Sketches_in_Composabi...	326		tex.zip (local)
Seven_Sketches_in_Composabi...	326		tex.zip (local)
Seven_Sketches_in_Composabi...	326		tex.zip (local)
Seven_Sketches_in_Composabi...	326		tex.zip (local)
Seven_Sketches_in_Composabi...	328		tex.zip (local)
Seven_Sketches_in_Composabi...	329		tex.zip (local)

Identifier	Page	Image	Source
Seven_Sketches_in_Composability_An.j	329		tex.zip (local)
Seven_Sketches_in_Composability_An.j	329		tex.zip (local)
Seven_Sketches_in_Composability_An.j	330		tex.zip (local)
Seven_Sketches_in_Composability_An.j	330		tex.zip (local)
Seven_Sketches_in_Composability_An.j	331		tex.zip (local)