

OMDoc - An Open Markup Format for Mathematical Documents [version 1.2] Foreword by Allan Bundy (Michael Kohlhase (auth.)) (Z-Library) — formula report

459 inline formulas, 6 display equations, 103 tables, 271 unrecovered image regions.

Display equations

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_E00004 (26.1) [conf 0.035]	297	■ 0.035 ● C +44	<pre>\backslash \text { CSum\{k\}1\infty\{\Cexp\{x\}k\} instead of } \backslash \text { sum_{k = 1\}^{} }{ }_1} \text { infty x^k }</pre>	(not rendered)	$\backslash \text{CSum}\{k\}1\infty\{\backslash \text{Cexp}\{x\}k\}$ instead of $\backslash \text{sum}_{\{k = 1\}^{\wedge}}\infty x^k$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_E00005 [conf 0.092]	309	■ 0.092 ● C +105	<pre>\begin{figure} \[\begin{aligned} \left.\mathcal{R} \frac{\mathbf{A}:\mathbf{B} \rightarrow \mathbf{C} \quad \mathbf{B}:\mathbf{B}}{\mathbf{A} \mathbf{B}:\mathbf{C}} \right) = \frac{\forall X.\mathbb{B}(X) \Rightarrow \mathbb{C}(\mathbf{A}X)}{\frac{\mathbb{B}(\mathbf{B}) \Rightarrow \mathbb{C}(\mathbf{A} \mathbf{B}) \quad \mathbb{B}(\mathbf{B})}{\mathbb{C}(\mathbf{A} \mathbf{B})}} \mathcal{R} \frac{\forall X_{\mathbb{B}}.\mathbf{A} \quad \mathbf{B}:\mathbf{B}}{[\mathbf{B}/X]\mathbf{A}} \right) = \frac{\forall X.\mathbb{B}(X) \Rightarrow \mathcal{R}(\mathbf{A})}{\frac{\mathbb{B}(\mathcal{R}(\mathbf{B})) \Rightarrow \mathcal{R}([\mathbf{B}/X]\mathbf{A}) \quad \mathbb{B}(\mathbf{B})}{\mathcal{R}([\mathbf{B}/X]\mathbf{A})}}</pre>	(not rendered)	$\mathcal{R} \frac{\mathbf{A}:\mathbb{B} \rightarrow \mathbb{C} \quad \mathbf{B}:\mathbb{B}}{\mathbf{A}\mathbf{B}:\mathbb{C}} \Bigg) = \frac{\forall X.\mathbb{B}(X) \Rightarrow \mathbb{C}(\mathbf{A}X)}{\frac{\mathbb{B}(\mathbf{B}) \Rightarrow \mathbb{C}(\mathbf{A}\mathbf{B}) \quad \mathbb{B}(\mathbf{B})}{\mathbb{C}(\mathbf{A}\mathbf{B})}}$ $\mathcal{R} \frac{\forall X_{\mathbb{B}}.\mathbf{A} \quad \mathbf{B}:\mathbb{B}}{[\mathbf{B}/X]\mathbf{A}} \Bigg) = \frac{\forall X.\mathbb{B}(X) \Rightarrow \mathcal{R}(\mathbf{A})}{\frac{\mathbb{B}(\mathcal{R}(\mathbf{B})) \Rightarrow \mathcal{R}([\mathbf{B}/X]\mathbf{A}) \quad \mathbb{B}(\mathbf{B})}{\mathcal{R}([\mathbf{B}/X]\mathbf{A})}}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_E00003	188	■ 0.131 ● C +3	<pre>\begin{aligned} & \mathcal{T}_2 \longrightarrow \mathcal{B}_2 \xrightarrow{\sigma} \mathcal{C}_2 \quad \mathcal{B}_1 \stackrel{\beta}{\dashrightarrow} \mathcal{B}_2 \xrightarrow{\sigma} \mathcal{C}_2 \\ & \mathcal{T}_1 \longrightarrow \mathcal{A}_2 \longrightarrow \mathcal{C}_2 \quad \mathcal{A}_1 \stackrel{\alpha}{\dashrightarrow} \mathcal{A}_2 \longrightarrow \mathcal{C}_2 \end{aligned}</pre>	$\mathcal{T}_2 \longrightarrow \mathcal{B}_2 \xrightarrow{\sigma} \mathcal{C}_2 \quad \mathcal{B}_1 \stackrel{\beta}{\dashrightarrow} \mathcal{B}_2 \xrightarrow{\sigma} \mathcal{C}_2$ $\mathcal{T}_1 \longrightarrow \mathcal{A}_2 \longrightarrow \mathcal{C}_2 \quad \mathcal{A}_1 \stackrel{\alpha}{\dashrightarrow} \mathcal{A}_2 \longrightarrow \mathcal{C}_2$	$\mathcal{T}_2 \longrightarrow \mathcal{B}_2 \xrightarrow{\sigma} \mathcal{C}_2 \quad \mathcal{B}_1 \stackrel{\beta}{\dashrightarrow} \mathcal{B}_2 \xrightarrow{\sigma} \mathcal{C}_2$ $\mathcal{T}_1 \longrightarrow \mathcal{A}_2 \longrightarrow \mathcal{C}_2 \quad \mathcal{A}_1 \stackrel{\alpha}{\dashrightarrow} \mathcal{A}_2 \longrightarrow \mathcal{C}_2$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.__Z-Library_EQ0006	332	■0.672 ●W +1	\begin{aligned} & ([0-9] , \cdot) \backslash\backslash & (* \mid \mathrm{e}([0-9] , \cdot) *) \end{aligned}	$([0-9] , \cdot)$ $(* \mathrm{e}([0-9] , \cdot)*)?$	$([0-9] , \cdot)$ $(* \mathrm{e}([0-9] , \cdot)*)?$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.__Z-Library_EQ0001	060	■0.863 ●C +38	\forall M . \operatorname{magma}(M) \Leftrightarrow \exists E, F . M=(E, F) \wedge \text { law_of_composition }(E, F)	(not rendered)	$\forall M . \operatorname{magma}(M) \Leftrightarrow \exists E, F . M=(E, F) \wedge \text { law_of_composition }(E, F)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.__Z-Library_EQ0002	121	■1.000 ●N +0	$\frac{1}{1+\frac{1}{1+\cdots}}$	$\frac{1}{1+\frac{1}{1+\cdots}}$	$\frac{1}{1+\frac{1}{1+\cdots}}$
Conf. MathPix confidence: ■≥0.9 ■0.5-0.9 ■<0.5 — no value Residual render vs scan (inkdrill): ●C component ●W weak ●S stable ●N noise ●K clean ●not measured					

Inline formulas (first occurrence)

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00001		—	Ω	Ω
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00002		—	$\mathrm{T}_{\mathrm{E}}\mathrm{X} / \mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$	$\mathrm{T}_{\mathrm{E}}\mathrm{X} / \mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00003		—	$\mathrm{T}_{\mathrm{E}}\mathrm{X}$	$\mathrm{T}_{\mathrm{E}}\mathrm{X}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00004		—	$\sqrt{\sin x}$	<i>(not rendered)</i>
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00005		—	$\sqrt{\sin x}$	$\sqrt{\sin x}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00006		—	$\mathrm{T}_{\mathrm{E}}\mathrm{X} / \mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$	$\mathrm{T}_{\mathrm{E}}\mathrm{X} / \mathrm{L}^{\mathrm{A}}\mathrm{T}_{\mathrm{E}}\mathrm{X}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00007		—	\langle\langle n s U R I\rangle\rangle	\langle\langle nsURI\rangle\rangle
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00008		—	\langle	\langle
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00009		—	\rangle=	\rangle =
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00010		—	\rangle	\rangle
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00011		—	\langle\langle	\langle\langle
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00012		—	\rangle\rangle	\rangle\rangle
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00013		—	$\text{n s a}\rangle\!\rangle$	$nsa)\rangle$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00014		—	$\text{n s a}\rangle$	$nsa\rangle$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00015		—	$\hat{=}$	$\hat{=}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00016		—	7^{th}	7^{th}
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00017		—	3^{rd}	3^{rd}
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00018		—	D	D
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00019		—	$\langle \langle i d \rangle \rangle$	$\langle \langle id \rangle \rangle$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00020		—	$\mathrm{T}_{\mathrm{E}}\mathrm{X} / \mathrm{L}\mathrm{A}\mathrm{T}_{\mathrm{E}}\mathrm{X}$	$\mathrm{T}_{\mathrm{E}}\mathrm{X} / \mathrm{L}\mathrm{A}\mathrm{T}_{\mathrm{E}}\mathrm{X}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00021		—	$\{ \} ^{+}$	$+$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00022		—	$\{ \} ^{\text{@}}$	$\textcircled{\text{®}}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00023		—	$\frac{3}{x+2}$	$\frac{3}{x+2}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00024		—	Σ	Σ
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00025		—	$14{\text{ }}^{\text{th}}$	14 th
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00026		—	$\mathrm{T}_{\mathrm{E}}\mathrm{X}^3$	$\mathrm{T}_{\mathrm{E}}\mathrm{X}^3$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00027		—	$\{ \}^3 \mathrm{\sim T}_{\mathrm{E}}\mathrm{X}$	$^3\mathrm{T}_{\mathrm{E}}\mathrm{X}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00028		—	$\forall a, b. a+b=b+a$	$\forall a, b. a + b = b + a$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00029		—	$S=(G, \circ)$	$S = (G, \circ)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00030		—	$e \in G$	$e \in G$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00031		—	$e \circ x = x$	$e \circ x = x$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00032		—	$x \in G$	$x \in G$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00033		—	e	e
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00034		—	S	S
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00035		—	f	f
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00036		—	$\square$	$\square$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00037		—	BCF^{+}	BCF^{+}
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00038		—	$\left[\mathrm{SBB}^{+}02\right]$	$\left[\mathrm{SBB}^{+}02\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00039		—	1{ }^{\text{st}} 2000	1 st 2000
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00040		—	29{ }^{\text{th}} 2001	29 th 2001
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00041		—	$X+0=0</\mathrm{FMP}>$	$X + 0 = 0 </\mathrm{FMP}>$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00042		—	$<\mathrm{FMP}>X+s(Y)=s(X+Y)</\mathrm{FMP}>$	$<\mathrm{FMP}>X+s(Y)=s(X+Y)</\mathrm{FMP}>$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00043		—	$\{ \}^{\{+\}} 04$	$^{+}04$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00044		—	$\{ \}^{\{\text{TM} \}}$	TM
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00045		—	$\left[\mathrm{CGG}^{\{+\}} 92\right]$	$\left[\mathrm{CGG}^{+}92\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00046		—	$\mathrm{LAT}_{\mathrm{E}}\mathrm{X}$	$\mathrm{LAT}_{\mathrm{E}}\mathrm{X}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00047		—	E	E
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00048		—	$E \times E$	$E \times E$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00049		—	$f(x, y)$	$f(x, y)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00050		—	$(x, y) \in E \times E$	$(x, y) \in E \times E$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00051		—	x	x
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00052		—	y	y
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00053		—	$x+y, x \cdot y$	$x + y, x.y$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00054		—	$x \ y$	xy
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00055		—	$x+y$	$x + y$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00056		—	$x \cdot y = x y$	$x.y = xy$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00057		—	$\top$	$\top$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00058		—	$(X, Y) \mapsto X \cup Y$	$(X, Y) \mapsto X \cup Y$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00059		—	$(X, Y) \mapsto X \cap Y$	$(X, Y) \mapsto X \cap Y$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00060		—	$x \in \mathbf{N}$	$x \in \mathbf{N}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00061		—	$y \in \mathbf{N}$	$y \in \mathbf{N}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00062		—	$x+y, \ x \ y$	$x + y, xy$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00063		—	$x \cdot y$	$x.y$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00064		—	$x^{\{y\}}$	x^y
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00065		—	$(X, Y) \mapsto X \circ Y$	$(X, Y) \mapsto X \circ Y$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00066		—	$(f, g) \mapsto f \circ g$	$(f, g) \mapsto f \circ g$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00067		—	$\mathrm{APT}_{\mathrm{E}}\mathrm{X}$	$\mathrm{APT}_{\mathrm{E}}\mathrm{X}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00068		—	λ	λ
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00069		—	$\lambda E, F . \operatorname{set}(E) \wedge F: E \times E \rightarrow E^2$	$\lambda E, F. \operatorname{set}(E) \wedge F: E \times E \rightarrow E^2$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00070		—	(A, B)	(A, B)
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00071		—	$(\lambda E, F . \operatorname{set}(E) \wedge F: E \times E \rightarrow E)(A, B)$	$(\lambda E, F. \operatorname{set}(E) \wedge F: E \times E \rightarrow E)(A, B)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00072		—	$\operatorname{set}(A) \wedge B: A \times A \rightarrow A$	$\operatorname{set}(A) \wedge B: A \times A \rightarrow A$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00073		—	A	A
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00074		—	B	B
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00075		—	$A \times A$	$A \times A$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00076		—	$\lambda X . A$	$\lambda X . A$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00077		—	X	X
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00078		—	M	M
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00079		—	(E, F)	(E, F)
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00080		—	F	F
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00081		—	$\left[\mathrm{BCC}^{\{+\}}\ 04\right]$	$\left[\mathrm{BCC}^{+}04\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00082		—	n	n
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00083		—	$\operatorname{lcm}(a, b)$	$\operatorname{lcm}(a, b)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00084		—	$\frac{a \cdot b}{\operatorname{gcd}(a, b)}$	$\frac{a \cdot b}{\operatorname{gcd}(a, b)}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00085		—	a	a
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00086		—	b	b
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00087		—	$c>0$	$c > 0$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00088		—	$(a \mid c)$	$(a \mid c)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00089		—	$(b \mid c)$	$(b \mid c)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00090		—	$c<\operatorname{lcm}(a, b)$	$c < \operatorname{lcm}(a, b)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00091		—	$k \, g \, V(a, \, b)$	$kgV(a, b)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00092		—	$\frac{a \cdot b}{ggT(a, b)}$	$\frac{a \cdot b}{ggT(a, b)}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00093		—	$b \mid c$	$b \mid c$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00094		—	$c<\operatorname{kg} \, V(a, \, b)$	$c < \mathbf{kg} \, V(a, b)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00095		—	$\mathbb{N}$	$\mathbb{N}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00096		—	$s(s(s(0)))$	$s(s(s(0)))$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00097		—	s	s
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00098		—	$\leq$	$\leq$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00099		—	$\mathrm{T0}^{\{1\}}$	$\mathrm{T0}^1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00100		—	$\sigma(\circ)$	$\sigma(\circ)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00101		—	$\sigma(\text{forall } x, y \in M . x \circ y \in M) = \text{forall } y, x \in M . x \circ y \in M$	$\sigma(\forall x, y \in M. x \circ y \in M) = \forall y, x \in M. x \circ y \in M$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00102		—	τx	τx
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00103		—	\rho	ρ
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00104		—	^{-1}	-1
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00105		—	\sigma	σ
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00106		—	\tau	τ
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00107		—	\cdot{ }^{*}	$\cdot^*$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00108		—	l	l
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00109		—	$\mathcal{N}$	$\mathcal{N}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00110		—	$\mathcal{F}$	$\mathcal{F}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00111		—	$\mathcal{E}_{\mathcal{N}}$	$\mathcal{E}_{\mathcal{N}}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00112		—	$\mathcal{S}$	$\mathcal{S}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00113		—	$\mathcal{E}_{\mathcal{S}}$	$\mathcal{E}_{\mathcal{S}}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00114		—	$\mathcal{E}_{\mathcal{F}}$	$\mathcal{E}_{\mathcal{F}}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00115		—	$\mathrm{\mathcal{N}}, \mathrm{\mathcal{E}}_{\mathrm{\mathcal{N}}}, \mathrm{\mathcal{S}}, \mathrm{\mathcal{E}}_{\mathrm{\mathcal{S}}}, \mathrm{\mathcal{F}}$	$\mathcal{N}, \mathcal{E}_{\mathcal{N}}, \mathcal{S}, \mathcal{E}_{\mathcal{S}}, \mathcal{F}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00116		—	$\operatorname{\mathrm{slides}} \mathrm{\mathrm{sl}}_{\mathrm{i}}$	slides sl_i
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00117		—	n_{1}	n_1
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00118		—	n_{2}	n_2
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00119		—	$\left[\mathrm{MBG}^{\mathrm{+}03}\right]$	$\left[\mathrm{MBG}^{\mathrm{+}03}\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00120		—	9.3^{2}	9.3^2
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00127		—	$\langle\langle hh\rangle\rangle,\langle\langle mm\rangle\rangle,\langle\langle ss\rangle\rangle$	$\langle\langle hh\rangle\rangle,\langle\langle mm\rangle\rangle,\langle\langle ss\rangle\rangle$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00128		—	$\rangle.\langle$	$\rangle.\langle$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00129		—	$\widehat{=}$	$\widehat{=}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00130		—	$\mathrm{de}\ \widehat{=}$	$\mathrm{de}\widehat{=}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00131		—	$\{ \ }^{+}\} \ 03$	$^{+}03$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00132		—	$\sin\ (x)$	$\sin(x)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00133		—	$\forall x. \sin(x) \leq \pi$	$\forall x. \sin(x) \leq \pi$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00134		—	$x+\pi$	$x + \pi$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00135		—	$\sin(\pi)$	$\sin(\pi)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00136		—	π	π
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00137		—	14^{th}	14^{th}
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00138		—	$2.0\left[\mathrm{ABC}^{+}{}_{03}\right]$	$2.0\left[\mathrm{ABC}^{+}{}_{03}\right]$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy__Michael_Kohlhase_auth.____Z-Library__F00139		—	$\left[\mathrm{ABC}^{\{+\}}\ 03\right]$	$\left[ABC^{+03}\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy__Michael_Kohlhase_auth.____Z-Library__F00140		—	$^{\{7\}}$	7
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy__Michael_Kohlhase_auth.____Z-Library__F00141		—	$(\mathbb{R} \rightarrow \mathbb{R}) \rightarrow \mathbb{R} \rightarrow \mathbb{R}$	$(\mathbb{R} \rightarrow \mathbb{R}) \rightarrow (\mathbb{R} \rightarrow \mathbb{R})$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy__Michael_Kohlhase_auth.____Z-Library__F00142		—	$\mathrm{cd} =$	$\mathrm{cd} =$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy__Michael_Kohlhase_auth.____Z-Library__F00143		—	$\left\langle\left\langle\left\langle c_d\right\rangle\right\rangle\right\rangle$	$\langle\langle cd_1\rangle\rangle$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy__Michael_Kohlhase_auth.____Z-Library__F00144		—	$\left\langle\left\langle\left\langle c_d\right\rangle\right\rangle^{\prime}\right\rangle$	$\langle\langle cd_2\rangle\rangle''$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00145		—	$\left.n a m e_{2}\right\rangle$	$name_2\rangle$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00146		—	$\left\langle\left\langle c d_1\right\rangle\right\rangle=\left\langle\left\langle c d_2\right\rangle\right\rangle$	$\langle\langle cd_1\rangle\rangle = \langle\langle cd_2\rangle\rangle$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00147		—	$\left\langle\left\langle n a m e_{1}\right\rangle\right\rangle=\left\langle\left\langle n a m e_{2}\right\rangle\right\rangle$	$\langle\langle name_1\rangle\rangle = \langle\langle name_2\rangle\rangle$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00148		—	α	α
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00149		—	CMP^2	CMP^2
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00150		—	FMP^4	FMP^4
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00151		—	$V, F. \operatorname{Im}(F) = V$	$V, F. \operatorname{Im}(F) = V$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00152		—	$A</\operatorname{FMP}>$	$A < / \operatorname{FMP} >$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00153		—	$0 \in \mathbb{N}$	$0 \in \mathbb{N}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00154		—	$\underline{\operatorname{ul}}$	$\underline{\operatorname{ul}}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00155		—	$s(n)$	$s(n)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00156		—	$0, s$	$0, s$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00157		—	$\mathcal{T}$	$\mathcal{T}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00158		—	$s=$	$s=$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00159		—	$\mathbf{A}$	$\mathbf{A}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00160		—	$s=\mathbf{A}$	$s=\mathbf{A}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00161		—	$\mathcal{A}$	$\mathcal{A}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00162		—	$1:=s(0)$	$1:=s(0)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00163		—	$e^{\cdot}$	$e^{\cdot}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00164		—	$\partial f = f[$	$\partial f = f[$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00165		—	$f(0)=1]$	$f(0) = 1]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00166		—	$x+\theta=x$	$x + 0 = x$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00167		—	$x+s(y)=s(x+y)$	$x + s(y) = s(x + y)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00168		—	$1.1\left[\mathrm{BPSM}^{+}{}_{04}\right]$	$1.1\left[\mathrm{BPSM}^{+}{}_{04}\right]$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00169		—	$e: t$	$e : t$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00170		—	t	t
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00171		—	$\sum_{i=1}^n a_i x^i$	$\sum_{i=1}^n a_i x^i$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00172		—	a_i	a_i
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00173		—	$\forall x_1, \ldots, x_n . e \in t$	$\forall x_1, \ldots, x_n . e \in t$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00174		—	$x_1, \ldots, x_n$	$x_1, \ldots, x_n$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00175		—	$\angle\angle^*$	$\rangle\rangle^*$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00176		—	$X+X$	$x+x$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00177		—	$\mathcal{C}_{\mathrm{i}}$	$\mathcal{C}_i$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00178		—	$\mathcal{F}_{\mathrm{c}}$	$\mathcal{F}_c$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00179		—	$\mathcal{C}_{\mathrm{j}}$	$\mathcal{C}_j$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00180		—	$\mathcal{F}^{-1}$	$\mathcal{F}^{-1}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00181		—	$\mathcal{C}$	$\mathcal{C}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00182		—	$\mathcal{C}_{\mathrm{i}}, \mathcal{T}$	$\mathcal{C}_{\mathrm{i}}, \mathcal{T}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00183		—	$\mathcal{A} \cup \overline{\mathcal{C}}$	$\mathcal{A} \cup \overline{\mathcal{C}}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00184		—	$\overline{\mathcal{C}}$	$\overline{\mathcal{C}}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00185		—	$\neg \mathcal{F}$	$\neg \mathcal{F}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00186		—	$\mathcal{A}_{\mathrm{1}}, \ldots, \mathcal{A}_{\mathrm{n}}$	$\mathcal{A}_{\mathrm{1}}, \ldots, \mathcal{A}_{\mathrm{n}}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00187		—	$\mathcal{C}_{\{1\}}, \ldots, \mathcal{C}_{\{m\}}$	$\mathcal{C}_1, \dots, \mathcal{C}_m$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00188		—	$\mathcal{A} := \left\{ \mathcal{A}_{\{1\}}, \ldots, \mathcal{A}_{\{n\}} \right\}$	$\mathcal{A} := \{\mathcal{A}_1, \dots, \mathcal{A}_n\}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00189		—	$\mathcal{C} := \left\{ \mathcal{C}_{\{1\}}, \ldots, \mathcal{C}_{\{m\}} \right\}$	$\mathcal{C} := \{\mathcal{C}_1, \dots, \mathcal{C}_m\}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00190		—	$\mathcal{A}_{\{i\}}$	$\mathcal{A}_i$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00191		—	$\overline{\mathcal{C}} := \left\{ \overline{\mathcal{C}_{\{1\}}}, \ldots, \overline{\mathcal{C}_{\{m\}}} \right\}$	$\overline{\mathcal{C}} := \{\overline{\mathcal{C}_1}, \dots, \overline{\mathcal{C}_m}\}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00192		—	$\overline{\mathcal{C}_{\{i\}}}$	$\overline{\mathcal{C}_i}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00193		—	$\mathcal{E}$	$\mathcal{E}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00194		—	$(\mathcal{W}, \mathbf{A})$	$(\mathcal{W}, \mathbf{A})$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00195		—	$\mathcal{W}=\left(\mathcal{W}_{1}, \ldots, \mathcal{W}_{n}\right)$	$\mathcal{W}=\left(\mathcal{W}_{1}, \ldots, \mathcal{W}_{n}\right)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00196		—	$\mathbf{S}$	$\mathbf{S}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00197		—	$\mathbf{S} \left(\mathcal{W}_{1}, \ldots, \mathcal{W}_{n}\right)$	$\mathbf{S} \left(\mathcal{W}_{1}, \ldots, \mathcal{W}_{n}\right)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00198		—	$\mathbf{C}$	$\mathbf{C}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00199		—	$\mathcal{Q} \ \mathbf{D}$	$\mathcal{Q}\mathbf{D}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00200		—	$\mathbf{D}$	$\mathbf{D}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00201		—	$\mathcal{Q}$	$\mathcal{Q}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00202		—	$\mathcal{Q}_{\{1\}} W_{\{1\}}, \ldots, \mathcal{Q}_{\{m\}} W_{\{m\}}$	$\mathcal{Q}_1 W_1, \dots, \mathcal{Q}_m W_m$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00203		—	$m \geq n = \# \mathcal{W}$	$m \geq n = \#\mathcal{W}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00204		—	$\mathcal{Q}_{\{i\}}$	$\mathcal{Q}_i$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00205		—	$\forall$	$\forall$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00206		—	$\exists$	$\exists$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00207		—	$\mathcal{Q}'$	$\mathcal{Q}'$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00208		—	$m - n$	$m - n$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00209		—	$\mathbf{D}'$	$\mathbf{D}'$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00210		—	W_{i_j}	W_{i_j}
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00211		—	$\mathcal{Q}_{\{i_{\{j\}}\}}$	$\mathcal{Q}_{i_j}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00212		—	$\mathcal{W}_{\{j\}}$	$\mathcal{W}_j$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00213		—	$1 \leq j \leq n$	$1 \leq j \leq n$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00214		—	$\mathcal{E}=(\mathcal{W}, \mathbf{A})$	$\mathcal{E} = (\mathcal{W}, \mathbf{A})$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00215		—	$\mathbf{A}=\mathcal{Q}^{\{\prime\}}\mathbf{D}^{\{\prime\}}$	$\mathbf{A} = \mathcal{Q}'\mathbf{D}'$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00216		—	$\mathbf{A}=\neg \mathcal{Q}^{\{\prime\}}\mathbf{D}^{\{\prime\}}$	$\mathbf{A} = \neg \mathcal{Q}'\mathbf{D}'$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00217		—	$A^{\{*\}}$	A^*
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00218		—	$\backslash\epsilon$	ϵ
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00219		—	$\backslash\mathrm{cal}\{W\}=\backslash\left(A^{\{*\}},::,\backslash\epsilon\right)$	$\mathcal{W} = (A^*, ::, \epsilon)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00220		—	$\backslash\left(\backslash\mathrm{cal}\{W\},\backslash\mathrm{bfbf}\{A\}^{\{\mathrm{prime}\}}\right)$	$(\mathcal{W}, \mathbf{A}')$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00221		—	$M,$	$M,$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00222		—	$(\backslash\angle\backslash\angle\text{ t o p+t h c}\backslash\angle\backslash\angle) *$	$((\langle\langle top + thc\rangle\rangle))^*$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00223		—	$\emptyset$	$\emptyset$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00224		—	ι	ι
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00225		—	$\{a\}$	$\{a\}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00226		—	$\iota(a, \emptyset) = \iota(a, \iota(a, \emptyset))$	$\iota(a, \emptyset) = \iota(a, \iota(a, \emptyset))$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00227		—	$\mathbb{P}$	$\mathbb{P}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00228		—	P	P
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00229		—	$P=\left\{p_{1}, \ldots, p_{n}\right\}$	$P=\left\{p_1,\ldots,p_n\right\}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00230		—	$p_{\{i\}}$	p_i
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00231		—	$q \stackrel{\text{def}}{=} p_{\{1\}} \cdots p_{\{n\}}+1$	$q \stackrel{\text{def}}{=} p_1 \cdots p_n+1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00232		—	$p_{\{i\}} \in P$	$p_i \in P$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00233		—	$q>p_{\{i\}}$	$q>p_i$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00234		—	$q \notin P$	$q \notin P$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00235		—	q	q
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00236		—	$q=p_{i\ }k+1$	$q = p_i k + 1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00237		—	k	k
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00238		—	$\bar{\lambda}\ \mu\ \tilde{\mu}$	$\lambda\mu\tilde{\mu}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00239		—	12 f f	$12ff$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00240		—	$\left[\mathrm{BCF}^{+97}\right]$	$\left[\mathrm{BCF}^{+97}\right]$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00241		—	$(R,+)$	$(R,+)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00242		—	$\left(R^{\ast},\ast\right)$	$(R^{\ast},\ast)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00243		—	$R^{\ast}:=\{r\in R\mid r\neq 0\}$	$R^{\ast}:=\{r\in R\mid r\neq 0\}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00244		—	$M=(S,\circ,e)$	$M=(S,\circ,e)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00245		—	$S\subseteq M$	$S\subseteq M$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00246		—	$S^{\ast}:=\{r\in S\mid r\neq e\}$	$S^{\ast}:=\{r\in S\mid r\neq e\}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00247		—	$\{ \}^{\{3\}} t_{\{1\}}, \ldots, t_{\{n\}}$	${}^3t_1, \dots, t_n$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00248		—	$\sigma: \mathcal{S} \rightarrow \mathcal{T}$	$\sigma: \mathcal{S} \rightarrow \mathcal{T}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00249		—	$\sigma\text{\texttt{\textbackslash left}(t_{\texttt{i}}\text{\texttt{\textbackslash right})}}$	$\sigma(t_i)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00250		—	$\text{\texttt{\textbackslash forall} x . x+0=x}$	$\forall x. x + 0 = x$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00251		—	$\sigma(\text{\texttt{\textbackslash forall} x . x+0=x})=$	$\sigma(\forall x. x + 0 = x) =$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00252		—	$\text{\texttt{\textbackslash forall} x . x * 1=x}$	$\forall x. x * 1 = x$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00253		—	$R, +, 0, -, *, 1$	$R, +, 0, -, *, 1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00254		—	L	L
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00255		—	$L^{\{\text{prime}\}}$	L'
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00256		—	σ_i	σ_i
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00257		—	σ_{i-1}	σ_{i-1}
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00258		—	$\mathcal{S}, \sigma(\mathbf{S})$	$\mathcal{S}, \sigma(\mathbf{S})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00259		—	$\sigma(\mathbf{S})$	$\sigma(\mathbf{S})$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00260		—	$\mathbf{T}$	$\mathbf{T}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00261		—	$\mathcal{T}^5$	$\mathcal{T}^5$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00262		—	$\sigma(\mathbf{A})$	$\sigma(\mathbf{A})$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00263		—	$\text{>forall } x, y, z \text{ \textbackslash in } M . z \text{ \textbackslash circ}(y \text{ \textbackslash circ } x)=(z \text{ \textbackslash circ } y) \text{ \textbackslash circ } x</math>$	$\text{> } \forall x, y, z \in M. z \circ (y \circ x) = (z \circ y) \circ x < /$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00264		—	$>$	$>$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00265		—	$\forall x, y \in M. y \circ x \in M$	$\forall x, y \in M. y \circ x \in M$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00266		—	$\forall x \in M. e \circ x = x$	$\forall x \in M. e \circ x = x$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00267		—	$\left[\mathrm{BCD}^{+02} \right]$	$\left[\mathrm{BCD}^{+02} \right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00268		—	Γ	Γ
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00269		—	$\mathcal{T}_1$	$\mathcal{T}_1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00270		—	$\mathcal{T}_2$	$\mathcal{T}_2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00271		—	$\mathcal{C}_{1}$	$\mathcal{C}_1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00272		—	$\mathcal{A}_{1}$	$\mathcal{A}_1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00273		—	$\mathcal{B}_{1}$	$\mathcal{B}_1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00274		—	$\mathcal{C}_{2}$	$\mathcal{C}_2$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00275		—	$\mathcal{A}_{2}$	$\mathcal{A}_2$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00276		—	$\mathcal{B}_{2}$	$\mathcal{B}_2$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00277		—	$\mathcal{X}_{i} \in \{\mathcal{A}, \mathcal{B}, \mathcal{C}\}$	$\mathcal{X}_i \in \{\mathcal{A}, \mathcal{B}, \mathcal{C}\}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00278		—	$\mathcal{X}_{1}$	$\mathcal{X}_1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00279		—	$\mathcal{X}_{2}$	$\mathcal{X}_2$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00280		—	α, β	α, β
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00281		—	γ	γ
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00282		—	$\beta(\mathbf{B})$	$\beta(\mathbf{B})$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00283		—	$\backslash\mathrm{beta}$	β
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00284		—	$\backslash\mathrm{sigma}(\backslash\mathrm{beta}(\backslash\mathrm{mathbf{B}}))$	$\sigma(\beta(\mathbf{B}))$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00285		—	$\backslash\mathrm{Gamma}=\backslash\mathrm{sigma} \ \backslash\mathrm{circ} \ \backslash\mathrm{beta}$	$\Gamma = \sigma \circ \beta$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00286		—	$\backslash\mathrm{Gamma}^{\{-1\}}$	Γ^{-1}
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00287		—	$\backslash\mathrm{tau}:=\backslash\mathrm{sigma}_{\{n\}} \ \backslash\mathrm{circ} \ \backslash\mathrm{cdots} \ \backslash\mathrm{circ} \ \backslash\mathrm{sigma}_{\{1\}} \ \backslash\mathrm{circ} \ \backslash\mathrm{sigma}$	$\tau := \sigma_n \circ \cdots \circ \sigma_1 \circ \sigma$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00288		—	$\backslash\mathrm{mathcal{S}} \ \backslash\mathrm{xrightarrow{\sigma}} \ \backslash\mathrm{mathcal{T}}_{\{1\}}$	$\mathcal{S} \xrightarrow{\sigma} \mathcal{T}_1$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00295		—	i	i
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00296		—	σ_1	σ_1
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00297		—	σ_2	σ_2
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00298		—	$\forall P, Q . P \vee Q \rightarrow Q \vee P$	$\forall P, Q. P \vee Q \Rightarrow Q \vee P$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00299		—	$\gcd$	gcd
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00300		—	ggT	ggT
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00301		—	$f^{\{\prime\}}$	f'
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00302		—	$(x+2)^{2}$	$(x+2)^2$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00303		—	$x+y^{2}$	$x+y^2$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00304		—	$\ast, \wedge, \cap$	$\ast, \wedge, \cap$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00305		—	$=, \neq, \leq, <, >, \geq$	$=, \neq, \leq, <, >, \geq$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00306		—	(a, b)	(a, b)
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00307		—	$\mathrm{IAT}_{\mathrm{E}}\mathrm{X}$	$\mathrm{IAT}_{\mathrm{E}}\mathrm{X}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00308		—	$\forall X$	$\forall X$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00309		—	$\{ \}^{\{\varnothing\}}$	$\varnothing$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00310		—	$\binom{n}{m}$	$\binom{n}{m}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00311		—	m	m
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00312		—	$X_{\{4\}}$	X_4
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00313		—	$\forall X_4 . X_4=X_4$	$\forall X_4.X_4 = X_4$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00314		—	$\forall \prec, X . X \prec X$	$\forall \prec, X.X \prec X$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00315		—	$\prec$	$\prec$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00316		—	$\mathrm{T}_{\mathrm{E}}\mathrm{XBook}$	$\mathrm{T}_{\mathrm{E}}\mathrm{XBook}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00317		—	$\{ \backslash , p \mid \hbox{\}$	<i>(not rendered)</i>
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00318		—	and	<i>and</i>
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00319		—	are prime}\,,}	<i>(not rendered)</i>
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00320		—	$\{\backslash,p\mid p$	$\{p \mid p$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00321		—	$p+2$	$p + 2$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00322		—	$\backslash,}$	<i>(not rendered)</i>
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00323		—	$\{\backslash,p\mid p\backslash\{\rm and\}p+2\rm\ are\ prime\,,}$	<i>(not rendered)</i>
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00324		—	$\mathcal{K}$	$\mathcal{K}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00325		—	$\{ \}^{\{1\}} \mathcal{X}$	$^1\mathcal{X}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00326		—	$\{d \mid d \mathcal{X} \mid d\} = \mathcal{K}$	$\{d \mid d\mathcal{X}d\} = \mathcal{K}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00327		—	d	d
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00328		—	$d^{\{\prime\}}$	d'
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00329		—	$d \mathcal{X} d^{\{\prime\}}$	$d\mathcal{X}d'$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00330		—	$p \mathcal{X}$	$p\mathcal{X}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00331		—	$d \, \mathcal{X} \, d^{\prime}, p$	$d\mathcal{X}d',p$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00332		—	p	p
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00333		—	$[d]_{\mathcal{X}}$	$[d]_{\mathcal{X}}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00334		—	$[d]_{\mathcal{X}} := \{e \mid d \, \mathcal{X} \, e\}$	$[d]_{\mathcal{X}} := \{e \mid d\mathcal{X}e\}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00335		—	$X+Y=$	$X + Y =$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00336		—	$Y+X$	$Y + X$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00337		—	$X+Y=X+Y$	$X + Y = X + Y$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00338		—	$X+Y$	$X + Y$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00339		—	$\left[\mathrm{ABD}^{\{+\}} 01\right]$	$\left[\mathrm{ABD}^{+01}\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00340		—	$\{ \ }^{\{+\}} 01$	$^{+01}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00341		—	$d\vartriangle$	$d\rangle$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00342		—	$2\ n$	$2n$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00343		—	$n^{\{2\}}$	n^2
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00344		—	$\lambda C l a m$	$\lambda Clam$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00345		—	$\left[\mathrm{ABI}^{\{+\} \ 96}\right]$	$\left[ABI^{+96}\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00346		—	$\mathrm{IAT}_{\{E\}} \ \mathrm{X}$	$\mathrm{IAT}_E\mathrm{X}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00347		—	$\mathrm{T}_{\{\mathrm{E}\}} \ \mathrm{X}_{\{\text{MACS} \ \}}$	$\mathrm{T}_E\mathrm{X}_{\mathrm{MACS}}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00348		—	$\mathrm{ST}_{\{\mathrm{E}\}} \ \mathrm{X}$	$\mathrm{ST}_E\mathrm{X}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00349		—	<code>_{\text {E }}</code>	E
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00350		—	2+2=4	$2 + 2 = 4$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00351		—	<code>\\$ \mathrm{e}^{\wedge}{\mathrm{pi}} * \mathrm{i})+1=0 \\$</code>	<i>(not rendered)</i>
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00352		—	<code>e^{\pi i}+1=0</code>	$e^{\pi i} + 1 = 0$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00353		—	<code>{ }^{\mathrm{TM}}</code>	TM
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00354		—	<code>{ }^{\mathrm{R}}</code>	(R)
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00355		—	0	O
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00356		—	$0^{\prime}$	O'
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00357		—	$S^{\prime}$	S'
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00358		—	$\binom{n}{k}, \{ \}_n C^k, C_k^n$	$\binom{n}{k}, {}_nC^k, C_k^n$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00359		—	C_n^k	C_n^k
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00360		—	$\frac{n!}{k!(n-k)!}$	$\frac{n!}{k!(n-k)!}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00361		—	$\int f(x) \, dx$	$\int f(x) dx$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00362		—	$\int f(y) \, dy$	$\int f(y) dy$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00363		—	$s(t)$	$s(t)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00364		—	$\int_?^? s^2(t) \, dt$	$\int_?^? s^2(t) dt$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00365		—	$\frac{1}{T} \int_0^T s^2(t) \, dt = \sum_{k=-\infty}^{\infty} c_k ^2$	$\frac{1}{T} \int_0^T s^2(t) dt = \sum_{k=-\infty}^{\infty} c_k ^2$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00366		—	$c_{\{k\}}$	c_k
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00373		—	$P \ \& \ A$	$P\&A$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00374		—	$T \ \& \ P$	$T\&P$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00375		—	$T \ \rightarrow B$	$T \Rightarrow B$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00376		—	$\mathbb{F}$	$\mathbb{F}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00377		—	$\frac{3 \ / \ 4+2 \ / \ 3}{5}$	$\frac{3/4 + 2/3}{5}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00378		—	$3,4 \ \text{in} \ \mathbb{Z}$	$3,4 \in \mathbb{Z}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00379		—	$3 \in \mathbb{Z} \wedge 4 \in \mathbb{Z}$	$3 \in \mathbb{Z} \wedge 4 \in \mathbb{Z}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00380		—	$\mathbb{Z}$	$\mathbb{Z}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00381		—	$\left[\mathrm{MGH}^{+05}\right]$	$\left[\mathrm{MGH}^{+05}\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00382		—	$\left[\mathrm{KAB}^{+04}\right]$	$\left[\mathrm{KAB}^{+04}\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00383		—	$10^{\{\mathrm{prime}\}}\,000$	$10'000$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00384		—	$1, \ldots, k, \ldots, n$	$1, \dots, k, \dots, n$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00385		—	$\left[\mathrm{SBB}^{+}{}_{06}\right]$	$\left[\mathrm{SBB}^{+}{}_{06}\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00386		—	$\{ \}^{\sim}$	$\sim$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00387		—	$\{ \}^{\{1\}} \{ \}^{\{1\}}$	11
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00388		—	$\{ \}^{+}{}_{00}$	$^{+}{}_{00}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00389		—	$\left[\mathrm{SHB}^{+}{}_{99}\right]$	$\left[\mathrm{SHB}^{+}{}_{99}\right]$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00390		—	$\mathrm{St}_{\mathrm{E}}\mathrm{X}$	$\mathrm{St}_{\mathrm{E}}\mathrm{X}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00391		—	$\mathrm{ST}_{\mathrm{E}}^{\mathrm{X}}$	$\mathrm{ST}_{\mathrm{E}}^{\mathrm{X}}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00392		—	$\mathrm{T}_{\mathrm{E}}\mathrm{X} / \mathrm{IAT}_{\mathrm{E}}\mathrm{X}$	$\mathrm{T}_{\mathrm{E}}\mathrm{X} / \mathrm{IAT}_{\mathrm{E}}\mathrm{X}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00393		—	$\binom{n}{k}, \{ \}_{n} C^k, \mathcal{C}_{k}^n$	$\binom{n}{k}, {}_nC^k, \mathcal{C}_k^n$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00394		—	$\mathcal{C}_{n}^k$	$\mathcal{C}_n^k$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00395		—	$\sum_{k=1}^{\infty} x^k$	$\sum_{k=1}^{\infty} x^k$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00396		—	∞	∞
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00397		—	$k=1$	$k = 1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00398		—	$\sum_{i=1}^n x^i$	$\sum_{i=1}^n x^i$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00399		—	$\arbitraryn$	<i>(not rendered)</i>
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00400		—	$\text{Sumfromto}\{i\}1\arbitraryn\{2i-1\}?$	<i>(not rendered)</i>
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00401		—	$\sum_{i=1}^n 2^i - 1$	$\sum_{i=1}^n 2^i - 1$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00402		—	$\mathrm{S}_{\mathrm{E}}\mathrm{X}$	$\mathrm{S}_{\mathrm{E}}\mathrm{X}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00403		—	$a x^2 + b x + c$	$ax^2 + bx + c$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00404		—	Ω_{MEGA}	Ω_{MEGA}
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00405		—	ρ_*	ρ_*
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00406		—	ρ_*^{-1}	ρ_*^{-1}
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00407		—	$\mathcal{S}=(\mathcal{L}, \mathcal{C})$	$\mathcal{S} = (\mathcal{L}, \mathcal{C})$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00408		—	$\mathcal{L}$	$\mathcal{L}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00409		—	$\mathcal{H}$	$\mathcal{H}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00410		—	$\mathcal{D}: \mathcal{H} \vdash_{\mathcal{C}} \mathbf{A}$	$\mathcal{D} : \mathcal{H} \vdash_{\mathcal{C}} \mathbf{A}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00411		—	$\mathcal{S}^{\prime}$	$\mathcal{S}'$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00412		—	$\mathcal{F}: \mathcal{S} \rightarrow \mathcal{S}^{\prime}$	$\mathcal{F} : \mathcal{S} \rightarrow \mathcal{S}'$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00413		—	$\mathcal{F}^{\mathcal{L}}: \mathcal{L} \rightarrow \mathcal{L}^{\prime}$	$\mathcal{F}^{\mathcal{L}} : \mathcal{L} \rightarrow \mathcal{L}'$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00414		—	$\mathcal{F}^{\mathcal{D}}$	$\mathcal{F}^{\mathcal{D}}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00415		—	$\mathcal{C}^{\prime}$	$\mathcal{C}'$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00416		—	$\mathcal{F}^{\mathcal{D}}(\mathcal{D}) : \mathcal{F}^{\mathcal{L}}(\mathcal{H}) \vdash_{\mathcal{C}'} \mathcal{F}^{\mathcal{L}}(\mathbf{A})$	$\mathcal{F}^{\mathcal{D}}(\mathcal{D}) : \mathcal{F}^{\mathcal{L}}(\mathcal{H}) \vdash_{\mathcal{C}'} \mathcal{F}^{\mathcal{L}}(\mathbf{A})$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00417		—	$\mathcal{R}$	$\mathcal{R}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00418		—	$(\mathbb{S} \text{ F O L})$	$(\mathcal{S}FOL)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00419		—	(F O L)	(FOL)
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00420		—	$\mathcal{R}([+ : \mathbb{N} \rightarrow \mathbb{N} \rightarrow \mathbb{N}]) = \forall X, Y. \mathbb{N}(X) \wedge \mathbb{N}(Y) \Rightarrow \mathbb{N}(X + Y)$	$\mathcal{R}([+ : \mathbb{N} \rightarrow \mathbb{N} \rightarrow \mathbb{N}]) = \forall X, Y. \mathbb{N}(X) \wedge \mathbb{N}(Y) \Rightarrow \mathbb{N}(X + Y)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00421		—	$\mathcal{R}(\left(\forall X_{\mathbb{B}} . \mathbf{A}\right)=\forall X . \mathbb{B}(X) \rightarrow \mathcal{R}(\mathbf{A}))$	$\mathcal{R}(\forall X_{\mathbb{B}}.\mathbf{A}) = \forall X.\mathbb{B}(X) \Rightarrow \mathcal{R}(\mathbf{A})$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00422		—	$\mathbb{A}, \mathbb{B}, \ldots$	$\mathbb{A}, \mathbb{B}, \dots$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00423		—	$\mathbb{S} \text{ F O L}$	$\mathcal{S}FOL$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00424		—	F O L	FOL
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00425		—	$\left[\mathrm{SBB}^{+02}\right.$	$\left[\mathrm{SBB}^{+02}\right.$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00426		—	$\mathrm{T}_{\mathrm{E}}\mathrm{X}_{\mathrm{MACS}}\left[\mathrm{dH}01\right]$	$\mathrm{T}_{\mathrm{E}}\mathrm{X}_{\mathrm{MACS}}\left[\mathrm{dH}01\right]$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00427		—	T+S	$T + S$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00428		—	S(P)	$S(P)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00429		—	S(C)	$S(C)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00430		—	C	C
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00431		—	T+S(C)	$T + S(C)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00432		—	$\text{t s}_{\{i\}}$	ts_i
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00433		—	$t s_{i+1}$	ts_{i+1}
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00434		—	s_{i}	s_i
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00435		—	s_{i+1}	s_{i+1}
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00436		—	$T+S(C)+M$	$T+S(C)+M$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00437		—	$S(C)+M$	$S(C)+M$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00438		—	$\mathcal{F} \mathcal{P}$	$\mathcal{F}\mathcal{P}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00439		—	$h_{\{1\}}, \ldots h_{\{n\}}, \forall \ldots i h_{\{1\}}, \ldots, \forall \ldots i h_{\{l\}} \vdash$	$h_1, \dots h_n, \forall \dots i h_1, \dots, \forall \dots i h_l \vdash$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00440		—	$h_{\{i\}}$	h_i
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00441		—	$\forall \ldots i h_{\{k\}}$	$\forall \dots i h_k$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00442		—	$\begin{aligned} & \& ([0-9] , \ .) \backslash \& (* \mid \mathrm{e}([0-9] , \ .) *) \ ? \end{aligned}$	$([0-9] , .)$ $(* \mid \mathrm{e}([0-9] , .)*)?$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00443		—	$f(a, \ b)$	$f(a, b)$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_F00444		—	$f \ a \ b$	$f a b$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00445		—	{ }^{+} 02	⁺ 02
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00446		—	\bar{\lambda} \mu \bar{\mu}	$\lambda\mu\bar{\mu}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00447		—	H O L-A	$HOL - A$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00448		—	T_{E} X b o o k	T_EXbook
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00449		—	{ }^{A T} T_{E} X	$^{AT}T_EX$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00450		—	\lambda c l a m	$\lambda clam$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00451		—	$\{ \}^{+} 06$	$^{+}06$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00452		—	$\{ \}_{\imath}$	$\imath$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00453		—	$\mathcal{L} \mathcal{O} \mathcal{U} \mathcal{I}$	$\mathcal{LOUI}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00454		—	$\mathcal{U}$	$\mathcal{U}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00455		—	$\mathcal{I}$	$\mathcal{I}$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library__F00456		—	X I I I, 23,25,239,285,304	$XIII, 23, 25, 239, 285, 304$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy__Michael_Kohlhase__auth.__(Z-Library)_F00457		—	$\bar{\lambda} \mu E \mu$	$\lambda \mu E \mu$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy__Michael_Kohlhase__auth.__(Z-Library)_F00458		—	$\mathrm{T}_{\mathrm{E}}\mathrm{X}_{\mathrm{MACS}} 309$	$\mathrm{T}_{\mathrm{E}}\mathrm{X}_{\mathrm{MACS}} 309$
OMDoc__An_Open_Markup_Format_for_Mathematical_Documents__version_1.2__Foreword_by_Allan_Bundy__Michael_Kohlhase__auth.__(Z-Library)_FOX_57427b1f71		—	<pre>{{OMDoc – An Open Markup Format for Mathematical Documents [version 1.2] Foreword by Allan Bundy (Michael Kohlhase (auth.)) (Z-Library)_FN0001 FN}} {{OMDoc – An Open Markup Format for Mathematical Documents [version 1.2] Foreword by Allan Bundy (Michael Kohlhase (auth.)) (Z-Library)_FN0001 FN}}</pre>	<pre>OMDoc–AnOpenMarkupFormatforMathematicalDocuments[version1.2]ForewordbyAllanBundy(MichaelKohlhase(auth.))(Z–Library)r-N0001 FN OMDoc–AnOpenMarkupFormatforMathematicalDocuments[version1.2]ForewordbyAllanBundy(MichaelKohlhase(auth.))(Z–Library)r-N0001 FN</pre>
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				












Tables

Identifier	Page	Content (LaTeX source if any)	Scan image
OMDoc__An_Open_Markup_Format__023	028	(no LaTeX source: 1084, 302 px region)	—
OMDoc__An_Open_Markup_Format__041	041	(no LaTeX source: 1135, 637 px region)	—
OMDoc__An_Open_Markup_Format__050	050	(no LaTeX source: 1142, 120 px region)	—
OMDoc__An_Open_Markup_Format__051	051	(no LaTeX source: 1141, 1740 px region)	—
OMDoc__An_Open_Markup_Format__052	052	(no LaTeX source: 1141, 890 px region)	—
OMDoc__An_Open_Markup_Format__053	053	(no LaTeX source: 1125, 931 px region)	—
OMDoc__An_Open_Markup_Format__055	055	(no LaTeX source: 1141, 1584 px region)	—
OMDoc__An_Open_Markup_Format__056	056	(no LaTeX source: 1142, 671 px region)	—
OMDoc__An_Open_Markup_Format__093	093	(no LaTeX source: 1152, 1648 px region)	—
OMDoc__An_Open_Markup_Format__094	094	(no LaTeX source: 1096, 190 px region)	—
OMDoc__An_Open_Markup_Format__099	099	(no LaTeX source: 1142, 331 px region)	—
OMDoc__An_Open_Markup_Format__105	105	(no LaTeX source: 1121, 516 px region)	—
OMDoc__An_Open_Markup_Format__111	111	(no LaTeX source: 1144, 299 px region)	—
OMDoc__An_Open_Markup_Format__111	111	(no LaTeX source: 1044, 159 px region)	—
OMDoc__An_Open_Markup_Format__111	111	(no LaTeX source: 1017, 100 px region)	—
OMDoc__An_Open_Markup_Format__111	111	(no LaTeX source: 1019, 186 px region)	—
OMDoc__An_Open_Markup_Format__114	114	(no LaTeX source: 829, 156 px region)	—
OMDoc__An_Open_Markup_Format__115	115	(no LaTeX source: 1087, 500 px region)	—
OMDoc__An_Open_Markup_Format__120	120	(no LaTeX source: 1117, 935 px region)	—
OMDoc__An_Open_Markup_Format__121	121	(no LaTeX source: 1160, 218 px region)	—
OMDoc__An_Open_Markup_Format__122	122	(no LaTeX source: 1142, 439 px region)	—
OMDoc__An_Open_Markup_Format__128	128	(no LaTeX source: 1146, 469 px region)	—
OMDoc__An_Open_Markup_Format__129	129	(no LaTeX source: 1107, 265 px region)	—
OMDoc__An_Open_Markup_Format__136	136	(no LaTeX source: 1110, 564 px region)	—
OMDoc__An_Open_Markup_Format__141	141	(no LaTeX source: 1143, 262 px region)	—
OMDoc__An_Open_Markup_Format__142	142	(no LaTeX source: 1135, 444 px region)	—
OMDoc__An_Open_Markup_Format__148	148	(no LaTeX source: 1137, 469 px region)	—
OMDoc__An_Open_Markup_Format__149	149	(no LaTeX source: 1171, 1052 px region)	—
OMDoc__An_Open_Markup_Format__150	150	(no LaTeX source: 1135, 1126 px region)	—
OMDoc__An_Open_Markup_Format__156	156	(no LaTeX source: 1132, 217 px region)	—
OMDoc__An_Open_Markup_Format__162	162	(no LaTeX source: 1058, 387 px region)	—
OMDoc__An_Open_Markup_Format__168	168	(no LaTeX source: 1107, 385 px region)	—
OMDoc__An_Open_Markup_Format__178	178	(no LaTeX source: 1146, 525 px region)	—
OMDoc__An_Open_Markup_Format__189	189	(no LaTeX source: 1135, 272 px region)	—
OMDoc__An_Open_Markup_Format__192	192	(no LaTeX source: 1150, 317 px region)	—
OMDoc__An_Open_Markup_Format__195	195	(no LaTeX source: 1141, 380 px region)	—
OMDoc__An_Open_Markup_Format__201	201	(no LaTeX source: 717, 258 px region)	—
OMDoc__An_Open_Markup_Format__201	201	(no LaTeX source: 781, 234 px region)	—
OMDoc__An_Open_Markup_Format__202	202	(no LaTeX source: 1133, 586 px region)	—
OMDoc__An_Open_Markup_Format__206	206	(no LaTeX source: 1133, 329 px region)	—
OMDoc__An_Open_Markup_Format__210	210	(no LaTeX source: 1151, 158 px region)	—
OMDoc__An_Open_Markup_Format__214	214	(no LaTeX source: 1153, 247 px region)	—
OMDoc__An_Open_Markup_Format__220	220	(no LaTeX source: 1157, 457 px region)	—
OMDoc__An_Open_Markup_Format__227	227	(no LaTeX source: 1086, 439 px region)	—
OMDoc__An_Open_Markup_Format__233	233	(no LaTeX source: 1090, 270 px region)	—
OMDoc__An_Open_Markup_Format__245	245	(no LaTeX source: 1089, 134 px region)	—
OMDoc__An_Open_Markup_Format__248	248	(no LaTeX source: 1087, 133 px region)	—
OMDoc__An_Open_Markup_Format__253	253	(no LaTeX source: 1090, 216 px region)	—
OMDoc__An_Open_Markup_Format__255	255	(no LaTeX source: 1090, 136 px region)	—
OMDoc__An_Open_Markup_Format__259	259	(no LaTeX source: 1088, 133 px region)	—
OMDoc__An_Open_Markup_Format__263	263	(no LaTeX source: 1088, 178 px region)	—
OMDoc__An_Open_Markup_Format__267	267	(no LaTeX source: 1088, 256 px region)	—
OMDoc__An_Open_Markup_Format__273	273	(no LaTeX source: 1088, 135 px region)	—
OMDoc__An_Open_Markup_Format__275	275	(no LaTeX source: 1088, 133 px region)	—
OMDoc__An_Open_Markup_Format__279	279	(no LaTeX source: 1088, 301 px region)	—
OMDoc__An_Open_Markup_Format__282	282	(no LaTeX source: 1088, 260 px region)	—

Identifier	Page	Content (LaTeX source if any)	Scan image
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1090	287	(no LaTeX source: 1090, 134px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1088	291	(no LaTeX source: 1088, 175px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1090	295	(no LaTeX source: 1090, 136px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1088	299	(no LaTeX source: 1088, 175px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1090	302	(no LaTeX source: 1090, 175px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1090	305	(no LaTeX source: 1090, 133px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1099	306	(no LaTeX source: 1099, 121px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1088	310	(no LaTeX source: 1088, 258px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1088	314	(no LaTeX source: 1088, 173px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1152	320	(no LaTeX source: 1152, 179px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1150	321	(no LaTeX source: 1150, 1786px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1150	322	(no LaTeX source: 1150, 1822px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1148	323	(no LaTeX source: 1148, 1680px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1150	324	(no LaTeX source: 1150, 1822px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1150	325	(no LaTeX source: 1150, 1750px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1150	326	(no LaTeX source: 1150, 1501px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1150	327	(no LaTeX source: 1150, 1284px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1150	328	(no LaTeX source: 1150, 1763px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1150	329	(no LaTeX source: 1150, 1825px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1150	330	(no LaTeX source: 1150, 1754px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1148	331	(no LaTeX source: 1148, 1005px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	332	(no LaTeX source: 1141, 64px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1139	332	(no LaTeX source: 1139, 990px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1139	332	(no LaTeX source: 1139, 175px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1142	333	(no LaTeX source: 1142, 568px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	333	(no LaTeX source: 1141, 852px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	333	(no LaTeX source: 1141, 286px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1142	334	(no LaTeX source: 1142, 288px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1139	334	(no LaTeX source: 1139, 174px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	334	(no LaTeX source: 1141, 519px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	334	(no LaTeX source: 1141, 120px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1142	334	(no LaTeX source: 1142, 600px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1139	334	(no LaTeX source: 1139, 90px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1142	335	(no LaTeX source: 1142, 1395px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	335	(no LaTeX source: 1141, 260px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1142	336	(no LaTeX source: 1142, 790px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	336	(no LaTeX source: 1141, 349px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	336	(no LaTeX source: 1141, 514px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	336	(no LaTeX source: 1141, 147px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	337	(no LaTeX source: 1141, 740px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1139	337	(no LaTeX source: 1139, 155px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1142	338	(no LaTeX source: 1142, 1291px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	339	(no LaTeX source: 1141, 1817px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	340	(no LaTeX source: 1141, 1798px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	341	(no LaTeX source: 1141, 1823px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1141	342	(no LaTeX source: 1141, 1814px region)	—
OMDoc__An_Open_Markup_Format__no-LaTeX-source-1139	343	(no LaTeX source: 1139, 885px region)	—

Unrecovered image regions — TikZ / table / failed-math candidates

Regions MathPix left as images (no LaTeX). Reconstruct with pdfdrill vision (LLM classify + transcribe to TikZ/tabular/math); verify an LLM result against the real ink with inkdrill.

Identifier	Page	Image	Source
OMDoc__An_Open_Markup_F0003	033	$\langle \text{FMP} \rangle \forall a, b. a + b = b + a \langle / \text{FMP} \rangle$ y_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_PIC_0001	tex.zip (local)
OMDoc__An_Open_Markup_F0004	041	 in_Bundy_Michael_Kohlhase_auth.____Z-Library_PIC_0002	tex.zip (local)
OMDoc__An_Open_Markup_F0005	041	 in_Bundy_Michael_Kohlhase_auth.____Z-Library_PIC_0003	tex.zip (local)
OMDoc__An_Open_Markup_F0006	068	$\langle \text{FMP} \rangle \forall x. 0 \leq x \wedge \forall x, y. x \leq y \Rightarrow s(x) \leq s(y) \langle / \text{FMP} \rangle$ Kohlhase_auth.____Z-Library_PIC_0004	tex.zip (local)
OMDoc__An_Open_Markup_F0007	072	$\langle \text{axiom_xml:id} = \text{"unit.ax"} \rangle \langle \text{FMP} \rangle \exists x \in M. \forall y \in M. y \circ x = y \langle / \text{FMP} \rangle \langle / \text{axiom} \rangle$ 0005	tex.zip (local)
OMDoc__An_Open_Markup_F0008	072	$\langle \text{assertion_xml:id} = \text{"unit.unique"} \rangle \langle \text{FMP} \rangle \exists^1 x \in M. \forall y \in M. y \circ x = y \langle / \text{FMP} \rangle \langle / \text{assertion} \rangle$	tex.zip (local)
OMDoc__An_Open_Markup_F0009	072	$\langle \text{assertion_xml:id} = \text{"left_unit"} \rangle \langle \text{FMP} \rangle \forall x \in M. e \circ x = x \langle / \text{FMP} \rangle \langle / \text{assertion} \rangle$ IC_0007	tex.zip (local)
OMDoc__An_Open_Markup_F0010	072	$\forall S \subseteq M. S^* = S \setminus \{e\}$ ion_1.2_Foreword_by_Allan_Bundy_Michael_Kohlhase_auth.____Z-Library_PIC_0008	tex.zip (local)
OMDoc__An_Open_Markup_F0011	073	$\langle \text{axiom_xml:id} = \text{"inv.ax"} \rangle \langle \text{FMP} \rangle \forall x \in M. \exists y \in M. x \circ y = e \langle / \text{FMP} \rangle \langle / \text{axiom} \rangle$ c_0009	tex.zip (local)
OMDoc__An_Open_Markup_F0012	093		CDN only
OMDoc__An_Open_Markup_F0013	093		CDN only
OMDoc__An_Open_Markup_F0014	093		CDN only
OMDoc__An_Open_Markup_F0015	131	$\langle \text{FMP logic} = \text{"fol"} \rangle \forall V, F. \text{binop}(F, V) \Leftrightarrow \text{Im}(F) = V \wedge \text{Dom}(F) = V \langle / \text{FMP} \rangle$ PIC_0013	tex.zip (local)
OMDoc__An_Open_Markup_F0016	131	$\langle \text{CMP} \rangle \text{If } a \in U \text{ and } a \in V, \text{ then } a \in U \cap V \text{ or } \dots$ Michael_Kohlhase_auth.____Z-Library_PIC_0014	tex.zip (local)
OMDoc__An_Open_Markup_F0017	148	$\langle \text{FMP} \rangle \forall S. \text{sgpr}(S) \rightarrow \forall x, y. \text{unit}(x, S) \wedge \text{unit}(y, S) \rightarrow x = y \langle / \text{FMP} \rangle$ Z-Library_PIC_0015	tex.zip (local)
OMDoc__An_Open_Markup_F0018	158	$\langle \text{CMP} \rangle \text{neut is a left unit for op.} \langle / \text{CMP} \rangle \langle \text{FMP} \rangle \forall x \in \text{set.op}(x, \text{neut}) = x \langle / \text{FMP} \rangle$ 6	tex.zip (local)
OMDoc__An_Open_Markup_F0019	158	$\langle \text{CMP} \rangle \cdot^* \text{ subtracts the unit from a set } \langle / \text{CMP} \rangle \langle \text{FMP} \rangle \forall S. S^* = S \setminus \{\text{unit}\} \langle / \text{FMP} \rangle$	tex.zip (local)
OMDoc__An_Open_Markup_F0020	167	$\langle \text{CMP} \rangle \text{Let } q \stackrel{\text{def}}{=} p_1 \cdots p_n + 1 \langle / \text{CMP} \rangle$ an_Bundy_Michael_Kohlhase_auth.____Z-Library_PIC_0018	tex.zip (local)
OMDoc__An_Open_Markup_F0021	172	$\langle \text{CMP} \rangle \text{If } a \in U \text{ or } a \in V, \text{ then } a \in U \cup V. \langle / \text{CMP} \rangle$ l_Kohlhase_auth.____Z-Library_PIC_0019	tex.zip (local)
OMDoc__An_Open_Markup_F0022	172	$\langle \text{CMP} \rangle \text{If } a \in U, \text{ then } a \in U \cup V. \langle / \text{CMP} \rangle$ undy_Michael_Kohlhase_auth.____Z-Library_PIC_0020	tex.zip (local)
OMDoc__An_Open_Markup_F0023	172	$\langle \text{CMP} \rangle \text{If } a \in V, \text{ then } a \in U \cup V. \langle / \text{CMP} \rangle$ ndy_Michael_Kohlhase_auth.____Z-Library_PIC_0021	tex.zip (local)
OMDoc__An_Open_Markup_F0024	173	$\langle \text{assumption_xml:id} = \text{"t1_p1_l1.d1.a"} \rangle a \in U \langle / \text{assumption} \rangle$ se_auth.____Z-Library_PIC_0022	tex.zip (local)
OMDoc__An_Open_Markup_F0025	174	$\langle \text{derive_xml:id} = \text{"d3"} \rangle \langle \text{CMP} \rangle \text{Then } P = \{p_1, \dots, p_n\} \text{ for some } n \langle / \text{CMP} \rangle \langle / \text{derive} \rangle$	tex.zip (local)
OMDoc__An_Open_Markup_F0026	175	$\langle \text{CMP} \rangle \text{Let } q \stackrel{\text{def}}{=} p_1 \cdots p_n + 1 \langle / \text{CMP} \rangle$ an_Bundy_Michael_Kohlhase_auth.____Z-Library_PIC_0024	tex.zip (local)
OMDoc__An_Open_Markup_F0027	184	$\langle \text{assertion_xml:id} = \text{"conv.inv"} \text{ theory} = \text{"group"} \rangle \forall x, y \in M. x \circ x^{-1} = e \langle / \text{assertion} \rangle$ 325	tex.zip (local)
OMDoc__An_Open_Markup_F0028	246	Symbol: Σ APPLICATION "arith1:sum" an_Bundy_Michael_Kohlhase_auth.____Z-Library_PIC_0026	tex.zip (local)
OMDoc__An_Open_Markup_F0029	019		CDN only
OMDoc__An_Open_Markup_F0030	019		CDN only
OMDoc__An_Open_Markup_F0031	022		CDN only
OMDoc__An_Open_Markup_F0032	024		CDN only
OMDoc__An_Open_Markup_F0033	030	 tex.zip (local)	tex.zip (local)
OMDoc__An_Open_Markup_F0034	030	 uth.____Z-Library_DIA_0006	tex.zip (local)

Identifier	Page	Image	Source
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	031		tex.zip (local)
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	032	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	033	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	041		tex.zip (local)
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	042		tex.zip (local)
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	050	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	052	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	053	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	054	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	056	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	057	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	058	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	058	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	059	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	059	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	060	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	061	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	062	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	063	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	063	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	064	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Foundat_for_Mathematical_Reasoning	065	(image not on disk - pass texzip or download the CDN crop)	CDN only

Identifier	Page	Image	Source
067	067		tex.zip (local)
068	068	(image not on disk - pass texzip or download the CDN.crap)	CDN only
069	069	(image not on disk - pass texzip or download the CDN.crap)	CDN only
069	069	(image not on disk - pass texzip or download the CDN.crap)	CDN only
070	070	(image not on disk - pass texzip or download the CDN.crap)	CDN only
070	070	(image not on disk - pass texzip or download the CDN.crap)	CDN only
071	071		tex.zip (local)
072	072	(image not on disk - pass texzip or download the CDN.crap)	CDN only
072	072	(image not on disk - pass texzip or download the CDN.crap)	CDN only
073	073	(image not on disk - pass texzip or download the CDN.crap)	CDN only
073	073	(image not on disk - pass texzip or download the CDN.crap)	CDN only
073	073	(image not on disk - pass texzip or download the CDN.crap)	CDN only
074	074	(image not on disk - pass texzip or download the CDN.crap)	CDN only
074	074	(image not on disk - pass texzip or download the CDN.crap)	CDN only
075	075	(image not on disk - pass texzip or download the CDN.crap)	CDN only


Identifier	Page	Image	Source
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	076	Inheritance: Taxonomy metaphor Classes vs instances - Every object is an instance of a class. - The characteristics of an object are defined by its class. - An object inherits characteristics from all of its superclasses. Classes vs instances - Example: - Danny Sleator is an instance of the Professor class. - He is therefore also an instance of the Human, Mammal, and Animal classes. - Sometimes we say that Danny Sleator "is a" Professor (or Human or Mammal...) - Danny also "has a" wife and son, who are also instances of the Human class. In Java: <pre> public class Animal { ... } // Implicitly extends class Object public class Mammal extends Animal { ... } public class Human extends Mammal { ... } public class Professor extends Human { ... } public class MyClass { public static main () { Professor danny = new Professor(); } } </pre>	tex.zip (local)
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	078	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	079	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	080	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	081	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	082	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	083	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	084		tex.zip (local)
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	087	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	087	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	088	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	089	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	089	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	089	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	089	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	094	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	095	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	101	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	101	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	101	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_for_Mathematics_Diagrams_and_Graphs_0051	104	<pre> <omgroup xml:id="text" type="sequence"> <omtext xml:id="t1">T1</omtext> <omgroup xml:id="enum" type="enumeration"> <omtext xml:id="t2">T2</omtext> <omtext xml:id="t3">T3</omtext> </omgroup> <omtext xml:id="t4">T4</omtext> </omgroup> </pre> ↔	tex.zip (local)

Identifier	Page	Image	Source
OMDoc__An_Open_Markup	104	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	109	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	110	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	112	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	113	<pre> <omdoc xml:id="o1"> <metadata> <dc:creator>MiKo</dc:creator> </metadata> <theory xml:id="th1"> <symbol name="s1"/> <definition for="#s1" xml:id="d1"/> </theory> <theory xml:id="th2"> <metadata> <dc:creator>Paul</dc:creator> </metadata> <symbol name="s2"/> <definition for="#s2" xml:id="d1"> <metadata> <dc:creator>MiKo</dc:creator> </metadata> </definition> </theory> </omdoc> </pre> ↔ <pre> <omdoc xml:id="o1"> <metadata> <dc:creator>MiKo</dc:creator> </metadata> <theory xml:id="th1"> <metadata> <dc:creator>MiKo</dc:creator> </metadata> <symbol name="s1"/> <definition for="#s1" xml:id="d1"> <metadata> <dc:creator>MiKo</dc:creator> </metadata> </definition> </theory> <theory xml:id="th2"> <metadata> <dc:creator>Paul</dc:creator> </metadata> <symbol name="s2"/> <definition for="#s2" xml:id="d1"> <metadata> <dc:creator>MiKo</dc:creator> </metadata> </definition> </theory> </omdoc> </pre>	tex.zip (local)
OMDoc__An_Open_Markup	116	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	116	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	117	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	118	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	119	Tree $2^d - 1$ nodes DAG d nodes	tex.zip (local)
OMDoc__An_Open_Markup	120	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	123	<m:plus/> Content-MATHML token element <m:plus definitionURL="http://www.openmath.org/cd/arith1#plus"/> Content-MATHML token element with explicit pointer <m:csymbol definitionURL="http://www.openmath.org/cd/arith1#plus"/> empty Content-MATHML m:csymbol <m:csymbol definitionURL="http://www.openmath.org/cd/arith1#plus"> <m:mo>+</m:mo> </m:csymbol> Content-MATHML m:csymbol with presentation <OMS cdbase="http://www.openmath.org/cd" cd="arith1" name="plus"/> OPENMATH symbol	tex.zip (local)

Identifier	Page	Image	Source
		OPENMATH <pre> <OMOBJ> <OMBIND> <OMS cd="quant1" name="forall"/> <OMBVAR> <OMATTR> <OMATP> <OMS cd="sts" name="type"/> <OMS cd="setname1" name="R"/> </OMATP> <OMV name="a"/> </OMATTR> <OMATTR> <OMATP> <OMS cd="sts" name="type"/> <OMS cd="setname1" name="R"/> </OMATP> <OMV name="b"/> </OMATTR> </OMBVAR> <OMA> <OMS cd="relation" name="eq"/> <OMA> <OMS cd="arith1" name="plus"/> <OMV name="a"/> <OMV name="b"/> </OMA> <OMA> <OMS cd="arith1" name="plus"/> <OMV name="b"/> <OMV name="a"/> </OMA> </OMA> </OMBIND> </OMOBJ> </pre> MATHML <pre> <m:math> <m:apply> <m:forall/> <m:bvar> <m:ci type="real">a</m:ci> </m:bvar> <m:bvar> <m:ci type="real">b</m:ci> </m:bvar> <m:apply> <m:eq/> <m:apply> <m:plus/> <m:ci type="real">a</m:ci> <m:ci type="real">b</m:ci> </m:apply> <m:apply> <m:plus/> <m:ci type="real">b</m:ci> <m:ci type="real">a</m:ci> </m:apply> </m:apply> </m:apply> </m:math> </pre>	tex.zip (local)
OMDoc__An_Open_Markup	124	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	125	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	125	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	127	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	127	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	129	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	130	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	131	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	131	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	131	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	131	<CMP>If $a \in U$ and $a \in V$, then $a \in U \cap V$ or Michael_Kohlhase_auth. Z-Library_DIA_0085	tex.zip (local)
OMDoc__An_Open_Markup	134	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	134	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	135	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	136	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	138	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	144	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	144	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	146	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	146	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	147	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	148	(image not on disk - pass texzip or download the CDN.crap)	CDN only
		satisfiable theorem tautologous-conclusion equivalent tautology no-consequence contradictory-axioms counter-equivalent unsatisfiable counter-satisfiable counter-theorem unsatisfiable-conclusion unsatisfiable	tex.zip (local)
OMDoc__An_Open_Markup	150	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	151	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	153	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	154	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	155	(image not on disk - pass texzip or download the CDN.crap)	CDN only




Identifier	Page	Image	Source
OMDoc__An_Open_Markup	156	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	157	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	157	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	158	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	163	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	164	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	167	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	171	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	172	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	173	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	174	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	175	$\text{Let } q \stackrel{def}{=} p_1 \cdots p_n + 1$	tex.zip (local)
OMDoc__An_Open_Markup	176	$\frac{\frac{[A \wedge B]}{B} \wedge E_r \quad \frac{[A \wedge B]}{A} \wedge E_l}{B \wedge A} \wedge I$ $\frac{B \wedge A}{A \wedge B \Rightarrow B \wedge A} \Rightarrow I$ <pre> <proofobject xml:id="ac.p" for="#and-comm"> <metadata> <dc:description> Assuming $A \wedge B$ we have B and A from which we can derive $B \wedge A$. </dc:description> </metadata> <OMOBJ> <OMBIND id="andcom.pf"> <OMS cd="PL0ND" name="impliesI" /> <OMBVAR> <OMATTR> <OMATP> <OMS cd="PL0ND" name="type" /> $A \wedge B$ </OMATP> <OMV name="X" /> </OMATTR> </OMBVAR> <OMA> <OMS cd="PL0ND" name="andI" /> <OMA> <OMA> <OMS cd="PL0ND" name="andEr" /> <OMV name="X" /> </OMA> <OMA> <OMS cd="PL0ND" name="andEl" /> <OMV name="X" /> </OMA> </OMA> </OMA> </OMBIND> </OMOBJ> </proofobject> </pre> The schema on the left shows the proof as a natural deduction proof tree, the OMDoc representation gives the proof object as a λ term. This term would be written as the following term in traditional (mathematical) notation: $\Rightarrow I(\lambda X : A \wedge B. \wedge I(\wedge E_r(X), \wedge E_l(X)))$	tex.zip (local)
OMDoc__An_Open_Markup	177	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	177	(image not on disk - pass tex.zip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup	179		tex.zip (local)

Identifier	Page	Image	Source
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_180	180		tex.zip (local)
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_180	180	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_184	184	$\langle \text{assertion_xmlid}=\text{"conv_inv"} \text{ theory}=\text{"group"} \rangle \forall x, y \in M. x \circ x^{-1} = e \langle / \text{assertion} \rangle_{120}$	tex.zip (local)
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_185	185		tex.zip (local)
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_185	185	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_188	188		tex.zip (local)
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_188	188	$S \xrightarrow{\sigma} T_1 \xrightarrow{\sigma_1} T_2 \xrightarrow{\sigma_2} \dots \xrightarrow{\sigma_{n-1}} T_n \xrightarrow{\sigma_n} T$ $\tau = \sigma_n \circ \dots \circ \sigma_1 \circ \sigma$	tex.zip (local)
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_189	189		tex.zip (local)
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_190	190	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_190	190	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_191	191	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_191	191	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_194	194	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_197	197	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_197	197	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_198	198	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_200	200	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_202	202	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_202	202	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_202	202	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_202	202	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_202	202	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_202	202	(image not on disk - pass texzip or download the CDN.crap)	CDN only
OMDoc__An_Open_Markup_Footer_Footer_Mathlib4_20230901_203	203	(image not on disk - pass texzip or download the CDN.crap)	CDN only

Identifier	Page	Image	Source
OMDoc__An_Open_Markup	203	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	204	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	205	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	208	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	209	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	209	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	209	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	212	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	212	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	212	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	215	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	216	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	219	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	219	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	220	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	222		tex.zip (local)
OMDoc__An_Open_Markup	227	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	231	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	231	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	231	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	233	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	233	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	235	(image not on disk - pass texzip or download the CDN crop)	CDN only

Identifier	Page	Image	Source
OMDoc__An_Open_Markup	238		tex.zip (local)
OMDoc__An_Open_Markup	240	(image not on disk - pass tex.zip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	246	(image not on disk - pass tex.zip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	247	(image not on disk - pass tex.zip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	248		tex.zip (local)
OMDoc__An_Open_Markup	249		tex.zip (local)

Identifier	Page	Image	Source
OMDoc__An_Open_Markup_Forum_for_Mathematicians	250		tex.zip (local)
OMDoc__An_Open_Markup_Forum_for_Mathematicians	250		tex.zip (local)
OMDoc__An_Open_Markup_Forum_for_Mathematicians	251		tex.zip (local)
OMDoc__An_Open_Markup_Forum_for_Mathematicians	254		tex.zip (local)
OMDoc__An_Open_Markup_Forum_for_Mathematicians	257	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Forum_for_Mathematicians	260		tex.zip (local)

Identifier	Page	Image	Source
OMDoc__An_Open_Markup_Forum_for_Mathematicians	281		tex.zip (local)
OMDoc__An_Open_Markup_Forum_for_Mathematicians	284		tex.zip (local)
OMDoc__An_Open_Markup_Forum_for_Mathematicians	289		tex.zip (local)

Identifier	Page	Image	Source
OMDoc__An_Open_Markup_Forum_Forum_Mathlib	290		tex.zip (local)
OMDoc__An_Open_Markup_Forum_Forum_Mathlib	292		tex.zip (local)
OMDoc__An_Open_Markup_Forum_Forum_Mathlib	293		tex.zip (local)
OMDoc__An_Open_Markup_Forum_Forum_Mathlib	298	(image not on disk - pass tex.zip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Forum_Forum_Mathlib	298	(image not on disk - pass tex.zip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Forum_Forum_Mathlib	301		tex.zip (local)

Identifier	Page	Image	Source
OMDoc__An_Open_Markup_Failed_for_MathDoc	301		tex.zip (local)
OMDoc__An_Open_Markup_Failed_for_MathDoc	301	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Failed_for_MathDoc	303		tex.zip (local)
OMDoc__An_Open_Markup_Failed_for_MathDoc	303	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Failed_for_MathDoc	304	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Failed_for_MathDoc	304	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup_Failed_for_MathDoc	307		tex.zip (local)
OMDoc__An_Open_Markup_Failed_for_MathDoc	308		tex.zip (local)

Identifier	Page	Image	Source
OMDoc__An_Open_Markup	364	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	365	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	366	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	367	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	368	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	369	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	370	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	371	(image not on disk - pass texzip or download the CDN crop)	CDN only
OMDoc__An_Open_Markup	387	(image not on disk - pass texzip or download the CDN crop)	CDN only