

1510.06699 — formula report

1063 inline formulas (section omitted; all rendered), 279 display equations, 7 tables, 38 unrecovered image regions.

Flagged, not acted on — 1 of 68 shown

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
1510.06699_E00168	031	■ 0.814	$\begin{aligned} & \left(\frac{\delta \mathcal{L}_M}{\delta h_c^\mu}\right)_\dagger = \tau^c_\mu + 2\sigma_{ab}{}^c \mathcal{V}^a b^b_\mu - 2\sigma^{cb}{}_b V_\mu = \tau^{\dagger c}_\mu, (184a) \\ & \left(\frac{\delta \mathcal{L}_M}{\delta A^{\dagger ab}{}_\mu}\right)_\dagger = \sigma_{ab}{}^\mu, (184b) \\ & \left(\frac{\delta \mathcal{L}_M}{\delta V_\mu}\right)_\dagger = \zeta^\mu - 2h_a{}^\mu \sigma^{ab}{}_b = \zeta^{\dagger \mu} = 0, (184c) \\ & \left(\frac{\delta \mathcal{L}_M}{\delta \varphi}\right)_\dagger = \frac{\delta \mathcal{L}_M}{\delta \varphi}, (184d) \\ & \left(\frac{\delta \mathcal{L}_M}{\delta \phi}\right)_\dagger = \frac{\delta \mathcal{L}_M}{\delta \phi}, (184e) \end{aligned}$	$\begin{aligned} & \left(\frac{\delta \mathcal{L}_M}{\delta h_c^\mu}\right)_\dagger = \tau^c_\mu + 2\sigma_{ab}{}^c \mathcal{V}^a b^b_\mu - 2\sigma^{cb}{}_b V_\mu = \tau^{\dagger c}_\mu, (184a) \\ & \left(\frac{\delta \mathcal{L}_M}{\delta A^{\dagger ab}{}_\mu}\right)_\dagger = \sigma_{ab}{}^\mu, \\ & \left(\frac{\delta \mathcal{L}_M}{\delta V_\mu}\right)_\dagger = \zeta^\mu - 2h_a{}^\mu \sigma^{ab}{}_b = \zeta^{\dagger \mu} = 0 \\ & \left(\frac{\delta \mathcal{L}_M}{\delta \varphi}\right)_\dagger = \frac{\delta \mathcal{L}_M}{\delta \varphi}, \\ & \left(\frac{\delta \mathcal{L}_M}{\delta \phi}\right)_\dagger = \frac{\delta \mathcal{L}_M}{\delta \phi}, \end{aligned}$	$\begin{aligned} & \left(\frac{\delta \mathcal{L}_M}{\delta h_c^\mu}\right)_\dagger = \tau^c_\mu + 2\sigma_{ab}{}^c \mathcal{V}^a b^b_\mu - 2\sigma^{cb}{}_b V_\mu = \tau^{\dagger c}_\mu, (184a) \\ & \left(\frac{\delta \mathcal{L}_M}{\delta A^{\dagger ab}{}_\mu}\right)_\dagger = \sigma_{ab}{}^\mu, (184b) \\ & \left(\frac{\delta \mathcal{L}_M}{\delta V_\mu}\right)_\dagger = \zeta^\mu - 2h_a{}^\mu \sigma^{ab}{}_b = \zeta^{\dagger \mu} = 0, (184c) \\ & \left(\frac{\delta \mathcal{L}_M}{\delta \varphi}\right)_\dagger = \frac{\delta \mathcal{L}_M}{\delta \varphi}, (184d) \\ & \left(\frac{\delta \mathcal{L}_M}{\delta \phi}\right)_\dagger = \frac{\delta \mathcal{L}_M}{\delta \phi}, (184e) \end{aligned}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5–0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

The remaining 67 flagged rows are stated as a count.

Each differs from its scan by fewer than 20 components, which is the tail of the distribution rather than its bulk: 32 are component (C), 35 weak (W). By MathPix confidence: 35 at ≥0.9, 20 in 0.6–0.9, 12 below 0.6, 0 with none. Out/465 sampled twenty rows drawn from the ≥0.9 band corpus-wide and found eighteen purely typographic differences, one typographic plus a crop overrun, one borderline and *no* unambiguous content errors — so a high-confidence flag here is evidence of a rendering difference, not of a defect. Every row is in `report.ink.json`.

Doubted but correct (1)

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
1510.06699_E00241	047	■ 0.019	$\frac{\bar{\psi}}{\rho^2 + \beta^2} = \frac{\bar{\psi}(\rho + \beta i \gamma^5)}{\rho^2 + \beta^2}$	$\bar{\psi} = \frac{\bar{\psi}(\rho + \beta i \gamma^5)}{\rho^2 + \beta^2}$	$\bar{\psi} = \frac{\bar{\psi}(\rho + \beta i \gamma^5)}{\rho^2 + \beta^2}$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					