


kohlhase-omdoc — formula report

459 inline formulas (section omitted; 3 did not render), 6 display equations, 103 tables, 271 unrecovered image regions.

Unresolved (4)

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
kohlhase-omdoc_ F00317		—	{\,p\mid\hbox{	(not rendered)	—
kohlhase-omdoc_ F00319		—	are prime}\,,}	(not rendered)	—
kohlhase-omdoc_ F00323		—	\{\,p\mid p\{\rm and\}p+2\rm\ are\ prime\,,}	(not rendered)	—
kohlhase-omdoc_ EQ0005	309	—	$\begin{array}{l} \begin{array}{l} \left[\begin{array}{l} \text{\textit{\textcal{R}}} \\ \frac{\text{\textbf{A}}:\text{\textit{\textbb{B}}}\rightarrow\text{\textit{\textbb{C}}}\quad\text{\textbf{B}}:\text{\textit{\textbb{B}}}}{\text{\textbf{A}}\text{\textbf{B}}:\text{\textit{\textbb{C}}}} \end{array} \right) = \frac{\frac{\forall X.\text{\textit{\textbb{B}}}(X)\Rightarrow\text{\textit{\textbb{C}}}(\text{\textbf{A}}X)}{\text{\textit{\textbb{B}}}(\text{\textbf{B}})\Rightarrow\text{\textit{\textbb{C}}}(\text{\textbf{A}}\text{\textbf{B}})}\quad\text{\textit{\textbb{B}}}(\text{\textbf{B}})}{\text{\textit{\textbb{C}}}(\text{\textbf{A}}\text{\textbf{B}})} \\ \text{\textit{\textbb{C}}}(\text{\textbf{A}}\text{\textbf{B}}) \end{array} \\ \begin{array}{l} \left[\begin{array}{l} \text{\textit{\textbb{B}}}(\text{\textbf{B}}) \\ \frac{\forall X.\text{\textit{\textbb{B}}}(X)\Rightarrow\text{\textit{\textbb{C}}}(\text{\textbf{A}}X)}{\text{\textit{\textbb{B}}}(\text{\textbf{B}})\Rightarrow\text{\textit{\textbb{C}}}(\text{\textbf{A}}\text{\textbf{B}})} \end{array} \right) = \frac{\frac{\forall X.\text{\textit{\textbb{B}}}(X)\Rightarrow\text{\textit{\textbb{C}}}(\text{\textbf{A}}X)}{\text{\textit{\textbb{B}}}(\text{\textbf{B}})\Rightarrow\text{\textit{\textbb{C}}}(\text{\textbf{A}}\text{\textbf{B}})}\quad\text{\textit{\textbb{B}}}(\text{\textbf{B}})}{\text{\textit{\textbb{C}}}(\text{\textbf{A}}\text{\textbf{B}})} \end{array} \end{array}$ Relativization Morphism on Proofs	(not rendered)	
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Flagged, not acted on: 1 rows, none above the reporting threshold.

Each differs from its scan by fewer than 20 components, which is the tail of the distribution rather than its bulk: 1 are component (C), 0 weak (W). By MathPix confidence: 0 at ≥ 0.9 , 0 in 0.6–0.9, 1 below 0.6, 0 with none. Out/465 sampled twenty rows drawn from the ≥ 0.9 band corpus-wide and found eighteen purely typographic differences, one typographic plus a crop overrun, one borderline and *no* unambiguous content errors — so a high-confidence flag here is evidence of a rendering difference, not of a defect. Every row is in `report.ink.json`.