

mielke-geometrodynamics — formula report

1794 inline formulas (section omitted; all rendered), 1149 display equations, 5 tables, 18 unrecovered image regions.

Corrected (3)

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
mielke-geometrodynamics_128EQ09378 (was)	128	0.136	$\mathrm{D}\,\mathrm{D}\,\vartheta^{\alpha}=R_{\beta}{}^{\alpha}\wedge \vartheta^{\beta}$, $\stackrel{\scriptscriptstyle (\pm)}{\mathrm{D}}\,\stackrel{\scriptscriptstyle (\pm)}{\Pi}_{\alpha}=-\stackrel{\scriptscriptstyle (\pm)}{R}_{\alpha}{}^{\beta}\wedge \stackrel{\scriptscriptstyle (\pm)}{\Pi}_{\beta}=\pm\frac{i}{2}\ell^2\left(e_{\alpha}\lrcorner\Pi^{\beta}\right)\wedge\Sigma_{\beta}\cong 0$.	$D D \vartheta^\alpha = R_\beta{}^\alpha \wedge \vartheta^\beta = 0,$ $\overset{(\pm)}{D} \overset{(\pm)}{D} \overset{(\pm)}{\Pi}_\alpha = - \overset{(\pm)}{R}_\alpha{}^\beta \wedge \overset{(\pm)}{\Pi}_\beta = \pm \frac{i}{2} \ell^2 \left(e_\alpha \lrcorner \overset{(\pm)}{\Pi}^\beta \right) \wedge \Sigma_\beta \cong 0.$	—
mielke-geometrodynamics_128EQ09378 (now)	128	—	preserve the term Pontryagin index for the classification of real associated vector bundles (<code>\textsc{Mayer}</code> & <code>\textsc{Drechsler}</code> 1977). Nevertheless, the denotation of <code>\textsc{Belavin}</code>	<i>preservethetermPontryagininindexfortheclassificatioofrealassociatedvectorbundles(Mayer&Drechsler1977).Nevertheless,thednotationsfBelavin</i>	—
basis: inferred / ink					
mielke-geometrodynamics_134EQ0402 (was)	134	0.042	$\begin{array}{ll} q: & \underline{*}^{\vartheta} \Psi_{ }(\vartheta)=\underline{*}'^{\vartheta} \Psi_{ }(\vartheta), \\ \pm p: & +\underline{\Pi}^{\vartheta} \Psi_{ }(\vartheta)=-i\ell^2\frac{\delta}{\delta\underline{*}_\alpha} \Psi_{ }(\vartheta), \end{array}$	$q:\quad \overset{*}{\vartheta}^\beta \Psi_{ }(\vartheta) = \overset{*'}{\vartheta}^\beta \Psi_{ }(\vartheta),$ $\pm p:\quad +\underline{\Pi}^{\vartheta} \Psi_{ }(\vartheta) = -i\ell^2 \frac{\delta}{\delta\underline{*}_\alpha} \Psi_{ }(\vartheta),$	—
mielke-geometrodynamics_134EQ0402 (now)	134	—	$\begin{array}{ll} q: & \vartheta^{\vartheta} \Psi_{ }(\vartheta)=\vartheta^{\vartheta} \Psi_{ }(\vartheta), \\ \pm p: & \overset{(\pm)}{\Pi}_\alpha^{\vartheta} \Psi_{ }(\vartheta) = -i\ell^2 \frac{\delta}{\delta\underline{*}_\alpha} \Psi_{ }(\vartheta), \end{array}$	$q:\quad \vartheta^\beta \Psi_{ }(\vartheta) = \vartheta^\beta \Psi_{ }(\vartheta),$ $\pm p:\quad \overset{(\pm)}{\Pi}_\alpha^{\vartheta} \Psi_{ }(\vartheta) = -i\ell^2 \frac{\delta}{\delta\underline{*}_\alpha} \Psi_{ }(\vartheta),$	—
basis: inferred / ink					
mielke-geometrodynamics_314EQ0972 (was)	314	0.153	$\stackrel{\scriptscriptstyle (\circ)}{\mathrm{D}}\,\alpha:=\stackrel{\scriptscriptstyle (\circ)}{d}\,\alpha-\omega^g\wedge\alpha-\alpha\wedge\overset{\scriptscriptstyle \circ}{\omega}$	$\overset{(s)}{D} \alpha := \overset{(o)}{d} \alpha - \omega^g \wedge \alpha - \alpha \wedge \overset{\circ}{\omega}$	—
mielke-geometrodynamics_314EQ0972 (now)	314	—	$\overset{(1)}{D}\alpha:=\overset{(0)}{d}\alpha-\omega^g\wedge\alpha-\alpha\wedge\omega^g$	$\overset{(1)}{D} \alpha := \overset{(0)}{d} \alpha - \omega^g \wedge \alpha - \alpha \wedge \omega^g$	—
basis: inferred / ink					
Conf. MathPix confidence: ≥0.9 0.5–0.9 <0.5 — no value Residual render vs scan (inkdrill): C component W weak S stable N noise K clean not measured					

Unresolved (2)

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
mielke-geometrodynamics_155 EQ0472	155	—	$\stackrel{+}{\Omega}{}^{\{t\}}{}_{\{0\}}=0 \Longleftrightarrow R_{ij}{}^{\{t\}}{}_{\{0\}}=0 \Longleftrightarrow R_{ij}{}^{\{t\}}{}_{\{0\}}=\Lambda^{\prime}g_{ij}.$	(not rendered)	
mielke-geometrodynamics_278 EQ0857	278	—	$\left.\mathbf{L}_n\right _{\mathcal{G}^A}\cong n\left(D\tau^A\right),$	(not rendered)	
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value					
Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Flagged, not acted on: 207 rows, none above the reporting threshold.

Each differs from its scan by fewer than 20 components, which is the tail of the distribution rather than its bulk: 62 are component (C), 145 weak (W). By MathPix confidence: 120 at ≥ 0.9 , 36 in 0.6-0.9, 51 below 0.6, 0 with none. Out/465 sampled twenty rows drawn from the ≥ 0.9 band corpus-wide and found eighteen purely typographic differences, one typographic plus a crop overrun, one borderline and *no* unambiguous content errors — so a high-confidence flag here is evidence of a rendering difference, not of a defect. Every row is in `report.ink.json`.