

rph8-g15q — formula report

489 inline formulas (section omitted; all rendered), 81 display equations, 0 tables, 12 unrecovered image regions.

Unresolved (1)

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
rph8-g15q_EQ0007	005	—	$\begin{array}{ll} \alpha_{(0,0)}=\left[\begin{array}{ll} 1 & 0 \\ 0 & 1 \end{array}\right], & \alpha_{(1,0)}=\left[\begin{array}{ll} 0 & 1 \\ 1 & 0 \end{array}\right] \\ \alpha_{(0,1)}=\left[\begin{array}{ll} 0 & 1 \\ 1 & 0 \end{array}\right], & \alpha_{(1,1)}=\left[\begin{array}{rr} -1 & 0 \\ 0 & -1 \end{array}\right], & \quad \alpha_{(1,1)}=\left[\begin{array}{rr} 0 & -1 \\ -1 & 0 \end{array}\right] \\ \end{array}.$	(not rendered)	$\alpha_{(0,0)} = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}, \quad \alpha_{(1,0)} = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix},$ $\alpha_{(0,1)} = \begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}, \quad \alpha_{(1,1)} = \begin{bmatrix} 0 & -1 \\ -1 & 0 \end{bmatrix}.$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5-0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Flagged, not acted on: 11 rows, none above the reporting threshold.

Each differs from its scan by fewer than 20 components, which is the tail of the distribution rather than its bulk: 1 are component (C), 10 weak (W). By MathPix confidence: 8 at ≥ 0.9 , 3 in 0.6–0.9, 0 below 0.6, 0 with none. Out/465 sampled twenty rows drawn from the ≥ 0.9 band corpus-wide and found eighteen purely typographic differences, one typographic plus a crop overrun, one borderline and *no* unambiguous content errors — so a high-confidence flag here is evidence of a rendering difference, not of a defect. Every row is in `report.ink.json`.