

bradley_spring22 — formula report

182 inline formulas, 16 display equations, 0 tables, 10 unrecovered image regions.

Display equations

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
bradley_spring22_ EQ0005	013	■ 0.965 ● C -9	$\begin{array}{l} \left(\frac{1}{2}, \frac{1}{2}\right) \text{ and } (1,0) \text{ are elements of the set } \Delta_2, \\ \left(\frac{4}{10}, \frac{5}{10}, \frac{1}{10}\right) \text{ and } \left(\frac{1}{5}, \frac{3}{5}, \frac{1}{5}\right) \text{ are elements of the set } \Delta_3, \\ \left(\frac{2}{7}, \frac{1}{7}, 0, \frac{4}{7}\right) \text{ and } \left(\frac{1}{4}, \frac{1}{4}, \frac{1}{4}, \frac{1}{4}\right) \text{ are elements of the set } \Delta_4, \end{array}$		
bradley_spring22_ EQ0016	028	■ 0.999 ● C +3	$d\left(p \circ (q^1, q^2, \dots, q^n)\right) \stackrel{\text{sort}}{=} d(p) + p_1 d(q^1) + p_2 d(q^2) + \dots + p_n d(q^n),$		
bradley_spring22_ EQ0006 (3)	014	■ 0.999 ● W +2	$\text{Entropy defines a collection of functions } \{H_n: \Delta_n \rightarrow \mathbb{R}\}.$		
bradley_spring22_ EQ0001 (1)	012	■ 1.000 ● N +1	$H(p) = -p_1 \log(p_1) - p_2 \log(p_2) - \dots - p_n \log(p_n).$		
bradley_spring22_ EQ0002	012	■ 1.000 ● N +1	$H(p) = -1 \log(1) - 0 \log(0) = -\log(1) = 0.$		
bradley_spring22_ EQ0003	012	■ 1.000 ● N +1	$H(p) = -\frac{1}{2} \log\left(\frac{1}{2}\right) - \frac{1}{2} \log\left(\frac{1}{2}\right) = -\log\left(\frac{1}{2}\right) = -\log(1) - (-\log(2)) = \log(2).$		
bradley_spring22_ EQ0004 (2)	013	■ 1.000 ● N +1	$\text{For each natural number } n, \text{ there is a function } H: \Delta_n \rightarrow \mathbb{R}.$		
bradley_spring22_ EQ0007	018	■ 1.000 ● N +0	$p \circ (q, r) = \left(\frac{1}{5}, \frac{1}{4}, \frac{1}{20}, \frac{3}{20}, \frac{7}{20}\right).$		
bradley_spring22_ EQ0008 (4)	021	■ 1.000 ● N -1	$H(p \circ (q, r)) = H(p) + \frac{1}{2} H(q) + \frac{1}{2} H(r).$		
bradley_spring22_ EQ0009 (5)	022	■ 1.000 ● N +2	$H(p \circ (q^1, q^2, \dots, q^n)) = H(p) + p_1 H(q^1) + p_2 H(q^2) + \dots + p_n H(q^n).$		
bradley_spring22_ EQ0010 (6)	024	■ 1.000 ● N +0	$H(p \circ (q^1, q^2)) = H(p) + p_1 H(q^1) + p_2 H(q^2).$		
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Identifier	Page	Conf.	LaTeX source	Rendered	Scan image
bradley_spring22_ EQ0011 (7)	024	■ 1.000 ● K +0	$H(\bullet \bullet)=H(\bullet)+\bullet H(\bullet) \text{ .}$	$H(\bullet \bullet)=H(\bullet)+\bullet H(\bullet).$	$H(\bullet \bullet)=H(\bullet)+\bullet H(\bullet).$
bradley_spring22_ EQ0012 (8)	024	■ 1.000 ● K +0	$H(\bullet \bullet)=H(\bullet) \bullet+\bullet H(\bullet) \text{ .}$	$H(\bullet \bullet)=H(\bullet) \bullet+\bullet H(\bullet).$	$H(\bullet \bullet)=H(\bullet) \bullet+\bullet H(\bullet).$
bradley_spring22_ EQ0013 (9)	026	■ 1.000 ● N -1	entropy:	<i>entropy</i> :	entropy:
bradley_spring22_ EQ0014	026	■ 1.000 ● N +0	$d(\bullet \bullet)=d(\bullet) \bullet+\bullet d(\bullet)$	$d(\bullet \bullet)=d(\bullet) \bullet+\bullet d(\bullet)$	$d(\bullet \bullet)=d(\bullet) \bullet+\bullet d(\bullet)$
bradley_spring22_ EQ0015	026	■ 1.000 ● K +0	$H(\bullet \bullet)=H(\bullet)+\bullet H(\bullet)$	$H(\bullet \bullet)=H(\bullet)+\bullet H(\bullet)$	$H(\bullet \bullet)=H(\bullet)+\bullet H(\bullet)$
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					

Inline formulas (first occurrence)

Identifier	Page	Conf.	LaTeX source	Rendered
bradley_spring22_ F00001	003	—	p	p
bradley_spring22_ F00002	003	—	1 / p	$1/p$
bradley_spring22_ F00003	003	—	p=1	$p = 1$
bradley_spring22_ F00004	003	—	1 / p=1 / l=1	$1/p = 1/1 = 1$
bradley_spring22_ F00005	003	—	\log (1 / p)=\log (1)=0	$\log(1/p) = \log(1) = 0$
bradley_spring22_ F00006	003	—	\log (1 / p)	$\log(1/p)$
bradley_spring22_ F00007	006	—	x	x
bradley_spring22_ F00008		—	\log (x)	$\log(x)$
bradley_spring22_ F00009	012	—	\log (1)=0	$\log(1) = 0$
bradley_spring22_ F00010	006	—	2 \times 3=6	$2 \times 3 = 6$
bradley_spring22_ F00011	006	—	y	y
bradley_spring22_ F00012	006	—	x \times y	$x \times y$
bradley_spring22_ F00013	007	—	x y	xy
bradley_spring22_ F00014	007	—	\left(x^{\mathrm{3}}\right)^{\mathrm{2}} y^{\mathrm{4}} x^{\mathrm{-1}}	$\left(x^3\right)^2 y^4 x^{-1}$
bradley_spring22_ F00015	007	—	x^{\mathrm{2}}+7 x+12^{\mathrm{\prime \prime}}	$x^2 + 7x + 12''$
bradley_spring22_ F00016	007	—	(2 \times 3) \times 5	$(2 \times 3) \times 5$
bradley_spring22_ F00017	007	—	2 \times (3 \times 5)	$2 \times (3 \times 5)$
bradley_spring22_ F00018	007	—	A_{\infty}	A_∞
bradley_spring22_ F00019	008	—	20=19.999 \ldots	$20 = 19.999 \ldots$
bradley_spring22_ F00020	009	—	X^{\mathrm{\prime \prime}}	X''
bradley_spring22_ F00021	009	—	X	X
bradley_spring22_ F00022	010	—	\left(\frac{1}{2}, \frac{1}{2}\right)	$\left(\frac{1}{2}, \frac{1}{2}\right)$
bradley_spring22_ F00023	010	—	\left(\frac{2}{5}, \frac{1}{2}, \frac{1}{10}\right)	$\left(\frac{2}{5}, \frac{1}{2}, \frac{1}{10}\right)$
bradley_spring22_ F00024	010	—	(7,3)	$(7, 3)$
bradley_spring22_ F00025	010	—	\left(-\frac{2}{5}, -\frac{1}{2}, -\frac{1}{10}\right)	$\left(-\frac{2}{5}, -\frac{1}{2}, -\frac{1}{10}\right)$
bradley_spring22_ F00026	010	—	\frac{1}{2}	$\frac{1}{2}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value				
Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
bradley_spring22_F00027	010	—	$\frac{2}{5}, \frac{1}{2}$	$\frac{2}{5}, \frac{1}{2}$
bradley_spring22_F00028	010	—	$\frac{1}{10}$	$\frac{1}{10}$
bradley_spring22_F00029	010	—	n	n
bradley_spring22_F00030	010	—	$\{1, 2, \ldots, n\}$	$\{1, 2, \dots, n\}$
bradley_spring22_F00031	010	—	$p=\left(p_{\{1\}}, p_{\{2\}}, \ldots, p_{\{n\}}\right)$	$p = (p_1, p_2, \dots, p_n)$
bradley_spring22_F00032	011	—	$p_{\{1\}}+p_{\{2\}}+\cdots+p_{\{n\}}=1$	$p_1 + p_2 + \cdots + p_n = 1$
bradley_spring22_F00033	011	—	$\left(p_{\{1\}}, p_{\{2\}}, \ldots, p_{\{n\}}\right)$	$(p_1, p_2, \dots, p_n)$
bradley_spring22_F00034	011	—	$n=2$	$n = 2$
bradley_spring22_F00035	011	—	$\{1, 2\}$	$\{1, 2\}$
bradley_spring22_F00036	011	—	$p_{\{1\}}=\frac{1}{2}$	$p_1 = \frac{1}{2}$
bradley_spring22_F00037	011	—	$p_{\{2\}}=\frac{1}{2}$	$p_2 = \frac{1}{2}$
bradley_spring22_F00038	011	—	$p=\left(p_{\{1\}}, p_{\{2\}}\right)$	$p = (p_1, p_2)$
bradley_spring22_F00039	011	—	$p=\left(\frac{1}{2}, \frac{1}{2}\right)$	$p = \left(\frac{1}{2}, \frac{1}{2}\right)$
bradley_spring22_F00040	011	—	$H(p)$	$H(p)$
bradley_spring22_F00041	012	—	$\log (1)-\log (p)$	$\log(1) - \log(p)$
bradley_spring22_F00042	012	—	$-\log (p)$	$-\log(p)$
bradley_spring22_F00043	012	—	$-\log \left(p_{\{1\}}\right)$	$-\log(p_1)$
bradley_spring22_F00044	012	—	$-\log \left(p_{\{2\}}\right)$	$-\log(p_2)$
bradley_spring22_F00045	012	—	$\operatorname{logarithm} \log (p)$	$\operatorname{logarithm} \log(p)$
bradley_spring22_F00046	012	—	$p=(1, \theta)$	$p = (1, 0)$
bradley_spring22_F00047	012	—	$\frac{1}{n}$	$\frac{1}{n}$
bradley_spring22_F00048	012	—	$\left(\frac{1}{n}, \frac{1}{n}, \ldots, \frac{1}{n}\right)$	$\left(\frac{1}{n}, \frac{1}{n}, \dots, \frac{1}{n}\right)$
bradley_spring22_F00049	012	—	$\log (n)$	$\log(n)$
bradley_spring22_F00050	012	—	$\theta \leq H(p) \leq \log (n)$	$0 \leq H(p) \leq \log(n)$
bradley_spring22_F00051	013	—	H	H
bradley_spring22_F00052	013	—	$\Delta_{\{n\}}$	Δ_n
bradley_spring22_F00053	013	—	$\Delta^{\{n-1\}}$	Δ^{n-1}
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
bradley_spring22_F00054	013	—	$\mathbb{R}$	$\mathbb{R}$
bradley_spring22_F00055	013	—	$H: \Delta_n \rightarrow \mathbb{R}$	$H: \Delta_n \rightarrow \mathbb{R}$
bradley_spring22_F00056	013	—	$f: X \rightarrow Y$	$f: X \rightarrow Y$
bradley_spring22_F00057	013	—	f	f
bradley_spring22_F00058	013	—	Y	Y
bradley_spring22_F00059	013	—	$f(x)$	$f(x)$
bradley_spring22_F00060	014	—	$n=1,2,3, \ldots$	$n = 1, 2, 3, \dots$
bradley_spring22_F00061	014	—	$H_{\{n\}}$	H_n
bradley_spring22_F00062	014	—	$H: \Delta_1 \rightarrow \mathbb{R}$	$H: \Delta_1 \rightarrow \mathbb{R}$
bradley_spring22_F00063	014	—	$H: \Delta_2 \rightarrow \mathbb{R}$	$H: \Delta_2 \rightarrow \mathbb{R}$
bradley_spring22_F00064	014	—	$H: \Delta_3 \rightarrow \mathbb{R}$	$H: \Delta_3 \rightarrow \mathbb{R}$
bradley_spring22_F00065	014	—	$\Delta_1, \Delta_2, \Delta_3, \ldots$	$\Delta_1, \Delta_2, \Delta_3, \dots$
bradley_spring22_F00066	014	—	Δ_1	Δ_1
bradley_spring22_F00067	014	—	Δ_2	Δ_2
bradley_spring22_F00068	014	—	Δ_3	Δ_3
bradley_spring22_F00069	014	—	Δ_4	Δ_4
bradley_spring22_F00070	014	—	$n=1$	$n = 1$
bradley_spring22_F00071	015	—	x, y	x, y
bradley_spring22_F00072	015	—	$x+y=1$	$x + y = 1$
bradley_spring22_F00073	015	—	$y=1-x$	$y = 1 - x$
bradley_spring22_F00074	015	—	$n=3$	$n = 3$
bradley_spring22_F00075	015	—	x, y, z	x, y, z
bradley_spring22_F00076	015	—	$x+y+z=1$	$x + y + z = 1$
bradley_spring22_F00077	015	—	$z=1-x-y$	$z = 1 - x - y$
bradley_spring22_F00078	015	—	$n=4$	$n = 4$
bradley_spring22_F00079	015	—	$n-1$	$n - 1$
bradley_spring22_F00080	017	—	10%	10%
bradley_spring22_F00081	017	—	$q=\left(\frac{2}{5}, \frac{1}{2}, \frac{1}{10}\right)$	$q = \left(\frac{2}{5}, \frac{1}{2}, \frac{1}{10}\right)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5-0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
bradley_spring22_F00082	017	—	$r=\left(\frac{3}{10}, \frac{7}{10}\right)$	$r = \left(\frac{3}{10}, \frac{7}{10}\right)$
bradley_spring22_F00083	017	—	q	q
bradley_spring22_F00084	017	—	r	r
bradley_spring22_F00085	017	—	$\frac{1}{2} \times \frac{2}{5}=\frac{1}{5}$	$\frac{1}{2} \times \frac{2}{5} = \frac{1}{5}$
bradley_spring22_F00086	017	—	$\frac{1}{2} \times \frac{1}{2}=\frac{1}{4}$	$\frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$
bradley_spring22_F00087	017	—	$\frac{1}{2} \times \frac{1}{10}=\frac{1}{20}$	$\frac{1}{2} \times \frac{1}{10} = \frac{1}{20}$
bradley_spring22_F00088	017	—	$\frac{3}{20}$	$\frac{3}{20}$
bradley_spring22_F00089	017	—	$\frac{7}{20}$	$\frac{7}{20}$
bradley_spring22_F00090	017	—	$\left(\frac{1}{5}, \frac{1}{4}, \frac{1}{20}, \frac{3}{20}, \frac{7}{20}\right)$	$\left(\frac{1}{5}, \frac{1}{4}, \frac{1}{20}, \frac{3}{20}, \frac{7}{20}\right)$
bradley_spring22_F00091	017	—	Δ_5	Δ_5
bradley_spring22_F00092	018	—	$p \times (q, r)$	$p \times (q, r)$
bradley_spring22_F00093	020	—	$f: \mathbb{R}^2 \rightarrow \mathbb{R}$	$f: \mathbb{R}^2 \rightarrow \mathbb{R}$
bradley_spring22_F00094	020	—	(x, y)	(x, y)
bradley_spring22_F00095	020	—	$f(x, y)=x \ y$	$f(x, y) = xy$
bradley_spring22_F00096	020	—	$p=$	$p =$
bradley_spring22_F00097	020	—	$f: \mathbb{R}^n \rightarrow \mathbb{R}$	$f: \mathbb{R}^n \rightarrow \mathbb{R}$
bradley_spring22_F00098	020	—	$x=\left(x_{\{1\}}, x_{\{2\}}, \ldots, x_{\{n\}}\right)$	$x = \left(x_1, x_2, \ldots, x_n\right)$
bradley_spring22_F00099	020	—	$p_{\{1\}}, p_{\{2\}}, \ldots, p_{\{n\}}$	$p_1, p_2, \ldots, p_n$
bradley_spring22_F00100	020	—	$x=$	$x =$
bradley_spring22_F00101	020	—	$\left(x_{\{1\}}, x_{\{2\}}, \ldots, x_{\{n\}}\right)$	$\left(x_1, x_2, \ldots, x_n\right)$
bradley_spring22_F00102	020	—	$p_{\{1\}} \ x_{\{1\}}+p_{\{2\}} \ x_{\{2\}}+\cdots+p_{\{n\}} \ x_{\{n\}}$	$p_1x_1 + p_2x_2 + \cdots + p_nx_n$
bradley_spring22_F00103	021	—	$p, \ q$	p, q
bradley_spring22_F00104	021	—	$p \ \circ (q, \ r)$	$p \circ (q, r)$
bradley_spring22_F00105	021	—	$H(p \ \circ (q, \ r))$	$H(p \circ (q, r))$
bradley_spring22_F00106	021	—	$H(q)$	$H(q)$
bradley_spring22_F00107	021	—	$H(r)$	$H(r)$
bradley_spring22_F00108	021	—	$H(p \ \circ (q, \ r)) \ \stackrel{?}{=} H(p)+H(q)+H(r)$	$H(p \circ (q, r)) \stackrel{?}{=} H(p) + H(q) + H(r)$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				







Identifier	Page	Conf.	LaTeX source	Rendered
bradley_spring22_F00109	022	—	$q^{\{1\}}, q^{\{2\}}, \ldots, q^{\{n\}}$	$q^1, q^2, \dots, q^n$
bradley_spring22_F00110	022	—	$p_{\{1\}}$	p_1
bradley_spring22_F00111	022	—	$q^{\{1\}}$	q^1
bradley_spring22_F00112	022	—	$q^{\{2\}}$	q^2
bradley_spring22_F00113	022	—	$\Delta_{\{17\}}$	Δ_{17}
bradley_spring22_F00114	022	—	$q^{\{3\}}$	q^3
bradley_spring22_F00115	022	—	$p \circ \left(q^{\{1\}}, q^{\{2\}}, \ldots, q^{\{n\}} \right)$	$p \circ (q^1, q^2, \dots, q^n)$
bradley_spring22_F00116	022	—	$\left\{ F: \Delta_{\{n\}} \rightarrow \right.$	$\left. \{ F: \Delta_n \rightarrow \right.$
bradley_spring22_F00117	022	—	$\mathbb{R} \backslash \}$	$\mathbb{R} \}$
bradley_spring22_F00118	022	—	F	F
bradley_spring22_F00119	022	—	$F = c \ H$	$F = cH$
bradley_spring22_F00120	022	—	c	c
bradley_spring22_F00121	023	—	$\left\{ F: \Delta_{\{n\}} \rightarrow \mathbb{R} \right\}_{n \geq 1}$	$\{ F: \Delta_n \rightarrow \mathbb{R} \}_{n \geq 1}$
bradley_spring22_F00122	023	—	$H(p \circ q) = H(p) + H(q)$	$H(p \circ q) = H(p) + H(q)$
bradley_spring22_F00123	023	—	$\circ$	$\circ$
bradley_spring22_F00124	023	—	$f(\bullet \bullet) = f(\bullet) f(\bullet)$	$f(\bullet \bullet) = f(\bullet) f(\bullet)$
bradley_spring22_F00125	023	—	$\bullet$	$\bullet$
bradley_spring22_F00126		—	$p \circ q = q$	$p \circ q = q$
bradley_spring22_F00127		—	$H(p) = 0$	$H(p) = 0$
bradley_spring22_F00128		—	$H(q) = H(q)$	$H(q) = H(q)$
bradley_spring22_F00129		—	$q^{\{1\}} = q$	$q^1 = q$
bradley_spring22_F00130		—	$q^{\{2\}} = r$	$q^2 = r$
bradley_spring22_F00131	025	—	$f: \mathbb{R} \rightarrow \mathbb{R}$	$f: \mathbb{R} \rightarrow \mathbb{R}$
bradley_spring22_F00132	025	—	$f^{\{\prime\}}$	f'
bradley_spring22_F00133	025	—	$\frac{d f}{d x}$	$\frac{df}{dx}$
bradley_spring22_F00134	025	—	$d(f)$	$d(f)$
bradley_spring22_F00135	025	—	g	g
bradley_spring22_F00136	025	—	$(f \ g)^{\{\prime\}}$	$(fg)'$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
bradley_spring22_F00137	025	—	$g^{\{\prime\}}$	g'
bradley_spring22_F00138	025	—	$(f\ g)^{\{\prime\}}(x)=f^{\{\prime\}}(x)\ g(x)+f(x)\ g^{\{\prime\}}(x)$	$(fg)'(x) = f'(x)g(x) + f(x)g'(x)$
bradley_spring22_F00139	025	—	$f\ g$	fg
bradley_spring22_F00140	025	—	$d(f\ g)=d(f)\ g+f\ d(g)$	$d(fg) = d(f)g + fd(g)$
bradley_spring22_F00141	025	—	d	d
bradley_spring22_F00142	025	—	$d(\bullet\bullet)=d(\bullet)\ \bullet+\bullet\ d(\bullet)$	$d(\bullet\bullet) = d(\bullet)\bullet + \bullet d(\bullet)$
bradley_spring22_F00143	025	—	A	A
bradley_spring22_F00144		—	$[0,1]$	$[0,1]$
bradley_spring22_F00145		—	$d:[0,1]\rightarrow\mathbb{R}$	$d:[0,1]\rightarrow\mathbb{R}$
bradley_spring22_F00146		—	$d(x)=-x\log(x)$	$d(x) = -x\log(x)$
bradley_spring22_F00147		—	$x>0$	$x > 0$
bradley_spring22_F00148		—	$d(x)=0$	$d(x) = 0$
bradley_spring22_F00149		—	$x=0$	$x = 0$
bradley_spring22_F00150		—	$d(x\ y)=d(x)\ y+x\ d(y)$	$d(xy) = d(x)y + xd(y)$
bradley_spring22_F00151	026	—	$d:A\rightarrow A$	$d:A\rightarrow A$
bradley_spring22_F00152	026	—	$d(a\ b)=d(a)\ b+a\ d(b)$	$d(ab) = d(a)b + ad(b)$
bradley_spring22_F00153	026	—	a	a
bradley_spring22_F00154	026	—	b	b
bradley_spring22_F00155	026	—	M	M
bradley_spring22_F00156	026	—	$A^{\{\prime\prime\}}$	A''
bradley_spring22_F00157	026	—	$d:A\rightarrow M$	$d:A\rightarrow M$
bradley_spring22_F00158	026	—	$d(a)$	$d(a)$
bradley_spring22_F00159	026	—	$d(a)\ b$	$d(a)b$
bradley_spring22_F00160	026	—	$a\ d(b)$	$ad(b)$
bradley_spring22_F00161	026	—	$0.5\times 8=4$	$0.5\times 8 = 4$
bradley_spring22_F00162	026	—	$0.5\times$	$0.5\times$
bradley_spring22_F00163	026	—	$d(b)$	$d(b)$
bradley_spring22_F00164	026	—	$\mathbf{v}$	$\mathbf{v}$
Conf. MathPix confidence: ■ ≥ 0.9 ■ $0.5\text{--}0.9$ ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Identifier	Page	Conf.	LaTeX source	Rendered
bradley_spring22_F00165	026	—	k	k
bradley_spring22_F00166	027	—	$\left\{H: \Delta_n \rightarrow \mathbb{R}\right\}$	$\{H: \Delta_n \rightarrow \mathbb{R}\}$
bradley_spring22_F00167	027	—	$\left\{d: \Delta_n \rightarrow \boldsymbol{-}\right\}$	$\{d: \Delta_n \rightarrow -\}$
bradley_spring22_F00168	027	—	$d(p): \mathbb{R}^n \rightarrow \mathbb{R}$	$d(p): \mathbb{R}^n \rightarrow \mathbb{R}$
bradley_spring22_F00169	027	—	$\mathbb{R}^n$	$\mathbb{R}^n$
bradley_spring22_F00170	027	—	$\operatorname{hom}\left(\mathbb{R}^n, \mathbb{R}\right)$	$\operatorname{hom}(\mathbb{R}^n, \mathbb{R})$
bradley_spring22_F00171	027	—	$\left\{d: \Delta_n \rightarrow \operatorname{hom}\left(\mathbb{R}^n, \mathbb{R}\right)\right\}$	$\{d: \Delta_n \rightarrow \operatorname{hom}(\mathbb{R}^n, \mathbb{R})\}$
bradley_spring22_F00172	027	—	$d(p \circ q)=d(p) \circ q+q \circ d(q)$	$d(p \circ q)=d(p) \circ q+q \circ d(q)$
bradley_spring22_F00173	027	—	$p \circ q$	$p \circ q$
bradley_spring22_F00174	027	—	$d(p) \circ q$	$d(p) \circ q$
bradley_spring22_F00175	027	—	$q \circ d(q)$	$q \circ d(q)$
bradley_spring22_F00176	027	—	$d(q)$	$d(q)$
bradley_spring22_F00177		—	$\mathbb{R}^n \rightarrow \mathbb{R}$	$\mathbb{R}^n \rightarrow \mathbb{R}$
bradley_spring22_F00178	028	—	$d\left(p \circ\left(q^1, q^2, \ldots, q^n\right)\right)$	$d\left(p \circ\left(q^1, q^2, \ldots, q^n\right)\right)$
bradley_spring22_F00179	029	—	$d(p)(x)=H(p)$	$d(p)(x)=H(p)$
bradley_spring22_F00180	029	—	$d(p)(x)=c H(p)$	$d(p)(x)=c H(p)$
bradley_spring22_F00181	029	—	$d(p)(0)=c H(p)$	$d(p)(0)=c H(p)$
bradley_spring22_F0X_74d6ca9795	009	—	19.99, for instance, but would not expect that an extra penny could afford us a new luxury yacht for \	<i>(not rendered)</i>
Conf. MathPix confidence: ■ ≥ 0.9 ■ 0.5–0.9 ■ < 0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured				

Unrecovered image regions — TikZ / table / failed-math candidates

Regions MathPix left as images (no LaTeX). Reconstruct with pdfdrill vision (LLM classify + transcribe to TikZ/tabular/math); verify an LLM result against the real ink with inkdrill.

Identifier	Page	Image	Source
bradley_spring22_DIA_000009	009		tex.zip (local)
bradley_spring22_DIA_000011	011		tex.zip (local)
bradley_spring22_DIA_000011	011		tex.zip (local)
bradley_spring22_DIA_000015	015		tex.zip (local)
bradley_spring22_DIA_000017	017		tex.zip (local)
bradley_spring22_DIA_000018	018		tex.zip (local)

