










Image regions

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_25 DIA_0001	25	—	—	—	
mielke-geometrodynamics_31 DIA_0002	31	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_32 DIA_0003	32	—	—	—	A diagram of a sphere with a tangent plane. A point m is on the plane. A vector $\frac{\partial}{\partial \theta}$ points upwards from m. A vector $\frac{\partial}{\partial \phi}$ points to the right from m. A vector Δe points from e to $e(o)$. A dashed curve on the sphere is labeled U. A dashed curve on the sphere is labeled ∂U. A dashed curve on the sphere is labeled ∂U.
mielke-geometrodynamics_36 DIA_0004	36	—	—	—	A diagram of a torus with a cross-section. A point m is on the cross-section. A vector π points from m to the center of the torus. A vector δ points from m to the center of the torus. A vector $F_m : \pi^{-1}(m)$ points from m to the center of the torus. A dashed curve on the torus is labeled $U \subset M \approx S^1$.
mielke-geometrodynamics_40 DIA_0005	40	—	—	—	A diagram showing three vertical ellipses. The left ellipse has a vector p pointing downwards. The middle ellipse has a vector H_p pointing downwards and a vector V_p pointing downwards. The right ellipse has a vector p pointing downwards. A point m is on the left ellipse. A point M is on the right ellipse. A dashed curve on the left ellipse is labeled $F_m \approx G$.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_57 DIA_0006	57	—	—	—	
mielke-geometrodynamics_73 DIA_0007	73	—	—	—	
mielke-geometrodynamics_84 DIA_0008	84	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_131 DIA_0009 131 — — —					 A diagram illustrating a spacetime foliation. It shows a curved, light-blue hypersurface Σ_t and a slightly higher, similar hypersurface Σ_{t+dt}. A vertical arrow labeled n points from Σ_t to Σ_{t+dt}, representing the normal vector to the foliation. The surfaces are part of a larger, curved spacetime manifold.
mielke-geometrodynamics_200 DIA_0010 200 — — —					 A diagram illustrating a wormhole geometry. It shows two large, flared, blue-colored regions connected by a narrow, central throat. The surfaces are represented by a grid of lines, and the color gradient transitions from light blue at the edges to a darker purple in the throat.
mielke-geometrodynamics_226 DIA_0011 226 — — —					 A diagram illustrating a 3D grid structure. It shows a rectangular prism composed of a grid of small cubes. A blue square loop is highlighted on the top surface of the prism, indicating a specific path or boundary within the grid.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_DIA_0012	227	—	—	—	
mielke-geometrodynamics_DIA_0013	288	—	—	—	
mielke-geometrodynamics_DIA_0014	290	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_DIA_0015	347	—	—	—	
mielke-geometrodynamics_PIC_0001	258	—	—	—	
mielke-geometrodynamics_PIC_0002	356	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics PIC_0003 359 — —					The plot shows the mass M in MeV on the vertical axis (ranging from 1000 to 2500) against a parameter on the horizontal axis (ranging from $\frac{1}{2}$ to 3). Various baryon states are plotted, including ground states and excited states. A legend in the top left corner identifies the symbols: $\bullet \Omega$, $\bullet \Xi$, $\bullet \Sigma$, $\bullet \Lambda$, $\bullet N, \Delta$ for the 'Black soliton mass formula', and $--- \bullet$ for 'parity baryons'. The plot shows a general upward trend in mass as the parameter increases, with some states crossing each other.