

rph8-g15q: residuals

equations measured 2026-09-05T13:34:39Z against the model of 2026-09-03

Unresolved

Identifier	Page	Conf.	LaTeX source	Rendered	Image
rph8-g15q_EQ0007 (7)	5	■ 0.945 ● W -2	$\begin{array}{ll} \alpha_{(0,0)}=\left[\begin{array}{ll} 1 & 0 \\ 0 & 1 \end{array}\right], & \alpha_{(1,0)}=\left[\begin{array}{ll} 0 & 1 \\ 1 & 0 \end{array}\right], \\ \alpha_{(0,1)}=\left[\begin{array}{ll} -1 & 0 \\ 0 & -1 \end{array}\right], & \alpha_{(1,1)}=\left[\begin{array}{ll} 0 & -1 \\ -1 & 0 \end{array}\right]. \end{array}$	$\alpha_{(0,0)}=\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}, \quad \alpha_{(1,0)}=\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix},$ $\alpha_{(0,1)}=\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}, \quad \alpha_{(1,1)}=\begin{bmatrix} 0 & -1 \\ -1 & 0 \end{bmatrix}.$	
Conf. MathPix confidence: ■ ≥0.9 ■ 0.5-0.9 ■ <0.5 — no value Residual render vs scan (inkdrill): ● C component ● W weak ● S stable ● N noise ● K clean ● not measured					