






















Image regions

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0001	1	—	—	—	
voloshin-hypergraph_ DIA_0002	21	—	—	—	
voloshin-hypergraph_ DIA_0003	22	—	—	—	






Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0004	24	—	—	—	
voloshin-hypergraph_ DIA_0005	25	—	—	—	
voloshin-hypergraph_ DIA_0006	29	—	—	—	
voloshin-hypergraph_ DIA_0007	31	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0008	32	—	—	—	 loop isolated vertices in E_4 isolated vertex in a graph multiple edges arcs
voloshin-hypergraph_ DIA_0009	32	—	—	—	
voloshin-hypergraph_ DIA_0010	33	—	—	—	 G
voloshin-hypergraph_ DIA_0011	34	—	—	—	 P_5
voloshin-hypergraph_ DIA_0012	34	—	—	—	 G_1 G_2
voloshin-hypergraph_ DIA_0013	35	—	—	—	 C_1 C_2 C_3 C_4 C_5 C_6

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0014	35	—	—	—	
voloshin-hypergraph_ DIA_0015	36	—	—	—	
voloshin-hypergraph_ DIA_0016	36	—	—	—	
voloshin-hypergraph_ DIA_0017	37	—	—	—	
voloshin-hypergraph_ DIA_0018	38	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0019	38	—	—	—	
voloshin-hypergraph_ DIA_0020	39	—	—	—	
voloshin-hypergraph_ DIA_0021	40	—	—	—	
voloshin-hypergraph_ DIA_0022	41	—	—	—	
voloshin-hypergraph_ DIA_0023	42	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0024	42	—	—	—	
voloshin-hypergraph_ DIA_0025	43	—	—	—	
voloshin-hypergraph_ DIA_0026	43	—	—	—	
voloshin-hypergraph_ DIA_0027	44	—	—	—	
voloshin-hypergraph_ DIA_0028	44	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0029	46	—	—	—	
voloshin-hypergraph_ DIA_0030	47	—	—	—	
voloshin-hypergraph_ DIA_0031	48	—	—	—	
voloshin-hypergraph_ DIA_0032	49	—	—	—	
voloshin-hypergraph_ DIA_0033	51	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0034	51	—	—	—	
voloshin-hypergraph_ DIA_0035	52	—	—	—	
voloshin-hypergraph_ DIA_0036	52	—	—	—	
voloshin-hypergraph_ DIA_0037	53	—	—	—	
voloshin-hypergraph_ DIA_0038	56	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0039	58	—	—	—	
voloshin-hypergraph_ DIA_0040	59	—	—	—	
voloshin-hypergraph_ DIA_0041	60	—	—	—	
voloshin-hypergraph_ DIA_0042	61	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0043	64	—	—	—	Diagram illustrating a hypergraph structure. Two sets, X and Y, are shown. X contains elements S and S_0. Y contains elements $N_G(S)$ and $N_G(S_0)$. Lines connect S to $N_G(S_0)$ and S_0 to $N_G(S)$. The regions between the sets are labeled G_B and G_A.
voloshin-hypergraph_ DIA_0044	65	—	—	—	Diagram illustrating a hypergraph structure. Two sets, X and Y, are shown. X contains elements S and A. Y contains elements $N_{G_1}(S)$ and B. A dashed line separates the regions G_1 (top) and G_2 (bottom).
voloshin-hypergraph_ DIA_0045	66	—	—	—	Diagram illustrating a grid structure. A set of points is arranged in a grid, connected by lines, forming a rectangular structure.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0046	68	—	—	—	
voloshin-hypergraph_ DIA_0047	68	—	—	—	
voloshin-hypergraph_ DIA_0048	70	—	—	—	
voloshin-hypergraph_ DIA_0049	72	—	—	—	
voloshin-hypergraph_ DIA_0050	74	—	—	—	
voloshin-hypergraph_ DIA_0051	75	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0052	75	—	—	—	
voloshin-hypergraph_ DIA_0053	76	—	—	—	
voloshin-hypergraph_ DIA_0054	76	—	—	—	
voloshin-hypergraph_ DIA_0055	77	—	—	—	
voloshin-hypergraph_ DIA_0056	78	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0057	79	—	—	—	
voloshin-hypergraph_ DIA_0058	80	—	—	—	
voloshin-hypergraph_ DIA_0059	81	—	—	—	
voloshin-hypergraph_ DIA_0060	81	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0061	84	—	—	—	
voloshin-hypergraph_ DIA_0062	84	—	—	—	
voloshin-hypergraph_ DIA_0063	86	—	—	—	
voloshin-hypergraph_ DIA_0064	87	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0065	88	—	—	—	The diagram illustrates the construction of a hypergraph from two base graphs, K_5 and $K_{3,3}$. Top section (K_5): A complete graph K_5 with vertices 1, 2, 3, 4, 5 is shown. It is transformed into a triangle with vertices 1, 2, 3. Vertex 4 is placed either 'inside' or 'outside' the triangle. In both cases, the resulting graph has 'no face for 5'. Bottom section ($K_{3,3}$): A complete bipartite graph $K_{3,3}$ with vertices 1, 2, 3, 4, 5, 6 is shown. It is transformed into a square with vertices 1, 2, 3, 4. Vertex 5 is placed either 'inside' or 'outside' the square. In both cases, the resulting graph has 'no face for 6'.
voloshin-hypergraph_ DIA_0066	91	—	—	—	Two graphs, G_1 and G_2, are shown. G_1 is a complex graph with 10 vertices and many edges. G_2 is a graph with 10 vertices and 12 edges, including a cycle of length 10.
voloshin-hypergraph_ DIA_0067	92	—	—	—	A graph with 10 vertices and 12 edges, including a cycle of length 10.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0068	93	—	—	—	
voloshin-hypergraph_ DIA_0069	97	—	—	—	
voloshin-hypergraph_ DIA_0070	99	—	—	—	
voloshin-hypergraph_ DIA_0071	100	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0072	101	—	—	—	
voloshin-hypergraph_ DIA_0073	102	—	—	—	
voloshin-hypergraph_ DIA_0074	103	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0075	104	—	—	—	
voloshin-hypergraph_ DIA_0076	105	—	—	—	
voloshin-hypergraph_ DIA_0077	107	—	—	—	$E_3 - 2E_2 + E_1 \Rightarrow P(G, \lambda) = \lambda^3 - 2\lambda^2 + \lambda = \lambda(\lambda - 1)^2$




Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0078	108	—	—	—	
voloshin-hypergraph_ DIA_0079	109	—	—	—	
voloshin-hypergraph_ DIA_0080	111	—	—	—	
voloshin-hypergraph_ DIA_0081	112	—	—	—	
voloshin-hypergraph_ DIA_0082	113	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0083	115	—	—	—	
voloshin-hypergraph_ DIA_0084	117	—	—	—	
voloshin-hypergraph_ DIA_0085	119	—	—	—	
voloshin-hypergraph_ DIA_0086	120	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0087	121	—	—	—	
voloshin-hypergraph_ DIA_0088	122	—	—	—	
voloshin-hypergraph_ DIA_0089	124	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0090	125	—	—	—	The diagram shows a transformation from a single edge (two vertices connected by a line) to a more complex graph structure. The resulting graph has five vertices and several edges, with one vertex highlighted by a dashed circle.
voloshin-hypergraph_ DIA_0091	125	—	—	—	The diagram shows a complex graph structure with many vertices and edges, forming a dense network.
voloshin-hypergraph_ DIA_0092	126	—	—	—	The diagram shows two graph structures, G and $\bar{G}$, with vertices labeled 1, 2, 3. G is a graph with five vertices and several edges, while $\bar{G}$ is its complement.
voloshin-hypergraph_ DIA_0093	129	—	—	—	The diagram shows two graph structures, G and $L(G)$, with vertices labeled a, b, c, d, e. The top part shows G with edge coloring and $L(G)$ with vertex coloring. The bottom part shows G with edge coloring and $L(G)$ with vertex coloring.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0094	130	—	—	—	
voloshin-hypergraph_ DIA_0095	131	—	—	—	
voloshin-hypergraph_ DIA_0096	133	—	—	—	
voloshin-hypergraph_ DIA_0097	134	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0098	136	—	—	—	 A graph G with 6 vertices. The vertices are arranged in a roughly circular pattern. There are several edges: a cycle of 5 vertices at the top, and a cycle of 3 vertices at the bottom. There are also several edges connecting vertices between the top and bottom cycles.
voloshin-hypergraph_ DIA_0099	140	—	—	—	 A graph with 10 vertices. The vertices are arranged in a roughly rectangular pattern. There are several edges: a cycle of 5 vertices on the left, a cycle of 3 vertices on the right, and a cycle of 2 vertices in the middle. There are also several edges connecting vertices between the cycles.
voloshin-hypergraph_ DIA_0100	141	—	—	—	 A graph with 6 vertices labeled $x_1, x_2, x_i, x_{i+1}, x_{n-1}, x_n$. The vertices are arranged in a roughly rectangular pattern. There are several edges: a cycle of 5 vertices $x_1, x_2, x_i, x_{i+1}, x_n$, and a cycle of 2 vertices x_{i+1}, x_{n-1}. There are also several edges connecting vertices between the cycles.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0101	145	—	—	—	The image displays three network flow diagrams arranged vertically, connected by downward arrows, illustrating the progression of a flow augmentation algorithm. Each diagram features a source node u and a sink node v, with intermediate nodes x_1, x_2, x_3, x_4. Initial flow F_0: - Edge $u \rightarrow x_1$: (0,3) - Edge $u \rightarrow x_4$: (1,5) - Edge $x_1 \rightarrow x_2$: (1,7) - Edge $x_1 \rightarrow x_3$: (1,1) - Edge $x_2 \rightarrow v$: (1,6) - Edge $x_3 \rightarrow v$: (0,2) - Edge $x_4 \rightarrow x_3$: (1,4) Flow F_1: - Edge $u \rightarrow x_1$: (1,3) - Edge $u \rightarrow x_4$: (1,5) - Edge $x_1 \rightarrow x_2$: (1,7) - Edge $x_1 \rightarrow x_3$: (0,1) - Edge $x_2 \rightarrow v$: (1,6) - Edge $x_3 \rightarrow v$: (1,2) - Edge $x_4 \rightarrow x_3$: (1,4) Flow F_2: - Edge $u \rightarrow x_1$: (3,3) - Edge $u \rightarrow x_4$: (1,5) - Edge $x_1 \rightarrow x_2$: (3,7) - Edge $x_1 \rightarrow x_3$: (0,1) - Edge $x_2 \rightarrow v$: (3,6) - Edge $x_3 \rightarrow v$: (1,2) - Edge $x_4 \rightarrow x_3$: (1,4)

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0102	146	—	—	—	
voloshin-hypergraph_ DIA_0103	151	—	—	—	
voloshin-hypergraph_ DIA_0104	155	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																										
voloshin-hypergraph_ DIA_0105	157	—	—	—	Diagram illustrating the relationship between a hypergraph $\mathcal{H} = (X, \mathcal{D})$, its incidence matrix $I(\mathcal{H})$, and its bipartite graph $B(\mathcal{H})$. The hypergraph $\mathcal{H}$ has vertices $1, 2, 3, 4, 5, 6$ and hyperedges D_1, D_2, D_3, D_4, D_5. The incidence matrix $I(\mathcal{H})$ is: <table border="1"> <thead> <tr> <th></th><th>D_1</th><th>D_2</th><th>D_3</th><th>D_4</th><th>D_5</th></tr> </thead> <tbody> <tr> <th>1</th><td>1</td><td>1</td><td>1</td><td>0</td><td>0</td></tr> <tr> <th>2</th><td>0</td><td>1</td><td>1</td><td>1</td><td>0</td></tr> <tr> <th>3</th><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td></tr> <tr> <th>4</th><td>0</td><td>0</td><td>1</td><td>0</td><td>1</td></tr> <tr> <th>5</th><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td></tr> <tr> <th>6</th><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></tr> </tbody> </table> The bipartite graph $B(\mathcal{H})$ has vertices $1, 2, 3, 4, 5, 6$ and hyperedges D_1, D_2, D_3, D_4, D_5. The hypergraph $\mathcal{H}^*$ has vertices $d_1, d_2, d_3, d_4, d_5, 6$ and hyperedges $1, 2, 3, 4, 5$.		D_1	D_2	D_3	D_4	D_5	1	1	1	1	0	0	2	0	1	1	1	0	3	0	0	0	1	1	4	0	0	1	0	1	5	0	0	0	1	1	6	0	0	0	0	0
	D_1	D_2	D_3	D_4	D_5																																										
1	1	1	1	0	0																																										
2	0	1	1	1	0																																										
3	0	0	0	1	1																																										
4	0	0	1	0	1																																										
5	0	0	0	1	1																																										
6	0	0	0	0	0																																										
voloshin-hypergraph_ DIA_0106	158	—	—	—	Diagram illustrating the relationship between a graph G and its dual graph G^*. The graph G has vertices $1, 2, 3, 4, 5$ and edges a, b, c, d, e. The dual graph G^* has vertices a, b, c, d, e and edges $1, 2, 3, 4, 5$.																																										

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0107	161	—	—	—	K_4^0 K_4^1 K_4^2 K_4^3 K_4^4
voloshin-hypergraph_ DIA_0108	163	—	—	—	$\mathcal{H}$ delete x strongly $\mathcal{H}_1 = \mathcal{H} - x$
voloshin-hypergraph_ DIA_0109	163	—	—	—	$\mathcal{H}$ delete x weakly $\mathcal{H}_1 = \mathcal{H} - x$
voloshin-hypergraph_ DIA_0110	164	—	—	—	$\mathcal{H}$ delete D strongly $\mathcal{H}_1 = \mathcal{H} - D$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0111	164	—	—	—	
voloshin-hypergraph_ DIA_0112	165	—	—	—	
voloshin-hypergraph_ DIA_0113	166	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0114	168	—	—	—	
voloshin-hypergraph_ DIA_0115	171	—	—	—	
voloshin-hypergraph_ DIA_0116	172	—	—	—	



Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0117	174	—	—	—	$\mathcal{H} = K_3$ not conformal, not Helly $\mathcal{H}_1$ - conformal, not Helly $\mathcal{H}_2 \cong \mathcal{H}_1^*$ - Helly, not conformal $\mathcal{H}_3 \cong \mathcal{H}_3^*$ - Helly, conformal
voloshin-hypergraph_ DIA_0118	178	—	—	—	T C_4 T C_4

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0119	179	—	—	—	$\mathcal{H}_1$ $\mathcal{H}_2$
voloshin-hypergraph_ DIA_0120	180	—	—	—	$\mathcal{H}$ $\mathcal{H}_0$
voloshin-hypergraph_ DIA_0121	181	—	—	—	$\mathcal{H}_0^*$ $\mathcal{H}^*$
voloshin-hypergraph_ DIA_0122	181	—	—	—	$\mathcal{H}_0^*$ $\mathcal{H}^*$
voloshin-hypergraph_ DIA_0123	182	—	—	—	G $\mathcal{H}$ $\mathcal{H}^*$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0124	183	—	—	—	
voloshin-hypergraph_ DIA_0125	186	—	—	—	
voloshin-hypergraph_ DIA_0126	187	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0127	188	—	—	—	
voloshin-hypergraph_ DIA_0128	189	—	—	—	
voloshin-hypergraph_ DIA_0129	191	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0130	194	—	—	—	Diagram illustrating a hypergraph $\mathcal{H}$ and its relationship to a tree $T \subseteq [\mathcal{H}]_2$. The top part shows $\mathcal{H}$ with a vertex x and an arrow pointing to T. The bottom part shows $\mathcal{H} - x$ and an arrow pointing to $T - x$.
voloshin-hypergraph_ DIA_0131	196	—	—	—	Diagram illustrating two hypergraphs $\mathcal{H}_1$ and $\mathcal{H}_2$.
voloshin-hypergraph_ DIA_0132	198	—	—	—	Diagram illustrating a hypergraph structure with multiple vertices and hyperedges.
voloshin-hypergraph_ DIA_0133	199	—	—	—	Diagram illustrating two hypergraph structures, one above the other.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0134	200	—	—	—	
voloshin-hypergraph_ DIA_0135	202	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0136	203	—	—	—	




Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0137	206	—	—	—	
voloshin-hypergraph_ DIA_0138	207	—	—	—	





Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0139	210	—	—	—	
voloshin-hypergraph_ DIA_0140	213	—	—	—	
voloshin-hypergraph_ DIA_0141	216	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0142	217	—	—	—	The diagram shows a hypergraph $\mathcal{H}$ with four vertices. Three hyperedges are drawn as ellipses, each containing two vertices. These three hyperedges are arranged such that their common intersection is empty, but they collectively cover all four vertices, forming a triangular structure.
voloshin-hypergraph_ DIA_0143	218	—	—	—	The diagram shows a hypergraph with two vertices labeled 1 and 2. There are two hyperedges: a dashed ellipse labeled C and a solid ellipse labeled D. Both hyperedges contain both vertices 1 and 2.
voloshin-hypergraph_ DIA_0144	221	—	—	—	The diagram shows a hypergraph with five vertices labeled 1, 2, 3, 4, and 5. There are four hyperedges: C_1 (dashed ellipse containing vertices 1, 2, 3, 4), C_2 (dashed ellipse containing vertices 1, 2, 3, 5), D_1 (solid ellipse containing vertices 1, 2, 3, 4), and D_2 (solid ellipse containing vertices 1, 2, 3, 5). Vertices 1 and 2 are at the top, 3 is in the middle, and 4 and 5 are at the bottom.
voloshin-hypergraph_ DIA_0145	222	—	—	—	The diagram shows two hypergraphs, $\mathcal{H}_1$ and $\mathcal{H}_2$. $\mathcal{H}_1$ has three vertices and three hyperedges D_1, D_2, and D_3 forming a triangle, all contained within a dashed ellipse C_1. $\mathcal{H}_2$ has three vertices and three hyperedges C_1, C_2, and C_3 meeting at a central vertex, all contained within a solid ellipse D_1.
voloshin-hypergraph_ DIA_0146	223	—	—	—	The diagram shows a hypergraph $\mathcal{H}$ with four vertices. There are two hyperedges, each represented by a solid ellipse. These two hyperedges intersect at two vertices, and each also contains one additional vertex, for a total of four vertices.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0147	226	—	—	—	
voloshin-hypergraph_ DIA_0148	229	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0149	232	—	—	—	The diagram illustrates the decomposition of a hypergraph C into simpler components through a series of operations: Top row: C (a diamond shape with nodes 1, 2, 3, 4 and edges D_1, D_2, D_3, D_4) is equal to the sum of two hypergraphs. The first is a diamond with nodes 1, 2, 3, 4 and edges D_1, D_2, D_3. The second is a diamond with nodes 1, 2, 3, 4 and edges D_1, D_2, D_4. Second row: The first hypergraph from the top row is further decomposed into two parts: a diamond with nodes 1, 2, 3, 4 and edges D_1, D_2, D_3 (labeled "elimination") and a diamond with nodes 1, 2, 3, 4 and edges D_1, D_2, D_4 (labeled "C-clearing + contraction 24"). Third row: The second hypergraph from the top row is further decomposed into two parts: a triangle with nodes 1, 2, 3 (labeled "spl. 24") and a triangle with nodes 1, 2, 4 (labeled "C-clearing + contraction 13"). Bottom row: The triangle with nodes 1, 2, 3 is further decomposed into two parts: a triangle with nodes 1, 2, 3 (labeled "spl. 24") and a triangle with nodes 1, 2, 4 (labeled "C-clearing + contraction 24"). Final result: The sum of the three components is equal to the sum of three components: a triangle with nodes 1, 2, 3, a triangle with nodes 1, 3, 4, and a triangle with nodes 1, 2, 4.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0150	234	—	—	—	
voloshin-hypergraph_ DIA_0151	235	—	—	—	
voloshin-hypergraph_ DIA_0152	237	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0153	238	—	—	—	
voloshin-hypergraph_ DIA_0154	239	—	—	—	
voloshin-hypergraph_ DIA_0155	242	—	—	—	
voloshin-hypergraph_ DIA_0156	242	—	—	—	$\mathcal{H}$ 

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0157	244	—	—	—	
voloshin-hypergraph_ DIA_0158	250	—	—	—	
voloshin-hypergraph_ DIA_0159	251	—	—	—	
voloshin-hypergraph_ DIA_0160	253	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0161	257	—	—	—	
voloshin-hypergraph_ DIA_0162	258	—	—	—	
voloshin-hypergraph_ DIA_0163	259	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0164	261	—	—	—	
voloshin-hypergraph_ DIA_0165	262	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0166	265	—	—	—	
voloshin-hypergraph_ DIA_0167	267	—	—	—	
voloshin-hypergraph_ DIA_0168	269	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0169	271	—	—	—	
voloshin-hypergraph_ DIA_0170	275	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0171	276	—	—	—	
voloshin-hypergraph_ DIA_0172	277	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0173	280	—	—	—	The diagram illustrates a mapping G from a simple graph to a hypergraph. The top graph has nodes Z_1, Z_2, Z_3 and edges $\{a, c\}, \{a, b\}, \{b, c\}$. The bottom hypergraph $\mathcal{H} = (X, \mathcal{C}, \mathcal{D})$ has nodes a, b, c and hyperedges Z_1, Z_2, Z_3. A double-headed arrow labeled G connects the two graphs.
voloshin-hypergraph_ DIA_0174	281	—	—	—	The diagram illustrates a mapping G from a bipartite graph to a hypergraph. The top graph has nodes x_1, x_2, x_3, x_4 (jobs) and y_1, y_2, y_3, y_4, y_5 (resources). The bottom hypergraph $\mathcal{H} = (X, \mathcal{C}, \mathcal{D})$ has nodes x_1, x_2, x_3, x_4 and hyperedges Z_1, Z_2, Z_3. A double-headed arrow labeled G connects the two graphs.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
voloshin-hypergraph_ DIA_0175	284	—	—	—	Induction basis Induction hypothesis Induction step
voloshin-hypergraph_ DIA_0176	284	—	—	—	Induction basis Induction hypothesis Induction step