






2010.14265: image evidence

Image regions

Identifier	Page	Conf.	LaTeX source	Rendered	Image
2010.14265_DIA_0001	1	—	—	—	
2010.14265_DIA_0002	3	—	—	—	
2010.14265_DIA_0003	5	—	—	—	
2010.14265_DIA_0004	6	—	—	—	
2010.14265_DIA_0005	7	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
2010.14265_DIA_0006	9	—	<pre> \begin{lstlisting}[mathescape=true] Algorithm 1: Modified GS for Markov Blankets input : Random variables $\mathbf{V}$ with joint distribution P, Target $T \in \mathbf{V}$ output : $\mathbf{MB}(T)$ $\mathbf{V}' \leftarrow \mathbf{V} \setminus T$ $\mathbf{S} \leftarrow \emptyset$ // Grow Phase while $\exists X \in \mathbf{V}' : T \not\perp_P X \mid \mathbf{S}$ do $\mathbf{S} \leftarrow \mathbf{S} \cup \{X\}$ // Shrink Phase while $\exists X \in \mathbf{S} : T \perp_P X \mid \mathbf{S} \setminus X$ do $\mathbf{S} \leftarrow \mathbf{S} \setminus X$ return $\mathbf{S}$ \end{lstlisting> </pre>	(not rendered)	Algorithm 1: Modified GS for Markov Blankets input : Random variables $\mathbf{V}$ with joint distribution P , Target $T \in \mathbf{V}$ output : $\mathbf{MB}(T)$ 1 $\mathbf{V}' \leftarrow \mathbf{V} \setminus T$; 2 $\mathbf{S} \leftarrow \emptyset$; // Grow Phase 3 while $(\exists X \in \mathbf{V}' : T \not\perp_P X \mid \mathbf{S}) \vee$ $(\exists X, Z \in \mathbf{V}' : T \not\perp_P X \mid \mathbf{S} \cup \{Z\})$ do 4 $\mathbf{S} \leftarrow \mathbf{S} \cup \{X\}$; // Shrink Phase 5 while $\exists X \in \mathbf{S} : T \perp_P X \mid \mathbf{S} \setminus X$ do 6 $\mathbf{S} \leftarrow \mathbf{S} \setminus X$; 7 return $\mathbf{S}$