

cardona-qft-methods: table evidence

Tables

Identifier	Page	Conf.	LaTeX source	Rendered	Image																																																																								
cardona-qft-methods_ TAB_001	43	■ 1.000	<pre>\begin{tabular}{t}{ l l l l l l l l l } \hline \\\(d\\) & 0 & 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ \hline \\\(\\epsilon\\) & 1 & -1 & 1 & 1 & 1 & -1 & 1 & 1 \\ \hline \\\(\\epsilon^\\prime\\) & 1 & 1 & -1 & -1 & -1 & -1 & 1 & 1 \\ \hline \\\(\\epsilon^\\prime^\\prime\\) & 1 & & -1 & & 1 & & -1 & \\ \hline \\end{tabular}</pre>	<table><tr><td>d</td><td>0</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td></tr><tr><td>ϵ</td><td>1</td><td>-1</td><td>1</td><td>1</td><td>1</td><td>-1</td><td>1</td><td>1</td></tr><tr><td>ϵ'</td><td>1</td><td>1</td><td>-1</td><td>-1</td><td>-1</td><td>-1</td><td>1</td><td>1</td></tr><tr><td>ϵ''</td><td>1</td><td></td><td>-1</td><td></td><td>1</td><td></td><td>-1</td><td></td></tr></table>	d	0	1	2	3	4	5	6	7	ϵ	1	-1	1	1	1	-1	1	1	ϵ'	1	1	-1	-1	-1	-1	1	1	ϵ''	1		-1		1		-1		<table><tr><td>d</td><td>0</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td></tr><tr><td>ϵ</td><td>1</td><td>-1</td><td>1</td><td>1</td><td>1</td><td>-1</td><td>1</td><td>1</td></tr><tr><td>ϵ'</td><td>1</td><td>1</td><td>-1</td><td>-1</td><td>-1</td><td>-1</td><td>1</td><td>1</td></tr><tr><td>ϵ''</td><td>1</td><td></td><td>-1</td><td></td><td>1</td><td></td><td>-1</td><td></td></tr></table>	d	0	1	2	3	4	5	6	7	ϵ	1	-1	1	1	1	-1	1	1	ϵ'	1	1	-1	-1	-1	-1	1	1	ϵ''	1		-1		1		-1	
d	0	1	2	3	4	5	6	7																																																																					
ϵ	1	-1	1	1	1	-1	1	1																																																																					
ϵ'	1	1	-1	-1	-1	-1	1	1																																																																					
ϵ''	1		-1		1		-1																																																																						
d	0	1	2	3	4	5	6	7																																																																					
ϵ	1	-1	1	1	1	-1	1	1																																																																					
ϵ'	1	1	-1	-1	-1	-1	1	1																																																																					
ϵ''	1		-1		1		-1																																																																						
cardona-qft-methods_ TAB_002	181	■ 0.546	<pre>\begin{tabular}{t}{ l l l } \hline \\\(D=3\\) CS Lagrangians & Characteristic classes & Groups \\ \hline \\\[L_3^\\wedge\\{A\\} d S]=\\epsilon_{a b c}\\left(R^\\wedge\\{a b}\\ \pm \\frac{e^\\wedge\\{a} e^\\wedge\\{b}\\}{3 l^2}\\right) e^\\wedge\\{c} \\ \\\] & \\\(\\mathbf{E}_4=\\epsilon_{a b c}\\left(R^\\wedge\\{a b}\\ \pm \\frac{e^\\wedge\\{a} e^\\wedge\\{b}\\}{l^2}\\right) T^\\wedge\\{c}\\) & \\ \hline \\begin{tabular}{t}{ l } \\ \hline \\(S 0(4)\\), \\ \\(S 0(3,1)\\) \\ \\or \\(S 0(2,2)\\) \\ \\end{tabular} \\ \\ \hline \\(L_3^\\wedge\\{\\text{Lor}\\}\\)=\\omega^\\wedge\\{a\\}\\{\\}_\\{b}\\ d \\omega^\\wedge\\{b\\}\\{\\}_\\{a\\}+\\frac{2}{3}\\omega^\\wedge\\{a\\}\\{\\}_\\{b}\\ \\omega^\\wedge\\{b\\}\\{\\}_\\{c}\\ \\omega^\\wedge\\{c\\}\\{\\}_\\{a}\\ \\) & \\\(\\mathbf{P}_4^\\wedge\\{\\text{Lor}\\}\\=R^\\wedge\\{a\\}\\{\\}_\\{b}\\ R^\\wedge\\{b\\}\\{\\}_\\{a}\\) & \\(S 0(2,1)\\) \\ \\ \hline \\(L_3^\\wedge\\{T o r\\}\\=e^\\wedge\\{a} T_\\wedge\\{a}\\) & \\\(\\mathbf{N}_4=T^\\wedge\\{a} T_\\wedge\\{a}-e^\\wedge\\{a} e^\\wedge\\{b} R_\\wedge\\{a b}\\) & \\(S 0(2,1)\\) \\ \\ \hline \\(L_3^\\wedge\\{U(1)\\}=A d A\\) & \\\(\\mathbf{P}_4^U(1)\\)=F F\\) & \\(U(1)\\) \\ \\ \hline \\(L_3^\\wedge\\{S U(N)\\}=\\operatorname{Tr}\\left[\\mathbf{A} d \\mathbf{A}+\\frac{2}{3} \\mathbf{A} \\mathbf{A} \\mathbf{A}\\right] \\) & \\\(\\mathbf{P}_4^{SU(4)}=\\operatorname{Tr}\\left[\\mathbf{F} \\mathbf{F}\\right] \\) & \\(S U(N)\\) \\ \\ \hline \\end{tabular}</pre>	(not rendered)	<table><tr><th>$D = 3$ CS Lagrangians</th><th>Characteristic classes</th><th>Groups</th></tr><tr><td>$L_3^{(A)dS} = \epsilon_{abc}(R^{ab} \pm \frac{e^a e^b}{3l^2})e^c$</td><td>$\mathbf{E}_4 = \epsilon_{abc}(R^{ab} \pm \frac{e^a e^b}{l^2})T^c$</td><td>$SO(4)$, $SO(3, 1)$ or $SO(2, 2)$</td></tr><tr><td>$L_3^{Lor} = \omega^a_b d\omega^b_a + \frac{2}{3}\omega^a_b \omega^b_c \omega^c_a$</td><td>$\mathbf{P}_4^{Lor} = R^a_b R^b_a$</td><td>$SO(2, 1)$</td></tr><tr><td>$L_3^{Tor} = e^a T_a$</td><td>$\mathbf{N}_4 = T^a T_a - e^a e^b R_{ab}$</td><td>$SO(2, 1)$</td></tr><tr><td>$L_3^{U(1)} = AdA$</td><td>$\mathbf{P}_4^{U(1)} = FF$</td><td>$U(1)$</td></tr><tr><td>$L_3^{SU(N)} = Tr[\mathbf{A}d\mathbf{A} + \frac{2}{3}\mathbf{A}\mathbf{A}\mathbf{A}]$</td><td>$\mathbf{P}_4^{SU(4)} = Tr[\mathbf{F}\mathbf{F}]$</td><td>$SU(N)$</td></tr></table>	$D = 3$ CS Lagrangians	Characteristic classes	Groups	$L_3^{(A)dS} = \epsilon_{abc}(R^{ab} \pm \frac{e^a e^b}{3l^2})e^c$	$\mathbf{E}_4 = \epsilon_{abc}(R^{ab} \pm \frac{e^a e^b}{l^2})T^c$	$SO(4)$, $SO(3, 1)$ or $SO(2, 2)$	$L_3^{Lor} = \omega^a_b d\omega^b_a + \frac{2}{3}\omega^a_b \omega^b_c \omega^c_a$	$\mathbf{P}_4^{Lor} = R^a_b R^b_a$	$SO(2, 1)$	$L_3^{Tor} = e^a T_a$	$\mathbf{N}_4 = T^a T_a - e^a e^b R_{ab}$	$SO(2, 1)$	$L_3^{U(1)} = AdA$	$\mathbf{P}_4^{U(1)} = FF$	$U(1)$	$L_3^{SU(N)} = Tr[\mathbf{A}d\mathbf{A} + \frac{2}{3}\mathbf{A}\mathbf{A}\mathbf{A}]$	$\mathbf{P}_4^{SU(4)} = Tr[\mathbf{F}\mathbf{F}]$	$SU(N)$																																																						
$D = 3$ CS Lagrangians	Characteristic classes	Groups																																																																											
$L_3^{(A)dS} = \epsilon_{abc}(R^{ab} \pm \frac{e^a e^b}{3l^2})e^c$	$\mathbf{E}_4 = \epsilon_{abc}(R^{ab} \pm \frac{e^a e^b}{l^2})T^c$	$SO(4)$, $SO(3, 1)$ or $SO(2, 2)$																																																																											
$L_3^{Lor} = \omega^a_b d\omega^b_a + \frac{2}{3}\omega^a_b \omega^b_c \omega^c_a$	$\mathbf{P}_4^{Lor} = R^a_b R^b_a$	$SO(2, 1)$																																																																											
$L_3^{Tor} = e^a T_a$	$\mathbf{N}_4 = T^a T_a - e^a e^b R_{ab}$	$SO(2, 1)$																																																																											
$L_3^{U(1)} = AdA$	$\mathbf{P}_4^{U(1)} = FF$	$U(1)$																																																																											
$L_3^{SU(N)} = Tr[\mathbf{A}d\mathbf{A} + \frac{2}{3}\mathbf{A}\mathbf{A}\mathbf{A}]$	$\mathbf{P}_4^{SU(4)} = Tr[\mathbf{F}\mathbf{F}]$	$SU(N)$																																																																											

Identifier	Page	Conf.	LaTeX source	Rendered	Image								
cardona-qft-methods_ TAB_008	287	■ 0.514	$\begin{tabular}[t]{t l l}\hline \mathfrak{s} \mathfrak{u}(2 \mid 2) & \text{create } (8_{\{B\}} + 8_{\{F\}}) \text{ magnons} \\ \hline \text{destroy } 8 + 8 \text{ magnons} & \overline{\mathfrak{s} \mathfrak{u}(2 2)} \\ \hline \end{tabular}$	<table><tr><td>$\mathfrak{su}(2 \mid 2)$</td><td>create $8_B + 8_F$ magnons</td></tr><tr><td>destroy $8 + 8$ magnons</td><td>$\mathfrak{su}(2 \mid 2)$</td></tr></table>	$\mathfrak{su}(2 \mid 2)$	create $8_B + 8_F$ magnons	destroy $8 + 8$ magnons	$\mathfrak{su}(2 \mid 2)$	<table><tr><td>$\mathfrak{su}(2 2)$</td><td>create $8_B + 8_F$ magnons</td></tr><tr><td>destroy $8 + 8$ magnons</td><td>$\overline{\mathfrak{su}(2 2)}$</td></tr></table>	$\mathfrak{su}(2 2)$	create $8_B + 8_F$ magnons	destroy $8 + 8$ magnons	$\overline{\mathfrak{su}(2 2)}$
$\mathfrak{su}(2 \mid 2)$	create $8_B + 8_F$ magnons												
destroy $8 + 8$ magnons	$\mathfrak{su}(2 \mid 2)$												
$\mathfrak{su}(2 2)$	create $8_B + 8_F$ magnons												
destroy $8 + 8$ magnons	$\overline{\mathfrak{su}(2 2)}$												