







Image regions

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_25 DIA_0001	25	—	—	—	
mielke-geometrodynamics_31 DIA_0002	31	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_32 DIA_0003	32	—	—	—	
mielke-geometrodynamics_36 DIA_0004	36	—	—	—	
mielke-geometrodynamics_40 DIA_0005	40	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_131 DIA_0009 131 — — —					 A diagram illustrating a spacetime foliation. It shows a curved, light-blue hypersurface Σ_t and a slightly higher, similar hypersurface Σ_{t+dt}. A vertical arrow labeled n points from Σ_t to Σ_{t+dt}, representing the normal vector to the foliation. The surfaces are part of a larger, curved spacetime manifold.
mielke-geometrodynamics_200 DIA_0010 200 — — —					 A diagram illustrating a wormhole geometry. It shows two large, flared, blue-colored regions connected by a narrow, central throat. The surfaces are represented by a grid of lines, and the color gradient transitions from light blue at the edges to a darker purple/blue in the center of the throat.
mielke-geometrodynamics_226 DIA_0011 226 — — —					 A diagram illustrating a 3D grid structure. It shows a rectangular prism composed of a grid of small cubes. A blue square loop is highlighted on the top surface of the grid, indicating a specific path or boundary within the structure.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_DIA_0012	227	—	—	—	
mielke-geometrodynamics_DIA_0013	288	—	—	—	
mielke-geometrodynamics_DIA_0014	290	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_DIA_0015	347	—	—	—	
mielke-geometrodynamics_PIC_0001	258	—	—	—	
mielke-geometrodynamics_PIC_0002	356	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics PIC_0003 359					The plot shows the mass M in MeV on the vertical axis (ranging from 1000 to 2500) against a parameter on the horizontal axis (ranging from $\frac{1}{2}$ to 3). Various baryon states are plotted, including ground states and excited states. A legend in the top left corner identifies the symbols: $\bullet \Omega$, $\bullet \Xi$, $\bullet \Sigma$, $\bullet \Lambda$, $\bullet N, \Delta$ for the 'Black soliton mass formula', and $-\bullet$ for 'parity baryons'. The plot shows a general upward trend in mass as the parameter increases, with some states branching off at specific values.