

penev_B: equation evidence

Display equations

Identifier	Page	Conf.	LaTeX source	Rendered	Image
penev_B_ E00037 (5.19)	10	■ 0.287	$\begin{aligned} A^{\mathbf{m}}(\mathbf{x}) = & \left[\begin{array}{c} p^{\mathbf{l}}(\mathbf{x}) \\ P^{\mathbf{M}}(\mathbf{x}) \end{array} \right] \left[\begin{array}{cc} (q^{-1})^m & \mathbf{0} \\ \mathbf{0} & 0 \end{array} \right] + \\ & + \bar{z} \left[\begin{array}{c} p^{\mathbf{l}}(\mathbf{x}) \\ P^{\mathbf{M}}(\mathbf{x}) \end{array} \right] \left(\left[\begin{array}{c} -u^T \\ 1 \end{array} \right] \left[\begin{array}{cc} -u & 1 \end{array} \right] \right)^m = \\ = & \left[\begin{array}{c} p^{\mathbf{l}}(\mathbf{x}) (q^{-1})^m \\ P^{\mathbf{M}}(\mathbf{x}) - p^{\mathbf{l}}(\mathbf{x}) u^T \end{array} \right] \left[\begin{array}{cc} -u^m & 1 \end{array} \right] = \\ = & \left[\begin{array}{cc} a^{\mathbf{m}}(\mathbf{x}) & \mathbf{0} \end{array} \right] + \bar{z} A(\mathbf{x}) \left[\begin{array}{cc} -u^m & 1 \end{array} \right] \end{aligned}$	$A^m(\mathbf{x}) = \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left[\begin{array}{cc} (q^{-1})^m & \mathbf{0} \\ \mathbf{0} & 0 \end{array} \right] + \\ + \bar{z} \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left(\left[\begin{array}{c} -u^T \\ 1 \end{array} \right] \left[\begin{array}{cc} -u & 1 \end{array} \right] \right)^m = \\ = \left[\begin{array}{c} p^l(\mathbf{x}) (q^{-1})^m \\ P^M(\mathbf{x}) - p^l(\mathbf{x}) u^T \end{array} \right] \left[\begin{array}{cc} -u^m & 1 \end{array} \right] = \\ = \left[\begin{array}{cc} a^m(\mathbf{x}) & \mathbf{0} \end{array} \right] + \bar{z} A(\mathbf{x}) \left[\begin{array}{cc} -u^m & 1 \end{array} \right]$	$A^m(\mathbf{x}) = \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left[\begin{array}{cc} (q^{-1})^m & \mathbf{0} \\ \mathbf{0} & 0 \end{array} \right] + \\ + \bar{z} \left[\begin{array}{c} p^l(\mathbf{x}) \\ P^M(\mathbf{x}) \end{array} \right] \left(\left[\begin{array}{c} -u^T \\ 1 \end{array} \right] \left[\begin{array}{cc} -u & 1 \end{array} \right] \right)^m = \\ = \left[\begin{array}{c} p^l(\mathbf{x}) (q^{-1})^m \\ P^M(\mathbf{x}) - p^l(\mathbf{x}) u^T \end{array} \right] \left[\begin{array}{cc} -u^m & 1 \end{array} \right] = \\ = \left[\begin{array}{cc} a^m(\mathbf{x}) & \mathbf{0} \end{array} \right] + \bar{z} A(\mathbf{x}) \left[\begin{array}{cc} -u^m & 1 \end{array} \right] \quad (5)$
penev_B_ E00005 (4.62)	1	■ 0.325	$\mathrm{p}_l = \sum_{n=1}^{\left \mathcal{M} \right } \mathrm{Q}^{-1}_{\ln \mathrm{q}_n}.$	$p_l = \sum_{n=1}^{ \mathcal{M} } Q^{-1}_{\ln q_n}.$	$p_l = \sum_{n=1}^{ \mathcal{M} } Q^{-1}_{\ln q_n}.$
penev_B_ E00016 (4.73)	3	■ 0.397	$\begin{aligned} 0^{\mathbf{r} \text{ e } \mathbf{x}}(\mathbf{x}) = & \sum_{i=1}^{\left \mathcal{M} \right } \mathcal{O}_i P_i(\mathbf{x}) \\ \phi^{\mathbf{r} \text{ e } \mathbf{c}}(\mathbf{x}) = & \sum_{l=1}^{\left \mathcal{M} \right } \mathcal{O}_l K_l^{-1}(\mathbf{x}) \end{aligned}$	$O^{rex}(\mathbf{x}) = \sum_{i=1}^{ \mathcal{M} } \mathcal{O}_i P_i(\mathbf{x})$ $\phi^{rec}(\mathbf{x}) = \sum_{l=1}^{ \mathcal{M} } \mathcal{O}_l K_l^{-1}(\mathbf{x})$	$O^{rec}(\mathbf{x}) = \sum_{i=1}^{ \mathcal{M} } \mathcal{O}_i P_i(\mathbf{x})$ $\phi^{rec}(\mathbf{x}) = \sum_{l=1}^{ \mathcal{M} } \mathcal{O}_l K_l^{-1}(\mathbf{x}).$
penev_B_ E00033 (5.15)	10	■ 0.412	$\left[\begin{array}{cc} -u & 1 \end{array} \right] \equiv \left[\begin{array}{cc} -y w^{-1} & 1 \end{array} \right] = \left[\begin{array}{cc} -p q^{-1} & 1 \end{array} \right]$	$\left[\begin{array}{cc} -u & 1 \end{array} \right] \equiv \left[\begin{array}{cc} -y w^{-1} & 1 \end{array} \right] = \left[\begin{array}{cc} -p q^{-1} & 1 \end{array} \right]$	$\left[\begin{array}{cc} -u & 1 \end{array} \right] \equiv \left[\begin{array}{cc} -y w^{-1} & 1 \end{array} \right] = \left[\begin{array}{cc} -p q^{-1} & 1 \end{array} \right]$
penev_B_ E00050 (5.32)	11	■ 0.503	$\bar{z}^1 = P^M(\mathbf{x}_M) - a^m(\mathbf{x}_M) P^M(\mathbf{x}_m) = \mathcal{D}_{P^M}(\mathbf{x}_M).$	$\bar{z}^1 = P^M(\mathbf{x}_M) - a^m(\mathbf{x}_M) P^M(\mathbf{x}_m) = \mathcal{D}_{P^M}(\mathbf{x}_M).$	$\bar{z}^1 = P^M(\mathbf{x}_M) - a^m(\mathbf{x}_M) P^M(\mathbf{x}_m) = \mathcal{D}_{P^M}(\mathbf{x}_M).$
penev_B_ E00010 (4.67)	1	■ 0.503	$0^{\mathbf{r} \text{ e } \mathbf{n}}(\mathbf{x}) = \sum_{m=1}^{\left \mathcal{M} \right } \mathcal{O}_m a_m(\mathbf{x})$	$O^{ren}(\mathbf{x}) = \sum_{m=1}^{ \mathcal{M} } \mathcal{O}_m a_m(\mathbf{x})$	$O^{rec}(\mathbf{x}) = \sum_{m=1}^{ \mathcal{M} } \mathcal{O}_m a_m(\mathbf{x})$
penev_B_ E00027 (5.9)	10	■ 0.518	$W = \left[\begin{array}{cc} w & x \\ y & z \end{array} \right] = \left[\begin{array}{cc} 1_{n'} & 0 \\ y w^{-1} & 1_{n''} \end{array} \right] \left[\begin{array}{cc} w & x \\ 0 & \tilde{z}^{-1} \end{array} \right]$	$W = \left[\begin{array}{cc} w & x \\ y & z \end{array} \right] = \left[\begin{array}{cc} 1_{n'} & \mathbf{0} \\ y w^{-1} & 1_{n''} \end{array} \right] \left[\begin{array}{cc} w & x \\ \mathbf{0} & \tilde{z}^{-1} \end{array} \right]$	$W = \left[\begin{array}{cc} w & x \\ y & z \end{array} \right] = \left[\begin{array}{cc} 1_{n'} & \mathbf{0} \\ y w^{-1} & 1_{n''} \end{array} \right] \left[\begin{array}{cc} w & x \\ \mathbf{0} & \tilde{z}^{-1} \end{array} \right]$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
penev_B_ E00029 (5.11)	10	0.537	$\begin{aligned} W^{\{1\}} &= \left[\begin{array}{cc} w^{\{1\}} & -w^{\{1\}}x\tilde{z} \\ 0 & \tilde{z} \end{array}\right]\left[\begin{array}{cc} 1 & 0 \\ -yw^{-1} & 1 \end{array}\right] = \\ &= \left[\begin{array}{cc} w^{-1} + w^{-1}x\tilde{z}yw^{-1} & -w^{-1}x\tilde{z} \\ -\tilde{z}yw^{-1} & \tilde{z} \end{array}\right] = \\ &= \left[\begin{array}{cc} w^{-1} & 0 \\ 0 & 0 \end{array}\right] + \left[\begin{array}{cc} w^{-1}x\tilde{z}yw^{-1} & -w^{-1}x\tilde{z} \\ -\tilde{z}yw^{-1} & \tilde{z} \end{array}\right]. \end{aligned}$	$\begin{aligned} W^{-1} &= \left[\begin{array}{cc} w^{-1} & -w^{-1}x\tilde{z} \\ 0 & \tilde{z} \end{array}\right]\left[\begin{array}{cc} 1 & 0 \\ -yw^{-1} & 1 \end{array}\right] = \\ &= \left[\begin{array}{cc} w^{-1} + w^{-1}x\tilde{z}yw^{-1} & -w^{-1}x\tilde{z} \\ -\tilde{z}yw^{-1} & \tilde{z} \end{array}\right] = \\ &= \left[\begin{array}{cc} w^{-1} & 0 \\ 0 & 0 \end{array}\right] + \left[\begin{array}{cc} w^{-1}x\tilde{z}yw^{-1} & -w^{-1}x\tilde{z} \\ -\tilde{z}yw^{-1} & \tilde{z} \end{array}\right]. \end{aligned}$	
penev_B_E00024 (5.6)	9	0.542	$\mathbf{K}_{\mathbf{j}}^{(n)}=\sum_{\mathbf{f}\in\Delta_j}\Psi_{\mathbf{f}}\left(\frac{1}{\sigma_{\mathbf{f}}}\right)^n(\Psi_{\mathbf{f}},).$	$\mathbf{K}_j^{(n)}=\sum_{\mathbf{f}\in\Delta_j}\Psi_{\mathbf{f}}\big(\frac{1}{\sigma_{\mathbf{f}}}\big)^n(\Psi_{\mathbf{f}},).$	$\mathbf{K}_j^{(n)}=\sum_{\mathbf{f}\in\Delta_j}\Psi_{\mathbf{f}}\big(\frac{1}{\sigma_{\mathbf{f}}}\big)^n(\Psi_{\mathbf{f}},).$
penev_B_ E00013 (4.70)	1	0.665	$\phi^{\mathrm{rec}}(\mathbf{x})=\sum_{m=1}^{ \mathcal{M} }\sum_{n=1}^{ \mathcal{M} }O_m\mathbf{Q}_{mn}^{-1}K^{(-1)}_n(\mathbf{x})$	$\phi^{rec}(\mathbf{x})=\sum_{m=1}^{ \mathcal{M} }O_m\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}_{mn}^{-1}K^{(-1)}_n(\mathbf{x})$	$\phi^{rec}(\mathbf{x})=\sum_{m=1}^{ \mathcal{M} }O_m\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}_{mn}^{-1}K^{(-1)}_n(\mathbf{x})$
penev_B_E00026 (5.8)	9	0.668	$\mathbf{O}_{\mathbf{j}}^*\mathbf{O}_{\mathbf{j}}=\mathbf{P}_{\mathbf{j}}\neq\mathbf{1}.$	$\mathbf{O}_j^*\mathbf{O}_j=\mathbf{P}_j\neq\mathbf{1}.$	$\mathbf{O}_j^*\mathbf{O}_j=\mathbf{P}_j\neq\mathbf{1}.$
penev_B_ E00053 (5.35)	11	0.670	$\begin{aligned} \Delta O^{\mathrm{rec}}(\mathbf{x}) &= \Delta A^m(\mathbf{x})O(\mathbf{x}_m) = \\ &= A^M(\mathbf{x})\begin{bmatrix} -a^m(\mathbf{x}_M) & 1 \end{bmatrix}\begin{bmatrix} O(\mathbf{x}_m) \\ O(\mathbf{x}_M) \end{bmatrix} = \\ &= A^M(\mathbf{x})\mathcal{D}_O(\mathbf{x}_M) \end{aligned}$	$\begin{aligned} \Delta O^{rec}(\mathbf{x}) &= \Delta A^m(\mathbf{x})O(\mathbf{x}_m) = \\ &= A^M(\mathbf{x})\begin{bmatrix} -a^m(\mathbf{x}_M) & 1 \end{bmatrix}\begin{bmatrix} O(\mathbf{x}_m) \\ O(\mathbf{x}_M) \end{bmatrix} = \\ &= A^M(\mathbf{x})\mathcal{D}_O(\mathbf{x}_M). \end{aligned}$	$\begin{aligned} \Delta O^{rec}(\mathbf{x}) &= \Delta A^m(\mathbf{x})O(\mathbf{x}_m) = \\ &= A^M(\mathbf{x})\begin{bmatrix} -a^m(\mathbf{x}_M) & 1 \end{bmatrix}\begin{bmatrix} O(\mathbf{x}_m) \\ O(\mathbf{x}_M) \end{bmatrix} = \\ &= A^M(\mathbf{x})\mathcal{D}_O(\mathbf{x}_M). \end{aligned}$
penev_B_ E00018 (4.75)	4	0.672	$-\tau\frac{d}{dt}\mathcal{O}(\mathbf{x})=\mathbf{K}\phi-\mathbf{P}G(\mathcal{O})$	$-\tau\frac{d}{dt}\mathcal{O}(\mathbf{x})=\mathbf{K}\phi-\mathbf{P}G(\mathcal{O})$	$-\tau\frac{d}{dt}\mathcal{O}(\mathbf{x})=\mathbf{K}\phi-\mathbf{P}G(\mathcal{O})$
penev_B_ E00034 (5.16)	10	0.682	$\mathbf{Q}^{-1}=\left[\begin{array}{cc} q^{-1} & 0 \\ 0 & 0 \end{array}\right]+\bar{z}\left[\begin{array}{c} -u^T \\ 1 \end{array}\right]\left[\begin{array}{cc} -u & 1 \end{array}\right].$	$\mathbf{Q}^{-1}=\left[\begin{array}{cc} q^{-1} & 0 \\ 0 & 0 \end{array}\right]+\bar{z}\left[\begin{array}{c} -u^T \\ 1 \end{array}\right]\left[\begin{array}{cc} -u & 1 \end{array}\right].$	$\mathbf{Q}^{-1}=\left[\begin{array}{cc} q^{-1} & 0 \\ 0 & 0 \end{array}\right]+\bar{z}\left[\begin{array}{c} -u^T \\ 1 \end{array}\right]\left[\begin{array}{cc} -u & 1 \end{array}\right].$
penev_B_ E00046 (5.28)	11	0.695	$A(\mathbf{x})=P^M(\mathbf{x})-\mathcal{R}_{P^M}^{M-1}(\mathbf{x}).$	$A(\mathbf{x})=P^M(\mathbf{x})-\mathcal{R}_{P^M}^{M-1}(\mathbf{x}).$	$A(\mathbf{x})=P^M(\mathbf{x})-\mathcal{R}_{P^M}^{M-1}(\mathbf{x}).$
penev_B_ E00002 (4.59)	1	0.709	$O^{\mathrm{rec}}(\mathbf{x})=\left(\hat{\mathbf{x}},\mathbf{O}^*\sum_{m=1}^{ \mathcal{M} }O_m\mathbf{p}_m\right)=\sum_{m=1}^{ \mathcal{M} }O_m\langle\hat{\mathbf{x}},\mathbf{O}^*\mathbf{p}_m\rangle=\sum_{m=1}^{ \mathcal{M} }O_ma_m(\mathbf{x})$	$O^{rec}(\mathbf{x})=\langle\hat{\mathbf{x}},\mathbf{O}^*\sum_{m=1}^{ \mathcal{M} }O_m\mathbf{p}_m\rangle=\sum_{m=1}^{ \mathcal{M} }O_m\langle\hat{\mathbf{x}},\mathbf{O}^*\mathbf{p}_m\rangle=\sum_{m=1}^{ \mathcal{M} }O_ma_m(\mathbf{x})$	$O^{rec}(\mathbf{x})=\langle\hat{\mathbf{x}},\mathbf{O}^*\sum_{m=1}^{ \mathcal{M} }O_m\mathbf{p}_m\rangle=\sum_{m=1}^{ \mathcal{M} }O_m\langle\hat{\mathbf{x}},\mathbf{O}^*\mathbf{p}_m\rangle=\sum_{m=1}^{ \mathcal{M} }O_ma_m(\mathbf{x})$
penev_B_ E00009 (4.66)	1	0.710	$a_m(\mathbf{x})=\langle\hat{\mathbf{x}},\mathbf{O}^*\mathbf{p}_m\rangle=\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}_{mn}^{-1}\langle\hat{\mathbf{x}},\mathbf{O}^*\mathbf{q}_n\rangle=\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}_{mn}^{-1}P_n(\mathbf{x}).$	$a_m(\mathbf{x})=\langle\hat{\mathbf{x}},\mathbf{O}^*\mathbf{p}_m\rangle=\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}_{mn}^{-1}\langle\hat{\mathbf{x}},\mathbf{O}^*\mathbf{q}_n\rangle=\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}_{mn}^{-1}P_n(\mathbf{x}).$	$a_m(\mathbf{x})=\langle\hat{\mathbf{x}},\mathbf{O}^*\mathbf{p}_m\rangle=\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}_{mn}^{-1}\langle\hat{\mathbf{x}},\mathbf{O}^*\mathbf{q}_n\rangle=\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}_{mn}^{-1}P_n(\mathbf{x}).$
penev_B_ E00062 (5.43)	12	0.779	$\Delta v^{\mathrm{rec}}(t)=A^M(t)\times 1$	$\Delta v^{rec}(t)=A^M(t)\times 1$	$\Delta v^{rec}(t)=A^M(t)\times 1$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
penev_B_ E00044 (5.26)	10	■ 0.782	$\mathcal{R}_{\mathcal{V}}^{\{V\}^{\wedge} \{\mathcal{M}\} }(\mathbf{x})=A^{\mathbf{m}}(\mathbf{x})V(\mathbf{x}_m)(\mathbf{x})\left(\mathbf{x}_{\left\{\boldsymbol{\mathrm{symbol}}\right\}\right)}$.	$\mathcal{R}_V^{ \mathcal{M} }(\mathbf{x})=A^m(\mathbf{x})V(\mathbf{x}_m).$	$\mathcal{R}_V^{ \mathcal{M} }(\mathbf{x})=A^m(\mathbf{x})V(\mathbf{x}_m).$
penev_B_ E00061 (5.42)	11	■ 0.825	$\Delta f^{\mathrm{rec}}(\mathbf{x}_M)=e_{\mathbf{n}}=1\times\mathcal{D}_f(\mathbf{x}_M)\left(\mathbf{x}_M\right)=1\times\mathcal{D}_f(\mathbf{x}_M)$.	$\Delta f^{rec}(\mathbf{x}_M)=e_{\mathbf{n}}=1\times\mathcal{D}_f(\mathbf{x}_M).$	$\Delta f^{rec}(\mathbf{x}_M)=e_{\mathbf{n}}=1\times\mathcal{D}_f(\mathbf{x}_M).$
penev_B_ E00059 (5.40)	11	■ 0.868	$Q_{ml}=\left.E\left\{f_{n-l}f_{n-m}\right\}\right _{m,l=0}^{M-1}$	$Q_{ml}=\left.E\left\{f_{n-l}f_{n-m}\right\}\right _{m,l=0}^{M-1}$	$Q_{ml}=\left.E\left\{f_{n-l}f_{n-m}\right\}\right _{m,l=0}^{M-1}$
penev_B_ E00007 (4.64)	1	■ 0.887	$P_{\{m\}}(\mathrm{x})\equiv P_{\{m\}}(\mathrm{x})$.	$P_m(\mathbf{x})\equiv P_{\mathbf{x}_m}(\mathbf{x}).$	$P_m(\mathbf{x})\equiv P_{\mathbf{x}_m}(\mathbf{x}).$
penev_B_ E00036 (5.18)	10	■ 0.923	$A^{\mathbf{m}}(\mathbf{x})=P^{\mathbf{l}}(\mathbf{x})(\mathbf{Q}^{-1})_l^m$	$A^m(\mathbf{x})=P^l(\mathbf{x})(\mathbf{Q}^{-1})_l^m$	$A^m(\mathbf{x})=P^l(\mathbf{x})(\mathbf{Q}^{-1})_l^m$
penev_B_ E00015 (4.72)	3	■ 0.924	$\mathcal{O}_{\{l\}}\equiv\mathbf{Q}^{\{-1\}}_{lm}O_m$.	$\mathcal{O}_l\equiv\mathbf{Q}^{-1}_{lm}O_m.$	$\mathcal{O}_l\equiv\mathbf{Q}^{-1}_{lm}O_m.$
penev_B_ E00045 (5.27)	11	■ 0.925	$O^{\mathrm{rec}}(\mathbf{x})=\mathcal{R}_O^M(\mathbf{x})$	$O^{rec}(\mathbf{x})=\mathcal{R}_O^M(\mathbf{x})$	$O^{rec}(\mathbf{x})=\mathcal{R}_O^M(\mathbf{x})$
penev_B_ E00022 (5.4)	6	■ 0.928	$N\langle S\rangle(N,\alpha)=\left\ \Phi_N^{*+}\phi(\alpha)\right\ _S^2.$	$N\langle S\rangle(N,\alpha)=\left\ \Phi_N^{*+}\phi(\alpha)\right\ _S^2.$	$N\langle S\rangle(N,\alpha)=\left\ \Phi_N^{*+}\phi(\alpha)\right\ _S^2.$
penev_B_ E00030 (5.12)	10	■ 0.929	$Q_{ml}=\left.P_m\left(\mathbf{x}_l\right)\right _{l,m=1}^M.$	$Q_{ml}=\left.P_m\left(\mathbf{x}_l\right)\right _{l,m=1}^M.$	$Q_{ml}=\left.P_m\left(\mathbf{x}_l\right)\right _{l,m=1}^M.$
penev_B_ E00043 (5.25)	10	■ 0.933	$A(\mathbf{x})=P^M(\mathbf{x})-a^{\mathbf{m}}(\mathbf{x})P^M(\mathbf{x}_m).$	$A(\mathbf{x})=P^M(\mathbf{x})-a^{\mathbf{m}}(\mathbf{x})P^M(\mathbf{x}_m).$	$A(\mathbf{x})=P^M(\mathbf{x})-a^{\mathbf{m}}(\mathbf{x})P^M(\mathbf{x}_m).$
penev_B_ E00054 (5.36)	11	■ 0.941	$\Delta O^{\mathrm{rec}}(\mathbf{x})=\frac{\mathcal{D}_{PM}(\mathbf{x})}{\mathcal{D}_{PM}(\mathbf{x}_M)}\mathcal{D}_O(\mathbf{x}_M)$	$\Delta O^{rec}(\mathbf{x})=\frac{\mathcal{D}_{PM}(\mathbf{x})}{\mathcal{D}_{PM}(\mathbf{x}_M)}\mathcal{D}_O(\mathbf{x}_M).$	$\Delta O^{rec}(\mathbf{x})=\frac{\mathcal{D}_{PM}(\mathbf{x})}{\mathcal{D}_{PM}(\mathbf{x}_M)}\mathcal{D}_O(\mathbf{x}_M).$
penev_B_ E00014 (4.71)	1	■ 0.941	$O^{\mathrm{err}}(\mathbf{x})=O(\mathbf{x})-O^{\mathrm{rec}}(\mathbf{x}).$	$O^{err}(\mathbf{x})=O(\mathbf{x})-O^{rec}(\mathbf{x}).$	$O^{err}(\mathbf{x})=O(\mathbf{x})-O^{rec}(\mathbf{x}).$
penev_B_ E00035 (5.17)	10	■ 0.948	$O^{\mathrm{rec}}(\mathbf{x})=A^m(\mathbf{x})O(\mathbf{x}_m)$	$O^{rec}(\mathbf{x})=A^m(\mathbf{x})O(\mathbf{x}_m)$	$O^{rec}(\mathbf{x})=A^m(\mathbf{x})O(\mathbf{x}_m)$
penev_B_ E00020 (5.1)	5	■ 0.950	$\alpha^t=(\theta^t,S^t,X^t,Y^t).$	$\alpha^t=(\theta^t,S^t,X^t,Y^t).$	$\alpha^t=(\theta^t,S^t,X^t,Y^t).$
penev_B_ E00057 (5.38)	11	■ 0.956	$\alpha^m=(q^{-1})_l^mQ_0^l$	$\alpha^m=(q^{-1})_l^mQ_0^l$	$\alpha^m=(q^{-1})_l^mQ_0^l$
penev_B_ E00058 (5.39)	11	■ 0.962	$q_{ml}=\left.Q_{ml}\right _{m,l=1}^{M-1}$	$q_{ml}=\left.Q_{ml}\right _{m,l=1}^{M-1}$	$q_{ml}=\left.Q_{ml}\right _{m,l=1}^{M-1}$
penev_B_ E00019 (4.76)	4	■ 0.963	$\mathbf{PO}=\mathbf{K}\phi.$	$\mathbf{PO}=\mathbf{K}\phi.$	$\mathbf{P}\mathcal{O}=\mathbf{K}\phi.$
penev_B_ E00012 (4.69)	1	■ 0.971	$a_{\{m\}}\left(\mathbf{x}_{\{l\}}\right)=\sum_{n=1}^{\left \mathcal{M}\right }\mathbf{Q}^{\{-1\}}_{mn}P_n\left(\mathbf{x}_l\right)=\sum_{n=1}^{\left \mathcal{M}\right }\mathbf{Q}^{\{-1\}}_{mn}\mathbf{Q}_{nl}=\delta_{ml}.$	$a_m(\mathbf{x}_l)=\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}^{-1}_{mn}P_n(\mathbf{x}_l)=\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}^{-1}_{mn}\mathbf{Q}_{nl}=\delta_{ml}.$	$a_m(\mathbf{x}_l)=\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}^{-1}_{mn}P_n(\mathbf{x}_l)=\sum_{n=1}^{ \mathcal{M} }\mathbf{Q}^{-1}_{mn}\mathbf{Q}_{nl}=\delta_{m,l}.$
penev_B_ E00028 (5.10)	10	■ 0.979	$\tilde{z}^1=z\quad yw^1x$	$\tilde{z}^1=z\quad yw^1x$	$\tilde{z}^1=z\quad yw^1x$
penev_B_ E00017 (4.74)	3	■ 0.981	$\sum_{l=1}^{ \mathcal{M} }Q_{ml}\mathcal{O}_l=O_m$	$\sum_{l=1}^{ \mathcal{M} }Q_{ml}\mathcal{O}_l=O_m$	$\sum_{l=1}^{ \mathcal{M} }Q_{ml}\mathcal{O}_l=O_m$
penev_B_ E00003 (4.60)	1	■ 0.981	$a_{\{m\}}(\mathbf{x})\equiv(\hat{\mathbf{x}},\mathbf{O}^*\mathbf{p}_m)$	$a_m(\mathbf{x})\equiv(\hat{\mathbf{x}},\mathbf{O}^*\mathbf{p}_m)$	$a_m(\mathbf{x})\equiv(\hat{\mathbf{x}},\mathbf{O}^*\mathbf{p}_m).$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
penev_B_ EQ0004 (4.61)	1	■ 0.984	$\Delta_{m,l}=\left\langle \mathbf{q}_m, \sum_{n=1}^{\left \mathcal{M}\right } \mathbf{B}_{ln} \mathbf{q}_n\right\rangle =\sum_{n=1}^{\left \mathcal{M}\right } \mathbf{B}_{ln}\left\langle \mathbf{q}_m, \mathbf{q}_n\right\rangle =\sum_{n=1}^{\left \mathcal{M}\right } \mathbf{B}_{ln} \mathbf{Q}_{mn}$		
penev_B_ EQ0011 (4.68)	1	■ 0.991	$a_m(\mathbf{x})=\sum_{n=1}^{\left \mathcal{M}\right } \mathbf{Q}^{-1}_{mn} P_n(\mathbf{x})$.		$a_m(\mathbf{x})=\sum_{n=1}^{\left \mathcal{M}\right } \mathbf{Q}^{-1}_{mn} P_n(\mathbf{x})$.
penev_B_ EQ0041 (5.23)	10	■ 0.992	$\Delta A^m(\mathbf{x})=A^M(\mathbf{x})\left[\begin{array}{cc} -u^m & 1 \end{array}\right]$.		$\Delta A^m(\mathbf{x})=A^M(\mathbf{x})\left[\begin{array}{cc} -u^m & 1 \end{array}\right]$.
penev_B_ EQ0060 (5.41)	11	■ 0.995	$e_n=f_n-\hat{f}_n=\mathcal{D}_f(\mathbf{x}_M)$		$e_n=f_n-\hat{f}_n=\mathcal{D}_f(\mathbf{x}_M)$
penev_B_ EQ0047 (5.29)	11	■ 0.999	$\mathcal{D}_V(\mathbf{x})=V(\mathbf{x})-\mathcal{R}_V^{ \mathcal{M} -1}(\mathbf{x})$		$\mathcal{D}_V(\mathbf{x})=V(\mathbf{x})-\mathcal{R}_V^{ \mathcal{M} -1}(\mathbf{x})$
penev_B_ EQ0006 (4.63)	1	■ 0.999	$\mathbf{Q}_{nm}=\left\langle \mathbf{q}_n, \mathbf{q}_m\right\rangle =\left\langle \mathbf{O} \hat{\mathbf{x}}_n, \mathbf{q}_m\right\rangle =P_m\left(\mathbf{x}_n\right)$		$\mathbf{Q}_{nm}=\left\langle \mathbf{q}_n, \mathbf{q}_m\right\rangle =\left\langle \mathbf{O} \hat{\mathbf{x}}_n, \mathbf{q}_m\right\rangle =P_m\left(\mathbf{x}_n\right)$
penev_B_ EQ0042 (5.24)	10	■ 0.999	$u^m=p^l\left(\mathbf{x}_M\right)\left(q^{-1}\right)_l^m=a^m\left(\mathbf{x}_M\right)$.		$u^m=p^l\left(\mathbf{x}_M\right)\left(q^{-1}\right)_l^m=a^m\left(\mathbf{x}_M\right)$.
penev_B_ EQ0001 (4.58)	1	■ 1.000	$s^{rec}=s_{\parallel}=\sum_{m=1}^{\left \mathcal{M}\right } O_m p_m$		$\mathbf{s}^{rec}=\mathbf{s}_{\parallel}=\sum_{m=1}^{\left \mathcal{M}\right } O_m \mathbf{p}_m$.
penev_B_ EQ0031 (5.13)	10	■ 1.000	$p^T_l \equiv y^T_l=x_l=Q_{Ml}=P_M\left(\mathbf{x}_l\right) _{l=1}^{M-1}$.		$p^T_l \equiv y^T_l=x_l=Q_{Ml}=P_M\left(\mathbf{x}_l\right) _{l=1}^{M-1}$.
penev_B_ EQ0008 (4.65)	1	■ 1.000	$\mathbf{Q}=\mathbf{P} _{\mathcal{M}}$.		$\mathbf{Q}=\mathbf{P} _{\mathcal{M}}$.
penev_B_EQ0021 (5.2)	5	■ 1.000	$\phi^t=H\left(I^t ; \alpha^t\right)$		$\phi^t=H\left(I^t ; \alpha^t\right)$
penev_B_EQ0023 (5.5)	7	■ 1.000	$\alpha_h^t=\left(\theta^t,(1+h) S^t, X^t, Y^t\right)$		$\alpha_h^t=\left(\theta^t,(1+h) S^t, X^t, Y^t\right)$
penev_B_EQ0025 (5.7)	9	■ 1.000	$O_j=\mathbf{K}_j \phi_j=\mathbf{K}_j \mathbf{P}_j \phi=\mathbf{K}_j \phi$		$O_j=\mathbf{K}_j \phi_j=\mathbf{K}_j \mathbf{P}_j \phi=\mathbf{K}_j \phi$
penev_B_ EQ0032 (5.14)	10	■ 1.000	$z=P_M\left(\mathbf{x}_M\right)$.		$z=P_M\left(\mathbf{x}_M\right)$.
penev_B_ EQ0038 (5.20)	10	■ 1.000	$A(\mathbf{x}) \equiv P^M(\mathbf{x})-p^l(\mathbf{x}) u^T_l$		$A(\mathbf{x}) \equiv P^M(\mathbf{x})-p^l(\mathbf{x}) u^T_l$.
penev_B_ EQ0039 (5.21)	10	■ 1.000	$\Delta A^m(\mathbf{x})=\bar{z} A(\mathbf{x})\left[\begin{array}{cc} -u^m & 1 \end{array}\right]$		$\Delta A^m(\mathbf{x})=\bar{z} A(\mathbf{x})\left[\begin{array}{cc} -u^m & 1 \end{array}\right]$
penev_B_ EQ0040 (5.22)	10	■ 1.000	$A^M(\mathbf{x})=\bar{z} A(\mathbf{x})$		$A^M(\mathbf{x})=\bar{z} A(\mathbf{x})$
penev_B_ EQ0048 (5.30)	11	■ 1.000	$A(\mathbf{x})=\mathcal{D}_{PM}(\mathbf{x})$		$A(\mathbf{x})=\mathcal{D}_{PM}(\mathbf{x})$
penev_B_ EQ0049 (5.31)	11	■ 1.000	$A\left(\mathbf{x}_m\right)=0 _{m=1}^{M-1}$.		$A\left(\mathbf{x}_m\right)=0 _{m=1}^{M-1}$.
penev_B_ EQ0051 (5.33)	11	■ 1.000	$A^M(\mathbf{x})=\frac{\mathcal{D}_{PM}(\mathbf{x})}{\mathcal{D}_{PM}\left(\mathbf{x}_M\right)}$		$A^M(\mathbf{x})=\frac{\mathcal{D}_{PM}(\mathbf{x})}{\mathcal{D}_{PM}\left(\mathbf{x}_M\right)}$
penev_B_ EQ0052 (5.34)	11	■ 1.000	$\Delta A^m(\mathbf{x})=A^M(\mathbf{x})\left[\begin{array}{cc} -a^m\left(\mathbf{x}_M\right) & 1 \end{array}\right]$.		$\Delta A^m(\mathbf{x})=A^M(\mathbf{x})\left[\begin{array}{cc} -a^m\left(\mathbf{x}_M\right) & 1 \end{array}\right]$.
penev_B_EQ0055	11	■ 1.000	120		120
penev_B_ EQ0056 (5.37)	11	■ 1.000	$\hat{f}_n=\sum_{m=1}^{M-1} \alpha_m f_{n-m}$		$\hat{f}_n=\sum_{m=1}^{M-1} \alpha_m f_{n-m}$