










Image regions

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_25 DIA_0001	25	—	—	—	
mielke-geometrodynamics_31 DIA_0002	31	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_32 DIA_0003	32	—	—	—	A diagram of a sphere. A dashed curve on the sphere's surface is labeled U. A tangent plane is shown at a point m on this curve. The plane contains two vectors: $\frac{\partial}{\partial \theta}$ pointing upwards and $\frac{\partial}{\partial \phi}$ pointing to the right. The plane is labeled $T_m(M)$. A vector e is shown at the top of the sphere, and a vector $e(o)$ is shown at the top right. A small vector Δe is shown between them. A dashed curve on the sphere is labeled ∂U.
mielke-geometrodynamics_36 DIA_0004	36	—	—	—	A diagram of a torus. A vertical line segment is labeled π. A small vector δ is shown on the line. A point m is marked on the line. The label $F_m : \pi^{-1}(m)$ is at the top. The label $U \subset M \approx S^1$ is at the bottom right.
mielke-geometrodynamics_40 DIA_0005	40	—	—	—	A diagram showing three vertical ellipses. The middle ellipse has a point p on its left side. A vector H_p points to the right from p, and a vector V_p points downwards from p. The label $F_m \approx G$ is at the top. The label m is at the bottom of the middle ellipse, and the label M is at the bottom of the rightmost ellipse.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_57 DIA_0006	57	—	—	—	
mielke-geometrodynamics_73 DIA_0007	73	—	—	—	
mielke-geometrodynamics_84 DIA_0008	84	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_131 DIA_0009 131 — — —					 A diagram illustrating a spacetime foliation. It shows a curved, light-blue hypersurface representing a spatial slice at time t, labeled Σ_t. Above it, another similar hypersurface is shown at time $t+dt$, labeled Σ_{t+dt}. A vertical arrow labeled n indicates the normal vector pointing from Σ_t to Σ_{t+dt}. The entire structure is enclosed within a larger, curved boundary.
mielke-geometrodynamics_200 DIA_0010 200 — — —					 A 3D visualization of a wormhole geometry. It shows two large, flared, blue-colored regions (the 'mouths' of the wormhole) connected by a narrow, central throat. The surface is covered with a grid of lines, and the color transitions from light blue at the edges to a darker purple/blue in the center of the throat.
mielke-geometrodynamics_226 DIA_0011 226 — — —					 A 3D visualization of a rectangular block, likely representing a discretized spacetime region. The block is composed of a grid of small cubes. A small rectangular region on the top surface is highlighted with a blue outline, indicating a specific area of interest or a boundary condition.

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_DIA_0012	227	—	—	—	
mielke-geometrodynamics_DIA_0013	288	—	—	—	
mielke-geometrodynamics_DIA_0014	290	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics_DIA_0015	347	—	—	—	
mielke-geometrodynamics_PIC_0001	258	—	—	—	
mielke-geometrodynamics_PIC_0002	356	—	—	—	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
mielke-geometrodynamics PIC_0003 359 — —					The plot shows the mass M in MeV on the vertical axis (ranging from 1000 to 2500) against a parameter on the horizontal axis (ranging from $\frac{1}{2}$ to 3). Various baryon states are plotted, including ground states and excited states. A legend in the top left corner identifies the symbols: $\bullet \Omega$, $\bullet \Xi$, $\bullet \Sigma$, $\bullet \Lambda$, $\bullet N, \Delta$ for the 'Black soliton mass formula', and $-\bullet$ for 'parity baryons'. The plot shows a general upward trend in mass as the parameter increases, with some states branching or splitting.