

BH3FR: equation evidence

Display equations

[illegible]

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0158 [conf 0.004]	120	0.004	$\begin{aligned} & \& K_{14}^{++}(2, \gamma) = 2d, 4d, 5d, 1s, 3s, 4s, 6s, 1e \\ & \& K_{15}^{++}(3, \gamma) = 1d, 4d, 5d, 1s, 2s, 4s, 5s, 1e \\ & \& K_{16}^{++}(\alpha, \beta) = 1d, 2d, 3d, 6d, 7s, 8s, 9s \\ & \& K_{17}^{++}(\alpha, \gamma) = 1d, 2d, 3d, 5d, 4s, 5s, 6s \\ & \& K_{18}^{++}(\beta, \gamma) = 1d, 2d, 3d, 4d, 1s, 2s, 3s \\ & K_1^{- -} \left(\frac{1}{2} \right) = 3d, 2d, 5s, 8s \\ & C_1^{-} = 2d, 1s, 4s, 7s \\ & K_2^{-} \left(\frac{1}{3} \right) = 3d, 3s, 6s, 9s \\ & C_2^{-} = 1d, 1s, 4s, 7s \\ & K_3^{-} \left(\frac{2}{3} \right) = 2d, 3s, 6s, 9s \\ & C_3^{-} = 1d, 2s, 5s, 8s \\ & K_4^{-} \left(\frac{1}{\alpha, \alpha^*} \right) = 4d, 2s, 3s, 1e, 2e \\ & C_4^{-} \\ & K_5^{-} \left(\frac{2}{\alpha, \alpha^*} \right) = 1d, 2d, 4s, 7s \\ & C_5^{-} \\ & K_6^{-} \left(\frac{3}{\alpha, \alpha^*} \right) = 4d, 1s, 3s, 1e, 2e \\ & C_6^{-} \\ & K_7^{-} \left(\frac{1}{\beta, \beta^*} \right) = 2d, 3d, 6s, 9s \\ & C_7^{-} \\ & K_8^{-} \left(\frac{2}{\beta, \beta^*} \right) = 1d, 2d, 1s, 7s, 4s, 6s, 1e, 3e \\ & C_8^{-} \\ & K_9^{-} \left(\frac{3}{\beta, \beta^*} \right) = 5d, 4s, 5s, 1e, 3e \\ & C_9^{-} \\ & K_{10}^{-} \left(\frac{1}{\gamma, \gamma^*} \right) = 6d, 3d, 2s, 8s \\ & C_{10}^{-} = 2d, 3d, 3s, 9s, 1e, 3e \\ & = 1d, 2d, 1s, 4s \end{aligned}$	$\begin{aligned} & K_{14}^{++}(2, \gamma) = 2d, 4d, 5d, 1s, 3s, 4s, 6s, 1e \\ & K_{15}^{++}(3, \gamma) = 1d, 4d, 5d, 1s, 2s, 4s, 5s, 1e \\ & K_{16}^{++}(\alpha, \beta) = 1d, 2d, 3d, 6d, 7s, 8s, 9s \\ & K_{17}^{++}(\alpha, \gamma) = 1d, 2d, 3d, 5d, 4s, 5s, 6s \\ & K_{18}^{++}(\beta, \gamma) = 1d, 2d, 3d, 4d, 1s, 2s, 3s \\ & K_1^{- -} \left(\frac{1}{2} \right) = 3d, 2d, 5s, 8s \\ & C_1^{-} = 2d, 1s, 4s, 7s \\ & K_2^{-} \left(\frac{1}{3} \right) = 3d, 3s, 6s, 9s \\ & C_2^{-} = 1d, 1s, 4s, 7s \\ & K_3^{-} \left(\frac{2}{3} \right) = 2d, 3s, 6s, 9s \\ & C_3^{-} = 1d, 2s, 5s, 8s \\ & K_4^{-} \left(\frac{1}{\alpha, \alpha^*} \right) = 4d, 2s, 3s, 1e, 2e \\ & C_4^{-} \\ & K_5^{-} \left(\frac{2}{\alpha, \alpha^*} \right) = 1d, 2d, 4s, 7s \\ & C_5^{-} \\ & K_6^{-} \left(\frac{3}{\alpha, \alpha^*} \right) = 4d, 1s, 3s, 1e, 2e \\ & C_6^{-} \\ & K_7^{-} \left(\frac{1}{\beta, \beta^*} \right) = 2d, 3d, 6s, 9s \\ & C_7^{-} \\ & K_8^{-} \left(\frac{2}{\beta, \beta^*} \right) = 1d, 2d, 1s, 7s, 4s, 6s, 1e, 3e \\ & C_8^{-} \\ & K_9^{-} \left(\frac{3}{\beta, \beta^*} \right) = 5d, 4s, 5s, 1e, 3e \\ & C_9^{-} \\ & K_{10}^{-} \left(\frac{1}{\gamma, \gamma^*} \right) = 6d, 3d, 2s, 8s \\ & C_{10}^{-} = 2d, 3d, 3s, 9s, 1e, 3e \\ & = 1d, 2d, 1s, 4s \end{aligned}$	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_ EQ0142 (62) [conf 0.005]	117	■ 0.005	$\begin{aligned} & \& \left[\begin{array}{c} i \\ k\ l \end{array}\right] (\mu\lambda) + Q_{(\mu\nu)+}^{(\kappa\lambda)i} \left[\begin{array}{c} m \\ k \end{array}\right] \left(\begin{array}{c} \kappa\lambda \\ (\mu\nu)+ \end{array}\right) = \\ & = A_{(\mu\nu)kl}^{(\kappa\lambda)\frac{i}{kl}} \exp\left(\lambda_{kl}\mu - \underline{c}_s \boldsymbol{S} \left[\begin{array}{c} s \\ k\ l \end{array}\right]; ()\partial_\mu\right) \end{aligned}$	$\left[\begin{array}{c} i \\ k\ l \end{array}\right]_{(\mu\nu)+}^{(\kappa\lambda)} + Q_{(\mu\nu)m}^{(\kappa\lambda)\underline{i}} \left[\begin{array}{c} m \\ k \end{array}\right]_{(\mu\nu)+}^{(\kappa\lambda)} =$ $= A_{(\mu\nu)kl}^{(\kappa\lambda)\underline{i}} \exp\left(\lambda_{kl}\mu - \underline{c}_s \boldsymbol{S} \left[\begin{array}{c} s \\ k\ l \end{array}\right]; ()\delta\mu\right)$	
BH3FR_ EQ0141 (61a) [conf 0.006]	117	■ 0.006	$\begin{aligned} & \& L_{(\mu\nu)+}^{(\kappa\lambda)} = \left(K_{(\mu\nu)+}^{(\kappa\lambda)} - \bar{\lambda}_{(\mu\nu)}^{(\kappa\lambda)} \times ()\right); \left(1 + sp^2 \bar{Q}_{(\mu\nu)}^{(\kappa\lambda)} \times ()\right) + D_{(\mu\nu)}^{(\kappa\lambda)}, \\ & \Lambda_{(\mu\nu)+}^{(\kappa\lambda)} = K_{(\mu\nu)+}^{(\kappa\lambda)}; \left(1 + sp^2 \bar{Q}_{(\mu\nu)}^{(\kappa\lambda)} \times ()\right) + D_{(\mu\nu)}^{(\kappa\lambda)}, \\ & K_{(\mu\nu)+m}^{(\kappa\lambda)} = \left(\kappa\lambda + \mu\nu\right)_{(-)l}^{(+,-)}; \delta(l, m) - \left(\mu^+\right)_{(-)m}^{(\kappa\lambda)}_{(-,-)}^{(+\lambda)} \end{aligned}$	$L_{(\mu\nu)+}^{(\kappa\lambda)} = \left(K_{(\mu\nu)+}^{(\kappa\lambda)} - \bar{\lambda}_{(\mu\nu)}^{(\kappa\lambda)} \times ()\right); \left(1 + sp^2 \bar{Q}_{(\mu\nu)}^{(\kappa\lambda)} \times ()\right) + D_{(\mu\nu)}^{(\kappa\lambda)},$ $\Lambda_{(\mu\nu)+}^{(\kappa\lambda)} = K_{(\mu\nu)+}^{(\kappa\lambda)}; \left(1 + sp^2 \bar{Q}_{(\mu\nu)}^{(\kappa\lambda)} \times ()\right) + D_{(\mu\nu)}^{(\kappa\lambda)},$ $K_{(\mu\nu)+m}^{(\kappa\lambda)} = \left(\kappa\lambda + \mu\nu\right)_{(-)l}^{(+,-)}; \delta(l, m) - \left(\mu^+\right)_{(-)m}^{(\kappa\lambda)}_{(-,-)}^{(+\lambda)}$	
BH3FR_EQ0315 [conf 0.014]	146	■ 0.014	$\begin{aligned} & \begin{array}{l} \left[\begin{array}{c} \widehat{cd} \\ -at \\ ab \end{array}\right] \neq \left[\begin{array}{c} \widehat{cd} \\ +\overline{ab} \end{array}\right], \quad \left[\begin{array}{c} \widehat{cd} \\ -ab \end{array}\right] \neq \left[\begin{array}{c} \widehat{cd} \\ -a \end{array}\right] \times, \\ \left[\begin{array}{c} \widehat{cd} \\ -ab \end{array}\right]_{\pm} \neq \left[\begin{array}{c} \widehat{cd} \\ -ab \end{array}\right]_{\pm}^{\times}, \quad \left[\begin{array}{c} \widehat{cd} \\ -ab \end{array}\right]_{\pm} = \left[\begin{array}{c} \widehat{cd} \\ -ab \end{array}\right]_{+} + \left[\begin{array}{c} \widehat{cd} \\ -ab \end{array}\right]_{-}, \\ \left[\begin{array}{c} \widehat{cd} \\ -ab \end{array}\right]_{\pm} = \pm \left[\begin{array}{c} \widehat{cd} \\ -a \end{array}\right]_{\pm}^{\times} \end{array}$	$\left[\begin{array}{c} \widehat{cd} \\ -\frac{a}{b} \end{array}\right] \neq \left[\begin{array}{c} \widehat{cd} \\ +\frac{a}{b} \end{array}\right], \quad {}^2\bar{c} \neq {}^2\bar{d}, \quad \left[\begin{array}{c} \widehat{cd} \\ -\frac{a}{b} \end{array}\right] \neq \left[\begin{array}{c} \widehat{cd} \\ -\frac{a}{b} \end{array}\right]_{\times},$ ${}^2\bar{\gamma}_{(ab)} \neq {}^2\bar{\gamma}_{(ab)}^{\times}, \quad \left[\begin{array}{c} \widehat{cd} \\ -\frac{a}{b} \end{array}\right] = \left[\begin{array}{c} \widehat{cd} \\ -\frac{a}{b} \end{array}\right]_{+} + \left[\begin{array}{c} \widehat{cd} \\ -\frac{a}{b} \end{array}\right]_{-},$ $\left[\begin{array}{c} \widehat{cd} \\ -\frac{a}{b} \end{array}\right]_{\pm} = \pm \left[\begin{array}{c} \widehat{cd} \\ -\frac{a}{b} \end{array}\right]_{\pm}^{\times}$	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_ EQ8310 (M24a) Iconf 0.015	145	■ 0.015	$\begin{aligned} & \{ \}^2 \bar{\gamma}_{(c\,d)} = \\ & \operatorname{sp}\left(\{ \}^2 \bar{c} \times \{ \}^2 \bar{d}\right), \quad \gamma^i(c\,d)[p\,k\,l]_{(a\,b)} = \\ & \left[\begin{array}{c} i \\ k \quad l \end{array}\right]_{(ab)}^{(cd)}, \\ & [3] \left[\left[\begin{array}{c} i \\ k \quad l \end{array}\right]_{(ab)}^{(cd)}\right]_N = \left[\begin{array}{c} \widehat{cd} \\ -a \end{array}\right] \end{aligned}$	${}^2\bar{\gamma}_{(cd)} = \operatorname{sp}\left({}^2\bar{c} \times {}^2\bar{d}\right), \quad \gamma^i(cd)[pkl]_{(ab)} = \left[\begin{array}{c} i \\ kl \end{array}\right]_{(ab)}^{(cd)},$ $[3] \left[\left[\begin{array}{c} i \\ k \quad l \end{array}\right]_{(ab)}^{(cd)}\right]_N = \left[\begin{array}{c} \widehat{cd} \\ -a \end{array}\right]$	${}^2\bar{\gamma}_{(cd)} = sp({}^2\bar{c} \times {}^2\bar{d}), \quad \gamma_{(cd)}^{i\,p} \left[\begin{array}{c} pkl \end{array} \right]_{(ab)} = \left[\begin{array}{c} i \quad l \end{array} \right]_{\left[\begin{array}{c} cd \\ ab \end{array} \right]}^+,$ $[3] \left[\left[\begin{array}{c} i \quad l \end{array} \right]_{\left[\begin{array}{c} cd \\ ab \end{array} \right]}^+ \right]_N = \left[\begin{array}{c} \widehat{cd} \\ -a \end{array} \right]$
BH3FR_ EQ8317 Iconf 0.021	146	■ 0.021	$\begin{aligned} & \left\{ \left(\binom{\beta}{\alpha} \pm \binom{s_1}{\pm} \binom{s_2}{\pm} \right)_{P,Q} \right\}^{\left(\binom{\beta}{\alpha} \pm \binom{s_1}{\pm} \binom{s_2}{\pm} \right)_{V,W}} \\ & = \left(\binom{\beta}{\alpha} \pm \binom{s_1}{\pm} \binom{s_2}{\pm} \right)_{P,Q}^{\left(\binom{\beta}{\alpha} \pm \binom{s_1}{\pm} \binom{s_2}{\pm} \right)_{V,W}}, \quad \text{and} \\ & \left(\binom{\beta}{\alpha} \pm \binom{s_1}{\pm} \binom{s_2}{\pm} \right)_{P,Q} \neq \left(\binom{\beta}{\alpha} \pm \binom{s_1}{\pm} \binom{s_2}{\pm} \right)_{V,W} \end{aligned}$	$\widehat{\left(\binom{\beta \pm}{\alpha} \right)} = \left(\left(\binom{\beta \pm}{\alpha} \right)_{(\pm)}^{(s_1)(s_2)} \right)_{P,Q}, \quad \bigcap = \left(\left(\binom{\beta \pm}{\alpha} \right)_{V,W} \right)$ ${}^2\bar{\gamma}_{(\mu\nu)} = {}^2\bar{E}, \quad (\mu, \nu) \neq 1, \quad {}^2\bar{\gamma}_{(11)} = {}^2\bar{\gamma} \neq {}^2\bar{E},$ ${}^2\bar{\gamma} = sp({}^2\bar{\kappa} \times {}^2\bar{\kappa}) \neq {}^2\bar{\gamma}^\times, \quad \left[\begin{array}{c} \widehat{cd} \\ a \end{array}\right] = [\widehat{\kappa}],$ $\left(\binom{\beta \pm}{\alpha} \right)_{(\pm)}^{(s_1)(s_2)} = (\kappa)_{(\pm)}^{(s_1)(s_2)}$	$\widehat{\left(\binom{\beta \pm}{\alpha} \right)} = \left(\left(\binom{\beta \pm}{\alpha} \right)_{(\pm)}^{(s_1)(s_2)} \right)_{P,Q}, \quad \bigcap = \left(\left(\binom{\beta \pm}{\alpha} \right)_{V,W} \right)$ ${}^2\bar{\gamma}_{(\mu\nu)} = {}^2\bar{E}, \quad (\mu, \nu) \neq 1, \quad {}^2\bar{\gamma}_{(11)} = {}^2\bar{\gamma} \neq {}^2\bar{E},$ ${}^2\bar{\gamma} = sp({}^2\bar{\kappa} \times {}^2\bar{\kappa}) \neq {}^2\bar{\gamma}^\times, \quad \left[\begin{array}{c} \widehat{cd} \\ -a \end{array}\right] = [\widehat{\kappa}],$ $\left(\binom{\beta \pm}{\alpha} \right)_{(\pm)}^{(s_1)(s_2)} = (\kappa)_{(\pm)}^{(s_1)(s_2)}$
BH3FR_ EQ8309 (M24) Iconf 0.027	145	■ 0.027	$\begin{aligned} & \{ \}^2 \bar{\gamma}_{(a\,b)} = \\ & \operatorname{sp}\left(\{ \}^2 \bar{a} \times \{ \}^2 \bar{b}\right), \quad 2[p\,k\,l]_{(a\,b)} = \frac{1}{\alpha_k} \partial_k \gamma_{(ab)pl} + \\ & + \frac{1}{\alpha_l} \partial_l \gamma_{(ab)kp} - \frac{1}{\alpha_p} \partial_p \gamma_{(ab)kl}, \quad [3] \left[\left[\begin{array}{c} pkl \\ (ab) \end{array}\right]_N\right] = \left[\begin{array}{c} \widehat{ab} \end{array}\right] \end{aligned}$	${}^2\bar{\gamma}_{(ab)} = \operatorname{sp}\left({}^2\bar{a} \times {}^2\bar{b}\right), \quad 2[pkl]_{(ab)} = \frac{1}{\alpha_k} \partial_k \gamma_{(ab)pl} +$ $+ \frac{1}{\alpha_l} \partial_l \gamma_{(ab)kp} - \frac{1}{\alpha_p} \partial_p \gamma_{(ab)kl}, \quad [3] \left[\left[\begin{array}{c} pkl \\ (ab) \end{array}\right]_N\right] = \left[\begin{array}{c} \widehat{ab} \end{array}\right]$	${}^2\bar{\gamma}_{(ab)} = sp({}^2\bar{a} \times {}^2\bar{b}), \quad 2 \left[\begin{array}{c} pkl \end{array} \right]_{(ab)} = \frac{1}{\alpha_k} \delta_k \gamma_{(ab)pl} +$ $+ \frac{1}{\alpha_l} \delta_l \gamma_{(ab)kp} - \frac{1}{\alpha_p} \delta_p \gamma_{(ab)kl}, \quad [3] \left[\left[\begin{array}{c} pkl \end{array} \right]_{(ab)} \right]_N = \left[\begin{array}{c} \widehat{ab} \end{array} \right]$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_E00316 Iconf 0.038J	146	0.038	$\begin{aligned} & \binom{\beta}{\alpha}_{(\pm)}^{\left(s_1\right)\left(s_2\right)}=\sum_{k=1}^N \binom{\beta}{\alpha}_{(\pm) k}^{\left(s_1\right)\left(s_2\right)}, \quad m \leq N-1, \\ & \binom{\beta}{\alpha}_{(\pm) k}^{\left(s_1\right)\left(s_2\right)}=\frac{1}{\alpha_k} x_k+\sum_{\lambda=\mu+1}^m\left(\right)_{\sigma} \sigma^{\prime} k_{\left(\alpha(\lambda)\right)\left(\varepsilon_{\lambda}\left(s_1\right)\right)}^{i_{\lambda} k} ; n- \\ & -\sum_{\lambda=1}^{\mu}\left(\right)_{\sigma}\left[i_{\lambda} \sigma_k\right]_{\left(\alpha(\lambda)\right)\left(\varepsilon_{\lambda}\left(s_2\right)\right)}^{(\beta(\lambda))(\pm)} ; n, \quad[]=[]_{(1)}, \\ & []^{\times}=[]_{(2)}, \quad[]_{+}=[]_{(3)}, \quad[]_{-}=[]_{(4)}, \\ & []_{-}^{\times}=[]_{(5)}, \quad 0[]=[]_{(6)} \end{aligned}$	$\begin{aligned} & \binom{\beta}{\alpha}_{(\pm)}^{\left(s_1\right)\left(s_2\right)}=\sum_{k=1}^N \binom{\beta}{\alpha}_{(\pm) k}^{\left(s_1\right)\left(s_2\right)}, \quad m \leq N-1, \\ & \binom{\beta}{\alpha}_{(\pm) k}^{\left(s_1\right)\left(s_2\right)}=\frac{1}{\alpha_k} x_k+\sum_{\lambda=\mu+1}^m\left(\right)_{\sigma} \sigma^{\prime} k_{\left(\alpha(\lambda)\right)\left(\varepsilon_{\lambda}\left(s_1\right)\right)}^{i_{\lambda} k} ; n- \\ & -\sum_{\lambda=1}^{\mu}\left(\right)_{\sigma}\left[i_{\lambda} \sigma_k\right]_{\left(\alpha(\lambda)\right)\left(\varepsilon_{\lambda}\left(s_2\right)\right)}^{(\beta(\lambda))(\pm)} ; n, \quad[]=[]_{(1)}, \\ & []^{\times}=[]_{(2)}, \quad[]_{+}=[]_{(3)}, \quad[]_{-}=[]_{(4)} \\ & []_{-}^{\times}=[]_{(5)}, \quad 0[]=[]_{(6)} \end{aligned}$	$\begin{aligned} & \binom{\beta}{\alpha}_{(\pm)}^{\left(s_1\right)\left(s_2\right)}=\sum_{k=1}^N \binom{\beta}{\alpha}_{(\pm) k}^{\left(s_1\right)\left(s_2\right)}, \quad m \leq N-1, \\ & \binom{\beta}{\alpha}_{(\pm) k}^{\left(s_1\right)\left(s_2\right)}=\frac{1}{\alpha_k} \delta_k+\sum_{\lambda=\mu+1}^m\left(\right)_{\sigma} \sigma^{\prime} k_{\left(\alpha(\lambda)\right)\left(\varepsilon_{\lambda}\left(s_1\right)\right)}^{i_{\lambda} k} ; n- \\ & -\sum_{\lambda=1}^{\mu}\left(\right)_{\sigma}\left[i_{\lambda} \sigma_k\right]_{\left(\alpha(\lambda)\right)\left(\varepsilon_{\lambda}\left(s_2\right)\right)}^{(\beta(\lambda))(\pm)} ; n, \quad[]=[]_{(1)}, \\ & []^{\times}=[]_{(2)}, \quad[]_{+}=[]_{(3)}, \quad[]_{-}=[]_{(4)}, \\ & []_{-}^{\times}=[]_{(5)}, \quad 0[]=[]_{(6)} \end{aligned}$
BH3FR_E00143 (63) Iconf 0.039J	117	0.039	$\begin{aligned} & \left[\begin{array}{c} i \\ k l \end{array}\right]_{(\mu \nu)+}^{(\kappa \lambda)}+Q_{(\mu \nu) m}^{(\kappa \lambda)}\left[\begin{array}{c} m \\ k \\ \underline{\alpha}_{k l} \end{array}\right]_{(\mu \nu)+}^{(\kappa \lambda)}=C_{(\mu \nu) k l}^{(\kappa \lambda) i} e^{\lambda_{k l} \mu}\left(e^{\lambda_{k l} \mu}-E\right)^{-\underline{\alpha}_{k l}}, \\ & T_{(\mu \nu)}^{(\kappa \lambda)}=T \end{aligned}$	$\begin{aligned} & \left[\begin{array}{c} i \\ k l \end{array}\right]_{(\mu \nu)+}^{(\kappa \lambda)}+Q_{(\mu \nu) m}^{(\kappa \lambda)}\left[\begin{array}{c} m \\ k \\ \underline{\alpha}_{k l} \end{array}\right]_{(\mu \nu)+}^{(\kappa \lambda)}=C_{(\mu \nu) k l}^{(\kappa \lambda) i} e^{\lambda_{k l} \mu}\left(e^{\lambda_{k l} \mu}-E\right)^{-\underline{\alpha}_{k l}}, \\ & \underline{\alpha}_{k l}=\text { const }, \quad T_{(\mu \nu)}^{(\kappa \lambda)}=\underline{T} \end{aligned}$	$\begin{aligned} & \left[\begin{array}{c} i \\ k l \end{array}\right]_{(\mu \nu)+}^{(\kappa \lambda)}+Q_{(\mu \nu) m}^{(\kappa \lambda)}\left[\begin{array}{c} m \\ k \\ \underline{\alpha}_{k l} \end{array}\right]_{(\mu \nu)+}^{(\kappa \lambda)}=C_{(\mu \nu) k l}^{(\kappa \lambda) i} e^{\lambda_{k l} \mu}\left(e^{\lambda_{k l} \mu}-E\right)^{-\underline{\alpha}_{k l}}, \\ & \underline{\alpha}_{k l}=\text { const }, \quad T_{(\mu \nu)}^{(\kappa \lambda)}=\underline{T} \end{aligned}$
BH3FR_E00163 (74) Iconf 0.048J	122	0.048	$\begin{aligned} & \left.\dot{x}^i\right\{\kappa \lambda\}=-\left[\begin{array}{c} i \\ k l \end{array}\right]_{(\kappa \lambda)}^{(\mu \nu)} \dot{x}^k \dot{x}^l, \\ & \delta S_n^{n_2 4} \bar{\varrho}_{(\kappa \lambda)}^{(\mu \nu)} ; n \partial n=4 \bar{\varrho} \end{aligned}$	$\begin{aligned} & \ddot{x}^i\left(\begin{array}{c} \mu \nu \\ \kappa \lambda \end{array}\right)=-\left[\begin{array}{c} i \\ k l \end{array}\right]_{(\kappa \lambda)}^{(\mu \nu)} \dot{x}^k \dot{x}^l, \\ & \delta S_n^{n_2 4} \bar{\varrho}_{(\kappa \lambda)}^{(\mu \nu)} ; n \partial n=4 \bar{\varrho} \end{aligned}$	$\begin{aligned} & \ddot{x}^i\left(\begin{array}{c} \mu \nu \\ \kappa \lambda \end{array}\right)=-\left[\begin{array}{c} i \\ k l \end{array}\right]_{(\kappa \lambda)}^{(\mu \nu)} \dot{x}^k \dot{x}^l, \\ & \delta S_n^{n_2 4} \bar{\varrho}_{(\kappa \lambda)}^{(\mu \nu)} ; n \partial n=4 \bar{\varrho} \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_ E00313 (M25b) [conf 0.059]	145	■ 0.059	$\begin{aligned} & \ \partial_{x'\underline{m}'\underline{u}}x'^i+\left[\begin{array}{cc} i & \\ k & l \end{array}\right]_{\overline{(ab)}(C'')}^{(cd)}\ ;n\partial_{x'\underline{m}}x''\underline{k}\partial_{x'\underline{u}}x''\underline{l}= \\ & = [m^p\mu]_{\overline{(ab)}(C')}^{(cd)}\ ;n\partial_{x'\underline{p}}x''\underline{i} \end{aligned}$	$\partial_{x'\underline{m}'\underline{u}}x'^i+\left[\begin{array}{cc} i & \\ k & l \end{array}\right]_{\overline{(ab)}(C'')}^{(cd)}\ ;n\partial_{x'\underline{m}}x''\underline{k}\partial_{x'\underline{u}}x''\underline{l}=$ $= \left[\begin{array}{cc} p & \\ m & \mu \end{array}\right]_{\overline{(ab)}(C')}^{(cd)}\ ;n\partial_{x'\underline{p}}x''\underline{i}$	
BH3FR_ E00053 [conf 0.075]	105	■ 0.075	$\begin{aligned} & \ \frac{\partial}{\partial x^k} \rightarrow \frac{\partial_k}{\alpha_k} = \underline{\partial}_k, \quad g_{ik} \rightarrow \gamma_{ik}; n, \quad {}^2\overline{\gamma}(C_k)_1^6 = \\ & = sp\left({}^2\overline{\kappa} \times {}^2\overline{\kappa}\right) = {}^2\overline{\gamma}^\times, \quad {}^2\overline{\kappa} = {}^2\overline{\kappa}^\times, \quad \widehat{\overline{\Gamma}} \rightarrow \widehat{\overline{\Gamma}}; n, \\ & \widehat{\overline{\Gamma}} = \widehat{\overline{\Gamma}}^\times, \quad \Gamma_{(\pm)}^{(s_1)(s_2)} \rightarrow ()_{(\pm)}^{(s_1)(s_2)}, \quad (\varepsilon \leq 3) \triangleq +, \\ & (\varepsilon > 3) \triangleq - \end{aligned}$	$\frac{\partial}{\partial x^k} \rightarrow \frac{\partial_k}{\alpha_k} = \underline{\partial}_k, \quad g_{ik} \rightarrow \gamma_{ik}; n, \quad {}^2\overline{\gamma}(C_k)_1^6 =$ $= sp\left({}^2\overline{\kappa} \times {}^2\overline{\kappa}\right) = {}^2\overline{\gamma}^\times, \quad {}^2\overline{\kappa} = {}^2\overline{\kappa}^\times, \quad \widehat{\overline{\Gamma}} \rightarrow \widehat{\overline{\Gamma}}; n,$ $\widehat{\overline{\Gamma}} = \widehat{\overline{\Gamma}}^\times, \quad \Gamma_{(\pm)}^{(s_1)(s_2)} \rightarrow ()_{(\pm)}^{(s_1)(s_2)}, \quad (\varepsilon \leq 3) \triangleq +,$ $(\varepsilon > 3) \triangleq -$	
BH3FR_ E00147 (66) [conf 0.075]	117	■ 0.075	$\begin{aligned} & \ \partial \gamma_{+kl}^{(\mu\nu)}=0, \quad \psi_{(\mu\nu)kl}^{(\kappa\lambda)}=0, \quad \partial^2 \gamma_{+kl}^{(\mu\nu)}=0, \\ & \partial q_{(\mu\nu)kl}^{(\kappa\lambda)}=0, \quad \partial \psi_{(\mu\nu)kl}^{(\kappa\lambda)}=0, \\ & q_{(\mu\nu)kl}^{(\kappa\lambda)}=C_{(\mu\nu)kl}^{(\kappa\lambda)}\sum_{s=1}^q\left(\sum_{i=1}^q\left(\gamma_{(\kappa\lambda)}^i\frac{S}{\lambda}+Q_{(\mu\nu)m}^{(\kappa\lambda)}\gamma_{(\kappa\lambda)}^m\frac{S}{\lambda}\right)\right)^{-1} \end{aligned}$	$\partial \gamma_{+kl}^{(\mu\nu)}=0, \quad \psi_{(\mu\nu)kl}^{(\kappa\lambda)}=0, \quad \partial^2 \gamma_{+kl}^{(\mu\nu)}=0,$ $\partial q_{(\mu\nu)kl}^{(\kappa\lambda)}=0, \quad \partial \psi_{(\mu\nu)kl}^{(\kappa\lambda)}=0,$ $q_{(\mu\nu)kl}^{(\kappa\lambda)}=C_{(\mu\nu)kl}^{(\kappa\lambda)}\sum_{s=1}^q\left(\sum_{i=1}^q\left(\gamma_{(\kappa\lambda)}^i\frac{S}{\lambda}+Q_{(\mu\nu)m}^{(\kappa\lambda)}\gamma_{(\kappa\lambda)}^m\frac{S}{\lambda}\right)\right)^{-1}$	
BH3FR_ E00303 [conf 0.086]	144	■ 0.086	$\begin{aligned} & \ \overline{\psi}=\boldsymbol{S}^2\overline{\kappa};() \delta \overline{x}, \quad {}^2\overline{\gamma}=sp\left({}^2\overline{\kappa} \times {}^2\overline{\kappa}\right), \quad {}^2\overline{\gamma}, \\ & \overline{\psi};n=\overline{\xi}, \quad \overline{x}=\sum_{k=1}^N\overline{e}_kC^k \end{aligned}$	$\overline{\psi}=\boldsymbol{S}^2\overline{\kappa};() \delta \overline{x}, \quad {}^2\overline{\gamma}=sp\left({}^2\overline{\kappa} \times {}^2\overline{\kappa}\right), \quad {}^2\overline{\gamma},$ $\overline{\psi};n=\overline{\xi}, \quad \overline{x}=\sum_{k=1}^N\overline{e}_kC^k$	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0312 (M25a)	145	■ 0.124	$\partial_{\mathrm{p}}^2 x^{\underline{i}} + \partial_{\mathrm{p}} x^{\not k} \partial_{\mathrm{p}} x' \left[\begin{smallmatrix} i \\ kl \end{smallmatrix} \right]_{(ab)(C')}^{(cd)} ; n = 0$	$\partial_p^2 x^{\underline{i}} + \partial_p x^{\not k} \partial_p x' \left[\begin{smallmatrix} i \\ kl \end{smallmatrix} \right]_{(ab)(C')}^{(cd)} ; n = 0$	$\partial_p^2 x^{\underline{i}} + \partial_p x^{\not k} \partial_p x^{\underline{l}} \left[\begin{smallmatrix} i \\ k \ l \end{smallmatrix} \right]_{(ab)(C')}^{(cd)} ; n = 0$
BH3FR_EQ0140 (61)	116	■ 0.125	$L_{(\mu\nu)+}^{\left(\kappa\lambda\right)}; \left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -\mu\nu \end{smallmatrix}\right]_+ = {}^4\overline{0}$	$L_{(\mu\nu)+}^{\left(\kappa\lambda\right)}; \left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -\mu\nu \end{smallmatrix}\right]_+ = {}^4\overline{0}$	$L_{(\mu\nu)+}^{\left(\kappa\lambda\right)}; \left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -\mu\nu \end{smallmatrix}\right]_+ = {}^4\overline{0}$
BH3FR_EQ0271	139	■ 0.133	$\begin{aligned} & \partial \sum_j u_j(n) = \sum_j \partial u_j, \quad \partial C = 0, \quad \partial(Cu) = C\partial u, \\ & C = \text{const}(n), \quad \partial(uv) = u\partial v + v\partial u - \partial u\partial v, \\ & \partial\left(\frac{u}{v}\right) = \frac{1}{v} \left \begin{smallmatrix} \partial u \partial v \\ u \quad v \end{smallmatrix} \right \cdot \left \begin{smallmatrix} v \partial v \\ 1 \quad 1 \end{smallmatrix} \right ^{-1} \end{aligned}$	$\begin{aligned} & \partial \sum_j u_j(n) = \sum_j \partial u_j, \quad \partial C = 0, \quad \partial(Cu) = C\partial u, \\ & C = \text{const}(n), \quad \partial(uv) = u\partial v + v\partial u - \partial u\partial v, \\ & \partial\left(\frac{u}{v}\right) = \frac{1}{v} \left \begin{smallmatrix} \partial u \partial v \\ u \quad v \end{smallmatrix} \right \cdot \left \begin{smallmatrix} v \partial v \\ 1 \quad 1 \end{smallmatrix} \right ^{-1} \end{aligned}$	$\begin{aligned} \partial \sum_j u_j(n) &= \sum_j \partial u_j, & \partial C &= 0, & \partial(Cu) &= C\partial u, \\ C &= \text{const}(n), & \partial(uv) &= u\partial v + v\partial u - \partial u\partial v, \\ \partial\left(\frac{u}{v}\right) &= \frac{1}{v} \left \begin{smallmatrix} \partial u \partial v \\ u \quad v \end{smallmatrix} \right \cdot \left \begin{smallmatrix} v \partial v \\ 1 \quad 1 \end{smallmatrix} \right ^{-1} \end{aligned}$
BH3FR_EQ0130 (56a)	115	■ 0.138	$\left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -t \\ \mu\nu \end{smallmatrix}\right] = \left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -t \\ \mu\nu \end{smallmatrix}\right]_+ = \left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -t \\ \mu\nu \end{smallmatrix}\right] x$	$\left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -t \\ \mu\nu \end{smallmatrix}\right] = \left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -t \\ \mu\nu \end{smallmatrix}\right]_+ = \left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -t \\ \mu\nu \end{smallmatrix}\right] x$	$\left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -\mu\nu \end{smallmatrix}\right] = \left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -\mu\nu \end{smallmatrix}\right]_+ = \left[\begin{smallmatrix} \widehat{\kappa\lambda} \\ -\mu\nu \end{smallmatrix}\right] x$
BH3FR_EQ0191 (87)	126	■ 0.151	$\{ \}_x^{\{ \}_p(\mu)_{\{ \}_m}^{\{ \}_q} \sim S \frac{\bar{\xi}_\mu}{w} \sum_\varepsilon sp \Lambda_{(\kappa\lambda)}^{(\mu\nu)}; \left[\begin{smallmatrix} \widehat{\mu\nu} \\ -\frac{1}{\kappa\lambda} \end{smallmatrix}\right]_+ ; () \prod_{k=1}^3 \partial()_k$	$p_x(\mu)_\pm^q \sim S \frac{\bar{\xi}_\mu}{w} \sum_\varepsilon sp \Lambda_{(\kappa\lambda)}^{(\mu\nu)}; \left[\begin{smallmatrix} \widehat{\mu\nu} \\ -\frac{1}{\kappa\lambda} \end{smallmatrix}\right]_+ ; () \prod_{k=1}^3 \partial()_k$	$p_x(\mu)_\pm^q \sim \mathcal{S} \frac{\bar{\xi}_\mu}{w} \sum_\varepsilon sp \Lambda_{(\kappa\lambda)}^{(\mu\nu)}; \left[\begin{smallmatrix} \widehat{\mu\nu} \\ -\frac{1}{\kappa\lambda} \end{smallmatrix}\right]_+ ; () \prod_{k=1}^3 \partial()_k$
BH3FR_EQ0311 (M25)	145	■ 0.153	$\begin{aligned} & \partial_{\mathrm{p}}^2 n^{\underline{i}} + \frac{\alpha_k \alpha_l}{\alpha_i} \partial_{\mathrm{p}} n^{\underline{k}} \partial_{\mathrm{p}} n^{\underline{l}} \left[\begin{smallmatrix} i \\ k \ l \end{smallmatrix} \right]_{(ab)}^{(cd)} ; n = 0, \quad n^{\underline{i}} = n^{\underline{i}}(p), \\ & \partial_{\mathrm{p}}^2 \xi^{\underline{i}} = 0, \quad \left[\begin{smallmatrix} \widehat{cd} \\ a \end{smallmatrix} \right]_{(\xi)} = \hat{0}, \quad \left[\begin{smallmatrix} \widehat{cd} \\ ab \end{smallmatrix} \right] \neq \hat{0} \end{aligned}$	$\begin{aligned} & \partial_p^2 n^{\underline{i}} + \frac{\alpha_k \alpha_l}{\alpha_i} \partial_p n^{\underline{k}} \partial_p n^{\underline{l}} \left[\begin{smallmatrix} i \\ k \ l \end{smallmatrix} \right]_{(ab)}^{(cd)} ; n = 0, \quad n^{\underline{i}} = n^{\underline{i}}(p), \\ & \partial_p^2 \xi^{\underline{i}} = 0, \quad \left[\begin{smallmatrix} \widehat{cd} \\ a \end{smallmatrix} \right]_{(\xi)} = \hat{0}, \quad \left[\begin{smallmatrix} \widehat{cd} \\ ab \end{smallmatrix} \right] \neq \hat{0} \end{aligned}$	$\begin{aligned} & \partial_p^2 n^{\underline{i}} + \frac{\alpha_k \alpha_l}{\alpha_i} \partial_p n^{\underline{k}} \partial_p n^{\underline{l}} \left[\begin{smallmatrix} i \\ k \ l \end{smallmatrix} \right]_{(ab)}^{(cd)} ; n = 0, \quad n^{\underline{i}} = n^{\underline{i}}(p), \\ & \partial_p^2 \xi^{\underline{i}} = 0, \quad \left[\begin{smallmatrix} \widehat{cd} \\ ab \end{smallmatrix} \right]_{(\xi)} = \hat{0}, \quad \left[\begin{smallmatrix} \widehat{cd} \\ ab \end{smallmatrix} \right] \neq \hat{0} \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0065 (21c)	107	■ 0.168	$\begin{aligned} & \underline{\gamma}_i = A_i \exp \left(\sum_{k,l=1}^q c_{kl}^{(i)} S \underline{\psi}_{kl}; () \partial \underline{\mu} \right), \quad \hat{S}^2 \underline{\gamma}_q \hat{S}^\times = {}^2 \underline{\gamma}_-, \\ & \hat{S} \hat{S}^\times = \hat{E}, \quad \hat{\beta} \hat{\beta}^\times = \hat{E}, \quad \underline{\mu} = \sum_{k=1}^q \beta_k ()_k, \\ & \beta_k = \sum_{i=1}^q \alpha_i \beta_{ik} \end{aligned}$	$\underline{\gamma}_{ii} = A_i \exp \left(\sum_{k,l=1}^q c_{kl}^{(i)} S \underline{\psi}_{kl}; () \partial \underline{\mu} \right), \quad \hat{S}^2 \underline{\gamma}_q \hat{S}^\times = {}^2 \underline{\gamma}_-$ $\hat{S} \hat{S}^\times = \hat{E}, \quad \hat{\beta} \hat{\beta}^\times = \hat{E}, \quad \underline{\mu} = \sum_{k=1}^q \beta_k ()_k,$ $\beta_k = \sum_{i=1}^q \alpha_i \beta_{ik}$	$\underline{\gamma}_{ii} = A_i \exp \left(\sum_{k,l=1}^q c_{kl}^{(i)} S \underline{\psi}_{kl}; () \partial \underline{\mu} \right), \quad \hat{S}^2 \underline{\gamma}_q \hat{S}^\times = {}^2 \underline{\gamma}_-,$ $\hat{S} \hat{S}^\times = \hat{E}, \quad \hat{\beta} \hat{\beta}^\times = \hat{E}, \quad \underline{\mu} = \sum_{k=1}^q \beta_k ()_k,$ $\beta_k = \sum_{i=1}^q \alpha_i \beta_{ik}$
BH3FR_EQ0132 (58)	115	■ 0.169	$L_{(\mu \nu)}^{(\kappa \lambda)}; \left[\begin{array}{c} \widehat{\kappa \lambda} \\ - + \\ \mu \nu \end{array} \right] = {}^4 \overline{0}, \quad \left[\begin{array}{c} \widehat{\kappa \lambda} \\ - + \\ \mu \nu \end{array} \right] = \left[\begin{array}{c} \widehat{\kappa \lambda} \\ - + \\ \mu \nu \end{array} \right]_+$	(not rendered)	$L_{(\mu \nu)}^{(\kappa \lambda)}; \left[\begin{array}{c} \widehat{\kappa \lambda} \\ - + \\ \mu \nu \end{array} \right] = {}^4 \overline{0}, \quad \left[\begin{array}{c} \widehat{\kappa \lambda} \\ - + \\ \mu \nu \end{array} \right] = \left[\begin{array}{c} \widehat{\kappa \lambda} \\ - + \\ \mu \nu \end{array} \right]_+$
BH3FR_EQ0307 (M23)	145	■ 0.170	$N = \bar{K} \bar{\partial} \bar{n}, \quad \bar{n} = \sum_{k=1}^N \bar{e}_k Z(k); n$	$N = \bar{K} \bar{\partial} \bar{n}, \quad \bar{n} = \sum_{k=1}^N \bar{e}_k Z(k); n$	$\underline{N} = \underline{S} \bar{K} \bar{\partial} \bar{n}, \quad \bar{n} = \sum_{k=1}^N \bar{e}_k Z(k); n$
BH3FR_EQ0084 (31)	109	■ 0.179	$\begin{aligned} & m_q \approx \frac{h}{\beta c} - \sqrt[3]{4 \alpha_{q/\varepsilon}}, \quad \beta = \sqrt{\tau \sqrt{\pi}}, \quad \varepsilon \tau = E, \\ & \alpha_q = 1 + 4 \left(\frac{q}{\pi} \right)^4 \end{aligned}$	$m_q \approx \frac{h}{\beta c} - \sqrt[3]{4 \alpha_{q/\varepsilon}}, \quad \beta = \sqrt{\tau \sqrt{\pi}}, \quad \varepsilon \tau = E,$ $\alpha_q = 1 + 4 \left(\frac{q}{\pi} \right)^4$	$m_q \approx \frac{h}{\beta c} - \sqrt[3]{4 \alpha_{q/\varepsilon}}, \quad \beta = \sqrt{\tau \sqrt{\pi}}, \quad \varepsilon \tau = E,$ $\alpha_q = 1 + 4 \left(\frac{q}{\pi} \right)^4$
BH3FR_EQ0018 (5c)	101	■ 0.182	$\begin{aligned} & \hat{C}(R_6) = \begin{pmatrix} \cos \psi & 0 & 0 & \sin \psi & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ -\sin \psi & 0 & 0 & \cos \psi & 0 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix}, \quad u \beta = v, \quad i \beta = \operatorname{tg} \psi, \\ & \psi = -\psi^* \end{aligned}$	$\hat{C}(R_6) = \begin{pmatrix} \cos \psi & 0 & 0 & \sin \psi & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ -\sin \psi & 0 & 0 & \cos \psi & 0 \\ 0 & 0 & 0 & 0 & 0 \end{pmatrix}, \quad u \beta = v, \quad i \beta = \operatorname{tg} \psi,$ $\psi = -\psi^*$	$\hat{C}(R_6) = \begin{pmatrix} \cos \psi & 0 & 0 & \sin \psi & 0 \\ 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 \\ -\sin \psi & 0 & 0 & \cos \psi & 0 \\ 0 & 0 & 0 & 0 & 1 \end{pmatrix}, \quad u \beta = v, \quad i \beta = \operatorname{tg} \psi,$ $\psi = -\psi^*$
BH3FR_EQ0300	143	■ 0.222	$\begin{aligned} & \hat{s} = \operatorname{ROT}_N \hat{\phi}, \quad (\hat{s}; n)_{n=1} = \hat{\tau}, \quad \hat{s} = ({}^2 \bar{s}_{\alpha \beta})_p, \\ & \hat{\phi} = (\bar{\phi}_{\alpha \beta})_p, \quad {}^2 \bar{s}_{\alpha \beta}; n = \underline{\underline{S}} \underline{\underline{S}} \underline{\underline{\partial}} \bar{\xi}_{\alpha} \times \underline{\underline{\partial}} \bar{\xi}_{\beta} \end{aligned}$	$\hat{s} = \operatorname{ROT}_N \hat{\phi}, \quad (\hat{s}; n)_{n=1} = \hat{\tau}, \quad \hat{s} = ({}^2 \bar{s}_{\alpha \beta})_p,$ $\hat{\phi} = (\bar{\phi}_{\alpha \beta})_p, \quad {}^2 \bar{s}_{\alpha \beta}; n = \underline{\underline{S}} \underline{\underline{S}} \underline{\underline{\partial}} \bar{\xi}_{\alpha} \times \underline{\underline{\partial}} \bar{\xi}_{\beta}$	$\hat{s} = \operatorname{ROT}_N \hat{\phi}, \quad (\hat{s}; n)_{n=1} = \hat{\tau}, \quad \hat{s} = ({}^2 \bar{s}_{\alpha \beta})_p,$ $\hat{\phi} = (\bar{\phi}_{\alpha \beta})_p, \quad {}^2 \bar{s}_{\alpha \beta}; n = \underline{\underline{S}} \underline{\underline{S}} \underline{\underline{\partial}} \bar{\xi}_{\alpha} \times \underline{\underline{\partial}} \bar{\xi}_{\beta}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0323 (M31)	148	■ 0.229	$\begin{aligned} & \ \mathrm{\varSigma}_{\left\{\overline{k}\right\}l\,m}^i=\frac{1}{\alpha_{\left\{l\right\}}}\frac{1}{\alpha_{\left\{m\right\}}}\frac{\partial}{\partial m}\left[\begin{array}{c}i\\kl\end{array}\right]+\left[\begin{array}{c}i\\sl\end{array}\right];\left(\right)\left[\begin{array}{cc}s&m\end{array}\right]-\left[\begin{array}{c}i\\s\end{array}\right];\left(\right)\left[\begin{array}{cc}s&l\end{array}\right],\\ & \lim_{\tau\rightarrow 0}{}^4\overline{\zeta};n={}^4\overline{R} \end{aligned}$	$\varsigma_{klm}^i=\frac{1}{\alpha_l}l\left[\begin{array}{c}i\\kl\end{array}\right]-\frac{1}{\alpha_m}\partial_m\left[\begin{array}{c}i\\kl\end{array}\right]+\left[\begin{array}{c}i\\sl\end{array}\right];\left(\right)\left[\begin{array}{cc}s&m\end{array}\right]-\left[\begin{array}{c}i\\s\end{array}\right];\left(\right)\left[\begin{array}{cc}s&l\end{array}\right]$ $\lim_{\tau\rightarrow 0}{}^4\overline{\zeta};n={}^4\overline{R}$	$\varsigma_{klm}^i=\frac{1}{\alpha_l}l\left[\begin{array}{c}i\\k\ m\end{array}\right]-\frac{1}{\alpha_m}\partial_m\left[\begin{array}{c}i\\k\ l\end{array}\right]+\left[\begin{array}{c}i\\s\ l\end{array}\right];\left(\right)\left[\begin{array}{cc}s\ m\end{array}\right]-\left[\begin{array}{c}i\\s\ m\end{array}\right];\left(\right)\left[\begin{array}{cc}s\ l\end{array}\right],$ $\lim_{\tau\rightarrow 0}{}^4\overline{\zeta};n={}^4\overline{R}$
BH3FR_EQ0131 (57)	115	■ 0.241	$\begin{aligned} & \ \widehat{[\kappa\lambda]}=\sum_{\nu}\widehat{\varepsilon}_{\left\{\kappa\lambda\right\}\nu}\left[\begin{array}{c}i\\kl\end{array}\right]+\left[\begin{array}{c}i\\sl\end{array}\right];\left(\right)\left[\begin{array}{cc}s&m\end{array}\right]-\left[\begin{array}{c}i\\s\end{array}\right];\left(\right)\left[\begin{array}{cc}s&l\end{array}\right],\\ & \varepsilon\equiv(\kappa,\lambda,\mu,v) \end{aligned}$	$\widehat{\mathbb{I}}=\sum_{\varepsilon}\left(\left[\begin{array}{c}\widehat{\kappa\lambda}\\-+\\\mu\nu\end{array}\right]_{+}+sp^2Q_{(\mu\nu)}^{(\kappa\lambda)};\left(\right)\times\left[\begin{array}{c}\widehat{\kappa\lambda}\\-+\\\mu\nu\end{array}\right]_{+}\right),$ $\varepsilon\equiv(\kappa,\lambda,\mu,v)$	$\widehat{\mathbb{I}}=\sum_{\varepsilon}\left(\left[\begin{array}{c}\widehat{\kappa\lambda}\\-+\\\mu\nu\end{array}\right]_{+}+sp^2Q_{(\mu\nu)}^{(\kappa\lambda)};\left(\right)\times\left[\begin{array}{c}\widehat{\kappa\lambda}\\-+\\\mu\nu\end{array}\right]_{+}\right),$ $\varepsilon\equiv(\kappa,\lambda,\mu,v)$
BH3FR_EQ0134	115	■ 0.247	$K_{(\mu\nu)m}^{(\kappa\lambda)}=\binom{\kappa\lambda}{\mu\nu}_{(-)1}^{(1,6)};\delta(l,m)-\binom{\kappa\lambda}{\mu\nu+}_{(-)m}^{(1,6)},$	$K_{(\mu\nu)m}^{(\kappa\lambda)}=\binom{\kappa\lambda}{\mu\nu}_{(-)1}^{(1,6)};\delta(l,m)-\binom{\kappa\lambda}{\mu\nu+}_{(-)m}^{(1,6)},$	$K_{(\mu\nu)m}^{(\kappa\lambda)}=\binom{\kappa\lambda}{\mu\nu}_{(-)1}^{(1,6)};\delta(l,m)-\binom{\kappa\lambda}{\mu\nu}_{(-)m}^{(1,6)},$
BH3FR_EQ0282 (M10)	140	■ 0.249	$\phi=\underset{1+\kappa_1}{\boldsymbol{S}}\dots\underset{1+\kappa_L}{\boldsymbol{S}}\varphi(n_i)_1^L\prod_{k=1}^L\partial n_k,\quad\partial_in_k=\delta_{ik}$	$\phi=\underset{1+\kappa_1}{\boldsymbol{S}}\dots\underset{1+\kappa_L}{\boldsymbol{S}}\varphi(n_i)_1^L\prod_{k=1}^L\partial n_k,\quad\partial_in_k=\delta_{ik}$	$\phi=\underset{1+\kappa_1}{\boldsymbol{S}}\dots\underset{1+\kappa_L}{\boldsymbol{S}}\varphi(n_i)_1^L\prod_{k=1}^L\partial n_k,\quad\partial_in_k=\delta_{ik}$
BH3FR_EQ0260 (115)	137	■ 0.252	$\widehat{S}\equiv kP\left(\begin{array}{c}n,m\\p,\sigma\end{array}\middle \begin{array}{c}Q\kappa\\Cq_x\end{array}\right)^N_{\varepsilon}X(vx),\quad(n,m,p,\sigma)=n_1,\dots,n_4$	$\hat{S}\equiv kP\left(\begin{array}{c}n,m\\p,\sigma\end{array}\middle \begin{array}{c}Q\kappa\\Cq_x\end{array}\right)^N_{\varepsilon}X(vx),\quad(n,m,p,\sigma)=n_1,\dots,n_4$	$\hat{S}\equiv kP\left(\begin{array}{c}n,m\\p,\sigma\end{array}\middle \begin{array}{c}Q\kappa\\Cq_x\end{array}\right)^N_{\varepsilon}X(vx),\quad(n,m,p,\sigma)=n_1,...,n_4$
BH3FR_EQ0139 (60a)	116	■ 0.252	$s\,p\,L_{(\mu\nu)}^{(\kappa\lambda)};\left[\begin{array}{c}\widehat{\kappa\lambda}\\-+\\\mu\nu\end{array}\right]={}^2\overline{0},\quad L_{(\mu\nu)}^{(\kappa\lambda)};sp\left[\begin{array}{c}\widehat{\kappa\lambda}\\-+\\\mu\nu\end{array}\right]={}^2\overline{0}$	$spL_{(\mu\nu)}^{(\kappa\lambda)};\left[\begin{array}{c}\widehat{\kappa\lambda}\\-+\\\mu\nu\end{array}\right]={}^2\overline{0},\quad L_{(\mu\nu)}^{(\kappa\lambda)};sp\left[\begin{array}{c}\widehat{\kappa\lambda}\\-+\\\mu\nu\end{array}\right]={}^2\overline{0}$	$spL_{(\mu\nu)}^{(\kappa\lambda)};\left[\begin{array}{c}\widehat{\kappa\lambda}\\-+\\\mu\nu\end{array}\right]={}^2\overline{0},\quad L_{(\mu\nu)}^{(\kappa\lambda)};sp\left[\begin{array}{c}\widehat{\kappa\lambda}\\-+\\\mu\nu\end{array}\right]={}^2\overline{0}$
BH3FR_EQ0207 (96)	128	■ 0.253	$\overline{\lambda}=\underline{N}\overline{\lambda}_0\perp\vec{Y},\quad\underline{N}\geq 1,\quad\underline{N}=N_{(\mu\nu)}^{(\kappa\lambda)}$	$\overline{\lambda}=\underline{N}\overline{\lambda}_0\perp\vec{Y},\quad\underline{N}\geq 1,\quad\underline{N}=N_{(\mu\nu)}^{(\kappa\lambda)}$	$\overline{\lambda}=\underline{N}\overline{\lambda}_0\perp\vec{Y},\quad\underline{N}\geq 1,\quad\underline{N}=N_{(\mu\nu)}^{(\kappa\lambda)}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_E00160 (71a)	121	■ 0.263	$\begin{aligned} & \& Q_{\{1\}}(\mathrm{I} h \rightarrow \mathrm{I} a) = Q_{\{1\}} \left((K_j^{++})_1^{18} \rightarrow K_{123}^{--} (123) d, s, e \right), \\ & \& Q_{\{2\}}^+(\mathrm{I} h \rightarrow \mathrm{I} a) = Q_{\{2\}} \left((K_j^{++})_4^{18} \rightarrow (K_i^- C_i^-)_1^{15} \right), \\ & \& Q_{\{2\}}^-(\mathrm{I} h \rightarrow \mathrm{I} a) = Q_{\{2\}} \left((K_i^+, C_i^+)_1^{15} \rightarrow (123) d, s, e \right), \\ & \& Q_{\{3\}}(\mathrm{I} h \rightarrow \mathrm{I} a) = Q_{\{3\}} \left((K_j^+, C_j^+ \rightarrow C_j^- K_j^-)_1^{15} \right), \\ & \& Q_{\{4\}}^+(\mathrm{I} h \rightarrow \mathrm{I} h) = Q_{\{4\}} \left((K_j^{++})_4^{18} \rightarrow (K_i^+, C_i^+)_1^{15} \right), \\ & \& Q_{\{4\}}^-(\mathrm{I} a \rightarrow \mathrm{I} a) = Q_{\{4\}} \left((K_j^-, C_j^-)_1^{15} \rightarrow (123) d, s, e \right) \end{aligned}$	$\begin{aligned} Q_1(Ih \rightarrow Ia) &= Q_1 \left((K_j^{++})_1^{18} \rightarrow K_{123}^{--} (123) d, s, e \right), \\ Q_2^+(Ih \rightarrow Ia) &= Q_2 \left((K_j^{++})_4^{18} \rightarrow (K_i^- C_i^-)_1^{15} \right), \\ Q_2^-(Ih \rightarrow Ia) &= Q_2 \left((K_i^+, C_i^+)_1^{15} \rightarrow (123) d, s, e \right), \\ Q_3(Ih \rightarrow Ia) &= Q_3 \left((K_j^+, C_j^+ \rightarrow C_j^- K_j^-)_1^{15} \right), \\ Q_4^+(Ih \rightarrow Ih) &= Q_4 \left((K_j^{++})_4^{18} \rightarrow (K_i^+, C_i^+)_1^{15} \right), \\ Q_4^-(Ia \rightarrow Ia) &= Q_4 \left((K_j^-, C_j^-)_1^{15} \rightarrow (123) d, s, e \right) \end{aligned}$	$\begin{aligned} Q_1(Ih \rightarrow Ia) &= Q_1 \left((K_j^{++})_1^{18} \rightarrow K_{123}^{--} (123) d, s, e \right), \\ Q_2^+(Ih \rightarrow Ia) &= Q_2 \left((K_j^{++})_4^{18} \rightarrow (K_i^- C_i^-)_1^{15} \right), \\ Q_2^-(Ih \rightarrow Ia) &= Q_2 \left((K_i^+, C_i^+)_1^{15} \rightarrow (123) d, s, e \right), \\ Q_3(Ih \rightarrow Ia) &= Q_3 \left((K_j^+, C_j^+ \rightarrow C_j^- K_j^-)_1^{15} \right), \\ Q_4^+(Ih \rightarrow Ih) &= Q_4 \left((K_j^{++})_4^{18} \rightarrow (K_i^+, C_i^+)_1^{15} \right), \\ Q_4^-(Ia \rightarrow Ia) &= Q_4 \left((K_j^-, C_j^-)_1^{15} \rightarrow (123) d, s, e \right) \end{aligned}$
BH3FR_E00155 (70)	119	■ 0.274	$\begin{array}{l} K_{\{1\}}^{\{-\}}=1,4,5 \text{ . } \& K_{\{2\}}^{\{-\}}=2,4,6 \text{ . } \\ \& K_{\{3\}}^{\{-\}}=5,3,6 \text{ . } \& K_{\{1\}}^{\{-\}}=1,4 \text{ . } \& K_{\{2\}}^{\{-\}}=1,5 \text{ . } \\ \& K_{\{3\}}^{\{-\}}=2,4 \text{ . } \& K_{\{4\}}^{\{-\}}=2,6 \text{ . } \& K_{\{5\}}^{\{-\}}=3,5 \text{ . } \& K_{\{6\}}^{\{-\}}=3,6, \& (1 \ldots 6)_{\{-\}}=(6 \ldots 1)_{\{+\}} \& \end{array}$	$\begin{array}{lll} K_1^- = 1, 4, 5. & K_2^- = 2, 4, 6. & K_3^- = 5, 3, 6. \\ K_1^- = 1, 4. & K_2^- = 1, 5. & K_3^- = 2, 4. \\ K_4^- = 2, 6. & K_5^- = 3, 5. & K_6^- = 3, 6, \\ (1 \dots 6)_- = (6 \dots 1)_+ \end{array}$	$\begin{array}{lll} K_1^{--} = 1, 4, 5. & K_2^{--} = 2, 4, 6. & K_3^{--} = 5, 3, 6. \\ K_1^- = 1, 4. & K_2^- = 1, 5. & K_3^- = 2, 4. \\ K_4^- = 2, 6. & K_5^- = 3, 5. & K_6^- = 3, 6, \\ (1 \dots 6)_- = (6 \dots 1)_+ \end{array}$
BH3FR_E00186 (85a)	125	■ 0.289	$\begin{array}{l} \bar{F}_{pq}(\mu) \perp \bar{\sigma}_{pq} = \omega_{pq} \bar{s}_{pq}, \quad \bar{s}_{pq} = \bar{s}_{pq}^{(o)} \cdot s_{pq}, \\ \left \bar{s}_{pq}^{(o)} \right = 1, \quad \bar{s}_p \parallel \bar{s}_q, \\ \varphi = \pi/2 \end{array}$	$\begin{array}{lll} \bar{F}_{pq}(\mu) \perp \bar{\sigma}_{pq} = \omega_{pq} \bar{s}_{pq}, & \bar{s}_{pq} = \bar{s}_{pq}^{(o)} \cdot s_{pq}, \\ \left \bar{s}_{pq}^{(o)} \right = 1, & \bar{s}_p \parallel \bar{s}_q, & \varphi = \pi/2 \end{array}$	$\begin{array}{lll} \bar{F}_{pq}(\mu) \perp \bar{\sigma}_{pq} = \omega_{pq} \bar{s}_{pq}, & \bar{s}_{pq} = \bar{s}_{pq}^{(o)} \cdot s_{pq}, \\ \left \bar{s}_{pq}^{(o)} \right = 1, & \bar{s}_p \parallel \bar{s}_q, & \varphi = \pi/2 \end{array}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0156 (70a)	119	■ 0.290	$\begin{aligned} & \text{Q}_{\{1\}}(\mathrm{I} \rightarrow \mathrm{h}) \rightarrow \mathrm{I} \text{ a} = \text{Q}_{\{1\}}(\mathrm{K}_{\{i\}}^{++} \rightarrow \mathrm{K}_{\{i\}}^{- -}) \text{ right} \\ & \text{Q}_{\{1\}}^{(3)}, \quad \& \text{Q}_{\{1\}}^{(o)} = \text{Q}_{\{1\}}(1, 2, 3 \rightarrow 6, 5, 4), \quad \& \text{Q}_{\{2\}}^{(+)}(\mathrm{I} \rightarrow \mathrm{h}) \rightarrow \mathrm{I} \text{ a} = \text{Q}_{\{2\}}(1, 2, 3 \rightarrow \mathrm{K}_{\{3,5\}}^{- -}) \text{ K}_{\{1,6\}}^{- -} \text{ K}_{\{2,4\}}^{- -} \text{ right}, \quad \& \text{Q}_{\{2\}}^{(-)}(\mathrm{II} \rightarrow \mathrm{h}) \rightarrow \mathrm{I} \text{ a} = \text{Q}_{\{2\}}((1, 6)(2, 5)(3, 4) \rightarrow (4, 5)(4, 6)(5, 6)), \quad \& \text{Q}_{\{3\}}(\mathrm{II} \rightarrow \mathrm{h}) \rightarrow \mathrm{I} \text{ a} = \text{Q}_{\{3\}}(\mathrm{K}_{\{k\}}^{+} \rightarrow \mathrm{K}_{\{k\}}^{-}) \text{ right} \\ & \text{Q}_{\{1\}}^{(6)}, \quad \& \text{Q}_{\{4\}}^{(+)}(\mathrm{I} \rightarrow \mathrm{II}) = \text{Q}_{\{4\}}(1, 2, 3 \rightarrow \mathrm{K}_{\{5,3\}}^{+}, \mathrm{K}_{\{6,1\}}^{+} \mathrm{K}_{\{4,2\}}^{+}), \quad \& \text{Q}_{\{4\}}^{(-)}(\mathrm{II} \rightarrow \mathrm{I} \text{ a}) = \text{Q}_{\{4\}}(\mathrm{K}_{\{2,4\}}^{-}, \mathrm{K}_{\{1,6\}}^{-}, \mathrm{K}_{\{3,5\}}^{-} \rightarrow 4, 5, 6) \end{aligned}$	$\begin{aligned} Q_1(Ih \rightarrow Ia) &= Q_1(K_i^{++} \rightarrow K_i^{- -})_1^3, \\ Q_1^{(o)} &= Q_1(1, 2, 3 \rightarrow 6, 5, 4), \\ Q_2^{+}(Ih \rightarrow IIa) &= Q_2(1, 2, 3 \rightarrow K_{3,5}^{-} K_{1,6}^{-} K_{2,4}^{-}), \\ Q_2^{-}(IIh \rightarrow Ia) &= Q_2((1, 6)(2, 5)(3, 4) \rightarrow (4, 5)(4, 6)(5, 6)), \\ Q_3(IIh \rightarrow IIa) &= Q_3(K_k^{+} \rightarrow K_k^{-})_1^6, \\ Q_4^{+}(Ih \rightarrow IIh) &= Q_4(1, 2, 3 \rightarrow K_{5,3}^{+}, K_{6,1}^{+} K_{4,2}^{+}), \\ Q_4^{-}(IIa \rightarrow Ia) &= Q_4(K_{2,4}^{-}, K_{1,6}^{-}, K_{3,5}^{-} \rightarrow 4, 5, 6) \end{aligned}$	$\begin{aligned} Q_1(Ih \rightarrow Ia) &= Q_1(K_i^{++} \rightarrow K_i^{- -})_1^3, \\ Q_1^{(o)} &= Q_1(1, 2, 3 \rightarrow 6, 5, 4), \\ Q_2^{+}(Ih \rightarrow IIa) &= Q_2(1, 2, 3 \rightarrow K_{3,5}^{-} K_{1,6}^{-} K_{2,4}^{-}), \\ Q_2^{-}(IIh \rightarrow Ia) &= Q_2((1, 6)(2, 5)(3, 4) \rightarrow (4, 5)(4, 6)(5, 6)), \\ Q_3(IIh \rightarrow IIa) &= Q_3(K_k^{+} \rightarrow K_k^{-})_1^6, \\ Q_4^{+}(Ih \rightarrow IIh) &= Q_4(1, 2, 3 \rightarrow K_{5,3}^{+}, K_{6,1}^{+} K_{4,2}^{+}), \\ Q_4^{-}(IIa \rightarrow Ia) &= Q_4(K_{2,4}^{-}, K_{1,6}^{-}, K_{3,5}^{-} \rightarrow 4, 5, 6) \end{aligned}$
BH3FR_EQ0314	146	■ 0.297	$\begin{aligned} & \partial_l \varphi = \alpha_l \left[\begin{matrix} k \\ k \end{matrix} \right]_{(\kappa)}^{(\kappa)}, \quad \ln \sqrt{ g } = \varphi; n, \quad {}^2\bar{g} = {}^2\bar{\gamma}; n, \\ & {}^2\bar{\gamma} = \text{sp}({}^2\bar{\kappa} \times {}^2\bar{\kappa}) = {}^2\bar{\gamma} \times \end{aligned}$	$\partial_l \varphi = \alpha_l \left[\begin{matrix} k \\ k \end{matrix} \right]_{(\kappa)}^{(\kappa)}, \quad \ln \sqrt{ g } = \varphi; n, \quad {}^2\bar{g} = {}^2\bar{\gamma}; n, \quad {}^2\bar{\gamma} = \text{sp}({}^2\bar{\kappa} \times {}^2\bar{\kappa}) = {}^2\bar{\gamma} \times$	$\begin{aligned} \delta_l \varphi &= \alpha_l \left[\begin{matrix} k \\ k \end{matrix} \right]_{(\kappa)}^{(\kappa)}, \quad \ln \sqrt{ g } = \varphi; n, \quad {}^2\bar{g} = {}^2\bar{\gamma}; n, \\ {}^2\bar{\gamma} &= \text{sp}({}^2\bar{\kappa} \times {}^2\bar{\kappa}) = {}^2\bar{\gamma} \times \end{aligned}$
BH3FR_EQ0320 (M29)	147	■ 0.303	$\begin{aligned} & \frac{1}{\alpha_m} \frac{1}{p} (\kappa)_l; p - \frac{1}{\alpha_l} \frac{1}{p} (\kappa)_m; p = \\ & = \frac{1}{\alpha_l} \partial_l \left[\begin{matrix} s & s \\ m & \end{matrix} \right]_+; n - \frac{1}{\alpha_m} \partial_m \left[\begin{matrix} s & \\ l & s \end{matrix} \right]_+; n, \quad \left[\begin{matrix} i \\ k \end{matrix} \right]_{(\kappa)}^{(\kappa)} = \left[\begin{matrix} i & \\ k & l \end{matrix} \right] \end{aligned}$	$\begin{aligned} & \frac{1}{\alpha_m} \frac{1}{p} (\kappa)_l; p - \frac{1}{\alpha_l} \frac{1}{p} (\kappa)_m; p = \\ & = \frac{1}{\alpha_l} \partial_l \left[\begin{matrix} s & s \\ m & s \end{matrix} \right]_+; n - \frac{1}{\alpha_m} \partial_m \left[\begin{matrix} s \\ l & s \end{matrix} \right]_+; n, \quad \left[\begin{matrix} i \\ k \end{matrix} \right]_{(\kappa)}^{(\kappa)} = \left[\begin{matrix} i & \\ k & l \end{matrix} \right] \end{aligned}$	$\begin{aligned} & \frac{1}{\alpha_m} \frac{1}{p} (\kappa)_l; p - \frac{1}{\alpha_l} \frac{1}{p} (\kappa)_m; p = \\ & = \frac{1}{\alpha_l} \partial_l \left[\begin{matrix} s & s \\ m & s \end{matrix} \right]_+; n - \frac{1}{\alpha_m} \partial_m \left[\begin{matrix} s \\ l & s \end{matrix} \right]_+; n, \quad \left[\begin{matrix} i \\ k \end{matrix} \right]_{(\kappa)}^{(\kappa)} = \left[\begin{matrix} i & \\ k & l \end{matrix} \right] \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0185 (85)	125	■ 0.307	$\begin{aligned} & (-p) \equiv F_p(\mu, N^\pm) = N^+(p) \binom{\kappa \lambda}{v \mu} N^-(p) \\ & (-q) \equiv F_q(\mu, N^\pm) = N^+(q) \binom{\kappa' \lambda'}{v' \mu} N^-(q) \\ & (\kappa \lambda v) \neq (\kappa' \lambda' v'), \quad F_p(N^\pm(p), \mu) = F_q(N^\pm(q), \mu), \\ & \mu \stackrel{\wedge}{=} {}^2 \bar{\kappa}_{(\mu)} \end{aligned}$	$(-p) \equiv F_p(\mu, N^\pm) = N^+(p) \binom{\kappa \lambda}{v} N^-(p)$ $(-q) \equiv F_q(\mu, N^\pm) = N^+(q) \binom{\kappa' \lambda'}{v' \mu} N^-(q)$ $(\kappa \lambda v) \neq (\kappa' \lambda' v'), \quad F_p(N^\pm(p), \mu) = F_q(N^\pm(q), \mu),$ $\mu \stackrel{\wedge}{=} {}^2 \bar{\kappa}_{(\mu)}$	$(-p) \equiv F_p(\mu, N^\pm) = N^+(p) \binom{\kappa \lambda}{v \mu} N^-(p),$ $(-q) \equiv F_q(\mu, N^\pm) = N^+(q) \binom{\kappa' \lambda'}{v' \mu} N^-(q),$ $(\kappa \lambda v) \neq (\kappa' \lambda' v'), \quad F_p(N^\pm(p), \mu) = F_q(N^\pm(q), \mu),$ $\mu \stackrel{\wedge}{=} {}^2 \bar{\kappa}_{(\mu)}$
BH3FR_EQ0241 (109a)	133	■ 0.314	$\begin{aligned} & w_1 + 1 - k = (1 - Q) \left[A_{11} - P \left(A_{12} + \frac{\kappa q}{\eta_{qk}} A_{13} \right) - \binom{P}{2} \left(A_{14} - \frac{q}{\eta_{qk}} A_{15} \right) \right] + \kappa Q \eta_{qk} A_{16}, \\ & w_2 - 2 + k = (q - 1) A_{21} + (1 - P) A_{22} + \binom{P}{2} (A_{23} - q_x \eta_{qk} (1 + A_{24} (1 + q_x))^{-1} A_{25}) + \kappa (A_{26} + q \eta_{qk}^2 A_{31}) + \binom{P}{3} \left[q^3 (3 - q)^{-1} (\varepsilon q_x - (-1)^q) A_{33} + \frac{e(P - Q) \eta_{qk}}{(8 - q(q - 1) A_{66}) \eta^2} \left(1 - \frac{q}{\eta_{qk}} (2 - q) A_{34}^{1 - \varepsilon q_x} A_{35} \right) \eta^{(q - 1)q/4} - A_{36} \right] + \binom{Q}{3} \eta_{qk} A_{32} \end{aligned}$	$w_1 + 1 - k = (1 - Q) \left[A_{11} - P \left(A_{12} + \frac{\kappa q}{\eta_{qk}} A_{13} \right) - \binom{P}{2} \left(A_{14} - \frac{q}{\eta_{qk}} A_{15} \right) \right] + \kappa Q \eta_{qk} A_{16},$ $w_2 - 2 + k = (q - 1) A_{21} + (1 - P) A_{22} + \binom{P}{2} \left(A_{23} - q_x \eta_{qk} (1 + A_{24} (1 + q_x))^{-1} A_{25} \right) + \kappa (A_{26} + q \eta_{qk}^2 A_{31}) + \binom{P}{3} \left[q^3 (3 - q)^{-1} (\varepsilon q_x - (-1)^q) A_{33} + \frac{e(P - Q) \eta_{qk}}{(8 - q(q - 1) A_{66}) \eta^2} \left(1 - \frac{q}{\eta_{qk}} (2 - q) A_{34}^{1 - \varepsilon q_x} A_{35} \right) \eta^{(q - 1)q/4} - A_{36} \right] + \binom{Q}{3} \eta_{qk} A_{32}$	$w_1 + 1 - k = (1 - Q) \left[A_{11} - P \left(A_{12} + \frac{\kappa q}{\eta_{qk}} A_{13} \right) - \binom{P}{2} \left(A_{14} - \frac{q}{\eta_{qk}} A_{15} \right) \right] + \kappa Q \eta_{qk} A_{16},$ $w_2 - 2 + k = (q - 1) A_{21} + (1 - P) A_{22} + \binom{P}{2} (A_{23} - q_x \eta_{qk} (1 + A_{24} (1 + q_x))^{-1} A_{25}) + \kappa (A_{26} + q \eta_{qk}^2 A_{31}) + \binom{P}{3} \left[q^3 (3 - q)^{-1} (\varepsilon q_x - (-1)^q) A_{33} + \frac{e(P - Q) \eta_{qk}}{(8 - q(q - 1) A_{66}) \eta^2} \left(1 - \frac{q}{\eta_{qk}} (2 - q) A_{34}^{1 - \varepsilon q_x} A_{35} \right) \eta^{(q - 1)q/4} - A_{36} \right] + \binom{Q}{3} \eta_{qk} A_{32}$
BH3FR_EQ0059 (20)	105	■ 0.315	$\begin{aligned} & (E - \psi_{kl})^{\Lambda_{kl} + 1} \cdot \psi_{kl}^{\Lambda_{kl} - 1} = 2^{-2\Lambda_{kl}} \cdot C_{kl} e^{-\lambda_{kl} \mu}, \\ & \psi_{kl} = \frac{b_i^{(kl)}}{\lambda(kl)} \begin{bmatrix} i \\ kl \end{bmatrix}, \quad \mu = \sum_{m=1}^q \alpha_m()_m, \quad C_{kl} = \text{const} \end{aligned}$	$(E - \psi_{kl})^{\Lambda_{kl} + 1} \cdot \psi_{kl}^{\Lambda_{kl} - 1} = 2^{-2\Lambda_{kl}} \cdot C_{kl} e^{-\lambda_{kl} \mu},$ $\psi_{kl} = \frac{b_i^{(kl)}}{\lambda(kl)} \begin{bmatrix} i \\ k \ l \end{bmatrix}, \quad \mu = \sum_{m=1}^q \alpha_m()_m, \quad C_{kl} = \text{const}$	$(E - \psi_{kl})^{\Lambda_{kl} + 1} \cdot \psi_{kl}^{\Lambda_{kl} - 1} = 2^{-2\Lambda_{kl}} \cdot C_{kl} e^{-\lambda_{kl} \mu},$ $\psi_{kl} = \frac{b_i^{(kl)}}{\lambda(kl)} \begin{bmatrix} i \\ k \ l \end{bmatrix}, \quad \mu = \sum_{m=1}^q \alpha_m()_m, \quad C_{kl} = \text{const}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0299	143	■ 0.322	$\begin{array}{ccc} C_k=\kappa_k\sqrt[p]{\tau}(\cdot)_k, & x_k=C_k;n, & C_k=X_k, \\ \& x_k=C_k\ ;\ n, \& C_k=X_k, \ \backslash \{ \}^{\{2\}}\bar{\gamma} \\ ;\ n=\text{const}\ ,\ \& C_k\neq X_k, \& \{ \}^{\{2\}}\bar{\gamma} \\ \gamma} \end{array}$	$C_k=\kappa_k\sqrt[p]{\tau}(\cdot)_k, \quad x_k=C_k;n, \quad C_k=X_k, \\ {}^2\bar{\gamma};n=\text{const}, \quad C_k\neq X_k, \quad {}^2\bar{\gamma};n={}^2\bar{g}$	$C_k=\kappa_k\sqrt[p]{\tau}(\cdot)_k, \quad x_k=C_k;n, \quad C_k=X_k, \\ {}^2\bar{\gamma};n=\text{const}, \quad C_k\neq X_k, \quad {}^2\bar{\gamma};n={}^2\bar{g}$
BH3FR_EQ0051 (17)	104	■ 0.333	$\begin{array}{cc} \Gamma; \psi=\lambda\psi, & \varphi=\psi;n, \\ S_{\Omega}\varphi\varphi^*\partial\Omega<\infty, & \lambda=\lambda^* \end{array}$	$\Gamma;\psi=\lambda\psi, \quad \varphi=\psi;n, \quad S_{\Omega}(\varphi^*\Gamma;\varphi-\varphi(\Gamma;\varphi)^*)\delta\Omega=0, \\ S_{\Omega}\varphi\varphi^*\delta\Omega<\infty, \quad \lambda=\lambda^*$	$\Gamma;\psi=\lambda\psi, \quad \varphi=\psi;n, \quad S_{\Omega}(\varphi^*\Gamma;\varphi-\varphi(\Gamma;\varphi)^*)\delta\Omega=0, \\ S_{\Omega}\varphi\varphi^*\delta\Omega<\infty, \quad \lambda=\lambda^*$
BH3FR_EQ0295	143	■ 0.337	$\begin{array}{l} \hat{\kappa}=(\kappa^i-\kappa^k)_N, \quad \hat{\kappa} _N\neq 0, \\ =\frac{1}{2}(\gamma_i\times\gamma_k)_{\pm}, \quad \kappa^i-\kappa^k(\gamma_i\times\gamma_k)_+-2\alpha\frac{()}{()}=0 \end{array}$	$\hat{\kappa}=(\kappa^i-\kappa^k)_N, \quad \hat{\kappa} _N\neq 0, \\ =\frac{1}{2}(\gamma_i\times\gamma_k)_{\pm}, \quad \kappa^i-\kappa^k(\gamma_i\times\gamma_k)_+-2\alpha\frac{()}{()}=0$	$\hat{\kappa}=(\kappa^i\kappa^k)_N, \quad \hat{\kappa} _N\neq 0, \quad {}^2\bar{\gamma}=\bar{\gamma}\times\bar{\gamma}, \quad \gamma_{\pm ik}= \\ =\frac{1}{2}(\gamma_i\times\gamma_k)_{\pm}, \quad \kappa^i\kappa^k(\gamma_i\times\gamma_k)_+-2\alpha\frac{()}{()}=0$
BH3FR_EQ0272	139	■ 0.340	$\begin{array}{l} \partial\varphi=0, \quad n=n_{\text{ext}}, \quad \varphi=\varphi_{\text{ext}}, \quad \varphi_{\text{ext}}=\varphi_{\text{max}} \\ \partial^2\varphi<0, \quad \varphi_{\text{ext}}=\varphi_{\text{min}}, \quad \partial^2\varphi>0, \quad \varphi_{\text{ext}}=\varphi_w \\ \partial^2\varphi=0 \end{array}$	$\partial\varphi=0, \quad n=n_{\text{ext}}, \quad \varphi=\varphi_{\text{ext}}, \quad \varphi_{\text{ext}}=\varphi_{\text{max}} \\ \partial^2\varphi<0, \quad \varphi_{\text{ext}}=\varphi_{\text{min}}, \quad \partial^2\varphi>0, \quad \varphi_{\text{ext}}=\varphi_w \\ \partial^2\varphi=0$	$\delta\varphi=0, \quad n=n_{\text{ext}}, \quad \varphi=\varphi_{\text{ext}}, \quad \varphi_{\text{ext}}=\varphi_{\text{max}}, \\ \delta^2\varphi<0, \quad \varphi_{\text{ext}}=\varphi_{\text{min}}, \quad \delta^2\varphi>0, \quad \varphi_{\text{ext}}=\varphi_w, \\ \delta^2\varphi=0$
BH3FR_EQ0108 (45)	112	■ 0.340	$\begin{array}{l} z\approx Bs(1-Bs)^{-1}>0, \quad cB=\sqrt{\pi e\gamma\sigma}, \quad s\gg\varrho, \\ \gamma m^3\varrho=h^2, \quad z\lambda\sim\delta\lambda \end{array}$	$z\approx Bs(1-Bs)^{-1}>0, \quad cB=\sqrt{\pi e\gamma\sigma}, \quad s\geqslant\rho, \\ \gamma m^3\varrho=h^2, \quad z\lambda\sim\delta\lambda$	$z\approx Bs(1-Bs)^{-1}>0, \quad cB=\sqrt{\pi e\gamma\sigma}, \quad s\gg\varrho, \\ \gamma m^3\varrho=h^2, \quad z\lambda\sim\delta\lambda$
BH3FR_EQ0273	139	■ 0.362	$\begin{array}{cl} n_{\{1\}}\& n_{\{1\}}\backslash\underset{n_{\{1\}}+1}{\boldsymbol{S}}\&=0, \end{array}\quad\quad\quad\underset{n_{\{1\}}}{\boldsymbol{S}}\varphi\partial n=\varphi(n_1),$	$\begin{array}{cl} n_{\{1\}}\& n_{\{1\}}\backslash\underset{n_{\{1\}}+1}{\boldsymbol{S}}\&=0, \end{array}\quad\quad\quad\underset{n_{\{1\}}}{\boldsymbol{S}}\varphi\partial n=\varphi(n_1),$	$\begin{array}{cl} n_{\{1\}}\& n_{\{1\}}\backslash\underset{n_{\{1\}}+1}{\boldsymbol{S}}\&=0, \end{array}\quad\quad\quad\underset{n_{\{1\}}}{\boldsymbol{S}}\varphi\partial n=\varphi(n_1),$
BH3FR_EQ0286 (M11c)	141	■ 0.373	$\begin{array}{l} \bar{C}_i=\bar{e}_iC_i, \quad C_i;n=\varphi_i(n_k)_1^L, \quad {}^m\bar{C}=[m][\prod_{k=1}^mC_{ik}] \\ {}^m\bar{T}={}^m\bar{C};n, \quad 0\leqslant m\leqslant L \end{array}$	$\bar{C}_i=\bar{e}_iC_i, \quad C_i;n=\varphi_i(n_k)_1^L, \quad {}^m\bar{C}=[m][\prod_{k=1}^mC_{ik}] \\ {}^m\bar{T}={}^m\bar{C};n, \quad 0\leqslant m\leqslant L$	$\bar{C}_i=\bar{e}_iC_i, \quad C_i;n=\varphi_i(n_k)_1^L, \quad {}^m\bar{C}=[m]\Big[\prod_{k=1}^mC_{ik}\Big]_L, \\ {}^m\bar{T}={}^m\bar{C};n, \quad 0\leqslant m\leqslant L$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0276	139	■ 0.376	$\begin{aligned} & \text{\boldsymbol{S}} \text{\Sigma} = \text{\Sigma} \text{\boldsymbol{S}}, \quad \text{\boldsymbol{S}} \partial \varphi = C = \text{const}, \quad \partial \varphi = 0, \\ & \text{\boldsymbol{S}} a \varphi \partial n = a \text{\boldsymbol{S}} \varphi \partial n, \quad \text{\boldsymbol{S}} u g \partial n = u \text{\boldsymbol{S}} g \partial n + \text{\boldsymbol{S}} (g - \text{\boldsymbol{S}} g \partial n) \delta u \end{aligned}$	$\text{\boldsymbol{S}} \Sigma = \Sigma \text{\boldsymbol{S}}, \quad \text{\boldsymbol{S}} \partial \varphi = C = \text{const}, \quad \partial \varphi = 0,$ $\text{\boldsymbol{S}} a \varphi \partial n = a \text{\boldsymbol{S}} \varphi \partial n, \quad \text{\boldsymbol{S}} u g \partial n = u \text{\boldsymbol{S}} g \partial n + \text{\boldsymbol{S}} (g - \text{\boldsymbol{S}} g \partial n) \delta u$	$\text{\boldsymbol{S}} \Sigma = \Sigma \text{\boldsymbol{S}}, \quad \text{\boldsymbol{S}} \partial \varphi = C = \text{const}, \quad \partial \varphi = 0,$ $\text{\boldsymbol{S}} a \varphi \partial n = a \text{\boldsymbol{S}} \varphi \partial n, \quad \text{\boldsymbol{S}} u g \partial n = u \text{\boldsymbol{S}} g \partial n + \text{\boldsymbol{S}} (g - \text{\boldsymbol{S}} g \partial n) \delta u$
BH3FR_EQ0135	115	■ 0.378	$\begin{aligned} & D_{(\mu \nu) m}^{(\kappa \lambda)} = \delta(\underline{k}, s); () \sum_{\varepsilon} \left[\begin{matrix} s \\ k \ m \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} (1 - \delta) - \\ & - \delta(\underline{k} \underline{l}, s m); () \sum_{\varepsilon} \left[\begin{matrix} s \\ k \ l \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} (1 - \delta) + \\ & + Q_{(\mu \nu) t}^{(\kappa \lambda) \underline{i}} \delta(\underline{i} \underline{k}, t s); () \sum_{\varepsilon} Q_{(\alpha \beta) t}^{(\gamma \delta) \underline{s}} \left[\begin{matrix} t \\ k' m \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} - \\ & - Q_{(\mu \nu) t}^{(\kappa \lambda) \underline{i}} \delta(\underline{i} \underline{k} \underline{l}, t s m); () \sum_{\varepsilon} Q_{(\alpha \beta) t}^{(\gamma \delta) \underline{s}} \left[\begin{matrix} t \\ k' l \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} + \end{aligned}$	$D_{(\mu \nu) m}^{(\kappa \lambda)} = \delta(\underline{k}, s); () \sum_{\varepsilon} \left[\begin{matrix} s \\ k \ m \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} (1 - \delta) -$ $- \delta(\underline{k} \underline{l}, s m); () \sum_{\varepsilon} \left[\begin{matrix} s \\ k \ l \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} (1 - \delta) +$ $+ Q_{(\mu \nu) t}^{(\kappa \lambda) \underline{i}} \delta(\underline{i} \underline{k}, t s); () \sum_{\varepsilon} Q_{(\alpha \beta) t}^{(\gamma \delta) \underline{s}} \left[\begin{matrix} t \\ k \ m \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} -$ $- Q_{(\mu \nu) t}^{(\kappa \lambda) \underline{i}} \delta(\underline{i} \underline{k} \underline{l}, t s m); () \sum_{\varepsilon} Q_{(\alpha \beta) t}^{(\gamma \delta) \underline{s}} \left[\begin{matrix} t \\ k \ l \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} +$	$D_{(\mu \nu) m}^{(\kappa \lambda)} = \delta(\underline{k}, s); () \sum_{\varepsilon} \left[\begin{matrix} s \\ k \ m \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} (1 - \delta) -$ $- \delta(\underline{k} \underline{l}, s m); () \sum_{\varepsilon} \left[\begin{matrix} s \\ k \ l \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} (1 - \delta) +$ $+ Q_{(\mu \nu) t}^{(\kappa \lambda) \underline{i}} \delta(\underline{i} \underline{k}, t s); () \sum_{\varepsilon} Q_{(\alpha \beta) t}^{(\gamma \delta) \underline{s}} \left[\begin{matrix} t \\ k \ m \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} -$ $- Q_{(\mu \nu) t}^{(\kappa \lambda) \underline{i}} \delta(\underline{i} \underline{k} \underline{l}, t s m); () \sum_{\varepsilon} Q_{(\alpha \beta) t}^{(\gamma \delta) \underline{s}} \left[\begin{matrix} t \\ k \ l \end{matrix} \right]_{(\alpha \beta)}^{(\gamma \delta)} +$
BH3FR_EQ0318 (M28a)	147	■ 0.392	$\lim_{2\widehat{\gamma} \rightarrow 2 \cdot E} \{ (\kappa)_{(\pm)}^{(s_1)(s_2)} = \widehat{\text{DIV}}_{(x)} \}$	$\lim_{2\widehat{\gamma} \rightarrow 2 \cdot E} (\kappa)_{(\pm)}^{(s_1)(s_2)} = \widehat{\text{DIV}}_{(x)}$	$\lim_{2\widehat{\gamma} \rightarrow 2 \cdot E} (\kappa)_{(\pm)}^{(s_1)(s_2)} = \widehat{\text{DIV}}_{(x)}$
BH3FR_EQ0165 (75)	122	■ 0.400	$N_{+} \left(\left[\begin{matrix} \alpha \\ \beta \end{matrix} \right], \left[\begin{matrix} \beta \\ \alpha \end{matrix} \right] \right) (\alpha, \beta) N_{-} \left(\left[\begin{matrix} \alpha \\ \beta \end{matrix} \right], \left\{ \begin{matrix} \beta \\ \alpha \end{matrix} \right\} \right), \quad \alpha \hat{=} (\mu \nu), \beta \hat{=} (\kappa \lambda)$	$N_{+} \left(\left[\begin{matrix} \alpha \\ \beta \end{matrix} \right], \left[\begin{matrix} \beta \\ \alpha \end{matrix} \right] \right) (\alpha, \beta) N_{-} \left(\left[\begin{matrix} \alpha \\ \beta \end{matrix} \right], \left\{ \begin{matrix} \beta \\ \alpha \end{matrix} \right\} \right), \quad \alpha \hat{=} (\mu \nu), \beta \hat{=} (\kappa \lambda)$	$N_{+} \left(\left[\begin{matrix} \alpha \\ \beta \end{matrix} \right], \left[\begin{matrix} \beta \\ \alpha \end{matrix} \right] \right) (\alpha, \beta) N_{-} \left(\left[\begin{matrix} \alpha \\ \beta \end{matrix} \right], \left[\begin{matrix} \beta \\ \alpha \end{matrix} \right] \right), \quad \alpha \hat{=} (\mu \nu), \beta \hat{=} (\kappa \lambda)$
BH3FR_EQ0117 (49a)	113	■ 0.414	$\begin{aligned} & D_0 \leq D, \quad A > 0, \quad \dot{\tau} < 0, \quad D_{\max} = \Lambda < \infty, \\ & A = 0, \quad \dot{\tau} = 0, \quad A > D \geq D_e > 0, \quad A < 0, \\ & \dot{\tau} > 0 \end{aligned}$	$D_0 \leq D, \quad A > 0, \quad \dot{\tau} < 0, \quad D_{\max} = \Lambda < \infty,$ $A = 0, \quad \dot{\tau} = 0, \quad A > D \geq D_e > 0, \quad A < 0,$ $\dot{\tau} > 0$	$D_0 \leq D, \quad A > 0, \quad \dot{\tau} < 0, \quad D_{\max} = \Lambda < \infty,$ $A = 0, \quad \dot{\tau} = 0, \quad A > D \geq D_e > 0, \quad A < 0,$ $\dot{\tau} > 0$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ00162 (73)	121	■ 0.427	$\begin{aligned} & \{ \ }^2 \} \bar{\kappa}_{(\lambda) \pm} \sim f_{\lambda}^{\pm 1} = f^{\pm 1}(\mu_{\lambda}), \\ & \sim f_{\lambda}^{\pm 1} = f^{\pm 1}(\mu_{\lambda}), \quad f_{\kappa} f_{\lambda} \sim \left (e^{\lambda_1 \mu} - E)^{\underline{a}} \delta_{kl} \right _q, \\ & \quad f_{\kappa}^2 + f_{\lambda}^2 = \beta_{\kappa \lambda} = \text{const}, \quad \beta_{\kappa \lambda} \neq 2, \quad \beta_{\lambda \lambda} = 2, \\ & \quad \mu = \mu_{\kappa} + \mu_{\lambda} \end{aligned}$	$^2 \bar{\kappa}_{(\lambda) \pm} \sim f_{\lambda}^{\pm 1} = f^{\pm 1}(\mu_{\lambda}), \quad f_{\kappa} f_{\lambda} \sim \left (e^{\lambda_1 \mu} - E)^{\underline{a}} \delta_{kl} \right _q$ $\frac{f_{\kappa}^2 + f_{\lambda}^2}{f_{\kappa} f_{\lambda}} = \beta_{\kappa \lambda} = \text{const}, \quad \beta_{\kappa \lambda} \neq 2, \quad \beta_{\lambda \lambda} = 2,$ $\mu = \mu_{\kappa} + \mu_{\lambda}$	$^2 \bar{\kappa}_{(\lambda) \pm} \sim f_{\lambda}^{\pm 1} = f^{\pm 1}(\mu_{\lambda}), \quad f_{\kappa} f_{\lambda} \sim \left (e^{\lambda_1 \mu} - E)^{\underline{a}} \delta_{kl} \right _q,$ $\frac{f_{\kappa}^2 + f_{\lambda}^2}{f_{\kappa} f_{\lambda}} = \beta_{\kappa \lambda} = \text{const}, \quad \beta_{\kappa \lambda} \neq 2, \quad \beta_{\lambda \lambda} = 2,$ $\mu = \mu_{\kappa} + \mu_{\lambda}$
BH3FR_EQ00057 (19b)	105	■ 0.428	$\operatorname{sp} K; \widehat{\square} = \widehat{\lambda \square}$	$\operatorname{sp} K; \widehat{\square} = \widehat{\lambda \square}$	$\operatorname{sp} K; \widehat{\square} = \widehat{\lambda \square}$
BH3FR_EQ00025 (9a)	102	■ 0.436	$\widehat{\{ \}} = \sum_{\mu=1}^3 \widehat{\{ \{ \} \}_{(\mu)}^{\{ + \}}}, \quad \widehat{\sum_{\mu=1}^3 \widehat{\{ \{ \}_{(-)} \}_{(\mu)}^{\{ - \}}} = \widehat{\{ \emptyset \}}$	<i>(not rendered)</i>	$\widehat{\{ \}} = \sum_{\mu=1}^3 \widehat{\{ \}_{(\mu)}^+}, \quad \sum_{\mu=1}^3 \widehat{\{ \}_{(\mu)}^-} = \widehat{\emptyset}$
BH3FR_EQ00054 (18a)	105	■ 0.447	$\begin{aligned} & R_{kmp}^i \rightarrow \varsigma_{kmp}^i; n, \quad {}^2 \bar{\varsigma} = sp^4 \bar{\varsigma}, \quad \varsigma = sp^2 \bar{\varsigma}, \\ & sp()_{(-)}^{(-,-)}; \left({}^2 \bar{\varsigma} - \frac{1}{2} {}^2 \bar{\gamma}; () \varsigma \right) = \bar{0} \end{aligned}$	$R_{kmp}^i \rightarrow \varsigma_{kmp}^i; n, \quad {}^2 \bar{\varsigma} = sp^4 \bar{\varsigma}, \quad \varsigma = sp^2 \bar{\varsigma}$ $sp()_{(-)}^{(-,-)}; \left({}^2 \bar{\varsigma} - \frac{1}{2} {}^2 \bar{\gamma}; () \varsigma \right) = \bar{0}$	$R_{kmp}^i \rightarrow \varsigma_{kmp}^i; n, \quad {}^2 \bar{\varsigma} = sp^4 \bar{\varsigma}, \quad \varsigma = sp^2 \bar{\varsigma},$ $sp()_{(-)}^{(-,-)}; ({}^2 \bar{\varsigma} - \frac{1}{2} {}^2 \bar{\gamma}; () \varsigma) = \bar{0}$
BH3FR_EQ00325 (M31b)	148	■ 0.447	$K_{\mathfrak{p}}^{\wedge \{ m \}} = \left \begin{array}{c} \delta_m^p, 1 \\ (), \delta_p^m () \end{array} \right ()_{(-)p}^{(1,6)}$	$K_p^{(m)} = \left \begin{array}{c} \delta_m^p, 1 \\ (), \delta_p^m () \end{array} \right ()_{(-)p}^{(1,6)}$	$K_p^{(m)} = \left \begin{array}{c} \delta_m^p, 1 \\ (), \delta_p^m () \end{array} \right ()_{(-)p}^{(1,6)}$
BH3FR_EQ00035 (12a)	103	■ 0.448	$\gamma m_0^3 Y_1 \varsigma = h^2, \quad 2 Y_1 m_o c \varsigma \not\gg h$	$\gamma m_0^3 Y_1 \varsigma = h^2, \quad 2 Y_1 m_o c \varsigma \not\gg h$	$\gamma m_0^3 Y_1 \varsigma = h^2, \quad 2 Y_1 m_o c \varsigma \gg h$
BH3FR_EQ00005 (32)	109	■ 0.466	$\begin{aligned} & m_L c s_0 = 4 \sqrt[4]{\pi} \sqrt[3]{3 \pi \gamma \hbar s_0} \sqrt{\frac{c \hbar}{3 \mathfrak{A}}}, \quad m_e \eta \sqrt[3]{\eta} = m_L, \\ & m_B \eta^2 \sqrt[3]{\eta} = m_L, \quad m_L < m_e < m_B, \quad s_0 = 1[m] \end{aligned}$	$m_L c s_0 = 4 \sqrt[4]{\pi} \sqrt[3]{3 \pi \gamma \hbar s_0} \sqrt{\frac{c \hbar}{3 \mathfrak{A}}}, \quad m_e \eta \sqrt[3]{\eta} = m_L,$ $m_B \eta^2 \sqrt[3]{\eta} = m_L, \quad m_L < m_e < m_B, \quad s_0 = 1[m]$	$m_L c s_0 = 4 \sqrt[4]{\pi} \sqrt[3]{3 \pi \gamma \hbar s_0} \sqrt{\frac{c \hbar}{3 \mathfrak{A}}}, \quad m_e \eta \sqrt[3]{\eta} = m_L,$ $m_B \eta^2 \sqrt[3]{\eta} = m_L, \quad m_L < m_e < m_B, \quad s_0 = 1[m]$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_E00224 (101b)	131	0.478	$\begin{aligned} & (1) \hat{=} (\eta), \quad (2) \hat{=} (e_0, e^-), \quad (3) \hat{=} (\mu^-), \\ & (4) \hat{=} (K^+, K^0), \quad (5) \hat{=} (\pi^+, \pi^0, \pi^-), \quad (6) \hat{=} (\Lambda), \\ & (7) \hat{=} (\Omega^-), \quad (8) \hat{=} (p, n), \quad (9) \hat{=} (\Xi^0, \Xi^-), \\ & (10) \hat{=} (\Sigma^+, \Sigma^0, \Sigma^-), \quad (11) \hat{=} (o^+, o^0, o^-, o^{--}), \\ & (12) \hat{=} (\Delta^{++}, \Delta^+, \Delta^0, \Delta^-), \quad k = B + 1 \end{aligned}$	$\begin{aligned} & (1) \hat{=} (\eta), \quad (2) \hat{=} (e_0, e^-), \quad (3) \hat{=} (\mu^-), \\ & (4) \hat{=} (K^+, K^0), \quad (5) \hat{=} (\pi^+, \pi^0, \pi^-), \quad (6) \hat{=} (\Lambda), \\ & (7) \hat{=} (\Omega^-), \quad (8) \hat{=} (p, n), \quad (9) \hat{=} (\Xi^0, \Xi^-), \\ & (10) \hat{=} (\Sigma^+, \Sigma^0, \Sigma^-), \quad (11) \hat{=} (o^+, o^0, o^-, o^{--}), \\ & (12) \hat{=} (\Delta^{++}, \Delta^+, \Delta^0, \Delta^-), \quad k = B + 1 \end{aligned}$	$\begin{aligned} & (1) \hat{=} (\eta), \quad (2) \hat{=} (e_0, e^-), \quad (3) \hat{=} (\mu^-), \\ & (4) \hat{=} (K^+, K^0), \quad (5) \hat{=} (\pi^+, \pi^0, \pi^-), \quad (6) \hat{=} (\Lambda), \\ & (7) \hat{=} (\Omega^-), \quad (8) \hat{=} (p, n), \quad (9) \hat{=} (\Xi^0, \Xi^-), \\ & (10) \hat{=} (\Sigma^+, \Sigma^0, \Sigma^-), \quad (11) \hat{=} (o^+, o^0, o^-, o^{--}), \\ & (12) \hat{=} (\Delta^{++}, \Delta^+, \Delta^0, \Delta^-), \quad k = B + 1 \end{aligned}$
BH3FR_E00218 (99)	130	0.487	$\begin{aligned} & k_{\max} = 2, \quad 0 \leq P \leq k + 1, \quad Q(P) = k - 1, \\ & Q(P_{\pm}) = 2k - 1, \quad P_+ = 2k - 1, \quad P_- = 2 - k \end{aligned}$	$\begin{aligned} & k_{\max} = 2, \quad 0 \leq P \leq k + 1, \quad Q(P) = k - 1, \\ & Q(P_{\pm}) = 2k - 1, \quad P_+ = 2k - 1, \quad P_- = 2 - k \end{aligned}$	$\begin{aligned} & k_{\max} = 2, \quad 0 \leq P \leq k + 1, \quad Q(P) = k - 1, \\ & Q(P_{\pm}) = 2k - 1, \quad P_+ = 2k - 1, \quad P_- = 2 - k \end{aligned}$
BH3FR_E00175 (80)	124	0.494	$\begin{aligned} & \underline{\lambda} = \underline{\alpha} \lambda, \quad P_{(\mu\nu)}^{(\kappa\lambda)} = \underline{P}, \quad A(1) = [E - \exp\{-\lambda(iT + \\ & + i\delta_{xb}Z + \delta_{xc}\mu)\}]^{-\underline{\alpha}} (E - \delta_{xb}e^{-i\lambda Z} - \delta_{xc}e^{-\lambda\mu})^{\underline{\alpha}}, \\ & B(2) = [E - \exp\{-i\lambda(Z + T)\}]^{-\underline{\alpha}} (E - e^{i\lambda Z})^{\underline{\alpha}}, \\ & C(1, 2) = [E - \exp\{-\lambda(iT + iZ + \delta_{xd}\mu)\}]^{-\underline{\alpha}} (E - \delta_{xd}e^{-\lambda\mu})^{\underline{\alpha}}, \\ & D(1, 3) = [E - \exp\{-\lambda(\mu + iT + i\delta_{xd}Z)\}]^{-\underline{\alpha}} (E - \delta_{xd}e^{-i\lambda Z})^{\underline{\alpha}}, \\ & E(2, 3) = [E - \exp\{-\lambda(\mu + iZ + iT)\}]^{-\underline{\alpha}} (E - e^{-i\lambda T})^{\underline{\alpha}}, \\ & F(1, 2, 3) = [E - \exp\{-\lambda(\mu + iT + iZ)\}]^{-\underline{\alpha}}, \\ & \mu = \sqrt{\tau} \sum_{k=1}^3 ({}_k), \quad Z = \sqrt{\tau} ({}_4), \\ & T = \sqrt{\tau} (({}_5 + ({}_6)), \quad x \hat{=} (a, b, c, d) \end{aligned}$	$\begin{aligned} & \underline{\lambda} = \underline{\alpha} \lambda, \quad P_{(\mu\nu)}^{(\kappa\lambda)} = \underline{P}, \quad A(1) = [E - \exp\{-\lambda(iT + \\ & + i\delta_{xb}Z + \delta_{xc}\mu)\}]^{-\underline{\alpha}} (E - \delta_{xb}e^{-i\lambda Z} - \delta_{xc}e^{-\lambda\mu})^{\underline{\alpha}}, \\ & B(2) = [E - \exp\{-i\lambda(Z + T)\}]^{-\underline{\alpha}} (E - e^{i\lambda Z})^{\underline{\alpha}}, \\ & C(1, 2) = [E - \exp\{-\lambda(iT + iZ + \delta_{xd}\mu)\}]^{-\underline{\alpha}} (E - \delta_{xd}e^{-\lambda\mu})^{\underline{\alpha}}, \\ & D(1, 3) = [E - \exp\{-\lambda(\mu + iT + i\delta_{xd}Z)\}]^{-\underline{\alpha}} (E - \delta_{xd}e^{-i\lambda Z})^{\underline{\alpha}}, \\ & E(2, 3) = [E - \exp\{-\lambda(\mu + iZ + iT)\}]^{-\underline{\alpha}} (E - e^{-i\lambda T})^{\underline{\alpha}}, \\ & F(1, 2, 3) = [E - \exp\{-\lambda(\mu + iT + iZ)\}]^{-\underline{\alpha}}, \\ & \mu = \sqrt{\tau} \sum_{k=1}^3 ({}_k), \quad Z = \sqrt{\tau} ({}_4), \\ & T = \sqrt{\tau} (({}_5 + ({}_6)), \quad x \hat{=} (a, b, c, d) \end{aligned}$	$\begin{aligned} & \underline{\lambda} = \underline{\alpha} \lambda, \quad P_{(\mu\nu)}^{(\kappa\lambda)} = \underline{P}, \quad A(1) = [E - \exp\{-\lambda(iT + \\ & + i\delta_{xb}Z + \delta_{xc}\mu)\}]^{-\underline{\alpha}} (E - \delta_{xb}e^{-i\lambda Z} - \delta_{xc}e^{-\lambda\mu})^{\underline{\alpha}}, \\ & B(2) = [E - \exp\{-i\lambda(Z + T)\}]^{-\underline{\alpha}} (E - e^{i\lambda Z})^{\underline{\alpha}}, \\ & C(1, 2) = [E - \exp\{-\lambda(iT + iZ + \delta_{xd}\mu)\}]^{-\underline{\alpha}} (E - \delta_{xd}e^{-\lambda\mu})^{\underline{\alpha}}, \\ & D(1, 3) = [E - \exp\{-\lambda(\mu + iT + i\delta_{xd}Z)\}]^{-\underline{\alpha}} (E - \delta_{xd}e^{-i\lambda Z})^{\underline{\alpha}}, \\ & E(2, 3) = [E - \exp\{-\lambda(\mu + iZ + iT)\}]^{-\underline{\alpha}} (E - e^{-i\lambda T})^{\underline{\alpha}}, \\ & F(1, 2, 3) = [E - \exp\{-\lambda(\mu + iT + iZ)\}]^{-\underline{\alpha}}, \\ & \mu = \sqrt{\tau} \sum_{k=1}^3 ({}_k), \quad Z = \sqrt{\tau} ({}_4), \\ & T = \sqrt{\tau} (({}_5 + ({}_6)), \quad x \hat{=} (a, b, c, d) \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0169 (77)	123	■ 0.510	$\begin{aligned} & \bar{\lambda} \perp \bar{Y}(q), \quad \bar{\lambda}_{(\mu\nu)}^{(\kappa\lambda)} \perp \bar{Y}(z), \quad \bar{Y}(q) = \sum_{i=1}^q \dot{\bar{x}}_i, \\ & z = z(\kappa\lambda\mu\nu) \leq q \leq 6, \quad \bar{Y}(6) = \bar{v} + i\bar{w}, \\ & w^2 = c^2 + \varepsilon^2 + \dot{\eta}^2, \end{aligned}$	$\bar{\lambda} \perp \bar{Y}(q), \quad \bar{\lambda}_{(\mu\nu)}^{(\kappa\lambda)} \perp \bar{Y}(z), \quad \bar{Y}(q) = \sum_{i=1}^q \dot{\bar{x}}_i,$ $z = z(\kappa\lambda\mu\nu) \leq q \leq 6, \quad \bar{Y}(6) = \bar{v} + i\bar{w},$ $w^2 = c^2 + \varepsilon^2 + \dot{\eta}^2,$	$\bar{\lambda} \perp \bar{Y}(q), \quad \bar{\lambda}_{(\mu\nu)}^{(\kappa\lambda)} \perp \bar{Y}(z), \quad \bar{Y}(q) = \sum_{i=1}^q \dot{\bar{x}}_i,$ $z = z(\kappa\lambda\mu\nu) \leq q \leq 6, \quad \bar{Y}(6) = \bar{v} + i\bar{w},$ $w^2 = c^2 + \varepsilon^2 + \dot{\eta}^2$
BH3FR_EQ0172 (79a)	123	■ 0.511	$\begin{aligned} & \left(\left[\begin{smallmatrix} i \\ k \ l \end{smallmatrix} \right]_{(3)} + Q_{(3)m}^i \left[\begin{smallmatrix} m \\ k \ l \end{smallmatrix} \right]_{(3)} \right)_{\max} = \alpha_{kl}^i e^{\lambda_{kl}\mu} (1/2 (E + e^{2\lambda_{kl}\mu}))^{-a/(2\lambda_{kl})}, \\ & K; n = \pm \frac{\pi}{2} (2N + 1) \end{aligned}$	$\left(\left[\begin{smallmatrix} i \\ k \ l \end{smallmatrix} \right]_{(3)} + Q_{(3)m}^i \left[\begin{smallmatrix} m \\ k \ l \end{smallmatrix} \right]_{(3)} \right)_{\max} = \alpha_{kl}^i e^{\lambda_{kl}\mu} (1/2 (E + e^{2\lambda_{kl}\mu}))^{-a/(2\lambda_{kl})},$ $K; n = \pm \frac{\pi}{2} (2N + 1)$	$\left(\left[\begin{smallmatrix} i \\ k \ l \end{smallmatrix} \right]_{(3)} + Q_{(3)m}^i \left[\begin{smallmatrix} m \\ k \ l \end{smallmatrix} \right]_{(3)} \right)_{\max} = \alpha_{kl}^i e^{\lambda_{kl}\mu} (1/2 (E + e^{2\lambda_{kl}\mu}))^{-a/(2\lambda_{kl})},$ $K; n = \pm \frac{\pi}{2} (2N + 1)$
BH3FR_EQ0301	144	■ 0.518	$\begin{aligned} & \mathrm{F}_i; n = \prod_{v=1}^{n_i} \int_{\tau} \prod_{l=1}^p d\xi_{(i)}^l \delta v, \quad 1 \leq i \leq L \leq N, \\ & \tau c_i \left(()_{(i)}^l \right)_1^p = F_i (C_k)_1^N \end{aligned}$	$\mathrm{F}_i; n = \prod_{v=1}^{n_i} \int_{\tau} \prod_{l=1}^p d\xi_{(i)}^l \delta v, \quad 1 \leq i \leq L \leq N,$ $\tau c_i \left(()_{(i)}^l \right)_1^p = F_i (C_k)_1^N$	$\mathrm{F}_i; n = \prod_{v=1}^{n_i} \int_{\tau} \prod_{l=1}^p d\xi_{(i)}^l \delta v, \quad 1 \leq i \leq L \leq N,$ $\tau c_i \left(()_{(i)}^l \right)_1^p = F_i (C_k)_1^N$
BH3FR_EQ0048 (16a)	104	■ 0.520	$\left. \left {}^2\bar{\tau} \right _6 = \Delta^2$	$\left {}^2\bar{\tau} \right _6 = \Delta^2$	$\left {}^2\bar{\tau} \right _6 = \Delta^2$
BH3FR_EQ0041 (14c)	103	■ 0.521	$\begin{aligned} & R_- < r \leq \varsigma, \quad (G \leq 0), \quad \varsigma < r \leq R_+ < \infty, \\ & (G > 0) \end{aligned}$	$R_- < r \leq \varsigma, \quad (G \leq 0), \quad \varsigma < r \leq R_+ < \infty$ $(G > 0)$	$R_- < r \leq \varsigma, \quad (G \leq 0), \quad \varsigma < r \leq R_+ < \infty,$ $(G > 0)$
BH3FR_EQ0265 (118b)	138	■ 0.538	$\begin{aligned} & \phi_e = 4A_v(3-\alpha)\sqrt{\eta_{11}}+2B_v, \quad \phi_\mu = 4A_v\left(1+\frac{2\xi}{3v^2}\right)(3- \\ & -\alpha)\sqrt{\eta_{11}}+2B_v, \quad \phi_\pi = 4A_v(3-\alpha)(1+4\xi)^{-1}\sqrt{\eta_{11}}+2B_v, \\ & \phi_R = \phi_P = B_v, \quad \phi_\beta = 2B_v \end{aligned}$	$\phi_e = 4A_v(3-\alpha)\sqrt{\eta_{11}}+2B_v, \quad \phi_\mu = 4A_v\left(1+\frac{2\xi}{3v^2}\right)(3-$ $-\alpha)\sqrt{\eta_{11}}+2B_v, \quad \phi_\pi = 4A_v(3-\alpha)(1+4\xi)^{-1}\sqrt{\eta_{11}}+2B_v,$ $\phi_R = \phi_P = B_v, \quad \phi_\beta = 2B_v$	$\phi_e = 4A_v(3-\alpha)\sqrt{\eta_{11}}+2B_v, \quad \phi_\mu = 4A_v\left(1+\frac{2\xi}{3v^2}\right)(3-$ $-\alpha)\sqrt{\eta_{11}}+2B_v, \quad \phi_\pi = 4A_v(3-\alpha)(1+4\xi)^{-1}\sqrt{\eta_{11}}+2B_v,$ $\phi_R = \phi_P = B_v, \quad \phi_\beta = 2B_v \quad (1)$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0294	142	0.542	$\begin{aligned} & \{ \}^2 \bar{g} \left(x^l \right)_1^N = \{ \}^2 \bar{\gamma} \left(Z^k \right)_1^N ; n, \\ & \quad \kappa^i \kappa^k \gamma_{ik} - \alpha(p, \tau) \left(\right) = 0, \\ & \alpha(p, \tau) \neq 1, \quad p \neq 2, \quad {}^2\bar{\gamma} = {}^2\bar{\gamma}_+ + {}^2\bar{\gamma}_- \neq {}^2\bar{\gamma}^\times, \\ & {}^2\bar{\gamma} = \bar{\gamma} \times \bar{\gamma}, \quad (\gamma_i \times \gamma_k)_\pm \neq 0, \quad {}^2\bar{\gamma} = sp \left({}^2\bar{\kappa} \times {}^2\bar{\kappa} \right), \\ & {}^2\bar{\kappa} \neq {}^2\bar{\kappa}^\times \end{aligned}$	$\begin{aligned} & {}^2\bar{g} \left(x^l \right)_1^N = {}^2\bar{\gamma} \left(Z^k \right)_1^N ; n, \quad \kappa^i \kappa^k \gamma_{ik} - \alpha(p, \tau) \left(\right) = 0, \\ & \alpha(p, \tau) \neq 1, \quad p \neq 2, \quad {}^2\bar{\gamma} = {}^2\bar{\gamma}_+ + {}^2\bar{\gamma}_- \neq {}^2\bar{\gamma}^\times, \\ & {}^2\bar{\gamma} = \bar{\gamma} \times \bar{\gamma}, \quad (\gamma_i \times \gamma_k)_\pm \neq 0, \quad {}^2\bar{\gamma} = sp \left({}^2\bar{\kappa} \times {}^2\bar{\kappa} \right), \\ & {}^2\bar{\kappa} \neq {}^2\bar{\kappa}^\times \end{aligned}$	$\begin{aligned} & {}^2\bar{g} \left(x^l \right)_1^N = {}^2\bar{\gamma} \left(Z^k \right)_1^N ; n, \quad \kappa^i \kappa^k \gamma_{ik} - \alpha(p, \tau) \left(\right) = 0, \\ & \alpha(p, \tau) \neq 1, \quad p \neq 2, \quad {}^2\bar{\gamma} = {}^2\bar{\gamma}_+ + {}^2\bar{\gamma}_- \neq {}^2\bar{\gamma}^\times, \\ & {}^2\bar{\gamma} = \bar{\gamma} \times \bar{\gamma}, \quad (\gamma_i \times \gamma_k)_\pm \neq 0, \quad {}^2\bar{\gamma} = sp \left({}^2\bar{\kappa} \times {}^2\bar{\kappa} \right), \\ & {}^2\bar{\kappa} \neq {}^2\bar{\kappa}^\times \end{aligned}$
BH3FR_EQ0112 (46b)	112	0.544	$\begin{array}{l} s \leq \varrho, \quad z = 0, \quad \varrho < s < y, \quad z > 0, \\ s \rightarrow y, \quad z \rightarrow +\infty \end{array}$	$\begin{array}{l} s \leq \varrho, \quad z = 0, \quad \varrho < s < y, \quad z > 0 \\ s \rightarrow y, \quad z \rightarrow +\infty \end{array}$	$\begin{array}{l} s \leq \varrho, \quad z = 0, \quad \varrho < s < y, \quad z > 0, \\ s \rightarrow y, \quad z \rightarrow +\infty \end{array}$
BH3FR_EQ0088 (34a)	110	0.578	$\begin{array}{l} p \underline{\eta} = \pi \hbar, \quad p = \frac{h}{2} \left(\frac{\tau}{3} \cdot \underline{\varepsilon} \right)^{-1/3}, \\ \frac{w}{2p} \geq \underline{\eta}, \quad w = Nh \end{array}$	$\begin{array}{l} p \underline{\eta} = \pi \hbar, \quad p = \frac{h}{2} \left(\frac{\tau}{3} \cdot \underline{\varepsilon} \right)^{-1/3}, \\ \frac{w}{2p} \geq \underline{\eta}, \quad w = Nh \end{array}$	$\begin{array}{l} p \underline{\eta} = \pi \hbar, \quad p = \frac{h}{2} \left(\frac{\tau}{3} \cdot \underline{\varepsilon} \right)^{-1/3}, \\ \frac{w}{2p} \geq \underline{\eta}, \quad w = Nh \end{array}$
BH3FR_EQ0096 (39)	111	0.591	$\begin{aligned} & h \sim D^{-8/11}, \quad \gamma \sim D^{-13/11}, \quad \varepsilon_0 \sim D^{13/11}, \\ & \mu_0 \sim D^{-3/11} \end{aligned}$	$\begin{aligned} & h \sim D^{-8/11}, \quad \gamma \sim D^{-13/11}, \quad \varepsilon_0 \sim D^{13/11}, \\ & \mu_0 \sim D^{-3/11} \end{aligned}$	$\begin{aligned} & h \sim D^{-8/11}, \quad \gamma \sim D^{-13/11}, \quad \varepsilon_0 \sim D^{13/11}, \\ & \mu_0 \sim D^{-3/11} \end{aligned}$
BH3FR_EQ0210 (97)	128	0.594	$\begin{aligned} & \mu_{\pm} = 4\mu\alpha_{\pm}, \quad \mu_S = \left(1 - \frac{\alpha_-}{\alpha_+} \right) \mu_+, \\ & c\mu s_0 = \sqrt[4]{\pi} \sqrt[3]{3\pi s_0 \gamma \hbar} \cdot \sqrt{\frac{c\hbar}{3\gamma}}, \\ & \eta^2 (1 + \alpha_+) = \eta (1 + \alpha_-) = \frac{1}{\sqrt[3]{\eta}} \left(1 - \frac{2}{3} \xi \eta^2 (1 - \sqrt{\eta}) Y_2 \right), \\ & s_0 = 1[m] \end{aligned}$	$\begin{aligned} & \mu_{\pm} = 4\mu\alpha_{\pm}, \quad \mu_S = \left(1 - \frac{\alpha_-}{\alpha_+} \right) \mu_+, \\ & c\mu s_0 = \sqrt[4]{\pi} \sqrt[3]{3\pi s_0 \gamma \hbar} \cdot \sqrt{\frac{c\hbar}{3\gamma}}, \\ & \eta^2 (1 + \alpha_+) = \eta (1 + \alpha_-) = \frac{1}{\sqrt[3]{\eta}} \left(1 - \frac{2}{3} \xi \eta^2 (1 - \sqrt{\eta}) Y_2 \right), \\ & s_0 = 1[m] \end{aligned}$	$\begin{aligned} & \mu_{\pm} = 4\mu\alpha_{\pm}, \quad \mu_S = \left(1 - \frac{\alpha_-}{\alpha_+} \right) \mu_+, \\ & c\mu s_0 = \sqrt[4]{\pi} \sqrt[3]{3\pi s_0 \gamma \hbar} \cdot \sqrt{\frac{c\hbar}{3\gamma}}, \\ & \eta^2 (1 + \alpha_+) = \eta (1 + \alpha_-) = \frac{1}{\sqrt[3]{\eta}} \left(1 - \frac{2}{3} \xi \eta^2 (1 - \sqrt{\eta}) Y_2 \right), \\ & s_0 = 1[m] \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0069 (23)	107	0.600	$\begin{aligned} & \& H_{(1)}=\pi \, \underline{\varepsilon} \, n_1, \quad H_{(2)}=\pi \, \underline{\varepsilon} \, n_2, \\ & -\, \varsigma^2 = x_5^2 + x_6^2 = -\, \varepsilon^2 - \eta^2, \quad \varsigma \geqslant \underline{\varepsilon} = \text{const} > 0 \end{aligned}$	$H_{(1)}=\pi \varepsilon n_1, \quad H_{(2)}=\pi \varepsilon n_2, \\ -\, \varsigma^2 = x_5^2 + x_6^2 = -\varepsilon^2 - \eta^2, \quad \leqslant \underline{\varepsilon} = \text{const} > 0$	$H_{(1)} = \pi \underline{\varepsilon} n_1, \quad H_{(2)} = \pi \underline{\varepsilon} n_2, \\ -\varsigma^2 = x_5^2 + x_6^2 = -\varepsilon^2 - \eta^2, \quad \varsigma \geqslant \underline{\varepsilon} = \text{const} > 0$
BH3FR_EQ0145 (65)	117	0.607	$\underline{\beta}_{+}^{(\pm)}=\pm \frac{\pi}{2}(2(\,)_++E), \quad \underline{\beta}_{-}^{(\pm)}=\pm \pi(\,)_-$	$\underline{\beta}_{+}^{(\pm)}=\pm \frac{\pi}{2}(2(\,)_++E), \quad \underline{\beta}_{-}^{(\pm)}=\pm \pi(\,)_-$	$\underline{\beta}_{+}^{(\pm)}=\pm \frac{\pi}{2}(2(\,)_++E), \quad \underline{\beta}_{-}^{(\pm)}=\pm \pi(\,)_-$
BH3FR_EQ0285 (M11b)	141	0.608	$\bar{Z}(i)=\bar{e}_i(\,)_i, \quad \bar{e}_i =1, \quad (\bar{e}_i\bar{e}_k)_L=\hat{A}(n_i)_1^L$	$\bar{Z}(i)=\bar{e}_i(\,)_i, \quad \bar{e}_i =1, \quad (\bar{e}_i\bar{e}_k)_L=\hat{A}(n_i)_1^L$	$\bar{Z}(i)=\bar{e}_i(\,)_i, \quad \bar{e}_i =1, \quad (\bar{e}_i\bar{e}_k)_L=\hat{A}(n_i)_1^L$
BH3FR_EQ0002	25	0.616	$g_{(\,\mu\,\nu\,)}^{\,\{i\,k\}}=\gamma_{(\,\mu\,\nu\,)}^{\,\{i\,k\}}\,; \, n \, \quad \gamma_{(\,\mu\,\nu\,)}^{\,\{i\,k\}}=\sum_{m=1}^6 \, \kappa_{(\mu)m}^i \, \kappa_{(\nu)m}^k$	$g_{(\mu\nu)}^{ik}=\gamma_{(\mu\nu)}^{ik};n \quad \gamma_{(\mu\nu)}^{ik}=\sum_{m=1}^6 \kappa_{(\mu)m}^i\kappa_{(\nu)m}^k$	$g_{(\mu\nu)}^{ik}=\gamma_{(\mu\nu)}^{ik};n \quad \gamma_{(\mu\nu)}^{ik}=\sum_{m=1}^6 \kappa_{(\mu)m}^i \kappa_{(\nu)m}^k$
BH3FR_EQ0125 (54)	114	0.630	$\begin{aligned} & \& S(k) \, ; \, S(i) \, ; \{ \}^2 \, \bar{\gamma}=\{ \}^2 \, \bar{\gamma}_{(\nu v)}, \quad i \neq k \neq v, \\ & \hat{\gamma} \neq \hat{\gamma}^\times, \quad S(k);S(i);^2\bar{\gamma} = ^2\bar{\gamma}_{(\mu v)+}, \quad \hat{\gamma} = (^2\bar{\gamma}_{(\mu v)} \cdot \delta_{\mu v})_3, \\ & \bar{\psi}_{(\mu)} = S^2\bar{\kappa}_{(\mu)};(\,)\partial \bar{x} \neq \bar{\psi}_{(\mu)}^\times \end{aligned}$	$S(k);S(i);^2\bar{\gamma} = ^2\bar{\gamma} \left(^2\bar{\gamma}_{(\nu v)}, ^2\bar{\kappa}_{(\nu)} \right), \quad i \neq k \neq v, \\ \hat{\gamma} \neq \hat{\gamma}^\times, \quad S(k);S(i);^2\bar{\gamma} = ^2\bar{\gamma}_{(\mu v)+}, \quad \hat{\gamma} = (^2\bar{\gamma}_{(\mu v)} \cdot \delta_{\mu v})_3, \\ \bar{\psi}_{(\mu)} = S^2\bar{\kappa}_{(\mu)};(\,)\partial \bar{x} \neq \bar{\psi}_{(\mu)}^\times$	$S(k);S(i);^2\bar{\gamma} = ^2\bar{\gamma} (^2\bar{\gamma}_{(\nu v)}, ^2\bar{\kappa}_{(\nu)}), \quad i \neq k \neq v, \\ \hat{\gamma} \neq \hat{\gamma}^\times, \quad S(k);S(i);^2\bar{\gamma} = ^2\bar{\gamma}_{(\mu v)+}, \quad \hat{\gamma} = (^2\bar{\gamma}_{(\mu v)} \cdot \delta_{\mu v})_3, \\ \bar{\psi}_{(\mu)} = S^2\bar{\kappa}_{(\mu)};(\,)\partial \bar{x} \neq \bar{\psi}_{(\mu)}^\times$
BH3FR_EQ0232 (106)	132	0.637	$\operatorname{rot} \underline{B}=2 \, A \, \sigma(\vec{r} \times \vec{w}), \quad \pi c A=\sqrt{3 \pi \gamma \mu_0}=\pi c A' \sqrt{3 / 2}$	$\operatorname{rot} \underline{B}=2 A \sigma(\vec{r} \times \vec{w}), \quad \pi c A=\sqrt{3 \pi \gamma \mu_0}=\pi c A' \sqrt{3 / 2}$	$\operatorname{rot} \underline{B}=2 A \sigma(\vec{r} \times \vec{w}), \quad \pi c A=\sqrt{3 \pi \gamma \mu_0}=\pi c A' \sqrt{3 / 2}$
BH3FR_EQ0209 (96b)	128	0.642	$\begin{aligned} & \& m_L c s_0 = 4 \sqrt[4]{\pi} \sqrt[3]{3 \pi s_0 \gamma \hbar} \sqrt{\frac{c \hbar}{3 \gamma}}, \\ & m_e \eta \sqrt[3]{\eta} = m_L \left(1 - \frac{2}{3} f \xi \eta^2 (1 - \sqrt{\eta}) Y_2 \right), \quad 2 \xi = 1 + \sqrt{5}, \\ & m_B \eta = m_e, \quad f = \beta + \alpha / (8 \pi e), \quad \beta \approx 1 \end{aligned}$	$m_L c s_0 = 4 \sqrt[4]{\pi} \sqrt[3]{3 \pi s_0 \gamma \hbar} \sqrt{\frac{c \hbar}{3 \gamma}}, \\ m_e \eta \sqrt[3]{\eta} = m_L \left(1 - \frac{2}{3} f \xi \eta^2 (1 - \sqrt{\eta}) Y_2 \right), \quad 2 \xi = 1 + \sqrt{5}, \\ m_B \eta = m_e, \quad f = \beta + \alpha / (8 \pi e), \quad \beta \approx 1$	$m_L c s_0 = 4 \sqrt[4]{\pi} \sqrt[3]{3 \pi s_0 \gamma \hbar} \sqrt{\frac{c \hbar}{3 \gamma}}, \\ m_e \eta \sqrt[3]{\eta} = m_L \left(1 - \frac{2}{3} f \xi \eta^2 (1 - \sqrt{\eta}) Y_2 \right), \quad 2 \xi = 1 + \sqrt{5}, \\ m_B \eta = m_e, \quad f = \beta + \alpha / (8 \pi e), \quad \beta \approx 1$
BH3FR_EQ00297	143	0.645	$\begin{aligned} & \& n_i \left(k_l^{(i)} \right)_1^p = c_i; n, \quad P_l^{(i)} \leq k_l^{(i)} \leq Q_l^{(i)}, \quad c_i = c_i \left(\kappa_l^{(i)} \right)_1^p, \\ & \kappa_l^{(i)}; n = k_l^{(i)}, \quad \phi = \phi \left(K_k \right)_1^G \end{aligned}$	$n_i \left(k_l^{(i)} \right)_1^p = c_i; n, \quad P_l^{(i)} \leq k_l^{(i)} \leq Q_l^{(i)}, \quad c_i = c_i \left(\kappa_l^{(i)} \right)_1^p, \\ \kappa_l^{(i)}; n = k_l^{(i)}, \\ \phi = \phi \left(K_k \right)_1^G$	$n_i \left(k_l^{(i)} \right)_1^p = c_i; n, \quad P_l^{(i)} \leq k_l^{(i)} \leq Q_l^{(i)}, \quad c_i = c_i \left(\kappa_l^{(i)} \right)_1^p, \\ \kappa_l^{(i)}; n = k_l^{(i)}, \quad \phi \left(n_i \right)_1^L = \phi \left(c_i; n \right)_1^L = \phi; n, \\ \phi = \phi \left(K_k \right)_1^G$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_E00319 (M28b)	147	0.646	$(\kappa)_1=\frac{1}{\alpha_l}\frac{\partial_l}{\partial_l}-\left[\begin{array}{c} s \\ ls \end{array}\right]_{(\kappa)_+}^{(\kappa)};n,\quad \lim_{2\bar{\gamma}\rightarrow^2\bar{E}}(\kappa)=\text{GRAD}_{(x)}$	$(\kappa)_1=\frac{1}{\alpha_l}\partial_l-\left[\begin{array}{c} s \\ ls \end{array}\right]_{(\kappa)_+}^{(\kappa)};n,\quad \lim_{2\bar{\gamma}\rightarrow^2\bar{E}}(\kappa)=\text{GRAD}_{(x)}$	$(\kappa)_1=\frac{1}{\alpha_l}\partial_l-\left[\begin{array}{c} s \\ ls \end{array}\right]_{(\kappa)_+}^{(\kappa)};n,\quad \lim_{2\bar{\gamma}\rightarrow^2\bar{E}}(\kappa)=\text{GRAD}_{(x)}$
BH3FR_E00275	139	0.649	$\phi(n)=\boldsymbol{S}\varphi(n)\partial n+C,\quad \partial\phi=\varphi$	$\phi(n)=\boldsymbol{S}\varphi(n)\partial n+C,\quad \partial\phi=\varphi$	$\phi(n)=\boldsymbol{S}\varphi(n)\partial n+C,\quad \partial\phi=\varphi$
BH3FR_E00259 (114)	137	0.650	$\begin{aligned} & Q(N)=Q+Z(N),\quad Q(0)=Q,\quad Z(0)=0, \\ & q_x(N)\neq q_x(0)=q_x \end{aligned}$	$Q(N)=Q+Z(N),\quad Q(0)=Q,\quad Z(0)=0, \\ q_x(N)\neq q_x(0)=q_x$	$Q(N)=Q+Z(N),\quad Q(0)=Q,\quad Z(0)=0, \\ q_x(N)\neq q_x(0)=q_x$
BH3FR_E00219 (99a)	130	0.651	$\kappa(\lambda)=\left(1-\delta_{1\lambda}\right)\delta_{1P},\quad 1\leq\lambda\leq\lambda_k=4-k$	$\kappa(\lambda)=\left(1-\delta_{1\lambda}\right)\delta_{1P},\quad 1\leq\lambda\leq\lambda_k=4-k$	$\kappa(\lambda)=\left(1-\delta_{1\lambda}\right)\delta_{1P},\quad 1\leq\lambda\leq\lambda_k=4-k$
BH3FR_E00022 (8a)	102	0.662	$\operatorname{sp}\widehat{C}\widehat{\{}}\widehat{\{}}=\vec{\widehat{\{}}\widehat{\{}}}$	$\operatorname{sp}\widehat{C}\widehat{\{}}=\vec{\widehat{\{}}\widehat{\{}}}$	$\operatorname{sp}C\widehat{\{}}=\vec{\widehat{\{}}\widehat{\{}}}$
BH3FR_E00305	144	0.676	$\begin{aligned} & \bar{\psi}_{(\nu)}=\boldsymbol{S}^2\bar{\kappa}_{(\nu)};()\partial\bar{x},\quad {}^2\bar{\gamma}_{(\nu\nu)}=\operatorname{sp}\left({}^2\bar{\kappa}_{(\nu)}\times {}^2\bar{\kappa}_{(\nu)}\right), \\ & {}^2\bar{\gamma}_{(\nu\nu)};n={}^2\bar{g}_{(\nu)}\left(x^l\right)_1^N,\quad {}^2\bar{\gamma}={}^2\bar{\gamma}\left({}^2\bar{\kappa}_{(\nu)}\right)_1^\omega,\quad N=p\omega \end{aligned}$	$\bar{\psi}_{(\nu)}=\boldsymbol{S}^2\bar{\kappa}_{(\nu)};()\partial\bar{x},\quad {}^2\bar{\gamma}_{(\nu\nu)}=\operatorname{sp}\left({}^2\bar{\kappa}_{(\nu)}\times {}^2\bar{\kappa}_{(\nu)}\right), \\ {}^2\bar{\gamma}_{(\nu\nu)};n={}^2\bar{g}_{(\nu)}\left(x^l\right)_1^N,\quad {}^2\bar{\gamma}={}^2\bar{\gamma}\left({}^2\bar{\kappa}_{(\nu)}\right)_1^\omega,\quad N=p\omega$	$\bar{\psi}_{(\nu)}=\boldsymbol{S}^2\bar{\kappa}_{(\nu)};()\partial\bar{x},\quad {}^2\bar{\gamma}_{(\nu\nu)}=\operatorname{sp}\left({}^2\bar{\kappa}_{(\nu)}\times {}^2\bar{\kappa}_{(\nu)}\right), \\ {}^2\bar{\gamma}_{(\nu\nu)};n={}^2\bar{g}_{(\nu)}\left(x^l\right)_1^N,\quad {}^2\bar{\gamma}={}^2\bar{\gamma}\left({}^2\bar{\kappa}_{(\nu)}\right)_1^\omega,\quad N=p\omega$
BH3FR_E00166 (76)	122	0.684	$\begin{aligned} & q_1=Q_1,\quad q_{2,3}=Q_2^\pm,\quad q_4=Q_3,\quad q_{5,6}=Q_4^\pm, \\ & F_v=\binom{\alpha\beta}{\kappa\lambda}F(q_j)_v\triangleq N_+(\alpha\beta,\kappa\lambda)N_-, \quad 1\leq\nu\leq6, \\ & AF_pBF_rC=AF_vC,\quad p+r=v,\quad A\neq C, \\ & \left((1-\frac{1}{2}{}^2\bar{\gamma}sp())\right);sp^4\bar{\varrho}=\sum_{k=1}^{L>1}\left((1-\frac{1}{2}{}^2\bar{\gamma}_ksp())\right);sp^4\bar{\varrho}_k, \\ & A=C,\quad \left((1-\frac{1}{2}{}^2\bar{\gamma}sp())\right);sp^4\bar{\varrho}=\text{const}((1)_4) \end{aligned}$	$q_1=Q_1,\quad q_{2,3}=Q_2^\pm,\quad q_4=Q_3,\quad q_{5,6}=Q_4^\pm, \\ F_v=\binom{\alpha\beta}{\kappa\lambda}F(q_j)_v\triangleq N_+(\alpha\beta,\kappa\lambda)N_-, \quad 1\leq\nu\leq6, \\ AF_pBF_rC=AF_vC,\quad p+r=v,\quad A\neq C, \\ \left((1-\frac{1}{2}{}^2\bar{\gamma}sp())\right);sp^4\bar{\varrho}=\sum_{k=1}^{L>1}\left((1-\frac{1}{2}{}^2\bar{\gamma}_ksp())\right);sp^4\bar{\varrho}_k, \\ A=C,\quad \left((1-\frac{1}{2}{}^2\bar{\gamma}sp())\right);sp^4\bar{\varrho}=\text{const}((1)_4)$	$q_1=Q_1,\quad q_{2,3}=Q_2^\pm,\quad q_4=Q_3,\quad q_{5,6}=Q_4^\pm, \\ F_v=\binom{\alpha\beta}{\kappa\lambda}F(q_j)_v\triangleq N_+(\alpha\beta,\kappa\lambda)N_-, \quad 1\leq\nu\leq6, \\ AF_pBF_rC=AF_vC,\quad p+r=v,\quad A\neq C, \\ \left((1-\frac{1}{2}{}^2\bar{\gamma}sp())\right);sp^4\bar{\varrho}=\sum_{k=1}^{L>1}\left((1-\frac{1}{2}{}^2\bar{\gamma}_ksp())\right);sp^4\bar{\varrho}_k, \\ A=C,\quad \left((1-\frac{1}{2}{}^2\bar{\gamma}sp())\right);sp^4\bar{\varrho}=\text{const}((1)_4)$
BH3FR_E00306	144	0.691	$\bar{\gamma}_{(\mu\nu)}=\operatorname{sp}\left({}^2\bar{\kappa}_{(\mu)}\times {}^2\bar{\kappa}_{(\nu)}\right),\quad \hat{\gamma}=\left({}^2\bar{\gamma}_{(\mu\nu)}\right)_\omega$	$\bar{\gamma}_{(\mu\nu)}=\operatorname{sp}\left({}^2\bar{\kappa}_{(\mu)}\times {}^2\bar{\kappa}_{(\nu)}\right),\quad \hat{\gamma}=\left({}^2\bar{\gamma}_{(\mu\nu)}\right)_\omega$	${}^2\bar{\gamma}_{(\mu\nu)}=\operatorname{sp}\left({}^2\bar{\kappa}_{(\mu)}\times {}^2\bar{\kappa}_{(\nu)}\right),\quad \hat{\gamma}=\left({}^2\bar{\gamma}_{(\mu\nu)}\right)_\omega$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0159 (71)	121	0.693	$\begin{aligned} & K_{11}^{-}\binom{2}{\gamma,\gamma^*} = 6d, 7s, 9s, 2e, 3e \\ & C_{11}^{-} = 1d, 3d, 2s, 5s \\ & K_{12}^{-}\binom{3}{\gamma,\gamma^*} = 6d, 7s, 8s, 2e, 3e \\ & C_{12}^{-} = 2d, 3d, 3s, 6s \\ & K_{13}^{-}\binom{\alpha,\alpha^*}{\beta,\beta^*} = 5d, 4s, 5s, 6s, 3e \\ & C_{13}^{-} = 4d, 1s, 2s, 3s, 2e \\ & K_{14}^{-}\binom{\alpha,\alpha^*}{\gamma,\gamma^*} = 6d, 7s, 8s, 9s, 3e \\ & C_{14}^{-} = 4d, 1s, 2s, 3s, 3e \\ & K_{15}^{-}\binom{\beta,\beta^*}{\gamma,\gamma^*} = 6d, 7s, 8s, 9s, 2e \\ & C_{15}^{-} = 5d, 4s, 5s, 6s, 1e \\ & K_{\lambda}^{\pm} = C_{\lambda}^{\mp}, 1 \leq \lambda \leq 15 \end{aligned}$	$\begin{aligned} & K_{11}^{-}\binom{2}{\gamma,\gamma^*} = 6d, 7s, 9s, 2e, 3e \\ & C_{11}^{-} = 1d, 3d, 2s, 5s \\ & K_{12}^{-}\binom{3}{\gamma,\gamma^*} = 6d, 7s, 8s, 2e, 3e \\ & C_{12}^{-} = 2d, 3d, 3s, 6s \\ & K_{13}^{-}\binom{\alpha,\alpha^*}{\beta,\beta^*} = 5d, 4s, 5s, 6s, 3e \\ & C_{13}^{-} = 4d, 1s, 2s, 3s, 2e \\ & K_{14}^{-}\binom{\alpha,\alpha^*}{\gamma,\gamma^*} = 6d, 7s, 8s, 9s, 3e \\ & C_{14}^{-} = 4d, 1s, 2s, 3s, 3e \\ & K_{15}^{-}\binom{\beta,\beta^*}{\gamma,\gamma^*} = 6d, 7s, 8s, 9s, 2e \\ & C_{15}^{-} = 5d, 4s, 5s, 6s, 1e \\ & K_{\lambda}^{\pm} = C_{\lambda}^{\mp}, 1 \leq \lambda \leq 15 \end{aligned}$	$\begin{aligned} & K_{11}^{-}\binom{2}{\gamma,\gamma^*} = 6d, 7s, 9s, 2e, 3e \\ & C_{11}^{-} = 1d, 3d, 2s, 5s \\ & K_{12}^{-}\binom{3}{\gamma,\gamma^*} = 6d, 7s, 8s, 2e, 3e \\ & C_{12}^{-} = 2d, 3d, 3s, 6s \\ & K_{13}^{-}\binom{\alpha,\alpha^*}{\beta,\beta^*} = 5d, 4s, 5s, 6s, 3e \\ & C_{13}^{-} = 4d, 1s, 2s, 3s, 2e \\ & K_{14}^{-}\binom{\alpha,\alpha^*}{\gamma,\gamma^*} = 6d, 7s, 8s, 9s, 3e \\ & C_{14}^{-} = 4d, 1s, 2s, 3s, 3e \\ & K_{15}^{-}\binom{\beta,\beta^*}{\gamma,\gamma^*} = 6d, 7s, 8s, 9s, 2e \\ & C_{15}^{-} = 5d, 4s, 5s, 6s, 1e \\ & K_{\lambda}^{\pm} = C_{\lambda}^{\mp}, 1 \leq \lambda \leq 15 \end{aligned}$
BH3FR_EQ0183 (84)	125	0.726	$\begin{array}{l} \bar{\kappa}_{(\mu)}, \text{ \& } (\pm p) - (\mu x_{\mu}) - (\pm q), \\ (\pm p) - (\mu x_{\mu}) - (\mp q), \text{ \& } (\pm p) - (3x_3) - (+7), \\ Z((-k)) = Z_k, \text{ \& } Z(Z_p, Z_q) \doteq \frac{1}{2}(Z_p + Z_q - Z_p - Z_q), \\ 0 < x_{\mu} \leq Z \end{array}$	$\begin{array}{l} -(\mu x_{\mu}) - \hat{=}^2 \bar{\kappa}_{(\mu)}, \text{ \& } (\pm p) - (\mu x_{\mu}) - (\pm q) \\ (\pm p) - (\mu x_{\mu}) - (\mp q), \text{ \& } (\pm p) - (3x_3) - (+7) \\ Z((-k)) = Z_k, \text{ \& } Z(Z_p, Z_q) \doteq \frac{1}{2}(Z_p + Z_q - Z_p - Z_q), \\ 0 < x_{\mu} \leq Z \end{array}$	$\begin{array}{l} -(\mu x_{\mu}) - \hat{=}^2 \bar{\kappa}_{(\mu)}, \text{ \& } (\pm p) - (\mu x_{\mu}) - (\pm q), \\ (\pm p) - (\mu x_{\mu}) - (\mp q), \text{ \& } (\pm p) - (3x_3) - (+7), \\ Z((-k)) = Z_k, \text{ \& } Z(Z_p, Z_q) \doteq \frac{1}{2}(Z_p + Z_q - Z_p - Z_q), \\ 0 < x_{\mu} \leq Z \end{array}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_E00302	144	■ 0.742	$\begin{aligned} & \varphi \left(x^{\underline{k}} \right)_1^N \rightarrow \phi; n, \quad \frac{\partial \varphi}{\partial x^{\underline{k}}} \rightarrow \left(\frac{\partial \left(x^{\underline{k}} \right)^{\phi}}{\partial C^{\underline{k}}} \right); n, \\ & d\varphi \rightarrow \left(\sum_{k=1}^N \partial_{(C^k)} \phi \right); n, \quad \partial C^{\underline{k}} = \sum_{i=1}^N \partial_i C^{\underline{k}}, \quad \partial_i n^{\underline{l}} = \delta_{il}, \\ & \int \varphi d\psi \rightarrow \boldsymbol{S} \phi; n \partial \psi \end{aligned}$	$\varphi \left(x^{\underline{k}} \right)_1^N \rightarrow \phi; n, \quad \frac{\partial \varphi}{\partial x^{\underline{k}}} \rightarrow \left(\frac{\partial \left(x^{\underline{k}} \right)^{\phi}}{\partial C^{\underline{k}}} \right); n,$ $d\varphi \rightarrow \left(\sum_{k=1}^N \partial_{(C^k)} \phi \right); n, \quad \partial C^{\underline{k}} = \sum_{i=1}^N \partial_i C^{\underline{k}}, \quad \partial_i n^{\underline{l}} = \delta_{il},$ $\int \varphi d\psi \rightarrow \boldsymbol{S} \phi; n \partial \psi$	$\varphi \left(x^{\underline{k}} \right)_1^N \rightarrow \phi; n, \quad \frac{\partial \varphi}{\partial x^{\underline{k}}} \rightarrow \left(\frac{\partial \left(x^{\underline{k}} \right)^{\phi}}{\partial C^{\underline{k}}} \right); n,$ $d\varphi \rightarrow \left(\sum_{k=1}^N \partial_{(C^k)} \phi \right); n, \quad \partial C^{\underline{k}} = \sum_{i=1}^N \partial_i C^{\underline{k}}, \quad \partial_i n^{\underline{l}} = \delta_{il},$ $\int \varphi d\psi \rightarrow \boldsymbol{S} \phi; n \partial \psi$
BH3FR_E00290	142	■ 0.743	$\begin{array}{l} \text{I m } \mathrm{ROT}_L = \{ \}^2 \overline{}, \text{ \& s p } \mathrm{ROT}_L = 0, \quad \mathrm{DIV}_L \mathrm{ROT}_L = \\ \mathrm{GRAD}_L - \mathrm{GRAD}_L \mathrm{DIV}_L, \quad \mathrm{DIV}_L \overline{\mathrm{DIV}_L \mathrm{ROT}_L} = 0, \\ \mathrm{ROT}_L \mathrm{GRAD}_L = \overline{} \end{array}$	$\begin{array}{l} \text{I m } \mathrm{ROT}_L = \overline{}, \quad \text{sp} \mathrm{ROT}_L = 0, \\ \mathrm{DIV}_L \mathrm{GRAD}_L - \mathrm{GRAD}_L \mathrm{DIV}_L, \quad \mathrm{DIV}_L \mathrm{DIV}_L \mathrm{ROT}_L = 0, \\ \mathrm{ROT}_L \mathrm{GRAD}_L = \overline{} \end{array}$	$\begin{array}{l} \text{Im} \mathrm{ROT}_L = \overline{}, \quad \text{sp} \mathrm{ROT}_L = 0, \quad \overline{\mathrm{DIV}_L \mathrm{ROT}_L} = \\ = \mathrm{DIV}_L \mathrm{GRAD}_L - \mathrm{GRAD}_L \mathrm{DIV}_L, \quad \mathrm{DIV}_L \overline{\mathrm{DIV}_L \mathrm{ROT}_L} = 0, \\ \mathrm{ROT}_L \mathrm{GRAD}_L = \overline{} \end{array}$
BH3FR_E00293	142	■ 0.746	$\varphi \left(n_i \right)_1^L = \varphi \left(x_i \right)_1^N, \quad L = \binom{N}{p}$	$\varphi \left(n_i \right)_1^L = \varphi \left(x_i \right)_1^N, \quad L = \binom{N}{p}$	$\varphi \left(n_i \right)_1^L = \varphi \left(x_i \right)_1^N, \quad L = \binom{N}{p}$
BH3FR_E00118 (50)	113	■ 0.747	$\vec{x}_5^{(g)} + \vec{x}_6^{(g)} = i \vec{M} = \mathrm{const} \left(x_4 \right) < \infty, \quad \dot{\epsilon}_g^2 + \dot{\eta}_g^2 = 0$	$\vec{x}_5^{(g)} + \vec{x}_6^{(g)} = i \vec{M} = \mathrm{const} \left(x_4 \right) < \infty, \quad \dot{\epsilon}_g^2 + \dot{\eta}_g^2 = 0$	$\vec{x}_5^{(g)} + \vec{x}_6^{(g)} = i \vec{M} = \mathrm{const} \left(x_4 \right) < \infty, \quad \dot{\epsilon}_g^2 + \dot{\eta}_g^2 = 0$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0243 (109b)	134	0.753	$\begin{aligned} & A_{21}=2\left(\frac{e\alpha}{2\eta}\right)^2\left(1-\frac{\alpha}{2\xi^2}\right)Y_{10}, \\ & 12A_{22}=\xi\left(1-\xi\left(\frac{\alpha\xi}{\eta^2}\right)^2\right)Y_{11}, \\ & eA_{23}=(\eta^2+6\xi\alpha^2)Y_{12}, \quad 3\eta A_{24}=2\xi^2Y_{13}, \\ & 3A_{25}=\pi\xi(\pi e)^2(1-\beta^2)\eta\sqrt{\eta}Y_{14}, \\ & e\xi^2A_{26}=2\left(1-\frac{\pi}{2}(e\xi\alpha)^2\sqrt{\eta}\right)Y_{15}, \\ & A_{31}=(\pi e\alpha)^2(1-(\pi e)^2(1-\beta^2))Y_{16}, \\ & 6\beta A_{32}=\xi^2\left(1+\frac{2\alpha}{3\pi}Y_{17}\right), \\ & A_{33}=(\pi e\xi)^2(1-2\pi(e\xi)^2(1-\beta^2))Y_{18}, \\ & A_{34}=\eta\sqrt{2\pi\eta}Y_{19}, \quad e\xi^2A_{35}=3\alpha Y_{20}, \\ & A_{36}=(1-\pi e(\xi e)^2(1-\beta^2))^{-1}Y_{21}, \quad A_{66}=\xi\eta Y_{22} \end{aligned}$	$\begin{aligned} A_{21} &= 2\left(\frac{e\alpha}{2\eta}\right)^2\left(1-\frac{\alpha}{2\xi^2}\right)Y_{10}, \\ 12A_{22} &= \xi\left(1-\xi\left(\frac{\alpha\xi}{\eta^2}\right)^2\right)Y_{11}, \\ eA_{23} &= (\eta^2+6\xi\alpha^2)Y_{12}, \quad 3\eta A_{24}=2\xi^2Y_{13}, \\ 3A_{25} &= \pi\xi(\pi e)^2(1-\beta^2)\eta\sqrt{\eta}Y_{14}, \\ e\xi^2A_{26} &= 2\left(1-\frac{\pi}{2}(e\xi\alpha)^2\sqrt{\eta}\right)Y_{15}, \\ A_{31} &= (\pi e\alpha)^2(1-(\pi e)^2(1-\beta^2))Y_{16}, \\ 6\beta A_{32} &= \xi^2\left(1+\frac{2\alpha}{3\pi}Y_{17}\right), \\ A_{33} &= (\pi e\xi)^2(1-2\pi(e\xi)^2(1-\beta^2))Y_{18}, \\ A_{34} &= \eta\sqrt{2\pi\eta}Y_{19}, \quad e\xi^2A_{35}=3\alpha Y_{20}, \\ A_{36} &= (1-\pi e(\xi e)^2(1-\beta^2))^{-1}Y_{21}, \quad A_{66}=\xi\eta Y_{22} \end{aligned}$	$\begin{aligned} A_{21} &= 2\left(\frac{e\alpha}{2\eta}\right)^2\left(1-\frac{\alpha}{2\xi^2}\right)Y_{10}, \\ 12A_{22} &= \xi\left(1-\xi\left(\frac{\alpha\xi}{\eta^2}\right)^2\right)Y_{11}, \\ eA_{23} &= (\eta^2+6\xi\alpha^2)Y_{12}, \quad 3\eta A_{24}=2\xi^2Y_{13}, \\ 3A_{25} &= \pi\xi(\pi e)^2(1-\beta^2)\eta\sqrt{\eta}Y_{14}, \\ e\xi^2A_{26} &= 2\left(1-\frac{\pi}{2}(e\xi\alpha)^2\sqrt{\eta}\right)Y_{15}, \\ A_{31} &= (\pi e\alpha)^2(1-(\pi e)^2(1-\beta^2))Y_{16}, \\ 6\beta A_{32} &= \xi^2\left(1+\frac{2\alpha}{3\pi}Y_{17}\right), \\ A_{33} &= (\pi e\xi)^2(1-2\pi(e\xi)^2(1-\beta^2))Y_{18}, \\ A_{34} &= \eta\sqrt{2\pi\eta}Y_{19}, \quad e\xi^2A_{35}=3\alpha Y_{20}, \\ A_{36} &= (1-\pi e(\xi e)^2(1-\beta^2))^{-1}Y_{21}, \quad A_{66}=\xi\eta Y_{22} \end{aligned}$
BH3FR_EQ0269 (M2a)	138	0.757	$\begin{aligned} & J\left(n_1, n_2\right)=\{ \}_{n_1}^{\varphi(n)} \text { } \delta \text { } n, \quad \mathbf{S} \hat{=} \sum, \quad n_1 \geq 1, \\ & n_2 > n_1 \end{aligned}$	$\begin{aligned} J\left(n_1, n_2\right) &= \varphi(n) \delta n, \quad \mathbf{S} \hat{=} \sum, \quad n_1 \geq 1, \\ n_2 &> n_1 \end{aligned}$	$\begin{aligned} J\left(n_1, n_2\right) &= \sum_{n_1}^{n_2} \varphi(n) \delta n, \quad \mathbf{S} \hat{=} \sum, \quad n_1 \geq 1, \\ n_2 &> n_1 \end{aligned}$
BH3FR_EQ0230 (105)	131	0.764	$\begin{aligned} & (2\pi)^5\alpha\sqrt{1-\alpha^2}=9\vartheta(1-A_1A_2Y_3), \quad (1+\sqrt{\eta_{1k}})A_k= \\ & = (1-\sqrt{\eta_{1k}})\sqrt{\eta_{1k}}, \quad \alpha>0 \end{aligned}$	$\begin{aligned} (2\pi)^5\alpha\sqrt{1-\alpha^2} &= 9\vartheta(1-A_1A_2Y_3), \quad (1+\sqrt{\eta_{1k}})A_k= \\ & = (1-\sqrt{\eta_{1k}})\sqrt{\eta_{1k}}, \quad \alpha>0 \end{aligned}$	$\begin{aligned} (2\pi)^5\alpha\sqrt{1-\alpha^2} &= 9\vartheta(1-A_1A_2Y_3), \quad (1+\sqrt{\eta_{1k}})A_k= \\ & = (1-\sqrt{\eta_{1k}})\sqrt{\eta_{1k}}, \quad \alpha>0 \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0060 (20a)	106	■ 0.769	$\begin{aligned} & \Lambda_{kl} = \alpha_l (a(kl) - 1)^{-1} - \sum_{m \neq l} \alpha_m \\ & (a(kl) - q) \cdot \lambda_{kl} = \lambda(kl), \\ & \left(\lambda(kl), a(kl), b_i^{(kl)} \right) = \sum_{m=1}^q \left(\lambda_m(k, l), a_m(kl), b_{mi}^{(kl)} \right), \\ & b_{mi}^{(kl)} = \left(\frac{a_{li}}{a_{lk}} - \frac{a_{mi}}{a_{mk}} \right) \frac{a_{km}}{a_{kl}}, \quad a_m^{(kl)} = \frac{a_{km}}{a_{kl}}, \\ & a_{ml} \lambda_m(m, l) = -\lambda_l(m, m), \quad \lambda_m(\tilde{k}, l) = \lambda_m(k, \tilde{l}) = \\ & = \lambda_m(\tilde{k}, \tilde{l}) = \lambda_{\tilde{m}}(k, l) = 0, \quad \lambda_m(k, m) = \lambda_m(m, m) = 0 \end{aligned}$	$\Lambda_{kl} = \alpha_l (a(kl) - 1)^{-1} - \sum_{m \neq l} \alpha_m$ $(a(kl) - q) \cdot \lambda_{kl} = \lambda(kl),$ $\left(\lambda(kl), a(kl), b_i^{(kl)} \right) = \sum_{m=1}^q \left(\lambda_m(k, l), a_m(kl), b_{mi}^{(kl)} \right),$ $b_{mi}^{(kl)} = \left(\frac{a_{li}}{a_{lk}} - \frac{a_{mi}}{a_{mk}} \right) \frac{a_{km}}{a_{kl}}, \quad a_m^{(kl)} = \frac{a_{km}}{a_{kl}},$ $a_{ml} \lambda_m(m, l) = -\lambda_l(m, m), \quad \lambda_m(\tilde{k}, l) = \lambda_m(k, \tilde{l}) =$ $= \lambda_m(\tilde{k}, \tilde{l}) = \lambda_{\tilde{m}}(k, l) = 0, \quad \lambda_m(k, m) = \lambda_m(m, m) = 0$	$A_{kl} = \alpha_l (a(kl) - 1)^{-1} - \sum_{m \neq l} \alpha_m,$ $(a(kl) - q) \cdot \lambda_{kl} = \lambda(kl),$ $(\lambda(kl), a(kl), b_i^{(kl)}) = \sum_{m=1}^q (\lambda_m(k, l), a_m(kl), b_{mi}^{(kl)}),$ $b_{mi}^{(kl)} = \left(\frac{a_{li}}{a_{lk}} - \frac{a_{mi}}{a_{mk}} \right) \frac{a_{km}}{a_{kl}}, \quad a_m^{(kl)} = \frac{a_{km}}{a_{kl}},$ $a_{ml} \lambda_m(m, l) = -\lambda_l(m, m), \quad \lambda_m(\tilde{k}, l) = \lambda_m(k, \tilde{l}) =$ $= \lambda_m(\tilde{k}, \tilde{l}) = \lambda_{\tilde{m}}(k, l) = 0, \quad \lambda_m(k, m) = \lambda_m(m, m) = 0$
BH3FR_EQ00246 (110b)	135	■ 0.772	$\begin{aligned} & k^P \left(1 + P + Q + \kappa \eta^{2-q} \right) (1 + R(S_1 + S_2)) b(vx) = \\ & = A_{54} A_{55}^{k-1} \left[1 + P A_{56} (1 - \kappa A_{61} A_{62}^{1-k}) (1 + q A_{63} (1 + \right. \\ & \quad \left. + \kappa A_{64})) \right] \left(1 - k^{-1} (A_{65} (q + k - 1))^{2-k} \binom{P}{2} \left(1 - \binom{P}{3} \right) \right) \\ & S_1 = \binom{P}{2} (2 - k) (1 - q), \quad S_2 = P \left(1 - \binom{P}{2} \right) (1 - \\ & \quad - \binom{P}{3}) (k - 1) (1 - \kappa) \end{aligned}$	$k^P (1 + P + Q + \kappa \eta^{2-q}) (1 + R(S_1 + S_2)) b(vx) =$ $= A_{54} A_{55}^{k-1} \left[1 + P A_{56} (1 - \kappa A_{61} A_{62}^{1-k}) (1 + q A_{63} (1 + \right.$ $+ \kappa A_{64})) \right] \left(1 - k^{-1} (A_{65} (q + k - 1))^{2-k} \binom{P}{2} \left(1 - \binom{P}{3} \right) \right)$ $S_1 = \binom{P}{2} (2 - k) (1 - q), \quad S_2 = P \left(1 - \binom{P}{2} \right) (1 -$ $- \binom{P}{3}) (k - 1) (1 - \kappa)$	$k^P (1 + P + Q + \kappa \eta^{2-q}) (1 + R(S_1 + S_2)) b(vx) =$ $= A_{54} A_{55}^{k-1} \left[1 + P A_{56} (1 - \kappa A_{61} A_{62}^{1-k}) (1 + q A_{63} (1 + \right.$ $+ \kappa A_{64})) \right] \left(1 - k^{-1} (A_{65} (q + k - 1))^{2-k} \binom{P}{2} \left(1 - \binom{P}{3} \right) \right),$ $S_1 = \binom{P}{2} (2 - k) (1 - q), \quad S_2 = P \left(1 - \binom{P}{2} \right) \left(1 - \right.$ $\left. - \binom{P}{3} \right) (k - 1) (1 - \kappa)$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0171 (79)	123	0.775	$\begin{aligned} & \left[\begin{array}{c} i \\ k \ l \end{array} \right]_{(3)} + Q_{(3)m}^i \left[\begin{array}{c} m \\ k \ l \end{array} \right]_{(3)} = \alpha_{kl}^i e^{\lambda_{kl} \mu} \left[\frac{1}{2} (E + \cos K) (E + \right. \\ & \left. + (e^{\lambda_{kl} \mu} - \cos K)^2 \sin^{-2} K) \right]^{-a/(2\lambda_{kl})}, \quad K = \lambda_{kl} T, \\ & T = \sum_{k>3}^q \sqrt{\tau}()_k, \quad \mu = \sum_{k=1}^3 \alpha_k()_k, \\ & a = \vec{c}_{(3)} \vec{C}^{-1} = a^* \end{aligned}$	$\left[\begin{array}{c} i \\ k \ l \end{array} \right]_{(3)} + Q_{(3)m}^i \left[\begin{array}{c} m \\ k \ l \end{array} \right]_{(3)} = \alpha_{kl}^i e^{\lambda_{kl} \mu} \left[\frac{1}{2} (E + \cos K) (E + \right. \\ \left. + (e^{\lambda_{kl} \mu} - \cos K)^2 \sin^{-2} K) \right]^{-a/(2\lambda_{kl})}, \quad K = \lambda_{kl} T, \\ T = \sum_{k>3}^q \sqrt{\tau}()_k, \quad \mu = \sum_{k=1}^3 \alpha_k()_k, \\ a = \vec{c}_{(3)} \vec{C}^{-1} = a^*$	$\left[\begin{array}{c} i \\ k \ l \end{array} \right]_{(3)} + Q_{(3)m}^i \left[\begin{array}{c} m \\ k \ l \end{array} \right]_{(3)} = \alpha_{kl}^i e^{\lambda_{kl} \mu} \left[\frac{1}{2} (E + \cos K) (E + \right. \\ \left. + (e^{\lambda_{kl} \mu} - \cos K)^2 \sin^{-2} K) \right]^{-a/(2\lambda_{kl})}, \quad K = \lambda_{kl} T, \\ T = \sum_{k>3}^q \sqrt{\tau}()_k, \quad \mu = \sum_{k=1}^3 \alpha_k()_k, \\ a = \vec{c}_{(3)} \vec{C}^{-1} = a^*$
BH3FR_EQ0150 (68)	118	0.776	$\begin{aligned} & Q_{(\mu v)}^{(\kappa \lambda)} = A_{(\mu v)}^{(\kappa \lambda)} \sum_{l=1}^q C_{(\mu v)l}^{(\kappa \lambda)} (E - e^{-\lambda_l \mu})^{-\underline{\alpha}_l} \cdot \left(\sum_{k=1}^q C_l^{(\mu v)} (E - \right. \\ & \left. - e^{-\lambda_l^{(\mu v)} \mu})^{-1} \right)^{-1} \cdot \left \delta_{kl} \left(e^{\lambda_l^{(\kappa \lambda)} \mu} - E \right)^{\alpha_{kl}^{(\kappa \lambda)}} \right _q \cdot \left \delta_{kl} \left(e^{\lambda_l^{(\mu v)} \mu} - \right. \right. \\ & \left. \left. - E \right)^{\alpha_{kl}^{(\mu v)}} \right _q^{-1} - qE \end{aligned}$	$Q_{(\mu v)}^{(\kappa \lambda)} = A_{(\mu v)}^{(\kappa \lambda)} \sum_{l=1}^q C_{(\mu v)l}^{(\kappa \lambda)} (E - e^{-\lambda_l \mu})^{-\underline{\alpha}_l} \cdot \left(\sum_{k=1}^q C_l^{(\mu v)} (E - \right. \\ \left. - e^{-\lambda_l^{(\mu v)} \mu})^{-1} \right)^{-1} \cdot \left \delta_{kl} \left(e^{\lambda_l^{(\kappa \lambda)} \mu} - E \right)^{\alpha_{kl}^{(\kappa \lambda)}} \right _q \cdot \left \delta_{kl} \left(e^{\lambda_l^{(\mu v)} \mu} - \right. \right. \\ \left. \left. - E \right)^{\alpha_{kl}^{(\mu v)}} \right _q^{-1} - qE$	$Q_{(\mu v)}^{(\kappa \lambda)} = A_{(\mu v)}^{(\kappa \lambda)} \sum_{l=1}^q C_{(\mu v)l}^{(\kappa \lambda)} (E - e^{-\lambda_l \mu})^{-\underline{\alpha}_l} \cdot \left(\sum_{k=1}^q C_l^{(\mu v)} (E - \right. \\ \left. - e^{-\lambda_l^{(\mu v)} \mu})^{-1} \right)^{-1} \cdot \left \delta_{kl} \left(e^{\lambda_l^{(\kappa \lambda)} \mu} - E \right)^{\alpha_{kl}^{(\kappa \lambda)}} \right _q \cdot \left \delta_{kl} \left(e^{\lambda_l^{(\mu v)} \mu} - \right. \right. \\ \left. \left. - E \right)^{\alpha_{kl}^{(\mu v)}} \right _q^{-1} - qE$
BH3FR_EQ0148 (66a)	118	0.777	$q_{(\mu \nu) k}^{(\kappa \lambda)} = q_{(\mu \nu) k}^{(\alpha \beta)} \psi_{(\mu \nu) kl}^{(\alpha \beta)} \left(\psi_{(\mu \nu) kl}^{(\kappa \lambda)} \right)^{-1}$	$q_{(\mu \nu) kl}^{(\kappa \lambda)} = q_{(\mu \nu) kl}^{(\alpha \beta)} \psi_{(\mu \nu) kl}^{(\alpha \beta)} \left(\psi_{(\mu \nu) kl}^{(\kappa \lambda)} \right)^{-1}$	$q_{(\mu \nu) kl}^{(\kappa \lambda)} = q_{(\mu \nu) kl}^{(\alpha \beta)} \psi_{(\mu \nu) kl}^{(\alpha \beta)} \left(\psi_{(\mu \nu) kl}^{(\kappa \lambda)} \right)^{-1}$
BH3FR_EQ0263 (118)	137	0.791	$\left(\begin{array}{c} -Q_1, -Q_2 \\ -Q_3, -Q_4 \end{array} \right) \equiv \left(0 \mid, \quad \hat{S}(v_x) = kP \left(0 \mid Q_{\tilde{C}0}^{\kappa} v_x v_x \right. \right.$	$\left(\begin{array}{c} -Q_1, -Q_2 \\ -Q_3, -Q_4 \end{array} \right) \equiv \left(0 \mid, \quad \hat{S}(v_x) = kP \left(0 \mid Q_{\tilde{C}0}^{\kappa} v_x v_x \right. \right.$	$\left(\begin{array}{c} -Q_1, -Q_2 \\ -Q_3, -Q_4 \end{array} \right) \equiv \left(0 \mid, \quad \hat{S}(v_x) = kP \left(0 \mid Q_{\tilde{C}0}^{\kappa} v_x v_x \right. \right.$
BH3FR_EQ0195 (89)	126	0.799	$\begin{aligned} & \bar{\sigma}(x) = i(\bar{e}_t s + \bar{e}_r J P_a), \quad \bar{e}_t \perp \bar{e}_r, \quad 2s = P \geq 0, \\ & 2J = Q \geq 0, \quad P_a = \alpha_p(-1)^J, \quad \alpha_p = \pm 1 \end{aligned}$	$\bar{\sigma}(x) = i(\bar{e}_t s + \bar{e}_r J P_a), \quad \bar{e}_t \perp \bar{e}_r, \quad 2s = P \geq 0, \\ 2J = Q \geq 0, \quad P_a = \alpha_p(-1)^J, \quad \alpha_p = \pm 1$	$\bar{\sigma}(x) = i(\bar{e}_t s + \bar{e}_r J P_a), \quad \bar{e}_t \perp \bar{e}_r, \quad 2s = P \geq 0, \\ 2J = Q \geq 0, \quad P_a = \alpha_p(-1)^J, \quad \alpha_p = \pm 1$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0239 (108a)	133	0.804	$\begin{aligned} & f(N \geq 0) \fallingdotseq 0, \quad \quad \quad \partial_N f > 0, \quad \quad \quad \delta_N N = \delta N = 1, \\ & \partial_{\mathrm{N}} f > 0, \quad \quad \quad \partial_N N = \partial N = 1, \\ & 0 \leq N \leq L_N < \infty, \quad w(vx) = 1 + (2 - k)\underline{w}_1 + (k - 1)\underline{w}_2, \\ & w = w^*, \quad \underline{w}_k(n_j = 0) = 0 \end{aligned}$	$\begin{aligned} & f(N \geq 0) \fallingdotseq 0, \quad \partial_N f > 0, \quad \partial_N N = \partial N = 1, \\ & 0 \leq N \leq L_N < \infty, \quad w(vx) = 1 + (2 - k)\underline{w}_1 + (k - 1)\underline{w}_2, \\ & w = w^*, \quad \underline{w}_k(n_j = 0) = 0 \end{aligned}$	$\begin{aligned} & f(N \geq 0) \geq 0, \quad \partial_N f > 0, \quad \delta_N N = \delta N = 1, \\ & 0 \leq N \leq L_N < \infty, \quad w(vx) = 1 + (2 - k)\underline{w}_1 + (k - 1)\underline{w}_2, \\ & w = w^*, \quad \underline{w}_k(n_j = 0) = 0 \end{aligned}$
BH3FR_EQ0129 (56)	115	0.807	$\begin{aligned} & \gamma_{(\mu v)+}^{\tilde{k}l} = \text{const}, \quad \gamma_{(\mu v)+}^{kl} = \gamma_{(\mu v)+}^{kl}(V_r), \quad \gamma_{-\tilde{k}l}^{(\mu v)} = 0, \\ & \gamma_{-kl}^{(\mu v)} = \text{const} \neq 0 \end{aligned}$	$\begin{aligned} & \gamma_{(\mu v)+}^{\tilde{k}l} = \text{const}, \quad \gamma_{(\mu v)+}^{kl} = \gamma_{(\mu v)+}^{kl}(V_r), \quad \gamma_{-\tilde{k}l}^{(\mu v)} = 0, \\ & \gamma_{-kl}^{(\mu v)} = \text{const} \neq 0 \end{aligned}$	$\begin{aligned} & \gamma_{(\mu v)+}^{\tilde{k}l} = \text{const}, \quad \gamma_{(\mu v)+}^{kl} = \gamma_{(\mu v)+}^{kl}(V_r), \quad \gamma_{-\tilde{k}l}^{(\mu v)} = 0, \\ & \gamma_{-kl}^{(\mu v)} = \text{const} \neq 0 \end{aligned}$
BH3FR_EQ0242	133	0.807	$\begin{aligned} & 2 \, \eta^2 A_{11} = \xi^2 (\pi e \xi)^2 (1 - 4 \pi \alpha^2) Y_4, \quad 3 A_{12} = 2 \pi e \xi^2 (\frac{\vartheta}{8} - \\ & - \pi e \eta \frac{\alpha^2}{3}) Y_5, \quad A_{13} = 3 (4 + \eta \alpha) \left(1 - \frac{\eta^2}{5} \left(\frac{1 - \sqrt{\eta}}{1 + \sqrt{\eta}} \right)^2 \right) Y_6, \\ & \alpha A_{14} = 1 + \frac{3 \eta}{4 \xi} \left(2 \eta \alpha - e^2 \xi \left(\frac{1 - \sqrt{\eta}}{1 + \sqrt{\eta}} \right)^2 \right) Y_7, \\ & 3 A_{15} = e^2 \left(1 - 2 e \frac{\alpha^2}{\eta} \right) Y_8, \\ & A_{16} = (\pi e)^2 \left(1 + \frac{\alpha}{5 \eta} (1 + 6 \frac{\alpha}{\pi}) \right) Y_9, \end{aligned}$	$\begin{aligned} & 2 \eta^2 A_{11} = \xi^2 (\pi e \xi)^2 (1 - 4 \pi \alpha^2) Y_4, \quad 3 A_{12} = 2 \pi e \xi^2 \left(\frac{\vartheta}{8} - \right. \\ & \left. - \pi e \eta \frac{\alpha^2}{3} \right) Y_5, \quad A_{13} = 3 (4 + \eta \alpha) \left(1 - \frac{\eta^2}{5} \left(\frac{1 - \sqrt{\eta}}{1 + \sqrt{\eta}} \right)^2 \right) Y_6, \\ & \alpha A_{14} = 1 + \frac{3 \eta}{4 \xi} \left(2 \eta \alpha - e^2 \xi \left(\frac{1 - \sqrt{\eta}}{1 + \sqrt{\eta}} \right)^2 \right) Y_7, \\ & 3 A_{15} = e^2 \left(1 - 2 e \frac{\alpha^2}{\eta} \right) Y_8, \\ & A_{16} = (\pi e)^2 \left(1 + \frac{\alpha}{5 \eta} (1 + 6 \frac{\alpha}{\pi}) \right) Y_9, \end{aligned}$	$\begin{aligned} & 2 \eta^2 A_{11} = \xi^2 (\pi e \xi)^2 (1 - 4 \pi \alpha^2) Y_4, \quad 3 A_{12} = 2 \pi e \xi^2 (\frac{\vartheta}{8} - \\ & - \pi e \eta \frac{\alpha^2}{3}) Y_5, \quad A_{13} = 3 (4 + \eta \alpha) \left(1 - \frac{\eta^2}{5} \left(\frac{1 - \sqrt{\eta}}{1 + \sqrt{\eta}} \right)^2 \right) Y_6, \\ & \alpha A_{14} = 1 + \frac{3 \eta}{4 \xi} \left(2 \eta \alpha - e^2 \xi \left(\frac{1 - \sqrt{\eta}}{1 + \sqrt{\eta}} \right)^2 \right) Y_7, \\ & 3 A_{15} = e^2 \left(1 - 2 e \frac{\alpha^2}{\eta} \right) Y_8, \\ & A_{16} = (\pi e)^2 \left(1 + \frac{\alpha}{5 \eta} (1 + 6 \frac{\alpha}{\pi}) \right) Y_9, \end{aligned}$
BH3FR_EQ0133	115	0.809	$\begin{aligned} & L_{(\mu \nu)}^{(\kappa \lambda)} = \Lambda_{(\mu \nu)}^{(\kappa \lambda)} - \bar{\lambda}_{(\mu \nu)}^{(\kappa \lambda)} \times \left(1 + s p^2 \bar{Q}_{(\mu \nu)}^{(\kappa \lambda)} \times () \right), \\ & \Lambda_{(\mu \nu)}^{(\kappa \lambda)} = K_{(\mu \nu)}^{(\kappa \lambda \lambda)} ; \left(1 + s p^2 \bar{Q}_{(\mu \nu)}^{(\kappa \lambda)} \times () \right) + D_{(\mu \nu)}^{(\kappa \lambda)}, \end{aligned}$	$\begin{aligned} & L_{(\mu \nu)}^{(\kappa \lambda)} = \Lambda_{(\mu \nu)}^{(\kappa \lambda)} - \bar{\lambda}_{(\mu \nu)}^{(\kappa \lambda)} \times \left(1 + s p^2 \bar{Q}_{(\mu \nu)}^{(\kappa \lambda)} \times () \right), \\ & \Lambda_{(\mu \nu)}^{(\kappa \lambda)} = K_{(\mu \nu)}^{(\kappa \lambda \lambda)} ; \left(1 + s p^2 \bar{Q}_{(\mu \nu)}^{(\kappa \lambda)} \times () \right) + D_{(\mu \nu)}^{(\kappa \lambda)}, \end{aligned}$	$\begin{aligned} & L_{(\mu \nu)}^{(\kappa \lambda)} = A_{(\mu \nu)}^{(\kappa \lambda)} - \bar{\lambda}_{(\mu \nu)}^{(\kappa \lambda)} \times \left(1 + s p^2 \bar{Q}_{(\mu \nu)}^{(\kappa \lambda)} \times () \right), \\ & A_{(\mu \nu)}^{(\kappa \lambda)} = K_{(\mu \nu)}^{(\kappa \lambda)} ; \left(1 + s p^2 \bar{Q}_{(\mu \nu)}^{(\kappa \lambda)} \times () \right) + D_{(\mu \nu)}^{(\kappa \lambda)}, \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0250 (111a)	136	0.863	$\begin{aligned} & \& F_{1}=P(P+Q)(-1)^{P+Q}\left(2-k+\eta^3(k-1)\right), \\ & \& F_{2}=1+4 \frac{\xi}{k}\left(\frac{P}{2}\right)(\xi / 6)^q Y_{41}, \\ & \& F_{q} \sqrt{\eta_{q k}}=\left(3-\alpha+\frac{\pi}{2}(k-1) 3^{2-q / 2}\right)\left(2 \sqrt{\eta_{11} \eta_{q k}}+q \eta^2(k-1) Y_{42}\right), \\ & \& F_{\kappa}=1+\frac{2 k \kappa}{3 \eta^2} \xi\left(1+\pi \xi^2(P-Q)(\pi-5 q / 4)\right) Y_{43} \end{aligned}$	$\begin{aligned} F_1 &= P(P+Q)(-1)^{P+Q}(2-k+\eta^3(k-1)), \\ F_2 &= 1+4 \frac{\xi}{k}\left(\frac{P}{2}\right)(\xi / 6)^q Y_{41}, \\ F_q \sqrt{\eta_{q k}} &=\left(3-\alpha+\frac{\pi}{2}(k-1) 3^{2-q / 2}\right)\left(2 \sqrt{\eta_{11} \eta_{q k}}+q \eta^2(k-1) Y_{42}\right), \\ F_{\kappa} &= 1+\frac{2 k \kappa}{3 \eta^2} \xi\left(1+\pi \xi^2(P-Q)(\pi-5 q / 4)\right) Y_{43} \end{aligned}$	$\begin{aligned} F_1 &= P(P+Q)(-1)^{P+Q}(2-k+\eta^3(k-1)), \\ F_2 &= 1+4 \frac{\xi}{k}\left(\frac{P}{2}\right)(\xi / 6)^q Y_{41}, \\ F_q \sqrt{\eta_{q k}} &= (3-\alpha+\frac{\pi}{2}(k-1) 3^{2-q / 2})(2 \sqrt{\eta_{11} \eta_{q k}}+q \eta^2(k-1) Y_{42}), \\ F_{\kappa} &= 1+\frac{2 k \kappa}{3 \eta^2} \xi(1+\pi \xi^2(P-Q)(\pi-5 q / 4)) Y_{43} \end{aligned} \quad (11)$
BH3FR_EQ0113 (47)	113	0.867	$\begin{aligned} & \& \eta^7-\eta=\pm a, \quad 2 \eta^2=f_{(0)} \sqrt[6]{6 / \pi}, \quad a \sqrt{\pi}=\sqrt[6]{\pi / 6}, \\ & \& f_{(0)}\left(e D_0^2(E \sqrt{\pi})^{-1}-1\right)^{1 / 2}=\sqrt[4]{e D_0^2(E \sqrt{\pi})^{-1}} \end{aligned}$	$\begin{aligned} \eta^7-\eta &= \pm a, \quad 2 \eta^2=f_{(0)} \sqrt[6]{6 / \pi}, \quad a \sqrt{\pi}=\sqrt[6]{\pi / 6} \\ f_{(0)}\left(e D_0^2(E \sqrt{\pi})^{-1}-1\right)^{1 / 2} &= \sqrt[4]{e D_0^2(E \sqrt{\pi})^{-1}} \end{aligned}$	$\begin{aligned} \eta^7-\eta &= \pm a, \quad 2 \eta^2=f_{(0)} \sqrt[6]{6 / \pi}, \quad a \sqrt{\pi}=\sqrt[6]{\pi / 6}, \\ f_{(0)}\left(e D_0^2(E \sqrt{\pi})^{-1}-1\right)^{1 / 2} &= \sqrt[4]{e D_0^2(E \sqrt{\pi})^{-1}} \end{aligned}$
BH3FR_EQ0204 (94)	127	0.876	$\begin{aligned} & \& \bar{\lambda}_X-[X, Y]-\bar{\lambda}_Y, \quad J_X>0, \quad J_Y>0, \\ & \& \cos (\bar{s}_X, \bar{s}_Y) \approx \pm 1 \end{aligned}$	$\begin{aligned} \bar{\lambda}_X-[X, Y]-\bar{\lambda}_Y, \quad J_X>0, \quad J_Y>0 \\ \cos (\bar{s}_X, \bar{s}_Y) \approx \pm 1 \end{aligned}$	$\begin{aligned} \bar{\lambda}_X-[X, Y]-\bar{\lambda}_Y, \quad J_X>0, \quad J_Y>0, \\ \cos (\bar{s}_X, \bar{s}_Y) \approx \pm 1 \end{aligned}$
BH3FR_EQ0174 (79 c)	123	0.876	$r=r(v), \quad \delta r \rightarrow \beta=\text { const }>0$	$r=r(v), \quad \delta r \rightarrow \beta=\text { const }>0$	$r=r(v), \quad \delta r \rightarrow \beta=\text { const }>0$
BH3FR_EQ0215 (98c)	129	0.876	$\begin{aligned} & \& 2 \alpha_1=1+\sqrt{\eta_{q k}}, \quad \alpha_2 \eta_{q k}=1, \quad k \alpha_3=e^{k-1}-k q F, \\ & \& \alpha_4=1, \quad F=H+G, \quad 3 H=\alpha\left(1+\sqrt{\eta_{q k}}\right)\left(\frac{\xi}{\eta_{q k}^2}\right)^{2 k+1} \eta_{q k}^3, \\ & \& e \eta_{q k} G=\eta_{11}\left(2 \xi \eta_{q k}\right)^k\left(1-\frac{\sqrt{\eta_{q k}}}{1+\sqrt{\eta_{q k}}}\right)^2 \end{aligned}$	$\begin{aligned} 2 \alpha_1 &= 1+\sqrt{\eta_{q k}}, \quad \alpha_2 \eta_{q k}=1, \quad k \alpha_3=e^{k-1}-k q F, \\ \alpha_4 &= 1, \quad F=H+G, \quad 3 H=\alpha\left(1+\sqrt{\eta_{q k}}\right)\left(\frac{\xi}{\eta_{q k}^2}\right)^{2 k+1} \eta_{q k}^3, \\ e \eta_{q k} G &= \eta_{11}\left(2 \xi \eta_{q k}\right)^k\left(1-\frac{\sqrt{\eta_{q k}}}{1+\sqrt{\eta_{q k}}}\right)^2 \end{aligned}$	$\begin{aligned} 2 \alpha_1 &= 1+\sqrt{\eta_{q k}}, \quad \alpha_2 \eta_{q k}=1, \quad k \alpha_3=e^{k-1}-k q F, \\ \alpha_4 &= 1, \quad F=H+G, \quad 3 H=\alpha\left(1+\sqrt{\eta_{q k}}\right)\left(\frac{\xi}{\eta_{q k}^2}\right)^{2 k+1} \eta_{q k}^3, \\ e \eta_{q k} G &= \eta_{11}\left(2 \xi \eta_{q k}\right)^k\left(1-\frac{\sqrt{\eta_{q k}}}{1+\sqrt{\eta_{q k}}}\right)^2 \end{aligned} \quad (9)$
BH3FR_EQ0123 (53)	114	0.879	$\begin{aligned} & \& 1 \leq(\mu, v) \leq 3, \quad {}^2 \bar{\kappa}_{(\mu)} \neq {}^2 \bar{\kappa}_{(\mu)}^{\times}, \quad {}^2 \bar{\gamma}_{(\mu v)}=s p\left({}^2 \bar{\kappa}_{(\mu)} \times {}^2 \bar{\kappa}_{(v)}\right), \\ & \& \hat{\gamma}=\left({}^2 \bar{\gamma}_{(\mu v)}\right)_3 \end{aligned}$	$\begin{aligned} 1 \leq(\mu, v) \leq 3, \quad {}^2 \bar{\kappa}_{(\mu)} \neq {}^2 \bar{\kappa}_{(\mu)}^{\times}, \quad {}^2 \bar{\gamma}_{(\mu v)}=s p\left({}^2 \bar{\kappa}_{(\mu)} \times {}^2 \bar{\kappa}_{(v)}\right) \\ \hat{\gamma}=\left({}^2 \bar{\gamma}_{(\mu v)}\right)_3 \end{aligned}$	$\begin{aligned} 1 \leq(\mu, v) \leq 3, \quad {}^2 \bar{\kappa}_{(\mu)} \neq {}^2 \bar{\kappa}_{(\mu)}^{\times}, \quad {}^2 \bar{\gamma}_{(\mu v)}=s p\left({}^2 \bar{\kappa}_{(\mu)} \times {}^2 \bar{\kappa}_{(v)}\right), \\ \hat{\gamma}=\left({}^2 \bar{\gamma}_{(\mu v)}\right)_3 \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0080 (28a)	109	0.885	$\begin{aligned} & e_{\mathrm{r}}=\varepsilon_{\mathrm{r}}\sqrt{\eta}, \\ & \quad e_{\mathrm{d}}=\varepsilon_{\mathrm{d}}(1-\sqrt{\eta}), \quad 2e_{\mathrm{w}}=\varepsilon_{\pm}(1+\sqrt{\eta}), \\ & \quad \eta^4\sqrt{4+\pi^4}=\pi \end{aligned}$	$e_r=\varepsilon_{\pm}\sqrt{\eta}, \quad e_d=\varepsilon_{\pm}(1-\sqrt{\eta}), \quad 2e_w=\varepsilon_{\pm}(1+\sqrt{\eta}),$ $\eta^4\sqrt{4+\pi^4}=\pi$	$e_r=\varepsilon_{\pm}\sqrt{\eta}, \quad e_d=\varepsilon_{\pm}(1-\sqrt{\eta}), \quad 2e_w=\varepsilon_{\pm}(1+\sqrt{\eta}),$ $\eta^4\sqrt{4+\pi^4}=\pi$
BH3FR_EQ00262 (117)	137	0.886	$\begin{aligned} & \text{h}\,\omega_{\mathrm{R}}>\left(M(N)-M_{\mathrm{x}}\right)c^2, \quad \omega_{\mathrm{R}}=\omega_{\mathrm{x}}=1/\theta_{\mathrm{x}}, \\ & \quad T>\theta_{\mathrm{x}}>0 \end{aligned}$	$h\omega_R>(M(N)-M_x)c^2, \quad \omega_R=\omega_x=1/\theta_x,$ $T>\theta_x>0$	$h\omega_R>(M(N)-M_x)c^2, \quad \omega_R=\omega_x=1/\theta_x,$ $T>\theta_x>0$
BH3FR_EQ00153 (69)	118	0.886	$\begin{aligned} & \kappa_{(1)}^{\prime}\,Q_{-}=Q_{+}=C\left(e^{\lambda\mu}-E\right)^a\left(e^{\Lambda\mu}-E\right)^b, \\ & \quad \hat{S}^2\bar{\kappa}_{(1)}\hat{S}^{\times}={}^2\bar{\kappa}_{(1)}', \quad \kappa_{(1)ik}'\sim\delta_{ik} \end{aligned}$	$\kappa_{(1)}'Q_{-}=Q_{+}=C\left(e^{\lambda\mu}-E\right)^a\left(e^{\Lambda\mu}-E\right)^b,$ $\hat{S}^2\bar{\kappa}_{(1)}\hat{S}^{\times}={}^2\bar{\kappa}_{(1)}', \quad \kappa_{(1)ik}'\sim\delta_{ik}$	$\kappa_{(1)}'Q_{-}=Q_{+}=C\left(e^{\lambda\mu}-E\right)^a\left(e^{\Lambda\mu}-E\right)^b,$ $\hat{S}^2\bar{\kappa}_{(1)}\hat{S}^{\times}={}^2\bar{\kappa}_{(1)}', \quad \kappa_{(1)ik}'\sim\delta_{ik}$
BH3FR_EQ00256 (113a)	136	0.887	$\begin{aligned} & \alpha_2\left(L_2+Q_2\right)\left(2\left(L_2+Q_2\right)^2+3\left(L_2+Q_2\right)+1\right)=6\alpha_1\left(L_1+Q_1\right)^3, \\ & \quad \alpha_3\left(L_3+Q_3\right)\left(1+L_3+Q_3\right)=2\alpha_2\left(L_2+Q_2\right)^2, \\ & \quad L_4+Q_4=TRC\left(\alpha_3\left(L_3+Q_3\right)\right) \end{aligned}$	$\alpha_2\left(L_2+Q_2\right)\left(2\left(L_2+Q_2\right)^2+3\left(L_2+Q_2\right)+1\right)=6\alpha_1\left(L_1+Q_1\right)^3,$ $\alpha_3\left(L_3+Q_3\right)\left(1+L_3+Q_3\right)=2\alpha_2\left(L_2+Q_2\right)^2,$ $L_4+Q_4=TRC\left(\alpha_3\left(L_3+Q_3\right)\right)$	$\alpha_2\left(L_2+Q_2\right)\left(2\left(L_2+Q_2\right)^2+3\left(L_2+Q_2\right)+1\right)=6\alpha_1\left(L_1+Q_1\right)^3,$ $\alpha_3\left(L_3+Q_3\right)\left(1+L_3+Q_3\right)=2\alpha_2\left(L_2+Q_2\right)^2,$ $L_4+Q_4=TRC\left(\alpha_3\left(L_3+Q_3\right)\right)$
BH3FR_EQ00073 (26a)	108	0.887	$\begin{aligned} & \eta=\lambda/2, \quad r=\varepsilon=\frac{\Lambda}{2}, \quad \lambda=\frac{h}{mc}, \\ & \quad \Lambda=\frac{h}{\mu\omega}=2\varsigma, \quad \varsigma=\frac{h^2}{\gamma m^3} \end{aligned}$	$\eta=\lambda/2, \quad r=\varepsilon=\frac{\Lambda}{2}, \quad \lambda=\frac{h}{mc},$ $\Lambda=\frac{h}{\mu\omega}=2\varsigma, \quad \varsigma=\frac{h^2}{\gamma m^3}$	$\eta=\lambda/2, \quad r=\varepsilon=\frac{\Lambda}{2}, \quad \lambda=\frac{h}{mc},$ $\Lambda=\frac{h}{\mu\omega}=2\varsigma, \quad \varsigma=\frac{h^2}{\gamma m^3}$
BH3FR_EQ00050 (16c)	104	0.890	$R_{6(0)}\equiv R_{6(0)}\left(x^{\underline{k}}\right)_1^6, \quad x^{\underline{k}}=C^{\underline{k}};n,$	$R_{6(0)}\equiv R_{6(0)}\left(x^{\underline{k}}\right)_1^6, \quad x^{\underline{k}}=C^{\underline{k}};n,$	$R_{6(0)}\equiv R_{6(0)}\left(x^{\underline{k}}\right)_1^6, \quad x^{\underline{k}}=C^{\underline{k}};n,$
BH3FR_EQ00013 (4)	101	0.892	$\begin{aligned} & \left(x_1,x_2,x_3\right)=\left(x_1^*,x_2^*,x_3^*\right)\equiv R_3, \quad x_4=\mathrm{ict}, \\ & \quad x_5=i\varepsilon, \quad x_6=i\eta \end{aligned}$	$\left(x_1,x_2,x_3\right)=\left(x_1^*,x_2^*,x_3^*\right)\equiv R_3, \quad x_4=\mathrm{ict},$ $x_5=i\varepsilon, \quad x_6=i\eta$	$\left(x_1,x_2,x_3\right)=\left(x_1^*,x_2^*,x_3^*\right)\equiv R_3, \quad x_4=\mathrm{ict},$ $x_5=i\varepsilon, \quad x_6=i\eta$
BH3FR_EQ00032 (11b)	102	0.894	$r\,\varphi(r)=\gamma\,\mathrm{Lm}(r)(1-r/\varsigma)^2$	$r\varphi(r)=\gamma\,\mathrm{Lm}(r)(1-r/\varsigma)^2$	$r\varphi(r)=\gamma\,\mathrm{Lm}(r)(1-r/\varsigma)^2$
BH3FR_EQ00199 (91)	127	0.894	$\begin{array}{lcc} Q=2\,n, & \sigma_r=\pm iJ_T, & J_T=n, & 0\leq n\leq 6, \\ Q=2\,n+1, & \sigma_r=\pm J_S, & 2J_S=2\,n+1, & \\ n\geq 0 & & & \end{array}$	$Q=2n, \quad \sigma_r=\pm iJ_T, \quad J_T=n, \quad 0\leq n\leq 6,$ $Q=2n+1, \quad \sigma_r=\pm J_S, \quad 2J_S=2n+1,$ $n\geq 0$	$Q=2n, \quad \sigma_r=\pm iJ_T, \quad J_T=n, \quad 0\leq n\leq 6,$ $Q=2n+1, \quad \sigma_r=\pm J_S, \quad 2J_S=2n+1,$ $n\geq 0$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0122 (52)	114	0.899	$\left(\frac{A}{D}\right)^{3/11}\sqrt{E}=2^9e\sqrt[4]{\pi}\left(9\pi^2\sqrt[3]{2}\right)^{-1}\left(\frac{\tau}{E}\right)^{11/6}D$	$\left(\frac{A}{D}\right)^{3/11}\sqrt{E}=2^9e\sqrt[4]{\pi}\left(9\pi^2\sqrt[3]{2}\right)^{-1}\left(\frac{\tau}{E}\right)^{11/6}D$	$\left(\frac{A}{D}\right)^{3/11}\sqrt{E}=2^9e\sqrt[4]{\pi}\left(9\pi^2\sqrt[3]{2}\right)^{-1}\left(\frac{\tau}{E}\right)^{11/6}D$
BH3FR_EQ0226 (102)	131	0.899	$\hat{I}\equiv kP\left[\begin{array}{l}Q,\kappa\\C,q_x\end{array}\right]_{\varepsilon}$	$\hat{I}\equiv kP\left[\begin{array}{l}Q,\kappa\\C,q_x\end{array}\right]_{\varepsilon}$	$\hat{I}\equiv kP\left[\begin{array}{l}Q,\kappa\\C,q_x\end{array}\right]_{\varepsilon}$
BH3FR_EQ0128 (55a)	115	0.901	$\{ \}^{\{2\}}\backslash\mathrm{bar}\{\gamma\}_-(p\,q)-=\{ \}^{\{2\}}\backslash\mathrm{bar}P\}_-(p\,q),\\ \quad\quad\quad\tau\alpha_m\gamma_{+\tilde{k}m}^{(pq)}=\partial_m\phi_{\tilde{k}}^{(pq)}\\ \quad\quad\quad\partial_m\phi_{\tilde{k}}^{(pq)}=\partial_m\phi_{\tilde{k}}^{(pq)}$	${}^2\bar{\gamma}_{(pq)-}={}^2\bar{P}_{(pq)},\quad\tau\alpha_m\gamma_{+\tilde{k}m}^{(pq)}=\partial_m\phi_{\tilde{k}}^{(pq)}$	${}^2\bar{\gamma}_{(pq)-}={}^2\bar{P}_{(pq)},\quad\tau\alpha_m\gamma_{+\tilde{k}m}^{(pq)}=\partial_m\phi_{\tilde{k}}^{(pq)}$
BH3FR_EQ0154 (69a)	118	0.908	$\begin{aligned} & Q_{+}(y)=\lim_{\tau\rightarrow o}\tau\rightarrow o\\ & Q_{+}(y)=\lim_{\tau\rightarrow o}Q_{+};n=C(e^{\pm i\lambda y}-1)^a,\\ & \beta_{(a)}^{+}=\pm2\pi n_{(a)},\quad y^2=\varepsilon^2+\eta^2,\quad\beta_{(a)}^{-}(Q_{-})\equiv\beta_{(a)}^{+},\\ & \kappa_{(1)}'=\kappa_{\mathrm{ext}}^{(1)} \end{aligned}$	$Q_{+}(y)=\lim_{\tau\rightarrow o}Q_{+};n=C(e^{\pm i\lambda y}-1)^a,\quad\beta_{(a)}^{+}=\pm2\pi n_{(a)},\quad y^2=\varepsilon^2+\eta^2,\quad\beta_{(a)}^{-}(Q_{-})\equiv\beta_{(a)}^{+},\quad\kappa_{(1)}'=\kappa_{\mathrm{ext}}^{(1)}$	$Q_{+}(y)=\lim_{\tau\rightarrow o}Q_{+};n=C(e^{\pm i\lambda y}-1)^a,\quad\beta_{(a)}^{+}=\pm2\pi n_{(a)},\quad y^2=\varepsilon^2+\eta^2,\quad\beta_{(a)}^{-}(Q_{-})\equiv\beta_{(a)}^{+},\quad\kappa_{(1)}'=\kappa_{\mathrm{ext}}^{(1)}$
BH3FR_EQ0203 (93)	127	0.914	$\begin{aligned} & \varepsilon(R_4^\pm)=\cos\left(\vec{S}(\vec{\lambda}),\vec{x}_4\right)=\pm1,\quad C_\pm(R_4^\pm)=-C_\mp,\\ & \varepsilon C_\pm=C>0 \end{aligned}$	$\varepsilon(R_4^\pm)=\cos\left(\vec{S}(\vec{\lambda}),\vec{x}_4\right)=\pm1,\quad C_\pm(R_4^\pm)=-C_\mp,\quad\varepsilon C_\pm=C>0$	$\varepsilon(R_4^\pm)=\cos\left(\vec{S}(\vec{\lambda}),\vec{x}_4\right)=\pm1,\quad C_\pm(R_4^\pm)=-C_\mp,\quad\varepsilon C_\pm=C>0$
BH3FR_EQ0168 (76b)	122	0.919	$q_{\{j\}}\hat{=} (j),\quad F_v\hat{=} (j)\omega$	$q_j\hat{=}(j),\quad F_v\hat{=}(j)\omega$	$q_j\hat{=}(j),\quad F_v\hat{=}(j)\omega$
BH3FR_EQ0236 (107a)	132	0.922	$\begin{aligned} & j>1,\quad\beta_j=\check{\delta}_{j-1}G_{j-1}-G_j\geq1,\quad\beta_j=0,\\ & G_j=0,\quad n_{j-1}\rightarrow1+n_{j-1},\quad j=1,\quad\partial_1G_1>0,\\ & -Q_j\leq n_j\leq L_j<\infty \end{aligned}$	$j>1,\quad\beta_j=\check{\delta}_{j-1}G_{j-1}-G_j\geq1,\quad\beta_j=0,\\ G_j=0,\quad n_{j-1}\rightarrow1+n_{j-1},\quad j=1,\quad\partial_1G_1>0,\\ -Q_j\leq n_j\leq L_j<\infty$	$j>1,\quad\beta_j=\check{\delta}_{j-1}G_{j-1}-G_j\geq1,\quad\beta_j=0,\\ G_j=0,\quad n_{j-1}\rightarrow1+n_{j-1},\quad j=1,\quad\check{\delta}_1G_1>0,\\ -Q_j\leq n_j\leq L_j<\infty$
BH3FR_EQ0038 (14)	103	0.924	$R_{\pm}=\varsigma(1+\alpha)\left(1\pm\sqrt{1-(1+\alpha)^{-2}}\right),\quad\alpha e\gamma M_0=2\omega c\varsigma$	$R_{\pm}=\varsigma(1+\alpha)\left(1\pm\sqrt{1-(1+\alpha)^{-2}}\right),\quad\alpha e\gamma M_0=2\omega c\varsigma$	$R_{\pm}=\varsigma(1+\alpha)(1\pm\sqrt{1-(1+\alpha)^{-2}}),\quad\alpha e\gamma M_0=2\omega c\varsigma,$
BH3FR_EQ0010 (2a)	100	0.926	$\eta_{ik}=\frac{\Delta N_{ik}}{\Delta\Omega},\quad\Delta\Omega=w\Delta x^1\Delta x^2\Delta x^3\Delta x^4$	$\eta_{ik}=\frac{\Delta N_{ik}}{\Delta\Omega},\quad\Delta\Omega=w\Delta x^1\Delta x^2\Delta x^3\Delta x^4$	$\eta_{ik}=\frac{\Delta N_{ik}}{\Delta\Omega},\quad\Delta\Omega=w\Delta x^1\Delta x^2\Delta x^3\Delta x^4$
BH3FR_EQ0093 (37 a)	110	0.928	$\left(\frac{eD\sqrt{\tau}}{\pi E}-1\right)f^2=\sqrt{\frac{eD\sqrt{\tau}}{\pi E}},\quad E=1\left[m^2\right]$	$\left(\frac{eD\sqrt{\tau}}{\pi E}-1\right)f^2=\sqrt{\frac{eD\sqrt{\tau}}{\pi E}},\quad E=1\left[m^2\right]$	$\left(\frac{eD\sqrt{\tau}}{\pi E}-1\right)f^2=\sqrt{\frac{eD\sqrt{\tau}}{\pi E}},\quad E=1\left[m^2\right]$
BH3FR_EQ0223 (101)	130	0.928	$(v)(kPQ\kappa)\varepsilon C(\varepsilon q_x)_0^P,\quad 1\leq v\leq 12$	$(v)(kPQ\kappa)\varepsilon C(\varepsilon q_x)_0^P,\quad 1\leq v\leq 12$	$(v)(kPQ\kappa)\varepsilon C(\varepsilon q_x)_0^P,\quad 1\leq v\leq 12$
BH3FR_EQ0152 (68b)	118	0.932	$Q_{\{(\mu\nu)\mathrm{ext}\}}^{\{(\kappa\lambda)\mathrm{ext}\}}\equiv\binom{\kappa\lambda}{\mu\nu}$	$Q_{(\mu\nu)\mathrm{ext}}^{(\kappa\lambda)}\equiv\binom{\kappa\lambda}{\mu\nu}$	$Q_{(\mu\nu)\mathrm{ext}}^{(\kappa\lambda)}\equiv\binom{\kappa\lambda}{\mu\nu}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0046	104	■ 0.934	$\begin{aligned} \{ \}^{\{2\}} \bar{\tau} &= \left(\operatorname{ROT}_{\{6\}} \bar{\phi} \right); 1, \quad \{ \}^{\{2\}} \bar{\tau} = \tau \begin{vmatrix} 0 & 1 & 1 & i & i & i \\ -1 & 0 & 1 & i & i & i \\ -1 & -1 & 0 & i & i & i \\ -i & -i & -i & 0 & -1 & -1 \\ -i & -i & -i & 1 & 0 & -1 \\ -i & -i & -i & 1 & 1 & 0 \end{vmatrix} \end{aligned}$	${}^2\bar{\tau} = \left(\operatorname{ROT}_6 \bar{\phi} \right); 1,$	${}^2\bar{\tau} = \left(\operatorname{ROT}_6 \bar{\phi} \right); 1, \quad \tau^2 \bar{P} = \operatorname{ROT}_6 \bar{\phi},$ ${}^2\bar{\tau} = \tau \begin{vmatrix} 0 & 1 & 1 & i & i & i \\ -1 & 0 & 1 & i & i & i \\ -1 & -1 & 0 & i & i & i \\ -i & -i & -i & 0 & -1 & -1 \\ -i & -i & -i & 1 & 0 & -1 \\ -i & -i & -i & 1 & 1 & 0 \end{vmatrix},$
BH3FR_EQ0127 (55)	114	■ 0.939	$\begin{aligned} \{ \}^{\{2\}} \bar{\gamma}_{(p\,q)+} &= \text{const} \left(Z_{\tilde{k}} \right), \quad \partial_{\tilde{k}} \gamma_{-il}^{(pq)} = \frac{\alpha_{\tilde{k}}}{\alpha_i} \partial_i \gamma_{\tilde{k}l}^{(pq)} - \\ &- \frac{\alpha_{\tilde{k}}}{\alpha_l} \partial_l \gamma_{\tilde{k}i}^{(pq)}, \quad {}^2\bar{\gamma}_{(pq)-} \equiv f \left(Z_{\tilde{k}} \right) \end{aligned}$	${}^2\bar{\gamma}_{(pq)+} = \text{const} \left(Z_{\tilde{k}} \right), \quad \partial_{\tilde{k}} \gamma_{-il}^{(pq)} = \frac{\alpha_{\tilde{k}}}{\alpha_i} \partial_i \gamma_{\tilde{k}l}^{(pq)} -$ $- \frac{\alpha_{\tilde{k}}}{\alpha_l} \partial_l \gamma_{\tilde{k}i}^{(pq)}, \quad {}^2\bar{\gamma}_{(pq)-} \equiv f \left(Z_{\tilde{k}} \right)$	${}^2\bar{\gamma}_{(pq)+} = \text{const} \left(Z_{\tilde{k}} \right), \quad \partial_{\tilde{k}} \gamma_{-il}^{(pq)} = \frac{\alpha_{\tilde{k}}}{\alpha_i} \partial_i \gamma_{\tilde{k}l}^{(pq)} -$ $- \frac{\alpha_{\tilde{k}}}{\alpha_l} \partial_l \gamma_{\tilde{k}i}^{(pq)}, \quad {}^2\bar{\gamma}_{(pq)-} \equiv f \left(Z_{\tilde{k}} \right)$
BH3FR_EQ0116 (49)	113	■ 0.942	$\begin{aligned} &T_1^+ \left(D_{fmp}^{xy+} \right) \frac{D \left(R_3^+ \right)}{\cos \alpha_4 > 0} \rightarrow T_2^+ \left(D_{fmp}^{yx-} \right) \equiv \\ &\equiv T_1^- \frac{D \left(R_3^- \right)}{\cos \alpha_4 < 0} \rightarrow T_2^- \equiv T_1^+ \end{aligned}$	$T_1^+ \left(D_{fmp}^{xy+} \right) \frac{D \left(R_3^+ \right)}{\cos \alpha_4 > 0} \rightarrow T_2^+ \left(D_{fmp}^{yx-} \right) \equiv$ $\equiv T_1^- \frac{D \left(R_3^- \right)}{\cos \alpha_4 < 0} \rightarrow T_2^- \equiv T_1^+$	$T_1^+ \left(D_{fmp}^{xy+} \right) \frac{D \left(R_3^+ \right)}{\cos \alpha_4 > 0} \rightarrow T_2^+ \left(D_{fmp}^{yx-} \right) \equiv$ $\equiv T_1^- \frac{D \left(R_3^- \right)}{\cos \alpha_4 < 0} \rightarrow T_2^- \equiv T_1^+$
BH3FR_EQ0020 (7)	101	■ 0.943	$\left(\left(\begin{matrix} i \\ km \end{matrix} \right) \right)_6 = \widehat{\{ \}}, \quad C = \sum_{p=1}^6 C_p, \quad \vec{\lambda} = \sum_{p=1}^6 \vec{e}_p \lambda_p$	$\left(\left(\begin{matrix} i \\ km \end{matrix} \right) \right)_6 = \widehat{\{ \}}, \quad C = \sum_{p=1}^6 C_p, \quad \vec{\lambda} = \sum_{p=1}^6 \vec{e}_p \lambda_p$	$\left(\left(\begin{matrix} i \\ km \end{matrix} \right) \right)_6 = \widehat{\{ \}}, \quad C = \sum_{p=1}^6 C_p, \quad \vec{\lambda} = \sum_{p=1}^6 \vec{e}_p \lambda_p$
BH3FR_EQ0176 (80a)	124	■ 0.943	$\begin{aligned} \hat{\gamma}_{(x)} &= \left(\{ \}^{\{2\}} \bar{\gamma}_{\gamma_{(\mu\,\nu)}} \right)_3, \quad n \left(\{ \}^{\{2\}} \bar{\gamma}_{\gamma_{(\mu\,\nu)}} \neq {}^2\bar{E} \right) \leq 9, \\ Z &= n(n-1) \end{aligned}$	$\hat{\gamma}_{(x)} = \left({}^2\bar{\gamma}_{(\mu\nu)} \right)_3, \quad n \left({}^2\bar{\gamma}_{(\mu\nu)} \neq {}^2\bar{E} \right) \leq 9,$ $Z = n(n-1)$	$\hat{\gamma}_{(x)} = \left({}^2\bar{\gamma}_{(\mu\nu)} \right)_3, \quad n \left({}^2\bar{\gamma}_{(\mu\nu)} \neq {}^2\bar{E} \right) \leq 9,$ $Z = n(n-1)$
BH3FR_EQ0220 (100)	130	■ 0.944	$\begin{aligned} Ck(1+\kappa) &= 2 \left(P\varepsilon_P + Q\varepsilon_Q \right) (k-1+\kappa), \quad \varepsilon_{P,Q} = \varepsilon \cos \alpha_{P,Q}, \\ \alpha_P &= \pi Q \left(\kappa + \binom{P}{2} \right), \quad \alpha_Q = \pi Q \left(Q(k-1) + \binom{P}{2} \right) \end{aligned}$	$Ck(1+\kappa) = 2 \left(P\varepsilon_P + Q\varepsilon_Q \right) (k-1+\kappa), \quad \varepsilon_{P,Q} = \varepsilon \cos \alpha_{P,Q},$ $\alpha_P = \pi Q \left(\kappa + \binom{P}{2} \right), \quad \alpha_Q = \pi Q \left(Q(k-1) + \binom{P}{2} \right)$	$Ck(1+\kappa) = 2 \left(P\varepsilon_P + Q\varepsilon_Q \right) (k-1+\kappa), \quad \varepsilon_{P,Q} = \varepsilon \cos \alpha_{P,Q},$ $\alpha_P = \pi Q \left(\kappa + \binom{P}{2} \right), \quad \alpha_Q = \pi Q \left(Q(k-1) + \binom{P}{2} \right)$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0228 (103a)	131	■ 0.945	$\begin{array}{l} G(1)=2, \text{ \& } b_{\{1\}} \equiv Z(n), \text{ \& } b_{\{2\}} \\ \equiv Z(m)+Z(p)+Z(\sigma), \text{ \& } G(2)=3, \text{ \& } b_{\{1\}} \equiv Z(n) \\ \text{ \& } b_{\{2\}} \equiv Z(m), \text{ \& } b_{\{3\}} \equiv Z(p)+Z(\sigma) \text{ \& } \end{array}$	$\begin{array}{l} G(1)=2, \qquad b_1 \equiv Z(n), \quad b_2 \equiv Z(m)+Z(p)+Z(\sigma), \\ G(2)=3, \qquad b_1 \equiv Z(n), \quad b_2 \equiv Z(m), \\ b_3 \equiv Z(p)+Z(\sigma) \end{array}$	$\begin{array}{l} G(1)=2, \qquad b_1 \equiv Z(n), \qquad b_2 \equiv Z(m)+Z(p)+Z(\sigma), \\ G(2)=3, \qquad b_1 \equiv Z(n), \qquad b_2 \equiv Z(m), \\ b_3 \equiv Z(p)+Z(\sigma) \end{array}$
BH3FR_EQ0214 (98b)	129	■ 0.947	$\begin{array}{l} N_{(j)}(t)=n_{\{j\}}(t)+Q_{\{j\}}, \quad (j \leq 4) \hat{=} (n, m, p, \sigma), \\ Q_n=3 \cdot 2^{s-2}, \quad Q_m=2^s-1, \quad Q_p=2^s+2(-1)^k, \\ Q_\sigma=2^{s-1}-1, \quad s=k^2+1=\text{const}(t) \end{array}$	$\begin{array}{l} N_{(j)}(t)=n_j(t)+Q_j, \quad (j \leq 4) \hat{=} (n, m, p, \sigma), \\ Q_n=3 \cdot 2^{s-2}, \quad Q_m=2^s-1, \quad Q_p=2^s+2(-1)^k, \\ Q_\sigma=2^{s-1}-1, \quad s=k^2+1=\text{const}(t) \end{array}$	$\begin{array}{l} N_{(j)}(t)=n_j(t)+Q_j, \qquad (j \leq 4) \hat{=} (n, m, p, \sigma), \\ Q_n=3 \cdot 2^{s-2}, \qquad Q_m=2^s-1, \qquad Q_p=2^s+2(-1)^k, \\ Q_\sigma=2^{s-1}-1, \qquad s=k^2+1=\text{const}(t) \end{array}$
BH3FR_EQ0001	21	■ 0.948	$S U(5) \text{ \textit{ mit } } S U(3) \times S U(2) \times U(1) \subset S U(5) \text{ \textit{ . } }$	$SU(5) \text{ mit } SU(3) \times SU(2) \times U(1) \subset SU(5).$	$SU(5) \text{ mit } SU(3) \times SU(2) \times U(1) \subset SU(5).$
BH3FR_EQ0005 (*b)	100	■ 0.950	$\operatorname{divgrad} \vec{p} + \alpha \beta \ddot{\vec{p}} = \vec{0}, \quad \omega^2 \alpha \beta = 1, \quad 0 < \omega < \infty$	$\operatorname{divgrad} \vec{p} + \alpha \beta \ddot{\vec{p}} = \vec{0}, \quad \omega^2 \alpha \beta = 1, \quad 0 < \omega < \infty$	$\operatorname{divgrad} \vec{p} + \alpha \beta \ddot{\vec{p}} = \vec{0}, \quad \omega^2 \alpha \beta = 1, \quad 0 < \omega < \infty$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0151 (68a)	118	■ 0.965	$\begin{aligned} & \underline{\partial} Q_{(\mu\nu)}^{(\kappa\lambda)} = 0, \quad \underline{\partial} \psi_{ll} = 0, \quad \underline{\partial}^2 ({}^2\tilde{\gamma}_{(\kappa\lambda)}) = {}^2\overline{0}, \\ & \underline{\partial}^2 ({}^2\tilde{\gamma}_{(\mu\nu)}) = {}^2\overline{0} \end{aligned}$	$\underline{\partial} Q_{(\mu\nu)}^{(\kappa\lambda)} = 0, \quad \underline{\partial} \psi_{ll} = 0, \quad \underline{\partial}^2 ({}^2\tilde{\gamma}_{(\kappa\lambda)}) = {}^2\overline{0},$ $\underline{\partial}^2 ({}^2\tilde{\gamma}_{(\mu\nu)}) = {}^2\overline{0}$	$\underline{\partial} Q_{(\mu\nu)}^{(\kappa\lambda)} = 0, \quad \underline{\partial} \psi_{ll} = 0, \quad \underline{\partial}^2 ({}^2\tilde{\gamma}_{(\kappa\lambda)}) = {}^2\overline{0},$ $\underline{\partial}^2 ({}^2\tilde{\gamma}_{(\mu\nu)}) = {}^2\overline{0}$
BH3FR_EQ0324 (M31a)	148	■ 0.966	$\{ \}^{\{4\}} \bar{\zeta} = K; []$	${}^4\bar{\zeta} = K; []$	${}^4\bar{\zeta} = K; []$
BH3FR_EQ0063 (21a)	106	■ 0.967	$\left[\begin{array}{cc} \tilde{r} & \\ k & l \end{array}\right] = B_{\tilde{k}l}^{\tilde{r}} \cdot \exp \lambda_{kl} (\mu - \mathbf{S} \psi_{kl} \partial \mu)$	$\left[\begin{array}{cc} \tilde{r} & \\ k & l \end{array}\right] = B_{\tilde{k}l}^{\tilde{r}} \cdot \exp \lambda_{kl} (\mu - \mathbf{S} \psi_{kl} \partial \mu)$	$\left[\begin{array}{cc} \tilde{r} & \\ k & l \end{array}\right] = B_{\tilde{k}l}^{\tilde{r}} \cdot \exp \lambda_{kl} (\mu - \mathbf{S} \psi_{kl} \partial \mu)$
BH3FR_EQ0201 (92)	127	■ 0.967	$\begin{aligned} & K(R_4^\pm) = K^\pm, \quad \cos(\vec{Y}^+, \vec{Y}^-) = -1, \quad \vec{\lambda}^\pm \perp \vec{Y}^\pm, \\ & \vec{\lambda}^+ \parallel \vec{\lambda}^-, \quad a^+(\omega) = a^-(\omega), \quad b^+ = b^-, \\ & m^\pm > 0 \end{aligned}$	$K(R_4^\pm) = K^\pm, \quad \cos(\vec{Y}^+, \vec{Y}^-) = -1, \quad \vec{\lambda}^\pm \perp \vec{Y}^\pm,$ $\vec{\lambda}^+ \parallel \vec{\lambda}^-, \quad a^+(\omega) = a^-(\omega), \quad b^+ = b^-,$ $m^\pm > 0$	$K(R_4^\pm) = K^\pm, \quad \cos(\vec{Y}^+, \vec{Y}^-) = -1, \quad \vec{\lambda}^\pm \perp \vec{Y}^\pm,$ $\vec{\lambda}^+ \parallel \vec{\lambda}^-, \quad a^+(\omega) = a^-(\omega), \quad b^+ = b^-,$ $m^\pm > 0$
BH3FR_EQ0045 (16)	104	■ 0.968	$\begin{aligned} & \bar{x}_k = \bar{X}_k; n, \quad \bar{X}_k = \bar{e}_k \alpha_k ()_k, \quad (\bar{e}_i \bar{e}_k)_6 = \hat{E}, \\ & \sum_{k=1}^6 v_{kk} = 1, \quad \alpha_k = \sqrt{\tau}, \quad k \leq 3, \quad \alpha_k = i\sqrt{\tau}, \\ & k > 3, \quad \Delta = \tau^3 \end{aligned}$	$\bar{x}_k = \bar{X}_k; n, \quad \bar{X}_k = \bar{e}_k \alpha_k ()_k, \quad (\bar{e}_i \bar{e}_k)_6 = \hat{E},$ $\sum_{k=1}^6 v_{kk} = 1, \quad \alpha_k = \sqrt{\tau}, \quad k \leq 3, \quad \alpha_k = i\sqrt{\tau},$ $k > 3, \quad \Delta = \tau^3$	$\bar{x}_k = \bar{X}_k; n, \quad \bar{X}_k = \bar{e}_k \alpha_k ()_k, \quad (\bar{e}_i \bar{e}_k)_6 = \hat{E},$ $\sum_{k=1}^6 v_{kk} = 1, \quad \alpha_k = \sqrt{\tau}, \quad k \leq 3, \quad \alpha_k = i\sqrt{\tau},$ $k > 3, \quad \Delta = \tau^3$
BH3FR_EQ0034 (12)	103	■ 0.968	$Y_1 \varsigma \left(1 - h (2 Y_1 m_0 c \varsigma)^{-1} \right)^2 = \frac{h^2}{\gamma m_0^3}. \quad 2 Y_1 m_0 c \varsigma > h$	$Y_1 \varsigma \left(1 - h (2 Y_1 m_0 c \varsigma)^{-1} \right)^2 = \frac{h^2}{\gamma m_0^3}. \quad 2 Y_1 m_0 c \varsigma > h$	$Y_1 \varsigma (1 - h (2 Y_1 m_0 c \varsigma)^{-1})^2 = \frac{h^2}{\gamma m_0^3}. \quad 2 Y_1 m_0 c \varsigma > h$
BH3FR_EQ0170 (78)	123	■ 0.968	$\begin{aligned} & w_f = w \geq c, \quad m \lambda = \mu \lambda_o = \text{const}, \quad \frac{\lambda_{(ab)}}{\lambda_o} \sim E_{(ab)}^{-1}, \\ & 2n \left(\frac{\lambda_{(cd)}}{\lambda_o} \right)^4 = (2n - 1)^2 (1 + 4(q/\pi)^4) \end{aligned}$	$w_f = w \geq c, \quad m \lambda = \mu \lambda_o = \text{const}, \quad \frac{\lambda_{(ab)}}{\lambda_o} \sim E_{(ab)}^{-1}$ $2n \left(\frac{\lambda_{(cd)}}{\lambda_o} \right)^4 = (2n - 1)^2 (1 + 4(q/\pi)^4)$	$w_f = w \geq c, \quad m \lambda = \mu \lambda_o = \text{const}, \quad \frac{\lambda_{(ab)}}{\lambda_o} \sim E_{(ab)}^{-1},$ $2n \left(\frac{\lambda_{(cd)}}{\lambda_o} \right)^4 = (2n - 1)^2 (1 + 4(q/\pi)^4)$
BH3FR_EQ0229 (104)	131	■ 0.973	$4 \pi^2 C_{\pm} = \pm \sqrt{2 v \frac{\hbar}{R_-}}, \quad e_{\pm} = 3 C_{\pm}$	$4 \pi^2 C_{\pm} = \pm \sqrt{2 v \frac{\hbar}{R_-}}, \quad e_{\pm} = 3 C_{\pm}$	$4 \pi^2 C_{\pm} = \pm \sqrt{2 v \frac{\hbar}{R_-}}, \quad e_{\pm} = 3 C_{\pm}$
BH3FR_EQ0029 (10c)	102	■ 0.974	$\alpha \operatorname{div} \vec{G} = \Lambda m(r), \quad 16 V \Lambda = \left[3 V \frac{d}{d V} + 1 \right]^2$	$\alpha \operatorname{div} \vec{G} = \Lambda m(r), \quad 16 V \Lambda = \left[3 V \frac{d}{d V} + 1 \right]^2$	$\alpha \operatorname{div} \vec{G} = \Lambda m(r), \quad 16 V \Lambda = \left[3 V \frac{d}{d V} + 1 \right]^2$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0149 (67)	118	■0.974	$\begin{aligned} & \text{\texttt{s p_{-}\^{2} \bar{\gamma}_{(\mu v)}=C_{(\mu v)}\left(e^{\lambda_{kl\mu}}-E\right)^{a_{kl}}\delta_{kl}\Big _q, \quad \lambda_{kl}=\lambda_{kl}^{(\mu v)},} \\ & \text{\texttt{\underline{a}_{kl}=\lambda_{kl}^{(\mu v)}=\mathrm{const}}} \end{aligned}$	$sp_{-}^2\bar{\gamma}_{(\mu v)}=C_{(\mu v)}\left(e^{\lambda_{kl\mu}}-E\right)^{a_{kl}}\delta_{kl}\Big _q, \quad \lambda_{kl}=\lambda_{kl}^{(\mu v)},$ $\underline{a}_{kl}=a_{kl}^{(\mu v)}=\mathrm{const}$	$sp_{-}^2\bar{\gamma}_{(\mu v)}=C_{(\mu v)}\left(e^{\lambda_{kl\mu}}-E\right)^{a_{kl}}\delta_{kl}\Big _q, \quad \lambda_{kl}=\lambda_{kl}^{(\mu v)},$ $\underline{a}_{kl}=a_{kl}^{(\mu v)}=\mathrm{const}$
BH3FR_EQ0304	144	■0.975	$\begin{aligned} & \text{\texttt{\boldsymbol{S}\left(\mu_j\right)_1^s=F\left(\mu_j\right)_1^s=F\left(E;\left(\right)\right), \quad \left(\mu_j\right)_1^s\boldsymbol{S};F\left(E;\left(\right)\right)=F\left(\mu_j\right)_1^s,} \\ & \text{\texttt{s\leq\omega}} \end{aligned}$	$\boldsymbol{S}(\mu_j)_1^s;F(\mu_j)_1^s=F(E;()), \quad (\mu_j)_1^s\boldsymbol{S};F(E;())=F(\mu_j)_1^s$ $s\leq\omega$	$\boldsymbol{S}(\mu_j)_1^s;F(\mu_j)_1^s=F(E;()), \quad (\mu_j)_1^s\boldsymbol{S};F(E;())=F(\mu_j)_1^s,$ $s\leq\omega,$
BH3FR_EQ0192 (87 a)	126	■0.975	$\{ \}_{x}^{\{p\}(\mu)^{\{q\}}=\pm\mathrm{p}\bar{\{s\}}_{\mu}\frac{\hbar}{2}\}\underline{\{m\}}_{x}^{\{p\}(\mu)^{\{q\}}}, \quad \{ \}_{x}^{\{p\}(\mu)^{\{q\}}=\mathrm{left.\bar{\{s\}}_{\mu}\right _{x}^{\{p\}(\mu)^{\{q\}}}\mathrm{mid}}$	${}_x^p(\mu)^q=\pm\bar{s}_{\mu}\frac{\hbar}{2}\underline{m}_x^{(pq)}, \quad {}_x^p(\mu)^q=\bar{s}_{\mu} _x^p(\mu)^q $	${}_x^p(\mu)^q=\pm\bar{s}_{\mu}\frac{\hbar}{2}\underline{m}_x^{(pq)}, \quad {}_x^p(\mu)^q=\bar{s}_{\mu} _x^p(\mu)^q $
BH3FR_EQ0225 (101c)	131	■0.975	$\begin{aligned} & \text{\texttt{&(v)(\varepsilon)(\varepsilon B,\varepsilon P,\varepsilon Q,\varepsilon\kappa)C(q_x)_0^P, \quad (v)(\varepsilon=+1)\equiv(v),} \\ & \text{\texttt{(v)(\varepsilon=-1)\equiv(\bar{v}), \quad (5)\triangleq(\pi^{\pm},\pi^0)\equiv(\bar{5})}} \end{aligned}$	$(v)(\varepsilon)(\varepsilon B,\varepsilon P,\varepsilon Q,\varepsilon\kappa)C(q_x)_0^P, \quad (v)(\varepsilon=+1)\equiv(v),$ $(v)(\varepsilon=-1)\equiv(\bar{v}), \quad (5)\triangleq(\pi^{\pm},\pi^0)\equiv(\bar{5})$	$(v)(\varepsilon)(\varepsilon B,\varepsilon P,\varepsilon Q,\varepsilon\kappa)C(q_x)_0^P, \quad (v)(\varepsilon=+1)\equiv(v),$ $(v)(\varepsilon=-1)\equiv(\bar{v}), \quad (5)\triangleq(\pi^{\pm},\pi^0)\equiv(\bar{5})$
BH3FR_EQ0058 (19c)	105	■0.976	$\bar{\lambda}\perp()_{(-)};\varphi, \quad \varphi;n=\ln\sqrt{-g}$	$\bar{\lambda}\perp()_{(-)};\varphi, \quad \varphi;n=\ln\sqrt{-g}$	$\bar{\lambda}\perp()_{(-)};\varphi, \quad \varphi;n=\ln\sqrt{-g}$
BH3FR_EQ0279 (M8)	140	■0.976	$\text{\texttt{f=f(\varphi), \quad \partial_{\varphi}f\partial\varphi=f(\varphi)-f(\varphi-\partial\varphi)}} \\ \text{\texttt{=f(\varphi)-f(\varphi-\partial\varphi)}}$	$f=f(\varphi), \quad \partial_{\varphi}f\partial\varphi=f(\varphi)-f(\varphi-\partial\varphi)$	$f=f(\varphi), \quad \partial_{\varphi}f\partial\varphi=f(\varphi)-f(\varphi-\partial\varphi)$
BH3FR_EQ0281 (M9a)	140	■0.977	$\begin{array}{ll} \text{\texttt{\varphi=\varphi\left(\psi_1,\ldots\psi_{\lambda}\right), \quad \psi_j=\psi_j\left(n_1\ldots n_L\right),}} \\ \text{\texttt{\partial\varphi=\sum_{j=1}^{\lambda}\partial_{\psi_j}\varphi\partial\psi_j, \quad \partial_{\psi_j}\varphi=\left(\varphi-\varphi\left(\ldots,\psi_j-\partial\psi_j,\ldots\right)\right)\left(\partial\psi_j\right)^{-1}}} \end{array}$	$\varphi=\varphi(\psi_1,\ldots\psi_{\lambda}), \quad \psi_j=\psi_j(n_1\ldots n_L),$ $\partial\varphi=\sum_{j=1}^{\lambda}\partial_{\psi_j}\varphi\partial\psi_j, \quad \partial_{\psi_j}\varphi=(\varphi-\varphi(\ldots,\psi_j-\partial\psi_j,\ldots))(\partial\psi_j)^{-1}$	$\varphi=\varphi(\psi_1,\ldots\psi_{\lambda}), \quad \psi_j=\psi_j(n_1\ldots n_L),$ $\partial\varphi=\sum_{j=1}^{\lambda}\partial_{\psi_j}\varphi\partial\psi_j, \quad \partial_{\psi_j}\varphi=(\varphi-\varphi(\ldots,\psi_j-\partial\psi_j,\ldots))(\partial\psi_j)^{-1}$
BH3FR_EQ0267 (M1)	138	■0.980	$\begin{aligned} & \text{\texttt{y=f(x), \quad \lim_{\Delta F_v\rightarrow\tau}\sum_{v=1}^n\tilde{y}_v\Delta x_v=n\tau,}} \\ & \text{\texttt{\Delta F_v=\tilde{y}_v\Delta x_v=\int_{x_{v-1}}^{x_v}ydx, \quad \sum_{v=1}^n\int_{v-1}^v=\int_0^n,}} \\ & \text{\texttt{\int_{x_0}^{x_n}f(x)dx=n\tau, \quad x_n=x(n), \quad y_n=f(n)}} \end{aligned}$	$y=f(x), \quad \lim_{\Delta F_v\rightarrow\tau}\sum_{v=1}^n\tilde{y}_v\Delta x_v=n\tau,$ $\Delta F_v=\tilde{y}_v\Delta x_v=\int_{x_{v-1}}^{x_v}ydx, \quad \sum_{v=1}^n\int_{v-1}^v=\int_0^n,$ $\int_{x_0}^{x_n}f(x)dx=n\tau, \quad x_n=x(n), \quad y_n=f(n)$	$y=f(x), \quad \lim_{\Delta F_v\rightarrow\tau}\sum_{v=1}^n\tilde{y}_v\Delta x_v=n\tau,$ $\Delta F_v=\tilde{y}_v\Delta x_v=\int_{x_{v-1}}^{x_v}ydx, \quad \sum_{v=1}^n\int_{v-1}^v=\int_0^n,$ $\int_{x_0}^{x_n}f(x)dx=n\tau, \quad x_n=x(n), \quad y_n=f(n)$
BH3FR_EQ0064 (21b)	106	■0.981	$\gamma_{kl}^{(w)}\equiv\psi_{kl}^{(\min)}=0, \quad \psi_{kl}^{(\max)}=E$	$\gamma_{kl}^{(w)}\equiv\psi_{kl}^{(\min)}=0, \quad \psi_{kl}^{(\max)}=E$	$\gamma_{kl}^{(w)}\equiv\psi_{kl}^{(\min)}=0, \quad \psi_{kl}^{(\max)}=E$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0235 (107)	132	■0.982	$\partial_{j}G_{j}>G_{j+1}, \quad \partial_{j}G_{j}\geq \partial_{j+1}G_{j+1}$ $\geqq \partial_{j+1}G_{j+1}$	$\partial_j G_j > G_{j+1}, \quad \partial_j G_j \geq \partial_{j+1} G_{j+1}$	$\delta_j G_j > G_{j+1}, \quad \delta_j G_j \cong \delta_{j+1} G_{j+1}$
BH3FR_EQ0076 (27a)	108	■0.984	$m(n)=\mu \frac{\sqrt[4]{2n}}{\sqrt[4]{2n-1}}, \quad \mu=\sqrt[4]{ch/\gamma}$	$m(n)=\mu \frac{\sqrt[4]{2n}}{\sqrt{2n-1}}, \quad \mu=\sqrt{ch/\gamma}$	$m(n)=\mu \frac{\sqrt[4]{2n}}{\sqrt{2n-1}}, \quad \mu=\sqrt{ch/\gamma}$
BH3FR_EQ0308 (M23a)	145	■0.984	$\{ \}^{\{2\}} \backslash \mathrm{bar}\{K\}=\{ \}^{\{2\}} \backslash \mathrm{bar}\{\kappa\} \ ; \ n$	${}^2\bar{K} = {}^2\bar{\kappa}; n$	${}^2\bar{K} = {}^2\bar{\kappa}; n$
BH3FR_EQ0182 (83b)	125	■0.987	$Q_{\{x\}^{\{k\}}=n_{\{x\}^{\{k\}}}\cdot(\pm k)_{\{x\}}\sim \underline{\lambda}, \quad n_{\{x\}^{\{k\}}}\geqq 1$	$Q_x^{(k)}=n_x^{(k)}\cdot(\pm k)_x\sim \bar{\underline{\lambda}}, \quad n_x^{(k)}\geqq 1$	$Q_x^{(k)}=n_x^{(k)}\cdot(\pm k)_x\sim \bar{\underline{\lambda}}, \quad n_x^{(k)}\geqq 1$
BH3FR_EQ0190 (86b)	126	■0.987	$\begin{array}{l} (\pm p) - (\mu) - (\pm q) , \ \& \ (\pm p) - \\ \left(\mu \, V_{\mu}^{\mu} \right)^{\{x\}} \right) - (\pm k) - \left(\mu \, V_{\mu}^{\mu} \right)^{\{y\}} \right) - (\pm q) , \ \backslash \{ \} _{x}^{\{k\}} (\mu) _{ \pm }^{\{p,q\}} \\ \left(V_{\mu}^x , V_{\mu}^y \right) , \ \& \ I (k) > \frac{1}{2} [I (p) + I (q)] \end{array}$	$(\pm p) - (\mu) - (\pm q), \quad (\pm p) - (\mu V_{\mu}^x) - (\pm k) - (\mu V_{\mu}^y) - (\pm q),$ ${}_x^k(\mu)_{\pm}^{p,q}(V_{\mu}^x,V_{\mu}^y), \quad I(k) > \frac{1}{2}[I(p)+I(q)]$	$(\pm p) - (\mu) - (\pm q), \quad (\pm p) - (\mu V_{\mu}^x) - (\pm k) - (\mu V_{\mu}^y) - (\pm q),$ ${}_x^k(\mu)_{\pm}^{p,q}(V_{\mu}^x,V_{\mu}^y), \quad I(k) > \frac{1}{2}[I(p)+I(q)]$
BH3FR_EQ0247 (110c)	135	■0.987	$\begin{aligned} &\& (2\,\beta\!-\!\alpha)\,A_{41}\!=\!\beta\alpha\!\left(\!\xi\!\left(2\!+\!(\xi\alpha)^2\right)\!-\!2\beta\right)Y_{24},\\ &\& 2\,A_{42}\!=\!\pi\xi^2\eta(\beta\!-\!3\alpha)Y_{25},\quad 2A_{43}\!=\!\xi Y_{26},\\ &\& 2\,A_{43}\!=\!\xi Y_{26},\quad \& A_{44}\!=\!2\!\left(\!\frac{\eta}{\xi}\!\right)^2Y_{27},\quad 6\xi A_{45}\!=\!(3\beta\!-\!\alpha)Y_{28},\\ &\& A_{46}\!=\!\left(\!\frac{\pi e}{\xi\eta}\!-\!e\eta^2\alpha/2\!\right)Y_{29},\quad A_{51}\!=\!(2\alpha\!+\!1)^2Y_{30},\\ &\& \eta^2A_{52}\!=\!6\alpha Y_{31},\quad A_{53}\!=\!\left(\!\frac{\xi}{\eta}\!\right)^3Y_{32},\quad A_{54}\sqrt{2}\!=\!\alpha(\beta\!-\!\\ &\& \!-\!\alpha)\sqrt{3}Y_{33},\quad A_{55}\!=\!\xi^3Y_{34},\quad A_{56}\!=\!\left(\!\frac{\xi}{\eta}\!\right)^4Y_{35},\\ &\& 12\beta A_{61}\!=\!\pi\xi(2\beta\!-\!\alpha)Y_{36},\quad 12A_{62}\!=\!\pi^2(\beta\!-\!2\alpha)Y_{37},\\ &\& 9A_{63}\!=\!\sqrt{\eta}Y_{38},\quad 3\eta A_{64}\!=\!\pi Y_{39},\quad 3\xi A_{65}\!=\!\pi Y_{40} \end{aligned}$	$(2\beta-\alpha)A_{41}=\beta\left(\xi\left(2+(\xi\alpha)^2\right)-2\beta\right)Y_{24},$ $2A_{42}=\pi\xi^2\eta(\beta-3\alpha)Y_{25}, \quad 2A_{43}=\xi Y_{26},$ $A_{44}=2\left(\frac{\eta}{\xi}\right)^2Y_{27}, \quad 6\xi A_{45}=(3\beta-\alpha)Y_{28},$ $A_{46}=\left(\frac{\pi e}{\xi\eta}-e\eta^2\alpha/2\right)Y_{29}, \quad A_{51}=(2\alpha+1)^2Y_{30},$ $\eta^2A_{52}=6\alpha Y_{31}, \quad A_{53}=\left(\frac{\xi}{\eta}\right)^3Y_{32}, \quad A_{54}\sqrt{2}=\alpha(\beta-$ $-\alpha)\sqrt{3}Y_{33}, \quad A_{55}=\xi^3Y_{34}, \quad A_{56}=\left(\frac{\xi}{\eta}\right)^4Y_{35},$ $12\beta A_{61}=\pi\xi(2\beta-\alpha)Y_{36}, \quad 12A_{62}=\pi^2(\beta-2\alpha)Y_{37},$ $9A_{63}=\sqrt{\eta}Y_{38}, \quad 3\eta A_{64}=\pi Y_{39}, \quad 3\xi A_{65}=\pi Y_{40}$	$(2\beta-\alpha)A_{41}=\beta(\xi(2+(\xi\alpha)^2)-2\beta)Y_{24},$ $2A_{42}=\pi\xi^2\eta(\beta-3\alpha)Y_{25}, \quad 2A_{43}=\xi Y_{26},$ $A_{44}=2\left(\frac{\eta}{\xi}\right)^2Y_{27}, \quad 6\xi A_{45}=(3\beta-\alpha)Y_{28},$ $A_{46}=\left(\frac{\pi e}{\xi\eta}-e\eta^2\alpha/2\right)Y_{29}, \quad A_{51}=(2\alpha+1)^2Y_{30},$ $\eta^2A_{52}=6\alpha Y_{31}, \quad A_{53}=\left(\frac{\xi}{\eta}\right)^3Y_{32}, \quad A_{54}\sqrt{2}=\alpha(\beta-$ $-\alpha)\sqrt{3}Y_{33}, \quad A_{55}=\xi^3Y_{34}, \quad A_{56}=\left(\frac{\xi}{\eta}\right)^4Y_{35},$ $12\beta A_{61}=\pi\xi(2\beta-\alpha)Y_{36}, \quad 12A_{62}=\pi^2(\beta-2\alpha)Y_{37},$ $9A_{63}=\sqrt{\eta}Y_{38}, \quad 3\eta A_{64}=\pi Y_{39}, \quad 3\xi A_{65}=\pi Y_{40}$
BH3FR_EQ0283 (M11)	140	■0.989	$\begin{aligned} &\& Z(i)=(\)_i, \quad \varphi(n_i)=\phi; n, \quad \phi=\phi(C_k,Z(i))_{i,k=1}^{L,K}\\ &\& C_k;n_i=f_k(n_i) \end{aligned}$	$Z(i)=(\)_i, \quad \varphi(n_i)_1^L=\phi;n, \quad \phi=\phi(C_k,Z(i))_{i,k=1}^{L,K}$ $C_k;n_i=f_k(n_i)$	$Z(i)=(\)_i, \quad \varphi(n_i)_1^L=\phi;n, \quad \phi=\phi(C_k,Z(i))_{i,k=1}^{L,K}$ $C_k;n_i=f_k(n_i)$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0211 (97a)	128	■ 0.989	$\{ \}^{\{2\}} \backslash \bar{P}_{\{(\kappa \lambda)\}}^{\{(\mu \nu)\}} ; N = \{ \}^{\{2\}} \backslash \bar{A}_{\{(\kappa \lambda)\}}^{\{(\mu \nu)\}} + i^{\{2\}} \backslash \bar{F}_{\{(\kappa \lambda)\}}^{\{(\mu \nu)\}} ; N, \quad \backslash \operatorname{const} \{ \}^{\{2\}} \backslash \bar{A}_{\{(\kappa \lambda)\}}^{\{(\mu \nu)\}} = \operatorname{const} \{ \}^{\{2\}} \backslash \bar{R}_{\{6\}}$	${}^2\bar{P}_{(\kappa\lambda)}^{(\mu\nu)}; N = {}^2\bar{A}_{(\kappa\lambda)}^{(\mu\nu)} + i^2\bar{F}_{(\kappa\lambda)}^{(\mu\nu)}; N, \quad {}^2\bar{A}_{(\kappa\lambda)}^{(\mu\nu)} = \operatorname{const}(R_6)$	${}^2\bar{P}_{(\kappa\lambda)}^{(\mu\nu)}; N = {}^2\bar{A}_{(\kappa\lambda)}^{(\mu\nu)} + i^2\bar{F}_{(\kappa\lambda)}^{(\mu\nu)}; N, \quad {}^2\bar{A}_{(\kappa\lambda)}^{(\mu\nu)} = \operatorname{const}(R_6)$
BH3FR_EQ0200 (M9)	140	■ 0.990	$\begin{array}{ll} \varphi_i = \varphi_i \left(n_1 \dots n_L \right) \backslash \varphi_i \left(n_i \right)_{i=1}^L, & 1 \leq \kappa_i \leq n_i \leq N_i < \infty, \\ \partial_i \varphi = \varphi - \varphi(\dots, n_i - 1, \dots), & \partial = \sum_{i=1}^L \partial_i, \\ (\partial_i \times \partial_k)_- = 0 \end{array}$	$\varphi = \varphi(n_1 \dots n_L) = \varphi(n_i)_{i=1}^L, \quad 1 \leq \kappa_i \leq n_i \leq N_i < \infty, \\ \partial_i \varphi = \varphi - \varphi(\dots, n_i - 1, \dots), \quad \partial = \sum_{i=1}^L \partial_i, \\ (\partial_i \times \partial_k)_- = 0$	$\varphi = \varphi(n_1 \dots n_L) = \varphi(n_i)_{i=1}^L, \quad 1 \leq \kappa_i \leq n_i \leq N_i < \infty, \\ \partial_i \varphi = \varphi - \varphi(\dots, n_i - 1, \dots), \quad \partial = \sum_{i=1}^L \partial_i, \\ (\partial_i \times \partial_k)_- = 0$
BH3FR_EQ0067 (22a)	107	■ 0.991	$\begin{aligned} & \tau \rightarrow 0 \psi_{kl} (x_s)_1^q = (1 + C_{kl} e^{\pm i \lambda_{kl} y})^{-1}, \quad y^2 = \varsigma^2 - r^2, \\ & -\varsigma^2 = \sum_{s=4}^q x_s^2, \quad r^2 = \sum_{i=1}^3 x_i^2 \end{aligned}$	$\tau \rightarrow 0 \psi_{kl} (x_s)_1^q = (1 + C_{kl} e^{\pm i \lambda_{kl} y})^{-1}, \quad y^2 = \varsigma^2 - r^2, \\ -\varsigma^2 = \sum_{s=4}^q x_s^2, \quad r^2 = \sum_{i=1}^3 x_i^2$	$\tau \rightarrow 0 \psi_{kl} (x_s)_1^q = (1 + C_{kl} e^{\pm i \lambda_{kl} y})^{-1}, \quad y^2 = \varsigma^2 - r^2, \\ -\varsigma^2 = \sum_{s=4}^q x_s^2, \quad r^2 = \sum_{i=1}^3 x_i^2$
BH3FR_EQ0023 (8b)	102	■ 0.992	$\vec{\lambda} \parallel \widehat{sp} \rightarrow \operatorname{grad}_6 \ln w$	$\vec{\lambda} \parallel \widehat{sp} \rightarrow \operatorname{grad}_6 \ln w$	$\vec{\lambda} \parallel \widehat{sp} \rightarrow \operatorname{grad}_6 \ln w$
BH3FR_EQ0167 (76a)	122	■ 0.993	$F_v \equiv \binom{\alpha \beta}{\kappa \lambda} F(q_j)_v \omega$	$F_v \equiv \binom{\alpha \beta}{\kappa \lambda} F(q_j)_v \omega$	$F_v \equiv \binom{\alpha \beta}{\kappa \lambda} F(q_j)_v \omega$
BH3FR_EQ0004 (*a)	100	■ 0.993	$\operatorname{rot} \vec{G} \sim \beta \dot{\vec{\mu}} + (\sigma - \sigma_{(0)}) \vec{f}, \quad \operatorname{div} \vec{\mu} \sim \sigma - \sigma_{(0)}, \quad \beta \neq 0$	$\operatorname{rot} \vec{G} \sim \beta \dot{\vec{\mu}} + (\sigma - \sigma_{(0)}) \vec{f}, \quad \operatorname{div} \vec{\mu} \sim \sigma - \sigma_{(0)}, \quad \beta \neq 0$	$\operatorname{rot} \vec{G} \sim \beta \dot{\vec{\mu}} + (\sigma - \sigma_{(0)}) \vec{f}, \quad \operatorname{div} \vec{\mu} \sim \sigma - \sigma_{(0)}, \quad \beta \neq 0$
BH3FR_EQ0039 (14a)	103	■ 0.994	$R_{+} = 2 \alpha \varsigma, \quad 2 \alpha R_{-} = \varsigma, \quad R_{+} R_{-} = \varsigma^2$	$R_{+} = 2 \alpha \varsigma, \quad 2 \alpha R_{-} = \varsigma, \quad R_{+} R_{-} = \varsigma^2$	$R_{+} = 2 \alpha \varsigma, \quad 2 \alpha R_{-} = \varsigma, \quad R_{+} R_{-} = \varsigma^2$
BH3FR_EQ0200 (91a)	127	■ 0.995	$a_g \hat{=} a(R_4), \quad P(a_g) = P(b) = 0, \quad J_T(a_g) = 2, \\ J_T(b) = 1$	$a_g \hat{=} a(R_4), \quad P(a_g) = P(b) = 0, \quad J_T(a_g) = 2, \\ J_T(b) = 1$	$a_g \hat{=} a(R_4), \quad P(a_g) = P(b) = 0, \quad J_T(a_g) = 2, \\ J_T(b) = 1$
BH3FR_EQ0090 (35a)	110	■ 0.995	$\vartheta = \frac{3b}{4c} \tau^{5/6}, \quad 2 \omega c^2 \tau = \gamma h, \quad \gamma \mu^2 = c h, \\ \pi^4 \kappa^2 R_- = 9 \hbar$	$\vartheta = \frac{3b}{4c} \tau^{5/6}, \quad 2 \omega c^2 \tau = \gamma h, \quad \gamma \mu^2 = c h, \\ \pi^4 \kappa^2 R_- = 9 \hbar$	$\vartheta = \frac{3b}{4c} \tau^{5/6}, \quad 2 \omega c^2 \tau = \gamma h, \quad \gamma \mu^2 = c h, \\ \pi^4 \kappa^2 R_- = 9 \hbar$
BH3FR_EQ0188 (86)	126	■ 0.996	$\bar{S}[(\pm p)_x - (\mu) - (\pm q)_x] = \frac{p}{x}(\mu)_{\pm}^q, \\ \cos[(\mu)_+, (\mu)_-] = -1$	$\bar{S}[(\pm p)_x - (\mu) - (\pm q)_x] = \frac{p}{x}(\mu)_{\pm}^q, \\ \cos[(\mu)_+, (\mu)_-] = -1$	$\bar{S}[(\pm p)_x - (\mu) - (\pm q)_x] = \frac{p}{x}(\mu)_{\pm}^q, \\ \cos[(\mu)_+, (\mu)_-] = -1$
BH3FR_EQ0144 (64)	117	■ 0.996	$\underline{\psi}_{kl} = \psi_{kl}^{\alpha_{kl}}, \quad \underline{\lambda}_{kl} = \alpha_{kl} \lambda_{kl}$	$\underline{\psi}_{kl} = \psi_{kl}^{\alpha_{kl}}, \quad \underline{\lambda}_{kl} = \alpha_{kl} \lambda_{kl}$	$\underline{\psi}_{kl} = \psi_{kl}^{\alpha_{kl}}, \quad \underline{\lambda}_{kl} = \alpha_{kl} \lambda_{kl}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0037 (13)	103	■0.998	\begin{array}{lcr} \varphi(r<\varrho)>0, & \& G(r<\varrho)<0, & \& \varphi(\varrho)=O, \\ \varphi(\varrho)=O, & \& \varphi(r>\varrho)>O, & \& G(r>\varrho)>O \end{array}	$\varphi(r<\varrho)>O, \quad G(r<\varrho)<O, \quad \varphi(\varrho)=O, \\ G(\varrho)=O, \quad \varphi(r>\varrho)>O, \quad G(r>\varrho)>O$	$\varphi(r<\varrho)>O, \quad G(r<\varrho)<O, \quad \varphi(\varrho)=O, \\ G(\varrho)=O, \quad \varphi(r>\varrho)>O, \quad G(r>\varrho)>O$
BH3FR_EQ0221 (100a)	130	■0.998	\begin{aligned} & 2\,q_x=(P-2\,x)(1-\kappa\,Q(2-k))+\,\,\& \\ & +\varepsilon(k-1-(1+\kappa)\,Q(2-k))+C, \quad \quad \quad \theta\leq x\leq P, \\ & q_x =q \end{aligned}	$2q_x=(P-2x)(1-\kappa Q(2-k))+ \\ +\varepsilon(k-1-(1+\kappa)Q(2-k))+C, \quad 0\leq x\leq P, \\ q_x =q$	$2q_x=(P-2x)(1-\kappa Q(2-k))+ \\ +\varepsilon(k-1-(1+\kappa)Q(2-k))+C, \quad 0\leq x\leq P, \\ q_x =q$
BH3FR_EQ0237 (107b)	132	■0.998	\beta_4=\alpha_3N_{(3)}-N_{(4)}>0, \quad \quad \mu_+c^2\approx 9,28717[\mathrm{KeV}]	$\beta_4=\alpha_3N_{(3)}-N_{(4)}>0, \quad \mu_+c^2\approx 9,28717[\mathrm{KeV}]$	$\beta_4=\alpha_3N_{(3)}-N_{(4)}>0, \quad \mu_+c^2\approx 9,28717[KeV]$
BH3FR_EQ0288 (M12a)	141	■0.998	\begin{aligned} & s\,p^{\,2}\,\overline{C}=\sum_{i=1}^L C_i^2, \quad \quad sp_{i=k}^{\,m}\overline{C}_{+(i,k)}=\,^{\,m-2}\overline{C}, \\ & sp_{i=k}^{\,m}\overline{C}_{-(i,k)}=\,^{\,m-2}\overline{0} \end{aligned}	$sp^2\bar{C}=\sum_{i=1}^L C_i^2, \quad sp_{i=k}^m\bar{C}_{+(i,k)}=\,^{m-2}\bar{C}, \\ sp_{i=k}^m\bar{C}_{-(i,k)}=\,^{m-2}\bar{0}$	$sp^2\bar{C}=\sum_{i=1}^L C_i^2, \quad sp_{i=k}^m\bar{C}_{+(i,k)}=\,^{m-2}\bar{C}, \\ sp_{i=k}^m\bar{C}_{-(i,k)}=\,^{m-2}\bar{0}$
BH3FR_EQ0026 (10)	102	■0.999	3\,\omega=4\,c, \quad \quad \omega^2\alpha \beta =1	$3\omega=4c, \quad \omega^2\alpha \beta =1$	$3\omega=4c, \quad \omega^2\alpha \beta =1$
BH3FR_EQ0217 (98e)	129	■0.999	\begin{aligned} & \eta_jN_{(j)}=G_j, \quad \quad 4G_1=N_{(1)}^2(1+N_{(1)})^2, \\ & 6G_2=N_{(2)}\left(2N_{(2)}^2+3N_{(2)}+1\right), \quad \quad 2G_3=N_{(3)}(1+N_{(3)}) \\ & G_4=N_{(4)}, \quad \quad \eta_1\geq\eta_2\geq\eta_3\geq\eta_4=1 \end{aligned}	$\eta_jN_{(j)}=G_j, \quad 4G_1=N_{(1)}^2(1+N_{(1)})^2, \\ 6G_2=N_{(2)}\left(2N_{(2)}^2+3N_{(2)}+1\right), \quad 2G_3=N_{(3)}(1+N_{(3)}) \\ G_4=N_{(4)}, \quad \eta_1\geq\eta_2\geq\eta_3\geq\eta_4=1$	$\eta_jN_{(j)}=G_j, \quad 4G_1=N_{(1)}^2(1+N_{(1)})^2, \\ 6G_2=N_{(2)}(2N_{(2)}^2+3N_{(2)}+1), \quad 2G_3=N_{(3)}(1+N_{(3)}) \\ G_4=N_{(4)}, \quad \eta_1\geq\eta_2\geq\eta_3\geq\eta_4=1$
BH3FR_EQ0252 (112)	136	■0.999	M(N)=\mu\,\alpha_+(K+F+H+\phi)	$M(N)=\mu\alpha_+(K+F+H+\phi)$	$M(N)=\mu\alpha_+(K+F+H+\phi)$
BH3FR_EQ0287 (M12)	141	■0.999	\begin{aligned} & \{ \}^{\,2}\,\overline{C}=\left[C_{\,i}\,;\,C_{\,k}\right]_{\,L}, \quad \quad \overline{C}_{\pm}=\frac{1}{2}\left[(C_i\times C_k)_{\pm}\right]_{\,L}, \\ & \overline{C}_{+}=\,^2\overline{C}_{+}^{\times}, \quad \quad \overline{C}_{-}=\,^{-2}\overline{C}_{-}^{\times} \end{aligned}	${}^2\bar{C}=[C_i;C_k]_L, \quad {}^2\bar{C}={}^2\bar{C}_++{}^2\bar{C}_-, \\ {}^2\bar{C}_{\pm}=\frac{1}{2}[(C_i\times C_k)_{\pm}]_L, \\ {}^2\bar{C}_+={}^2\bar{C}_+^{\times}, \quad {}^2\bar{C}_-={}^{-2}\bar{C}_-^{\times}$	${}^2\bar{C}=[C_i;C_k]_L, \quad {}^2\bar{C}={}^2\bar{C}_++{}^2\bar{C}_-, \\ {}^2\bar{C}_{\pm}=\frac{1}{2}[(C_i\times C_k)_{\pm}]_L, \\ {}^2\bar{C}_+={}^2\bar{C}_+^{\times}, \quad {}^2\bar{C}_-={}^{-2}\bar{C}_-^{\times}$
BH3FR_EQ0047	104	■0.999	s\,p\left(\{ \}^{\,2}\,\overline{\tau}\,\times\overline{\tau}\right)=\Delta\left \begin{array}{llllll} 0 & 3 & 9 & 9i & 3i & i \\ -3 & 0 & 3 & 3i & 3i & \\ -9 & -3 & 0 & i & 3i & 9i \\ -9i & -3i & -i & 0 & -3 & -9 \\ -3i & -i & -3i & 3 & 0 & -3 \\ -i & -3i & -9i & 9 & 3 & 0 \end{array}\right ,	$sp\left({}^2\bar{\tau}\times\left(sp^2\bar{\tau}\times{}^2\bar{\tau}\right)\right)=\Delta\left \begin{array}{llllll} 0 & 3 & 9 & 9i & 3i & i \\ -3 & 0 & 3 & 3i & 3i & \\ -9 & -3 & 0 & i & 3i & 9i \\ -9i & -3i & -i & 0 & -3 & -9 \\ -3i & -i & -3i & 3 & 0 & -3 \\ -i & -3i & -9i & 9 & 3 & 0 \end{array}\right ,$	$sp({}^2\bar{\tau}\times(sp^2\bar{\tau}\times{}^2\bar{\tau}))=\mathcal{A}\left \begin{array}{llllll} 0 & 3 & 9 & 9i & 3i & i \\ -3 & 0 & 3 & 3i & i & 3i \\ -9 & -3 & 0 & i & 3i & 9i \\ -9i & -3i & -i & 0 & -3 & -9 \\ -3i & -i & -3i & 3 & 0 & -3 \\ -i & -3i & -9i & 9 & 3 & 0 \end{array}\right ,$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_E00238 (108)	132	■0.999	$\begin{aligned} & \alpha_1 N_{(1)}^3 + \alpha_2 N_{(2)}^2 + \alpha_3 N_{(3)} + \exp\left(-\frac{2k-1}{3Q_4} N_{(4)}\right) = \\ & = W(vx)(1+f(N)), \quad W(vx) = g(k,q)w(vx), \\ & g(k,q) = \alpha_1 Q_1^3 + \alpha_2 Q_2^2 + \alpha_3 Q_3 + \exp\left(-\frac{1}{3}(2k-1)\right) \end{aligned}$	$\alpha_1 N_{(1)}^3 + \alpha_2 N_{(2)}^2 + \alpha_3 N_{(3)} + \exp\left(-\frac{2k-1}{3Q_4} N_{(4)}\right) =$ $= W(vx)(1+f(N)), \quad W(vx) = g(k,q)w(vx),$ $g(k,q) = \alpha_1 Q_1^3 + \alpha_2 Q_2^2 + \alpha_3 Q_3 + \exp\left(-\frac{1}{3}(2k-1)\right)$	$\alpha_1 N_{(1)}^3 + \alpha_2 N_{(2)}^2 + \alpha_3 N_{(3)} + \exp\left(-\frac{2k-1}{3Q_4} N_{(4)}\right) =$ $= W(vx)(1+f(N)), \quad W(vx) = g(k,q)w(vx),$ $g(k,q) = \alpha_1 Q_1^3 + \alpha_2 Q_2^2 + \alpha_3 Q_3 + \exp\left(-\frac{1}{3}(2k-1)\right)$
BH3FR_E00014 (4a)	101	■1.000	$1 \leq k \leq 6, \quad \vec{x}_k = \vec{e}_k x_k, \quad \vec{e}_i \vec{e}_k = \delta_{ik}$ $\vec{e}_i \vec{e}_k = \delta_{ik}$	$1 \leq k \leq 6, \quad \vec{x}_k = \vec{e}_k x_k, \quad \vec{e}_i \vec{e}_k = \delta_{ik}$	$1 \leq k \leq 6, \quad \vec{x}_k = \vec{e}_k x_k, \quad \vec{e}_i \vec{e}_k = \delta_{ik}$
BH3FR_E00021 (8)	101	■1.000	$C \widehat{\{ \}} = \vec{\lambda} \times \widehat{\{ \}}$	$C \widehat{\{ \}} = \vec{\lambda} \times \widehat{\{ \}}$	$C \widehat{\{ \}} = \vec{\lambda} \times \widehat{\{ \}}$
BH3FR_E00028 (10b)	102	■1.000	$8 \pi \gamma \alpha' = 1, \quad c^2 \beta' = 8 \pi \gamma, \quad \omega' = c$	$8 \pi \gamma \alpha' = 1, \quad c^2 \beta' = 8 \pi \gamma, \quad \omega' = c$	$8 \pi \gamma \alpha' = 1, \quad c^2 \beta' = 8 \pi \gamma, \quad \omega' = c$
BH3FR_E00049 (16b)	104	■1.000	$\Delta_{\pm} \hat{=} \pm^2 \bar{\tau}, \quad \Delta_{\pm} \hat{=} R_{6(\pm)}, \quad R_{6(+)} + R_{6(-)} \equiv R_{6(0)}$	$\Delta_{\pm} \hat{=} \pm^2 \bar{\tau}, \quad \Delta_{\pm} \hat{=} R_{6(\pm)}, \quad R_{6(+)} + R_{6(-)} \equiv R_{6(0)}$	$\Delta_{\pm} \hat{=} \pm^2 \bar{\tau}, \quad \Delta_{\pm} \hat{=} R_{6(\pm)}, \quad R_{6(+)} + R_{6(-)} \equiv R_{6(0)}$
BH3FR_E00107 (44a)	112	■1.000	$\begin{aligned} & 4 \lambda_r^3 \approx \tau D, \quad c \lambda_r^3 = \text{const}, \quad \frac{\sqrt{h}}{m_r^3} = \text{const}, \\ & \left(\frac{\lambda_r}{m_r}\right)^3 c \sqrt{h} = \text{const} \end{aligned}$	$4 \lambda_r^3 \approx \tau D, \quad c \lambda_r^3 = \text{const}, \quad \frac{\sqrt{h}}{m_r^3} = \text{const},$ $\left(\frac{\lambda_r}{m_r}\right)^3 c \sqrt{h} = \text{const}$	$4 \lambda_r^3 \approx \tau D, \quad c \lambda_r^3 = \text{const}, \quad \frac{\sqrt{h}}{m_r^3} = \text{const},$ $\left(\frac{\lambda_r}{m_r}\right)^3 c \sqrt{h} = \text{const}$
BH3FR_E00194 (88a)	126	■1.000	$\bar{s}(x) = \pm \hbar \bar{\sigma}(x), \quad 2 \bar{\sigma}(x) = \bar{s}_0 m_x; v, \quad \bar{\sigma} \neq \bar{\sigma}^*$	$\bar{s}(x) = \pm \hbar \bar{\sigma}(x), \quad 2 \bar{\sigma}(x) = \bar{s}_0 m_x; v, \quad \bar{\sigma} \neq \bar{\sigma}^*$	$\bar{s}(x) = \pm \hbar \bar{\sigma}(x), \quad 2 \bar{\sigma}(x) = \bar{s}_0 m_x; v, \quad \bar{\sigma} \neq \bar{\sigma}^*$
BH3FR_E00251 (111b)	136	■1.000	$\begin{aligned} & \beta \pi A_v = (1 - \alpha_- / \alpha_+) \left((\pi/3)^2 + (\eta/\eta_{11})^2 \frac{\alpha}{3\xi} \right), \\ & \xi^2 B_v = \alpha (1 - \alpha_- / \alpha_+)^2 Y_{44} \end{aligned}$	$\beta \pi A_v = (1 - \alpha_- / \alpha_+) \left((\pi/3)^2 + (\eta/\eta_{11})^2 \frac{\alpha}{3\xi} \right)$ $\xi^2 B_v = \alpha (1 - \alpha_- / \alpha_+)^2 Y_{44}$	$\beta \pi A_v = (1 - \alpha_- / \alpha_+) \left((\pi/3)^2 + (\eta/\eta_{11})^2 \frac{\alpha}{3\xi} \right),$ $\xi^2 B_v = \alpha (1 - \alpha_- / \alpha_+)^2 Y_{44}$
BH3FR_E00296	143	■1.000	$\begin{aligned} & \gamma; n = \bar{\gamma} _N; n = w^2, \quad w = W; n, \quad V = \kappa \tau^M S W; n \partial n, \\ & \kappa = \prod_{k=1}^N \kappa^{\underline{k}} \end{aligned}$	$\gamma; n = \bar{\gamma} _N; n = w^2, \quad w = W; n, \quad V = \kappa \tau^M S W; n \partial n,$ $\kappa = \prod_{k=1}^N \kappa^{\underline{k}}$	$\gamma; n = \bar{\gamma} _N; n = w^2, \quad w = W; n, \quad V = \kappa \tau^M S W; n \partial n,$ $\kappa = \prod_{k=1}^N \kappa^{\underline{k}}$
BH3FR_E00003 (*)	100	■1.000	$\operatorname{rot} \vec{\mu} \sim \alpha \dot{\vec{G}} + \sigma \vec{v}, \quad \operatorname{div} \vec{G} \sim \sigma(r), \quad \alpha > 0$	$\operatorname{rot} \vec{\mu} \sim \alpha \dot{\vec{G}} + \sigma \vec{v}, \quad \operatorname{div} \vec{G} \sim \sigma(r), \quad \alpha > 0$	$\operatorname{rot} \vec{\mu} \sim \alpha \dot{\vec{G}} + \sigma \vec{v}, \quad \operatorname{div} \vec{G} \sim \sigma(r), \quad \alpha > 0$
BH3FR_E00006 (1)	100	■1.000	$R_{ik} - \frac{1}{2} g_{ik} R \sim T_{ik}$	$R_{ik} - \frac{1}{2} g_{ik} R \sim T_{ik}$	$R_{ik} - \frac{1}{2} g_{ik} R \sim T_{ik}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0007 (1a)	100	■ 1.000	$\mathrm{g}_{\mathrm{i}\,\mathrm{k}}=\sum_{\beta=1}^3\,\mathrm{g}_{\mathrm{i}\,\mathrm{k}}^{\left(\beta\right)}\not\equiv\mathrm{g}_{\mathrm{k}\,\mathrm{i}}^{\ast}$	$g_{ik}=\sum_{\beta=1}^3g_{ik}^{(\beta)}\neq g_{ki}^{\ast}$	$g_{ik}=\sum_{\beta=1}^3g_{ik}^{(\beta)}\neq g_{ki}^{\ast}$
BH3FR_EQ0008 (1b)	100	■ 1.000	$\ddot{x}^i+\Gamma_{km}^i\dot{x}^k\dot{x}^m=0$	$\ddot{x}^i+\Gamma_{km}^i\dot{x}^k\dot{x}^m=0$	$\ddot{x}^i+\Gamma_{km}^i\dot{x}^k\dot{x}^m=0$
BH3FR_EQ0009 (2)	100	■ 1.000	$R_{\mathrm{i}\,\mathrm{k}}\sim w\,\eta_{\mathrm{i}\,\mathrm{k}},\quad w=\sqrt{-g},\quad g=\left g_{\mathrm{i}\,\mathrm{k}}\right _4$	$R_{ik}\sim w\eta_{ik},\quad w=\sqrt{-g},\quad g= g_{ik} _4$	$R_{ik}\sim w\eta_{ik},\quad w=\sqrt{-g},\quad g= g_{ik} _4$
BH3FR_EQ0011 (3)	100	■ 1.000	$C_{\left(p\right)}\varphi_{km}^{\left(p\right)}=\lambda_{\left(p\right)}\left(k,m\right)\varphi_{km}^{\left(p\right)}$	$C_{(p)}\varphi_{km}^{(p)}=\lambda_{(p)}(k,m)\varphi_{km}^{(p)}$	$C_{(p)}\varphi_{km}^{(p)}=\lambda_{(p)}(k,m)\varphi_{km}^{(p)}$
BH3FR_EQ0012 (3a)	100	■ 1.000	$\varphi_{k(m)}^{\left(m\right)}=0$	$\varphi_{k(m)}^{(m)}=0$	$\varphi_{k(m)}^{(m)}=0$
BH3FR_EQ0015 (5)	101	■ 1.000	$\sum_{k=1}^6\cos^2\alpha_k=1$	$\sum_{k=1}^6\cos^2\alpha_k=1$	$\sum_{k=1}^6\cos^2\alpha_k=1$
BH3FR_EQ0016 (5a)	101	■ 1.000	$j\not\equiv4,\quad2\,\alpha_j=\pi,\quad\cos\alpha_4=\pm1$	$j\neq4,\quad2\alpha_j=\pi,\quad\cos\alpha_4=\pm1$	$j\neq4,\quad2\alpha_j=\pi,\quad\cos\alpha_4=\pm1$
BH3FR_EQ0017 (5b)	101	■ 1.000	$\varphi(v)-\varphi(u)=\pi\,/\,2$	$\varphi(v)-\varphi(u)=\pi/2$	$\varphi(v)-\varphi(u)=\pi/2$
BH3FR_EQ0019 (6)	101	■ 1.000	$\mathrm{g}_{\mathrm{i}\,\mathrm{k}}\!\!\!\left(\mathrm{x}_{\mathrm{1}}\ldots\mathrm{x}_{\mathrm{6}}\right)\!=\!\mathrm{g}_{\mathrm{k}\,\mathrm{i}}^{\ast}$	$g_{ik}(x_1\dots x_6)=g_{ki}^{\ast}$	$g_{ik}(x_1\dots x_6)=g_{ki}^{\ast}$
BH3FR_EQ0024 (9)	102	■ 1.000	$\mathrm{g}_{\mathrm{i}\,\mathrm{k}}\!\!\!\left(\mathrm{g}_{\mathrm{i}\,\mathrm{k}}^{\left(1\right)}\ldots\mathrm{g}_{\mathrm{i}\,\mathrm{k}}^{\left(3\right)}\right)\!=\!\mathrm{g}_{\mathrm{k}\,\mathrm{i}}^{\ast},\quad\mathrm{g}_{\mathrm{i}\,\mathrm{k}}^{\left(\mu\right)}\!\!\!\left(\mathrm{x}_{\mathrm{1}}\ldots\mathrm{x}_{\mathrm{6}}\right)\not\equiv\mathrm{g}_{\mathrm{k}\,\mathrm{i}}^{\left(\mu\right)\ast}$	$g_{ik}\left(g_{ik}^{(1)}\dots g_{ik}^{(3)}\right)=g_{ki}^{\ast},\quad g_{ik}^{(\mu)}(x_1\dots x_6)\neq g_{ki}^{(\mu)\ast}$	$g_{ik}(g_{ik}^{(1)}\dots g_{ik}^{(3)})=g_{ki}^{\ast},\quad g_{ik}^{(\mu)}(x_1\dots x_6)\neq g_{ki}^{(\mu)\ast}$
BH3FR_EQ0027 (10a)	102	■ 1.000	$64\,\pi\,\gamma\,\alpha=3,\quad c^2 \beta =12\,\pi\,\gamma$	$64\pi\gamma\alpha=3,\quad c^2 \beta =12\pi\gamma$	$64\pi\gamma\alpha=3,\quad c^2 \beta =12\pi\gamma$
BH3FR_EQ0031 (11a)	102	■ 1.000	$q=1-\sqrt{1-\varepsilon\varphi},\quad8\,c^2\varepsilon=3$	$q=1-\sqrt{1-\varepsilon\varphi},\quad8c^2\varepsilon=3$	$q=1-\sqrt{1-\varepsilon\varphi},\quad8c^2\varepsilon=3$
BH3FR_EQ0033 (11c)	103	■ 1.000	$r^2G=-\gamma M_0\left(1-(r/\varsigma)^2\right)e^q(1+q)^{-1}$	$r^2G=-\gamma M_0\left(1-(r/\varsigma)^2\right)e^q(1+q)^{-1}$	$r^2G=-\gamma M_0\left(1-(r/\varsigma)^2\right)e^q(1+q)^{-1}$
BH3FR_EQ0036 (12b)	103	■ 1.000	$A_{\mathrm{t}}^3\varsigma\approx46[\mathrm{M}\,\mathrm{p}\,\mathrm{c}]$	$A_t^3\varsigma\approx46[Mpc]$	$A_t^3\varsigma\approx46[Mpc]$
BH3FR_EQ0040 (14b)	103	■ 1.000	$4\,\omega c\,R_{-}=e\gamma M_0$	$4\omega cR_{-}=e\gamma M_0$	$4\omega cR_{-}=e\gamma M_0$
BH3FR_EQ0042 (15)	103	■ 1.000	$\tau\omega c^2=\pi\gamma\hbar$	$\tau\omega c^2=\pi\gamma\hbar$	$\tau\omega c^2=\pi\gamma\hbar$
BH3FR_EQ0043 (15a')	103	■ 1.000	$F\!\!\!\left(\mathrm{x}_{\mathrm{1}}\ldots\mathrm{x}_{\mathrm{6}}\right)\!=N\,\tau,\quad N>0$	$F(x_1\dots x_6)=N\tau,\quad N>0$	$F(x_1\dots x_6)=N\tau,\quad N>0$
BH3FR_EQ0044 (15b)	104	■ 1.000	$m\,/\,p=M\geqq1,\quad(M)\,M\,O\,D(1)=0$	$m/p=M\geqslant1,\quad(M)MOD(1)=O$	$m/p=M\geqslant1,\quad(M)MOD(1)=O$
BH3FR_EQ0056 (19a)	105	■ 1.000	$L=K-\bar{\lambda}\times()$	$L=K-\bar{\lambda}\times()$	$L=K-\bar{\lambda}\times()$
BH3FR_EQ0066 (22)	107	■ 1.000	$\psi_{kl}\approx\left(E+C_{kl}\cdot e^{-\lambda_{kl}\mu}\right)^{-1},\quad\Lambda_{kl}\approx0$	$\psi_{kl}\approx\left(E+C_{kl}\cdot e^{-\lambda_{kl}\mu}\right)^{-1},\quad\Lambda_{kl}\approx0$	$\psi_{kl}\approx\left(E+C_{kl}\cdot e^{-\lambda_{kl}\mu}\right)^{-1},\quad A_{kl}\approx0$
BH3FR_EQ0068 (22b)	107	■ 1.000	$r^2\gg\varsigma^2,\quad\psi=\left(1+Ce^{\pm\lambda r}\right)^{-1}$	$r^2\gg\varsigma^2,\quad\psi=\left(1+Ce^{\pm\lambda r}\right)^{-1}$	$r^2\gg\varsigma^2,\quad\psi=\left(1+Ce^{\pm\lambda r}\right)^{-1}$
BH3FR_EQ0070 (24)	107	■ 1.000	$a\equiv G\!\!\!\left(\mathrm{x}_{\mathrm{5}},\,\mathrm{x}_{\mathrm{6}}\right)\,\rightleftharpoons P\!\!\!\left(\mathrm{x}_{\mathrm{4}},\,\mathrm{x}_{\mathrm{5}},\,\mathrm{x}_{\mathrm{6}}\right)\equiv b$	$a\equiv G(x_5,x_6)\rightleftharpoons P(x_4,x_5,x_6)\equiv b$	$a\equiv G(x_5,x_6)\rightleftharpoons P(x_4,x_5,x_6)\equiv b$
BH3FR_EQ0071 (25)	108	■ 1.000	$r=\frac{2\,n_r+1}{2\,n_{\varsigma}+1}\cdot\varsigma$	$r=\frac{2n_r+1}{2n_{\varsigma}+1}\cdot\varsigma$	$r=\frac{2n_r+1}{2n_{\varsigma}+1}\cdot\varsigma$
BH3FR_EQ0072 (26)	108	■ 1.000	$m=2\,\sqrt{\frac{ch}{\gamma}}\,\frac{\sqrt[4]{2n}}{\sqrt{2n-1}}$	$m=2\sqrt{\frac{ch}{\gamma}}\,\frac{\sqrt[4]{2n}}{\sqrt{2n-1}}$	$m=2\sqrt{\frac{ch}{\gamma}}\,\frac{\sqrt[4]{2n}}{\sqrt{2n-1}}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0074 (26b)	108	■1.000	$n=n(t), \quad \frac{d}{dt}n\geq 0$	$n=n(t), \quad \frac{dn}{dt}\geq 0$	$n=n(t), \quad \frac{dn}{dt}\geq 0$
BH3FR_EQ0075 (27)	108	■1.000	$m(n,q)=m(n)\,\eta_q, \quad \eta_q\sqrt[4]{4\,q^4+\pi^4}=\pi$	$m(n,q)=m(n)\eta_q, \quad \eta_q\sqrt[4]{4q^4+\pi^4}=\pi$	$m(n,q)=m(n)\eta_q, \quad \eta_q\sqrt[4]{4q^4+\pi^4}=\pi,$
BH3FR_EQ0077 (27b)	108	■1.000	$a\,\pi^{\mathrm{2}}\,\mathfrak{varepsilon}_{\mathrm{\pm}}=\pm 3\sqrt{2\,\hbar/R_{-}}, \quad R_{-}=\sqrt{\mu_0/\varepsilon_0}, \quad (a=\sqrt{2})$	$a\pi^2\varepsilon_{\pm}=\pm 3\sqrt{2\hbar/R_{-}}, \quad R_{-}=\sqrt{\mu_0/\varepsilon_0}, \quad (a=\sqrt{2})$	$a\pi^2\varepsilon_{\pm}=\pm 3\sqrt{2\hbar/R_{-}}, \quad R_{-}=\sqrt{\mu_0/\varepsilon_0}, \quad (a=\sqrt{2})$
BH3FR_EQ0078 (27 mathrm{c})	108	■1.000	$a\,\pi^{\mathrm{2}}\,C_{\mathrm{\pm}}=\pm\sqrt{2\,\hbar/R_{-}}, \quad \mathfrak{varepsilon}_{\mathrm{\pm}}=3\,C_{\mathrm{\pm}}$	$a\pi^2C_{\pm}=\pm\sqrt{2\hbar/R_{-}}, \quad \varepsilon_{\pm}=3C_{\pm}$	$a\pi^2C_{\pm}=\pm\sqrt{2\hbar/R_{-}}, \quad \varepsilon_{\pm}=3C_{\pm}$
BH3FR_EQ0079 (28)	109	■1.000	$V_{\mathrm{x}\,\mathrm{y}}=e_{\mathrm{x}}\,e_{\mathrm{y}}\,f(r)$	$V_{xy}=e_xe_yf(r)$	$V_{xy}=e_xe_yf(r)$
BH3FR_EQ0081 (29)	109	■1.000	$4\,\pi^{\mathrm{2}}\,e_{\mathrm{\pm}}=\pm 3\sqrt{2\vartheta\hbar/R_{-}}, \quad \vartheta=5\eta+2\sqrt{\eta}+1$	$4\pi^2e_{\pm}=\pm 3\sqrt{2\vartheta\hbar/R_{-}}, \quad \vartheta=5\eta+2\sqrt{\eta}+1$	$4\pi^2e_{\pm}=\pm 3\sqrt{2\vartheta\hbar/R_{-}}, \quad \vartheta=5\eta+2\sqrt{\eta}+1$
BH3FR_EQ0082 (29a)	109	■1.000	$(2\,\pi)^{\mathrm{5}}\alpha^{\mathrm{\prime}}=9\,\vartheta$	$(2\pi)^5\alpha'=9\vartheta$	$(2\pi)^5\alpha'=9\vartheta$
BH3FR_EQ0083 (30)	109	■1.000	$e\,R\sqrt{\tau}=\varepsilon nF, \quad \varepsilon^2\sqrt{F}=s_0=1[m]$	$eR\sqrt{\tau}=\varepsilon nF, \quad \varepsilon^2\sqrt{F}=s_0=1[m]$	$eR\sqrt{\tau}=\varepsilon nF, \quad \varepsilon^2\sqrt{F}=s_0=1[m]$
BH3FR_EQ0087 (34)	110	■1.000	$\underline{\eta}=\sqrt[3]{\tau\varepsilon/3}$	$\underline{\eta}=\sqrt[3]{\tau\varepsilon/3}$	$\underline{\eta}=\sqrt[3]{\tau\varepsilon/3}$
BH3FR_EQ0089 (35)	110	■1.000	$s^{\mathrm{\prime}}=b\,\tau^{\mathrm{5}/6}, \quad b=\frac{e\,E^{-1/3}}{\sqrt[4]{\pi}\sqrt[3]{2}}$	$s'=b\tau^{5/6}, \quad b=\frac{eE^{-1/3}}{\sqrt[4]{\pi}\sqrt[3]{2}}$	$s'=b\tau^{5/6}, \quad b=\frac{eE^{-1/3}}{\sqrt[4]{\pi}\sqrt[3]{2}}$
BH3FR_EQ0092 (37)	110	■1.000	$f\sqrt{3/2}\left(\frac{D}{4\sqrt{\tau}}f^3\sqrt{3/2}-1\right)^2=\frac{D}{\sqrt{\tau}}$	$f\sqrt{3/2}\left(\frac{D}{4\sqrt{\tau}}f^3\sqrt{3/2}-1\right)^2=\frac{D}{\sqrt{\tau}}$	$f\sqrt{3/2}\left(\frac{D}{4\sqrt{\tau}}f^3\sqrt{3/2}-1\right)^2=\frac{D}{\sqrt{\tau}}$
BH3FR_EQ0094 (37b)	110	■1.000	$a\,D\approx\tau^{\mathrm{-11}/6}, \quad 2\,a=\left(3\,\pi\,2^{\mathrm{5}}\right)^{\mathrm{-2}}E^{-7/3}$	$aD\approx\tau^{-11/6}, \quad 2a=\left(3\pi2^5\right)^{-2}E^{-7/3}$	$aD\approx\tau^{-11/6}, \quad 2a=\left(3\pi2^5\right)^{-2}E^{-7/3}$
BH3FR_EQ0095 (38)	111	■1.000	$D\,A=\dot{D}, \quad A\neq 0, \quad A=0$	$DA=\dot{D}, \quad A\neq 0, \quad A=0$	$DA=\dot{D}, \quad A\neq 0, \quad A=0$
BH3FR_EQ0097 (39a)	111	■1.000	$D\,\dot{\mathrm{y}}=n\,\dot{D}\,\mathrm{y}$	$D\dot{y}=n\dot{D}y$	$D\dot{y}=n\dot{D}y$
BH3FR_EQ0098 (40)	111	■1.000	$\begin{aligned} &\&3\,W=16\,\pi\left(\frac{a}{b}\right)^2\sqrt[3]{3\tau^2}, \quad a^2N^3\sqrt{3\tau^2}=2\pi \\ &\&3\alpha^{\mathrm{\prime}}NW=(4\pi)^2 \end{aligned}$	$\begin{aligned} &3W=16\pi\left(\frac{a}{b}\right)^2\sqrt[3]{3\tau^2}, \quad a^2N^3\sqrt{3\tau^2}=2\pi \\ &3\alpha'NW=(4\pi)^2 \end{aligned}$	$\begin{aligned} &3\,W=16\pi\left(\frac{a}{b}\right)^2\sqrt[3]{3\tau^2}, \quad a^2N^3\sqrt{3\tau^2}=2\pi, \\ &3\alpha'NW=(4\pi)^2 \end{aligned}$
BH3FR_EQ0100 (41)	111	■1.000	$D\,A=\dot{D}>0, \quad \dot{\tau}<0$	$DA=\dot{D}>0, \quad \dot{\tau}<0$	$DA=\dot{D}>0, \quad \dot{\tau}<0$
BH3FR_EQ0101 (41a)	111	■1.000	$A\ll H, \quad z\approx Bs, \quad v\approx Hs, \quad H=cB$	$A\ll H, \quad z\approx Bs, \quad v\approx Hs, \quad H=cB$	$A\ll H, \quad z\approx Bs, \quad v\approx Hs, \quad H=cB$
BH3FR_EQ0102 (42)	111	■1.000	$c\,z_{\mathrm{D}}=A\,s, \quad z_{\mathrm{S}}=-\frac{39\,\lambda}{11c}A, \quad z_{\mathrm{a}}=\frac{16\tau}{9\lambda^2}$	$cz_D=As, \quad z_S=-\frac{39\lambda}{11c}A, \quad z_a=\frac{16\tau}{9\lambda^2}$	$cz_D=As, \quad z_S=-\frac{39\lambda}{11c}A, \quad z_a=\frac{16\tau}{9\lambda^2}$
BH3FR_EQ0103 (42a)	111	■1.000	$z_{\mathrm{k}}=z_{\mathrm{D}}+z_{\mathrm{S}}+z_{\mathrm{a}}$	$z_k=z_D+z_S+z_a$	$z_k=z_D+z_S+z_a$
BH3FR_EQ0104 (43)	111	■1.000	$D(T)=D_{\mathrm{0}}\,\mathrm{e}^{\psi}, \quad \dot{\psi}=A, \quad D_{\mathrm{0}}>0$	$D(T)=D_0e^{\psi}, \quad \dot{\psi}=A, \quad D_0>0$	$D(T)=D_0e^{\psi}, \quad \dot{\psi}=A, \quad D_0>0$
BH3FR_EQ0105 (43a)	112	■1.000	$\frac{d}{dt}\ln m=\frac{36}{11}A>0$	$\frac{d}{dt}\ln m=\frac{36}{11}A>0$	$\frac{d}{dt}\ln m=\frac{36}{11}A>0$
BH3FR_EQ0106 (44)	112	■1.000	$\lambda_{\mathrm{r}}^3\approx\frac{c\,\tau}{2A}$	$\lambda_r^3\approx\frac{c\tau}{2A}$	$\lambda_r^3\approx\frac{c\tau}{2A}$
BH3FR_EQ0109 (45a)	112	■1.000	$H\approx\sqrt{\pi e\gamma\sigma}$	$H\approx\sqrt{\pi e\gamma\sigma}$	$H\approx\sqrt{\pi e\gamma\sigma}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0110 (46)	112	■1.000	$y\,\sqrt{\pi\,e\,\gamma\,\sigma}\,\approx\,c$	$y\sqrt{\pi e\gamma\sigma}\approx c$	$y\sqrt{\pi e\gamma\sigma}\approx c$
BH3FR_EQ0111 (46a)	112	■1.000	$s<y,\quad \textstyle 2\,y\,\ll\,D$	$s<y,\quad 2y\ll D$	$s<y,\quad 2y\ll D$
BH3FR_EQ0114 (48)	113	■1.000	$D_{\{f\}}(t=0)<D_{\{m\}}(t=0)<D_{\{p\}}(t=0)$	$D_f(t=0)<D_m(t=0)<D_p(t=0)$	$D_f(t=0)<D_m(t=0)<D_p(t=0)$
BH3FR_EQ0115 (48a)	113	■1.000	$D_{\{f\}}=0,90991798,\,D_{\{m\}}=1,06425809,\,D_{\{p\}}=3,70121160$	$D_f=0,90991798,D_m=1,06425809,D_p=3,70121160$	$D_f=0,90991798,\,D_m=1,06425809,\,D_p=3,70121160$
BH3FR_EQ0120 (51)	113	■1.000	$D\,\ddot{D}-a\,\dot{D}^2=0,\quad \textstyle 11\,a=-5$	$D\ddot{D}-a\dot{D}^2=0,\quad 11a=-5$	$D\ddot{D}-a\dot{D}^2=0,\quad 11a=-5$
BH3FR_EQ0121 (51a)	113	■1.000	$D^{\beta}\text{-}D_{\{1\}}^{\beta}=2\,\beta\,C\text{\texttt{\textbackslash left}(t\text{-}t_{\{1\}}\text{\texttt{\textbackslash right})},\quad \textstyle \text{\texttt{\textbackslash quad}}\,\beta=1\text{-}a$	$D^\beta-D_1^\beta=2\beta C(t-t_1),\quad \beta=1-a$	$D^\beta-D_1^\beta=2\beta C(t-t_1),\quad \beta=1-a$
BH3FR_EQ0146 (65a)	117	■1.000	$\alpha_{kl}=n_{kl}\text{\texttt{\textbackslash left}(2\,n_{kl}\text{\texttt{\textbackslash right}}+1\text{\texttt{\textbackslash right}})^{-1}}$	$\alpha_{kl}=n_{kl}(2n_{kl}+1)^{-1}$	$\underline{\alpha}_{kl}=\underline{n}_{kl}(2n_{kl}+1)^{-1}$
BH3FR_EQ0161 (72)	121	■1.000	$1\,\leqq\,k\,\leqq\,k_{\texttt{\textbackslash max}}<\infty$	$1\leq k\leq k_{\max}<\infty$	$1\leq k\leq k_{\max}<\infty$
BH3FR_EQ0173 (79b)	123	■1.000	$[3]_{kl}^i;n\rightarrow\psi(r)\sim e^{-\alpha r},\quad \textstyle \alpha>0$	$[3]_{kl}^i;n\rightarrow\psi(r)\sim e^{-\alpha r},\quad \alpha>0$	$[3]_{kl}^i;n\rightarrow\psi(r)\sim e^{-\alpha r},\quad \alpha>0$
BH3FR_EQ0177 (81)	124	■1.000	$(A\,\texttt{\textbackslash dots}\,E)_{\underline{\alpha}=1}\,\texttt{\textbackslash equiv}\text{\texttt{\textbackslash left}[\texttt{\textbackslash begin{array}}\{l\}\,\alpha\,\beta\,\texttt{\textbackslash \textbackslash}\,\alpha\,\beta\,\texttt{\textbackslash end{array}}\text{\texttt{\textbackslash right}]}$	$(A\ldots E)_{\underline{\alpha}=1}\equiv\left[\begin{array}{c}\alpha\,\beta\\\alpha\,\beta\end{array}\right]$	$(\,A\ldots E)_{\underline{\alpha}=1}\equiv\left[\begin{array}{c}\alpha\,\beta\\\alpha\,\beta\end{array}\right]$
BH3FR_EQ0178 (82)	124	■1.000	$\texttt{\textbackslash begin{aligned}}\,\&\,(A\,\texttt{\textbackslash dots}\,F)\,\texttt{\textbackslash hat{=}}(-1\,\texttt{\textbackslash dots}\,6)),\quad \textstyle \text{\texttt{\textbackslash quad}}(A\,\texttt{\textbackslash dots}\,E)_{\underline{\alpha}=1}\,\texttt{\textbackslash hat{=}}(+1\,\texttt{\textbackslash dots}\,5)),\,\texttt{\textbackslash \&}\,\{[3]\,\texttt{\textbackslash hat{=}}(+7)\}\,\texttt{\textbackslash end{aligned}}$	$(A\ldots F)\hat{=}(-(1\dots 6)),\quad (A\ldots E)_{\underline{\alpha}=1}\hat{=}(+(1\dots 5)),$ $[3]\hat{=}(+7)$	$(A\ldots F)\hat{=}(-(1\dots 6)),\quad (A\ldots E)_{\underline{\alpha}=1}\hat{=}(+(1\dots 5)),$ $[3]\hat{=}(+7)$
BH3FR_EQ0179 (82a)	124	■1.000	$p_{\{k\}}=(\pm k),\quad \textstyle 1\,\leqq\,k\,\leqq\,5$	$p_k=(\pm k),\quad 1\leq k\leq 5$	$p_k=(\pm k),\quad 1\leq k\leq 5$
BH3FR_EQ0184 (84a)	125	■1.000	$Z_{\{p\}}\,\texttt{\textbackslash neq}\,Z_{\{q\}},\quad \textstyle \text{\texttt{\textbackslash quad}}\,x_{\{\mu\}}<Z$	$Z_p\neq Z_q,\quad x_\mu<Z$	$Z_p\not\equiv Z_q,\quad x_\mu<Z$
BH3FR_EQ0187 (85b)	125	■1.000	$\texttt{\textbackslash bar{s}}_{\{p\}}^{\{o\}}=\pm\,\texttt{\textbackslash pm}\,\texttt{\textbackslash bar{s}}_{\{q\}}^{\{o\}}$	$\bar{s}_p^{(o)}=\pm\bar{s}_q^{(o)}$	$\bar{s}_p^{(o)}=\pm\bar{s}_q^{(o)}$
BH3FR_EQ0189 (86a)	126	■1.000	$(\pm\texttt{\textbackslash pm}\,p)_{\{b,\,c\}}\text{-}\texttt{\textbackslash left}(\mu\,V_{\{\mu\}}\text{\texttt{\textbackslash right}})-(\pm\texttt{\textbackslash pm}\,q)_{\{b,\,c\}},\quad \textstyle \text{\texttt{\textbackslash quad}}\,V_{\{\mu\}}^{\wedge x}\text{+}V_{\{\mu\}}^{\wedge y}\text{=}\,V_{\{\mu\}}$	$(\pm p)_{b,c}-(\mu V_\mu)-(\pm q)_{b,c},\quad V_\mu^x+V_\mu^y=V_\mu$	$(\pm p)_{b,c}-(\mu V_\mu)-(\pm q)_{b,c},\quad V_\mu^x+V_\mu^y=V_\mu$
BH3FR_EQ0193 (88)	126	■1.000	$\texttt{\textbackslash bar{s}}_{\{x\}}\text{=}\texttt{\textbackslash sum}_{\{\mu,\,p,\,q\}}\{\,\}_{x}^{\{p\}}(\mu)^{\{q\}}\text{=}\pm\texttt{\textbackslash pm}\,\texttt{\textbackslash bar{s}}_{\{0\}}\,\texttt{\textbackslash hbar}\,m_x\,/\,2$	$\bar{s}_x=\sum_{\mu,p,q}^p(\mu)^q=\pm\bar{s}_0\hbar m_x/2$	$\bar{s}_x=\sum_{\mu,p,q}^p(\mu)^q=\pm\bar{s}_0\hbar m_x/2$
BH3FR_EQ0196 (89a)	126	■1.000	$\sigma_{\{t\}}\text{=}\,i\,s,\quad \textstyle \text{\texttt{\textbackslash quad}}\,\sigma_{\{r\}}\text{=}\,i\,J\,P_{\{a\}}$	$\sigma_t=is,\quad \sigma_r=iJP_a$	$\sigma_t=is,\quad \sigma_r=iJP_a$
BH3FR_EQ0198 (90a)	127	■1.000	$0\,\leqq\,P\,\leqq\,G\text{=}\,k\text{+}1$	$0\leq P\leq G=k+1$	$0\leq P\leq G=k+1$
BH3FR_EQ0202 (92a)	127	■1.000	$I_{\{+\}}(X)\,\texttt{\textbackslash equiv}\,I_{\{-}}(\texttt{\textbackslash bar{X}})\text{=}\texttt{\textbackslash bar{I}}$	$I_+(X)\equiv I_-(\bar{X})=\bar{I}$	$I_+(X)\equiv I_-(\bar{X})=\bar{I}$
BH3FR_EQ0205 (95)	127	■1.000	$Z(x)\text{=}\,n(n\text{-}1),\quad \textstyle \text{\texttt{\textbackslash quad}}\,n\text{=}\,n\text{\texttt{\textbackslash left}(\texttt{\textbackslash hat{\gamma}}_{\{x\}}\text{\texttt{\textbackslash right})}$	$Z(x)=n(n-1),\quad n=n\left(\hat{\gamma}_{(x)}\right)$	$Z(x)=n(n-1),\quad n=n(\hat{\gamma}_{(x)})$
BH3FR_EQ0206 (95a)	128	■1.000	$\texttt{\textbackslash begin{aligned}}\,\&\,(\text{+})_{\{X\}}\text{-}[\texttt{\textbackslash hat{\mu}}]\text{-}(\text{+})_{\{Y\}}\texttt{\textbackslash rightarrow}(\pm\texttt{\textbackslash pm}\,p)_{\{X\}}\text{-}(\mu\text{\texttt{\textbackslash rangle}}\text{-}(\pm\texttt{\textbackslash pm}\,q)_{\{Y\}}\texttt{\textbackslash rightarrow}\,\texttt{\textbackslash \&}\,\texttt{\textbackslash rightarrow}(\pm\texttt{\textbackslash pm}\,p)_{\{X\}}\text{-}\texttt{\textbackslash langle}\mu\text{-}(\pm\texttt{\textbackslash pm}\,q)_{\{Y\}}\texttt{\textbackslash rightarrow}(\pm\texttt{\textbackslash pm}\,p)_{\{X\}}\text{-}(\mu\text{\texttt{\textbackslash rangle}}\text{-}(\pm\texttt{\textbackslash pm}\,q)_{\{Y\}}\text{+}\,\texttt{\textbackslash \&}\,\text{+}(\pm\texttt{\textbackslash pm}\,p)_{\{X\}}\text{-}\texttt{\textbackslash langle}\mu\text{-}(\pm\texttt{\textbackslash pm}\,q)_{\{Y\}}\,\texttt{\textbackslash hat{=}}(\pm\texttt{\textbackslash pm}\,p)_{\{X\}}\text{-}(\texttt{\textbackslash hat{\mu}})\text{-}(\pm\texttt{\textbackslash pm}\,q)_{\{Y\}}\,\texttt{\textbackslash end{aligned}}$	$(+p)_X-[\hat{\mu}]+(+q)_Y\rightarrow(\pm p)_X-(\mu)-(\pm q)_Y\rightarrow$ $\rightarrow(\pm p)_X-\langle\mu\rangle-(\pm q)_Y\rightarrow(\pm p)_X-(\mu)-(\pm q)_Y+$ $+(\pm p)_X-\langle\mu\rangle-(\pm q)_Y\hat{=}(\pm p)_X-(\hat{\mu})-(\pm q)_Y$	$(+p)_X-[\hat{\mu}]+(+q)_Y\rightarrow(\pm p)_X-(\mu)-(\pm q)_Y\rightarrow$ $\rightarrow(\pm p)_X-\langle\mu\rangle-(\pm q)_Y\rightarrow(\pm p)_X-(\mu)-(\pm q)_Y+$ $+(\pm p)_X-\langle\mu\rangle-(\pm q)_Y\hat{=}(\pm p)_X-(\hat{\mu})-(\pm q)_Y$
BH3FR_EQ0213 (98a)	129	■1.000	$k_{\texttt{\textbackslash max}}\text{=}\,2,\quad \textstyle \text{\texttt{\textbackslash quad}}\,q_{\texttt{\textbackslash max}}\text{=}\,3$	$k_{\max}=2,\quad q_{\max}=3$	$k_{\max}=2,\quad q_{\max}=3$
BH3FR_EQ0216 (98d)	129	■1.000	$M(c,\,d)\text{=}\,T\,;\,m\text{=}\mu_{\{+\}}\text{\texttt{\textbackslash left}[\texttt{\textbackslash sum}_{j=1}^4\,\alpha_{\{j\}}\,G_{\{j\}}\text{+}\text{\texttt{\textbackslash left}(1\text{-}\frac{\alpha_{\{-}}{\alpha_{\{+\}}}\text{\texttt{\textbackslash right})}\,F_S\text{+}q\,\frac{\alpha_{\{-}}{\alpha_{\{+\}}}\text{\texttt{\textbackslash right}]}$	$M(c,d)=T;m=\mu_+\left[\sum_{j=1}^4\alpha_jG_j+\left(1-\frac{\alpha_-}{\alpha_+}\right)F_S+q\frac{\alpha_-}{\alpha_+}\right]$	$M(c,d)=T;m=\mu_+\left[\sum_{j=1}^4\alpha_jG_j+\left(1-\frac{\alpha_-}{\alpha_+}\right)F_S+q\frac{\alpha_-}{\alpha_+}\right]$
BH3FR_EQ0222 (100b)	130	■1.000	$q_{\{x\}}\text{\texttt{\textbackslash left}(R_{\{4\}}^{\wedge+}\text{\texttt{\textbackslash right}})\text{+}\,q_{\{x\}}\text{\texttt{\textbackslash left}(R_{\{4\}}^{\wedge-}\text{\texttt{\textbackslash right}})\text{=}\,C\,\texttt{\textbackslash left}(R_{\{4\}}^{\wedge+}\text{\texttt{\textbackslash right}})\text{+}\,C\text{\texttt{\textbackslash left}(R_{\{4\}}^{\wedge-}\text{\texttt{\textbackslash right}})\text{=}\,0$	$q_x\left(R_4^+\right)+q_x\left(R_4^-\right)=C\left(R_4^+\right)+C\left(R_4^-\right)=0$	$q_x(R_4^+)+q_x(R_4^-)=C(R_4^+)+C(R_4^-)=0$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0227 (103)	131	■ 1.000	$n_{\{j\}}=\theta, \quad \text{\quad} 1 \leq \lambda \leq G=k+1, \quad \text{\quad} z_{\{\lambda\}} \geq 16$	$n_j = 0, \quad 1 \leq \lambda \leq G = k + 1, \quad z_{\lambda}(b_{\lambda}) \geq 16$	$n_j = 0, \quad 1 \leq \lambda \leq G = k + 1, \quad z_{\lambda}(b_{\lambda}) \geq 16$
BH3FR_EQ0231 (105a)	131	■ 1.000	$\alpha_{(+)}=\alpha, \quad \text{\quad} \alpha_{(-)}=\beta, \quad \text{\quad} \beta \approx 137 \, \alpha$	$\alpha_{(+)} = \alpha, \quad \alpha_{(-)} = \beta, \quad \beta \approx 137 \alpha$	$\alpha_{(+)} = \alpha, \quad \alpha_{(-)} = \beta, \quad \beta \approx 137 \alpha$
BH3FR_EQ0233 (106a)	132	■ 1.000	$\begin{array}{l} 2 \, B_{\mathrm{H}}\!=\!B \, \cos \, \varphi, \, \, \, \& \, B_{\mathrm{V}}\!=\!B \, \sin \, \varphi, \, \, \, B=2AD\mu S(t), \\ D=\sigma R^2 w, \, \, \, \mu(x_1,x_2,x_3)>0, \, \, \, 0\leq S(t)\leq +1 \end{array}$	$2B_H = B \cos \varphi, \quad B_V = B \sin \varphi, \quad B = 2AD\mu S(t),$ $D = \sigma R^2 w, \quad \mu(x_1, x_2, x_3) > 0, \quad 0 \leq S(t) \leq +1$	$2 \, B_H = B \cos \varphi, \quad B_V = B \sin \varphi, \quad B = 2AD\mu S(t),$ $D = \sigma R^2 w, \quad \mu(x_1, x_2, x_3) > 0, \quad 0 \leq S(t) \leq +1$
BH3FR_EQ0234 (106b)	132	■ 1.000	$D>\frac{\Delta}{2\,\mu\,A}$	$D > \frac{\Delta}{2\mu A}$	$D > \frac{\Delta}{2\mu A}$
BH3FR_EQ0240 (109)	133	■ 1.000	$w(v\ x)=w_{\{1\}}^{\{2-k\}}+w_{\{2\}}^{\{k-1\}}$	$w(vx) = w_1^{2-k} + w_2^{k-1}$	$w(vx) = w_1^{2-k} + w_2^{k-1}$
BH3FR_EQ0244 (110)	134	■ 1.000	$f(N)=\left(1-Q(1-\kappa)(2-k)\,Y_{23}\right)\left(\frac{aN}{N+2}+b\sqrt{N(N-2)}-ib\delta_{1N}\right)$	$f(N) = (1 - Q(1 - \kappa)(2 - k)Y_{23}) \left(\frac{aN}{N + 2} + b\sqrt{N(N - 2)} - ib\delta_{1N} \right)$	$f(N) = (1 - Q(1 - \kappa)(2 - k)Y_{23}) \left(\frac{aN}{N + 2} + b\sqrt{N(N - 2)} - ib\delta_{1N} \right)$
BH3FR_EQ0248 (110d)	135	■ 1.000	$\hat{A}=\left(A_{\mathrm{i}\,k}\right)_{\mathrm{6}}=\hat{A}^{\mathrm{*}}\neq\hat{A}^{\times}$	$\hat{A} = (A_{ik})_6 = \hat{A}^* \neq \hat{A}^\times$	$\hat{A} = (A_{ik})_6 = \hat{A}^* \neq \hat{A}^\times$
BH3FR_EQ0249 (111)	135	■ 1.000	$\phi=A_vF_1F_qF_{\kappa}/F_2+B_v(P+Q)+4q\alpha_{-}/\alpha_{+}$	$\phi = A_vF_1F_qF_{\kappa}/F_2 + B_v(P + Q) + 4q\alpha_{-}/\alpha_{+}$	$\phi = A_vF_1F_qF_{\kappa}/F_2 + B_v(P + Q) + 4q\alpha_{-}/\alpha_{+}$
BH3FR_EQ0253 (112a)	136	■ 1.000	$\begin{aligned} \& K=N_{\{1\}}\,Q_{\{1\}}^{\{2\}}\left(1+Q_{\{1\}}\right)^{\{2\}}+N_{\{2\}}\,Q_{\{2\}}^{\{2\}}\left(2\,Q_{\{2\}}^{\{2\}}+3\,Q_{\{2\}}+1\right)^{\{2\}}+\\ \& +N_{\{3\}}\,Q_{\{3\}}^{\{2\}}\left(1+Q_{\{3\}}\right)^{\{2\}}+4\,Q_{\{4\}}, \quad \text{\quad} F=N_{\{1\}}\,n_{\{1\}}^{\{2\}}\left(1+n_{\{1\}}\right)^{\{2\}}+\\ \& +N_{\{2\}}\,n_{\{2\}}^{\{2\}}\left(1+n_{\{2\}}\right)^{\{2\}}+N_{\{3\}}\,n_{\{3\}}^{\{2\}}\left(1+n_{\{3\}}\right)^{\{2\}}+4\,n_{\{4\}} \quad \& H=2\,n_{\{1\}}\,Q_{\{1\}}^{\{2\}}\left(1+3\left(n_{\{1\}}+Q_{\{1\}}\right)^{\{2\}}\right)+\\ \& +6\,n_{\{2\}}\,Q_{\{2\}}^{\{2\}}\left(1+n_{\{2\}}+Q_{\{2\}}\right)^{\{2\}}+2\,n_{\{3\}}\,Q_{\{3\}}^{\{2\}}\left(1+n_{\{3\}}+Q_{\{3\}}\right)^{\{2\}}+4\,n_{\{4\}} \end{aligned}$	$K = N_1Q_1^2(1 + Q_1)^2 + N_2Q_2(2Q_2^2 + 3Q_2 + 1) +$ $+ N_3Q_3(1 + Q_3) + 4Q_4, \quad F = N_1n_1^2(1 + n_1)^2 +$ $+ N_2n_2(2n_2^2 + 3n_2 + 1) + N_3n_3(1 + n_3) + 4n_4$ $H = 2n_1Q_1(1 + 3(n_1 + Q_1 + n_1Q_1) + 2(n_1^2 + Q_1^2))N_1 +$ $+ 6n_2Q_2(1 + n_2 + Q_2)N_2 + 2n_3Q_3N_3$	$K = N_1Q_1^2(1 + Q_1)^2 + N_2Q_2(2Q_2^2 + 3Q_2 + 1) +$ $+ N_3Q_3(1 + Q_3) + 4Q_4, \quad F = N_1n_1^2(1 + n_1)^2 +$ $+ N_2n_2(2n_2^2 + 3n_2 + 1) + N_3n_3(1 + n_3) + 4n_4,$ $H = 2n_1Q_1(1 + 3(n_1 + Q_1 + n_1Q_1) + 2(n_1^2 + Q_1^2))N_1 +$ $+ 6n_2Q_2(1 + n_2 + Q_2)N_2 + 2n_3Q_3N_3$
BH3FR_EQ0254 (112b)	136	■ 1.000	$N_{\{1\}}=\alpha_{\{1\}}, \quad \text{\quad} 3\,N_{\{2\}}=2\,\alpha_{\{2\}}, \quad \text{\quad} N_{\{3\}}=2\,\alpha_{\{3\}}$	$N_1 = \alpha_1, \quad 3N_2 = 2\alpha_2, \quad N_3 = 2\alpha_3$	$N_1 = \alpha_1, \quad 3N_2 = 2\alpha_2, \quad N_3 = 2\alpha_3$
BH3FR_EQ0255 (113)	136	■ 1.000	$k\,\mu_{+}\alpha_{\{1\}}\left(L_{\{1\}}+Q_{\{1\}}\right)^{\{3\}}=2(k+1)(P+1)^{2/k}M_xY_{45}$	$k\mu_{+}\alpha_1(L_1 + Q_1)^3 = 2(k + 1)(P + 1)^{2/k}M_xY_{45}$	$k\mu_{+}\alpha_1(L_1 + Q_1)^3 = 2(k + 1)(P + 1)^{2/k}M_xY_{45}$
BH3FR_EQ0257 (113b)	137	■ 1.000	$\begin{aligned} \& \alpha_{\{1\}}\left(L_{\{1\}}+Q_{\{1\}}\right)^{\{3\}}+\alpha_{\{2\}}\left(L_{\{2\}}+Q_{\{2\}}\right)^{\{2\}}+\alpha_{\{3\}}\left(L_{\{3\}}+Q_{\{3\}}\right)^{\{2\}}+\\ \& +\exp\left(-\frac{2\,k-1}{3\,Q_4}\left(L_4+Q_4\right)\right)=W(vx)\left(1+f\left(L_N\right)\right) \end{aligned}$	$\alpha_1(L_1 + Q_1)^3 + \alpha_2(L_2 + Q_2)^2 + \alpha_3(L_3 + Q_3) +$ $+ \exp\left(-\frac{2k-1}{3Q_4}(L_4 + Q_4)\right) = W(vx)(1 + f(L_N))$	$\alpha_1(L_1 + Q_1)^3 + \alpha_2(L_2 + Q_2)^2 + \alpha_3(L_3 + Q_3) +$ $+ \exp\left(-\frac{2k-1}{3Q_4}(L_4 + Q_4)\right) = W(vx)(1 + f(L_N))$
BH3FR_EQ0258 (113c)	137	■ 1.000	$M_{\{\max\}}\left(L_{\{j\}}\right)^4_{\{1\}}\geq M_L\left(L_N\right), \quad E\left(\beta_{j>1}>0\right)=\left(M_{\max}-M_L\right)c^2$	$M_{\max}(L_j)_1^4 \geq M_L(L_N), \quad E(\beta_{j>1} > 0) = (M_{\max} - M_L) c^2$	$M_{\max}(L_j)_1^4 \geq M_L(L_N), \quad E(\beta_{j>1} > 0) = (M_{\max} - M_L) c^2$
BH3FR_EQ0261 (116)	137	■ 1.000	$\lambda c\left(M\left(N_m\right)-M\left(N_m+1\right)\right)=h$	$\lambda c(M(N_m) - M(N_m + 1)) = h$	$\lambda c(M(N_m) - M(N_m + 1)) = h$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
BH3FR_EQ0264 (118a)	137	■ 1.000	$m\!\left(v_{\scriptscriptstyle X}\right)=\mu\,\alpha_{+}\,\phi_{q=0}\,\not\equiv 0$	$m\left(v_x\right)=\mu\alpha_{+}\phi_{q=0}\neq 0$	$m(v_{\scriptscriptstyle X})=\mu\alpha_{+}\phi_{q=0}\neq 0$
BH3FR_EQ0266 (118c)	138	■ 1.000	$v_{\{\beta\}}\rightarrowtail v_{\{P\}}+v_{\{R\}}$	$v_{\beta}\rightleftharpoons v_P+v_R$	$v_{\beta}\rightleftarrows v_P+v_R$
BH3FR_EQ0270 (M3)	139	■ 1.000	$\partial^k\varphi=\sum_{v=0}^k(-1)^va_v(k)\varphi(n-v),\quad\varphi(n-v),\quad\text{\rm quad}\quad a_v(k)=\text{\rm binom}\{k\}{v}$	$\partial^k\varphi=\sum_{v=0}^k(-1)^va_v(k)\varphi(n-v),\quad a_v(k)=\binom{k}{v}$	$\partial^k\varphi=\sum_{v=0}^k(-1)^va_v(k)\varphi(n-v),\quad a_v(k)=\binom{k}{v}$
BH3FR_EQ0270 (M7)	140	■ 1.000	$\theta<\left \partial_{\varepsilon}\varphi\right \ll 1,\quad\partial_{\varepsilon}\varphi\approx\varphi\partial_{\varepsilon}\ln\varphi,\quad\partial_{\varepsilon}e^{\varphi}\approx e^{\varphi}\partial_{\varepsilon}\varphi$	$0< \partial_{\varepsilon} \ll 1,\quad\partial_{\varepsilon}\varphi\approx\varphi\partial_{\varepsilon}\ln\varphi,\quad\partial_{\varepsilon}e^{\varphi}\approx e^{\varphi}\partial_{\varepsilon}\varphi$	$0< \partial_{\varepsilon} \ll 1,\quad\partial_{\varepsilon}\varphi\approx\varphi\partial_{\varepsilon}\ln\varphi,\quad\partial_{\varepsilon}e^{\varphi}\approx e^{\varphi}\partial_{\varepsilon}\varphi$
BH3FR_EQ0292	142	■ 1.000	$\partial^2-3\partial+(\,)=0,\quad 2\,\xi=1+\sqrt{5}$	$\partial^2-3\partial+(\,)=O,\quad 2\xi=1+\sqrt{5}$	$\partial^2-3\partial+(\,)=O,\quad 2\xi=1+\sqrt{5}$
BH3FR_EQ0298	143	■ 1.000	$\{ \}^{\{ 2 \}} \bar{\gamma} ; n = \text{\rm const} \, , \quad \xi^k = X^k ; n , \quad 1 \leqslant k \leqslant N$	${}^2\bar{\gamma};n=\text{\rm const}\,,\quad \xi^{\bar{k}}=X^{\bar{k}};n,\quad 1\leqslant k\leqslant N$	${}^2\bar{\gamma};n=\text{\rm const},\quad \xi^{\bar{k}}=X^{\bar{k}};n,\quad 1\leqslant k\leqslant N$
BH3FR_EQ0052 (18)	105	—	—	—	$\frac{\partial}{\partial x^k}\rightarrow\frac{\delta_k}{\alpha_k}=\underline{\delta}_k,\qquad g_{ik}\rightarrow\gamma_{ik};n,\qquad {}^2\overline{\gamma}(C_k)_1^6=$ $=sp({}^2\overline{\kappa}\times{}^2\overline{\kappa})={}^2\overline{\gamma}^\times,\qquad {}^2\overline{\kappa}={}^2\overline{\kappa}^\times,\qquad \widehat{\{\}}\rightarrow\widehat{[\,]};n,$ $\widehat{[\,]}=\widehat{[\,]}^\times,\qquad \Gamma_{(\pm)}^{(s_1)(s_2)}\rightarrow({}_{(\pm)}^{(s_1)(s_2)}),\qquad (\varepsilon\leqslant 3)\triangleq +,$ $(\varepsilon>3)\triangleq -$