

1205.5935v1: equation evidence

26 rows show a REFINEMENT below, not the OCR reading: 26 verified against the source. Each is marked [refined] beside its identifier. The model is unchanged — the original reading is still what ‘latex’ holds; this report chose the refinement for them. Rows: 1205.5935v1_EQ0048, 1205.5935v1_EQ0062, 1205.5935v1_EQ0063, 1205.5935v1_EQ0072, 1205.5935v1_EQ0076, 1205.5935v1_EQ0077 ...

Display equations

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_EQ0323 (313) [refined: source]	66	■0.139	$\begin{aligned} a \downharpoonleft A_2 &\& \left.=\frac{1}{2} \sum_i a^i \wedge F\left(a_i\right)\right. \\ &\& \left.=\frac{1}{2} \sum_i\left(a \downharpoonleft a^i\right) F\left(a_i\right)+\frac{1}{2} \sum_i a^i\left(F(a) \downharpoonleft a_i\right)\right. \\ &\& \left.=\frac{1}{2} F\left(\sum_i\left(a \downharpoonleft a^i\right) a_i\right)+\frac{1}{2} \sum_i\left(F(a) \downharpoonleft a_i\right) a^i\right. \\ &\& \left.=\frac{1}{2} F(a)+\frac{1}{2} F(a)\right. \\ &\& \left.=F(a)\right. \end{aligned}$	$\begin{aligned} a \downharpoonleft A_2 &= \frac{1}{2} a \downharpoonleft \left(\sum_i a^i \wedge F\left(a_i\right)\right) \\ &= \frac{1}{2} \sum_i\left(a \downharpoonleft a^i\right) F\left(a_i\right)-\frac{1}{2} \sum_i a^i\left(a \downharpoonleft F\left(a_i\right)\right) \\ &= \frac{1}{2} \sum_i\left(a \downharpoonleft a^i\right) F\left(a_i\right)+\frac{1}{2} \sum_i a^i\left(F(a) \downharpoonleft a_i\right) \\ &= \frac{1}{2} F\left(\sum_i\left(a \downharpoonleft a^i\right) a_i\right)+\frac{1}{2} \sum_i\left(F(a) \downharpoonleft a_i\right) a^i \\ &= \frac{1}{2} F(a)+\frac{1}{2} F(a) \\ &= F(a) . \end{aligned}$	$\begin{aligned} a \downharpoonleft A_2 &= \frac{1}{2} a \downharpoonleft \left(\sum_i a^i \wedge F\left(a_i\right)\right) \\ &= \frac{1}{2} \sum_i\left(a \downharpoonleft a^i\right) F\left(a_i\right)-\frac{1}{2} \sum_i a^i\left(a \downharpoonleft F\left(a_i\right)\right) \\ &= \frac{1}{2} \sum_i\left(a \downharpoonleft a^i\right) F\left(a_i\right)+\frac{1}{2} \sum_i a^i\left(F(a) \downharpoonleft a_i\right) \\ &= \frac{1}{2} F\left(\sum_i\left(a \downharpoonleft a^i\right) a_i\right)+\frac{1}{2} \sum_i\left(F(a) \downharpoonleft a_i\right) a^i \\ &= \frac{1}{2} F(a)+\frac{1}{2} F(a) \\ &= F(a) . \end{aligned}$
1205.5935v1_EQ0239 (232)	50	■0.146	$\begin{aligned} &\& \left.P_{\boldsymbol{A}}(B):=B \downharpoonleft \boldsymbol{A} \boldsymbol{A}^{-1}=\left(B \downharpoonleft \boldsymbol{A}\right) \downharpoonleft \boldsymbol{A}^{-1}\right. \\ &\& \left.R_{\boldsymbol{A}}(B):=B \wedge \boldsymbol{A} \boldsymbol{A}^{-1}=B \wedge \boldsymbol{A} \downharpoonleft \boldsymbol{A}^{-1}\right. \end{aligned}$	$\begin{aligned} P_{\boldsymbol{A}}(B) &:= B \downharpoonleft \boldsymbol{A} \boldsymbol{A}^{-1} = \left(B \downharpoonleft \boldsymbol{A}\right) \downharpoonleft \boldsymbol{A}^{-1} \\ R_{\boldsymbol{A}}(B) &:= B \wedge \boldsymbol{A} \boldsymbol{A}^{-1} = B \wedge \boldsymbol{A} \downharpoonleft \boldsymbol{A}^{-1} . \end{aligned}$	$\begin{aligned} P_{\boldsymbol{A}}(B) &:= B \downharpoonleft \boldsymbol{A} \boldsymbol{A}^{-1} = \left(B \downharpoonleft \boldsymbol{A}\right) \downharpoonleft \boldsymbol{A}^{-1} \\ R_{\boldsymbol{A}}(B) &:= B \wedge \boldsymbol{A} \boldsymbol{A}^{-1} = B \wedge \boldsymbol{A} \downharpoonleft \boldsymbol{A}^{-1} . \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ E00235 (228) [re- fined: source]	49	■ 0.189	\begin{aligned} P_{\boldsymbol{A}_r \wedge \boldsymbol{B}_s}(a) &= P_{\boldsymbol{A}_r \boldsymbol{B}_s}(a) \\ &= a \downarrow (\boldsymbol{A}_r \boldsymbol{B}_s)(\boldsymbol{A}_r \boldsymbol{B}_s)^{-1} \\ &= [(a \downarrow \boldsymbol{A}_r) \boldsymbol{B}_s + (-1)^r \boldsymbol{A}_r(a \downarrow \boldsymbol{B}_s)] \boldsymbol{B}_s^{-1} \boldsymbol{A}_r^{-1} \\ &= a \downarrow \boldsymbol{A}_r \boldsymbol{A}_r^{-1} + (-1)^r \boldsymbol{A}_r(a \downarrow \boldsymbol{B}_s) \boldsymbol{B}_s^{-1} \boldsymbol{A}_r^{-1}. \end{aligned}	$P_{\boldsymbol{A}_r \wedge \boldsymbol{B}_s}(a) = P_{\boldsymbol{A}_r \boldsymbol{B}_s}(a)$ $= a \downarrow (\boldsymbol{A}_r \boldsymbol{B}_s)(\boldsymbol{A}_r \boldsymbol{B}_s)^{-1}$ $= [(a \downarrow \boldsymbol{A}_r) \boldsymbol{B}_s + (-1)^r \boldsymbol{A}_r(a \downarrow \boldsymbol{B}_s)] \boldsymbol{B}_s^{-1} \boldsymbol{A}_r^{-1}$ $= a \downarrow \boldsymbol{A}_r \boldsymbol{A}_r^{-1} + (-1)^r \boldsymbol{A}_r(a \downarrow \boldsymbol{B}_s) \boldsymbol{B}_s^{-1} \boldsymbol{A}_r^{-1}.$	$P_{\boldsymbol{A}_r \wedge \boldsymbol{B}_s}(a) = P_{\boldsymbol{A}_r \boldsymbol{B}_s}(a)$ $= a \downarrow (\boldsymbol{A}_r \boldsymbol{B}_s)(\boldsymbol{A}_r \boldsymbol{B}_s)^{-1}$ $= [(a \downarrow \boldsymbol{A}_r) \boldsymbol{B}_s + (-1)^r \boldsymbol{A}_r(a \downarrow \boldsymbol{B}_s)] \boldsymbol{B}_s^{-1} \boldsymbol{A}_r^{-1}$ $= a \downarrow \boldsymbol{A}_r \boldsymbol{A}_r^{-1} + (-1)^r \boldsymbol{A}_r(a \downarrow \boldsymbol{B}_s) \boldsymbol{B}_s^{-1} \boldsymbol{A}_r^{-1}.$
1205.5935v1_ E00295 (287)	60	■ 0.223	\begin{aligned} P_{\boldsymbol{A}_r}(a) &= a \downarrow \boldsymbol{A}_r \boldsymbol{A}_r^{-1} \\ &= a \downarrow (a_1 \wedge \cdots \wedge a_r) \boldsymbol{A}_r^{-1} \\ &= \sum_{j=1}^r (-1)^{j-1} a \downarrow a_j (a_i \wedge \cdots \wedge \check{a}_j \wedge \cdots \wedge a_r) \boldsymbol{A}_r^{-1}. \end{aligned}	$P_{\boldsymbol{A}_r}(a) = a \downarrow \boldsymbol{A}_r \boldsymbol{A}_r^{-1}$ $= a \downarrow (a_1 \wedge \cdots \wedge a_r) \boldsymbol{A}_r^{-1}$ $= \sum_{j=1}^r (-1)^{j-1} a \downarrow a_j (a_i \wedge \cdots \wedge \check{a}_j \wedge \cdots \wedge a_r) \boldsymbol{A}_r^{-1}$	$P_{\boldsymbol{A}_r}(a) = a \downarrow \boldsymbol{A}_r \boldsymbol{A}_r^{-1}$ $= a \downarrow (a_1 \wedge \cdots \wedge a_r) \boldsymbol{A}_r^{-1}$ $= \sum_{j=1}^r (-1)^{j-1} a \downarrow a_j (a_i \wedge \cdots \wedge \check{a}_j \wedge \cdots \wedge a_r) \boldsymbol{A}_r^{-1}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ E00469 (127)	89	■ 0.290	$\begin{aligned} & \sum_i a^i a_i \downarrow A_r = \sum_i a^i \wedge (a_i \downarrow A_r) = r A_r \quad \text{for any } A_r. \\ & \sum_i a_i a^i \Big\rfloor A_r = \sum_i a_i \wedge (a^i \Big\rfloor A_r) = r A_r \quad \text{for any } A_r. \end{aligned}$	$\sum_i a^i a_i \downarrow A_r = \sum_i a^i \wedge (a_i \downarrow A_r) = r A_r \quad \text{for any } A_r.$ $\sum_i a_i a^i \Big\rfloor A_r = \sum_i a_i \wedge (a^i \Big\rfloor A_r) = r A_r \quad \text{for any } A_r.$	$\sum_i a^i a_i \Big\rfloor A_r = \sum_i a^i \wedge (a_i \Big\rfloor A_r) = r A_r \quad \text{for any } A_r.$ $\sum_i a_i a^i \Big\rfloor A_r = \sum_i a_i \wedge (a^i \Big\rfloor A_r) = r A_r \quad \text{for any } A_r.$
1205.5935v1_E00312	63	■ 0.295	$\begin{array}{l} u \in \operatorname{Ker}(F) \text{ iff } F(u)=0 \\ \text{iff } F(u) \downarrow v = 0 \text{ for all } v \in V \\ \text{iff } u \downarrow \overline{F}(v) = 0 \text{ for all } v \in V \\ \text{iff } u \in \operatorname{Range}(\overline{F})^\perp. \end{array}$	$u \in \operatorname{Ker}(F) \quad \begin{array}{l} \text{iff } F(u) = 0 \\ \text{iff } F(u) \downarrow v = 0 \text{ for all } v \in V \\ \text{iff } u \downarrow \overline{F}(v) = 0 \text{ for all } v \in V \\ \text{iff } u \in \operatorname{Range}(\overline{F})^\perp. \end{array}$	$u \in \operatorname{Ker}(F) \quad \begin{array}{l} \text{iff } F(u) = 0 \\ \text{iff } F(u) \downarrow v = 0 \text{ for all } v \in V \\ \text{iff } u \downarrow \overline{F}(v) = 0 \text{ for all } v \in V \\ \text{iff } u \in \operatorname{Range}(\overline{F})^\perp. \end{array}$
1205.5935v1_ E00131 (124) [re- fined: source]	32	■ 0.312	$\begin{aligned} & a \downarrow (A \wedge B) = (a \downarrow A) \wedge B + A^* \wedge (a \downarrow B) \\ & a \wedge (A \Big\rfloor B) = (a \wedge A) \Big\rfloor B - A^* \Big\rfloor (a \Big\rfloor B) \\ & a \wedge (A \Big\rfloor B) = (a \Big\rfloor A) \Big\rfloor B + A^* \Big\rfloor (a \wedge B). \end{aligned}$	$\begin{aligned} & a \downarrow (A \wedge B) = (a \downarrow A) \wedge B + A^* \wedge (a \downarrow B) \\ & a \wedge (A \Big\rfloor B) = (a \wedge A) \Big\rfloor B - A^* \Big\rfloor (a \Big\rfloor B) \\ & a \wedge (A \Big\rfloor B) = (a \Big\rfloor A) \Big\rfloor B + A^* \Big\rfloor (a \wedge B). \end{aligned}$	$\begin{aligned} & a \Big\rfloor (A \wedge B) = (a \Big\rfloor A) \wedge B + A^* \wedge (a \Big\rfloor B) \\ & a \wedge (A \Big\rfloor B) = (a \wedge A) \Big\rfloor B - A^* \Big\rfloor (a \Big\rfloor B) \\ & a \wedge (A \Big\rfloor B) = (a \Big\rfloor A) \Big\rfloor B + A^* \Big\rfloor (a \wedge B). \end{aligned}$
1205.5935v1_ E00202 (195)	43	■ 0.315	$\begin{aligned} & A_2 A_r = A_2 \downarrow A_r + \langle A_2 A_r \rangle_r + A_2 \wedge A_r \\ & A_r A_2 = A_2 \downarrow A_r - \langle A_2 A_r \rangle_r + A_2 \wedge A_r \end{aligned}$	$\begin{aligned} & A_2 A_r = A_2 \downarrow A_r + \langle A_2 A_r \rangle_r + A_2 \wedge A_r \\ & A_r A_2 = A_2 \downarrow A_r - \langle A_2 A_r \rangle_r + A_2 \wedge A_r \end{aligned}$	$\begin{aligned} & A_2 A_r = A_2 \downarrow A_r + \langle A_2 A_r \rangle_r + A_2 \wedge A_r \\ & A_r A_2 = A_2 \downarrow A_r - \langle A_2 A_r \rangle_r + A_2 \wedge A_r. \end{aligned}$
1205.5935v1_ E00289 (281)	59	■ 0.318	$\begin{aligned} & a^I a_N = a^I \downarrow a_N \\ & = (a^{i_1} \wedge \cdots \wedge a^{i_r}) \Big\rfloor a_N \\ & = (a^{i_1} \wedge \cdots \wedge a^{i_{r-1}}) \Big\rfloor (a^{i_r} \downarrow a_N). \end{aligned}$	$\begin{aligned} & a^I a_N = a^I \downarrow a_N \\ & = (a^{i_1} \wedge \cdots \wedge a^{i_r}) \Big\rfloor a_N \\ & = (a^{i_1} \wedge \cdots \wedge a^{i_{r-1}}) \Big\rfloor (a^{i_r} \downarrow a_N). \end{aligned}$	$\begin{aligned} & a^I a_N = a^I \Big\rfloor a_N \\ & = (a^{i_1} \wedge \cdots \wedge a^{i_r}) \Big\rfloor a_N \\ & = (a^{i_1} \wedge \cdots \wedge a^{i_{r-1}}) \Big\rfloor (a^{i_r} \Big\rfloor a_N). \end{aligned}$
1205.5935v1_ E00301 (293) [re- fined: source]	62	■ 0.323	$\begin{aligned} & u \Big\rfloor F(v) = u \Big\rfloor \left(\sum_i (a^i \circ v) a_i \right) \\ & = \sum_i (a^i \circ v) (u \Big\rfloor a_i) \\ & = \left(\sum_i (u \Big\rfloor a_i) a^i \right) \circ v \\ & = u \circ v. \end{aligned}$	$\begin{aligned} & u \Big\rfloor F(v) = u \Big\rfloor \left(\sum_i (a^i \circ v) a_i \right) \\ & = \sum_i (a^i \circ v) (u \Big\rfloor a_i) \\ & = \left(\sum_i (u \Big\rfloor a_i) a^i \right) \circ v \\ & = u \circ v. \end{aligned}$	$\begin{aligned} & u \Big\rfloor F(v) = u \Big\rfloor \left(\sum_i (a^i \circ v) a_i \right) \\ & = \sum_i (a^i \circ v) (u \Big\rfloor a_i) \\ & = \left(\sum_i (u \Big\rfloor a_i) a^i \right) \circ v \\ & = u \circ v. \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0080 (78) [refined: source]	22	■ 0.328	$\begin{aligned} & \left\lfloor \frac{1}{2} \left(a_1 a_2 \cdots a_r - (-1)^r a_1 a_2 \cdots a_r \right) \right\rfloor \\ & = \sum_{j=1}^r (-1)^{j-1} \left\lfloor a_1 a_2 \cdots a_r \right\rfloor \end{aligned}$	$a \rfloor (a_1 a_2 \cdots a_r) = \frac{1}{2} (a a_1 a_2 \cdots a_r - (-1)^r a_1 a_2 \cdots a_r a)$ $= \sum_{j=1}^r (-1)^{j-1} (a \rfloor a_j) a_1 a_2 \cdots \check{a}_j \cdots a_r$	$a \rfloor (a_1 a_2 \cdots a_r) = \frac{1}{2} (a a_1 a_2 \cdots a_r - (-1)^r a_1 a_2 \cdots a_r a)$ $= \sum_{j=1}^r (-1)^{j-1} (a \rfloor a_j) a_1 a_2 \cdots \check{a}_j \cdots a_r$
1205.5935v1_ EQ0115 (109)	29	■ 0.344	$\begin{aligned} & \left\lfloor \frac{1}{2} \left(\mathbf{A} \mathbf{B} - (-1)^r \mathbf{B} \mathbf{A} \right) \right\rfloor \\ & = \sum_{j=1}^r (-1)^{j-1} \left\lfloor \mathbf{A} \mathbf{B} \right\rfloor \end{aligned}$	$\mathbf{A} \mathbf{B} = \mathbf{A} \mathbf{B} \rfloor \mathbf{B} = \mathbf{A} \mathbf{B} \rfloor (\mathbf{A} \rfloor \mathbf{B})$ $= (\mathbf{A} \mathbf{B} \rfloor \mathbf{A}) \rfloor \mathbf{B}$ $= \mathbf{A} \mathbf{B} \rfloor \mathbf{B},$	$\mathbf{A} \mathbf{B} = \mathbf{A} \mathbf{B} \rfloor \mathbf{B} = \mathbf{A} \mathbf{B} \rfloor (\mathbf{A} \rfloor \mathbf{B})$ $= (\mathbf{A} \mathbf{B} \rfloor \mathbf{A}) \rfloor \mathbf{B}$ $= \mathbf{A} \mathbf{B} \rfloor \mathbf{B},$
1205.5935v1_ EQ0360 (348)	74	■ 0.345	$\begin{aligned} & \left\lfloor \frac{1}{2} \left(\mathbf{A} \mathbf{B} - (-1)^r \mathbf{B} \mathbf{A} \right) \right\rfloor \\ & = \sum_{j=1}^r (-1)^{j-1} \left\lfloor \mathbf{A} \mathbf{B} \right\rfloor \end{aligned}$	$F(a_1 a_2 \cdots a_r) = F[a_1 \rfloor (a_2 \cdots a_r)] + F[a_1 \wedge (a_2 \cdots a_r)]$ $= F \left[\sum_{j=2}^r (-1)^{j-2} a_1 \rfloor a_j a_2 \cdots \check{a}_j \cdots a_r \right] + F(a_1) \wedge F[a_2 \cdots a_r]$ $= \sum_{j=2}^r (-1)^{j-2} a_1 \rfloor a_j F(a_2) \cdots \check{F}(a_j) \cdots F(a_r) + F(a_1) \wedge \{F(a_2) \cdots F(a_r)\}$ $= \sum_{j=2}^r (-1)^{j-2} F(a_1) \rfloor F(a_j) F(a_2) \cdots \check{F}(a_j) \cdots F(a_r) + F(a_1) \wedge \{F(a_2) \cdots F(a_r)\}$ $= F(a_1) \rfloor \{F(a_2) \cdots F(a_r)\} + F(a_1) \wedge \{F(a_2) \cdots F(a_r)\}$ $= F(a_1) F(a_2) \cdots F(a_r). \quad (348)$	$F(a_1 a_2 \cdots a_r) = F[a_1 \rfloor (a_2 \cdots a_r)] + F[a_1 \wedge (a_2 \cdots a_r)]$ $= F \left[\sum_{j=2}^r (-1)^{j-2} a_1 \rfloor a_j a_2 \cdots \check{a}_j \cdots a_r \right] + F(a_1) \wedge F[a_2 \cdots a_r]$ $= \sum_{j=2}^r (-1)^{j-2} a_1 \rfloor a_j F(a_2) \cdots \check{F}(a_j) \cdots F(a_r) + F(a_1) \wedge \{F(a_2) \cdots F(a_r)\}$ $= \sum_{j=2}^r (-1)^{j-2} F(a_1) \rfloor F(a_j) F(a_2) \cdots \check{F}(a_j) \cdots F(a_r) + F(a_1) \wedge \{F(a_2) \cdots F(a_r)\}$ $= F(a_1) \rfloor \{F(a_2) \cdots F(a_r)\} + F(a_1) \wedge \{F(a_2) \cdots F(a_r)\}$ $= F(a_1) F(a_2) \cdots F(a_r)$
1205.5935v1_ EQ0112 (106)	28	■ 0.348	$\left\lfloor \frac{1}{2} \left(\mathbf{A} \mathbf{B} - (-1)^r \mathbf{B} \mathbf{A} \right) \right\rfloor$	$a \rfloor \mathbf{B} = (a \rfloor b_1) b_2 \wedge \cdots \wedge b_s.$	$a \rfloor \mathbf{B} = (a \rfloor b_1) b_2 \wedge \cdots \wedge b_s.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ E00377 (363)	77	■ 0.415	$\begin{aligned} & \operatorname{det}\left(P_{\boldsymbol{A}_r}\right) \&=\delta_{r n} \quad \operatorname{det}\left(R_{\boldsymbol{A}_r}\right) \&=\delta_{r 0} . \end{aligned}$	$\det \left(P_{\boldsymbol{A}_r}\right)=\delta_{r n}$ $\det \left(R_{\boldsymbol{A}_r}\right)=\delta_{r 0}.$	$\det \left(P_{\boldsymbol{A}_r}\right)=\delta_{r n}$ $\det \left(R_{\boldsymbol{A}_r}\right)=\delta_{r 0}.$
1205.5935v1_ E00068 (67)	20	■ 0.419	$\begin{aligned} & A_r \lfloor a=\left\langle A_r a\right\rangle_{r-1} \\ & A_r \wedge a=\left\langle A_r a\right\rangle_{r+1} \end{aligned}$	$A_r \lfloor a=\left\langle A_r a\right\rangle_{r-1}$ $A_r \wedge a=\left\langle A_r a\right\rangle_{r+1}$	$A_r \lfloor a=\left\langle A_r a\right\rangle_{r-1}$ $A_r \wedge a=\left\langle A_r a\right\rangle_{r+1}.$
1205.5935v1_ E00238 (231)	50	■ 0.442	$\begin{aligned} & P_{\boldsymbol{A}_r}\left(b_1\right) \wedge \cdots \wedge P_{\boldsymbol{A}_r}\left(b_s\right)=\left(b_1 \wedge \cdots \wedge b_s\right) \rfloor \boldsymbol{A}_r \boldsymbol{A}_r^{-1} \\ & R_{\boldsymbol{A}_r}\left(b_1\right) \wedge \cdots \wedge R_{\boldsymbol{A}_r}\left(b_s\right)=\left(b_1 \wedge \cdots \wedge b_s\right) \wedge \boldsymbol{A}_r \boldsymbol{A}_r^{-1} . \end{aligned}$	$P_{\boldsymbol{A}_r}\left(b_1\right) \wedge \cdots \wedge P_{\boldsymbol{A}_r}\left(b_s\right)=\left(b_1 \wedge \cdots \wedge b_s\right) \rfloor \boldsymbol{A}_r \boldsymbol{A}_r^{-1}$ $R_{\boldsymbol{A}_r}\left(b_1\right) \wedge \cdots \wedge R_{\boldsymbol{A}_r}\left(b_s\right)=\left(b_1 \wedge \cdots \wedge b_s\right) \wedge \boldsymbol{A}_r \boldsymbol{A}_r^{-1}.$	$P_{\boldsymbol{A}_r}\left(b_1\right) \wedge \cdots \wedge P_{\boldsymbol{A}_r}\left(b_s\right)=\left(b_1 \wedge \cdots \wedge b_s\right) \rfloor \boldsymbol{A}_r \boldsymbol{A}_r^{-1}$ $R_{\boldsymbol{A}_r}\left(b_1\right) \wedge \cdots \wedge R_{\boldsymbol{A}_r}\left(b_s\right)=\left(b_1 \wedge \cdots \wedge b_s\right) \wedge \boldsymbol{A}_r \boldsymbol{A}_r^{-1}.$
1205.5935v1_ E00101 (96)	26	■ 0.448	$\begin{aligned} & \&\left.=a \rfloor \left\lfloor\left[\boldsymbol{B}_{r-1}\right]\left(a_1 \wedge a_2 \wedge \cdots \wedge a_s\right)\right\rfloor\right. \\ & \&\left.=\sum(-1)^{\sum_{j=1}^{r-1}\left(i_j-j\right)} \boldsymbol{B}_{r-1}\right]\left(a_{i_1} \wedge a_{i_2} \wedge \cdots \wedge a_{i_{r-1}}\right) \times \\ & \&\left.=a \rfloor\left[a_{i_r} \wedge \cdots \wedge a_{i_s}\right] \end{aligned}$	$=a \rfloor\left[\boldsymbol{B}_{r-1}\right]\left(a_1 \wedge a_2 \wedge \cdots \wedge a_s\right)$ $=\sum(-1)^{\sum_{j=1}^{r-1}\left(i_j-j\right)} \boldsymbol{B}_{r-1}\left]\left(a_{i_1} \wedge a_{i_2} \wedge \cdots \wedge a_{i_{r-1}}\right) \times\right.$ $\left.a \rfloor\left[a_{i_r} \wedge \cdots \wedge a_{i_s}\right]$	$=a \rfloor\left[\boldsymbol{B}_{r-1}\right]\left(a_1 \wedge a_2 \wedge \cdots \wedge a_s\right)$ $=\sum(-1)^{\sum_{j=1}^{r-1}\left(i_j-j\right)} \boldsymbol{B}_{r-1}\left]\left(a_{i_1} \wedge a_{i_2} \wedge \cdots \wedge a_{i_{r-1}}\right) \times\right.$ $\left.a \rfloor\left[a_{i_r} \wedge \cdots \wedge a_{i_s}\right]$
1205.5935v1_ E00234 (227)	49	■ 0.450	$\begin{aligned} & a \downharpoonleft A_r^{\perp} \&\left(A_r\right)^{-1}=\left(a \wedge A_r\right)^{\perp}\left(A_r^{\perp}\right)^{-1} \\ & =a \wedge A_r I^{-1} \boldsymbol{I} \boldsymbol{A}_r^{-1} \\ & =a \wedge A_r \boldsymbol{A}_r^{-1} . \end{aligned}$	$a \rfloor A_r^{\perp}\left(A_r^{\perp}\right)^{-1}=\left(a \wedge A_r\right)^{\perp}\left(A_r^{\perp}\right)^{-1}$ $=a \wedge A_r I^{-1} \boldsymbol{I} \boldsymbol{A}_r^{-1}$ $=a \wedge A_r \boldsymbol{A}_r^{-1}.$	$a \rfloor \boldsymbol{A}_r^{\perp}\left(\boldsymbol{A}_r^{\perp}\right)^{-1}=\left(a \wedge \boldsymbol{A}_r\right)^{\perp}\left(\boldsymbol{A}_r^{\perp}\right)^{-1}$ $=a \wedge \boldsymbol{A}_r \boldsymbol{I}^{-1} \boldsymbol{I} \boldsymbol{A}_r^{-1}$ $=a \wedge \boldsymbol{A}_r \boldsymbol{A}_r^{-1}.$
1205.5935v1_ E00231 (224)	48	■ 0.474	$\begin{aligned} & P_{\boldsymbol{A}_r}(a)=a \rfloor \boldsymbol{A}_r \boldsymbol{A}_r^{-1}=\left(a \downharpoonleft \boldsymbol{A}_r\right) \rfloor \boldsymbol{A}_r^{-1} \\ & R_{\boldsymbol{A}_r}(a)=a \wedge \boldsymbol{A}_r \boldsymbol{A}_r^{-1}=a \wedge \boldsymbol{A}_r \rfloor \boldsymbol{A}_r^{-1} \end{aligned}$	$P_{\boldsymbol{A}_r}(a)=a \rfloor \boldsymbol{A}_r \boldsymbol{A}_r^{-1}=\left(a \downharpoonleft \boldsymbol{A}_r\right) \rfloor \boldsymbol{A}_r^{-1}$ $R_{\boldsymbol{A}_r}(a)=a \wedge \boldsymbol{A}_r \boldsymbol{A}_r^{-1}=a \wedge \boldsymbol{A}_r \rfloor \boldsymbol{A}_r^{-1}$	$P_{\boldsymbol{A}_r}(a)=a \rfloor \boldsymbol{A}_r \boldsymbol{A}_r^{-1}=\left(a \rfloor \boldsymbol{A}_r\right) \rfloor \boldsymbol{A}_r^{-1}$ $R_{\boldsymbol{A}_r}(a)=a \wedge \boldsymbol{A}_r \boldsymbol{A}_r^{-1}=a \wedge \boldsymbol{A}_r \rfloor \boldsymbol{A}_r^{-1}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ E00130 (123) [re- fined: source]	32	■ 0.488	$\begin{aligned} a \downharpoonleft(A \wedge B) &= (a \downharpoonleft A) \wedge B + A^*(a \downharpoonleft B) \\ &= (a \wedge A)B - A^*(a \wedge B) \\ a \wedge(A \wedge B) &= (a \wedge A)B - A^*(a \downharpoonleft B) \\ &= (a \downharpoonleft A)B + A^*(a \wedge B). \end{aligned}$	$\begin{aligned} a \downharpoonleft(AB) &= (a \downharpoonleft A)B + A^*(a \downharpoonleft B) \\ &= (a \wedge A)B - A^*(a \wedge B) \\ a \wedge(AB) &= (a \wedge A)B - A^*(a \downharpoonleft B) \\ &= (a \downharpoonleft A)B + A^*(a \wedge B). \end{aligned}$	$\begin{aligned} a \downharpoonleft(AB) &= (a \downharpoonleft A)B + A^*(a \downharpoonleft B) \\ &= (a \wedge A)B - A^*(a \wedge B) \\ a \wedge(AB) &= (a \wedge A)B - A^*(a \downharpoonleft B) \\ &= (a \downharpoonleft A)B + A^*(a \wedge B). \end{aligned}$
1205.5935v1_ E00325 (315)	66	■ 0.490	$u \downharpoonleft v = F(u) \downharpoonleft F(v) = \bar{F}(u) \downharpoonleft v$	$u \downharpoonleft v = F(u) \downharpoonleft F(v) = \bar{F}(u) \downharpoonleft v,$	$u \downharpoonleft v = F(u) \downharpoonleft F(v) = \bar{F}(u) \downharpoonleft v,$
1205.5935v1_ E00189 (182)	41	■ 0.504	$A_{\{r\}} \wedge A_{\{r\}}^{\perp} = \left(A_{\{r\}} \downharpoonleft A_{\{r\}} \right)^{\perp} = A_{\{r\}}^2 I^{-1} = \frac{A_{\{r\}}^2}{I^2} I$	$A_r \wedge A_r^{\perp} = (A_r \downharpoonleft A_r)^{\perp} = A_r^2 I^{-1} = \frac{A_r^2}{I^2} I$	$\mathbf{A}_r \wedge \mathbf{A}_r^{\perp} = (\mathbf{A}_r \downharpoonleft \mathbf{A}_r)^{\perp} = \mathbf{A}_r^2 \mathbf{I}^{-1} = \frac{\mathbf{A}_r^2}{\mathbf{I}^2} \mathbf{I}.$
1205.5935v1_ E00245 (238)	51	■ 0.506	$\begin{aligned} \left(a^{\prime} \right)^{\perp} \downharpoonleft b^{\prime} &= \left(a^{\prime} \right)^{\perp} \downharpoonleft b^{\prime} \\ &= \left(a^{\prime} \right)^{\perp} \downharpoonleft b^{\prime} \\ &= \left(a^{\prime} \right)^{\perp} \downharpoonleft b^{\prime} \\ &= \left(a^{\prime} \right)^{\perp} \downharpoonleft b^{\prime} \end{aligned}$	$\begin{aligned} a' \downharpoonleft b' &= \langle a' b' \rangle \\ &= \langle n a n^{-1} n b n^{-1} \rangle \\ &= \langle a b n^{-1} n \rangle \\ &= \langle a b \rangle \\ &= a \downharpoonleft b. \end{aligned}$	$\begin{aligned} a' \downharpoonleft b' &= \langle a' b' \rangle \\ &= \langle n a n^{-1} n b n^{-1} \rangle \\ &= \langle a b n^{-1} n \rangle \\ &= \langle a b \rangle \\ &= a \downharpoonleft b. \end{aligned}$
1205.5935v1_ E00354 (343)	72	■ 0.508	$\begin{aligned} \left(F^{-1} \right) \left[F \right] &= \left[F^{-1} F \right] \\ &= \left[\mathrm{Id}_U \right] \\ &= \mathrm{Id}_{\mathcal{G}^1}, \end{aligned}$	$\begin{aligned} \left[F^{-1} \right] \left[F \right] &= \left[F^{-1} F \right] \\ &= \left[\mathrm{Id}_U \right] \\ &= \mathrm{Id}_{\mathcal{G}^1}, \end{aligned}$	$\begin{aligned} \left[F^{-1} \right] \left[F \right] &= \left[F^{-1} F \right] \\ &= \left[\mathrm{Id}_U \right] \\ &= \mathrm{Id}_{\mathcal{G}^1}, \end{aligned}$
1205.5935v1_ E00293 (285)	59	■ 0.509	$\begin{aligned} a^{\{N\}} &= (-1)^{\sum_{j=1}^n (j-1)} a_{\{N\}}^{\{-1\}} \\ &= (-1)^{n(n-1)/2} \frac{a_{\{N\}}}{a_{\{N\}}^2} \\ &= \frac{a_{\{N\}}}{ a_{\{N\}} ^2}, \end{aligned}$	$\begin{aligned} a^N &= (-1)^{\sum_{j=1}^n (j-1)} a_N^{-1} \\ &= (-1)^{n(n-1)/2} \frac{a_N}{a_N^2} \\ &= \frac{a_N}{ a_N ^2}, \end{aligned}$	$\begin{aligned} a^N &= (-1)^{\sum_{j=1}^n (j-1)} a_N^{-1} \\ &= (-1)^{n(n-1)/2} \frac{a_N}{a_N^2} \\ &= \frac{a_N}{ a_N ^2}, \end{aligned}$
1205.5935v1_ E00315 (305)	64	■ 0.521	$\begin{aligned} F(u) \downharpoonleft F(v) &= \bar{F}(u) \downharpoonleft \bar{F}(v) \\ &= F(u) \downharpoonleft F(v) \\ &= \bar{F}(u) \downharpoonleft \bar{F}(v). \end{aligned}$	$\begin{aligned} F(u) \downharpoonleft F(v) &= \bar{F}(u) \downharpoonleft \bar{F}(v) \\ &= F(u) \downharpoonleft F(v) \\ &= \bar{F}(u) \downharpoonleft \bar{F}(v). \end{aligned}$	$\begin{aligned} F(u) \downharpoonleft F(v) &= \bar{F}(u) \downharpoonleft \bar{F}(v) \\ &= F(u) \downharpoonleft F(v) \\ &= \bar{F}(u) \downharpoonleft \bar{F}(v). \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ E00236 (229) [re- fined: source]	49	■ 0.523	$\begin{aligned} P_{\mathbf{A}_r \wedge \mathbf{B}_s}(a) &= a \downarrow \mathbf{A}_r \mathbf{A}_r^{-1} + (-1)^{r+r(s-1)+rs} (a \downarrow \mathbf{B}_s) \mathbf{A}_r \mathbf{A}_r^{-1} \mathbf{B}_s^{-1} \\ &= a \downarrow \mathbf{A}_r \mathbf{A}_r^{-1} + a \downarrow \mathbf{B}_s \mathbf{B}_s^{-1} \\ &= P_{\mathbf{A}_r}(a) + P_{\mathbf{B}_s}(a). \end{aligned}$	$\begin{aligned} P_{\mathbf{A}_r \wedge \mathbf{B}_s}(a) &= a \downarrow \mathbf{A}_r \mathbf{A}_r^{-1} + (-1)^{r+r(s-1)+rs} (a \downarrow \mathbf{B}_s) \mathbf{A}_r \mathbf{A}_r^{-1} \mathbf{B}_s^{-1} \\ &= a \downarrow \mathbf{A}_r \mathbf{A}_r^{-1} + a \downarrow \mathbf{B}_s \mathbf{B}_s^{-1} \\ &= P_{\mathbf{A}_r}(a) + P_{\mathbf{B}_s}(a). \end{aligned}$	$\begin{aligned} P_{\mathbf{A}_r \wedge \mathbf{B}_s}(a) &= a \downarrow \mathbf{A}_r \mathbf{A}_r^{-1} + (-1)^{r+r(s-1)+rs} (a \downarrow \mathbf{B}_s) \mathbf{A}_r \mathbf{A}_r^{-1} \mathbf{B}_s^{-1} \\ &= a \downarrow \mathbf{A}_r \mathbf{A}_r^{-1} + a \downarrow \mathbf{B}_s \mathbf{B}_s^{-1} \\ &= P_{\mathbf{A}_r}(a) + P_{\mathbf{B}_s}(a). \end{aligned}$
1205.5935v1_ E00416 (20) [refined: source]	84	■ 0.529	$\begin{aligned} a \wedge (AB) &= (a \wedge A)B - A^*(a \downarrow B) \\ &= (a \downarrow A)B + A^*(a \wedge B) \end{aligned}$	$\begin{aligned} a \wedge (AB) &= (a \wedge A)B - A^*(a \downarrow B) \\ &= (a \downarrow A)B + A^*(a \wedge B) \end{aligned}$	$\begin{aligned} a \wedge (AB) &= (a \wedge A)B - A^*(a \downarrow B) \\ &= (a \downarrow A)B + A^*(a \wedge B) \end{aligned}$
1205.5935v1_ E00282 (274)	58	■ 0.531	$\sum_i a^i a_i \downarrow A_r = \sum_i a^i \wedge (a_i \downarrow A_r) = r A_r$	$\sum_i a^i a_i \downarrow A_r = \sum_i a^i \wedge (a_i \downarrow A_r) = r A_r$	$\sum_i a^i a_i \downarrow A_r = \sum_i a^i \wedge (a_i \downarrow A_r) = r A_r,$
1205.5935v1_ E00200 (193)	42	■ 0.531	$\begin{aligned} a \times A &= a \downarrow \langle A \rangle_+ + a \wedge \langle A \rangle_- \\ A \times a &= \langle A \rangle_+ \downarrow a + \langle A \rangle_- \wedge a. \end{aligned}$	$\begin{aligned} a \times A &= a \downarrow \langle A \rangle_+ + a \wedge \langle A \rangle_- \\ A \times a &= \langle A \rangle_+ \downarrow a + \langle A \rangle_- \wedge a. \end{aligned}$	$\begin{aligned} a \times A &= a \downarrow \langle A \rangle_+ + a \wedge \langle A \rangle_- \\ A \times a &= \langle A \rangle_+ \downarrow a + \langle A \rangle_- \wedge a. \end{aligned}$
1205.5935v1_ E00078 (76)	22	■ 0.531	$\begin{aligned} a \downarrow (a_1 a_2 \cdots a_r) &= \frac{1}{2} (a a_1 a_2 \cdots a_r - (-1)^r a_1 a_2 \cdots a_r a) \\ a \wedge (a_1 a_2 \cdots a_r) &= \frac{1}{2} (a a_1 a_2 \cdots a_r + (-1)^r a_1 a_2 \cdots a_r a) \end{aligned}$	$\begin{aligned} a \downarrow (a_1 a_2 \cdots a_r) &= \frac{1}{2} (a a_1 a_2 \cdots a_r - (-1)^r a_1 a_2 \cdots a_r a) \\ a \wedge (a_1 a_2 \cdots a_r) &= \frac{1}{2} (a a_1 a_2 \cdots a_r + (-1)^r a_1 a_2 \cdots a_r a) \end{aligned}$	$\begin{aligned} a \downarrow (a_1 a_2 \cdots a_r) &= \frac{1}{2} (a a_1 a_2 \cdots a_r - (-1)^r a_1 a_2 \cdots a_r a) \\ a \wedge (a_1 a_2 \cdots a_r) &= \frac{1}{2} (a a_1 a_2 \cdots a_r + (-1)^r a_1 a_2 \cdots a_r a) \end{aligned}$
1205.5935v1_ E00037 (37)	15	■ 0.538	$\begin{aligned} a \downarrow \mathbf{A}_r &= a \downarrow (a_1 \wedge a_2 \wedge \cdots \wedge a_r) \\ &= \sum_{j=1}^r (-1)^{j-1} (a \downarrow a_j) a_1 \wedge \cdots \wedge \check{a}_j \wedge \cdots \wedge a_r, \end{aligned}$	$\begin{aligned} a \downarrow \mathbf{A}_r &= a \downarrow (a_1 \wedge a_2 \wedge \cdots \wedge a_r) \\ &= \sum_{j=1}^r (-1)^{j-1} (a \downarrow a_j) a_1 \wedge \cdots \wedge \check{a}_j \wedge \cdots \wedge a_r, \end{aligned}$	$\begin{aligned} a \downarrow \mathbf{A}_r &= a \downarrow (a_1 \wedge a_2 \wedge \cdots \wedge a_r) \\ &= \sum_{j=1}^r (-1)^{j-1} (a \downarrow a_j) a_1 \wedge \cdots \wedge \check{a}_j \wedge \cdots \wedge a_r, \end{aligned}$
1205.5935v1_E00100	25	■ 0.539	$\begin{aligned} \mathbf{B}_r \downarrow (a_1 \wedge a_2 \wedge \cdots \wedge a_s) &= (a \wedge \mathbf{B}_{r-1}) \downarrow (a_1 \wedge a_2 \wedge \cdots \wedge a_s) \end{aligned}$	$\mathbf{B}_r \downarrow (a_1 \wedge a_2 \wedge \cdots \wedge a_s) = (a \wedge \mathbf{B}_{r-1}) \downarrow (a_1 \wedge a_2 \wedge \cdots \wedge a_s)$	$\mathbf{B}_r \downarrow (a_1 \wedge a_2 \wedge \cdots \wedge a_s) = (a \wedge \mathbf{B}_{r-1}) \downarrow (a_1 \wedge a_2 \wedge \cdots \wedge a_s)$
1205.5935v1_ E00415 (18)	84	■ 0.541	$\begin{aligned} a \downarrow (AB) &= (a \downarrow A)B + A^*(a \downarrow B) \\ &= (a \wedge A)B - A^*(a \wedge B) \end{aligned}$	$\begin{aligned} a \downarrow (AB) &= (a \downarrow A)B + A^*(a \downarrow B) \\ &= (a \wedge A)B - A^*(a \wedge B) \end{aligned}$	$\begin{aligned} a \downarrow (AB) &= (a \downarrow A)B + A^*(a \downarrow B) \\ &= (a \wedge A)B - A^*(a \wedge B) \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1285.5935v1_ E08271 (264)	56	■ 0.544	$\begin{aligned} \sum_i a_i \wedge a^i &= \sum_i a_i \wedge \left(\sum_j a^i \downarrow a^j a_j \right) \\ &= \sum_{i,j} (a_i \wedge a_j) (a^i \downarrow a^j) \\ &= 0 \end{aligned}$	$\sum_i a_i \wedge a^i = \sum_i a_i \wedge \left(\sum_j a^i \downarrow a^j a_j \right) = \sum_{i,j} (a_i \wedge a_j) (a^i \downarrow a^j) = 0$	$\sum_i a_i \wedge a^i = \sum_i a_i \wedge \left(\sum_j a^i \downarrow a^j a_j \right) = \sum_{i,j} (a_i \wedge a_j) (a^i \downarrow a^j) = 0$
1285.5935v1_ E08183 (98)	26	■ 0.554	$\left. \boldsymbol{B}_r \right\rfloor (a_1 \wedge a_2 \wedge \cdots \wedge a_s) = \sum C(a_{i_1}, \dots, a_{i_r}) a_{i_{r+1}} \wedge \cdots \wedge a_{i_s}$	$\boldsymbol{B}_r \rfloor (a_1 \wedge a_2 \wedge \cdots \wedge a_s) = \sum C(a_{i_1}, \dots, a_{i_r}) a_{i_{r+1}} \wedge \cdots \wedge a_{i_s}$	$\boldsymbol{B}_r \rfloor (a_1 \wedge a_2 \wedge \cdots \wedge a_s) = \sum C(a_{i_1}, \dots, a_{i_r}) a_{i_{r+1}} \wedge \cdots \wedge a_{i_s}$
1285.5935v1_ E08166 (159)	36	■ 0.555	$\begin{aligned} A * (B \frown C) &= \left(B^{\dagger} \right) * C \\ C \wedge A * (B \frown C) &= \left(B^{\dagger} \right) \llcorner A * C \\ \text{right.} \quad A * (B \frown C) &= \left(B^{\dagger} \right) \wedge A * C \\ A * (B \wedge C) &= \left(B^{\dagger} \right) * C \end{aligned}$	$\begin{aligned} A * (BC) &= (B^{\dagger} A) * C \\ A * (B \lfloor C) &= (B^{\dagger} \lfloor A) * C \\ A * (B \rfloor C) &= (B^{\dagger} \wedge A) * C \\ A * (B \wedge C) &= (B^{\dagger} \rfloor A) * C \end{aligned}$	$\begin{aligned} A * (BC) &= (B^{\dagger} A) * C \\ A * (B \lfloor C) &= (B^{\dagger} \lfloor A) * C \\ A * (B \rfloor C) &= (B^{\dagger} \wedge A) * C \\ A * (B \wedge C) &= (B^{\dagger} \rfloor A) * C \end{aligned}$
1285.5935v1_ E08046 (46)	17	■ 0.555	$\frac{1}{2} \left(a_1 a_2 \cdots a_{r-1} \right) = \frac{1}{2} (-1)^{r-1} (a_1 a_2 \cdots a_{r-1} a) + \sum_{j=1}^{r-1} (-1)^{j-1} (a \downarrow a_j) a_1 a_2 \cdots \check{a}_j \cdots a_{r-1}.$	$\frac{1}{2} (aa_1 a_2 \cdots a_{r-1}) = \frac{1}{2} (-1)^{r-1} (a_1 a_2 \cdots a_{r-1} a) + \sum_{j=1}^{r-1} (-1)^{j-1} (a \downarrow a_j) a_1 a_2 \cdots \check{a}_j \cdots a_{r-1}.$	$\frac{1}{2} (aa_1 a_2 \cdots a_{r-1}) = \frac{1}{2} (-1)^{r-1} (a_1 a_2 \cdots a_{r-1} a) + \sum_{j=1}^{r-1} (-1)^{j-1} (a \downarrow a_j) a_1 a_2 \cdots \check{a}_j \cdots a_{r-1}.$
1285.5935v1_ E08232 (225) [re-fined: source]	49	■ 0.557	$\begin{aligned} P_{\boldsymbol{A}_r}(a) \wedge \boldsymbol{A}_r &= (a \downarrow \boldsymbol{A}_r \boldsymbol{A}_r^{-1}) \wedge \boldsymbol{A}_r = \langle a \rfloor \boldsymbol{A}_r \boldsymbol{A}_r^{-1} \boldsymbol{A}_r \rangle_{r+1} = \langle a \rfloor \boldsymbol{A}_r \rangle_{r+1} = 0. \end{aligned}$	$P_{\boldsymbol{A}_r}(a) \wedge \boldsymbol{A}_r = (a \downarrow \boldsymbol{A}_r \boldsymbol{A}_r^{-1}) \wedge \boldsymbol{A}_r = \langle a \rfloor \boldsymbol{A}_r \boldsymbol{A}_r^{-1} \boldsymbol{A}_r \rangle_{r+1} = \langle a \rfloor \boldsymbol{A}_r \rangle_{r+1} = 0.$	$P_{\boldsymbol{A}_r}(a) \wedge \boldsymbol{A}_r = (a \rfloor \boldsymbol{A}_r \boldsymbol{A}_r^{-1}) \wedge \boldsymbol{A}_r = \langle a \rfloor \boldsymbol{A}_r \boldsymbol{A}_r^{-1} \boldsymbol{A}_r \rangle_{r+1} = \langle a \rfloor \boldsymbol{A}_r \rangle_{r+1} = 0.$
1285.5935v1_ E08077 (75) [refined: source]	22	■ 0.560	$\begin{aligned} a \rfloor (A_r B_s) &= \frac{1}{2} (a A_r B_s - (-1)^{r+s} A_r B_s a) \\ &= \frac{1}{2} (a A_r B_s - (-1)^r A_r a B_s) + \frac{1}{2} (-1)^r (A_r a B_s - (-1)^s A_r B_s a) \\ &= (a \rfloor A_r) B_s + (-1)^r A_r (a \rfloor B_s) \end{aligned}$	$\begin{aligned} a \rfloor (A_r B_s) &= \frac{1}{2} (a A_r B_s - (-1)^{r+s} A_r B_s a) \\ &= \frac{1}{2} (a A_r B_s - (-1)^r A_r a B_s) + \frac{1}{2} (-1)^r (A_r a B_s - (-1)^s A_r B_s a) \\ &= (a \rfloor A_r) B_s + (-1)^r A_r (a \rfloor B_s) \end{aligned}$	$\begin{aligned} a \rfloor (A_r B_s) &= \frac{1}{2} (a A_r B_s - (-1)^{r+s} A_r B_s a) \\ &= \frac{1}{2} (a A_r B_s - (-1)^r A_r a B_s) + \frac{1}{2} (-1)^r (A_r a B_s - (-1)^s A_r B_s a) \\ &= (a \rfloor A_r) B_s + (-1)^r A_r (a \rfloor B_s) \end{aligned}$
1285.5935v1_ E08216 (209)	46	■ 0.562	$a b = a \rfloor b + \boldsymbol{I} a \times b,$	$ab = a \rfloor b + \boldsymbol{I} a \times b,$	$ab = a \rfloor b + \boldsymbol{I} a \times b,$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ E00270 (263)	56	0.600	$\begin{aligned} \sum_{i} a_i a^i &= \sum_{i} a_i \downarrow a^i + \sum_{i} a_i \wedge a^i \\ &= n + \sum_{i} a_i \wedge a^i \end{aligned}$	$\sum_i a_i a^i = \sum_i a_i \downarrow a^i + \sum_i a_i \wedge a^i = n + \sum_i a_i \wedge a^i.$	
1205.5935v1_ E00084 (82) [refined: source]	23	0.605	$\begin{aligned} &\& \downharpoonleft \left(A_r \wedge B_s \right) \wedge \downharpoonleft \left(a \downharpoonleft A_r \right) \wedge B_s + (-1)^r A_r \wedge (a \downharpoonleft B_s) \\ &\& \downharpoonleft \left(a \wedge (A_r \downharpoonleft B_s) \right) = (a \wedge A_r) \downharpoonleft B_s - (-1)^r A_r \downharpoonleft (a \downharpoonleft B_s) \\ &\& \downharpoonleft \left(a \wedge (A_r \downharpoonleft B_s) \right) = (a \downharpoonleft A_r) \downharpoonleft B_s + (-1)^r A_r \downharpoonleft (a \wedge B_s). \end{aligned}$	$\begin{aligned} a \downarrow (A_r \wedge B_s) &= (a \downarrow A_r) \wedge B_s + (-1)^r A_r \wedge (a \downarrow B_s) \\ a \wedge (A_r \downarrow B_s) &= (a \wedge A_r) \downarrow B_s - (-1)^r A_r \downarrow (a \downarrow B_s) \\ a \wedge (A_r \downarrow B_s) &= (a \downarrow A_r) \downarrow B_s + (-1)^r A_r \downarrow (a \wedge B_s). \end{aligned}$	$\begin{aligned} a \downarrow (A_r \wedge B_s) &= (a \downarrow A_r) \wedge B_s + (-1)^r A_r \wedge (a \downarrow B_s) \\ a \wedge (A_r \downarrow B_s) &= (a \wedge A_r) \downarrow B_s - (-1)^r A_r \downarrow (a \downarrow B_s) \\ a \wedge (A_r \downarrow B_s) &= (a \downarrow A_r) \downarrow B_s + (-1)^r A_r \downarrow (a \wedge B_s). \end{aligned}$
1205.5935v1_ E00039 (39)	16	0.608	$\begin{aligned} &\& \boldsymbol{A}_r = a_1 \wedge a_2 \wedge \cdots \wedge a_r \\ &\& = a_1 \wedge b_2 \wedge \cdots \wedge b_s \wedge a_{s+1} \wedge \cdots \wedge a_r \end{aligned}$	$\begin{aligned} \boldsymbol{A}_r &= a_1 \wedge a_2 \wedge \cdots \wedge a_r \\ &= a_1 \wedge b_2 \wedge \cdots \wedge b_s \wedge a_{s+1} \wedge \cdots \wedge a_r \end{aligned}$	$\begin{aligned} \boldsymbol{A}_r &= a_1 \wedge a_2 \wedge \cdots \wedge a_r \\ &= a_1 \wedge b_2 \wedge \cdots \wedge b_s \wedge a_{s+1} \wedge \cdots \wedge a_r. \end{aligned}$
1205.5935v1_ E00389 (375)	79	0.608	$l^2 := L ^2 = L^\dagger L = -L^2 = m^2 r^4 \dot{\hat{r}}^2.$	$l^2 := L ^2 = L^\dagger L = -L^2 = m^2 r^4 \dot{\hat{r}}^2.$	$l^2 := L ^2 = L^\dagger L = -L^2 = m^2 r^4 \dot{\hat{r}}^2.$
1205.5935v1_ E00022 (22)	6	0.615	$\begin{aligned} &\& v' = -(n \cdot v) n^{-1} - (n \wedge v) n^{-1} \\ &\& = -(n \cdot v + n \wedge v) n^{-1} \\ &\& = -n v n^{-1}. \end{aligned}$	$\begin{aligned} v' &= -(n \cdot v) n^{-1} - (n \wedge v) n^{-1} \\ &= -(n \cdot v + n \wedge v) n^{-1} \\ &= -n v n^{-1}. \end{aligned}$	$\begin{aligned} v' &= -(n \cdot v) n^{-1} - (n \wedge v) n^{-1} \\ &= -(n \cdot v + n \wedge v) n^{-1} \\ &= -n v n^{-1}. \end{aligned}$
1205.5935v1_ E00094	24	0.624	$\left. \left. A_r \right (B_s \downarrow C_t) = A_r \downarrow \langle B_s C_t \rangle_{t-s}$	$A_r \downarrow (B_s \downarrow C_t) = A_r \downarrow \langle B_s C_t \rangle_{t-s}$	$A_r \downarrow (B_s \downarrow C_t) = A_r \downarrow \langle B_s C_t \rangle_{t-s}$
1205.5935v1_ E00045 (45)	17	0.629	$\frac{1}{2} [a a_1 a_2 \cdots a_r - (-1)^r a_1 a_2 \cdots a_r a] = \sum_{j=1}^r (-1)^{j-1} (a \downarrow a_j) a_1 a_2 \cdots \check{a}_j \cdots a_r.$	$\frac{1}{2} [a a_1 a_2 \cdots a_r - (-1)^r a_1 a_2 \cdots a_r a] = \sum_{j=1}^r (-1)^{j-1} (a \downarrow a_j) a_1 a_2 \cdots \check{a}_j \cdots a_r.$	$\frac{1}{2} [a a_1 a_2 \cdots a_r - (-1)^r a_1 a_2 \cdots a_r a] = \sum_{j=1}^r (-1)^{j-1} (a \downarrow a_j) a_1 a_2 \cdots \check{a}_j \cdots a_r.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1285.5935v1_ EQ0246 (239)	51	■ 0.629	$\begin{aligned} a^{\prime} &:= -P_{\mathbf{A}_r}(a) + R_{\mathbf{A}_r}(a) \\ &= -a \downarrow \mathbf{A}_r \mathbf{A}_r^{-1} + a \wedge \mathbf{A}_r \mathbf{A}_r^{-1} \\ &= -(-1)^{r-1} \mathbf{A}_r \lfloor a \mathbf{A}_r^{-1} + (-1)^r \mathbf{A}_r \wedge a \mathbf{A}_r^{-1} \\ &= (-1)^r \mathbf{A}_r a \mathbf{A}_r^{-1} \\ &= \mathbf{A}_r a^{*r} \mathbf{A}_r^{-1}. \end{aligned}$	$\begin{aligned} a' &:= -P_{\mathbf{A}_r}(a) + R_{\mathbf{A}_r}(a) \\ &= -a \downarrow \mathbf{A}_r \mathbf{A}_r^{-1} + a \wedge \mathbf{A}_r \mathbf{A}_r^{-1} \\ &= -(-1)^{r-1} \mathbf{A}_r \lfloor a \mathbf{A}_r^{-1} + (-1)^r \mathbf{A}_r \wedge a \mathbf{A}_r^{-1} \\ &= (-1)^r \mathbf{A}_r a \mathbf{A}_r^{-1} \\ &= \mathbf{A}_r a^{*r} \mathbf{A}_r^{-1} \end{aligned}$	$\begin{aligned} a' &:= -P_{\mathbf{A}_r}(a) + R_{\mathbf{A}_r}(a) \\ &= -a \downarrow \mathbf{A}_r \mathbf{A}_r^{-1} + a \wedge \mathbf{A}_r \mathbf{A}_r^{-1} \\ &= -(-1)^{r-1} \mathbf{A}_r \lfloor a \mathbf{A}_r^{-1} + (-1)^r \mathbf{A}_r \wedge a \mathbf{A}_r^{-1} \\ &= (-1)^r \mathbf{A}_r a \mathbf{A}_r^{-1} \\ &= \mathbf{A}_r a^{*r} \mathbf{A}_r^{-1}. \end{aligned}$
1285.5935v1_ EQ0042 (42)	17	■ 0.630	$a \rfloor A_r := \frac{1}{2} \left[a A_r - (-1)^r A_r a \right]$	$a \rfloor A_r := \frac{1}{2} [a A_r - (-1)^r A_r a],$	$a \rfloor A_r := \frac{1}{2} [a A_r - (-1)^r A_r a],$
1285.5935v1_ EQ0107 (101) [re- fined: source]	27	■ 0.636	$\begin{aligned} &\left((-1)^{\sum_{k=1}^r (i_k - k)} \right) \left((-1)^{r-1} \mathbf{B}_{r-1} \right) \left[\sum_{j=1}^r (-1)^{1-j} (a \rfloor a_{i_j}) a_{i_1} \wedge \cdots \wedge \check{a}_{i_j} \wedge \cdots \wedge a_{i_r} \right] \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} (-1)^{r-1} \mathbf{B}_{r-1} \rfloor [a \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r})] \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} (-1)^{r-1} (\mathbf{B}_{r-1} \wedge a) \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r}) \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} (a \wedge \mathbf{B}_{r-1}) \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r}) \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} \mathbf{B}_r \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r}). \end{aligned}$	$\begin{aligned} &= (-1)^{\sum_{k=1}^r (i_k - k)} (-1)^{r-1} \mathbf{B}_{r-1} \rfloor \left[\sum_{j=1}^r (-1)^{1-j} (a \rfloor a_{i_j}) a_{i_1} \wedge \cdots \wedge \check{a}_{i_j} \wedge \cdots \wedge a_{i_r} \right] \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} (-1)^{r-1} \mathbf{B}_{r-1} \rfloor [a \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r})] \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} (-1)^{r-1} (\mathbf{B}_{r-1} \wedge a) \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r}) \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} (a \wedge \mathbf{B}_{r-1}) \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r}) \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} \mathbf{B}_r \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r}). \end{aligned} \tag{101}$	$\begin{aligned} &= (-1)^{\sum_{k=1}^r (i_k - k)} (-1)^{r-1} \mathbf{B}_{r-1} \rfloor \left[\sum_{j=1}^r (-1)^{1-j} (a \rfloor a_{i_j}) a_{i_1} \wedge \cdots \wedge \check{a}_{i_j} \wedge \cdots \wedge a_{i_r} \right] \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} (-1)^{r-1} \mathbf{B}_{r-1} \rfloor [a \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r})] \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} (-1)^{r-1} (\mathbf{B}_{r-1} \wedge a) \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r}) \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} (a \wedge \mathbf{B}_{r-1}) \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r}) \\ &= (-1)^{\sum_{k=1}^r (i_k - k)} \mathbf{B}_r \rfloor (a_{i_1} \wedge \cdots \wedge a_{i_r}). \end{aligned} \tag{101}$
1285.5935v1_ EQ0129 (122)	32	■ 0.637	$\begin{aligned} &\mathbf{A} \lfloor \mathbf{a} = -\mathbf{a} \rfloor \mathbf{A}^* \\ &\mathbf{A} \wedge \mathbf{a} = \mathbf{a} \wedge \mathbf{A}^* \end{aligned}$	$\begin{aligned} A \lfloor a &= -a \rfloor A^* \\ A \wedge a &= a \wedge A^* \end{aligned}$	$\begin{aligned} A \lfloor a &= -a \rfloor A^* \\ A \wedge a &= a \wedge A^*, \end{aligned}$
1285.5935v1_ EQ0167 (160)	36	■ 0.641	$\begin{aligned} A * (B C) &= \langle A^\dagger B C \rangle \\ &= (A^\dagger B)^\dagger * C \\ &= (B^\dagger A) * C. \end{aligned}$	$\begin{aligned} A * (B C) &= \langle A^\dagger B C \rangle \\ &= (A^\dagger B)^\dagger * C \\ &= (B^\dagger A) * C. \end{aligned}$	$\begin{aligned} A * (B C) &= \langle A^\dagger B C \rangle \\ &= (A^\dagger B)^\dagger * C \\ &= (B^\dagger A) * C. \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ E00073 (71)	21	■ 0.707	$\begin{aligned} & \left\langle \boldsymbol{A}_r \boldsymbol{B}_s \right\rangle_{s-r} \&= \left\lfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+1} \right\rfloor \\ & \left\langle \boldsymbol{A}_r \boldsymbol{B}_s \right\rangle_{s-r+2j} \&= \left\lfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j+1} \right\rfloor + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j-1} \\ & \left\langle \boldsymbol{A}_r \boldsymbol{B}_s \right\rangle_{r+s} \&= a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s+r-1} \end{aligned}$	$\begin{aligned} & \left\langle \boldsymbol{A}_r \boldsymbol{B}_s \right\rangle_{s-r} = a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+1} \\ & \left\langle \boldsymbol{A}_r \boldsymbol{B}_s \right\rangle_{s-r+2j} = a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j+1} + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j-1} \\ & \left\langle \boldsymbol{A}_r \boldsymbol{B}_s \right\rangle_{r+s} = a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s+r-1} \end{aligned}$	$\begin{aligned} & \left\langle \boldsymbol{A}_r \boldsymbol{B}_s \right\rangle_{s-r} = a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+1} \\ & \left\langle \boldsymbol{A}_r \boldsymbol{B}_s \right\rangle_{s-r+2j} = a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j+1} + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j-1} \\ & \left\langle \boldsymbol{A}_r \boldsymbol{B}_s \right\rangle_{r+s} = a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s+r-1} . \end{aligned}$
1205.5935v1_ E00225 (218)	47	■ 0.712	$e_{\{i\}} e_{\{j\}} = \delta_{ij} + \sum_k \boldsymbol{I} \epsilon_{ijk} e_k$	$e_i e_j = \delta_{ij} + \sum_k \boldsymbol{I} \epsilon_{ijk} e_k,$	$e_i e_j = \delta_{ij} + \sum_k \boldsymbol{I} \epsilon_{ijk} e_k,$
1205.5935v1_ E00339 (328)	69	■ 0.717	$\begin{aligned} & a \&b \&= a \downharpoonleft b + a \wedge b \\ & \&= \mp \sinh(\phi/2) \pm \boldsymbol{B} \cosh(\phi/2) \\ & \&= \pm \boldsymbol{B} (\cosh(\phi/2) - \boldsymbol{B} \sinh(\phi/2)) \\ & \&= \pm \boldsymbol{B} \exp(-\boldsymbol{B} \phi/2) \end{aligned}$	$\begin{aligned} & ab = a \downharpoonleft b + a \wedge b \\ & = \mp \sinh(\phi/2) \pm \boldsymbol{B} \cosh(\phi/2) \\ & = \pm \boldsymbol{B} (\cosh(\phi/2) - \boldsymbol{B} \sinh(\phi/2)) \\ & = \pm \boldsymbol{B} \exp(-\boldsymbol{B} \phi/2) \end{aligned}$	$\begin{aligned} & ab = a \downharpoonleft b + a \wedge b \\ & = \mp \sinh(\phi/2) \pm \boldsymbol{B} \cosh(\phi/2) \\ & = \pm \boldsymbol{B} (\cosh(\phi/2) - \boldsymbol{B} \sinh(\phi/2)) \\ & = \pm \boldsymbol{B} \exp(-\boldsymbol{B} \phi/2) . \end{aligned}$
1205.5935v1_ E00072 (70) [refined: source]	21	■ 0.720	$\begin{aligned} & \boldsymbol{A}_r \boldsymbol{B}_s = \sum_{j=0}^{r-1} \left[a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j+1} + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j-1} \right] \\ & = a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+1} + \sum_{j=1}^{r-1} \left[a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j+1} + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j-1} \right] + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s+r-1} . \end{aligned}$	$\begin{aligned} & \boldsymbol{A}_r \boldsymbol{B}_s = \sum_{j=0}^{r-1} \left[a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j+1} + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j-1} \right] \\ & = a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+1} + \sum_{j=1}^{r-1} \left[a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j+1} + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j-1} \right] + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s+r-1} . \end{aligned}$	$\begin{aligned} & \boldsymbol{A}_r \boldsymbol{B}_s = \sum_{j=0}^{r-1} \left[a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j+1} + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j-1} \right] \\ & = a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+1} + \sum_{j=1}^{r-1} \left[a \rfloor \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j+1} + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s-r+2j-1} \right] + a \wedge \left\langle \boldsymbol{A}_{r-1} \boldsymbol{B}_s \right\rangle_{s+r-1} . \end{aligned}$
1205.5935v1_ E00096 (92)	25	■ 0.721	$\begin{aligned} & A_r \rfloor (B_s \downharpoonleft C_t) = \left\langle A_r B_s C_t \right\rangle_{t-(r+s)} \\ & = \left\langle \left\langle A_r B_s \right\rangle_{r+s} C_t \right\rangle_{t-(r+s)} \\ & = \left\langle A_r B_s \right\rangle_{r+s} \rfloor C_t \\ & = (A_r \wedge B_s) \rfloor C_t . \end{aligned}$	$\begin{aligned} & A_r \rfloor (B_s \downharpoonleft C_t) = \left\langle A_r B_s C_t \right\rangle_{t-(r+s)} \\ & = \left\langle \left\langle A_r B_s \right\rangle_{r+s} C_t \right\rangle_{t-(r+s)} \\ & = \left\langle A_r B_s \right\rangle_{r+s} \rfloor C_t \\ & = (A_r \wedge B_s) \rfloor C_t \end{aligned}$	$\begin{aligned} & A_r \rfloor (B_s \downharpoonleft C_t) = \left\langle A_r B_s C_t \right\rangle_{t-(r+s)} \\ & = \left\langle \left\langle A_r B_s \right\rangle_{r+s} C_t \right\rangle_{t-(r+s)} \\ & = \left\langle A_r B_s \right\rangle_{r+s} \rfloor C_t \\ & = (A_r \wedge B_s) \rfloor C_t . \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0284 (276)	58	■ 0.724	$\begin{aligned} & \left. \left(\sum_i a^i \wedge \left(a_i \rfloor A_r \right) \right) \right = \sum_i a^i \wedge [a_i] (a^{j_1} \wedge \cdots \wedge a^{j_r}) \\ & = \sum_{i,k} (-1)^{k-1} (a_i \rfloor a^{j_k}) a^i \wedge a^{j_1} \wedge \cdots \wedge \check{a}^{j_k} \wedge \cdots \wedge a^{j_r} \\ & = \sum_k (-1)^{k-1} a^{j_k} \wedge a^{j_1} \wedge \cdots \wedge \check{a}^{j_k} \wedge \cdots \wedge a^{j_r}. \end{aligned}$	$\begin{aligned} \sum_i a^i \wedge (a_i \rfloor A_r) &= \sum_i a^i \wedge [a_i] (a^{j_1} \wedge \cdots \wedge a^{j_r}) \\ &= \sum_{i,k} (-1)^{k-1} (a_i \rfloor a^{j_k}) a^i \wedge a^{j_1} \wedge \cdots \wedge \check{a}^{j_k} \wedge \cdots \wedge a^{j_r} \\ &= \sum_k (-1)^{k-1} a^{j_k} \wedge a^{j_1} \wedge \cdots \wedge \check{a}^{j_k} \wedge \cdots \wedge a^{j_r}. \end{aligned}$	$\begin{aligned} \sum_i a^i \wedge (a_i \rfloor A_r) &= \sum_i a^i \wedge [a_i] (a^{j_1} \wedge \cdots \wedge a^{j_r}) \\ &= \sum_{i,k} (-1)^{k-1} (a_i \rfloor a^{j_k}) a^i \wedge a^{j_1} \wedge \cdots \wedge \check{a}^{j_k} \wedge \cdots \wedge a^{j_r} \\ &= \sum_k (-1)^{k-1} a^{j_k} \wedge a^{j_1} \wedge \cdots \wedge \check{a}^{j_k} \wedge \cdots \wedge a^{j_r}. \end{aligned}$
1205.5935v1_ EQ0423 (34) [refined: source]	85	■ 0.724	$\begin{aligned} & \left(\left(P_{\mathbf{A}_r} (B) = B \rfloor \mathbf{A}_r \mathbf{A}_r^{-1} = (B \rfloor \mathbf{A}_r) \rfloor \mathbf{A}_r^{-1} \right. \right. \\ & \left. \left. R_{\mathbf{A}_r} (B) = B \wedge \mathbf{A}_r \mathbf{A}_r^{-1} = B \wedge \mathbf{A}_r \rfloor \mathbf{A}_r^{-1} \right) \right. \end{aligned}$	$\begin{aligned} P_{\mathbf{A}_r}(B) &= B \rfloor \mathbf{A}_r \mathbf{A}_r^{-1} = (B \rfloor \mathbf{A}_r) \rfloor \mathbf{A}_r^{-1} \\ R_{\mathbf{A}_r}(B) &= B \wedge \mathbf{A}_r \mathbf{A}_r^{-1} = B \wedge \mathbf{A}_r \rfloor \mathbf{A}_r^{-1} \end{aligned}$	$\begin{aligned} P_{\mathbf{A}_r}(B) &= B \rfloor \mathbf{A}_r \mathbf{A}_r^{-1} = (B \rfloor \mathbf{A}_r) \rfloor \mathbf{A}_r^{-1} \\ R_{\mathbf{A}_r}(B) &= B \wedge \mathbf{A}_r \mathbf{A}_r^{-1} = B \wedge \mathbf{A}_r \rfloor \mathbf{A}_r^{-1} \end{aligned}$
1205.5935v1_ EQ0177 (170)	37	■ 0.725	$\begin{aligned} & 1 \wedge B^{\dagger} A^{\dagger} A B \\ & = A ^2 B^{\dagger} B, \end{aligned}$	$\begin{aligned} 1 &= B^{\dagger} A^{\dagger} A B \\ &= A ^2 B^{\dagger} B, \end{aligned}$	$\begin{aligned} 1 &= B^{\dagger} A^{\dagger} A B \\ &= A ^2 B^{\dagger} B, \end{aligned}$
1205.5935v1_ EQ0088 (85)	24	■ 0.734	$a_{\{1\}} \wedge a_{\{2\}} \wedge \cdots \wedge a_{\{r\}} = \left(\bigwedge_{i=1}^r a_{\{i\}} \right) \wedge a_{\{r\}}$	$a_1 \wedge a_2 \wedge \cdots \wedge a_r = \langle a_1 a_2 \cdots a_r \rangle_r.$	$a_1 \wedge a_2 \wedge \cdots \wedge a_r = \langle a_1 a_2 \cdots a_r \rangle_r.$
1205.5935v1_ EQ0462 (117)	89	■ 0.740	$A_{\{2\}} \times \left(a_{\{1\}} \wedge a_{\{2\}} \wedge \cdots \wedge a_{\{r\}} \right) = \sum_{j=1}^r a_{\{1\}} \wedge a_{\{2\}} \wedge \cdots \wedge a_{\{j\}} \wedge \cdots \wedge a_{\{r\}}$	$A_2 \times (a_1 \wedge a_2 \wedge \cdots \wedge a_r) = \sum_{j=1}^r a_1 \wedge a_2 \wedge \cdots \wedge (A_2 \rfloor a_j) \wedge \cdots \wedge a_r$	$A_2 \times (a_1 \wedge a_2 \wedge \cdots \wedge a_r) = \sum_{j=1}^r a_1 \wedge a_2 \wedge \cdots \wedge (A_2 \rfloor a_j) \wedge \cdots \wedge a_r$
1205.5935v1_ EQ0171 (164)	37	■ 0.740	$\begin{aligned} & A ^2 \wedge A * A = \left(\bigwedge_{i=1}^r a_{\{i\}} \right) \wedge \left(\bigwedge_{j=1}^r a_{\{j\}} \right) \\ & = \left(a_r \cdots a_2 a_1 a_1 a_2 \cdots a_r \right) \\ & = a_1^2 a_2^2 \cdots a_r^2 \end{aligned}$	$\begin{aligned} A ^2 &= A * A = \langle A^{\dagger} A \rangle \\ &= \langle (a_1 a_2 \cdots a_r)^{\dagger} a_1 a_2 \cdots a_r \rangle \\ &= \langle a_r \cdots a_2 a_1 a_1 a_2 \cdots a_r \rangle \\ &= a_1^2 a_2^2 \cdots a_r^2 \end{aligned}$	$\begin{aligned} A ^2 &= A * A = \langle A^{\dagger} A \rangle \\ &= \langle (a_1 a_2 \cdots a_r)^{\dagger} a_1 a_2 \cdots a_r \rangle \\ &= \langle a_r \cdots a_2 a_1 a_1 a_2 \cdots a_r \rangle \\ &= a_1^2 a_2^2 \cdots a_r^2. \end{aligned}$
1205.5935v1_ EQ0081 (79)	22	■ 0.740	$\begin{aligned} & a_{\{1\}} \wedge a_{\{2\}} \wedge \cdots \wedge a_{\{r\}} = a_1 \rfloor (a_2 \cdots a_r) + a_1 \wedge (a_2 \cdots a_r) \\ & = \sum_{j=2}^r (-1)^{j-2} (a_1 \rfloor a_j) a_2 \cdots \check{a}_j \cdots a_r + a_1 \wedge (a_2 \cdots a_r), \end{aligned}$	$\begin{aligned} a_1 a_2 \cdots a_r &= a_1 \rfloor (a_2 \cdots a_r) + a_1 \wedge (a_2 \cdots a_r) \\ &= \sum_{j=2}^r (-1)^{j-2} (a_1 \rfloor a_j) a_2 \cdots \check{a}_j \cdots a_r + a_1 \wedge (a_2 \cdots a_r), \end{aligned}$	$\begin{aligned} a_1 a_2 \cdots a_r &= a_1 \rfloor (a_2 \cdots a_r) + a_1 \wedge (a_2 \cdots a_r) \\ &= \sum_{j=2}^r (-1)^{j-2} (a_1 \rfloor a_j) a_2 \cdots \check{a}_j \cdots a_r + a_1 \wedge (a_2 \cdots a_r), \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ E00321 (311) [re- fined: source]	65	■ 0.768	$\begin{aligned} a \circ b &= a \lfloor (b \rfloor A_2) \\ &= (a \wedge b) \rfloor A_2 \\ &= -(b \wedge a) \rfloor A_2 \\ &= -b \rfloor (a \rfloor A_2) \\ &= -b \circ a. \end{aligned}$	$\begin{aligned} a \circ b &= a \rfloor (b \rfloor A_2) \\ &= (a \wedge b) \rfloor A_2 \\ &= -(b \wedge a) \rfloor A_2 \\ &= -b \rfloor (a \rfloor A_2) \\ &= -b \circ a. \end{aligned}$	$\begin{aligned} a \circ b &= a \rfloor (b \rfloor A_2) \\ &= (a \wedge b) \rfloor A_2 \\ &= -(b \wedge a) \rfloor A_2 \\ &= -b \rfloor (a \rfloor A_2) \\ &= -b \circ a. \end{aligned}$
1205.5935v1_ E00343 (332)	71	■ 0.768	$A = \sum_{s,t} \langle A_s A_t \rangle_{s+t}$	$A = \sum_{s,t} \langle A_s A_t \rangle_{s+t}.$	$A = \sum_{s,t} \langle A_s A_t \rangle_{s+t}.$
1205.5935v1_ E00438 (69)	86	■ 0.769	$\begin{aligned} & \& (A \rfloor B)^{\ddagger} = B^{\ddagger} \rfloor A^{\ddagger} \\ & (A \rfloor B)^{\ddagger} = B^{\ddagger} \rfloor A^{\ddagger} \\ & (A \wedge B)^{\ddagger} = B^{\ddagger} \wedge A^{\ddagger} \end{aligned}$	$\begin{aligned} (A \rfloor B)^{\ddagger} &= B^{\ddagger} \rfloor A^{\ddagger} \\ (A \rfloor B)^{\ddagger} &= B^{\ddagger} \rfloor A^{\ddagger} \\ (A \wedge B)^{\ddagger} &= B^{\ddagger} \wedge A^{\ddagger} \end{aligned}$	$\begin{aligned} (A \rfloor B)^{\ddagger} &= B^{\ddagger} \rfloor A^{\ddagger} \\ (A \rfloor B)^{\ddagger} &= B^{\ddagger} \rfloor A^{\ddagger} \\ (A \wedge B)^{\ddagger} &= B^{\ddagger} \wedge A^{\ddagger} \end{aligned}$
1205.5935v1_ E00098 (94)	25	■ 0.774	$\left. P_u(v) = (v \downarrow u) \rfloor u^{-1} \right.$	$P_u(v) = (v \rfloor u) \rfloor u^{-1}.$	$P_u(v) = (v \rfloor u) \rfloor u^{-1}.$
1205.5935v1_ E00086 (83)	24	■ 0.786	$\begin{aligned} & A \rfloor (B \downarrow C) = (A \rfloor B) \rfloor C \\ & A \rfloor (B \rfloor C) = (A \wedge B) \rfloor C \\ & A \rfloor (B \wedge C) = (A \rfloor B) \rfloor C \end{aligned}$	$\begin{aligned} A \rfloor (B \downarrow C) &= (A \rfloor B) \rfloor C \\ A \rfloor (B \rfloor C) &= (A \wedge B) \rfloor C \\ A \rfloor (B \wedge C) &= (A \rfloor B) \rfloor C \end{aligned}$	$\begin{aligned} A \rfloor (B \rfloor C) &= (A \rfloor B) \rfloor C \\ A \rfloor (B \rfloor C) &= (A \wedge B) \rfloor C \\ A \rfloor (B \wedge C) &= (A \rfloor B) \rfloor C \end{aligned}$
1205.5935v1_ E00206 (199)	43	■ 0.792	$A_{\{2\}} \times \left(a_{\{1\}} \wedge a_{\{2\}} \wedge \cdots \wedge a_{\{r\}} \right) = A_{\{2\}} \times \left(\boldsymbol{B}_{r-1} \wedge a_r \right) \wedge a_{\{r\}}$	$A_2 \times (a_1 \wedge a_2 \wedge \cdots \wedge a_r) = A_2 \times (\boldsymbol{B}_{r-1} \wedge a_r)$	$A_2 \times (a_1 \wedge a_2 \wedge \cdots \wedge a_r) = A_2 \times (\boldsymbol{B}_{r-1} \wedge a_r)$
1205.5935v1_ E00170 (163)	36	■ 0.801	$ A ^2 = \left A^* \right ^2 = \left A^{\dagger} \right ^2 = \left A^{\ddagger} \right ^2.$	$ A ^2 = A^* ^2 = A^{\dagger} ^2 = A^{\ddagger} ^2.$	$ A ^2 = A^* ^2 = A^{\dagger} ^2 = A^{\ddagger} ^2.$
1205.5935v1_ E00424 (38)	85	■ 0.803	$\begin{aligned} & \lambda^* = \lambda \\ & a^* = -a \\ & (AB)^* = A^* B^* \\ & (A+B)^* = A^* + B^* \end{aligned}$	$\begin{aligned} \lambda^* &= \lambda \\ a^* &= -a \\ (AB)^* &= A^* B^* \\ (A+B)^* &= A^* + B^* \end{aligned}$	$\begin{aligned} \lambda^* &= \lambda \\ a^* &= -a \\ (AB)^* &= A^* B^* \\ (A+B)^* &= A^* + B^* \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0398 (382) [re- fined: source]	80	0.836	$\begin{aligned} L \, \boldsymbol{v} \, \boldsymbol{r} &= L (\boldsymbol{v} \lfloor \boldsymbol{r} + \boldsymbol{v} \wedge \boldsymbol{r}) \\ &= (\boldsymbol{r} \rfloor \boldsymbol{v}) L - \frac{L^2}{m} \\ &= \frac{l^2}{m} + (\boldsymbol{r} \rfloor \boldsymbol{v}) L \end{aligned}$	$L \boldsymbol{v} \boldsymbol{r} = L (\boldsymbol{v} \rfloor \boldsymbol{r} + \boldsymbol{v} \wedge \boldsymbol{r})$ $= (\boldsymbol{r} \rfloor \boldsymbol{v}) L - \frac{L^2}{m}$ $= \frac{l^2}{m} + (\boldsymbol{r} \rfloor \boldsymbol{v}) L$	$L \boldsymbol{v} \boldsymbol{r} = L (\boldsymbol{v} \rfloor \boldsymbol{r} + \boldsymbol{v} \wedge \boldsymbol{r})$ $= (\boldsymbol{r} \rfloor \boldsymbol{v}) L - \frac{L^2}{m}$ $= \frac{l^2}{m} + (\boldsymbol{r} \rfloor \boldsymbol{v}) L$
1205.5935v1_ EQ0099 (95)	25	0.845	$B_{\{r\}} \downharpoonleft \left(a_{\{1\}} \wedge a_{\{2\}} \wedge \cdots \wedge a_{\{s\}} \right) = \sum (-1)^{\sum_{j=1}^r (i_j - j)} \left(B_{\{r\}} \downharpoonleft a_{\{i_1\}} \wedge a_{\{i_2\}} \wedge \cdots \wedge a_{\{i_r\}} \right) a_{\{i_{r+1}\}} \wedge \cdots \wedge a_{\{i_s\}}$	$B_r \rfloor (a_1 \wedge a_2 \wedge \cdots \wedge a_s) = \sum (-1)^{\sum_{j=1}^r (i_j - j)} (B_r \rfloor a_{i_1} \wedge a_{i_2} \wedge \cdots \wedge a_{i_r}) a_{i_{r+1}} \wedge \cdots \wedge a_{i_s},$	$B_r \rfloor (a_1 \wedge a_2 \wedge \cdots \wedge a_s) = \sum (-1)^{\sum_{j=1}^r (i_j - j)} (B_r \rfloor a_{i_1} \wedge a_{i_2} \wedge \cdots \wedge a_{i_r}) a_{i_{r+1}} \wedge \cdots \wedge a_{i_s},$
1205.5935v1_ EQ0260 (253)	54	0.850	$\begin{aligned} \boldsymbol{A}_{\{\boldsymbol{r}\}}^{\prime} &:= \boldsymbol{a}_{\{1\}}^{\prime} \wedge \cdots \wedge \boldsymbol{a}_{\{r\}}^{\prime} \\ &= (R a_1 R^{-1}) \wedge \cdots \wedge (R a_r R^{-1}) \\ &= R (a_1 \wedge \cdots \wedge a_r) R^{-1} \\ &= R \boldsymbol{A}_{\boldsymbol{r}} R^{-1}. \end{aligned}$	$\boldsymbol{A}_{\boldsymbol{r}}' := a_1' \wedge \cdots \wedge a_r'$ $= (R a_1 R^{-1}) \wedge \cdots \wedge (R a_r R^{-1})$ $= R (a_1 \wedge \cdots \wedge a_r) R^{-1}$ $= R \boldsymbol{A}_{\boldsymbol{r}} R^{-1}$	$\boldsymbol{A}_{\boldsymbol{r}}' := a_1' \wedge \cdots \wedge a_r'$ $= (R a_1 R^{-1}) \wedge \cdots \wedge (R a_r R^{-1})$ $= R (a_1 \wedge \cdots \wedge a_r) R^{-1}$ $= R \boldsymbol{A}_{\boldsymbol{r}} R^{-1}.$
1205.5935v1_ EQ0442 (82)	87	0.850	$\begin{aligned} A * (B \, C) &= (B^{\dagger} A) * C \\ A * (B \lfloor C) &= (B^{\dagger} \lfloor A) * C \\ A * (B \rfloor C) &= (B^{\dagger} \wedge A) * C \\ A * (B \wedge C) &= (B^{\dagger} \rfloor A) * C \end{aligned}$	$A * (BC) = (B^{\dagger} A) * C$ $A * (B \lfloor C) = (B^{\dagger} \lfloor A) * C$ $A * (B \rfloor C) = (B^{\dagger} \wedge A) * C$ $A * (B \wedge C) = (B^{\dagger} \rfloor A) * C$	$A * (BC) = (B^{\dagger} A) * C$ $A * (B \lfloor C) = (B^{\dagger} \lfloor A) * C$ $A * (B \rfloor C) = (B^{\dagger} \wedge A) * C$ $A * (B \wedge C) = (B^{\dagger} \rfloor A) * C$
1205.5935v1_ EQ0034 (34)	14	0.851	$\left. a_{\{i\}} = \sum_{\{j\}} R_{ij} e_{\{j\}} \quad \text{and} \quad e_{\{i\}} \right e_{\{j\}} = e_i^2 \delta_{ij},$	$a_i = \sum_j R_{ij} e_j \quad \text{and} \quad e_i \Big e_j = e_i^2 \delta_{ij}$	$a_i = \sum_j R_{ij} e_j \quad \text{and} \quad e_i \rfloor e_j = e_i^2 \delta_{ij},$
1205.5935v1_ EQ0161 (154)	35	0.855	$A * B = \left(A^{\dagger} \downharpoonleft B \right) \wedge \left(A^{\dagger} \lfloor B \right)$	$A * B = \langle A^{\dagger} \rfloor B \rangle = \langle A^{\dagger} \lfloor B \rangle$	$A * B = \langle A^{\dagger} \rfloor B \rangle = \langle A^{\dagger} \lfloor B \rangle$
1205.5935v1_ EQ0155 (148)	35	0.860	$\langle A \rangle_r^{\ddagger} = \langle A^{\ddagger} \rangle_r,$	$\langle A \rangle_r^{\ddagger} = \langle A^{\ddagger} \rangle_r,$	$\langle A \rangle_r^{\ddagger} = \langle A^{\ddagger} \rangle_r,$
1205.5935v1_ EQ0082 (80)	23	0.862	$\begin{aligned} A \rfloor B &:= \sum_{r,s} \langle A_r B_s \rangle_{s-r} \\ A \lfloor B &:= \sum_{r,s} \langle A_r B_s \rangle_{r-s} \\ A \wedge B &:= \sum_{r,s} \langle A_r B_s \rangle_{r+s} \end{aligned}$	$A \rfloor B := \sum_{r,s} \langle A_r B_s \rangle_{s-r}$ $A \lfloor B := \sum_{r,s} \langle A_r B_s \rangle_{r-s}$ $A \wedge B := \sum_{r,s} \langle A_r B_s \rangle_{r+s}$	$A \rfloor B := \sum_{r,s} \langle A_r B_s \rangle_{s-r}$ $A \lfloor B := \sum_{r,s} \langle A_r B_s \rangle_{r-s}$ $A \wedge B := \sum_{r,s} \langle A_r B_s \rangle_{r+s}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_E00048 [refined: source]	17	■0.863	$\begin{aligned} & \frac{1}{2} \left[a_1 a_2 \cdots a_r - (-1)^r a_1 a_2 \cdots a_r a \right] \\ &= \frac{1}{2} (-1)^{r-1} (a_1 a_2 \cdots a_{r-1} a a_r + a_1 a_2 \cdots a_{r-1} a_r a) + \sum_{j=1}^{r-1} (-1)^{j-1} (a \downharpoonleft a_j) a_1 a_2 \cdots \check{a}_j \cdots a_{r-1} a_r \\ &= (-1)^{r-1} (a \downharpoonleft a_r) a_1 a_2 \cdots a_{r-1} + \sum_{j=1}^{r-1} (-1)^{j-1} (a \downharpoonleft a_j) a_1 a_2 \cdots \check{a}_j \cdots a_{r-1} a_r \end{aligned}$	$\begin{aligned} & \frac{1}{2} [aa_1a_2\cdots a_r - (-1)^ra_1a_2\cdots a_ra] \\ &= \frac{1}{2}(-1)^{r-1}(a_1a_2\cdots a_{r-1}aa_r + a_1a_2\cdots a_{r-1}a_ra) + \sum_{j=1}^{r-1}(-1)^{j-1}(a\downharpoonleft a_j)a_1a_2\cdots \check{a}_j\cdots a_{r-1}a_r \\ &= (-1)^{r-1}(a\downharpoonleft a_r)a_1a_2\cdots a_{r-1} + \sum_{j=1}^{r-1}(-1)^{j-1}(a\downharpoonleft a_j)a_1a_2\cdots \check{a}_j\cdots a_{r-1}a_r \end{aligned}$	$\begin{aligned} & \frac{1}{2} [aa_1a_2\cdots a_r - (-1)^ra_1a_2\cdots a_ra] \\ &= \frac{1}{2}(-1)^{r-1}(a_1a_2\cdots a_{r-1}aa_r + a_1a_2\cdots a_{r-1}a_ra) + \sum_{j=1}^{r-1}(-1)^{j-1}(a\downharpoonleft a_j)a_1a_2\cdots \check{a}_j\cdots a_{r-1}a_r \\ &= (-1)^{r-1}(a\downharpoonleft a_r)a_1a_2\cdots a_{r-1} + \sum_{j=1}^{r-1}(-1)^{j-1}(a\downharpoonleft a_j)a_1a_2\cdots \check{a}_j\cdots a_{r-1}a_r \end{aligned}$
1205.5935v1_E00359 (347)	74	■0.879	$\begin{aligned} & \left\langle \left[\overline{F} \right] \left(\left\{ \left[F \right] \left(A^\dagger \right) \right\} \downharpoonright B \right) \right\rangle \\ &= \left[\overline{F} \right] \left(\left\langle \left\{ \left[F \right] \left(A^\dagger \right) \right\} \downharpoonright B \right\rangle \right) \\ &= \left\langle \left\{ \left[F \right] \left(A^\dagger \right) \right\} \downharpoonright B \right\rangle \\ &= \left\langle \left\{ \left[F \right] \left(A \right) \right\}^\dagger \downharpoonright B \right\rangle \\ &= \left[F \right] \left(A \right) * B. \end{aligned}$	$\begin{aligned} &= \langle [\bar{F}] (\{[F] (A^\dagger)\} \downharpoonright B) \rangle \\ &= [\bar{F}] (\langle \{[F] (A^\dagger)\} \downharpoonright B \rangle) \\ &= \langle \{[F] (A^\dagger)\} \downharpoonright B \rangle \\ &= \langle \{[F] (A)\}^\dagger \downharpoonright B \rangle \\ &= [F] (A) * B. \end{aligned}$	$\begin{aligned} &= \langle [\overline{F}] (\{[F] (A^\dagger)\} \downharpoonright B) \rangle \\ &= [\overline{F}] (\langle \{[F] (A^\dagger)\} \downharpoonright B \rangle) \\ &= \langle \{[F] (A^\dagger)\} \downharpoonright B \rangle \\ &= \langle \{[F] (A)\}^\dagger \downharpoonright B \rangle \\ &= [F] (A) * B. \end{aligned}$
1205.5935v1_E00355 (344)	73	■0.880	$\begin{aligned} & A \downharpoonleft \{ [\bar{F}] (B) \} = [\bar{F}] (\{ [F] (A) \} \downharpoonright B) \\ & \{ [F] (A) \} \downharpoonleft B = [F] (A \downharpoonleft \{ [\bar{F}] (B) \}) \end{aligned}$	$\begin{aligned} A \downharpoonleft \{ [\bar{F}] (B) \} &= [\bar{F}] (\{ [F] (A) \} \downharpoonright B) \\ \{ [F] (A) \} \downharpoonleft B &= [F] (A \downharpoonleft \{ [\bar{F}] (B) \}) \end{aligned}$	$\begin{aligned} A \downharpoonleft \{ [\overline{F}] (B) \} &= [\overline{F}] (\{ [F] (A) \} \downharpoonright B) \\ \{ [F] (A) \} \downharpoonleft B &= [F] (A \downharpoonleft \{ [\overline{F}] (B) \}) \end{aligned}$
1205.5935v1_E00263 (256)	55	■0.887	$a^i \downharpoonleft a_j = \delta_j^i$	$a^i \downharpoonleft a_j = \delta_j^i.$	$a^i \downharpoonleft a_j = \delta_j^i.$
1205.5935v1_E00313	63	■0.888	$\begin{aligned} & \operatorname{rank}(F) \wedge \operatorname{null}(F) \\ &= \dim U - \dim \operatorname{Ker}(F) \\ &= \dim U - \dim \operatorname{Range}(\overline{F})^\perp. \end{aligned}$	$\begin{aligned} \operatorname{rank}(F) &= \dim U - \operatorname{null}(F) \\ &= \dim U - \dim \operatorname{Ker}(F) \\ &= \dim U - \dim \operatorname{Range}(\bar{F})^\perp. \end{aligned}$	$\begin{aligned} \operatorname{rank}(F) &= \dim U - \operatorname{null}(F) \\ &= \dim U - \dim \operatorname{Ker}(F) \\ &= \dim U - \dim \operatorname{Range}(\overline{F})^\perp. \end{aligned}$
1205.5935v1_E00392	79	■0.890	$\begin{aligned} & L \dot{\mathbf{v}} = \left(-mr^2 \dot{\mathbf{r}} \right) \left(-\frac{k}{mr^2} \hat{\mathbf{r}} \right) \\ &= k \dot{\mathbf{r}}, \end{aligned}$	$\begin{aligned} L\dot{\boldsymbol{v}} &= \left(-mr^2\dot{\boldsymbol{r}}\hat{\boldsymbol{r}}\right)\left(-\frac{k}{mr^2}\hat{\boldsymbol{r}}\right) \\ &= k\dot{\boldsymbol{r}}, \end{aligned}$	$\begin{aligned} L\dot{\boldsymbol{v}} &= \left(-mr^2\dot{\boldsymbol{r}}\hat{\boldsymbol{r}}\right)\left(-\frac{k}{mr^2}\hat{\boldsymbol{r}}\right) \\ &= k\dot{\boldsymbol{r}}, \end{aligned}$

[illegible]

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_E00322 (312)	65	0.898	$\begin{aligned} A_2 &\& \left.=\frac{1}{2} \sum_{i} a^i \wedge \right. \\ &\& \left. \left(a_i \rfloor A_2\right) \right. \& \& \left.=\frac{1}{2} \sum_{i} a^i \wedge F\left(a_i\right) .\end{aligned}$	$A_2=\frac{1}{2} \sum_i a^i \wedge\left(a_i \rfloor A_2\right) \\ =\frac{1}{2} \sum_i a^i \wedge F\left(a_i\right) .$	
1205.5935v1_E00221 (214)	46	0.898	$\pm\left a_{\perp}\right \left a_{\parallel}\right \left b\right \boldsymbol{I}=\pm\left a_{\parallel}\right \left \boldsymbol{B}\right \boldsymbol{I}$	$\pm\left a_{\perp}\right \left a_{\parallel}\right \left b\right \boldsymbol{I}=\pm\left a_{\parallel}\right \left \boldsymbol{B}\right \boldsymbol{I}$	
1205.5935v1_E00419 (27)	84	0.899	$B_{\{r\}} \downharpoonleft\left(a_{\{1\}} \wedge a_{\{2\}} \wedge \cdots \wedge a_{\{s\}}\right)=\sum_{(-1)^{\sum_{j=1}^r\left(i_j-1\right)}}\left(B_{\{r\}} \downharpoonleft a_{i_1} \wedge a_{i_2} \wedge \cdots \wedge a_{i_r}\right) a_{i_{r+1}} \wedge \cdots \wedge a_{i_s}$	$B_r \rfloor\left(a_1 \wedge a_2 \wedge \cdots \wedge a_s\right)=\sum_{(-1)^{\sum_{j=1}^r\left(i_j-j\right)}}\left(B_r \rfloor a_{i_1} \wedge a_{i_2} \wedge \cdots \wedge a_{i_r}\right) a_{i_{r+1}} \wedge \cdots \wedge a_{i_s}$	
1205.5935v1_E00241 (234)	50	0.902	$\begin{aligned} P_{\boldsymbol{I}}(B) &=B \\ R_{\boldsymbol{I}}(B) &=\langle B\rangle . \end{aligned}$	$\begin{aligned} P_{\boldsymbol{I}}(B) &=B \\ R_{\boldsymbol{I}}(B) &=\langle B\rangle . \end{aligned}$	
1205.5935v1_E00302 (360)	78	0.903	$\begin{aligned} G F(A) &=G[F(A)] \\ &=\bar{F}\left[F(A)^{-\perp}\right]^{\perp} \\ &=\bar{F}[F(A) \rfloor \boldsymbol{I}] \boldsymbol{I}^{-1} \\ &=[A \rfloor \bar{F}(\boldsymbol{I})] \boldsymbol{I}^{-1} \\ &=\det (\bar{F})(A \rfloor \boldsymbol{I}) \boldsymbol{I}^{-1} \\ &=\det (F) A \boldsymbol{I} \boldsymbol{I}^{-1} \\ &=\det (F) A \end{aligned}$	$\begin{aligned} G F(A) &=G[F(A)] \\ &=\bar{F}\left[F(A)^{-\perp}\right]^{\perp} \\ &=\bar{F}[F(A) \rfloor \boldsymbol{I}] \boldsymbol{I}^{-1} \\ &=[A \rfloor \bar{F}(\boldsymbol{I})] \boldsymbol{I}^{-1} \\ &=\det (\bar{F})(A \rfloor \boldsymbol{I}) \boldsymbol{I}^{-1} \\ &=\det (F) A \boldsymbol{I} \boldsymbol{I}^{-1} \\ &=\det (F) A . \end{aligned}$	
1205.5935v1_E00335 (324)	68	0.905	$\begin{aligned} a b &=a \downharpoonleft b+a \wedge b \\ &=\cos (\theta / 2)-\boldsymbol{B} \sin (\theta / 2) \\ &=\exp (-\boldsymbol{B} \theta / 2) \end{aligned}$	$\begin{aligned} a b &=a \rfloor b+a \wedge b \\ &=\cos (\theta / 2)-\boldsymbol{B} \sin (\theta / 2) \\ &=\exp (-\boldsymbol{B} \theta / 2) \end{aligned}$	
1205.5935v1_E00426 (47)	85	0.905	$\begin{aligned} (A \rfloor B)^* &=A^* \rfloor B^* \\ (A \rfloor B)^* &=A^* \rfloor B^* \\ (A \wedge B)^* &=A^* \wedge B^* \end{aligned}$	$\begin{aligned} (A \rfloor B)^* &=A^* \rfloor B^* \\ (A \rfloor B)^* &=A^* \rfloor B^* \\ (A \wedge B)^* &=A^* \wedge B^* \end{aligned}$	
1205.5935v1_E00106	26	0.912	$C\left(a_{\{1\}}, \ldots, a_{\{r\}}\right)=\sum_{j=1}^r\left(-1\right)^{\sum_{k=1}^r\left(i_k-k\right)+r-j} \boldsymbol{B}_{\boldsymbol{r}-\mathbf{1}} \downharpoonleft\left(a_{\{1\}} \wedge \cdots \wedge \check{a}_{\{j\}} \wedge \cdots \wedge a_{\{r\}}\right) a \downharpoonleft a_{\{j\}}$	$C\left(a_{i_1}, \ldots, a_{i_r}\right)=\sum_{j=1}^r\left(-1\right)^{\sum_{k=1}^r\left(i_k-k\right)+r-j} \boldsymbol{B}_{\boldsymbol{r}-\mathbf{1}} \rfloor\left(a_{i_1} \wedge \cdots \wedge \check{a}_{i_j} \wedge \cdots \wedge a_{i_r}\right) a \rfloor a_{i_j}$	

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0388 (374)	79	■0.915	$\mathcal{L}=\mathcal{L}^{\{\dagger\}}=-m\,r^{\{2\}}\cdot\dot{\hat{\boldsymbol{r}}}\cdot\hat{\boldsymbol{r}}$	$L=-L^{\dagger}=-mr^2\dot{\hat{\boldsymbol{r}}}\hat{\boldsymbol{r}}$	$L=-L^{\dagger}=-mr^2\dot{\hat{\boldsymbol{r}}}\hat{\boldsymbol{r}}$
1205.5935v1_ EQ0194 (187)	41	■0.917	$\begin{aligned} A^{\perp}\cdot B^{\perp}&= \left(A\cdot\boldsymbol{I}^{-1}\right)\cdot\left(B\cdot\boldsymbol{I}^{-1}\right)\\ &= \left \boldsymbol{I}^{-1}\right ^2 A\cdot B\\ &= \boldsymbol{I} ^{-2} A\cdot B. \end{aligned}$	$\begin{aligned} A^{\perp}\cdot B^{\perp}&= \left(A\boldsymbol{I}^{-1}\right)\cdot\left(B\boldsymbol{I}^{-1}\right)\\ &= \left \boldsymbol{I}^{-1}\right ^2 A\cdot B\\ &= \boldsymbol{I} ^{-2} A\cdot B. \end{aligned}$	$\begin{aligned} A^{\perp}\cdot B^{\perp}&= \left(A\boldsymbol{I}^{-1}\right)\cdot\left(B\boldsymbol{I}^{-1}\right)\\ &= \left \boldsymbol{I}^{-1}\right ^2 A\cdot B\\ &= \boldsymbol{I} ^{-2} A\cdot B. \end{aligned}$
1205.5935v1_ EQ0063 (62) [refined: source]	19	■0.919	$\begin{aligned} &a\wedge e_1\wedge e_2\wedge\cdots\wedge e_r\\ &= \frac{1}{r+1}\left[ae_1e_2\cdots e_r+\sum_{j=1}^r\left(\frac{1}{2}ae_1e_2\cdots e_r+\frac{1}{2}(-1)^re_1e_2\cdots e_ra+\right.\right.\\ &\quad\left.\left.(-1)^j(a\lrcorner e_j)e_1e_2\cdots\check{e}_j\cdots e_r\right)\right] \\ &= \left(\frac{1}{r+1}+\frac{r}{2r+2}\right)ae_1e_2\cdots e_r+\frac{r}{2r+2}(-1)^re_1e_2\cdots e_ra- \end{aligned}$	$\begin{aligned} &a\wedge e_1\wedge e_2\wedge\cdots\wedge e_r\\ &= \frac{1}{r+1}\left[ae_1e_2\cdots e_r+\sum_{j=1}^r\left(\frac{1}{2}ae_1e_2\cdots e_r+\frac{1}{2}(-1)^re_1e_2\cdots e_ra+\right.\right.\\ &\quad\left.\left.(-1)^j(a\lrcorner e_j)e_1e_2\cdots\check{e}_j\cdots e_r\right)\right] \\ &= \left(\frac{1}{r+1}+\frac{r}{2r+2}\right)ae_1e_2\cdots e_r+\frac{r}{2r+2}(-1)^re_1e_2\cdots e_ra- \end{aligned}$	$\begin{aligned} &a\wedge e_1\wedge e_2\wedge\cdots\wedge e_r\\ &= \frac{1}{r+1}\left[ae_1e_2\cdots e_r+\sum_{j=1}^r\left(\frac{1}{2}ae_1e_2\cdots e_r+\frac{1}{2}(-1)^re_1e_2\cdots e_ra+\right.\right.\\ &\quad\left.\left.(-1)^j(a\lrcorner e_j)e_1e_2\cdots\check{e}_j\cdots e_r\right)\right] \\ &= \left(\frac{1}{r+1}+\frac{r}{2r+2}\right)ae_1e_2\cdots e_r+\frac{r}{2r+2}(-1)^re_1e_2\cdots e_ra- \end{aligned}$
1205.5935v1_ EQ0020 (20)	6	■0.921	$\begin{aligned} v&=v\left(n\wedge^{-1}\right)\\ &= (vn)n^{-1} \\ &= (v\cdot n)n^{-1}+(v\wedge n)n^{-1} \end{aligned}$	$\begin{aligned} v&=v\left(nn^{-1}\right)\\ &= (vn)n^{-1} \\ &= (v\cdot n)n^{-1}+(v\wedge n)n^{-1} \end{aligned}$	$\begin{aligned} v&=v\left(nn^{-1}\right)\\ &= (vn)n^{-1} \\ &= (v\cdot n)n^{-1}+(v\wedge n)n^{-1}. \end{aligned}$
1205.5935v1_ EQ0409 (8)	83	■0.926	$\begin{aligned} &A\lrcorner B=\sum_{r,s}\left\langle A_rB_s\right\rangle_{s-r}\\ &A\left\lrcorner B=\sum_{r,s}\left\langle A_rB_s\right\rangle_{r-s}\\ &A\wedge B=\sum_{r,s}\left\langle A_rB_s\right\rangle_{r+s} \end{aligned}$	$\begin{aligned} A\lrcorner B&=\sum_{r,s}\left\langle A_rB_s\right\rangle_{s-r}\\ A\left\lrcorner B&=\sum_{r,s}\left\langle A_rB_s\right\rangle_{r-s}\\ A\wedge B&=\sum_{r,s}\left\langle A_rB_s\right\rangle_{r+s} \end{aligned}$	$\begin{aligned} A\lrcorner B&=\sum_{r,s}\left\langle A_rB_s\right\rangle_{s-r}\\ A\left\lrcorner B&=\sum_{r,s}\left\langle A_rB_s\right\rangle_{r-s}\\ A\wedge B&=\sum_{r,s}\left\langle A_rB_s\right\rangle_{r+s} \end{aligned}$
1205.5935v1_ EQ0344 (333)	71	■0.926	$A_r=\sum_{s=0}^r\left\langle A_sA_{r-s}\right\rangle_r$	$A_r=\sum_{s=0}^r\left\langle A_sA_{r-s}\right\rangle_r.$	$A_r=\sum_{s=0}^r\left\langle A_sA_{r-s}\right\rangle_r.$
1205.5935v1_ EQ0091 (88)	24	■0.935	$\begin{aligned} &\left\langle A_r\right\rangle\lrcorner\left\langle B_s\right\rangle\lrcorner\left\langle C_t\right\rangle\\ &= \left\langle A_r\left\langle B_sC_t\right\rangle_{s-t}\right\rangle_{s-(r+t)} \end{aligned}$	$\begin{aligned} A_r\lrcorner\left(B_s\left\lrcorner C_t\right)\right)&=A_r\lrcorner\left\langle B_sC_t\right\rangle_{s-t}\\ &= \left\langle A_r\left\langle B_sC_t\right\rangle_{s-t}\right\rangle_{s-(r+t)} \end{aligned}$	$\begin{aligned} A_r\lrcorner\left(B_s\left\lrcorner C_t\right)\right)&=A_r\lrcorner\left\langle B_sC_t\right\rangle_{s-t}\\ &= \left\langle A_r\left\langle B_sC_t\right\rangle_{s-t}\right\rangle_{s-(r+t)}. \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0060 (59)	19	■ 0.936	$\begin{aligned} & \frac{1}{r!} \sum_{\pi_j} (\operatorname{sgn} \pi_j) e_j a_{\pi_j(1)} a_{\pi_j(2)} \cdots a_{\pi_j(r)} \\ & = (-1)^j e_j (a \wedge e_1 \wedge e_2 \wedge \cdots \wedge \check{e}_j \wedge \cdots \wedge e_r) \\ & = \frac{1}{2} (-1)^j e_j [a e_1 e_2 \cdots \check{e}_j \cdots e_r + (-1)^{r-1} e_1 e_2 \cdots \check{e}_j \cdots e_r a] \\ & = \frac{1}{2} [(-1)^j e_j a e_1 e_2 \cdots \check{e}_j \cdots e_r + (-1)^r e_1 e_2 \cdots e_r a]. \end{aligned}$	$\frac{1}{r!} \sum_{\pi_j} (\operatorname{sgn} \pi_j) e_j a_{\pi_j(1)} a_{\pi_j(2)} \cdots a_{\pi_j(r)}$ $= (-1)^j e_j (a \wedge e_1 \wedge e_2 \wedge \cdots \wedge \check{e}_j \wedge \cdots \wedge e_r)$ $= \frac{1}{2} (-1)^j e_j [a e_1 e_2 \cdots \check{e}_j \cdots e_r + (-1)^{r-1} e_1 e_2 \cdots \check{e}_j \cdots e_r a]$ $= \frac{1}{2} [(-1)^j e_j a e_1 e_2 \cdots \check{e}_j \cdots e_r + (-1)^r e_1 e_2 \cdots e_r a].$	$\frac{1}{r!} \sum_{\pi_j} (\operatorname{sgn} \pi_j) e_j a_{\pi_j(1)} a_{\pi_j(2)} \cdots a_{\pi_j(r)}$ $= (-1)^j e_j (a \wedge e_1 \wedge e_2 \wedge \cdots \wedge \check{e}_j \wedge \cdots \wedge e_r)$ $= \frac{1}{2} (-1)^j e_j [a e_1 e_2 \cdots \check{e}_j \cdots e_r + (-1)^{r-1} e_1 e_2 \cdots \check{e}_j \cdots e_r a]$ $= \frac{1}{2} [(-1)^j e_j a e_1 e_2 \cdots \check{e}_j \cdots e_r + (-1)^r e_1 e_2 \cdots e_r a].$
1205.5935v1_ EQ0240 (233)	50	■ 0.937	$P_{\{\boldsymbol{A}_r\}(\lambda)} = R_{\{\boldsymbol{A}_r\}(\lambda)} = \lambda.$	$P_{\boldsymbol{A}_r}(\lambda) = R_{\boldsymbol{A}_r}(\lambda) = \lambda.$	$P_{\boldsymbol{A}_r}(\lambda) = R_{\boldsymbol{A}_r}(\lambda) = \lambda.$
1205.5935v1_ EQ0193 (186)	41	■ 0.942	$\left(A^{\ddagger} \right)^{\perp} = \left(\left(\boldsymbol{I}^{\ddagger} (A^{\perp})^{\ddagger} \right)^{\perp} \right)^{\perp}.$	$(A^{\ddagger})^{\perp} = \left[\boldsymbol{I}^{\ddagger} (A^{\perp})^{\ddagger} \right]^{\perp}.$	$(A^{\ddagger})^{\perp} = \left[\boldsymbol{I}^{\ddagger} (A^{\perp})^{\ddagger} \right]^{\perp}.$
1205.5935v1_ EQ0204 (197) [re- fined: source]	43	■ 0.946	$\begin{aligned} & A_2 \times (B \rfloor C) = (A_2 \times B) \rfloor C + B \rfloor (A_2 \times C) \\ & A_2 \times (B \lfloor C) = (A_2 \times B) \lfloor C + B \lfloor (A_2 \times C) \\ & A_2 \times (B \wedge C) = (A_2 \times B) \wedge C + B \wedge (A_2 \times C). \end{aligned}$	$\begin{aligned} A_2 \times (B \rfloor C) &= (A_2 \times B) \rfloor C + B \rfloor (A_2 \times C) \\ A_2 \times (B \lfloor C) &= (A_2 \times B) \lfloor C + B \lfloor (A_2 \times C) \\ A_2 \times (B \wedge C) &= (A_2 \times B) \wedge C + B \wedge (A_2 \times C) \end{aligned}$	$\begin{aligned} A_2 \times (B \rfloor C) &= (A_2 \times B) \rfloor C + B \rfloor (A_2 \times C) \\ A_2 \times (B \lfloor C) &= (A_2 \times B) \lfloor C + B \lfloor (A_2 \times C) \\ A_2 \times (B \wedge C) &= (A_2 \times B) \wedge C + B \wedge (A_2 \times C). \end{aligned}$
1205.5935v1_ EQ0211 (204)	44	■ 0.950	$\begin{aligned} & Z^{\prime} \wedge e_1 z^{\prime} = -e_1 (e_2 z e_2) \\ & = -e_1 e_2 (e_1 Z) e_2 \\ & = -\boldsymbol{I} e_1 (x + \boldsymbol{I} y) e_2 \\ & = x - \boldsymbol{I} y \\ & = Z^{\dagger} \end{aligned}$	$\begin{aligned} Z' &= e_1 z' \\ &= -e_1 (e_2 z e_2) \\ &= -e_1 e_2 (e_1 Z) e_2 \\ &= -\boldsymbol{I} e_1 (x + \boldsymbol{I} y) e_2 \\ &= x - \boldsymbol{I} y \\ &= Z^{\dagger} \end{aligned}$	$\begin{aligned} Z' &= e_1 z' \\ &= -e_1 (e_2 z e_2) \\ &= -e_1 e_2 (e_1 Z) e_2 \\ &= -\boldsymbol{I} e_1 (x + \boldsymbol{I} y) e_2 \\ &= x - \boldsymbol{I} y \\ &= Z^{\dagger}, \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_E00062 (61) [refined: source]	19	■0.953	$\begin{aligned} & \frac{1}{r!} \sum_{\pi_j} (\operatorname{sgn} \pi_j) e_j a_{\pi_j(1)} a_{\pi_j(2)} \cdots a_{\pi_j(r)} \\ & \quad \times \left(e_{\pi_j^{-1}(1)} a_{\pi_j^{-1}(2)} \cdots a_{\pi_j^{-1}(r)} \right) \\ & \quad \times \left(e_{\pi_j^{-1}(1)} a_{\pi_j^{-1}(2)} \cdots a_{\pi_j^{-1}(r)} \right) \\ & \quad \times \left(e_{\pi_j^{-1}(1)} a_{\pi_j^{-1}(2)} \cdots a_{\pi_j^{-1}(r)} \right) \end{aligned}$	$\frac{1}{r!} \sum_{\pi_j} (\operatorname{sgn} \pi_j) e_j a_{\pi_j(1)} a_{\pi_j(2)} \cdots a_{\pi_j(r)} \\ = \frac{1}{2} (-1)^{j-1} a e_j e_1 e_2 \cdots \check{e}_j \cdots e_r + (-1)^j (a \rfloor e_j) e_1 e_2 \cdots \check{e}_j \cdots e_r + \frac{1}{2} (-1)^r e_1 e_2 \cdots e_r a \\ = \frac{1}{2} a e_1 e_2 \cdots e_r + \frac{1}{2} (-1)^r e_1 e_2 \cdots e_r a + (-1)^j (a \rfloor e_j) e_1 e_2 \cdots \check{e}_j \cdots e_r$	$\begin{aligned} & \frac{1}{r!} \sum_{\pi_j} (\operatorname{sgn} \pi_j) e_j a_{\pi_j(1)} a_{\pi_j(2)} \cdots a_{\pi_j(r)} \\ & = \frac{1}{2} (-1)^{j-1} a e_j e_1 e_2 \cdots \check{e}_j \cdots e_r + (-1)^j (a \rfloor e_j) e_1 e_2 \cdots \check{e}_j \cdots e_r + \frac{1}{2} (-1)^r e_1 e_2 \cdots e_r a \\ & = \frac{1}{2} a e_1 e_2 \cdots e_r + \frac{1}{2} (-1)^r e_1 e_2 \cdots e_r a + (-1)^j (a \rfloor e_j) e_1 e_2 \cdots \check{e}_j \cdots e_r. \end{aligned}$
1205.5935v1_E00156 (149)	35	■0.955	$\left(A^{-1} \right)^{\dagger} = \left(A^{\dagger} \right)^{-1}$	$\left(A^{-1} \right)^{\dagger} = \left(A^{\dagger} \right)^{-1},$	$\left(A^{-1} \right)^{\dagger} = \left(A^{\dagger} \right)^{-1},$
1205.5935v1_E00358	73	■0.955	$\left. A * [\bar{F}](B) \right \left. A^{\dagger} \right \left\{ [\bar{F}](B) \right\}$	$A * [\bar{F}](B) = \left\langle A^{\dagger} \right \left\{ [\bar{F}](B) \right\}$	$A * [\bar{F}](B) = \left\langle A^{\dagger} \right \left\{ [\bar{F}](B) \right\}$
1205.5935v1_E00461 (115) [refined: source]	89	■0.956	$\begin{aligned} & A_2 \times (B \rfloor C) = (A_2 \times B) \rfloor C + B \rfloor (A_2 \times C) \\ & A_2 \times (B \lfloor C) = (A_2 \times B) \lfloor C + B \lfloor (A_2 \times C) \\ & A_2 \times (B \wedge C) = (A_2 \times B) \wedge C + B \wedge (A_2 \times C) \end{aligned}$	$\begin{aligned} & A_2 \times (B \rfloor C) = (A_2 \times B) \rfloor C + B \rfloor (A_2 \times C) \\ & A_2 \times (B \lfloor C) = (A_2 \times B) \lfloor C + B \lfloor (A_2 \times C) \\ & A_2 \times (B \wedge C) = (A_2 \times B) \wedge C + B \wedge (A_2 \times C) \end{aligned}$	$\begin{aligned} & A_2 \times (B \rfloor C) = (A_2 \times B) \rfloor C + B \rfloor (A_2 \times C) \\ & A_2 \times (B \lfloor C) = (A_2 \times B) \lfloor C + B \lfloor (A_2 \times C) \\ & A_2 \times (B \wedge C) = (A_2 \times B) \wedge C + B \wedge (A_2 \times C) \end{aligned}$
1205.5935v1_E00449 (99)	88	■0.956	$\left(A^{\dagger} \right)^{\perp} = \left[\boldsymbol{I}^{\dagger} (A^{\perp})^{\dagger} \right]^{\perp}$	$\left(A^{\dagger} \right)^{\perp} = \left[\boldsymbol{I}^{\dagger} (A^{\perp})^{\dagger} \right]^{\perp}$	$\left(A^{\dagger} \right)^{\perp} = \left[\boldsymbol{I}^{\dagger} (A^{\perp})^{\dagger} \right]^{\perp}$
1205.5935v1_E00195 (188)	42	■0.960	$A \times B := \frac{1}{2} (AB - BA).$	$A \times B := \frac{1}{2} (AB - BA).$	$A \times B := \frac{1}{2} (AB - BA).$
1205.5935v1_E00093 (90)	24	■0.963	$\begin{aligned} & \left. A_r \right (B_s \lfloor C_t) = \left\langle A_r B_s C_t \right\rangle_{s-(r+t)} \\ & = \left\langle A_r B_s C_t \right\rangle_{(s-r)-t} \\ & = \left\langle \left\langle A_r B_s \right\rangle_{s-r} C_t \right\rangle_{(s-r)-t} \\ & = \left\langle A_r B_s \right\rangle_{s-r} \lfloor C_t \\ & = (A_r \rfloor B_s) \lfloor C_t \end{aligned}$	$\begin{aligned} & \left. A_r \right (B_s \lfloor C_t) = \left\langle A_r B_s C_t \right\rangle_{s-(r+t)} \\ & = \left\langle A_r B_s C_t \right\rangle_{(s-r)-t} \\ & = \left\langle \left\langle A_r B_s \right\rangle_{s-r} C_t \right\rangle_{(s-r)-t} \\ & = \left\langle A_r B_s \right\rangle_{s-r} \lfloor C_t \\ & = (A_r \rfloor B_s) \lfloor C_t \end{aligned}$	$\begin{aligned} & A_r \rfloor (B_s \lfloor C_t) = \left\langle A_r B_s C_t \right\rangle_{s-(r+t)} \\ & = \left\langle A_r B_s C_t \right\rangle_{(s-r)-t} \\ & = \left\langle \left\langle A_r B_s \right\rangle_{s-r} C_t \right\rangle_{(s-r)-t} \\ & = \left\langle A_r B_s \right\rangle_{s-r} \lfloor C_t \\ & = (A_r \rfloor B_s) \lfloor C_t. \end{aligned}$
1205.5935v1_E00153 (146)	34	■0.964	$A^{\dagger} = A^{*\dagger}.$	$A^{\dagger} = A^{*\dagger}.$	$A^{\dagger} = A^{*\dagger}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0251 (244)	52	■ 0.964	$\begin{aligned} & \left(A_{B_{\{s\}}}A^{\dagger}\right)\wedge\left(A_{C_{\{t\}}}A^{\dagger}\right) = \left\langle A_{B_{\{s\}}}A^{\dagger}A_{C_{\{t\}}}A^{\dagger}\right\rangle_{s+t} \\ & = A ^2\left\langle A_{B_{\{s\}}}C_{\{t\}}}A^{\dagger}\right\rangle_{s+t} \\ & = A ^2A\left\langle B_{\{s\}}}C_{\{t\}}\right\rangle_{s+t}A^{\dagger} \\ & = A ^2A\left(B_{\{s\}}\wedge C_{\{t\}}\right)A^{\dagger}. \end{aligned}$	$\begin{aligned} (AB_sA^\dagger) \wedge (AC_tA^\dagger) &= \langle AB_sA^\dagger AC_tA^\dagger \rangle_{s+t} \\ &= A ^2 \langle AB_sC_tA^\dagger \rangle_{s+t} \\ &= A ^2 A \langle B_sC_t \rangle_{s+t} A^\dagger \\ &= A ^2 A (B_s \wedge C_t) A^\dagger \end{aligned}$	$\begin{aligned} (AB_sA^\dagger) \wedge (AC_tA^\dagger) &= \langle AB_sA^\dagger AC_tA^\dagger \rangle_{s+t} \\ &= A ^2 \langle AB_sC_tA^\dagger \rangle_{s+t} \\ &= A ^2 A \langle B_sC_t \rangle_{s+t} A^\dagger \\ &= A ^2 A (B_s \wedge C_t) A^\dagger. \end{aligned}$
1205.5935v1_ EQ0396 (380)	80	■ 0.965	$e:=\frac{Lv}{k}-\hat{r}$	$e := \frac{Lv}{k} - \hat{r}.$	$e := \frac{Lv}{k} - \hat{r}.$
1205.5935v1_ EQ0316 (306)	64	■ 0.967	$\begin{aligned} & F\left\lfloor\bar{F}(u)\right\rfloor v = \bar{F}(u)\left\lfloor F(v)\right\rfloor \\ & \quad \wedge F(u)\left\lfloor F(v)\right\rfloor = \bar{F}(u)\left\lfloor F(v)\right\rfloor \\ & \quad \wedge F(u)\left\lfloor F(v)\right\rfloor = \bar{F}(u)\left\lfloor F(v)\right\rfloor \end{aligned}$	$\begin{aligned} F\bar{F}(u)\rfloor v &= \bar{F}(u)\rfloor \bar{F}(v) \\ &= F(u)\rfloor F(v) \\ &= \bar{F}F(u)\rfloor v, \end{aligned}$	$\begin{aligned} F\bar{F}(u)\rfloor v &= \bar{F}(u)\rfloor \bar{F}(v) \\ &= F(u)\rfloor F(v) \\ &= \bar{F}F(u)\rfloor v, \end{aligned}$
1205.5935v1_ EQ0186 (179)	40	■ 0.967	$\left[\left\langle A\right\rangle_{\pm}=\frac{1}{2}\left(A\pm\boldsymbol{I}A\boldsymbol{I}^{-1}\right)\text{ if }n\text{ is even.}\right]$	$\langle A \rangle_{\pm} = \frac{1}{2} \left(A \pm \boldsymbol{I} A \boldsymbol{I}^{-1} \right) \quad \text{if } n \text{ is even.}$	$\langle A \rangle_{\pm} = \frac{1}{2} \left(A \pm \boldsymbol{I} A \boldsymbol{I}^{-1} \right) \quad \text{if } n \text{ is even.}$
1205.5935v1_ EQ0265 (258)	55	■ 0.969	$\begin{aligned} & a_{\{i\}}\downharpoonleft a^{\{j\}} = (-1)^{j-1}a_{\{i\}}\downharpoonleft(a_{\{1\}}\wedge a_{\{2\}}\wedge\cdots\wedge a_{\{j\}}\wedge\cdots\wedge a_{\{n\}}a_N^{-1}) \\ & \quad = (-1)^{j-1}(a_{\{i\}}\wedge a_{\{1\}}\wedge a_{\{2\}}\wedge\cdots\wedge a_{\{j\}}\wedge\cdots\wedge a_{\{n\}})a_N^{-1} \end{aligned}$	$\begin{aligned} a_i \downharpoonleft a^j &= (-1)^{j-1} a_i \downharpoonleft (a_1 \wedge a_2 \wedge \cdots \wedge \check{a}_j \wedge \cdots \wedge a_n a_N^{-1}) \\ &= (-1)^{j-1} (a_i \wedge a_1 \wedge a_2 \wedge \cdots \wedge \check{a}_j \wedge \cdots \wedge a_n) a_N^{-1} \end{aligned}$	$\begin{aligned} a_i \rfloor a^j &= (-1)^{j-1} a_i \rfloor (a_1 \wedge a_2 \wedge \cdots \wedge \check{a}_j \wedge \cdots \wedge a_n a_N^{-1}) \\ &= (-1)^{j-1} (a_i \wedge a_1 \wedge a_2 \wedge \cdots \wedge \check{a}_j \wedge \cdots \wedge a_n) a_N^{-1} \end{aligned}$
1205.5935v1_EQ0070	20	■ 0.970	$\boldsymbol{A}_{\boldsymbol{r}}B_s=a\boldsymbol{A}_{\boldsymbol{r}-\boldsymbol{\mathbf{1}}}B_s$	$\boldsymbol{A}_{\boldsymbol{r}}B_s = a\boldsymbol{A}_{\boldsymbol{r}-\boldsymbol{1}}B_s$	$\boldsymbol{A}_{\boldsymbol{r}}B_s = a\boldsymbol{A}_{\boldsymbol{r}-\boldsymbol{1}}B_s$
1205.5935v1_ EQ0149 (142)	34	■ 0.972	$A_{\{-}\}\downharpoonleft B_{\{+\}}=-B_{\{+\}}\left\lfloor A_{\{-}\},\right.$	$A_{-}\rfloor B_{+}=-B_{+}\rfloor A_{-},$	$A_{-}\rfloor B_{+}=-B_{+}\rfloor A_{-},$
1205.5935v1_ EQ0237 (230)	50	■ 0.973	$\begin{aligned} & P_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1\wedge\cdots\wedge b_s):=P_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1)\wedge\cdots\wedge P_{\boldsymbol{A}_{\boldsymbol{r}}}(b_s) \\ & R_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1\wedge\cdots\wedge b_s):=R_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1)\wedge\cdots\wedge R_{\boldsymbol{A}_{\boldsymbol{r}}}(b_s). \end{aligned}$	$\begin{aligned} P_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1\wedge\cdots\wedge b_s) &:= P_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1)\wedge\cdots\wedge P_{\boldsymbol{A}_{\boldsymbol{r}}}(b_s) \\ R_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1\wedge\cdots\wedge b_s) &:= R_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1)\wedge\cdots\wedge R_{\boldsymbol{A}_{\boldsymbol{r}}}(b_s). \end{aligned}$	$\begin{aligned} P_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1\wedge\cdots\wedge b_s) &:= P_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1)\wedge\cdots\wedge P_{\boldsymbol{A}_{\boldsymbol{r}}}(b_s) \\ R_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1\wedge\cdots\wedge b_s) &:= R_{\boldsymbol{A}_{\boldsymbol{r}}}(b_1)\wedge\cdots\wedge R_{\boldsymbol{A}_{\boldsymbol{r}}}(b_s). \end{aligned}$
1205.5935v1_ EQ0075 (73)	21	■ 0.973	$\begin{aligned} & a\left\lfloor(A_rB_s)\right\rfloor=\frac{1}{2}\left(aA_rB_s-(-1)^{r+s}A_rB_sa\right) \\ & a\wedge(A_rB_s)=\frac{1}{2}\left(aA_rB_s+(-1)^{r+s}A_rB_sa\right) \end{aligned}$	$\begin{aligned} a\rfloor(A_rB_s) &= \frac{1}{2} \left(aA_rB_s - (-1)^{r+s} A_rB_s a \right) \\ a\wedge(A_rB_s) &= \frac{1}{2} \left(aA_rB_s + (-1)^{r+s} A_rB_s a \right) \end{aligned}$	$\begin{aligned} a\rfloor(A_rB_s) &= \frac{1}{2} \left(aA_rB_s - (-1)^{r+s} A_rB_s a \right) \\ a\wedge(A_rB_s) &= \frac{1}{2} \left(aA_rB_s + (-1)^{r+s} A_rB_s a \right) \end{aligned}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0446 (95)	88	■ 0.973	$\begin{aligned} (A \ B)^{\perp} &= A \ B^{\perp} \ \ \ (A \ \wedge B)^{\perp} &= A \rfloor B^{\perp} \ \ \ (A \rfloor B)^{\perp} &= A \wedge B^{\perp} \end{aligned}$	$(AB)^{\perp} = AB^{\perp}$ $(A \wedge B)^{\perp} = A \rfloor B^{\perp}$ $(A \rfloor B)^{\perp} = A \wedge B^{\perp}$	$(AB)^{\perp} = AB^{\perp}$ $(A \wedge B)^{\perp} = A \rfloor B^{\perp}$ $(A \rfloor B)^{\perp} = A \wedge B^{\perp}$
1205.5935v1_ EQ0479 (139)	91	■ 0.973	$\begin{gathered} \operatorname{det} F = F(\boldsymbol{I})^{\perp} \\ F^{-1}(A) = \frac{\bar{F}(A^{-\perp})^{\perp}}{\det(F)} \end{gathered}$	$\det F = F(\boldsymbol{I})^{\perp}$ $F^{-1}(A) = \frac{\bar{F}(A^{-\perp})^{\perp}}{\det(F)}$	$\det F = F(\boldsymbol{I})^{\perp}$ $F^{-1}(A) = \frac{\bar{F}(A^{-\perp})^{\perp}}{\det(F)}$
1205.5935v1_ EQ0223 (216)	47	■ 0.975	$\begin{aligned} \boldsymbol{A}_2 \boldsymbol{B}_2 &= baac \\ &= a^2 bc \\ &= a^2 b \rfloor c + a^2 b \wedge c. \end{aligned}$	$\boldsymbol{A}_2 \boldsymbol{B}_2 = baac$ $= a^2 bc$ $= a^2 b \rfloor c + a^2 b \wedge c.$	$\boldsymbol{A}_2 \boldsymbol{B}_2 = baac$ $= a^2 bc$ $= a^2 b \rfloor c + a^2 b \wedge c.$
1205.5935v1_ EQ0456 (106)	88	■ 0.975	$A \times (B \times C) + B \times (C \times A) + C \times (A \times B) = 0$	$A \times (B \times C) + B \times (C \times A) + C \times (A \times B) = 0.$	$A \times (B \times C) + B \times (C \times A) + C \times (A \times B) = 0.$
1205.5935v1_ EQ0248 (241)	52	■ 0.976	$A \ B_{\{s\}} A^{\dagger} = \left\langle A \ B_{\{s\}} A^{\dagger} \right\rangle_s$	$AB_s A^{\dagger} = \left\langle AB_s A^{\dagger} \right\rangle_s,$	$AB_s A^{\dagger} = \left\langle AB_s A^{\dagger} \right\rangle_s,$
1205.5935v1_ EQ0368 (355)	76	■ 0.978	$\operatorname{weight}(F(\boldsymbol{A})) = \lambda \operatorname{weight}(\boldsymbol{A})$	$\operatorname{weight}(F(\boldsymbol{A})) = \lambda \operatorname{weight}(\boldsymbol{A}),$	$\operatorname{weight}(F(\boldsymbol{A})) = \lambda \operatorname{weight}(\boldsymbol{A}),$
1205.5935v1_ EQ0413 (15)	84	■ 0.979	$\begin{aligned} &A \lfloor a = -a \rfloor A^* \\ &A \wedge a = a \wedge A^* \end{aligned}$	$A \lfloor a = -a \rfloor A^*$ $A \wedge a = a \wedge A^*$	$A \lfloor a = -a \rfloor A^*$ $A \wedge a = a \wedge A^*$
1205.5935v1_ EQ0152 (145)	34	■ 0.979	$\begin{aligned} \lambda^{\ddagger} &:= \lambda \\ a^{\ddagger} &:= -a \\ (AB)^{\ddagger} &:= B^{\ddagger} A^{\ddagger} \\ (A+B)^{\ddagger} &:= A^{\ddagger} + B^{\ddagger}. \end{aligned}$	$\lambda^{\ddagger} := \lambda$ $a^{\ddagger} := -a$ $(AB)^{\ddagger} := B^{\ddagger} A^{\ddagger}$ $(A+B)^{\ddagger} := A^{\ddagger} + B^{\ddagger}.$	$\lambda^{\ddagger} := \lambda$ $a^{\ddagger} := -a$ $(AB)^{\ddagger} := B^{\ddagger} A^{\ddagger}$ $(A+B)^{\ddagger} := A^{\ddagger} + B^{\ddagger}.$
1205.5935v1_ EQ0140 (133)	33	■ 0.981	$\begin{aligned} (A \rfloor B)^{\dagger} &= B^{\dagger} \rfloor A^{\dagger} \\ (A \rfloor B)^{\dagger} &= B^{\dagger} \rfloor A^{\dagger} \\ (A \wedge B)^{\dagger} &= B^{\dagger} \wedge A^{\dagger}. \end{aligned}$	$(A \rfloor B)^{\dagger} = B^{\dagger} \rfloor A^{\dagger}$ $(A \rfloor B)^{\dagger} = B^{\dagger} \rfloor A^{\dagger}$ $(A \wedge B)^{\dagger} = B^{\dagger} \wedge A^{\dagger}.$	$(A \rfloor B)^{\dagger} = B^{\dagger} \rfloor A^{\dagger}$ $(A \rfloor B)^{\dagger} = B^{\dagger} \rfloor A^{\dagger}$ $(A \wedge B)^{\dagger} = B^{\dagger} \wedge A^{\dagger}.$
1205.5935v1_ EQ0364 (352)	75	■ 0.981	$\begin{aligned} F(\boldsymbol{A}) &= F(a_1 \wedge a_2) \\ &= F(a_1) \wedge F(a_2) \\ &= \lambda_1 \lambda_2 a_1 \wedge a_2 \\ &= \lambda_1 \lambda_2 \boldsymbol{A}. \end{aligned}$	$F(\boldsymbol{A}) = F(a_1 \wedge a_2)$ $= F(a_1) \wedge F(a_2)$ $= \lambda_1 \lambda_2 a_1 \wedge a_2$ $= \lambda_1 \lambda_2 \boldsymbol{A}.$	$F(\boldsymbol{A}) = F(a_1 \wedge a_2)$ $= F(a_1) \wedge F(a_2)$ $= \lambda_1 \lambda_2 a_1 \wedge a_2$ $= \lambda_1 \lambda_2 \boldsymbol{A}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0428 (51)	86	■0.981	$\begin{aligned} \lambda^{\dagger} &= \lambda \\ a^{\dagger} &= a \\ (AB)^{\dagger} &= B^{\dagger}A^{\dagger} \\ (A+B)^{\dagger} &= A^{\dagger}+B^{\dagger} \end{aligned}$	$\lambda^{\dagger} = \lambda$ $a^{\dagger} = a$ $(AB)^{\dagger} = B^{\dagger}A^{\dagger}$ $(A+B)^{\dagger} = A^{\dagger}+B^{\dagger}$	$\lambda^{\dagger} = \lambda$ $a^{\dagger} = a$ $(AB)^{\dagger} = B^{\dagger}A^{\dagger}$ $(A+B)^{\dagger} = A^{\dagger}+B^{\dagger}$
1205.5935v1_ EQ0058 (57)	19	■0.981	$\begin{aligned} a \wedge e_1 \wedge e_2 \wedge \cdots \wedge e_r &= \frac{1}{r+1} \left[\frac{1}{r!} \sum_{\pi} (\operatorname{sgn} \pi) a e_{\pi(1)} e_{\pi(2)} \cdots e_{\pi(r)} + \right. \\ &\quad \left. \sum_{j=1}^r \frac{1}{r!} \sum_{\pi_j} (\operatorname{sgn} \pi_j) e_j a_{\pi_j(1)} a_{\pi_j(2)} \cdots a_{\pi_j(r)} \right] \end{aligned}$	$a \wedge e_1 \wedge e_2 \wedge \cdots \wedge e_r = \frac{1}{r+1} \left[\frac{1}{r!} \sum_{\pi} (\operatorname{sgn} \pi) a e_{\pi(1)} e_{\pi(2)} \cdots e_{\pi(r)} + \sum_{j=1}^r \frac{1}{r!} \sum_{\pi_j} (\operatorname{sgn} \pi_j) e_j a_{\pi_j(1)} a_{\pi_j(2)} \cdots a_{\pi_j(r)} \right]$	$a \wedge e_1 \wedge e_2 \wedge \cdots \wedge e_r = \frac{1}{r+1} \left[\frac{1}{r!} \sum_{\pi} (\operatorname{sgn} \pi) a e_{\pi(1)} e_{\pi(2)} \cdots e_{\pi(r)} + \sum_{j=1}^r \frac{1}{r!} \sum_{\pi_j} (\operatorname{sgn} \pi_j) e_j a_{\pi_j(1)} a_{\pi_j(2)} \cdots a_{\pi_j(r)} \right]$
1205.5935v1_ EQ0361 (349)	75	■0.982	$\begin{aligned} F(\boldsymbol{A}_r \boldsymbol{B}_s) &= F(a_1 a_2 \cdots a_r b_1 b_2 \cdots b_s) \\ &= F(a_1) F(a_2) \cdots F(a_r) F(b_1) F(b_2) \cdots F(b_s) \\ &= F(a_1 a_2 \cdots a_r) F(b_1 b_2 \cdots b_s) \\ &= F(\boldsymbol{A}_r) F(\boldsymbol{B}_s). \end{aligned}$	$F(\boldsymbol{A}_r \boldsymbol{B}_s) = F(a_1 a_2 \cdots a_r b_1 b_2 \cdots b_s)$ $= F(a_1) F(a_2) \cdots F(a_r) F(b_1) F(b_2) \cdots F(b_s)$ $= F(a_1 a_2 \cdots a_r) F(b_1 b_2 \cdots b_s)$ $= F(\boldsymbol{A}_r) F(\boldsymbol{B}_s)$	$F(\boldsymbol{A}_r \boldsymbol{B}_s) = F(a_1 a_2 \cdots a_r b_1 b_2 \cdots b_s)$ $= F(a_1) F(a_2) \cdots F(a_r) F(b_1) F(b_2) \cdots F(b_s)$ $= F(a_1 a_2 \cdots a_r) F(b_1 b_2 \cdots b_s)$ $= F(\boldsymbol{A}_r) F(\boldsymbol{B}_s).$
1205.5935v1_ EQ0266 (259)	55	■0.982	$\begin{aligned} a_i \downarrow a^j &= (a_1 \wedge \cdots \wedge a_n) a_N^{-1} \delta_i^j \\ &= \delta_i^j. \end{aligned}$	$a_i \downarrow a^j = (a_1 \wedge \cdots \wedge a_n) a_N^{-1} \delta_i^j$ $= \delta_i^j$	$a_i \downarrow a^j = (a_1 \wedge \cdots \wedge a_n) a_N^{-1} \delta_i^j$ $= \delta_i^j.$
1205.5935v1_ EQ0332 (321)	68	■0.982	$a^{\wedge 2} b^{\wedge 2} = (a \downarrow b)^2 - (a \wedge b)^2.$	$a^2 b^2 = (a \downarrow b)^2 - (a \wedge b)^2.$	$a^2 b^2 = (a \downarrow b)^2 - (a \wedge b)^2.$
1205.5935v1_ EQ0228 (221)	47	■0.984	$\boldsymbol{B}_1 \boldsymbol{B}_2 \boldsymbol{B}_3 = -1,$	$\boldsymbol{B}_1 \boldsymbol{B}_2 \boldsymbol{B}_3 = -1,$	$\boldsymbol{B}_1 \boldsymbol{B}_2 \boldsymbol{B}_3 = -1,$
1205.5935v1_ EQ0226 (219)	47	■0.985	$\boldsymbol{B}_1 = e_2 e_3, \quad \boldsymbol{B}_2 = e_1 e_3, \quad \text{and} \quad \boldsymbol{B}_3 = e_1 e_2.$	$\boldsymbol{B}_1 = e_2 e_3, \quad \boldsymbol{B}_2 = e_1 e_3, \quad \text{and} \quad \boldsymbol{B}_3 = e_1 e_2.$	$\boldsymbol{B}_1 = e_2 e_3, \quad \boldsymbol{B}_2 = e_1 e_3, \quad \text{and} \quad \boldsymbol{B}_3 = e_1 e_2.$
1205.5935v1_ EQ0105 (100)	26	■0.987	$\begin{aligned} \epsilon_j &= \sum_{k=1}^{j-1} (i_k - k) + \sum_{k=j+1}^r (i_k - k + 1) + i_j - j \\ &= \sum_{k=1}^r (i_k - k) + r - j. \end{aligned}$	$\epsilon_j = \sum_{k=1}^{j-1} (i_k - k) + \sum_{k=j+1}^r (i_k - k + 1) + i_j - j$ $= \sum_{k=1}^r (i_k - k) + r - j$	$\epsilon_j = \sum_{k=1}^{j-1} (i_k - k) + \sum_{k=j+1}^r (i_k - k + 1) + i_j - j$ $= \sum_{k=1}^r (i_k - k) + r - j.$
1205.5935v1_ EQ0218 (211)	46	■0.987	$a \times (b \times c) = -a \rfloor (b \wedge c).$	$a \times (b \times c) = -a \rfloor (b \wedge c).$	$a \times (b \times c) = -a \rfloor (b \wedge c).$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1285.5935v1_ E08044 (44)	17	■ 0.987	$\text{\texttt{a}\rfloor A_{+}=-A_{+}\lfloor a \quad \text{\texttt{while}} \quad a\rfloor A_{-}=A_{-}\rfloor a. \\ \text{\texttt{\quad a}\rfloor A_{\{-}=A_{\{-}\lfloor a}}$	$a\rfloor A_{+}=-A_{+}\rfloor a \quad \text{\texttt{while}} \quad a\rfloor A_{-}=A_{-}\rfloor a.$	$a\rfloor A_{+}=-A_{+}\rfloor a \quad \text{\texttt{while}} \quad a\rfloor A_{-}=A_{-}\rfloor a.$
1285.5935v1_ E08298 (290)	60	■ 0.987	$\begin{aligned} &P_{\boldsymbol{A}}(B_s)=\sum_I\left(B_s^{\dagger}\rfloor a_I\right)(-1)^{\sum_{j=1}^s\left(i_j-1\right)} a_{I^c} \boldsymbol{A}_{\boldsymbol{r}}^{-1} \\ &=\sum_I\left(B_s * a_I\right) a^I. \end{aligned}$	$P_{\boldsymbol{A}_{\boldsymbol{r}}}\left(B_s\right)=\sum_I\left(B_s^{\dagger}\rfloor a_I\right)(-1)^{\sum_{j=1}^s\left(i_j-1\right)} a_{I^c} \boldsymbol{A}_{\boldsymbol{r}}^{-1} \\ =\sum_I\left(B_s * a_I\right) a^I.$	$P_{\boldsymbol{A}_{\boldsymbol{r}}}\left(B_s\right)=\sum_I\left(B_s^{\dagger}\rfloor a_I\right)(-1)^{\sum_{j=1}^s\left(i_j-1\right)} a_{I^c} \boldsymbol{A}_{\boldsymbol{r}}^{-1} \\ =\sum_I\left(B_s * a_I\right) a^I.$
1285.5935v1_ E08157 (150)	35	■ 0.988	$\begin{aligned} &(A\rfloor B)^{\ddagger}=B^{\ddagger}\rfloor A^{\ddagger} \\ &(A\rfloor B)^{\ddagger}=B^{\ddagger}\rfloor A^{\ddagger} \\ &(A\wedge B)^{\ddagger}=B^{\ddagger}\wedge A^{\ddagger}. \end{aligned}$	$\begin{aligned} &(A\rfloor B)^{\ddagger}=B^{\ddagger}\rfloor A^{\ddagger} \\ &(A\rfloor B)^{\ddagger}=B^{\ddagger}\rfloor A^{\ddagger} \\ &(A\wedge B)^{\ddagger}=B^{\ddagger}\wedge A^{\ddagger}. \end{aligned}$	$\begin{aligned} &(A\rfloor B)^{\ddagger}=B^{\ddagger}\rfloor A^{\ddagger} \\ &(A\rfloor B)^{\ddagger}=B^{\ddagger}\rfloor A^{\ddagger} \\ &(A\wedge B)^{\ddagger}=B^{\ddagger}\wedge A^{\ddagger}. \end{aligned}$
1285.5935v1_ E08318 (308)	64	■ 0.988	$\begin{aligned} &u\in\operatorname{Ker}(F) \quad \& \quad \Longrightarrow F(u)=0 \\ &\Longrightarrow \bar{F}F(u)=0 \\ &\Longrightarrow F\bar{F}(u)=0 \\ &\Longrightarrow \bar{F}(u)\in\operatorname{Ker}(F). \end{aligned}$	$\begin{aligned} &u\in\operatorname{Ker}(F) \quad \Longrightarrow F(u)=0 \\ &\Longrightarrow \bar{F}F(u)=0 \\ &\Longrightarrow F\bar{F}(u)=0 \\ &\Longrightarrow \bar{F}(u)\in\operatorname{Ker}(F). \end{aligned}$	$\begin{aligned} &u\in\operatorname{Ker}(F) \quad \Longrightarrow F(u)=0 \\ &\Longrightarrow \bar{F}F(u)=0 \\ &\Longrightarrow F\bar{F}(u)=0 \\ &\Longrightarrow \bar{F}(u)\in\operatorname{Ker}(F). \end{aligned}$
1285.5935v1_ E08340 (329)	69	■ 0.988	$\begin{aligned} &a\wedge b:=a\downharpoonleft b+a\wedge b \\ &=\pm\left(1-\frac{\lambda}{2}\boldsymbol{B}\right) \\ &=\pm\exp(-\boldsymbol{B}\lambda/2) \end{aligned}$	$\begin{aligned} &ab=a\downharpoonleft b+a\wedge b \\ &=\pm\left(1-\frac{\lambda}{2}\boldsymbol{B}\right) \\ &=\pm\exp(-\boldsymbol{B}\lambda/2) \end{aligned}$	$\begin{aligned} &ab=a\rfloor b+a\wedge b \\ &=\pm\left(1-\frac{\lambda}{2}\boldsymbol{B}\right) \\ &=\pm\exp(-\boldsymbol{B}\lambda/2) \end{aligned}$
1285.5935v1_ E08433 (61)	86	■ 0.988	$\begin{aligned} &\lambda^{\ddagger}=\lambda \\ &a^{\ddagger}=-a \\ &(AB)^{\ddagger}=B^{\ddagger}A^{\ddagger} \\ &(A+B)^{\ddagger}=A^{\ddagger}+B^{\ddagger} \end{aligned}$	$\begin{aligned} &\lambda^{\ddagger}=\lambda \\ &a^{\ddagger}=-a \\ &(AB)^{\ddagger}=B^{\ddagger}A^{\ddagger} \\ &(A+B)^{\ddagger}=A^{\ddagger}+B^{\ddagger} \end{aligned}$	$\begin{aligned} &\lambda^{\ddagger}=\lambda \\ &a^{\ddagger}=-a \\ &(AB)^{\ddagger}=B^{\ddagger}A^{\ddagger} \\ &(A+B)^{\ddagger}=A^{\ddagger}+B^{\ddagger} \end{aligned}$
1285.5935v1_ E08296 (288)	60	■ 0.989	$P_{a_1\wedge\cdots\wedge a_r}(a)=\sum_{j=1}^r(a\downharpoonleft a_j)a^j.$	$P_{a_1\wedge\cdots\wedge a_r}(a)=\sum_{j=1}^r(a\downharpoonleft a_j)a^j.$	$P_{a_1\wedge\cdots\wedge a_r}(a)=\sum_{j=1}^r(a\rfloor a_j)a^j.$
1285.5935v1_ E08053 (52)	18	■ 0.990	$\begin{aligned} &A_r\wedge a:=\frac{1}{2}\left[A_ra+(-1)^raA_r\right] \\ &=(-1)^ra\wedge A_r. \end{aligned}$	$\begin{aligned} &A_r\wedge a:=\frac{1}{2}\left[A_ra+(-1)^raA_r\right] \\ &=(-1)^ra\wedge A_r. \end{aligned}$	$\begin{aligned} &A_r\wedge a:=\frac{1}{2}\left[A_ra+(-1)^raA_r\right] \\ &=(-1)^ra\wedge A_r. \end{aligned}$
1285.5935v1_ E08468 (125)	89	■ 0.990	$a^I=(-1)^{\sum_{j=1}^r(i_j-1)}a_{I^c}a_N^{-1}.$	$a^I=(-1)^{\sum_{j=1}^r(i_j-1)}a_{I^c}a_N^{-1}.$	$a^I=(-1)^{\sum_{j=1}^r(i_j-1)}a_{I^c}a_N^{-1}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0401 (385)	80	■0.991	r=\frac{l^{2}}{m\k}\{1+e\cos\theta\}	r = \frac{l^2/m\k}{1 + e \cos \theta},	r = \frac{l^2/m\k}{1 + e \cos \theta},
1205.5935v1_ EQ0403 (387)	81	■0.991	\begin{aligned} (L\boldsymbol{v})^{\wedge 2}&=L\boldsymbol{v}\boldsymbol{v}\\&=(L\boldsymbol{v})^\dagger L\boldsymbol{v}\\&=\boldsymbol{v}L^\dagger L\boldsymbol{v}\\&=l^2v^2.\end{aligned}	(Lv)^2=LvLv =(Lv)†Lv =vL†Lv =l²v².	(Lv)^2=LvLv =(Lv)†Lv =vL†Lv =l²v².
1205.5935v1_ EQ0337 (326)	68	■0.992	\begin{aligned} a\wedge b&=a\downharpoonleft b+a\wedge b\\&=\pm(\cosh(\phi/2)-\boldsymbol{B}\sinh(\phi/2))\\&=\pm\exp(-\boldsymbol{B}\phi/2)\end{aligned}	ab=a⌋b+a∧b =±(cosh(φ/2)−Bsinh(φ/2)) =±exp(−Bφ/2)	ab=a⌋b+a∧b =±(cosh(φ/2)−Bsinh(φ/2)) =±exp(−Bφ/2)
1205.5935v1_ EQ0362 (350)	75	■0.992	\begin{aligned} \left.F\left(A_r\right)\right\rceil B_s &=F\left(\left\langle A_r B_s\right\rangle_{s-r}\right. \\&\quad \left.\right)&=F\left(\left\langle F\left(A_r\right) F\left(B_s\right)\right\rangle_{s-r}\right) \\&=F\left(A_r\right)\rceil F\left(B_s\right),\end{aligned}	F(A_r⌋B_s)=F((⟨A_rB_s⟩_{s-r}) =⟨F(A_rB_s)⟩_{s-r} =⟨F(A_r)F(B_s)⟩_{s-r} =F(A_r)⌋F(B_s),	F(A_r⌋B_s)=F((⟨A_rB_s⟩_{s-r}) =⟨F(A_rB_s)⟩_{s-r} =⟨F(A_r)F(B_s)⟩_{s-r} =F(A_r)⌋F(B_s),
1205.5935v1_ EQ0341 (330)	69	■0.993	\begin{aligned} (a\wedge b) u(a\wedge b)^{-1}&=\left(1-\frac{\lambda}{2} \boldsymbol{B}\right) u\left(1+\frac{\lambda}{2} \boldsymbol{B}\right) \\&=u+\frac{\lambda}{2}(u \boldsymbol{B}-\boldsymbol{B} u)-\frac{\lambda^2}{4} \boldsymbol{B} u \boldsymbol{B} \\&=u+\lambda u \rceil \boldsymbol{B}-\frac{\lambda^2}{4} \boldsymbol{B} u \boldsymbol{B} .\end{aligned}	(ab)u(ab)⁻¹=⎛1−λ2B⎞u⎛1+λ2B⎞ =u+λ2(uB−Bu)−λ²4BuB =u+λu⌋B−λ²4BuB.	(ab)u(ab)⁻¹=⎛1−λ2B⎞u⎛1+λ2B⎞ =u+λ2(uB−Bu)−λ²4BuB =u+λu⌋B−λ²4BuB.
1205.5935v1_ EQ0410 (110)	83	■0.993	\begin{aligned} \left.A_r\right\rceil B_s &=(-1)^{r(s-1)} B_s \lfloor A_r \\ A_r \wedge B_s &=(-1)^{rs} B_s \wedge A_r\end{aligned}	A_r⌋B_s=(−1) ^{r(s−1)} B_s⌊A_r A_r∧B_s=(−1) ^{rs} B_s∧A_r	A_r⌋B_s=(−1) ^{r(s−1)} B_s⌊A_r A_r∧B_s=(−1) ^{rs} B_s∧A_r
1205.5935v1_ EQ0114 (108)	29	■0.993	\left.\boldsymbol{A}_r\right\rceil \boldsymbol{B}_s=\boldsymbol{A}_{r-1} a \boldsymbol{B}_s=\boldsymbol{A}_{r-1} a \rceil \boldsymbol{B}_s.	A_rB_s=A_{r-1}aB_s=A_{r-1}a⌋B_s.	A_rB_s=A_{r-1}aB_s=A_{r-1}a⌋B_s.
1205.5935v1_ EQ0198 (191)	42	■0.994	A\times(B\times C)+B\times(C\times A)+C\times(A\times B)=0	A×(B×C)+B×(C×A)+C×(A×B)=0.	A×(B×C)+B×(C×A)+C×(A×B)=0.
1205.5935v1_ EQ0390 (376)	79	■0.994	\boldsymbol{F}=-\frac{k}{r^2}\hat{\boldsymbol{r}}	F=−kr²r̂	F=−kr²r̂

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ E00049 (48)	18	■ 0.995	$=\sum_{j=1}^r(-1)^{j-1}\left(a\downharpoonleft a_{\{j\}}\right)a_{\{1\}}a_{\{2\}}\cdots\check{a}_{\{j\}}\cdots a_r$	$=\sum_{j=1}^r(-1)^{j-1}(a\downharpoonleft a_j)a_1a_2\cdots\check{a}_j\cdots a_r,$	$=\sum_{j=1}^r(-1)^{j-1}(a\downharpoonleft a_j)a_1a_2\cdots\check{a}_j\cdots a_r,$
1205.5935v1_ E00400 (384)	80	■ 0.995	$\begin{aligned} \frac{l^2}{m} &= k(r+er\cos\theta) \\ (\boldsymbol{r}\downharpoonleft\boldsymbol{v})L &= \boldsymbol{e}\wedge\boldsymbol{r}. \end{aligned}$	$\frac{l^2}{m}=k(r+er\cos\theta)$ $(\boldsymbol{r}\downharpoonleft\boldsymbol{v})L=\boldsymbol{e}\wedge\boldsymbol{r}.$	$\frac{l^2}{m}=k(r+er\cos\theta)$ $(\boldsymbol{r}\downharpoonleft\boldsymbol{v})L=\boldsymbol{e}\wedge\boldsymbol{r}.$
1205.5935v1_ E00050 (49)	18	■ 0.995	$\frac{1}{2}\left[a e_1 e_2 \cdots e_r - (-1)^r e_1 e_2 \cdots e_r a\right] = \sum_{j=1}^r (-1)^{j-1} (a\downharpoonleft e_j) e_1 e_2 \cdots \check{e}_j \cdots e_r.$	$\frac{1}{2}\left[a e_1 e_2 \cdots e_r - (-1)^r e_1 e_2 \cdots e_r a\right] = \sum_{j=1}^r (-1)^{j-1} (a\downharpoonleft e_j) e_1 e_2 \cdots \check{e}_j \cdots e_r.$	$\frac{1}{2}\left[a e_1 e_2 \cdots e_r - (-1)^r e_1 e_2 \cdots e_r a\right] = \sum_{j=1}^r (-1)^{j-1} (a\downharpoonleft e_j) e_1 e_2 \cdots \check{e}_j \cdots e_r.$
1205.5935v1_ E00066 (65)	20	■ 0.995	$\begin{aligned} a\downharpoonleft A_r &= \left\langle a A_r \right\rangle_{r-1} \\ a\wedge A_r &= \left\langle a A_r \right\rangle_{r+1}, \end{aligned}$	$a\downharpoonleft A_r = \langle a A_r \rangle_{r-1}$ $a\wedge A_r = \langle a A_r \rangle_{r+1},$	$a\downharpoonleft A_r = \langle a A_r \rangle_{r-1}$ $a\wedge A_r = \langle a A_r \rangle_{r+1},$
1205.5935v1_ E00055 (54)	18	■ 0.996	$\frac{1}{2}\left[a\left(a_1\wedge a_2\wedge\cdots\wedge a_r\right)+(-1)^r\left(a_1\wedge a_2\wedge\cdots\wedge a_r\right)a\right]=a\wedge a_1\wedge a_2\wedge\cdots\wedge a_r.$	$\frac{1}{2}\left[a\left(a_1\wedge a_2\wedge\cdots\wedge a_r\right)+(-1)^r\left(a_1\wedge a_2\wedge\cdots\wedge a_r\right)a\right]=a\wedge a_1\wedge a_2\wedge\cdots\wedge a_r.$	$\frac{1}{2}\left[a\left(a_1\wedge a_2\wedge\cdots\wedge a_r\right)+(-1)^r\left(a_1\wedge a_2\wedge\cdots\wedge a_r\right)a\right]=a\wedge a_1\wedge a_2\wedge\cdots\wedge a_r.$
1205.5935v1_ E00281 (273)	57	■ 0.996	$\begin{aligned} \left(a^{i_r}\wedge\cdots\wedge a^{i_2}\wedge a^{i_1}\right)\downharpoonleft A_r &= \left(a^{i_r}\wedge\cdots\wedge a^{i_2}\right)\downharpoonleft \left(a^{i_1}\downharpoonleft A_r\right) \\ &= 0 \end{aligned}$	$\left(a^{i_r}\wedge\cdots\wedge a^{i_2}\wedge a^{i_1}\right)\downharpoonleft A_r = \left(a^{i_r}\wedge\cdots\wedge a^{i_2}\right)\downharpoonleft \left(a^{i_1}\downharpoonleft A_r\right)$ $= 0$	$\left(a^{i_r}\wedge\cdots\wedge a^{i_2}\wedge a^{i_1}\right)\downharpoonleft A_r = \left(a^{i_r}\wedge\cdots\wedge a^{i_2}\right)\downharpoonleft \left(a^{i_1}\downharpoonleft A_r\right)$ $= 0$
1205.5935v1_ E00178 (171)	38	■ 0.996	$\boldsymbol{A}_{\{\boldsymbol{r}\}}^{-1}=(-1)^{r(r-1)/2}\frac{\boldsymbol{A}_{\{\boldsymbol{r}\}}}{ \boldsymbol{A}_{\{\boldsymbol{r}\}} ^2}=\frac{\boldsymbol{A}_{\{\boldsymbol{r}\}}}{\boldsymbol{A}_{\{\boldsymbol{r}\}}^2}.$	$\boldsymbol{A}_{\boldsymbol{r}}^{-1}=(-1)^{r(r-1)/2}\frac{\boldsymbol{A}_{\boldsymbol{r}}}{ \boldsymbol{A}_{\boldsymbol{r}} ^2}=\frac{\boldsymbol{A}_{\boldsymbol{r}}}{\boldsymbol{A}_{\boldsymbol{r}}^2}.$	$\boldsymbol{A}_{\boldsymbol{r}}^{-1}=(-1)^{r(r-1)/2}\frac{\boldsymbol{A}_{\boldsymbol{r}}}{ \boldsymbol{A}_{\boldsymbol{r}} ^2}=\frac{\boldsymbol{A}_{\boldsymbol{r}}}{\boldsymbol{A}_{\boldsymbol{r}}^2}.$
1205.5935v1_ E00190 (183)	41	■ 0.996	$\begin{aligned} \left(A^{\perp}\right)^{-1} &= \left(A\boldsymbol{I}^{-1}\right)^{-1} \\ &= \boldsymbol{I}A^{-1}. \end{aligned}$	$\left(A^{\perp}\right)^{-1}=\left(A\boldsymbol{I}^{-1}\right)^{-1}$ $=\boldsymbol{I}A^{-1}$	$\left(A^{\perp}\right)^{-1}=\left(A\boldsymbol{I}^{-1}\right)^{-1}$ $=\boldsymbol{I}A^{-1}.$
1205.5935v1_ E00404 (388)	81	■ 0.996	$\begin{aligned} (L\downharpoonleft\boldsymbol{v})\downharpoonleft\hat{\boldsymbol{r}} &= \frac{\langle L\boldsymbol{v}\boldsymbol{r}\rangle}{r} \\ &= \frac{l^2}{mr}, \end{aligned}$	$(L\boldsymbol{v})\downharpoonleft\hat{\boldsymbol{r}}=\frac{\langle L\boldsymbol{v}\rangle\boldsymbol{r}}{r}$ $=\frac{\langle L\boldsymbol{v}\boldsymbol{r}\rangle}{r}$ $=\frac{l^2}{mr},$	$(L\boldsymbol{v})\downharpoonleft\hat{\boldsymbol{r}}=\frac{\langle L\boldsymbol{v}\rangle\boldsymbol{r}}{r}$ $=\frac{\langle L\boldsymbol{v}\boldsymbol{r}\rangle}{r}$ $=\frac{l^2}{mr},$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0116 (110)	30	■0.997	$\begin{aligned} & \boldsymbol{A}_{\boldsymbol{r}} \boldsymbol{B}_{\boldsymbol{s}} \\ & = \boldsymbol{a}_1 \boldsymbol{a}_2 \wedge \cdots \wedge \boldsymbol{a}_r \wedge \boldsymbol{b}_1 \wedge \boldsymbol{b}_2 \wedge \cdots \wedge \boldsymbol{b}_s \\ & = \boldsymbol{A}_{\boldsymbol{r}} \wedge \boldsymbol{B}_{\boldsymbol{s}}. \end{aligned}$	$\begin{aligned} \boldsymbol{A}_{\boldsymbol{r}} \boldsymbol{B}_{\boldsymbol{s}} &= a_1 a_2 \cdots a_r b_1 b_2 \cdots b_s \\ &= a_1 \wedge a_2 \wedge \cdots \wedge a_r \wedge b_1 \wedge b_2 \wedge \cdots \wedge b_s \\ &= \boldsymbol{A}_{\boldsymbol{r}} \wedge \boldsymbol{B}_{\boldsymbol{s}} \end{aligned}$	$\begin{aligned} \boldsymbol{A}_{\boldsymbol{r}} \boldsymbol{B}_{\boldsymbol{s}} &= a_1 a_2 \cdots a_r b_1 b_2 \cdots b_s \\ &= a_1 \wedge a_2 \wedge \cdots \wedge a_r \wedge b_1 \wedge b_2 \wedge \cdots \wedge b_s \\ &= \boldsymbol{A}_{\boldsymbol{r}} \wedge \boldsymbol{B}_{\boldsymbol{s}}. \end{aligned}$
1205.5935v1_ EQ0119 (113)	31	■0.997	$\left(\boldsymbol{a}_1 \boldsymbol{a}_2 \cdots \boldsymbol{a}_r \right)^* = (-1)^r \boldsymbol{a}_1 \boldsymbol{a}_2 \cdots \boldsymbol{a}_r,$	$(a_1 a_2 \cdots a_r)^* = (-1)^r a_1 a_2 \cdots a_r,$	$(a_1 a_2 \cdots a_r)^* = (-1)^r a_1 a_2 \cdots a_r,$
1205.5935v1_ EQ0183 (176)	40	■0.997	$\left. A \right\rfloor \boldsymbol{I}^{-1} = A \boldsymbol{I}^{-1}$	$A^\perp := A \rfloor \boldsymbol{I}^{-1} = A \boldsymbol{I}^{-1}$	$A^\perp := A \rfloor \boldsymbol{I}^{-1} = A \boldsymbol{I}^{-1}$
1205.5935v1_ EQ0212 (205)	45	■0.997	$\begin{aligned} w z &= e_1 W e_1 Z \\ &= e_1 (x + \boldsymbol{I} y) e_1 Z \\ &= (x - \boldsymbol{I} y) Z \\ &= W^\dagger Z. \end{aligned}$	$\begin{aligned} w z &= e_1 W e_1 Z \\ &= e_1 (x + \boldsymbol{I} y) e_1 Z \\ &= (x - \boldsymbol{I} y) Z \\ &= W^\dagger Z \end{aligned}$	$\begin{aligned} w z &= e_1 W e_1 Z \\ &= e_1 (x + \boldsymbol{I} y) e_1 Z \\ &= (x - \boldsymbol{I} y) Z \\ &= W^\dagger Z. \end{aligned}$
1205.5935v1_ EQ0351 (340)	72	■0.997	$\begin{aligned} & [F](A)^* = [F](A^*) \\ & [F](A)^\dagger = [F](A^\dagger) \\ & [F](A)^\ddagger = [F](A^\ddagger). \end{aligned}$	$\begin{aligned} [F](A)^* &= [F](A^*) \\ [F](A)^\dagger &= [F](A^\dagger) \\ [F](A)^\ddagger &= [F](A^\ddagger). \end{aligned}$	$\begin{aligned} [F](A)^* &= [F](A^*) \\ [F](A)^\dagger &= [F](A^\dagger) \\ [F](A)^\ddagger &= [F](A^\ddagger). \end{aligned}$
1205.5935v1_ EQ0285 (277)	58	■0.997	$\begin{aligned} & \left(\sum_i a^i \wedge (a_i \rfloor A_r) \right) = \sum_k a^{j_1} \wedge \cdots \wedge a^{j_r} \\ & = r A_r. \end{aligned}$	$\sum_i a^i \wedge (a_i \rfloor A_r) \Big) = \sum_k a^{j_1} \wedge \cdots \wedge a^{j_r} = r A_r$	$\sum_i a^i \wedge (a_i \rfloor A_r) = \sum_k a^{j_1} \wedge \cdots \wedge a^{j_r} = r A_r.$
1205.5935v1_ EQ0041 (41)	16	■0.997	$\begin{aligned} u \downharpoonleft v &= \langle uv \rangle \\ u \wedge v &= \langle uv \rangle_2. \end{aligned}$	$\begin{aligned} u \downharpoonleft v &= \langle uv \rangle \\ u \wedge v &= \langle uv \rangle_2. \end{aligned}$	$\begin{aligned} u \rfloor v &= \langle uv \rangle \\ u \wedge v &= \langle uv \rangle_2. \end{aligned}$
1205.5935v1_ EQ0130 (131)	33	■0.997	$\langle A \rangle_r^\dagger = \langle A^\dagger \rangle_r,$	$\langle A \rangle_r^\dagger = \langle A^\dagger \rangle_r,$	$\langle A \rangle_r^\dagger = \langle A^\dagger \rangle_r,$
1205.5935v1_ EQ0201 (194)	43	■0.997	$A_2 \times A_r = \langle A_2 A_r \rangle_r,$	$A_2 \times A_r = \langle A_2 A_r \rangle_r,$	$A_2 \times A_r = \langle A_2 A_r \rangle_r,$
1205.5935v1_ EQ0287 (279)	59	■0.997	$ a^N ^2 = a_N ^{-2},$	$ a^N ^2 = a_N ^{-2},$	$ a^N ^2 = a_N ^{-2},$
1205.5935v1_ EQ0309 (301)	63	■0.997	$(\bar{F})^{-1} = \overline{F^{-1}}.$	$(\bar{F})^{-1} = \overline{F^{-1}}.$	$(\bar{F})^{-1} = \overline{F^{-1}}.$
1205.5935v1_ EQ0250 (243)	52	■0.998	$(ABA^\dagger) \wedge (ACA^\dagger) = A ^2 A(B \wedge C) A^\dagger.$	$(ABA^\dagger) \wedge (ACA^\dagger) = A ^2 A(B \wedge C) A^\dagger.$	$(ABA^\dagger) \wedge (ACA^\dagger) = A ^2 A(B \wedge C) A^\dagger.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0090 (87)	24	■ 0.999	$\begin{aligned} A_{\{r\}} \wedge \left(B_{\{s\}} \wedge C_{\{t\}} \right) &= A_{\{r\}} \wedge \left(\left(A_{\{r\}} \wedge B_{\{s\}} \right) \wedge C_{\{t\}} \right) \\ &= \left(A_{\{r\}} \wedge B_{\{s\}} \right) \wedge C_{\{t\}} \\ &= \left(\left(A_{\{r\}} \wedge B_{\{s\}} \right) \wedge C_{\{t\}} \right) \end{aligned}$	$A_r \wedge (B_s \wedge C_t) = A_r \wedge \langle B_s C_t \rangle_{s+t} = \langle A_r \langle B_s C_t \rangle_{s+t} \rangle_{r+s+t} = \langle A_r B_s C_t \rangle_{r+s+t} = \langle \langle A_r B_s \rangle_{r+s} C_t \rangle_{r+s+t} = (A_r \wedge B_s) \wedge C_t$	$A_r \wedge (B_s \wedge C_t) = A_r \wedge \langle B_s C_t \rangle_{s+t} = \langle A_r \langle B_s C_t \rangle_{s+t} \rangle_{r+s+t} = \langle A_r B_s C_t \rangle_{r+s+t} = \langle \langle A_r B_s \rangle_{r+s} C_t \rangle_{r+s+t} = (A_r \wedge B_s) \wedge C_t.$
1205.5935v1_ EQ0148 (141)	34	■ 0.999	$\left. A_{\{r\}} \right\rfloor B_{\{s\}} = (-1)^{r(s-1)} B_{\{s\}} \left. A_{\{r\}} \right\rfloor.$	$A_r \rfloor B_s = (-1)^{r(s-1)} B_s \rfloor A_r.$	$A_r \rfloor B_s = (-1)^{r(s-1)} B_s \rfloor A_r.$
1205.5935v1_ EQ0185 (178)	40	■ 0.999	$\mathbf{A} \cdot \mathbf{A}^{*(n-1)}$	$\mathbf{A} \mathbf{I} = \mathbf{I} \mathbf{A}^{*(n-1)}.$	$\mathbf{A} \mathbf{I} = \mathbf{I} \mathbf{A}^{*(n-1)}.$
1205.5935v1_ EQ0256 (249)	53	■ 0.999	$\mathbf{A}_{\perp} \mathbf{A}^{*(n-r)} \mathbf{A}_{\perp}^{-1} = -\mathbf{A}_{\perp} \mathbf{A}^{*r} \mathbf{A}_{\perp}^{-1}.$	$\mathbf{A}_{\perp}^{\perp} \mathbf{A}^{*(n-r)} (\mathbf{A}_{\perp}^{\perp})^{-1} = -\mathbf{A}_{\perp} \mathbf{A}^{*r} \mathbf{A}_{\perp}^{-1}.$	$\mathbf{A}_{\perp}^{\perp} \mathbf{A}^{*(n-r)} (\mathbf{A}_{\perp}^{\perp})^{-1} = -\mathbf{A}_{\perp} \mathbf{A}^{*r} \mathbf{A}_{\perp}^{-1}.$
1205.5935v1_ EQ0264 (257)	55	■ 0.999	$a^i := (-1)^{i-1} (a_1 \wedge a_2 \wedge \cdots \wedge \check{a}_i \wedge \cdots \wedge a_n) a_N^{-1}.$	$a^i := (-1)^{i-1} (a_1 \wedge a_2 \wedge \cdots \wedge \check{a}_i \wedge \cdots \wedge a_n) a_N^{-1}.$	$a^i := (-1)^{i-1} (a_1 \wedge a_2 \wedge \cdots \wedge \check{a}_i \wedge \cdots \wedge a_n) a_N^{-1}.$
1205.5935v1_ EQ0286 (278)	58	■ 0.999	$a^N = \frac{a_N}{ a_N ^2}.$	$a^N = \frac{a_N}{ a_N ^2}.$	$a^N = \frac{a_N}{ a_N ^2}.$
1205.5935v1_ EQ0397 (381)	80	■ 0.999	$\mathbf{L} \cdot \mathbf{r} = k(\hat{\mathbf{r}} \cdot \mathbf{r})$	$\mathbf{L} \mathbf{v} \mathbf{r} = k(\hat{\mathbf{r}} \mathbf{r} + \mathbf{e} \mathbf{r}).$	$\mathbf{L} \mathbf{v} \mathbf{r} = k(\hat{\mathbf{r}} \mathbf{r} + \mathbf{e} \mathbf{r}).$
1205.5935v1_ EQ0439 (72)	87	■ 0.999	$\begin{aligned} A * B &= \left(A^{\dagger} B \right) \\ &= \left(A^{\dagger} \rfloor B \right) \\ &= \left(A^{\dagger} \rfloor B \right) \end{aligned}$	$\begin{aligned} A * B &= \langle A^{\dagger} B \rangle \\ &= \langle A^{\dagger} \rfloor B \rangle \\ &= \langle A^{\dagger} \rfloor B \rangle \end{aligned}$	$\begin{aligned} A * B &= \langle A^{\dagger} B \rangle \\ &= \langle A^{\dagger} \rfloor B \rangle \\ &= \langle A^{\dagger} \rfloor B \rangle \end{aligned}$
1205.5935v1_ EQ0233 (226)	49	■ 0.999	$\left. A_{\{r\}} \right\rfloor B_{\{s\}} = (-1)^{r(s-1)} B_{\{s\}} \left. A_{\{r\}} \right\rfloor.$	$R_{\mathbf{A}_r}(a) \rfloor \mathbf{A}_r = (a \wedge \mathbf{A}_r \mathbf{A}_r^{-1}) \rfloor \mathbf{A}_r = \langle a \wedge \mathbf{A}_r \mathbf{A}_r^{-1} \mathbf{A}_r \rangle_{r-1} = \langle a \wedge \mathbf{A}_r \rangle_{r-1} = 0.$	$R_{\mathbf{A}_r}(a) \rfloor \mathbf{A}_r = (a \wedge \mathbf{A}_r \mathbf{A}_r^{-1}) \rfloor \mathbf{A}_r = \langle a \wedge \mathbf{A}_r \mathbf{A}_r^{-1} \mathbf{A}_r \rangle_{r-1} = \langle a \wedge \mathbf{A}_r \rangle_{r-1} = 0.$
1205.5935v1_ EQ0043 (43)	17	■ 1.000	$\begin{aligned} A_{\{r\}} \rfloor a &:= \frac{1}{2} [A_r a - (-1)^r a A_r] \\ &= (-1)^{r-1} a \rfloor A_r \end{aligned}$	$A_r \rfloor a := \frac{1}{2} [A_r a - (-1)^r a A_r] = (-1)^{r-1} a \rfloor A_r.$	$A_r \rfloor a := \frac{1}{2} [A_r a - (-1)^r a A_r] = (-1)^{r-1} a \rfloor A_r.$
1205.5935v1_ EQ0113 (107)	28	■ 1.000	$a = a_1 - \left(\frac{a_1 \rfloor b_1}{a_2 \rfloor b_1} \right) a_2.$	$a = a_1 - \left(\frac{a_1 \rfloor b_1}{a_2 \rfloor b_1} \right) a_2.$	$a = a_1 - \left(\frac{a_1 \rfloor b_1}{a_2 \rfloor b_1} \right) a_2.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0123 (117)	31	■ 1.000	$\backslash\langle A\rangle_{r}^{\ast}=\backslashleft\langle A^{\ast}\right\rangle_{r}\backslashrangle_{r}$	$\langle A\rangle_r^*=\langle A^*\rangle_r,$	$\langle A\rangle_r^*=\langle A^*\rangle_r,$
1205.5935v1_ EQ0128 (121)	32	■ 1.000	$\begin{aligned}a\downharpoonleft A&=\frac{1}{2}\backslashleft(aA-A^*a\right)\\(aA-A^{\ast})\,a\right)\,\backslash\,a\,\backslashwedge A&=\frac{1}{2}\backslashleft(aA+A^{\ast})\,a\right),\end{aligned}$	$a\downharpoonleft A=\frac{1}{2}\left(aA-A^*a\right)$ $a\wedge A=\frac{1}{2}\left(aA+A^*a\right),$	$a\downharpoonleft A=\frac{1}{2}(aA-A^*a)$ $a\wedge A=\frac{1}{2}(aA+A^*a),$
1205.5935v1_ EQ0163 (156)	35	■ 1.000	$\begin{aligned}A*B&=\sum_rA_r*B_r\,\,\&\backslashleft.=\sum_rA_r^{\dagger}\backslashright\rceil B_r=\sum_rA_r^{\dagger}\downharpoonleft B_r.\end{aligned}$	$A*B=\sum_rA_r*B_r$ $=\sum_rA_r^{\dagger}\downharpoonleft B_r=\sum_rA_r^{\dagger}\downharpoonleft B_r.$	$A*B=\sum_rA_r*B_r$ $=\sum_rA_r^{\dagger}\downharpoonleft B_r=\sum_rA_r^{\dagger}\downharpoonleft B_r.$
1205.5935v1_ EQ0172 (165)	37	■ 1.000	$(A\,B)\,*(A\,C)=(B\,A)\,*(C\,A)= A ^2\,B\,*\,C$	$(AB)* (AC) = (BA)* (CA) = A ^2 B * C.$	$(AB)* (AC) = (BA)* (CA) = A ^2 B * C.$
1205.5935v1_ EQ0184 (177)	40	■ 1.000	$\begin{aligned}A_r\,\boldsymbol{I}&=(-1)^{r(n-1)}\boldsymbol{I}A_r\\&=\boldsymbol{I}A_r^{*(n-1)},\end{aligned}$	$A_r\boldsymbol{I}=(-1)^{r(n-1)}\boldsymbol{I}A_r$ $=\boldsymbol{I}A_r^{*(n-1)},$	$A_r\boldsymbol{I}=(-1)^{r(n-1)}\boldsymbol{I}A_r$ $=\boldsymbol{I}A_r^{*(n-1)},$
1205.5935v1_ EQ0187 (180)	40	■ 1.000	$(A\,B)^{\wedge\{\perp\}}=A\,B^{\wedge\{\perp\}}$	$(AB)^{\perp}=AB^{\perp}.$	$(AB)^{\perp}=AB^{\perp}.$
1205.5935v1_ EQ0209 (202)	44	■ 1.000	$\begin{aligned}\&\,\boldsymbol{e}_1=-\boldsymbol{e}_2\,\,\&\,\boldsymbol{e}_2=\boldsymbol{e}_1,\end{aligned}$	$\boldsymbol{I}e_1=-e_2$ $\boldsymbol{I}e_2=e_1,$	$\boldsymbol{I}e_1=-e_2$ $\boldsymbol{I}e_2=e_1,$
1205.5935v1_ EQ0262 (255)	54	■ 1.000	$R\,\boldsymbol{R}^{-1}=\boldsymbol{I}$	$R\boldsymbol{I}R^{-1}=\boldsymbol{I},$	$R\boldsymbol{I}R^{-1}=\boldsymbol{I},$
1205.5935v1_ EQ0268 (261)	55	■ 1.000	$b\downharpoonleft c=\sum_{i,j}b_ic^j\backslashleft(a^i\downharpoonleft a_j\right)=\sum_{i,j}b_ic^i$	$b\downharpoonleft c=\sum_{i,j}b_ic^j\left(a^i\downharpoonleft a_j\right)=\sum_ib_ic^i,$	$b\downharpoonleft c=\sum_{i,j}b_ic^j\left(a^i\downharpoonleft a_j\right)=\sum_ib_ic^i,$
1205.5935v1_ EQ0299 (291)	60	■ 1.000	$P_{a_1\wedge\cdots\wedge a_r}(B)=\sum_I\backslashleft(B*a_I\right)a^I$	$P_{a_1\wedge\cdots\wedge a_r}(B)=\sum_I(B*a_I)a^I,$	$P_{a_1\wedge\cdots\wedge a_r}(B)=\sum_I(B*a_I)a^I,$
1205.5935v1_ EQ0317 (307)	64	■ 1.000	$F(u)\rfloor F(v)=\frac{1}{2}\backslashleft[F(u+v)^2-F(u)^2-F(v)^2\right]$	$F(u)\downharpoonleft F(v)=\frac{1}{2}\left[F(u+v)^2-F(u)^2-F(v)^2\right],$	$F(u)\downharpoonleft F(v)=\frac{1}{2}\left[F(u+v)^2-F(u)^2-F(v)^2\right],$
1205.5935v1_ EQ0348 (337)	71	■ 1.000	$\begin{aligned}\mathcal{F}(A)\,\&=\mathcal{F}(1\wedge A)\,\,\&=\mathcal{F}(1\wedge A)\,\,\&=\mathcal{F}(1)\wedge\mathcal{F}(A)\,\,\&=0,\end{aligned}$	$\mathcal{F}(A)=\mathcal{F}(1A)$ $=\mathcal{F}(1\wedge A)$ $=\mathcal{F}(1)\wedge\mathcal{F}(A)$ $=0,$	$\mathcal{F}(A)=\mathcal{F}(1A)$ $=\mathcal{F}(1\wedge A)$ $=\mathcal{F}(1)\wedge\mathcal{F}(A)$ $=0,$
1205.5935v1_ EQ0370 (357)	76	■ 1.000	$\operatorname{det}(F)=F(\boldsymbol{I})^{\wedge\{\perp\}}$	$\det(F)=F(\boldsymbol{I})^{\perp}.$	$\det(F)=F(\boldsymbol{I})^{\perp}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1285.5935v1_ EQ0425 (43)	85	■ 1.000	$\begin{gathered} A_{\{r\}}^{\{*\}}=(-1)^{\{r\}}A_{\{r\}} \quad \text{\textbackslash\textbackslash} A^{\{*\}}=\\ \text{\textbackslash\textbackslashangle} A\text{\textbackslash\textbackslashangle}_{\{+\}}-\text{\textbackslash\textbackslashangle} A\text{\textbackslash\textbackslashangle}_{\{-\}} \quad \text{\textbackslash\textbackslash} A^{\{*\}}=\\ \text{\textbackslash\textbackslashboldsymbol{I}}A^{\{*\}n}\text{\textbackslash\textbackslashboldsymbol{I}}^{\{-1\}} \quad \text{\textbackslash\textbackslash\textbackslashangle} A\\ \text{\textbackslash\textbackslashangle}_{\{\pm\}}=\frac{1}{2}\text{\textbackslash\textbackslashleft}(A\text{\textbackslash\textbackslashpm} A^{\{*\}}\text{\textbackslash\textbackslashright}) \quad \text{\textbackslash\textbackslash} A^{\{\\ *\\ *\}}=A \quad \text{\textbackslash\textbackslash\textbackslashleft}(A^{\{-1\}}\text{\textbackslash\textbackslashright})^{\{*\}}=\text{\textbackslash\textbackslashleft}(A^{\{*\}}\text{\textbackslash\textbackslashright})^{\{-1\}}\\ \text{\textbackslash\textbackslashend{gathered}}$	$A_r^* = (-1)^r A_r$ $A^* = \langle A \rangle_+ - \langle A \rangle_-$ $A^* = \boldsymbol{I} A^{*n} \boldsymbol{I}^{-1}$ $\langle A \rangle_{\pm} = \frac{1}{2} (A \pm A^*)$ $A^{**} = A$ $(A^{-1})^* = (A^*)^{-1}$	$A_r^* = (-1)^r A_r$ $A^* = \langle A \rangle_+ - \langle A \rangle_-$ $A^* = \boldsymbol{I} A^{*n} \boldsymbol{I}^{-1}$ $\langle A \rangle_{\pm} = \frac{1}{2} (A \pm A^*)$ $A^{**} = A$ $(A^{-1})^* = (A^*)^{-1}$
1285.5935v1_ EQ0445 (92)	88	■ 1.000	$\begin{aligned} A^{\{-\perp\}} &= \text{\textbackslash\textbackslashrfloor} \text{\textbackslash\textbackslashboldsymbol{I}} \text{\textbackslash} \\ &\text{\textbackslash} \text{\textbackslash} \text{\textbackslash} &= A \text{\textbackslash\textbackslashboldsymbol{I}} \text{\textbackslash} \text{\textbackslash} \text{\textbackslash} &= \text{\textbackslash\textbackslashboldsymbol{I}}^2 A^{\perp} \\ \end{aligned}$	$A^{-\perp} = A \rfloor \boldsymbol{I}$ $= A \boldsymbol{I}$ $= \boldsymbol{I}^2 A^{\perp}$	$A^{-\perp} = A \rfloor \boldsymbol{I}$ $= A \boldsymbol{I}$ $= \boldsymbol{I}^2 A^{\perp}$
1285.5935v1_ EQ0451 (101)	88	■ 1.000	$A^{\{\perp\}} * B^{\{\perp\}} = \text{\textbackslash\textbackslashboldsymbol{I}} ^{\{-2\}} A * B$	$A^{\perp} * B^{\perp} = \boldsymbol{I} ^{-2} A * B$	$A^{\perp} * B^{\perp} = \boldsymbol{I} ^{-2} A * B$
1285.5935v1_ EQ0463 (118)	89	■ 1.000	$a^{\{i\}}=(-1)^{\{i-1\}}\text{\textbackslash\textbackslashleft}(a_{\{1\}}\text{\textbackslash\textbackslashwedge} a_{\{2\}}\text{\textbackslash\textbackslashwedge} \text{\textbackslash\textbackslashcdots} \text{\textbackslash\textbackslashwedge} \text{\textbackslash\textbackslashcheck{a}}_{\{i\}}\text{\textbackslash\textbackslashwedge} \text{\textbackslash\textbackslashcdots} \text{\textbackslash\textbackslashwedge} a_{\{n\}}\text{\textbackslash\textbackslashright})a_{\{N\}}^{\{-1\}}$	$a^i = (-1)^{i-1} (a_1 \wedge a_2 \wedge \cdots \wedge \check{a}_i \wedge \cdots \wedge a_n) a_N^{-1}.$	$a^i = (-1)^{i-1} (a_1 \wedge a_2 \wedge \cdots \wedge \check{a}_i \wedge \cdots \wedge a_n) a_N^{-1}.$
1285.5935v1_ EQ0471 (129)	90	■ 1.000	$a^{\{N\}}=\frac{a_{\{N\}}}{ \text{\textbackslash\textbackslashleft}a_{\{N\}}\text{\textbackslash\textbackslashright} ^{\{2\}}}$	$a^N = \frac{a_N}{ a_N ^2}.$	$a^N = \frac{a_N}{ a_N ^2}.$
1285.5935v1_ EQ0001 (1)	3	■ 1.000	$P_{\{u\}}(v)=\frac{u\text{\textbackslash\textbackslashcdot} v}{ u ^{\{2\}}}u$	$P_u(v) = \frac{u \cdot v}{ u ^2} u$	$P_u(v) = \frac{u \cdot v}{ u ^2} u$
1285.5935v1_ EQ0002 (2)	3	■ 1.000	$u\,v=\frac{1}{2}(u\,v+v\,u)+\frac{1}{2}(u\,v-v\,u)$	$uv = \frac{1}{2}(uv + vu) + \frac{1}{2}(uv - vu).$	$uv = \frac{1}{2}(uv + vu) + \frac{1}{2}(uv - vu).$
1285.5935v1_ EQ0003 (3)	4	■ 1.000	$\frac{1}{2}(u\,v+v\,u):=u\text{\textbackslash\textbackslashcdot} v$	$\frac{1}{2}(uv + vu) := u \cdot v.$	$\frac{1}{2}(uv + vu) := u \cdot v.$
1285.5935v1_ EQ0004 (4)	4	■ 1.000	$u^{\{-1\}}:=\frac{u}{u^{\{2\}}}$	$u^{-1} := \frac{u}{u^2}$	$u^{-1} := \frac{u}{u^2}$
1285.5935v1_ EQ0005 (5)	4	■ 1.000	$P_{\{u\}}(v)=(v\text{\textbackslash\textbackslashcdot} u)\,u^{\{-1\}}$	$P_u(v) = (v \cdot u) u^{-1}.$	$P_u(v) = (v \cdot u) u^{-1}.$
1285.5935v1_ EQ0006 (6)	4	■ 1.000	$u\,v=u\text{\textbackslash\textbackslashcdot} v+u\text{\textbackslash\textbackslashwedge} v$	$uv = u \cdot v + u \wedge v.$	$uv = u \cdot v + u \wedge v.$
1285.5935v1_ EQ0007 (7)	4	■ 1.000	$v\,u=u\text{\textbackslash\textbackslashcdot} v-u\text{\textbackslash\textbackslashwedge} v$	$vu = u \cdot v - u \wedge v.$	$vu = u \cdot v - u \wedge v.$
1285.5935v1_ EQ0008 (8)	4	■ 1.000	$u\,v\,v\,u=(u\text{\textbackslash\textbackslashcdot} v)^{\{2\}}-(u\text{\textbackslash\textbackslashwedge} v)^{\{2\}}$	$uvvu = (u \cdot v)^2 - (u \wedge v)^2.$	$uvvu = (u \cdot v)^2 - (u \wedge v)^2.$
1285.5935v1_ EQ0009 (9)	4	■ 1.000	$(u\text{\textbackslash\textbackslashwedge} v)^{\{2\}}=- u ^{\{2\}} v ^{\{2\}}\text{\textbackslash\textbackslashsin}^{\{2\}}\theta$	$(u \wedge v)^2 = - u ^2 v ^2 \sin^2 \theta.$	$(u \wedge v)^2 = - u ^2 v ^2 \sin^2 \theta.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0010 (10)	4	■ 1.000	$u \wedge (v + \lambda u) = u \wedge v$	$u \wedge (v + \lambda u) = u \wedge v.$	$u \wedge (v + \lambda u) = u \wedge v.$
1205.5935v1_ EQ0011 (11)	4	■ 1.000	$(u \wedge v) \wedge w = u \wedge (v \wedge w) = u \wedge v \wedge w$	$(u \wedge v) \wedge w = u \wedge (v \wedge w) = u \wedge v \wedge w.$	$(u \wedge v) \wedge w = u \wedge (v \wedge w) = u \wedge v \wedge w.$
1205.5935v1_ EQ0012 (12)	5	■ 1.000	$x = \alpha a + \beta b$	$x = \alpha a + \beta b.$	$x = \alpha a + \beta b.$
1205.5935v1_ EQ0013 (13)	5	■ 1.000	$a \wedge x = \beta a \wedge b$	$a \wedge x = \beta a \wedge b.$	$a \wedge x = \beta a \wedge b.$
1205.5935v1_ EQ0014 (14)	5	■ 1.000	$\beta = (a \wedge x)(a \wedge b)^{-1}$	$\beta = (a \wedge x)(a \wedge b)^{-1}.$	$\beta = (a \wedge x)(a \wedge b)^{-1}.$
1205.5935v1_ EQ0015 (15)	5	■ 1.000	$\beta = \frac{a \wedge x}{a \wedge b}$	$\beta = \frac{a \wedge x}{a \wedge b}.$	$\beta = \frac{a \wedge x}{a \wedge b}.$
1205.5935v1_ EQ0016 (16)	5	■ 1.000	$x = \left(\frac{x \wedge b}{a \wedge b}\right) a + \left(\frac{a \wedge x}{a \wedge b}\right) b$	$x = \left(\frac{x \wedge b}{a \wedge b}\right) a + \left(\frac{a \wedge x}{a \wedge b}\right) b.$	$x = \left(\frac{x \wedge b}{a \wedge b}\right) a + \left(\frac{a \wedge x}{a \wedge b}\right) b.$
1205.5935v1_ EQ0017 (17)	5	■ 1.000	$x = \left(\frac{x \wedge b \wedge c}{a \wedge b \wedge c}\right) a + \left(\frac{a \wedge x \wedge c}{a \wedge b \wedge c}\right) b + \left(\frac{a \wedge b \wedge x}{a \wedge b \wedge c}\right) c$	$x = \left(\frac{x \wedge b \wedge c}{a \wedge b \wedge c}\right) a + \left(\frac{a \wedge x \wedge c}{a \wedge b \wedge c}\right) b + \left(\frac{a \wedge b \wedge x}{a \wedge b \wedge c}\right) c$	$x = \left(\frac{x \wedge b \wedge c}{a \wedge b \wedge c}\right) a + \left(\frac{a \wedge x \wedge c}{a \wedge b \wedge c}\right) b + \left(\frac{a \wedge b \wedge x}{a \wedge b \wedge c}\right) c$
1205.5935v1_ EQ0018 (18)	5	■ 1.000	$x = p + \lambda a$	$x = p + \lambda a$	$x = p + \lambda a$
1205.5935v1_ EQ0019 (19)	6	■ 1.000	$x = \left(\frac{q \wedge b}{a \wedge b}\right) a + \left(\frac{a \wedge p}{a \wedge b}\right) b$	$x = \left(\frac{q \wedge b}{a \wedge b}\right) a + \left(\frac{a \wedge p}{a \wedge b}\right) b$	$x = \left(\frac{q \wedge b}{a \wedge b}\right) a + \left(\frac{a \wedge p}{a \wedge b}\right) b,$
1205.5935v1_ EQ0021 (21)	6	■ 1.000	$v^{\prime} = -(v \cdot n) n^{-1} + (v \wedge n) n^{-1}$	$v' = -(v \cdot n)n^{-1} + (v \wedge n)n^{-1}.$	$v' = -(v \cdot n)n^{-1} + (v \wedge n)n^{-1}.$
1205.5935v1_ EQ0023 (23)	6	■ 1.000	$v^{\prime} = v - 2 \frac{n \cdot v}{ n ^2} n$	$v' = v - 2 \frac{n \cdot v}{ n ^2} n$	$v' = v - 2 \frac{n \cdot v}{ n ^2} n,$
1205.5935v1_ EQ0024 (24)	7	■ 1.000	$\begin{aligned} v^{\prime} &= -m \left(-n \, v \, n^{-1} \right) \\ &\quad \&= (m \, n) \, v \, (m \, n)^{-1} \\ &\quad \&= R \, v \, R^{-1} \end{aligned}$	$\begin{aligned} v' &= -m \left(-n v n^{-1} \right) m^{-1} \\ &= (m n) v (m n)^{-1} \\ &= R v R^{-1} \end{aligned}$	$\begin{aligned} v' &= -m (-n v n^{-1}) m^{-1} \\ &= (m n) v (m n)^{-1} \\ &= R v R^{-1} \end{aligned}$
1205.5935v1_ EQ0025 (25)	7	■ 1.000	$\begin{aligned} R &= m \, n \\ &\quad \&= m \cdot n + m \wedge n \\ &\quad \&= m \cdot n - n \wedge m. \end{aligned}$	$\begin{aligned} R &= m n \\ &= m \cdot n + m \wedge n \\ &= m \cdot n - n \wedge m. \end{aligned}$	$\begin{aligned} R &= m n \\ &= m \cdot n + m \wedge n \\ &= m \cdot n - n \wedge m. \end{aligned}$
1205.5935v1_ EQ0026 (26)	7	■ 1.000	$\begin{aligned} R &= \cos (\theta / 2) - \sin (\theta / 2) B \\ &\quad \&= \exp (-B \theta / 2) \end{aligned}$	$\begin{aligned} R &= \cos (\theta / 2) - \sin (\theta / 2) B \\ &= \exp (-B \theta / 2) \end{aligned}$	$\begin{aligned} R &= \cos (\theta / 2) - \sin (\theta / 2) B \\ &= \exp (-B \theta / 2) \end{aligned}$
1205.5935v1_ EQ0027 (27)	8	■ 1.000	$\left[(v \wedge n) n^{-1} \right] \cdot n = 0$	$\left[(v \wedge n) n^{-1} \right] \cdot n = 0,$	$\left[(v \wedge n) n^{-1} \right] \cdot n = 0,$
1205.5935v1_ EQ0028 (28)	11	■ 1.000	$\frac{1}{2}(u v+v u)=\frac{1}{2}\left[(u+v)^2-u^2-v^2\right]$	$\frac{1}{2}(u v+v u)=\frac{1}{2}\left[(u+v)^2-u^2-v^2\right]$	$\frac{1}{2}(u v+v u)=\frac{1}{2}\left[(u+v)^2-u^2-v^2\right]$
1205.5935v1_ EQ0029 (29)	12	■ 1.000	$\lambda A = A \lambda \in \mathcal{G}_r$	$\lambda A = A \lambda \in \mathcal{G}_r.$	$\lambda A = A \lambda \in \mathcal{G}_r.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0030 (30)	13	■ 1.000	$a_{\{1\}} \wedge a_{\{2\}} \wedge \cdots \wedge a_{\{r\}} := \frac{1}{r!} \sum_{\{\sigma\}} (\operatorname{sgn} \sigma) a_{\sigma(1)} a_{\sigma(2)} \cdots a_{\sigma(r)}$	$a_1 \wedge a_2 \wedge \cdots \wedge a_r := \frac{1}{r!} \sum_{\sigma} (\operatorname{sgn} \sigma) a_{\sigma(1)} a_{\sigma(2)} \cdots a_{\sigma(r)}$	$a_1 \wedge a_2 \wedge \cdots \wedge a_r := \frac{1}{r!} \sum_{\sigma} (\operatorname{sgn} \sigma) a_{\sigma(1)} a_{\sigma(2)} \cdots a_{\sigma(r)}$
1205.5935v1_ EQ0031 (31)	13	■ 1.000	$e_{\{1\}} \wedge e_{\{2\}} \wedge \cdots \wedge e_{\{r\}} = \frac{1}{r!} \sum_{\{\sigma\}} (\operatorname{sgn} \sigma) e_{\sigma(1)} e_{\sigma(2)} \cdots e_{\sigma(r)}$	$e_1 \wedge e_2 \wedge \cdots \wedge e_r = \frac{1}{r!} \sum_{\sigma} (\operatorname{sgn} \sigma) e_{\sigma(1)} e_{\sigma(2)} \cdots e_{\sigma(r)}.$	$e_1 \wedge e_2 \wedge \cdots \wedge e_r = \frac{1}{r!} \sum_{\sigma} (\operatorname{sgn} \sigma) e_{\sigma(1)} e_{\sigma(2)} \cdots e_{\sigma(r)}.$
1205.5935v1_ EQ0032 (32)	13	■ 1.000	$\begin{aligned} e_{\{1\}} \wedge e_{\{2\}} \wedge \cdots \wedge e_{\{r\}} &= \frac{1}{r!} \sum_{\{\sigma\}} e_{\{1\}} e_{\{2\}} \cdots e_{\{r\}} \\ &= e_{\{1\}} e_{\{2\}} \cdots e_{\{r\}} \end{aligned}$	$e_1 \wedge e_2 \wedge \cdots \wedge e_r = \frac{1}{r!} \sum_{\sigma} e_1 e_2 \cdots e_r = e_1 e_2 \cdots e_r$	$e_1 \wedge e_2 \wedge \cdots \wedge e_r = \frac{1}{r!} \sum_{\sigma} e_1 e_2 \cdots e_r = e_1 e_2 \cdots e_r$
1205.5935v1_ EQ0033 (33)	14	■ 1.000	$e_{\{1\}} \wedge e_{\{2\}} = e_{\{1\}} e_{\{2\}}$	$e_1 \wedge e_2 = e_1 e_2$	$e_1 \wedge e_2 = e_1 e_2,$
1205.5935v1_ EQ0036 (36)	14	■ 1.000	$\begin{aligned} a_{\{1\}} \wedge a_{\{2\}} \wedge \cdots \wedge a_{\{r\}} &= e_{\{1\}} \wedge e_{\{2\}} \wedge \cdots \wedge e_{\{r\}} \\ &= e_{\{1\}} e_{\{2\}} \cdots e_{\{r\}} \end{aligned}$	$a_1 \wedge a_2 \wedge \cdots \wedge a_r = e_1 \wedge e_2 \wedge \cdots \wedge e_r = e_1 e_2 \cdots e_r$	$a_1 \wedge a_2 \wedge \cdots \wedge a_r = e_1 \wedge e_2 \wedge \cdots \wedge e_r = e_1 e_2 \cdots e_r$
1205.5935v1_ EQ0052 (51)	18	■ 1.000	$a \wedge A_{\{r\}} := \frac{1}{2} \left[a A_{\{r\}} + (-1)^r A_{\{r\}} a \right]$	$a \wedge A_r := \frac{1}{2} [a A_r + (-1)^r A_r a],$	$a \wedge A_r := \frac{1}{2} [a A_r + (-1)^r A_r a],$
1205.5935v1_ EQ0054 (53)	18	■ 1.000	$a \wedge A_{\{+\}} = A_{\{+\}} \wedge a \quad \text{while} \quad a \wedge A_{\{-\}} = -A_{\{-\}} \wedge a$	$a \wedge A_+ = A_+ \wedge a \quad \text{while} \quad a \wedge A_- = -A_- \wedge a.$	$a \wedge A_+ = A_+ \wedge a \quad \text{while} \quad a \wedge A_- = -A_- \wedge a.$
1205.5935v1_ EQ0056 (55)	18	■ 1.000	$a \wedge a_{\{1\}} \wedge a_{\{2\}} \wedge \cdots \wedge a_{\{r\}} = a \wedge e_{\{1\}} \wedge e_{\{2\}} \wedge \cdots \wedge e_{\{r\}}$	$a \wedge a_1 \wedge a_2 \wedge \cdots \wedge a_r = a \wedge e_1 \wedge e_2 \wedge \cdots \wedge e_r$	$a \wedge a_1 \wedge a_2 \wedge \cdots \wedge a_r = a \wedge e_1 \wedge e_2 \wedge \cdots \wedge e_r$
1205.5935v1_ EQ0057 (56)	18	■ 1.000	$\frac{1}{2} \left[a \left(e_{\{1\}} e_{\{2\}} \cdots e_{\{r\}} \right) + (-1)^r \left(e_{\{1\}} e_{\{2\}} \cdots e_{\{r\}} \right) a \right] = a \wedge e_{\{1\}} \wedge e_{\{2\}} \wedge \cdots \wedge e_{\{r\}}$	$\frac{1}{2} [a (e_1 e_2 \cdots e_r) + (-1)^r (e_1 e_2 \cdots e_r) a] = a \wedge e_1 \wedge e_2 \wedge \cdots \wedge e_r$	$\frac{1}{2} [a (e_1 e_2 \cdots e_r) + (-1)^r (e_1 e_2 \cdots e_r) a] = a \wedge e_1 \wedge e_2 \wedge \cdots \wedge e_r.$
1205.5935v1_ EQ0059 (58)	19	■ 1.000	$\frac{1}{r+1} \left[\frac{1}{r!} \sum_{\pi} (\operatorname{sgn} \pi) a e_{\pi(1)} e_{\pi(2)} \cdots e_{\pi(r)} \right] = \frac{1}{r+1} a e_{\{1\}} e_{\{2\}} \cdots e_{\{r\}}$	$\frac{1}{r+1} \left[\frac{1}{r!} \sum_{\pi} (\operatorname{sgn} \pi) a e_{\pi(1)} e_{\pi(2)} \cdots e_{\pi(r)} \right] = \frac{1}{r+1} a e_1 e_2 \cdots e_r.$	$\frac{1}{r+1} \left[\frac{1}{r!} \sum_{\pi} (\operatorname{sgn} \pi) a e_{\pi(1)} e_{\pi(2)} \cdots e_{\pi(r)} \right] = \frac{1}{r+1} a e_1 e_2 \cdots e_r.$
1205.5935v1_ EQ0064 (63)	20	■ 1.000	$\begin{aligned} &\frac{1}{2r+2} [a e_{\{1\}} e_{\{2\}} \cdots e_{\{r\}} - (-1)^r e_{\{1\}} e_{\{2\}} \cdots e_{\{r\}} a] \\ &= \frac{1}{2} [a e_1 e_2 \cdots e_r + (-1)^r e_1 e_2 \cdots e_r a], \end{aligned}$	$\frac{1}{2r+2} [a e_1 e_2 \cdots e_r - (-1)^r e_1 e_2 \cdots e_r a] = \frac{1}{2} [a e_1 e_2 \cdots e_r + (-1)^r e_1 e_2 \cdots e_r a],$	$\frac{1}{2r+2} [a e_1 e_2 \cdots e_r - (-1)^r e_1 e_2 \cdots e_r a] = \frac{1}{2} [a e_1 e_2 \cdots e_r + (-1)^r e_1 e_2 \cdots e_r a],$
1205.5935v1_ EQ0065 (64)	20	■ 1.000	$a \wedge A_{\{r\}} = a \downharpoonleft A_{\{r\}} + a \wedge A_{\{r\}}$	$a A_r = a \downharpoonleft A_r + a \wedge A_r,$	$a A_r = a \downharpoonleft A_r + a \wedge A_r,$
1205.5935v1_ EQ0067 (66)	20	■ 1.000	$A_{\{r\}} a = A_{\{r\}} \lfloor a + A_{\{r\}} \wedge a,$	$A_r a = A_r \lfloor a + A_r \wedge a,$	$A_r a = A_r \lfloor a + A_r \wedge a,$
1205.5935v1_ EQ0069 (68)	20	■ 1.000	$A_{\{r\}} B_{\{s\}} = \sum_{j=0}^{\min\{r,s\}} \langle A_r B_s \rangle_{ r-s +2j}$	$A_r B_s = \sum_{j=0}^{\min\{r,s\}} \langle A_r B_s \rangle_{ r-s +2j}$	$A_r B_s = \sum_{j=0}^{\min\{r,s\}} \langle A_r B_s \rangle_{ r-s +2j}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1285.5935v1_ EQ0071 (69)	21	■ 1.000	$\begin{aligned} &= \sum_{j=0}^{\min\{r-1, s\}} a \langle \mathbf{A}_{r-1} B_s \rangle_{ r-1-s +2j} \left \mathbf{B}_s \right\rangle_{ r-1-s +2j} \\ &= \sum_{j=0}^{r-1} a \langle \mathbf{A}_{r-1} B_s \rangle_{s-r+2j+1} \left \mathbf{B}_s \right\rangle_{s-r+2j+1} \end{aligned}$	$= \sum_{j=0}^{\min\{r-1, s\}} a \langle \mathbf{A}_{r-1} B_s \rangle_{ r-1-s +2j}$ $= \sum_{j=0}^{r-1} a \langle \mathbf{A}_{r-1} B_s \rangle_{s-r+2j+1}$	$= \sum_{j=0}^{\min\{r-1, s\}} a \langle \mathbf{A}_{r-1} B_s \rangle_{ r-1-s +2j}$ $= \sum_{j=0}^{r-1} a \langle \mathbf{A}_{r-1} B_s \rangle_{s-r+2j+1}$
1285.5935v1_ EQ0083 (81)	23	■ 1.000	$a \wedge (a_1 \wedge a_2 \wedge \cdots \wedge a_r) = a \wedge a_1 \wedge a_2 \wedge \cdots \wedge a_r.$	$a \wedge (a_1 \wedge a_2 \wedge \cdots \wedge a_r) = a \wedge a_1 \wedge a_2 \wedge \cdots \wedge a_r.$	$a \wedge (a_1 \wedge a_2 \wedge \cdots \wedge a_r) = a \wedge a_1 \wedge a_2 \wedge \cdots \wedge a_r.$
1285.5935v1_EQ0085	23	■ 1.000	$A \wedge (B \wedge C) = (A \wedge B) \wedge C$	$A \wedge (B \wedge C) = (A \wedge B) \wedge C$	$A \wedge (B \wedge C) = (A \wedge B) \wedge C$
1285.5935v1_ EQ0087 (84)	24	■ 1.000	$A_r \wedge (B_s \wedge C_t) = \langle A_r B_s C_t \rangle_{r+s+t}$	$A_r \wedge (B_s \wedge C_t) = \langle A_r B_s C_t \rangle_{r+s+t}$	$A_r \wedge (B_s \wedge C_t) = \langle A_r B_s C_t \rangle_{r+s+t}.$
1285.5935v1_ EQ0089 (86)	24	■ 1.000	$a \wedge A \wedge b = -b \wedge A \wedge a$	$a \wedge A \wedge b = -b \wedge A \wedge a$	$a \wedge A \wedge b = -b \wedge A \wedge a$
1285.5935v1_ EQ0092 (89)	24	■ 1.000	$\langle A_r \langle B_s C_t \rangle_{s-t} \rangle_{s-(r+t)} = \langle A_r B_s C_t \rangle_{s-(r+t)}$	$\langle A_r \langle B_s C_t \rangle_{s-t} \rangle_{s-(r+t)} = \langle A_r B_s C_t \rangle_{s-(r+t)}$	$\langle A_r \langle B_s C_t \rangle_{s-t} \rangle_{s-(r+t)} = \langle A_r B_s C_t \rangle_{s-(r+t)}$
1285.5935v1_ EQ0095 (91)	25	■ 1.000	$= \langle A_r \langle B_s C_t \rangle_{t-s} \rangle_{t-(r+s)}$	$= \langle A_r \langle B_s C_t \rangle_{t-s} \rangle_{t-(r+s)}$	$= \langle A_r \langle B_s C_t \rangle_{t-s} \rangle_{t-(r+s)}.$
1285.5935v1_ EQ0109 (103)	27	■ 1.000	$v \wedge n n = v \wedge n \lfloor n + v \wedge n \wedge n$ $= v \wedge n \lfloor n$	$v \wedge n n = v \wedge n \lfloor n + v \wedge n \wedge n$ $= v \wedge n \lfloor n$	$v \wedge n n = v \wedge n \lfloor n + v \wedge n \wedge n$ $= v \wedge n \lfloor n$
1285.5935v1_ EQ0110 (104)	27	■ 1.000	$(v \wedge n n^{-1}) \rfloor n = \langle v \wedge n n^{-1} n \rangle$ $= \langle v \wedge n \rangle$ $= 0$	$(v \wedge n n^{-1}) \rfloor n = \langle v \wedge n n^{-1} n \rangle$ $= \langle v \wedge n \rangle$ $= 0$	$(v \wedge n n^{-1}) \rfloor n = \langle v \wedge n n^{-1} n \rangle$ $= \langle v \wedge n \rangle$ $= 0$
1285.5935v1_ EQ0120 (114)	31	■ 1.000	$A_r^* = (-1)^r A_r,$	$A_r^* = (-1)^r A_r,$	$A_r^* = (-1)^r A_r,$
1285.5935v1_ EQ0121 (115)	31	■ 1.000	$A^* = \langle A \rangle_+ - \langle A \rangle_-.$	$A^* = \langle A \rangle_+ - \langle A \rangle_-.$	$A^* = \langle A \rangle_+ - \langle A \rangle_-.$
1285.5935v1_ EQ0122 (116)	31	■ 1.000	$\langle A \rangle_{\pm} = \frac{1}{2} (A \pm A^*).$	$\langle A \rangle_{\pm} = \frac{1}{2} (A \pm A^*).$	$\langle A \rangle_{\pm} = \frac{1}{2} (A \pm A^*).$
1285.5935v1_ EQ0124 (118)	31	■ 1.000	$A^{**} = A$	$A^{**} = A$	$A^{**} = A$
1285.5935v1_ EQ0125 (119)	31	■ 1.000	$(A^{-1})^* = (A^*)^{-1}.$	$(A^{-1})^* = (A^*)^{-1}.$	$(A^{-1})^* = (A^*)^{-1}.$
1285.5935v1_EQ0126	31	■ 1.000	$(A \rfloor B)^* = A^* \rfloor B^*$	$(A \rfloor B)^* = A^* \rfloor B^*$	$(A \rfloor B)^* = A^* \rfloor B^*$
1285.5935v1_ EQ0133 (126)	32	■ 1.000	$(a_1 a_2 \cdots a_r)^{\dagger} = a_r \cdots a_2 a_1,$	$(a_1 a_2 \cdots a_r)^{\dagger} = a_r \cdots a_2 a_1,$	$(a_1 a_2 \cdots a_r)^{\dagger} = a_r \cdots a_2 a_1,$
1285.5935v1_ EQ0134 (127)	32	■ 1.000	$A^{\dagger\dagger} = A$	$A^{\dagger\dagger} = A$	$A^{\dagger\dagger} = A$
1285.5935v1_ EQ0135 (128)	33	■ 1.000	$(e_1 e_2 \cdots e_r)^{\dagger} = e_r \cdots e_2 e_1$ $= (-1)^{r(r-1)/2} e_1 e_2 \cdots e_r$	$(e_1 e_2 \cdots e_r)^{\dagger} = e_r \cdots e_2 e_1$ $= (-1)^{r(r-1)/2} e_1 e_2 \cdots e_r$	$(e_1 e_2 \cdots e_r)^{\dagger} = e_r \cdots e_2 e_1$ $= (-1)^{r(r-1)/2} e_1 e_2 \cdots e_r$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0136 (129)	33	■ 1.000	$A_{\{r\}}^{\dagger}=(-1)^{r(r-1) / 2} A_{\{r\}}$	$A_r^\dagger = (-1)^{r(r-1)/2} A_r.$	$A_r^\dagger = (-1)^{r(r-1)/2} A_r.$
1205.5935v1_ EQ0139 (132)	33	■ 1.000	$\left(A^{\{-1\}}\right)^{\dagger}=\left(A^{\{\dagger\}}\right)^{\{-1\}}$	$\left(A^{-1}\right)^{\dagger}=\left(A^{\dagger}\right)^{-1}.$	$\left(A^{-1}\right)^{\dagger}=\left(A^{\dagger}\right)^{-1}.$
1205.5935v1_ EQ0141 (134)	33	■ 1.000	$\begin{aligned} \langle A \, B \rangle_{\{r\}} &= (-1)^{r(r-1) / 2} \langle (A \, B)^{\dagger} \rangle_{\{r\}} \\ \langle (A \, B)^{\dagger} \rangle_{\{r\}} &= (-1)^{r(r-1) / 2} \langle B^{\dagger} A^{\dagger} \rangle_{\{r\}} \end{aligned}$	$\begin{aligned} \langle AB \rangle_r &= (-1)^{r(r-1)/2} \langle (AB)^\dagger \rangle_r \\ &= (-1)^{r(r-1)/2} \langle B^\dagger A^\dagger \rangle_r \end{aligned}$	$\begin{aligned} \langle AB \rangle_r &= (-1)^{r(r-1)/2} \langle (AB)^\dagger \rangle_r \\ &= (-1)^{r(r-1)/2} \langle B^\dagger A^\dagger \rangle_r \end{aligned}$
1205.5935v1_ EQ0142 (135)	33	■ 1.000	$\langle A \, B \rangle=\langle B^{\dagger} A^{\dagger} \rangle$	$\langle AB \rangle = \langle B^\dagger A^\dagger \rangle.$	$\langle AB \rangle = \langle B^\dagger A^\dagger \rangle.$
1205.5935v1_ EQ0144 (137)	33	■ 1.000	$\langle A \, B \rangle=\langle B \, A \rangle$	$\langle AB \rangle = \langle BA \rangle$	$\langle AB \rangle = \langle BA \rangle$
1205.5935v1_ EQ0145 (138)	33	■ 1.000	$\langle A \, B \, \cdots C \, D \rangle=\langle D \, A \, B \, \cdots C \rangle$	$\langle AB \cdots CD \rangle = \langle DAB \cdots C \rangle,$	$\langle AB \cdots CD \rangle = \langle DAB \cdots C \rangle,$
1205.5935v1_ EQ0147 (140)	34	■ 1.000	$\begin{aligned} \langle A_{\{r\}} \, B_{\{s\}} \rangle_{\{r+s-2 \, j\}} &= (-1)^{(r+s-2 \, j)(r+s-2 \, j-1) / 2} \langle (A_{\{r\}} \, B_{\{s\}})^{\dagger} \rangle_{\{r+s-2 \, j\}} \\ \langle (A_{\{r\}} \, B_{\{s\}})^{\dagger} \rangle_{\{r+s-2 \, j\}} &= (-1)^{(r+s-2 \, j)(r+s-2 \, j-1) / 2} \langle B_{\{s\}}^{\dagger} A_{\{r\}}^{\dagger} \rangle_{\{r+s-2 \, j\}} \\ \langle B_{\{s\}}^{\dagger} A_{\{r\}}^{\dagger} \rangle_{\{r+s-2 \, j\}} &= (-1)^{(r+s-2 \, j)(r+s-2 \, j-1) / 2} (-1)^{r(r-1) / 2} (-1)^{s(s-1) / 2} \langle B_s A_r \rangle_{\{r+s-2 \, j\}} \\ \langle B_s A_r \rangle_{\{r+s-2 \, j\}} &= (-1)^{rs-j} \langle B_s A_r \rangle_{r+s-2 j} \end{aligned}$	$\begin{aligned} \langle A_r B_s \rangle_{r+s-2 j} &= (-1)^{(r+s-2 j)(r+s-2 j-1)/2} \langle (A_r B_s)^\dagger \rangle_{r+s-2 j} \\ &= (-1)^{(r+s-2 j)(r+s-2 j-1)/2} \langle B_s^\dagger A_r^\dagger \rangle_{r+s-2 j} \\ &= (-1)^{(r+s-2 j)(r+s-2 j-1)/2} (-1)^{r(r-1)/2} (-1)^{s(s-1)/2} \langle B_s A_r \rangle_{r+s-2 j} \\ &= (-1)^{rs-j} \langle B_s A_r \rangle_{r+s-2 j} \end{aligned}$	$\begin{aligned} \langle A_r B_s \rangle_{r+s-2 j} &= (-1)^{(r+s-2 j)(r+s-2 j-1)/2} \langle (A_r B_s)^\dagger \rangle_{r+s-2 j} \\ &= (-1)^{(r+s-2 j)(r+s-2 j-1)/2} \langle B_s^\dagger A_r^\dagger \rangle_{r+s-2 j} \\ &= (-1)^{(r+s-2 j)(r+s-2 j-1)/2} (-1)^{r(r-1)/2} (-1)^{s(s-1)/2} \langle B_s A_r \rangle_{r+s-2 j} \\ &= (-1)^{rs-j} \langle B_s A_r \rangle_{r+s-2 j} . \end{aligned}$
1205.5935v1_ EQ0150 (143)	34	■ 1.000	$A_{\{r\}} \wedge B_{\{s\}}=(-1)^{r \, s} B_{\{s\}} \wedge A_{\{r\}}$	$A_r \wedge B_s = (-1)^{rs} B_s \wedge A_r,$	$A_r \wedge B_s = (-1)^{rs} B_s \wedge A_r,$
1205.5935v1_ EQ0158 (151)	35	■ 1.000	$\begin{aligned} A_{\{r\}}^{\ddagger} &= A_{\{r\}}^{*\dagger} \\ &= (-1)^r (-1)^{r(r-1) / 2} A_r \\ &= (-1)^{r(r+1) / 2} A_r. \end{aligned}$	$\begin{aligned} A_r^\ddagger &= A_r^{*\dagger} \\ &= (-1)^r (-1)^{r(r-1)/2} A_r \\ &= (-1)^{r(r+1)/2} A_r. \end{aligned}$	$\begin{aligned} A_r^\ddagger &= A_r^{*\dagger} \\ &= (-1)^r (-1)^{r(r-1)/2} A_r \\ &= (-1)^{r(r+1)/2} A_r. \end{aligned}$
1205.5935v1_ EQ0159 (152)	35	■ 1.000	$A * B:=\langle A^{\dagger} B \rangle$	$A * B := \langle A^\dagger B \rangle.$	$A * B := \langle A^\dagger B \rangle.$
1205.5935v1_ EQ0160 (153)	35	■ 1.000	$\left.A_{\{r\}} * B_{\{s\}}\right\rangle=\left\langle A_{\{r\}}^{\dagger} B_{\{s\}}\right\rangle$	$A_r * B_s = \langle A_r^\dagger \rfloor B_s \rangle = \langle A_r^\dagger \rfloor B_s \rangle.$	$A_r * B_s = \langle A_r^\dagger \rfloor B_s \rangle = \langle A_r^\dagger \rfloor B_s \rangle.$
1205.5935v1_ EQ0162 (155)	35	■ 1.000	$\left.A_{\{r\}} * B_{\{s\}}\right\rangle=\left\langle A_{\{r\}}^{\dagger} B_{\{s\}}\right\rangle$	$A_r * B_s = \left(A_r^\dagger \rfloor B_s\right) \delta_{rs} = \left(A_r^\dagger \rfloor B_s\right) \delta_{rs}.$	$A_r * B_s = \left(A_r^\dagger \rfloor B_s\right) \delta_{rs} = \left(A_r^\dagger \rfloor B_s\right) \delta_{rs}.$
1205.5935v1_ EQ0164 (157)	35	■ 1.000	$A * B=A^* * B^*.$	$A * B = A^* * B^*.$	$A * B = A^* * B^*.$
1205.5935v1_ EQ0165 (158)	36	■ 1.000	$A * B=B * A=A^{\dagger} * B^{\dagger}=A^{\ddagger} * B^{\ddagger}$	$A * B = B * A = A^\dagger * B^\dagger = A^\ddagger * B^\ddagger$	$A * B = B * A = A^\dagger * B^\dagger = A^\ddagger * B^\ddagger$
1205.5935v1_ EQ0169 (162)	36	■ 1.000	$ A ^2:=A * A$	$ A ^2 := A * A.$	$ A ^2 := A * A.$
1205.5935v1_ EQ0173 (166)	37	■ 1.000	$ A \, B ^2= A ^2 B ^2$	$ AB ^2 = A ^2 B ^2.$	$ AB ^2 = A ^2 B ^2.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1285.5935v1_ E00174 (167) [re- fined: source]	37	■ 1.000	$\begin{aligned} (A\,B) * (A\,C) &= \left\langle (AB)^{\dagger} AC \right\rangle \\ A^{\dagger} A \, C \right\rangle &= \left\langle B^{\dagger} A^{\dagger} AC \right\rangle \\ A^{\dagger} A \, C \right\rangle &= \left\langle A ^2 B^{\dagger} C \right\rangle \\ A^{\dagger} A \, C \right\rangle &= A ^2 B * C \end{aligned}$	$\begin{aligned} (AB) * (AC) &= \langle (AB)^{\dagger} AC \rangle \\ &= \langle B^{\dagger} A^{\dagger} AC \rangle \\ &= \langle A ^2 B^{\dagger} C \rangle \\ &= A ^2 B * C \end{aligned}$	$\begin{aligned} (AB) * (AC) &= \langle (AB)^{\dagger} AC \rangle \\ &= \langle B^{\dagger} A^{\dagger} AC \rangle \\ &= \langle A ^2 B^{\dagger} C \rangle \\ &= A ^2 B * C \end{aligned}$
1285.5935v1_ E00175 (168)	37	■ 1.000	$A^{-1} = \frac{A^{\dagger}}{ A ^2}$	$A^{-1} = \frac{A^{\dagger}}{ A ^2},$	$A^{-1} = \frac{A^{\dagger}}{ A ^2},$
1285.5935v1_ E00176 (169)	37	■ 1.000	$\left A^{-1} \right ^2 = A ^{-2}$	$\left A^{-1} \right ^2 = A ^{-2}.$	$\left A^{-1} \right ^2 = A ^{-2}.$
1285.5935v1_ E00179 (172)	38	■ 1.000	$(a \wedge b)^{-1} = \frac{b \wedge a}{a^2 b^2 \sin^2 \theta}$	$(a \wedge b)^{-1} = \frac{b \wedge a}{a^2 b^2 \sin^2 \theta}$	$(a \wedge b)^{-1} = \frac{b \wedge a}{a^2 b^2 \sin^2 \theta}.$
1285.5935v1_ E00181 (174)	39	■ 1.000	$ \boldsymbol{I} ^2 = e_1^2 e_2^2 \cdots e_n^2 = (-1)^p.$	$ \boldsymbol{I} ^2 = e_1^2 e_2^2 \cdots e_n^2 = (-1)^p.$	$ \boldsymbol{I} ^2 = e_1^2 e_2^2 \cdots e_n^2 = (-1)^p.$
1285.5935v1_ E00182 (175)	39	■ 1.000	$ \boldsymbol{I} ^2 = (-1)^{n(n-1)/2+p}.$	$\boldsymbol{I}^2 = (-1)^{n(n-1)/2+p}.$	$\boldsymbol{I}^2 = (-1)^{n(n-1)/2+p}.$
1285.5935v1_ E00196 (189)	42	■ 1.000	$A \times (B \, C) = (A \times B) \, C + B \, (A \times C)$	$A \times (BC) = (A \times B)C + B(A \times C),$	$A \times (BC) = (A \times B)C + B(A \times C),$
1285.5935v1_ E00203 (196)	43	■ 1.000	$A_2 \times A_r = \frac{1}{2} (A_2 A_r - A_r A_2) = \langle A_2 A_r \rangle_r.$	$A_2 \times A_r = \frac{1}{2} (A_2 A_r - A_r A_2) = \langle A_2 A_r \rangle_r.$	$A_2 \times A_r = \frac{1}{2} (A_2 A_r - A_r A_2) = \langle A_2 A_r \rangle_r.$
1285.5935v1_ E00208 (201)	44	■ 1.000	$\left e_1 e_2 \right ^2 = (e_1 e_2)^{\dagger} e_1 e_2 = e_2 e_1 e_1 e_2 = 1.$	$\left e_1 e_2 \right ^2 = (e_1 e_2)^{\dagger} e_1 e_2 = e_2 e_1 e_1 e_2 = 1.$	$\left e_1 e_2 \right ^2 = (e_1 e_2)^{\dagger} e_1 e_2 = e_2 e_1 e_1 e_2 = 1.$
1285.5935v1_ E00210 (203)	44	■ 1.000	$Z = e_1 z$ $z = e_1 Z.$	$Z = e_1 z$ $z = e_1 Z.$	$Z = e_1 z$ $z = e_1 Z.$
1285.5935v1_ E00213 (206)	45	■ 1.000	$z' = W z$ $= \exp(-\boldsymbol{I} \theta) z$ $= \exp(-\boldsymbol{I} \theta / 2) \exp(-\boldsymbol{I} \theta / 2) z$ $= \exp(-\boldsymbol{I} \theta / 2) z \exp(\boldsymbol{I} \theta / 2)$ $= R z R^{-1}$	$z' = W z$ $= \exp(-\boldsymbol{I} \theta) z$ $= \exp(-\boldsymbol{I} \theta / 2) \exp(-\boldsymbol{I} \theta / 2) z$ $= \exp(-\boldsymbol{I} \theta / 2) z \exp(\boldsymbol{I} \theta / 2)$ $= R z R^{-1}$	$z' = W z$ $= \exp(-\boldsymbol{I} \theta) z$ $= \exp(-\boldsymbol{I} \theta / 2) \exp(-\boldsymbol{I} \theta / 2) z$ $= \exp(-\boldsymbol{I} \theta / 2) z \exp(\boldsymbol{I} \theta / 2)$ $= R z R^{-1}$
1285.5935v1_ E00214 (207)	45	■ 1.000	$Z' = e_1 z'$ $= e_1 W z$ $= w z$ $= W^{\dagger} Z$ $= \exp(\boldsymbol{I} \theta) Z.$	$Z' = e_1 z'$ $= e_1 W z$ $= w z$ $= W^{\dagger} Z$ $= \exp(\boldsymbol{I} \theta) Z$	$Z' = e_1 z'$ $= e_1 W z$ $= w z$ $= W^{\dagger} Z$ $= \exp(\boldsymbol{I} \theta) Z.$
1285.5935v1_ E00215 (208)	46	■ 1.000	$a \times b = (a \wedge b)^{\perp}.$	$a \times b = (a \wedge b)^{\perp}.$	$a \times b = (a \wedge b)^{\perp}.$
1285.5935v1_ E00217 (210)	46	■ 1.000	$a \cdot b \times c = (a \wedge b \wedge c)^{\perp}.$	$a \cdot b \times c = (a \wedge b \wedge c)^{\perp}.$	$a \cdot b \times c = (a \wedge b \wedge c)^{\perp}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0280 (272)	57	■ 1.000	$B * C = \sum_{I, J} B_I C^J \left(a^I * a_J \right) = \sum_{I, J} B_I C^J C^{\{I\}} B_{\{I\}} C^{\{J\}}$	$B * C = \sum_{I, J} B_I C^J \left(a^I * a_J \right) = \sum_I B_I C^I,$	$B * C = \sum_{I, J} B_I C^J \left(a^I * a_J \right) = \sum_I B_I C^I,$
1205.5935v1_ EQ0292 (284)	59	■ 1.000	$a^{\{I\}} a_{\{N\}} = (-1)^{\sum_{j=1}^r (i_j - 1)} \left(i_{\{j\}} - 1 \right) a_{I^c}.$	$a^I a_N = (-1)^{\sum_{j=1}^r (i_j - 1)} a_{I^c}.$	$a^I a_N = (-1)^{\sum_{j=1}^r (i_j - 1)} a_{I^c}.$
1205.5935v1_ EQ0294 (286)	60	■ 1.000	$B * C = \sum_{I, J} B_I C^J \left(a^I * a_J \right) = \sum_I B_I C^I,$	$B * C = \sum_I (-1)^{I_m} B_I C_I = \sum_I (-1)^{I_m} B^I C^I.$	$B * C = \sum_I (-1)^{I_m} B_I C_I = \sum_I (-1)^{I_m} B^I C^I.$
1205.5935v1_ EQ0300 (292)	61	■ 1.000	$\operatorname{rank}(F) + \operatorname{null}(F) = \operatorname{dim} U$	$\operatorname{rank}(F) + \operatorname{null}(F) = \operatorname{dim} U.$	$\operatorname{rank}(F) + \operatorname{null}(F) = \operatorname{dim} U.$
1205.5935v1_ EQ0303 (295)	62	■ 1.000	$\begin{aligned} \bar{F}(v) &= \sum_i \left[a^i * \bar{F}(v) \right] a_i \\ &= \sum_i \left[F(a^i) * v \right] a_i. \end{aligned}$	$\begin{aligned} \bar{F}(v) &= \sum_i \left[a^i * \bar{F}(v) \right] a_i \\ &= \sum_i \left[F(a^i) * v \right] a_i. \end{aligned}$	$\begin{aligned} \bar{F}(v) &= \sum_i \left[a^i * \bar{F}(v) \right] a_i \\ &= \sum_i \left[F(a^i) * v \right] a_i. \end{aligned}$
1205.5935v1_ EQ0304 (296)	63	■ 1.000	$\overline{\alpha F + \beta G} = \alpha \bar{F} + \beta \bar{G}.$	$\overline{\alpha F + \beta G} = \alpha \bar{F} + \beta \bar{G}.$	$\overline{\alpha F + \beta G} = \alpha \bar{F} + \beta \bar{G}.$
1205.5935v1_ EQ0305 (297)	63	■ 1.000	$\overline{\bar{F}} = F.$	$\bar{\bar{F}} = F.$	$\bar{\bar{F}} = F.$
1205.5935v1_ EQ0306 (298)	63	■ 1.000	$\begin{aligned} w * GF(u) &= \bar{G}(w) * F(u) \\ &= \bar{F} \bar{G}(w) * u, \end{aligned}$	$\begin{aligned} w * GF(u) &= \bar{G}(w) * F(u) \\ &= \bar{F} \bar{G}(w) * u, \end{aligned}$	$\begin{aligned} w * GF(u) &= \bar{G}(w) * F(u) \\ &= \bar{F} \bar{G}(w) * u, \end{aligned}$
1205.5935v1_ EQ0307 (299)	63	■ 1.000	$\overline{GF} = \bar{F} \bar{G}.$	$\overline{GF} = \bar{F} \bar{G}.$	$\overline{GF} = \bar{F} \bar{G}.$
1205.5935v1_ EQ0308 (300)	63	■ 1.000	$\overline{F^n} = (\bar{F})^n.$	$\bar{\bar{F}}^n = (\bar{F})^n.$	$\bar{\bar{F}}^n = (\bar{F})^n.$
1205.5935v1_ EQ0310 (302)	63	■ 1.000	$\operatorname{Ker}(F) = \operatorname{Range}(\bar{F})^\perp.$	$\operatorname{Ker}(F) = \operatorname{Range}(\bar{F})^\perp.$	$\operatorname{Ker}(F) = \operatorname{Range}(\bar{F})^\perp.$
1205.5935v1_ EQ0311 (303)	63	■ 1.000	$\operatorname{rank}(F) = \operatorname{rank}(\bar{F}).$	$\operatorname{rank}(F) = \operatorname{rank}(\bar{F}).$	$\operatorname{rank}(F) = \operatorname{rank}(\bar{F}).$
1205.5935v1_ EQ0314 (304)	63	■ 1.000	$\begin{aligned} \operatorname{rank}(F) &= \operatorname{dim} U - \operatorname{dim} \operatorname{Range}(\bar{F}) \\ &= \operatorname{dim} \operatorname{Range}(\bar{F}) \\ &= \operatorname{rank}(\bar{F}). \end{aligned}$	$\begin{aligned} \operatorname{rank}(F) &= \operatorname{dim} U - \operatorname{dim} \operatorname{Range}(\bar{F}) \\ &= \operatorname{dim} \operatorname{Range}(\bar{F}) \\ &= \operatorname{rank}(\bar{F}). \end{aligned}$	$\begin{aligned} \operatorname{rank}(F) &= \operatorname{dim} U - \operatorname{dim} \operatorname{Range}(\bar{F}) \\ &= \operatorname{dim} \operatorname{Range}(\bar{F}) \\ &= \operatorname{rank}(\bar{F}). \end{aligned}$
1205.5935v1_ EQ0319 (309)	65	■ 1.000	$F = \frac{1}{2} (F + \bar{F}) + \frac{1}{2} (F - \bar{F}).$	$F = \frac{1}{2} (F + \bar{F}) + \frac{1}{2} (F - \bar{F}).$	$F = \frac{1}{2} (F + \bar{F}) + \frac{1}{2} (F - \bar{F}).$
1205.5935v1_EQ0326	66	■ 1.000	$\begin{aligned} F(u) &= (-1)^r (a_r \cdots a_2 a_1) u (a_1^{-1} a_2^{-1} \cdots a_r^{-1}) \\ &= (a_r \cdots a_2 a_1) u^{*r} (a_r \cdots a_2 a_1)^{-1} \end{aligned}$	$\begin{aligned} F(u) &= (-1)^r (a_r \cdots a_2 a_1) u (a_1^{-1} a_2^{-1} \cdots a_r^{-1}) \\ &= (a_r \cdots a_2 a_1) u^{*r} (a_r \cdots a_2 a_1)^{-1} \end{aligned}$	$\begin{aligned} F(u) &= (-1)^r (a_r \cdots a_2 a_1) u (a_1^{-1} a_2^{-1} \cdots a_r^{-1}) \\ &= (a_r \cdots a_2 a_1) u^{*r} (a_r \cdots a_2 a_1)^{-1} \end{aligned}$
1205.5935v1_ EQ0327 (316)	67	■ 1.000	$A_r u^{*r} A_r^{-1}$	$A_r u^{*r} A_r^{-1}$	$A_r u^{*r} A_r^{-1}$
1205.5935v1_ EQ0328 (317)	67	■ 1.000	$F(B) = A_r B^{*r} A_r^{-1}$	$F(B) = A_r B^{*r} A_r^{-1}$	$F(B) = A_r B^{*r} A_r^{-1}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1285.5935v1_ EQ0329 (318)	67	■ 1.000	$A_{\{r\}} \boldsymbol{\mathrm{I}}^{\ast r} A_{\{r\}}^{-1} = (-1)^r \boldsymbol{\mathrm{I}}$	$A_r \boldsymbol{I}^{\ast r} A_r^{-1} = (-1)^r \boldsymbol{I},$	$A_r \boldsymbol{I}^{\ast r} A_r^{-1} = (-1)^r \boldsymbol{I},$
1285.5935v1_ EQ0330 (319)	67	■ 1.000	$B_{\{s\}}^{-1} A_{\{r\}} \times u = 0 \quad \text{for all } u$	$B_s^{-1} A_r \times u = 0 \quad \text{for all } u.$	$B_s^{-1} A_r \times u = 0 \quad \text{for all } u.$
1285.5935v1_ EQ0331 (320)	67	■ 1.000	$a \, b = \left(\frac{a-b}{\sqrt{2}}\right) \left(\frac{a+b}{\sqrt{2}}\right)$	$ab = \left(\frac{a-b}{\sqrt{2}}\right) \left(\frac{a+b}{\sqrt{2}}\right),$	$ab = \left(\frac{a-b}{\sqrt{2}}\right) \left(\frac{a+b}{\sqrt{2}}\right),$
1285.5935v1_ EQ0333 (322)	68	■ 1.000	$\boldsymbol{\mathrm{B}} \, u \, \boldsymbol{\mathrm{B}}^{-1} = -u \, \boldsymbol{\mathrm{B}} \, \boldsymbol{\mathrm{B}}^{-1} = -u$	$\boldsymbol{B} u \boldsymbol{B}^{-1} = -u \boldsymbol{B} \boldsymbol{B}^{-1} = -u.$	$\boldsymbol{B} u \boldsymbol{B}^{-1} = -u \boldsymbol{B} \boldsymbol{B}^{-1} = -u.$
1285.5935v1_ EQ0334 (323)	68	■ 1.000	$1 = \mu^2 + \lambda^2$	$1 = \mu^2 + \lambda^2.$	$1 = \mu^2 + \lambda^2.$
1285.5935v1_ EQ0336 (325)	68	■ 1.000	$1 = \mu^2 - \lambda^2$	$1 = \mu^2 - \lambda^2.$	$1 = \mu^2 - \lambda^2.$
1285.5935v1_ EQ0338 (327)	69	■ 1.000	$-1 = \mu^2 - \lambda^2$	$-1 = \mu^2 - \lambda^2,$	$-1 = \mu^2 - \lambda^2,$
1285.5935v1_ EQ0342 (331)	70	■ 1.000	$F\left(a_{\{1\}} \wedge \cdots \wedge a_{\{r\}}\right) := F\left(a_{\{1\}}\right) \wedge \cdots \wedge F\left(a_{\{r\}}\right)$	$F\left(a_1 \wedge \cdots \wedge a_r\right) := F\left(a_1\right) \wedge \cdots \wedge F\left(a_r\right).$	$F\left(a_1 \wedge \cdots \wedge a_r\right) := F\left(a_1\right) \wedge \cdots \wedge F\left(a_r\right).$
1285.5935v1_ EQ0345 (334)	71	■ 1.000	$A_{\{0\}} = A_{\{0\}}^2$	$A_0 = A_0^2,$	$A_0 = A_0^2,$
1285.5935v1_ EQ0346 (335)	71	■ 1.000	$A_{\{1\}} = 2 \, A_{\{0\}} \, A_{\{1\}}$	$A_1 = 2 A_0 A_1.$	$A_1 = 2 A_0 A_1.$
1285.5935v1_ EQ0347 (336)	71	■ 1.000	$A_{\{r\}} = 2 \, A_{\{0\}} \, A_{\{r\}}$	$A_r = 2 A_0 A_r.$	$A_r = 2 A_0 A_r.$
1285.5935v1_ EQ0349 (338)	71	■ 1.000	$\overline{\mathcal{F}}(B) \ast A := B \ast \mathcal{F}(A) \quad \text{for all } A \in \mathcal{G}^1 \text{ and } B \in \mathcal{G}^2$	$\overline{\mathcal{F}}(B) \ast A := B \ast \mathcal{F}(A) \quad \text{for all } A \in \mathcal{G}^1 \text{ and } B \in \mathcal{G}^2.$	$\overline{\mathcal{F}}(B) \ast A := B \ast \mathcal{F}(A) \quad \text{for all } A \in \mathcal{G}^1 \text{ and } B \in \mathcal{G}^2.$
1285.5935v1_ EQ0350 (339)	72	■ 1.000	$\langle [F](A) \rangle_r = [F](\langle A \rangle_r)$	$\langle [F](A) \rangle_r = [F](\langle A \rangle_r).$	$\langle [F](A) \rangle_r = [F](\langle A \rangle_r).$
1285.5935v1_ EQ0353 (342)	72	■ 1.000	$\begin{aligned} & \left[[G] \left([F] \left(u_{\{1\}} \wedge \cdots \wedge u_{\{r\}} \right) \right) \right] = [G] \left([F] \left(u_{\{1\}} \wedge \cdots \wedge u_{\{r\}} \right) \right) \\ & \quad = GF \left(u_{\{1\}} \wedge \cdots \wedge u_{\{r\}} \right) \\ & \quad = [GF] \left(u_{\{1\}} \wedge \cdots \wedge u_{\{r\}} \right). \end{aligned}$	$\begin{aligned} [G] \left[[F] \left(u_1 \wedge \cdots \wedge u_r \right) \right] &= [G] \left[F \left(u_1 \right) \wedge \cdots \wedge F \left(u_r \right) \right] \\ &= GF \left(u_1 \right) \wedge \cdots \wedge GF \left(u_r \right) \\ &= [GF] \left(u_1 \wedge \cdots \wedge u_r \right). \end{aligned}$	$\begin{aligned} [G] \left[[F] \left(u_1 \wedge \cdots \wedge u_r \right) \right] &= [G] \left[F(u_1) \wedge \cdots \wedge F(u_r) \right] \\ &= GF(u_1) \wedge \cdots \wedge GF(u_r) \\ &= [GF] \left(u_1 \wedge \cdots \wedge u_r \right). \end{aligned}$
1285.5935v1_EQ0365	75	■ 1.000	$F(\boldsymbol{\mathrm{B}}) = \exp(-\boldsymbol{\mathrm{B}} \theta / 2) \boldsymbol{\mathrm{B}} \exp(\boldsymbol{\mathrm{B}} \theta / 2)$	$F(\boldsymbol{B}) = \exp(-\boldsymbol{B} \theta / 2) \boldsymbol{B} \exp(\boldsymbol{B} \theta / 2)$	$F(\boldsymbol{B}) = \exp(-\boldsymbol{B} \theta / 2) \boldsymbol{B} \exp(\boldsymbol{B} \theta / 2)$
1285.5935v1_ EQ0366 (353)	76	■ 1.000	$\begin{aligned} & \exp(-\boldsymbol{\mathrm{B}} \theta / 2) \exp(\boldsymbol{\mathrm{B}} \theta / 2) \boldsymbol{\mathrm{B}} \\ & = \boldsymbol{\mathrm{B}}, \end{aligned}$	$\begin{aligned} & = \exp(-\boldsymbol{B} \theta / 2) \exp(\boldsymbol{B} \theta / 2) \boldsymbol{B} \\ & = \boldsymbol{B}, \end{aligned}$	$\begin{aligned} & = \exp(-\boldsymbol{B} \theta / 2) \exp(\boldsymbol{B} \theta / 2) \boldsymbol{B} \\ & = \boldsymbol{B}, \end{aligned}$
1285.5935v1_ EQ0367 (354)	76	■ 1.000	$\begin{aligned} & \boldsymbol{\mathrm{A}} \wedge F(a) = \lambda^{-1} \lambda \boldsymbol{\mathrm{A}} \wedge F(a) \\ & \quad = \lambda^{-1} F(\boldsymbol{\mathrm{A}}) \wedge F(a) \\ & \quad = \lambda^{-1} F(\boldsymbol{\mathrm{A}} \wedge a) \\ & \quad = 0, \end{aligned}$	$\begin{aligned} \boldsymbol{A} \wedge F(a) &= \lambda^{-1} \lambda \boldsymbol{A} \wedge F(a) \\ &= \lambda^{-1} F(\boldsymbol{A}) \wedge F(a) \\ &= \lambda^{-1} F(\boldsymbol{A} \wedge a) \\ &= 0, \end{aligned}$	$\begin{aligned} \boldsymbol{A} \wedge F(a) &= \lambda^{-1} \lambda \boldsymbol{A} \wedge F(a) \\ &= \lambda^{-1} F(\boldsymbol{A}) \wedge F(a) \\ &= \lambda^{-1} F(\boldsymbol{A} \wedge a) \\ &= 0, \end{aligned}$
1285.5935v1_ EQ0369 (356)	76	■ 1.000	$F(\boldsymbol{\mathrm{I}}) =: \operatorname{det}(F) \boldsymbol{\mathrm{I}}$	$F(\boldsymbol{I}) =: \det(F) \boldsymbol{I}.$	$F(\boldsymbol{I}) =: \det(F) \boldsymbol{I}.$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_E00371	76	■1.000	$\begin{aligned} \operatorname{det}(F\ G) \operatorname{\boldsymbol{I}} &= F\ G(\operatorname{\boldsymbol{I}}) \quad \&= F(\operatorname{det}(G)\operatorname{\boldsymbol{I}}) \end{aligned}$	$\det(FG)\boldsymbol{I} = FG(\boldsymbol{I})$ $= F(\det(G)\boldsymbol{I})$	$\det(FG)\boldsymbol{I} = FG(\boldsymbol{I})$ $= F(\det(G)\boldsymbol{I})$
1205.5935v1_E00372 (358)	77	■1.000	$\begin{aligned} \&= \operatorname{det}(G) F(\operatorname{\boldsymbol{I}}) \\ \&= \operatorname{det}(G) \operatorname{det}(F)\boldsymbol{I}, \end{aligned}$	$= \det(G)F(\boldsymbol{I})$ $= \det(G)\det(F)\boldsymbol{I},$	$= \det(G)F(\boldsymbol{I})$ $= \det(G)\det(F)\boldsymbol{I},$
1205.5935v1_E00373 (359)	77	■1.000	$\operatorname{det}(F\ G)=\operatorname{det}(F)\operatorname{det}(G)$	$\det(FG) = \det(F)\det(G).$	$\det(FG) = \det(F)\det(G).$
1205.5935v1_E00374 (360)	77	■1.000	$\begin{aligned} \operatorname{det}(F^{-1}) \operatorname{det}(F) &= \operatorname{det}(F^{-1}F) \\ &= \operatorname{det}(\operatorname{Id}) \\ &= 1 \end{aligned}$	$\det(F^{-1})\det(F) = \det(F^{-1}F)$ $= \det(\operatorname{Id})$ $= 1$	$\det(F^{-1})\det(F) = \det(F^{-1}F)$ $= \det(\operatorname{Id})$ $= 1$
1205.5935v1_E00375 (361)	77	■1.000	$\operatorname{det}(F^{-1})=\operatorname{det}(F)^{-1}$	$\det(F^{-1}) = \det(F)^{-1}.$	$\det(F^{-1}) = \det(F)^{-1}.$
1205.5935v1_E00378 (364)	77	■1.000	$\begin{aligned} \operatorname{det}(F) a_1 \wedge \cdots \wedge a_n &= F(a_1 \wedge \cdots \wedge a_n) \\ &= F(a_1) \wedge \cdots \wedge F(a_n) \\ &= \lambda_1 \cdots \lambda_n a_1 \wedge \cdots \wedge a_n \end{aligned}$	$\det(F)a_1 \wedge \cdots \wedge a_n = F(a_1 \wedge \cdots \wedge a_n)$ $= F(a_1) \wedge \cdots \wedge F(a_n)$ $= \lambda_1 \cdots \lambda_n a_1 \wedge \cdots \wedge a_n$	$\det(F) a_1 \wedge \cdots \wedge a_n = F(a_1 \wedge \cdots \wedge a_n)$ $= F(a_1) \wedge \cdots \wedge F(a_n)$ $= \lambda_1 \cdots \lambda_n a_1 \wedge \cdots \wedge a_n$
1205.5935v1_E00379 (365)	77	■1.000	$\operatorname{det}(F)=\lambda_1 \cdots \lambda_n$	$\det(F) = \lambda_1 \cdots \lambda_n.$	$\det(F) = \lambda_1 \cdots \lambda_n.$
1205.5935v1_E00380 (366)	77	■1.000	$\operatorname{det}(F)=(-1)^r$	$\det(F) = (-1)^r.$	$\det(F) = (-1)^r.$
1205.5935v1_E00381 (367)	77	■1.000	$F^{-1}(A)=\frac{\overline{F}(\bar{A}^{-\perp})^{\perp}}{\operatorname{det}(F)}$	$F^{-1}(A) = \frac{\bar{F}(A^{-\perp})^{\perp}}{\det(F)}.$	$F^{-1}(A) = \frac{\overline{F}(A^{-\perp})^{\perp}}{\det(F)}.$
1205.5935v1_E00383 (369)	78	■1.000	$\dot{A}=\frac{1}{2}\boldsymbol{r} \wedge \boldsymbol{v}$	$\dot{A} = \frac{1}{2}\boldsymbol{r} \wedge \boldsymbol{v}$	$\dot{A} = \frac{1}{2}\boldsymbol{r} \wedge \boldsymbol{v}$
1205.5935v1_E00384 (370)	78	■1.000	$L:=\boldsymbol{r} \wedge \boldsymbol{p}=m \boldsymbol{r} \wedge \dot{\boldsymbol{A}}$	$L := \boldsymbol{r} \wedge \boldsymbol{p} = m\boldsymbol{r} \wedge \boldsymbol{v} = 2m\dot{A},$	$L := \boldsymbol{r} \wedge \boldsymbol{p} = m\boldsymbol{r} \wedge \boldsymbol{v} = 2m\dot{A},$
1205.5935v1_E00385 (371)	78	■1.000	$\begin{aligned} \dot{L} &= m \boldsymbol{v} \wedge \boldsymbol{v} + m \boldsymbol{r} \wedge \dot{\boldsymbol{v}} \\ &= m \boldsymbol{r} \wedge \dot{\boldsymbol{v}} \\ &= \boldsymbol{r} \wedge \boldsymbol{F}, \end{aligned}$	$\dot{L} = m\boldsymbol{v} \wedge \boldsymbol{v} + m\boldsymbol{r} \wedge \dot{\boldsymbol{v}}$ $= m\boldsymbol{r} \wedge \dot{\boldsymbol{v}}$ $= \boldsymbol{r} \wedge \boldsymbol{F},$	$\dot{L} = m\boldsymbol{v} \wedge \boldsymbol{v} + m\boldsymbol{r} \wedge \dot{\boldsymbol{v}}$ $= m\boldsymbol{r} \wedge \dot{\boldsymbol{v}}$ $= \boldsymbol{r} \wedge \boldsymbol{F},$
1205.5935v1_E00386 (372)	79	■1.000	$\begin{aligned} L &= \boldsymbol{r} \wedge \boldsymbol{p} = m \boldsymbol{r} \wedge \dot{\boldsymbol{A}} \\ &= m r \hat{\boldsymbol{r}} \wedge (\dot{r} \hat{\boldsymbol{r}} + r \dot{\hat{\boldsymbol{r}}}) \\ &= m r^2 \hat{\boldsymbol{r}} \wedge \dot{\hat{\boldsymbol{r}}} \end{aligned}$	$L = \boldsymbol{r} \wedge \boldsymbol{p} = m\boldsymbol{r} \wedge \boldsymbol{v}$ $= m r \hat{\boldsymbol{r}} \wedge (\dot{r} \hat{\boldsymbol{r}} + r \dot{\hat{\boldsymbol{r}}})$ $= m r^2 \hat{\boldsymbol{r}} \wedge \dot{\hat{\boldsymbol{r}}}$	$L = \boldsymbol{r} \wedge \boldsymbol{p} = m\boldsymbol{r} \wedge \boldsymbol{v}$ $= m r \hat{\boldsymbol{r}} \wedge (\dot{r} \hat{\boldsymbol{r}} + r \dot{\hat{\boldsymbol{r}}})$ $= m r^2 \hat{\boldsymbol{r}} \wedge \dot{\hat{\boldsymbol{r}}}$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_E00391 (377)	79	■ 1.000	$\dot{\boldsymbol{v}}=-\frac{k}{mr^2}\,\hat{\boldsymbol{r}}$	$\dot{\boldsymbol{v}}=-\frac{k}{mr^2}\hat{\boldsymbol{r}}.$	$\dot{\boldsymbol{v}}=-\frac{k}{mr^2}\hat{\boldsymbol{r}}.$
1205.5935v1_E00393 (378)	79	■ 1.000	$\frac{\mathrm{d}}{\mathrm{d}t}(L\boldsymbol{v}-k\hat{\boldsymbol{r}})=0$	$\frac{d}{dt}(L\boldsymbol{v}-k\hat{\boldsymbol{r}})=0$	$\frac{d}{dt}(L\boldsymbol{v}-k\hat{\boldsymbol{r}})=0.$
1205.5935v1_E00394	79	■ 1.000	$L\boldsymbol{v}=L\lfloor\boldsymbol{v}+L\wedge\boldsymbol{v}$	$L\boldsymbol{v}=L\lfloor\boldsymbol{v}+L\wedge\boldsymbol{v}$	$L\boldsymbol{v}=L\lfloor\boldsymbol{v}+L\wedge\boldsymbol{v}$
1205.5935v1_E00395 (379)	80	■ 1.000	$\begin{aligned} &=L\lfloor\boldsymbol{v}+m\boldsymbol{r}\wedge\boldsymbol{v}\wedge\boldsymbol{v} \\ &=L\lfloor\boldsymbol{v}. \end{aligned}$	$\begin{aligned} &=L\lfloor\boldsymbol{v}+m\boldsymbol{r}\wedge\boldsymbol{v}\wedge\boldsymbol{v} \\ &=L\lfloor\boldsymbol{v}. \end{aligned}$	$\begin{aligned} &=L\lfloor\boldsymbol{v}+m\boldsymbol{r}\wedge\boldsymbol{v}\wedge\boldsymbol{v} \\ &=L\lfloor\boldsymbol{v}. \end{aligned}$
1205.5935v1_E00405 (389)	81	■ 1.000	$\begin{aligned} l^2v^2-\frac{2kl^2}{mr}&=k^2(e^2-1) \\ \frac{2l^2}{m}\left(\frac{1}{2}mv^2-\frac{k}{r}\right)&=k^2(e^2-1) \end{aligned}$	$\begin{aligned} l^2v^2-\frac{2kl^2}{mr}&=k^2(e^2-1) \\ \frac{2l^2}{m}\left(\frac{1}{2}mv^2-\frac{k}{r}\right)&=k^2(e^2-1) \end{aligned}$	$\begin{aligned} l^2v^2-\frac{2kl^2}{mr}&=k^2(e^2-1) \\ \frac{2l^2}{m}\left(\frac{1}{2}mv^2-\frac{k}{r}\right)&=k^2(e^2-1) \end{aligned}$
1205.5935v1_E00406 (390)	81	■ 1.000	$E=\frac{mk^2}{2l^2}(e^2-1)$	$E=\frac{mk^2}{2l^2}(e^2-1).$	$E=\frac{mk^2}{2l^2}(e^2-1).$
1205.5935v1_E00407 (1)	83	■ 1.000	$\begin{gathered} A_rB_s=\sum_{j=0}^{\min\{r,s\}}\langle A_rB_s\rangle_{ r-s +2j} \\ \langle A_rB_s\rangle_{r+s-2j}=(-1)^{rs-j}\langle B_sA_r\rangle_{r+s-2j} \end{gathered}$	$\begin{aligned} A_rB_s&=\sum_{j=0}^{\min\{r,s\}}\langle A_rB_s\rangle_{ r-s +2j} \\ \langle A_rB_s\rangle_{r+s-2j}&=(-1)^{rs-j}\langle B_sA_r\rangle_{r+s-2j} \end{aligned}$	$\begin{aligned} A_rB_s&=\sum_{j=0}^{\min\{r,s\}}\langle A_rB_s\rangle_{ r-s +2j} \\ \langle A_rB_s\rangle_{r+s-2j}&=(-1)^{rs-j}\langle B_sA_r\rangle_{r+s-2j} \end{aligned}$
1205.5935v1_E00408 (5)	83	■ 1.000	$\begin{aligned} \langle A B\rangle&=\langle B A\rangle \\ &=\langle A^* B^*\rangle \\ &=\langle A^\dagger B^\dagger\rangle \\ &=\langle A^\ddagger B^\ddagger\rangle \end{aligned}$	$\begin{aligned} \langle A B\rangle&=\langle B A\rangle \\ &=\langle A^* B^*\rangle \\ &=\langle A^\dagger B^\dagger\rangle \\ &=\langle A^\ddagger B^\ddagger\rangle \end{aligned}$	$\begin{aligned} \langle A B\rangle&=\langle B A\rangle \\ &=\langle A^* B^*\rangle \\ &=\langle A^\dagger B^\dagger\rangle \\ &=\langle A^\ddagger B^\ddagger\rangle \end{aligned}$
1205.5935v1_E00411 (12)	83	■ 1.000	$a_1\wedge a_2\wedge\cdots\wedge a_r=\left\langle a_1a_2\cdots a_r\right\rangle_r$	$a_1\wedge a_2\wedge\cdots\wedge a_r=\langle a_1a_2\cdots a_r\rangle_r$	$a_1\wedge a_2\wedge\cdots\wedge a_r=\langle a_1a_2\cdots a_r\rangle_r$
1205.5935v1_E00412 (13)	84	■ 1.000	$\begin{aligned} a\downharpoonleft A&=\frac{1}{2}(aA-A^*a) \\ a\wedge A&=\frac{1}{2}(aA+A^*a) \end{aligned}$	$\begin{aligned} a\downharpoonleft A&=\frac{1}{2}(aA-A^*a) \\ a\wedge A&=\frac{1}{2}(aA+A^*a) \end{aligned}$	$\begin{aligned} a\downharpoonleft A&=\frac{1}{2}(aA-A^*a) \\ a\wedge A&=\frac{1}{2}(aA+A^*a) \end{aligned}$
1205.5935v1_E00414 (17)	84	■ 1.000	$a\wedge A\wedge b=-b\wedge A\wedge a$	$a\wedge A\wedge b=-b\wedge A\wedge a$	$a\wedge A\wedge b=-b\wedge A\wedge a$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ E08420 (29)	84	■1.000	\begin{aligned} A \wedge(B \wedge C) & =(A \wedge B) \\ \wedge C \\\ A\rfloor(B\lfloor C) & =(A\rfloor B)\lfloor C \\ C \\\ A\rfloor(B\rfloor C) & =(A \wedge B)\rfloor C \\\ A \\ \lfloor(B \wedge C) & =(A\lfloor B)\lfloor C \end{aligned}	$A \wedge (B \wedge C) = (A \wedge B) \wedge C$ $A \rfloor (B \lfloor C) = (A \rfloor B) \lfloor C$ $A \rfloor (B \rfloor C) = (A \wedge B) \rfloor C$ $A \lfloor (B \wedge C) = (A \lfloor B) \lfloor C$	$A \wedge (B \wedge C) = (A \wedge B) \wedge C$ $A \rfloor (B \lfloor C) = (A \rfloor B) \lfloor C$ $A \rfloor (B \rfloor C) = (A \wedge B) \rfloor C$ $A \lfloor (B \wedge C) = (A \lfloor B) \lfloor C$
1205.5935v1_ E08421 (32)	84	■1.000	A B_{s} A^{\dagger}=\left\langle A B_{s} A^{\dagger}\right\rangle _{s}	$A B_s A^\dagger = \left\langle A B_s A^\dagger \right\rangle_s$	$A B_s A^\dagger = \left\langle A B_s A^\dagger \right\rangle_s$
1205.5935v1_ E08422 (33)	84	■1.000	\left(A B A^{\dagger}\right) \wedge\left(A C A^{\dagger}\right)= A ^2 A(B \wedge C) A^{\dagger}	$(A B A^\dagger) \wedge (A C A^\dagger) = A ^2 A (B \wedge C) A^\dagger$	$(A B A^\dagger) \wedge (A C A^\dagger) = A ^2 A (B \wedge C) A^\dagger$
1205.5935v1_ E08427 (49)	85	■1.000	A \boldsymbol{I}=\boldsymbol{I} A^{*(n-1)}	$A I = I A^{*(n-1)}$	$A I = I A^{*(n-1)}$
1205.5935v1_ E08429 (54)	86	■1.000	A_{r}^{\dagger}=(-1)^{r(r-1) / 2} A_r	$A_r^\dagger = (-1)^{r(r-1)/2} A_r$	$A_r^\dagger = (-1)^{r(r-1)/2} A_r$
1205.5935v1_ E08430 (55)	86	■1.000	A^{\dagger \ dagger}=A	$A^{\dagger\dagger} = A$	$A^{\dagger\dagger} = A$
1205.5935v1_ E08431 (56)	86	■1.000	\left(A^{-1}\right)^{\dagger}=\left(A^{\dagger}\right)^{-1}	$(A^{-1})^\dagger = (A^\dagger)^{-1}$	$(A^{-1})^\dagger = (A^\dagger)^{-1}$
1205.5935v1_ E08434 (64)	86	■1.000	A^{\ddagger} = A^{*\dagger} = A^{\dagger *}	$A^\ddagger = A^{*\dagger} = A^{\dagger*}$	$A^\ddagger = A^{*\dagger} = A^{\dagger*}$
1205.5935v1_ E08435 (65)	86	■1.000	A_{r}^{\ddagger}=(-1)^{r(r+1) / 2} A_r	$A_r^\ddagger = (-1)^{r(r+1)/2} A_r$	$A_r^\ddagger = (-1)^{r(r+1)/2} A_r$
1205.5935v1_ E08436 (66)	86	■1.000	A^{\ddagger \ddagger}=A	$A^{\ddagger\ddagger} = A$	$A^{\ddagger\ddagger} = A$
1205.5935v1_ E08437 (67)	86	■1.000	\left(A^{-1}\right)^{\ddagger}=\left(A^{\ddagger}\right)^{-1}	$(A^{-1})^\ddagger = (A^\ddagger)^{-1}$	$(A^{-1})^\ddagger = (A^\ddagger)^{-1}$
1205.5935v1_ E08440 (75)	87	■1.000	\begin{aligned} A * B & =\sum_r A_r * B_r \\\ & \& \left.=\sum_r A_r^{\dagger}\right\rfloor B_r \\\ & =\sum_r A_r^{\dagger}\lfloor B_r \end{aligned}	$A * B = \sum_r A_r * B_r$ $= \sum_r A_r^\dagger \rfloor B_r$ $= \sum_r A_r^\dagger \lfloor B_r$	$A * B = \sum_r A_r * B_r$ $= \sum_r A_r^\dagger \rfloor B_r$ $= \sum_r A_r^\dagger \lfloor B_r$
1205.5935v1_ E08441 (79)	87	■1.000	\begin{aligned} A * B & =B * A \\\ & \& =A^{* *} * B^{* *} \\\ & \& =A^{\dagger *} * B^{\dagger *} \\\ & \& =A^{\ddagger *} * B^{\ddagger *} \end{aligned}	$A * B = B * A$ $= A^* * B^*$ $= A^\dagger * B^\dagger$ $= A^\ddagger * B^\ddagger$	$A * B = B * A$ $= A^* * B^*$ $= A^\dagger * B^\dagger$ $= A^\ddagger * B^\ddagger$
1205.5935v1_ E08443 (86)	87	■1.000	\begin{aligned} A ^2 & =A * A \\\ & =\left A^{*}\right ^2 \\\ & =\left A^{\dagger}\right ^2 \\\ & =\left A^{\ddagger}\right ^2 \end{aligned}	$ A ^2 = A * A$ $= A^* ^2$ $= A^\dagger ^2$ $= A^\ddagger ^2$	$ A ^2 = A * A$ $= A^* ^2$ $= A^\dagger ^2$ $= A^\ddagger ^2$

Identifier	Page	Conf.	LaTeX source	Rendered	Image
1205.5935v1_ EQ0447 (97)	88	■ 1.000	$\left(A^{\perp}\right)^{-1}=\boldsymbol{\mathrm{I}}\ A^{-1}$	$\left(A^{\perp}\right)^{-1}=\boldsymbol{\mathrm{I}}A^{-1}$	$\left(A^{\perp}\right)^{-1}=\boldsymbol{\mathrm{I}}A^{-1}$
1205.5935v1_ EQ0448 (98)	88	■ 1.000	$\left(A^{*}\right)^{\perp}=(-1)^n\left(A^{\perp}\right)^{*}$	$\left(A^{*}\right)^{\perp}=(-1)^n\left(A^{\perp}\right)^{*}$	$\left(A^{*}\right)^{\perp}=(-1)^n\left(A^{\perp}\right)^{*}$
1205.5935v1_ EQ0452 (102)	88	■ 1.000	$\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}\boldsymbol{\mathrm{B}}^{*(n-r)}\left(\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}\boldsymbol{\mathrm{B}}^{*r}\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}^{-1}\right)^{*}$	$\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}^{\perp}\boldsymbol{\mathrm{B}}^{*(n-r)}\left(\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}^{\perp}\right)^{-1}=\left(\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}\boldsymbol{\mathrm{B}}^{*r}\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}^{-1}\right)^{*}$	$\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}^{\perp}\boldsymbol{\mathrm{B}}^{*(n-r)}\left(\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}^{\perp}\right)^{-1}=\left(\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}\boldsymbol{\mathrm{B}}^{*r}\boldsymbol{\mathrm{A}}_{\boldsymbol{\mathrm{r}}}^{-1}\right)^{*}$
1205.5935v1_ EQ0453 (103)	88	■ 1.000	$R_{\boldsymbol{\mathrm{A}}}(a)=P_{\boldsymbol{\mathrm{A}}^{\perp}}(a)$	$R_{\boldsymbol{\mathrm{A}}}(a)=P_{\boldsymbol{\mathrm{A}}^{\perp}}(a)$	$R_{\boldsymbol{\mathrm{A}}}(a)=P_{\boldsymbol{\mathrm{A}}^{\perp}}(a)$
1205.5935v1_ EQ0454 (104)	88	■ 1.000	$A\times B=\frac{1}{2}(A\,B-B\,A)$	$A\times B=\frac{1}{2}(AB-BA)$	$A\times B=\frac{1}{2}(AB-BA)$
1205.5935v1_ EQ0455 (105)	88	■ 1.000	$A\times(B\,C)=(A\times B)\,C+B(A\times C)$	$A\times(BC)=(A\times B)C+B(A\times C)$	$A\times(BC)=(A\times B)C+B(A\times C)$
1205.5935v1_ EQ0457 (108)	88	■ 1.000	$\begin{aligned}&\&(A\times B)^{*}=A^{*}\times B^{*}\\&\&(A\times B)^{\dagger}=B^{\dagger}\times A^{\dagger}\\&\&(A\times B)^{\ddagger}=B^{\ddagger}\times A^{\ddagger}\end{aligned}$	$\begin{aligned}(A\times B)^{*}&=A^{*}\times B^{*}\\(A\times B)^{\dagger}&=B^{\dagger}\times A^{\dagger}\\(A\times B)^{\ddagger}&=B^{\ddagger}\times A^{\ddagger}\end{aligned}$	$\begin{aligned}(A\times B)^{*}&=A^{*}\times B^{*}\\(A\times B)^{\dagger}&=B^{\dagger}\times A^{\dagger}\\(A\times B)^{\ddagger}&=B^{\ddagger}\times A^{\ddagger}\end{aligned}$
1205.5935v1_ EQ0458 (110)	89	■ 1.000	$\lambda\times A=0$	$\lambda\times A=0$	$\lambda\times A=0$
1205.5935v1_ EQ0460 (113)	89	■ 1.000	$A_{\{2\}}\times A_{\{r\}}=\left\langle A_{\{2\}}\,A_{\{r\}}\right\rangle _r$	$A_2\times A_r=\langle A_2A_r\rangle _r$	$A_2\times A_r=\langle A_2A_r\rangle _r$
1205.5935v1_ EQ0466 (122)	89	■ 1.000	$a_{\{I\}}\,*\,a^{\{J\}}=\delta_{\{I\}}^{\{J\}}$	$a_I\,*\,a^J=\delta_I^J,$	$a_I\,*\,a^J=\delta_I^J,$
1205.5935v1_ EQ0472 (131)	90	■ 1.000	$\begin{aligned}&P_{a_1\wedge\cdots\wedge a_r}(B)\,\&\\&=\sum_{\{I\}}\left(B\,*\,a_{\{I\}}\right)\,a^{\{I\}}\\&\&=\sum_{\{I\}}\left(B\,*\,a^I\right)\,a_I\end{aligned}$	$\begin{aligned}P_{a_1\wedge\cdots\wedge a_r}(B)&=\sum_I(B\,*\,a_I)\,a^I\\&=\sum_I(B\,*\,a^I)\,a_I\end{aligned}$	$\begin{aligned}P_{a_1\wedge\cdots\wedge a_r}(B)&=\sum_I(B\,*\,a_I)a^I\\&=\sum_I(B\,*\,a^I)a_I\end{aligned}$
1205.5935v1_ EQ0473 (132)	90	■ 1.000	$\bar{F}(B)\,*\,A=B\,*\,F(A)$	$\bar{F}(B)\,*\,A=B\,*\,F(A)$	$\overline{F}(B)\,*\,A=B\,*\,F(A)$
1205.5935v1_ EQ0475 (134)	90	■ 1.000	$\overline{\bar{F}}=F$	$\overline{\bar{F}}=F$	$\overline{\bar{F}}=F$
1205.5935v1_ EQ0476 (135)	90	■ 1.000	$\overline{GF}=\bar{F}\bar{G}$	$\overline{GF}=\bar{F}\bar{G}$	$\overline{GF}=\bar{F}\bar{G}$
1205.5935v1_ EQ0477 (136)	90	■ 1.000	$\bar{F}^{-1}=\overline{F^{-1}}$	$\bar{F}^{-1}=\overline{F^{-1}}$	$\bar{F}^{-1}=\overline{F^{-1}}$
1205.5935v1_ EQ0478 (137)	90	■ 1.000	$\operatorname{det}(\bar{F})=\operatorname{det}(F)$	$\det(\bar{F})=\det(F)$	$\det(\bar{F})=\det(F)$