LUMC System — Tester Guide (Feature Freeze)

This guide prepares the team for **UAT (user acceptance testing)** before the **client demo**, then **pre-deployment hardening** (when the lead gives the go-ahead).

Phase	Document
Setup + test cases (this file)	`docs/TESTER_GUIDE.md`
Client demo script	`docs/DEMO.md`
Hospital deployment	`docs/DEPLOY.md`

> **For the team member preparing the zip:** zip the project folder but **leave out** `node_modules\`, `backend\vendor\`, `backend\.env`, `.env`, `dist\` / `backend\public\spa\assets\` (optional — can rebuild), and `backend\storage\app\backups\`. Testers recreate dependencies in Part 1.

Part 1 — Setup on a fresh PC

1.1 What you need

Software	Why	Download
WampServer 3.3+ (64-bit) with **PHP 8.3** and **MySQL**	Database and PHP	https://wampserver.aviatechno.net/
Node.js LTS (v20 or newer)	Frontend	https://nodejs.org/
The **project folder**	The system	From the team (zip)

Composer is included as `tools\composer.phar`.

> XAMPP or Laragon also works if PHP is **8.3+** and MySQL/MariaDB is running.

1.2 Install

1. Install WampServer; tray icon must be **green**.

2. Install Node.js LTS.
3. Unzip to a simple path, e.g. `C:\LUMC`.

1.3 Make PHP available in the terminal

1. Note the PHP folder under `C:\wamp64\bin\php\` (e.g. `php8.3.14`).
2. Add that folder to your user **Path**.
3. Reopen PowerShell; run `php -v` → should show PHP 8.3+.

1.4 Create the database

1. Open http://localhost/phpmyadmin (`root`, empty password).
2. Create database `lumc`, collation `utf8mb4_unicode_ci`.

1.5 Set up the backend

```
None
cd C:\LUMC\backend
php ..\tools\composer.phar install
copy .env.example .env
php artisan key:generate
php artisan migrate:fresh --seed
```

Check `BACKUP_MYSQLDUMP_PATH` in `backend\.env` points at a real `mysqldump.exe` under `C:\wamp64\bin\mysql\...` (forward slashes, no quotes).

1.6 Set up the frontend

```
None
cd C:\LUMC
npm install
copy .env.example .env
```

Ensure `.env` has:

```
None
VITE_API_BASE_URL=http://localhost:8000/api
VITE_USE_MOCK=false
```

1.7 Start the system (every test session)

1. WAMP icon **green**.
2. Terminal 1: `cd C:\LUMC\backend` → `php artisan serve`
3. Terminal 2: `cd C:\LUMC` → `npm run dev`
4. Open **http://localhost:5173**

Optional API smoke test (API must be running, DB freshly seeded):

```
None
powershell -ExecutionPolicy Bypass -File C:\LUMC\backend\scripts\smoke-test.ps1
```

1.8 Reset demo data

```
None
cd C:\LUMC\backend
php artisan migrate:fresh --seed
```

Never run this on a live hospital database.

1.9 Troubleshooting

Problem	**Fix**
`php` not recognized	Redo 1.3; reopen PowerShell
DB connection refused	Start WAMP (green icon)
Unknown database `lumc`	Redo 1.4
Network / login fails	Ensure `php artisan serve` is running
Port in use	Close other apps or reboot
Backup fails	Fix `BACKUP_MYSQLDUMP_PATH`
Camera / QR on phone	Prefer localhost + webcam; phones often need HTTPS

Part 2 — Acceptance test script

Mark each case **Pass / Fail / Blocked**. File bugs with the template in §2.15.

2.1 Demo accounts

Password for **all** demo accounts: **12345678**
(Login page quick-fill buttons use the same password.)

Role	Login	Notes
Administrator	`admin`	Full access to every role's capabilities
Security Guard	`guard`	Visitors, QR, parking
OPD & Admission Staff	`opd`	Patients, hospital visits, queues, beds
Nursing Staff	`nurse`	Screening, view wards/queues; no admit/bed edits
Doctor (Internal Medicine)	`dr.reyes`	Clinic queues for **Internal Medicine** only (actions)
Doctor (Pediatrics)	`dr.santos`	Clinic queues for **Pediatrics** only (actions)

Office secretaries (see only their office's visitors):

Office	Login
CEO / Administrative	`secretary.admin`
Property & Supply	`secretary.property`
Budget	`secretary.budget`
Human Resource	`secretary.hr`
Accounting	`secretary.accounting`

Office	Login
Medical Records	`secretary.records`
Social Service	`secretary.social`
X-ray Desk	`secretary.xray`
Nursing Office	`secretary.nursing`
Pharmacy	`secretary.pharmacy`
PhilHealth	`secretary.philhealth`
Billing	`secretary.billing`

Tip: use a normal window + Incognito for two roles at once.

2.2 How to record results

Column	Meaning
Result	Pass / Fail / Blocked
Notes	Optional; required on Fail

2.3 Login, identity, access & profile

ID	Steps	Expected result	Result	Remarks
A-01	Log in with each demo account using **login** (not email) and password `12345678`	Each lands on its role home	pass	
A-02	Wrong password	Error; not logged in	pass	

ID	Steps	Expected result	Result	Remarks
A-03	Inspect left menu per role	Only allowed pages; no “Doctor Schedules” / “Doctor Queues” tabs	pass	
A-04	As nurse, open `/users` in the address bar	Redirected to home **and** on-screen notice: not allowed to take that action	pass	
A-05	As secretary, open `/patient-registration`	Same redirect + notice	pass	
A-06	Log out; use browser Back	Login page; protected content not shown	pass	
A-07	Open **Profile** (sidebar) as any user	Can edit first / middle / last name, contact number, login, password; **cannot** change role, office/clinic, or status	pass	
A-08	Profile: set contact to fewer/more than 11 digits or letters	Rejected — contact must be **exactly 11 numerical digits**	pass	
A-09	Header area	**No** global search; **no** avatar next to	pass	

ID	Steps	Expected result	Result	Remarks
		the notification bell (avatar remains lower-left)		
A-10	Keep a page open; trigger a notification (e.g. secretary's visitor pending, or hospital visit for nurse/doctor)	Bell updates within a few seconds without full page reload (**real-time polling**)	pass	

2.4 Names, contact numbers & capitalization

ID	Steps	Expected result	Result	Remarks
N-01	Register visitor with names in lowercase (`juan`, `dela`, `cruz`)	After save, names are capitalized (e.g. Juan Dela Cruz)	pass	
N-02	Register patient with lowercase names	Same capitalization on save	pass	can have numbers on the name
N-03	Admin → Users → add user with lowercase names	Capitalized after save	pass	
N-04	Visitor / patient / user: contact with letters, spaces, or not 11 digits	Blocked; must be **exactly 11 digits**	pass	

ID	Steps	Expected result	Result	Remarks
N-05	Patient Search: search by **middle name** only	Matching patients found	pass	

2.5 Visitors — office transactions (Guard + Secretary)

Visits are **same day only**. Minors as **visitors** do **not** need a guardian (secretary approval decides).

ID	Steps	Expected result	Result	Remarks
V-01	Guard → Register Visitor → Office. Leave **first name** empty and submit	Required / blocked	pass	
V-02	Fill first, middle, last, age, address, 11-digit contact, office **Accounting**. Purpose: use **Other** + custom text. ID: use **Other** + custom ID type	Visit **Pending approval**; pass ID assigned	pass	
V-03	Accounting Secretary → Visitor Approvals → **click the waiting visitor**	Full **visitor information card** (not just a flat list row)	pass	
V-04	Billing Secretary → Approvals	Accounting visitor **not** listed	pass	

ID	Steps	Expected result	Result	Remarks
V-05	Accounting Secretary → Approve from the card	**Approved**; QR available for guard		
V-06	Guard → Give QR Pass / print or show QR	Pass shows office; scan works	pass	
V-07	Guard → Scan: entry then exit	Inside → Completed	pass	
V-08	Third scan	Refused — pass used	pass	
V-09	Register visitor age **15** (no guardian)	Allowed	pass	
V-10	Duplicate open visit (same person + office)	Blocked (409-style message)	pass	
V-11	Secretary rejects **with** a reason	Rejected; reason visible	pass	
V-12	Secretary (or guard turn-away) rejects **without** selecting a reason	Allowed — reason optional	pass	
V-13	Today's Visitors / History → **Details**	Expanded visitor information	pass	
V-14	Guard Cancel on pending/approved	Cancelled; removed from active lists	pass	

ID	Steps	Expected result	Result	Remarks
V-15	Register with vehicle	Vehicle parked under Vehicles	pass	
V-16	Unknown QR	Not recognized	pass	
V-17	Secretary menu	Only visitor-related pages (no patients/queues/ beds)	pass	

2.5b Visitors — patient visits (Guard)

Demo inpatients after seed: **Juan Dela Cruz**, **Miguel Lopez**, **Elena Garcia**.

ID	Steps	Expected result	Result	Remarks
PV-01	Guard → Visit an admitted patient	List shows admitted patients with location	pass	
PV-02	Filter ward / room type / name	List filters correctly	pass	
PV-03	Approve & issue QR for Juan	Approved immediately; pass shows patient + ward/bed	pass	
PV-04	Entry + exit scans	Work as office visits	pass	
PV-05	Secretaries → Approvals / History	Patient visits **do not** appear	pass	
PV-06	After OPD discharges	Juan no longer listed	pass	

ID	Steps	Expected result	Result	Remarks
	Juan, try new patient visit			

2.6 Patients, hospital visits & screening (OPD / Nurse / Doctor)

There is **no doctor assignment at registration**. Patients are queued to a **clinic**. **Initial screening** is done **during registration**. There is **no print patient** action. Labeling uses **Hospital Visits** (not OPD visits).

ID	Steps	Expected result	Result	Remarks
P-01	OPD → Register & Queue → new patient (first/middle/last, birthday, sex, address, 11-digit contact)	LUMC ID assigned; names capitalized	Passed	
P-02	On Hospital Visit step: choose clinic (full name, e.g. **Nephrology**), reason, complete **Initial Screening**, submit	Ticket like `NEP-001`; **no doctor picker** on this form	Passed	
P-03	Today's Hospital Visits	Patient listed with clinic + screened = Yes	Passed	
P-04	Open patient record → **Hospital Visits**	Visit listed; headers title-cased (**Patient Information**,	Passed	

ID	Steps	Expected result	Result	Remarks
		Current Admission, **Hospital Visits**)		
P-05	**Click** a hospital visit row	Expands: reason, doctor (if any), screening symptoms, notes, duration, COVID flag	Passed	
P-06	Edit Patient Information → change address/contact → Save	Updates; appears in Audit Logs	Passed	
P-07	Register patient under 18 **without** guardian	Blocked	Passed	
P-08	Minor patient: guardian name + relationship dropdown (Mother/Father/ Sibling/Guardian /…) + **Other** free text + 11-digit guardian contact	Accepted	Passed	
P-09	Queue same patient to same clinic again today	Blocked	Passed	
P-10	Nurse → Initial Screening → update checklist for a waiting patient	Updates allowed	Passed	

ID	Steps	Expected result	Result	Remarks
P-11	Patient Search by middle name / PhilHealth / LUMC ID	Found	Passed	
P-12	Patient record when admitted	Shows **Current Admission** badge/details + admissions history	Passed	
P-13	Look for “Print patient” / print registration	**Not present**	Passed	
P-14	Nurse/Doctor menus	No Register & Queue for them	Passed	

2.7 Clinic queues, public display & doctor availability

Queues are **per clinic**. Doctor queues / doctor schedules are **removed**. Call / Serve / Done / Skip use **confirmation**; **Undo** reverts one step without breaking live polling.

ID	Steps	Expected result	Result	Remarks
Q-01	Open Queue Monitor / Clinic Queues	Grouped by **clinic** full names; no “Doctor Queues” / “Doctor Schedules” nav items	Passed	
Q-02	Call a waiting ticket	Confirmation modal; after confirm, status **Called**; list refreshes within a few seconds	Passed	

ID	Steps	Expected result	Result	Remarks
Q-03	Serve → Done	Confirm each step; statuses update	Passed	
Q-04	Undo once after Serve	Returns to previous step; further undos blocked for that ticket	Passed	
Q-05	As `dr.reyes` (Internal Medicine): try Call/Serve on a **Pediatrics** ticket	Shown as view-only / API refuses — cannot interact	Passed	
Q-06	As `dr.reyes`: Call/Serve on **Internal Medicine** ticket	Allowed	Passed	
Q-07	As `nurse` or `opd`: act on any clinic's tickets	Allowed	Passed	
Q-08	Public Queue Display	Real clock (date + time); sections use **full clinic names**; **queue codes only — no patient names**	Passed	
Q-09	Public display: doctor line per clinic	e.g. `Diabetology: Dr. ___ – Available/Unavailable`	Passed	
Q-10	Change availability (see D-*) while	Display updates within a few seconds	Passed	

ID	Steps	Expected result	Result	Remarks
	display stays open			
Q-11	Leave Clinic Queues open while another user queues a patient	New ticket appears without manual refresh	Passed	

Doctor availability

ID	Steps	Expected result	Result	Remarks
D-01	Availability page	Lists doctors with clinic; **OPD cannot “create” a free-text doctor**	Passed	
D-02	Admin → Assign Doctor to Clinic	Pick existing **doctor user** + clinic; specialty **optional**	Passed	
D-03	As `dr.reyes`: change **own** status Available ↔ Unavailable	Works; public display reflects it	Passed	
D-04	As `dr.reyes`: change `dr.santos` status	Blocked	Passed	
D-05	As `opd`: change any doctor’s availability	Allowed	Passed	
D-06	As `nurse`: try to change availability	Not allowed (no control / 403)	Passed	

ID	Steps	Expected result	Result	Remarks
D-07	All doctors in the list	Linked to system **users** (no orphan “non-user” doctors)	Passed	

2.8 Admissions and beds

Confirm + undo for assign / transfer / discharge. Patient info viewable throughout. Darker **Patient info** control.

Layout after seed: **84 beds**, 6 wards; 3 demo occupied.

ID	Steps	Expected result	Result	Remarks
B-01	OPD → Bed Overview / Wards	6 wards, 84 beds; hover on a bed is **obvious** (ring/scale/highlight)	Passed	
B-02	Admissions → Admit patient into a bed	Confirm if prompted; bed Occupied	Passed	
B-03	Click **Patient info** (darker button) on admission row	Modal with patient details + **Open Full Record** → full record (visits, admissions)	Passed	
B-04	Waiting for Bed → Patient info	Same modal + full record link	Passed	
B-05	Occupied bed / ward list → Patient info	Same for nurse, doctor, OPD	Passed	

ID	Steps	Expected result	Result	Remarks
B-06	Transfer bed	Confirmation; old bed Cleaning; Undo once works	Passed	
B-07	Discharge	Confirmation; Undo discharge once (where allowed)	Passed	
B-08	Nurse/Doctor	Can view beds/patients; **cannot** admit/transfer/discharge/change bed status	Passed	
B-09	Duplicate admit	Blocked	Passed	
B-10	Bed History	Events with actor and time	Passed	

2.9 Parking

ID	Steps	Expected result	Result	Remarks
K-01	Guard → park vehicle (plate, area)	Parked; plate normalized	pass	
K-02	Same plate while parked	Blocked	pass	
K-03	Exit vehicle	Exited	pass	
K-04	Admin parking areas add/deactivate	Affects guard dropdown	Not tested	

2.10 Users & roles (Administrator)

ID	Steps	Expected result	Result	Remarks
U-01	Users list	Logins shown **masked** (not plain text)	pass	Include search or filtering
U-02	Add secretary → **Office** dropdown required	Works; clinic field not used	pass	
U-03	Add doctor → **Clinic** dropdown required; specialty optional	Doctor user + clinic assignment	pass	
U-04	Add nurse/guard/OPD	Office/clinic defaults to **none**	pass	
U-05	Create user without password	Default password **12345678** works	pass	
U-06	Password letters-only or numbers-only or < 8 chars	Rejected; must be ≥8 with letters **and** numbers (symbols OK)	pass	
U-07	Edit user: change login or password **without** admin password	Rejected	pass	
U-08	Edit user: change login/password	Succeeds	pass	

ID	Steps	Expected result	Result	Remarks
	with current admin password			
U-09	Deactivate user → login	Refused	Not tested	
U-10	As admin, open pages belonging to other roles (guard register, OPD register, etc.)	Accessible (admin has all capabilities)	pass	

2.11 Admin reports, audit, backups, settings

ID	Steps	Expected result	Result	Remarks
R-01	Daily summary	Counts match today's activity	passed	
R-02	PDF patients / visitors / audit	Open correctly	passed	
R-03	CSV exports (patients, hospital visits/opd, admissions, census, visitors, vehicles, audit)	Download; open in Sheets	passed	
R-04	Audit Logs	Patient edits, visits, bed moves, user changes listed	passed	
R-05	Guard → Security Logs	Visitor/vehicle focused	passed	

ID	Steps	Expected result	Result	Remarks
R-06	Backup now + download	`.sql.gz` file		
R-07	Settings → minor age 21; register age-19 patient without guardian	Blocked; restore to 18 after	passed	
R-08	Non-admin → Reports/Users/Backups/Settings	Not allowed + notice if URL forced	passed	

2.12 Real-time behavior (cross-cutting)

ID	Steps	Expected result	Result	Remarks
RT-01	Two browsers: OPD queues a patient; other role watches Clinic Queues / Public Display	New ticket appears within a few seconds	passed	
RT-02	Doctor toggles availability; public display open	Status updates without refresh	passed	
RT-03	Guard registers visitor for Accounting; secretary keeps Approvals open	Pending card appears / notification bell updates	passed	
RT-04	Bed assign on one screen; Wards open on another	Occupancy updates shortly	Passed	

ID	Steps	Expected result	Result	Remarks
RT-05	Public display clock	Shows **live** date and time	passed	

2.13 Freeze checklist (requirements coverage)

Use this as a final sweep; every item should already have a Pass above.

- ☑ Clinic assignment only at registration (no doctor pick)
- ☑ Hospital Visits naming; expandable visit + screening
- ☑ Public display: full clinic names, codes only, live clock, doctor availability per clinic
- ☑ Confirm + undo on queues and beds
- ☑ Patient info from beds/admissions + link to full record
- ☑ Middle name searchable; F/M/L names; auto-capitalize; login not email; 11-digit contacts
- ☑ Minor guardians for **patients** only; relationship Other option
- ☑ Visitor F/M/L required; expandable card; optional reject reason
- ☑ No print patient; no doctor queues/schedules tabs
- ☑ Doctor clinic-scoped actions; OPD/nurse all clinics
- ☑ Doctor own availability; OPD can change all; nurse cannot
- ☑ Users: office vs clinic dropdowns; masked login; admin password to change secrets; default `12345678`
- ☑ Admin all capabilities; unauthorized page → redirect + notice
- ☑ No global search; notifications real-time; no header avatar
- ☑ All doctors are system users
- ☑ System keeps updating in real time (polling)

2.14 After testing

1. Collect Pass/Fail sheets and bug reports.
2. Fix **Critical / Major** bugs only (feature freeze).
3. Re-run failed cases + `smoke-test.ps1`.
4. Run the **client demo** using `docs/DEMO.md`.
5. When the lead says go: **pre-deployment hardening** in `docs/DEPLOY.md` § Pre-deployment hardening.

2.15 Bug report template

```
None
Bug ID:        (e.g. BUG-001)
Test ID:       (e.g. Q-05)
Tester:
Date/time:
Logged in as:  (login)
Page / URL:
Steps to reproduce:
  1.
  2.
  3.
Expected:
Actual:
Screenshot:    (attach)
Severity:      Critical / Major / Minor / Suggestion
```

Extras: F12 → Console (red errors); note `php artisan serve` output.