

Performance Analysis: Coverage and Generation Time

Data Analysis Summary

1 Overview

This document presents the Median, Mean, Minimum, and Maximum values, along with statistical pairwise comparisons (p-value and Effect Size $\hat{A}_{12}$) for two primary metrics:

1. Percentage of covered unique relevant FECs.
2. Average time to generate a unique relevant FEC.

2 Effect Size Interpretation

The Vargha-Delaney $\hat{A}_{12}$ effect size is interpreted as follows:

Magnitude	$\hat{A}_{12}$ Value (A > B)	$\hat{A}_{12}$ Value (B > A)
Negligible	0.50 – 0.56	0.44 – 0.50
Small	0.56 – 0.64	0.36 – 0.44
Medium	0.64 – 0.71	0.29 – 0.36
Large	> 0.71	< 0.29

3 Metric 1: Covered Unique Relevant FECs (%)

3.1 Descriptive Statistics

Table 1: Descriptive Statistics for Covered Unique Relevant FECs (%)

Vessels	Approach	Median	Mean	Min	Max
2	DC/SB2	100.000%	100.000%	100.000%	100.000%
2	DC/SB3	100.000%	100.000%	100.000%	100.000%
2	DC/RS	100.000%	96.667%	71.429%	100.000%
2	MSR/SB2	100.000%	100.000%	100.000%	100.000%
2	MSR/SB3	100.000%	100.000%	100.000%	100.000%
2	MSR/RS	100.000%	100.000%	100.000%	100.000%
2	MSR/RS+PS	100.000%	100.000%	100.000%	100.000%
2	DC/RS+PS	100.000%	100.000%	100.000%	100.000%
3	DC/SB2	100.000%	98.690%	96.429%	100.000%
3	DC/SB3	100.000%	98.690%	96.429%	100.000%
3	DC/RS	57.143%	57.857%	42.857%	71.429%
3	MSR/SB2	100.000%	100.000%	100.000%	100.000%
3	MSR/SB3	100.000%	100.000%	100.000%	100.000%
3	MSR/RS	100.000%	100.000%	100.000%	100.000%
3	MSR/RS+PS	100.000%	100.000%	100.000%	100.000%
3	DC/RS+PS	75.000%	75.238%	64.286%	85.714%
4	DC/SB2	91.667%	91.429%	86.905%	95.238%
4	DC/SB3	91.667%	91.667%	88.095%	97.619%
4	DC/RS	17.857%	17.540%	13.095%	21.429%
4	MSR/SB2	100.000%	99.921%	98.810%	100.000%
4	MSR/SB3	100.000%	99.921%	98.810%	100.000%
4	MSR/RS	68.452%	65.119%	44.048%	85.714%
4	MSR/RS+PS	100.000%	100.000%	100.000%	100.000%
4	DC/RS+PS	34.524%	34.841%	28.571%	40.476%
5	DC/SB2	70.952%	71.048%	67.143%	73.810%
5	DC/SB3	72.857%	72.968%	68.571%	78.571%
5	DC/RS	1.429%	1.571%	0.476%	3.333%
5	MSR/SB2	89.048%	88.222%	75.714%	98.571%
5	MSR/SB3	100.000%	99.810%	99.048%	100.000%
5	MSR/RS	7.619%	7.746%	2.381%	11.429%
5	MSR/RS+PS	100.000%	100.000%	100.000%	100.000%
5	DC/RS+PS	10.000%	9.921%	7.143%	12.381%
6	DC/SB2	44.481%	44.502%	41.775%	46.970%
6	DC/SB3	52.165%	52.042%	48.268%	54.329%
6	DC/RS	0.000%	0.108%	0.000%	0.866%
6	MSR/SB2	37.338%	36.818%	33.117%	39.610%
6	MSR/SB3	68.182%	68.268%	60.390%	76.190%
6	MSR/RS	0.649%	0.707%	0.000%	1.299%
6	MSR/RS+PS	99.134%	99.127%	98.052%	100.000%
6	DC/RS+PS	1.515%	1.609%	1.082%	2.381%

3.2 Statistical Analysis

Table 2: Statistical Analysis for Covered Unique Relevant FECs

Vessels	Comparison	p-value	Effect Size
2	DC/SB2 - DC/SB3	1.0	0.5
2	DC/SB2 - DC/RS	0.01095298519868556	0.6
2	DC/SB2 - MSR/SB2	1.0	0.5
2	DC/SB2 - MSR/SB3	1.0	0.5
2	DC/SB2 - MSR/RS	1.0	0.5
2	DC/SB2 - MSR/RS+PS	1.0	0.5
2	DC/SB2 - DC/RS+PS	1.0	0.5
2	DC/SB3 - DC/RS	0.01095298519868556	0.6
2	DC/SB3 - MSR/SB2	1.0	0.5
2	DC/SB3 - MSR/SB3	1.0	0.5
2	DC/SB3 - MSR/RS	1.0	0.5
2	DC/SB3 - MSR/RS+PS	1.0	0.5
2	DC/SB3 - DC/RS+PS	1.0	0.5
2	DC/RS - MSR/SB2	0.01095298519868556	0.4
2	DC/RS - MSR/SB3	0.01095298519868556	0.4
2	DC/RS - MSR/RS	0.01095298519868556	0.4
2	DC/RS - MSR/RS+PS	0.01095298519868556	0.4
2	DC/RS - DC/RS+PS	0.01095298519868556	0.4
2	MSR/SB2 - MSR/SB3	1.0	0.5
2	MSR/SB2 - MSR/RS	1.0	0.5
2	MSR/SB2 - MSR/RS+PS	1.0	0.5
2	MSR/SB2 - DC/RS+PS	1.0	0.5
2	MSR/SB3 - MSR/RS	1.0	0.5
2	MSR/SB3 - MSR/RS+PS	1.0	0.5
2	MSR/SB3 - DC/RS+PS	1.0	0.5
2	MSR/RS - MSR/RS+PS	1.0	0.5
2	MSR/RS - DC/RS+PS	1.0	0.5
2	MSR/RS+PS - DC/RS+PS	1.0	0.5
3	DC/SB2 - DC/SB3	1.0	0.5
3	DC/SB2 - DC/RS	1.1386775563923024e-11	1.0
3	DC/SB2 - MSR/SB2	0.00028526522806494994	0.31666666666666665
3	DC/SB2 - MSR/SB3	0.00028526522806494994	0.31666666666666665
3	DC/SB2 - MSR/RS	0.00028526522806494994	0.31666666666666665
3	DC/SB2 - MSR/RS+PS	0.00028526522806494994	0.31666666666666665
3	DC/SB2 - DC/RS+PS	9.92081868566165e-12	1.0
3	DC/SB3 - DC/RS	1.1386775563923024e-11	1.0
3	DC/SB3 - MSR/SB2	0.00028526522806494994	0.31666666666666665
3	DC/SB3 - MSR/SB3	0.00028526522806494994	0.31666666666666665
3	DC/SB3 - MSR/RS	0.00028526522806494994	0.31666666666666665
3	DC/SB3 - MSR/RS+PS	0.00028526522806494994	0.31666666666666665
3	DC/SB3 - DC/RS+PS	9.92081868566165e-12	1.0
3	DC/RS - MSR/SB2	1.0874810166496387e-12	0.0
3	DC/RS - MSR/SB3	1.0874810166496387e-12	0.0
3	DC/RS - MSR/RS	1.0874810166496387e-12	0.0
3	DC/RS - MSR/RS+PS	1.0874810166496387e-12	0.0
3	DC/RS - DC/RS+PS	1.215202985852028e-10	0.019444444444444445
3	MSR/SB2 - MSR/SB3	1.0	0.5
3	MSR/SB2 - MSR/RS	1.0	0.5
3	MSR/SB2 - MSR/RS+PS	1.0	0.5
3	MSR/SB2 - DC/RS+PS	9.206450055319649e-13	1.0
3	MSR/SB3 - MSR/RS	1.0	0.5
3	MSR/SB3 - MSR/RS+PS	1.0	0.5
3	MSR/SB3 - DC/RS+PS	9.206450055319649e-13	1.0
3	MSR/RS - MSR/RS+PS	1.0	0.5

Vessels	Comparison	p-value	Effect Size
3	MSR/RS - DC/RS+PS	9.206450055319649e-13	1.0
3	MSR/RS+PS - DC/RS+PS	9.206450055319649e-13	1.0
4	DC/SB2 - DC/SB3	0.7457608836033107	0.4755555555555556
4	DC/SB2 - DC/RS	2.2578984515534943e-11	1.0
4	DC/SB2 - MSR/SB2	1.9399881789585005e-12	0.0
4	DC/SB2 - MSR/SB3	1.9399881789585005e-12	0.0
4	DC/SB2 - MSR/RS	2.536707123527292e-11	1.0
4	DC/SB2 - MSR/RS+PS	9.839896908186724e-13	0.0
4	DC/SB2 - DC/RS+PS	2.3783304576285257e-11	1.0
4	DC/SB3 - DC/RS	2.3737674251975792e-11	1.0
4	DC/SB3 - MSR/SB2	2.0625277966747845e-12	0.0
4	DC/SB3 - MSR/SB3	2.0625277966747845e-12	0.0
4	DC/SB3 - MSR/RS	2.6655424667135268e-11	1.0
4	DC/SB3 - MSR/RS+PS	1.049604227039287e-12	0.0
4	DC/SB3 - DC/RS+PS	2.4998175298546228e-11	1.0
4	DC/RS - MSR/SB2	2.0145771569918932e-12	0.0
4	DC/RS - MSR/SB3	2.0145771569918932e-12	0.0
4	DC/RS - MSR/RS	2.6152998768822468e-11	0.0
4	DC/RS - MSR/RS+PS	1.0239040536456663e-12	0.0
4	DC/RS - DC/RS+PS	2.4524367490563977e-11	0.0
4	MSR/SB2 - MSR/SB3	1.0	0.5
4	MSR/SB2 - MSR/RS	2.322049815233904e-12	1.0
4	MSR/SB2 - MSR/RS+PS	0.16074199750363027	0.4666666666666667
4	MSR/SB2 - DC/RS+PS	2.146463850294861e-12	1.0
4	MSR/SB3 - MSR/RS	2.322049815233904e-12	1.0
4	MSR/SB3 - MSR/RS+PS	0.16074199750363027	0.4666666666666667
4	MSR/SB3 - DC/RS+PS	2.146463850294861e-12	1.0
4	MSR/RS - MSR/RS+PS	1.189220116989688e-12	0.0
4	MSR/RS - DC/RS+PS	2.7529807281135532e-11	1.0
4	MSR/RS+PS - DC/RS+PS	1.0946655810191252e-12	1.0
5	DC/SB2 - DC/SB3	0.00015995209881942572	0.2166666666666667
5	DC/SB2 - DC/RS	2.463418327911243e-11	1.0
5	DC/SB2 - MSR/SB2	2.900893911357344e-11	0.0
5	DC/SB2 - MSR/SB3	1.1511595911560314e-11	0.0
5	DC/SB2 - MSR/RS	2.8448213306903477e-11	1.0
5	DC/SB2 - MSR/RS+PS	1.1527942696948406e-12	0.0
5	DC/SB2 - DC/RS+PS	2.7844609057369553e-11	1.0
5	DC/SB3 - DC/RS	2.4712897801575508e-11	1.0
5	DC/SB3 - MSR/SB2	4.337933369033678e-11	0.004444444444444444
5	DC/SB3 - MSR/SB3	1.1550858464113106e-11	0.0
5	DC/SB3 - MSR/RS	2.853797871999687e-11	1.0
5	DC/SB3 - MSR/RS+PS	1.1575275793293145e-12	0.0
5	DC/SB3 - DC/RS+PS	2.7932635089866763e-11	1.0
5	DC/RS - MSR/SB2	2.5561505209015535e-11	0.0
5	DC/RS - MSR/SB3	1.0037755338198664e-11	0.0
5	DC/RS - MSR/RS	3.385499509558422e-11	0.003333333333333333
5	DC/RS - MSR/RS+PS	9.774787292232406e-13	0.0
5	DC/RS - DC/RS+PS	2.4524367490563977e-11	0.0
5	MSR/SB2 - MSR/SB3	1.1974647032131143e-11	0.0
5	MSR/SB2 - MSR/RS	2.950550967787438e-11	1.0
5	MSR/SB2 - MSR/RS+PS	1.2088155170951906e-12	0.0
5	MSR/SB2 - DC/RS+PS	2.888144943583771e-11	1.0
5	MSR/SB3 - MSR/RS	1.1725074779481958e-11	1.0
5	MSR/SB3 - MSR/RS+PS	0.0006388300525588091	0.3333333333333333
5	MSR/SB3 - DC/RS+PS	1.1456833639674192e-11	1.0

Vessels	Comparison	p-value	Effect Size
5	MSR/RS - MSR/RS+PS	1.1785680319585353e-12	0.0
5	MSR/RS - DC/RS+PS	0.00010440753200034054	0.2088888888888889
5	MSR/RS+PS - DC/RS+PS	1.1461976472748565e-12	1.0
6	DC/SB2 - DC/SB3	2.935757522559952e-11	0.0
6	DC/SB2 - DC/RS	1.1837188996133379e-11	1.0
6	DC/SB2 - MSR/SB2	2.9616906488199523e-11	1.0
6	DC/SB2 - MSR/SB3	2.969138405322447e-11	0.0
6	DC/SB2 - MSR/RS	2.376808557633683e-11	1.0
6	DC/SB2 - MSR/RS+PS	2.805629819198409e-11	0.0
6	DC/SB2 - DC/RS+PS	2.6706148716864394e-11	1.0
6	DC/SB3 - DC/RS	1.1813082215152467e-11	1.0
6	DC/SB3 - MSR/SB2	2.9561160210067515e-11	1.0
6	DC/SB3 - MSR/SB3	2.963550988338225e-11	0.0
6	DC/SB3 - MSR/RS	2.3722481918204896e-11	1.0
6	DC/SB3 - MSR/RS+PS	2.8003238673915385e-11	0.0
6	DC/SB3 - DC/RS+PS	2.6655424667135268e-11	1.0
6	DC/RS - MSR/SB2	1.1925966425090752e-11	0.0
6	DC/RS - MSR/SB3	1.1958399984589844e-11	0.0
6	DC/RS - MSR/RS	2.7182579866669663e-09	0.06611111111111111
6	DC/RS - MSR/RS+PS	1.1247835013007064e-11	0.0
6	DC/RS - DC/RS+PS	1.0663518574230888e-11	0.0
6	MSR/SB2 - MSR/SB3	2.989707925956072e-11	0.0
6	MSR/SB2 - MSR/RS	2.3935984744181864e-11	1.0
6	MSR/SB2 - MSR/RS+PS	2.825163561771409e-11	0.0
6	MSR/SB2 - DC/RS+PS	2.6892891573096366e-11	1.0
6	MSR/SB3 - MSR/RS	2.3997307009028787e-11	1.0
6	MSR/SB3 - MSR/RS+PS	2.832297454065457e-11	0.0
6	MSR/SB3 - DC/RS+PS	2.6961093014390475e-11	1.0
6	MSR/RS - MSR/RS+PS	2.2651680558268174e-11	0.0
6	MSR/RS - DC/RS+PS	1.1106596409165662e-10	0.01888888888888889
6	MSR/RS+PS - DC/RS+PS	2.5464118809148357e-11	1.0

4 Metric 2: Average Time to Generate (s)

4.1 Descriptive Statistics

Table 3: Descriptive Statistics for Average Time to Generate (s)

Vessels	Approach	Median	Mean	Min	Max
2	DC/SB2	2.672s	3.644s	0.341s	12.180s
2	DC/SB3	2.444s	3.141s	0.451s	18.266s
2	DC/RS	92.363s	134.197s	19.276s	336.000s
2	MSR/SB2	34.902s	32.629s	0.244s	122.465s
2	MSR/SB3	0.429s	3.410s	0.272s	34.944s
2	MSR/RS	3.520s	4.061s	1.339s	11.425s
2	MSR/RS+PS	0.168s	0.176s	0.000s	0.508s
2	DC/RS+PS	65.290s	70.033s	12.137s	175.457s
3	DC/SB2	142.475s	148.613s	24.019s	248.889s
3	DC/SB3	198.746s	172.421s	36.681s	248.889s
3	DC/RS	420.000s	422.114s	336.000s	560.000s
3	MSR/SB2	78.434s	79.766s	24.451s	149.492s
3	MSR/SB3	21.581s	22.029s	2.199s	55.562s
3	MSR/RS	50.751s	57.952s	30.128s	126.339s

Vessels	Approach	Median	Mean	Min	Max
3	MSR/RS+PS	0.761s	0.808s	0.352s	1.463s
3	DC/RS+PS	320.000s	320.058s	280.000s	373.333s
4	DC/SB2	261.818s	262.605s	252.000s	276.164s
4	DC/SB3	261.818s	261.946s	245.854s	272.432s
4	DC/RS	1344.000s	1390.788s	1120.000s	1832.727s
4	MSR/SB2	148.436s	151.977s	107.828s	207.026s
4	MSR/SB3	49.835s	51.055s	26.961s	86.438s
4	MSR/RS	350.635s	380.887s	280.000s	544.865s
4	MSR/RS+PS	4.856s	4.931s	3.141s	7.332s
4	DC/RS+PS	695.172s	693.666s	592.941s	840.000s
5	DC/SB2	338.255s	337.949s	325.161s	357.447s
5	DC/SB3	329.412s	329.168s	305.455s	350.000s
5	DC/RS	16800.000s	19392.000s	7200.000s	50400.000s
5	MSR/SB2	269.519s	273.321s	243.478s	316.981s
5	MSR/SB3	187.864s	189.167s	136.900s	241.520s
5	MSR/RS	3150.000s	3471.275s	2100.000s	10080.000s
5	MSR/RS+PS	30.193s	31.659s	17.493s	46.866s
5	DC/RS+PS	2400.000s	2468.429s	1938.462s	3360.000s
6	DC/SB2	539.565s	539.761s	510.968s	574.508s
6	DC/SB3	460.083s	461.471s	441.753s	497.220s
6	DC/RS	110880.000s	95172.000s	27720.000s	110880.000s
6	MSR/SB2	642.788s	653.836s	605.902s	724.706s
6	MSR/SB3	351.606s	352.178s	314.398s	397.318s
6	MSR/RS	36960.000s	39062.897s	18480.000s	110880.000s
6	MSR/RS+PS	241.774s	239.803s	202.081s	244.781s
6	DC/RS+PS	15840.000s	15755.067s	10080.000s	22176.000s

4.2 Statistical Analysis

Table 4: Statistical Analysis for Average Time to Generate

Vessels	Comparison	p-value	Effect Size
2	DC/SB2 - DC/SB3	0.2339889162810581	0.59
2	DC/SB2 - DC/RS	3.000982378980083e-11	0.0
2	DC/SB2 - MSR/SB2	0.02324344705367121	0.3288888888888889
2	DC/SB2 - MSR/SB3	3.83494235931967e-06	0.8477777777777777
2	DC/SB2 - MSR/RS	0.1761275454839878	0.3977777777777778
2	DC/SB2 - MSR/RS+PS	4.972116029572513e-11	0.9944444444444445
2	DC/SB2 - DC/RS+PS	3.3383888204287995e-11	0.0011111111111111111
2	DC/SB3 - DC/RS	3.000982378980083e-11	0.0
2	DC/SB3 - MSR/SB2	0.022360148062659704	0.3277777777777778
2	DC/SB3 - MSR/SB3	3.3241530490778984e-06	0.85
2	DC/SB3 - MSR/RS	0.014412183349875863	0.31555555555555553
2	DC/SB3 - MSR/RS+PS	3.6874335905067576e-11	0.9977777777777778
2	DC/SB3 - DC/RS+PS	3.3383888204287995e-11	0.0011111111111111111
2	DC/RS - MSR/SB2	2.3677095883561262e-07	0.8888888888888888
2	DC/RS - MSR/SB3	3.666861555502866e-11	0.9977777777777778
2	DC/RS - MSR/RS	3.000982378980083e-11	1.0
2	DC/RS - MSR/RS+PS	2.999100614022856e-11	1.0
2	DC/RS - DC/RS+PS	0.00795030251190583	0.7
2	MSR/SB2 - MSR/SB3	0.0002838866568788881	0.7733333333333333
2	MSR/SB2 - MSR/RS	0.0554569313434556	0.6444444444444445
2	MSR/SB2 - MSR/RS+PS	4.197345029530687e-10	0.97

Vessels	Comparison	p-value	Effect Size
2	MSR/SB2 - DC/RS+PS	0.00035638379914234935	0.2311111111111111
2	MSR/SB3 - MSR/RS	1.3594320855421337e-07	0.10333333333333333
2	MSR/SB3 - MSR/RS+PS	5.964422257650942e-09	0.9377777777777778
2	MSR/SB3 - DC/RS+PS	1.328851208138703e-10	0.016666666666666666
2	MSR/RS - MSR/RS+PS	3.017966798490446e-11	1.0
2	MSR/RS - DC/RS+PS	3.019859359162157e-11	0.0
2	MSR/RS+PS - DC/RS+PS	3.017966798490446e-11	0.0
3	DC/SB2 - DC/SB3	0.3318572762423716	0.42833333333333334
3	DC/SB2 - DC/RS	2.4166683665055555e-11	0.0
3	DC/SB2 - MSR/SB2	0.013542869296816602	0.6855555555555556
3	DC/SB2 - MSR/SB3	7.192694618593996e-10	0.9622222222222222
3	DC/SB2 - MSR/RS	0.0003417556832843326	0.7688888888888888
3	DC/SB2 - MSR/RS+PS	2.6286126789143313e-11	1.0
3	DC/SB2 - DC/RS+PS	2.1863654610551153e-11	0.0
3	DC/SB3 - DC/RS	2.4166683665055555e-11	0.0
3	DC/SB3 - MSR/SB2	8.336254720335852e-06	0.8344444444444444
3	DC/SB3 - MSR/SB3	4.3436367391496885e-11	0.9944444444444445
3	DC/SB3 - MSR/RS	1.2911175780153613e-08	0.9266666666666666
3	DC/SB3 - MSR/RS+PS	2.6286126789143313e-11	1.0
3	DC/SB3 - DC/RS+PS	2.1863654610551153e-11	0.0
3	DC/RS - MSR/SB2	2.77919150242411e-11	1.0
3	DC/RS - MSR/SB3	2.77919150242411e-11	1.0
3	DC/RS - MSR/RS	2.77919150242411e-11	1.0
3	DC/RS - MSR/RS+PS	2.77919150242411e-11	1.0
3	DC/RS - DC/RS+PS	1.2483268230458089e-10	0.9805555555555555
3	MSR/SB2 - MSR/SB3	3.8201597819993253e-10	0.9711111111111111
3	MSR/SB2 - MSR/RS	0.005322077805144203	0.71
3	MSR/SB2 - MSR/RS+PS	3.019859359162157e-11	1.0
3	MSR/SB2 - DC/RS+PS	2.5173988322497203e-11	0.0
3	MSR/SB3 - MSR/RS	1.4109773081080244e-09	0.044444444444444446
3	MSR/SB3 - MSR/RS+PS	3.019859359162157e-11	1.0
3	MSR/SB3 - DC/RS+PS	2.5173988322497203e-11	0.0
3	MSR/RS - MSR/RS+PS	3.019859359162157e-11	1.0
3	MSR/RS - DC/RS+PS	2.5173988322497203e-11	0.0
3	MSR/RS+PS - DC/RS+PS	2.5173988322497203e-11	0.0
4	DC/SB2 - DC/SB3	0.7177552498835164	0.5272222222222223
4	DC/SB2 - DC/RS	2.310718796407181e-11	0.0
4	DC/SB2 - MSR/SB2	2.6336209060604078e-11	1.0
4	DC/SB2 - MSR/SB3	2.6336209060604078e-11	1.0
4	DC/SB2 - MSR/RS	2.5954460401228413e-11	0.0
4	DC/SB2 - MSR/RS+PS	2.6336209060604078e-11	1.0
4	DC/SB2 - DC/RS+PS	2.4337151241539282e-11	0.0
4	DC/SB3 - DC/RS	2.3737674251975792e-11	0.0
4	DC/SB3 - MSR/SB2	2.7046566795229522e-11	1.0
4	DC/SB3 - MSR/SB3	2.7046566795229522e-11	1.0
4	DC/SB3 - MSR/RS	2.6655424667135268e-11	0.0
4	DC/SB3 - MSR/RS+PS	2.7046566795229522e-11	1.0
4	DC/SB3 - DC/RS+PS	2.4998175298546228e-11	0.0
4	DC/RS - MSR/SB2	2.6537410336963057e-11	1.0
4	DC/RS - MSR/SB3	2.6537410336963057e-11	1.0
4	DC/RS - MSR/RS	2.6152998768822468e-11	1.0
4	DC/RS - MSR/RS+PS	2.6537410336963057e-11	1.0
4	DC/RS - DC/RS+PS	2.4524367490563977e-11	1.0
4	MSR/SB2 - MSR/SB3	3.019859359162157e-11	1.0
4	MSR/SB2 - MSR/RS	2.976603244829892e-11	0.0

Vessels	Comparison	p-value	Effect Size
4	MSR/SB2 - MSR/RS+PS	3.019859359162157e-11	1.0
4	MSR/SB2 - DC/RS+PS	2.7932635089866763e-11	0.0
4	MSR/SB3 - MSR/RS	2.976603244829892e-11	0.0
4	MSR/SB3 - MSR/RS+PS	3.019859359162157e-11	1.0
4	MSR/SB3 - DC/RS+PS	2.7932635089866763e-11	0.0
4	MSR/RS - MSR/RS+PS	2.976603244829892e-11	1.0
4	MSR/RS - DC/RS+PS	2.7529807281135532e-11	0.0
4	MSR/RS+PS - DC/RS+PS	2.7932635089866763e-11	0.0
5	DC/SB2 - DC/SB3	0.00015995209881942572	0.7833333333333333
5	DC/SB2 - DC/RS	2.463418327911243e-11	0.0
5	DC/SB2 - MSR/SB2	2.900893911357344e-11	1.0
5	DC/SB2 - MSR/SB3	2.9063734564966033e-11	1.0
5	DC/SB2 - MSR/RS	2.8448213306903477e-11	0.0
5	DC/SB2 - MSR/RS+PS	2.9063734564966033e-11	1.0
5	DC/SB2 - DC/RS+PS	2.7844609057369553e-11	0.0
5	DC/SB3 - DC/RS	2.4712897801575508e-11	0.0
5	DC/SB3 - MSR/SB2	4.337933369033678e-11	0.9955555555555555
5	DC/SB3 - MSR/SB3	2.915527021579793e-11	1.0
5	DC/SB3 - MSR/RS	2.853797871999687e-11	0.0
5	DC/SB3 - MSR/RS+PS	2.915527021579793e-11	1.0
5	DC/SB3 - DC/RS+PS	2.7932635089866763e-11	0.0
5	DC/RS - MSR/SB2	2.5561505209015535e-11	1.0
5	DC/RS - MSR/SB3	2.5610325801214453e-11	1.0
5	DC/RS - MSR/RS	3.385499509558422e-11	0.9966666666666667
5	DC/RS - MSR/RS+PS	2.5610325801214453e-11	1.0
5	DC/RS - DC/RS+PS	2.4524367490563977e-11	1.0
5	MSR/SB2 - MSR/SB3	3.0141849228072565e-11	1.0
5	MSR/SB2 - MSR/RS	2.950550967787438e-11	0.0
5	MSR/SB2 - MSR/RS+PS	3.0141849228072565e-11	1.0
5	MSR/SB2 - DC/RS+PS	2.888144943583771e-11	0.0
5	MSR/SB3 - MSR/RS	2.9561160210067515e-11	0.0
5	MSR/SB3 - MSR/RS+PS	3.019859359162157e-11	1.0
5	MSR/SB3 - DC/RS+PS	2.8936025137569305e-11	0.0
5	MSR/RS - MSR/RS+PS	2.9561160210067515e-11	1.0
5	MSR/RS - DC/RS+PS	0.00010440753200034054	0.7911111111111111
5	MSR/RS+PS - DC/RS+PS	2.8936025137569305e-11	0.0
6	DC/SB2 - DC/SB3	2.935757522559952e-11	1.0
6	DC/SB2 - DC/RS	2.695379470738967e-06	0.0
6	DC/SB2 - MSR/SB2	2.9616906488199523e-11	0.0
6	DC/SB2 - MSR/SB3	2.98034208171797e-11	1.0
6	DC/SB2 - MSR/RS	3.4828020466181705e-11	0.0
6	DC/SB2 - MSR/RS+PS	2.98034208171797e-11	1.0
6	DC/SB2 - DC/RS+PS	2.6706148716864394e-11	0.0
6	DC/SB3 - DC/RS	2.6866015780638293e-06	0.0
6	DC/SB3 - MSR/SB2	2.9561160210067515e-11	0.0
6	DC/SB3 - MSR/SB3	2.974735431495655e-11	1.0
6	DC/SB3 - MSR/RS	3.475885773937941e-11	0.0
6	DC/SB3 - MSR/RS+PS	2.974735431495655e-11	1.0
6	DC/SB3 - DC/RS+PS	2.6655424667135268e-11	0.0
6	DC/RS - MSR/SB2	2.727768745173502e-06	1.0
6	DC/RS - MSR/SB3	2.757492819279227e-06	1.0
6	DC/RS - MSR/RS	0.0004835626974620904	0.8637931034482759
6	DC/RS - MSR/RS+PS	2.757492819279227e-06	1.0
6	DC/RS - DC/RS+PS	2.2769240428224e-06	1.0
6	MSR/SB2 - MSR/SB3	3.000982378980083e-11	1.0

Vessels	Comparison	p-value	Effect Size
6	MSR/SB2 - MSR/RS	3.5082691962053626e-11	0.0
6	MSR/SB2 - MSR/RS+PS	3.000982378980083e-11	1.0
6	MSR/SB2 - DC/RS+PS	2.6892891573096366e-11	0.0
6	MSR/SB3 - MSR/RS	3.5315683559563725e-11	0.0
6	MSR/SB3 - MSR/RS+PS	3.019859359162157e-11	1.0
6	MSR/SB3 - DC/RS+PS	2.706369119995905e-11	0.0
6	MSR/RS - MSR/RS+PS	3.5315683559563725e-11	1.0
6	MSR/RS - DC/RS+PS	1.6664625236141108e-10	0.9804597701149426
6	MSR/RS+PS - DC/RS+PS	2.706369119995905e-11	0.0