

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z .

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ``cow is an element of Z ''.

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ``cow is an element of Z ''.

Frequently encountered sets are

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ``cow is an element of Z ''.

Frequently encountered sets are

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ``cow is an element of Z ''.

Frequently encountered sets are

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ``cow is an element of Z ''.

Frequently encountered sets are

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ``cow is an element of Z ''.

Frequently encountered sets are

Z

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ‘‘cow is an element of Z ’’. Frequently encountered sets are

$$Z = \{\dots, -2, -1, 0, 1, 2, \dots\}$$

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ‘‘cow is an element of Z ’’. Frequently encountered sets are

$$Z = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{‘‘integer numbers’’})$$

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ‘‘cow is an element of Z ’’. Frequently encountered sets are

$$Z = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{‘‘integer numbers’’})$$

Q

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ‘‘cow is an element of Z ’’. Frequently encountered sets are

$$Z = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{‘‘integer numbers’’})$$

$$Q = \{p/q : p, q \in \mathbb{Z} \text{ and } q \neq 0\}$$

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ‘‘cow is an element of Z ’’. Frequently encountered sets are

$$Z = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{‘‘integer numbers’’})$$

$$Q = \{p/q : p, q \in \mathbb{Z} \text{ and } q \neq 0\} \quad (\text{‘‘rational numbers’’})$$

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ‘‘cow is an element of Z ’’. Frequently encountered sets are

$$Z = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{‘‘integer numbers’’})$$

$$Q = \{p/q : p, q \in \mathbb{Z} \text{ and } q \neq 0\} \quad (\text{‘‘rational numbers’’})$$

\mathbb{R}

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ‘‘cow is an element of Z ’’. Frequently encountered sets are

$$Z = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{‘‘integer numbers’’})$$

$$Q = \{p/q : p, q \in \mathbb{Z} \text{ and } q \neq 0\} \quad (\text{‘‘rational numbers’’})$$

$$R = \{\text{decimal numbers}\}$$

A **set** is a collection of objects. For example:

$$Z = \{\text{cow}, \text{pig}, \text{elephant}\}.$$

We call the objects in Z the **elements** of Z . We write

$$\text{cow} \in Z$$

with ‘‘cow is an element of Z ’’. Frequently encountered sets are

$$Z = \{\dots, -2, -1, 0, 1, 2, \dots\} \quad (\text{‘‘integer numbers’’})$$

$$Q = \{p/q : p, q \in \mathbb{Z} \text{ and } q \neq 0\} \quad (\text{‘‘rational numbers’’})$$

$$R = \{\text{decimal numbers}\} \quad (\text{‘‘real numbers’’})$$