CJC-1295 (no DAC) / Ipamorelin 5/5 10mg
QUICK GUIDE

Catalog blend: untested as a combination ♥



WHAT IS IT?

CJC-1295 (no DAC) / Ipamorelin 5/5 is a pre-made catalog blend of CJC-1295 (no DAC), Ipamorelin. Each ingredient keeps its own evidence grade (CJC-1295 (no DAC) E, Ipamorelin B). No study of this combination was found.

Strongest evidence: E · Community / vendor

RECONSTITUTION

Add 2.5 mL bacteriostatic water to the 10 mg vial.

This yields 4 mg/mL.

1. Swab both vial tops with an alcohol pad.
2. Draw 2.5 mL of water and inject it slowly down the vial wall.
3. Roll gently until dissolved; don't shake.
4. Label and refrigerate.

DOSING PROTOCOL

Catalog protocol (grade E)

WEEK	DOSE (Per catalog protocol)	UNITS (U-100 SYRINGE)
Weeks 1–4	240 mcg	6 units
Weeks 5–12	600 mcg	15 units

Cycle: Catalog cycle.

POTENTIAL BENEFITS

- **CJC-1295 (no DAC):** 5 mg per vial · grade E E · Community / vendor
- **Ipamorelin:** 5 mg per vial · grade B B · Human trials

POTENTIAL SIDE EFFECTS

- See each ingredient's sheet
- Fixed-ratio dosing

Units only. Computed at 4 mg/mL combined: 6 units = 240 mcg combined (120 mcg each); 15 units = 600 mcg combined.

The page also lists 12–30 units without saying which vial it applies to.

For subcutaneous injection

Refrigerate after mixing. Catalog: use within 60 days.

Evidence grade E: Community / vendor

For educational use only.


PEPPERSDVO