GLOW 50mg

QUICK GUIDE

Catalog blend: untested as a combination ♥



WHAT IS GLOW?

GLOW is a pre-made catalog blend of BPC-157, GHK-Cu, TB-500. Each ingredient keeps its own evidence grade (BPC-157 C, GHK-Cu C, TB-500 D). No study of this combination was found.

Strongest evidence: E · Community / vendor

RECONSTITUTION

Add 2.5 mL bacteriostatic water to the 50 mg vial.

This yields 20 mg/mL.

1. Swab both vial tops with an alcohol pad.
2. Draw 2.5 mL of water and inject it slowly down the vial wall.
3. Roll gently until dissolved; don't shake.
4. Label and refrigerate.

DOSING PROTOCOL

Catalog protocol (grade E)

WEEK	DOSE (Per catalog protocol)	UNITS (U-100 SYRINGE)
Weeks 1–2	1 mg	5 units
Weeks 3–8	2 mg	10 units

Cycle: Catalog cycle.

POTENTIAL BENEFITS

- **BPC-157:** 10 mg per vial · grade C — C · Human observational
- **GHK-Cu:** 50 mg per vial · grade C — C · Human observational
- **TB-500:** 10 mg per vial · grade D — D · Animal / lab

POTENTIAL SIDE EFFECTS

- See each ingredient's sheet
- Fixed-ratio dosing

Everything on each ingredient's avoid list

For subcutaneous injection

Refrigerate after mixing. Catalog: use within 60 days.

Evidence grade E: Community / vendor

For educational use only.


PEPPERSDVO