Mazdutide 10mg

QUICK GUIDE

First approved GLP-1 / glucagon dual agonist ♥



WHAT IS MAZDUTIDE?

Mazdutide is a once-weekly dual GLP-1 and glucagon receptor agonist modeled on the gut hormone oxyntomodulin. China approved it for weight management in June 2025, the first drug of its class approved anywhere.

Strongest evidence: A · Approved use

RECONSTITUTION

Add 1 mL bacteriostatic water to the 10 mg vial.

This yields 10 mg/mL.

1. Swab both vial tops with an alcohol pad.
2. Draw 1 mL of water and inject it slowly down the vial wall.
3. Roll gently until dissolved; don't shake.
4. Label and refrigerate.

DOSING PROTOCOL

Catalog ladder 2→3→4.5→6 mg (grade E)

WEEK	DOSE (Once weekly, same day each week)	UNITS (U-100 SYRINGE)
Weeks 1–4	2 mg	20 units
Weeks 5–8	3 mg	30 units
Weeks 9–12	4.5 mg	45 units
Week 13 onward	6 mg	60 units

GLORY-1 maintenance doses were 4 and 6 mg.

POTENTIAL BENEFITS

- **Weight loss:** −14.84% at 6 mg over 48 weeks (GLORY-1). B · Human trials
- **Approved:** NMPA approval for weight management, June 2025. A · Approved use
- **Glucagon arm:** Proposed energy-expenditure effect (oxyntomodulin concept). B · Human trials
- **Appetite:** GLP-1R satiety + slower gastric emptying. B · Human trials

POTENTIAL SIDE EFFECTS

- GI effects are expected (GLP-1 class)
- Rates weren't pulled from GLORY-1 this wave

The catalog's 4.5 mg step isn't a trial dose (GLORY-1 used 4 and 6 mg).

Unit math: every unit value the catalog prints matches (10 mg/mL).

For subcutaneous injection

Refrigerate after mixing. Catalog: use within 60 days.

Evidence grade A: Approved use

For educational use only.

PEPPERSDVO