MK-677 (Ibutamoren)
QUICK GUIDE

Oral · grade B ♥



WHAT IS IT?

MK-677 (Ibutamoren): oral ghrelin-receptor agonist (GH secretagogue). Nass 2008 (65 healthy adults aged 60–81, 25 mg daily, 12 months): GH and IGF-1 rose to young-adult levels; fat-free mass up ~1.1 kg vs –0.5 kg placebo; no strength gain; fasting glucose and insulin resistance rose.

Strongest evidence: B · Human trials

HOW IT'S TAKEN

25 mg capsules

1 capsule = 25 mg

Nass 2008 (65 healthy adults aged 60–81, 25 mg daily, 12 months): GH and IGF-1 rose to young-adult levels; fat-free mass up ~1.1 kg vs –0.5 kg placebo; no strength gain; fasting glucose and insulin resistance rose B · Human trials

Hip-fracture trial stopped early with more congestive heart failure on ibutamoren (≈6.5% vs 1.7%; secondary sources) C · Human observational

DOSING PROTOCOL

Catalog: 1 capsule (grade E)

WEEK	DOSE (1 capsule (25 mg) once daily)
Weeks 1–12	1 capsule

Cycle: Catalog cycle.

POTENTIAL BENEFITS

- ♥ **Evidence:** Nass 2008 (65 healthy adults aged 60–81, 25 mg daily, 12 months): GH and IGF-1 rose to young-... B · Human trials
- ♥ **Evidence:** Hip-fracture trial stopped early with more congestive heart failure on ibutamoren (≈6.5% vs 1... C · Human observational
- ♥ **Evidence:** Not FDA-approved; banned in sport. C · Human observational
- ♥ **Caution:** Raises fasting glucose / insulin resistance; increased appetite and fluid retention. B · Human trials

POTENTIAL SIDE EFFECTS

- Raises fasting glucose / insulin resistance; increased appetite and fluid retention
- Heart-failure signal in frail elderly patients

Raises fasting glucose / insulin resistance; increased appetite and fluid retention

Heart-failure signal in frail elderly patients

Oral use

Store as the label directs.

Evidence grade B: Human trials

For educational use only.


PEPPERSDVO